

| Style  | What it does  | Example  |
|--|---|--|
| <b>Font-family</b>                           | Specifies a font to use in a class. Can be used to specify more than one font by using commas.  | Font-family: arial, verdana  |
| <b>Font-size</b>                             | Tells a Web browser how large to display a font.  | Font-size: 10pt  |
| <b>Font-style</b>                            | Specifies a style to be used with a font. Can be used with normal, italic, and oblique.   | Font-style: italic   |
| <b>Font-weight</b>                           | Tells a Web browser to display a font with a specific "bold" setting. Can be used with bold, bolder, lighter, and 100-900.  | Font-weight: bolder  |
| <b>Text-transform</b>                        | Allows for text to be set with either capitalize, uppercase, or lowercase.  | Text-transform: uppercase  |
| <b>Text-decoration</b>                       | Tells a Web browser to display text with either an underline, overline, a line-through, none, or will cause the text to blink. Used with underline, overline, line-through, blink, and none.                                    | Text-decoration: overline  |
| <b>Text-Align</b>                            | Tells a Web browser how to align text used in a document. Used with left, center, right, and justify.   | Text-Align: left   |
| <b>Text-Indent</b>                           | Tells a Web browser how much to indent specified text. Can be used with points, pixels, inches, cm, mm, and other units of measure.   | Text-Indent: 10pt  |
| <b>Letter-spacing</b>                        | Specifies a fixed amount of space to be used between letters. Can be used with points, pixels, inches, cm, mm, and other units of measure.  | Letter-spacing: normal   |
| <b>Word-spacing</b>                          | Specifies a fixed amount of space to be used between words. Can be used with points, pixels, inches, cm, mm, and other units of measure.  | Word-spacing: normal   |
| <b>Color</b>                                 | Tells a Web browser to display a specific color when used with a specific property. Mostly used with the font classes.  | Color: #FFFFFF and Color: white  |
| <b>Background-color</b>                      | Tells a Web browser to display a specific color for the background of a specific object. Can be used with many different items, such as fonts and tables.   | Background-color: green and Background-color: #00CC33  |
| <b>Background-image</b>                      | Tells a Web browser to display a specific image (or no image) for the background. Can be used with background-color.  | Background-image: url( <a href="http://www.techrepublic.com">http://www.techrepublic.com</a> )         |
| <b>Background-repeat</b>                     | Used with background-image. Tells a Web browser if a background image should be repeated, and if so, how it should be repeated. Used with repeat, no-repeat, repeat-x, and repeat-y.  | Background-repeat: repeat-x  |
| <b>Background-attachment</b>                 | Used with background-image. Tells a Web browser if a background image should be fixed or scroll when a document is scrolled.  | Background-attachment: scroll and Background-attachment: fixed   |
| <b>Background-position</b>                   | Used with background-image. Tells a Web browser where a background image should be placed within the document. Can be used with left, right, center, or a numerical value. Must be used twice to specify an X and Y coordinate. | Background-position: center center or Background-position: right right or Background-position: 50% 50% |
| <b>Width</b>                                 | Used to determine the width of items such as tables. Can be used with points, pixels, inches, cm, mm, and other units of measure. Can also be used with auto.   | Width: auto  |
| <b>Height</b>                                | Used to determine the height of items such as tables. Can be used with points, pixels, inches, cm, mm, and other units of measure. Can also be used with auto.  | Height: auto   |
| <b>Padding: left, right, top, and bottom</b> | Used to add padding to a table or other objects in a document. Can be used with points, pixels, inches, cm, mm, and other units of measure.   | Padding-left: 2pt<br>Padding-right: 5pt<br>Padding-top: 10px<br>Padding-bottom: 12%                    |
| <b>Margin: left, right, top, and bottom</b>  | Used to determine margins of a document or items in a document. Can be used with points, pixels, inches, cm, mm, and other units of measure.  | Margin-top: 10px<br>Margin-bottom: 50%<br>Margin-left: 10pt<br>Margin-right: 8cm                       |
| <b>Border-color</b>                          | Used to determine the border color of a table. Must be used with four colors for border. Determines color in the following order: TOP, RIGHT, BOTTOM, and LEFT.   | border-color: #CCFF66 #66FF00 #33CC00 #009933  |

| Style  | What it does   | Example   |
|--|--|---|
| <b>Border-style</b>                                | Tells a Web browser how borders should be styled. Can be used with none, dotted, dashed, solid, double, groove, ridge, inset, and outset   | Border-style: dashed  |
| <b>Border width: top, bottom, left, and right.</b> | Used to determine the border width of a table. Can be used with thin, medium, thick, auto, and points, pixels, inches, cm, mm, and other units of measure. Used as follows: border-top-width or border-left-width.   | Border-top-width: thin<br>Border-left-width: auto<br>Border-right-width: 10px<br>Border-bottom-width: thick                               |
| <b>List-style-type</b>                             | Tells the Web browser to display a specific kind of bullet for bulleted lists. By default, a Web browser will display a bullet list using circles. However, if list-style-type is used, you have the option of using the following items instead: disc, circle, square, decimal, lower-cased roman numeral, upper-cased roman numeral, lower-cased alpha, and upper cased alpha. The option of having no bullets in a list is available as well. | List-style-type: square<br>List-style-type: lower-roman<br>List-style-type: upper-alpha<br>List-style-type: none<br>List-style-type: disc |
| <b>List-style-image</b>                            | Like the list-style-type, but allows a browser to display a specific image.  | List-style-image: url(mypic.gif)  |
| <b>Cursor</b>                                      | Tells the Web browser to display a specific cursor when the mouse is over a class. Can be used with hand, crosshair, text, wait, default, help, e-resize, ne-resize, n-resize, nw-resize, w-resize, sw-resize, s-resize, se-resize, and auto.  | Cursor: hand  |

#### A note about this document:

Please be aware that not every item included in this document will work for both Microsoft Internet Explorer (versions 4 and higher) and Netscape Navigator (versions 4 and higher). Items such as **text-decoration: blink** will only work in Netscape, and other items, such as **background: no-repeat**, will only work in Internet Explorer. It is possible that both MSIE and Netscape could include these, and other styles, in future browser versions.

This document is provided for informational purposes only and TechRepublic makes no warranties, either expressed or implied, in this document. Information in this document is subject to change without notice. The entire risk of the use or the results of the use of this document remains with the user. The example companies, organizations, products, people and events depicted herein are fictitious. No association with any real company, organization, product, person or event is intended or should be inferred. Complying with all applicable copyright laws is the responsibility of the user. Without limiting the rights under copyright, no part of this document may be reproduced, stored in or introduced into a retrieval system, or transmitted in any form or by any means (electronic, mechanical, photocopying, recording, or otherwise), or for any purpose, without the express written permission of TechRepublic.

The names of actual companies and products mentioned herein may be the trademarks of their respective owners.