

CS-201 FINAL SEM PROJECT

Team Members:-

Neetesh Kumar Bairwa (201951101)

Nikhil Kumar (201951102)

Type your text

Project : Smart Billing Software

How the idea came in our mind !

Lack of the systematic billing system .

Many of the shops don't have a proper and organized billing system which sometimes result in the tedious task of manual bill calculation leading to the waste of time and resources. Due to this there are chances of ambiguity between customer and shopkeeper related to the bill.

Our Solution !!

To make the system hassle free and time efficient , we thought of a solution that could make the system fast, smooth and transparent. So, we came up with this idea of the "Smart Billing Software", which is a billing platform which enables both the customer as well as the shop owner to maintain and carry on their transaction on this platform.

- Saving in labor due to self-service system.

- Low cost of operation.
- Freedom of selection.
- Shopping is very easy and quick

Program Code:-

```
/**
 * @author Om Kumar Thakur, Shashwat Mishra, Anavya Upadhyay and Prahalad Ghosalya
 *
 * Implementing the Smart Billing Software, using the OOPS features in JAVA
 */

package firstJavaProgram;
import java.util.*;

interface Operation //Interface
{
    public void login_staff();
    public void login_customer();
    public void menu_display();
    public void Add(int code,String name,int quant,int price);
    public void Search(Billing_System []obj,int size);
    public void Edit(Billing_System obj[],int size);
    public void Delete(Billing_System []obj,int size);
    public void bill_calc(Billing_System obj[],int size);
    public void bill_display(Billing_System obj[],int size);
}

class Billing_System implements Operation //Super Class
{
    // Code of each item brought
    // Quantity of each item
    // Price of each item
    // Name of each item

    private int code,quantity,price;
    private String name;
```

```
Billing_System() //Non Parameterized Constructor
{
    this.code=0;
    this.quantity=0;
    this.price=0;
    this.name="";
}

public void login_staff() //Login for Staff_Members
{
    Scanner sc = new Scanner(System.in);

    System.out.println("\n\n\n\n\n\n\n\n");
    System.out.println("
<<<< Staff Login Credentials >>>>");
    System.out.println("
        ");
    System.out.println("\n\n");
    System.out.print("
Name : ");

    String uname = sc.nextLine();
    System.out.print("\n
UID : ");

    String pass = sc.nextLine();
    System.out.print("\n\n\n\n\n");
    System.out.print("\n\n\n\n\n\n\n.....
.....
.....\n\n");
}
```

```
public void login_customer() //Login for Customers
{
    Scanner sc = new Scanner(System.in);

    System.out.println("\n\n\n\n\n\n\n\n");
    System.out.println("
<<<< Customer Login Credentials >>>>
    System.out.println("

Name : ");

    String uname = sc.nextLine();
    System.out.print("\n
Phone No. : ");
    String phone = sc.nextLine();
    System.out.print("\n\n\n\n\n\n\n\n.....
.....
```

```
.....\n\n");  
  
}  
  
// Method for menu Display to choose add, delete and edit item  
  
public void menu_display()  
{  
  
    System.out.print("\n\n\n\n\n\n  
BILLING SYSTEM   ");  
    System.out.print("\n  
_____");  
    System.out.print("\n\n\n  
Main Menu");  
System.out.print("\n\n\n\n\n\n  
1. Add Goods");  
    System.out.print("\n  
2. Search");  
    System.out.print("\n  
3. Edit Goods");  
    System.out.print("\n  
4. Delete Goods");  
    System.out.print("\n  
5. Calculate Bill");  
    System.out.print("\n  
6. Display Bill");  
    System.out.print("\n  
7. Customer's Feedback");  
    System.out.print("\n  
8. Exit");  
    System.out.print("\n\n\n\n\n  
Please enter the choice : ");  
  
}  
  
  
// Method for adding items to the cart  
  
public void Add(int code,String name,int quant,int price)  
{  
  
    this.code=code;  
    this.name=name;  
    this.quantity=quant;  
    this.price=price;  
  
}  
  
  
public void Search(Billing_System obj[],int n) // Method for searching the item  
{  
  
    int f=0;
```

```

Scanner sc=new Scanner(System.in);

if(obj[0].code==0) // If no item has been added then cart is empty
System.out.print("
NO ITEM ADDED !!");

else // If present
{
    System.out.print("\n\n\n\n\n
***** SEARCH MENU *****");
    System.out.print("\n\n\n\n\n
1.By Code");
    System.out.print("\n
2.By Name");
    System.out.print("\n\n\n
Enter option 1 or 2 : ");

    int option=sc.nextInt(); // Entering Option to search item by code or name

    if(option==1) // Searching for the item by its code
    {
        System.out.print("\n
Enter the code of the item : ");
        int codes=sc.nextInt();
        int j=n-1;

        while(j>-1) // Checking for item
        {
            if(codes==obj[j].code)
            {
                f++;
                break;
            }
            j--;
        }

        if(f>0) // If present
        {
            System.out.println("\n\n\n\n\n\n\n\n");
            System.out.println("
Name
Quantity
Price\n\n");
            System.out.println("
"+obj[j].code+"
"+obj[j].quantity+"
"+obj[j].name+"
"+obj[j].price);
        }

        else
        System.out.println("
***** Item not found *****");

    }//if condition for option 1 ends

    if(option==2) // Searching for the item by its name
    {

```

```

        System.out.print("\n
Enter the name of the item : ");
        sc.nextLine();
        String names=sc.nextLine();
        int j=n-1;

        while(j>-1)
        {
            if(names.equalsIgnoreCase(obj[j].name))
            {
                f++;
                break;
            }
            j--;
        }

        if(f>0)
        {
            System.out.println("\n\n\n\n\n\n\n");
            System.out.println("
Name                                Quantity                                Code
                                Price\n\n");
            System.out.println("
"+obj[j].code+"                    "+obj[j].name+"
"+obj[j].quantity+"                "+obj[j].price);
        }

        else
            System.out.println("
***** Item not found *****");

    } //if condition for option 2 ends

    //menu_display();

} //else ends

} // search function ends

public void Delete(Billing_System obj[],int n) //Method to delete any item present
{
    //Delete the item by either using their code or name
    //
    System.out.print("\n\n\n\n\n\n\n\n\n.....
    .....
    .....\\n\\n");

    int f=0;
    Scanner sc=new Scanner(System.in);

    System.out.print("\n\n\n\n\n
***** DELETE MENU *****");
    System.out.print("\n\n\n\n\n
1.By Code");
    System.out.print("\n
2.By Name");

```

```

        System.out.print("\n\n\n
Enter option 1 or 2 : ");

        int option=sc.nextInt();

        if(option==1)
        {
            System.out.print("\n
Enter the code of the item : ");
            int codes=sc.nextInt();
            int j=n-1;

            while(j>-1)
            {
                if(codes==obj[j].code)
                {
                    f++;
                    break;
                }
                j--;
            }

            if(f>0)
            {
                obj[j].code=0;
                obj[j].name=" ";
                obj[j].quantity=0;
                obj[j].price=0;

                bill_display(obj,n);
                //menu_display();
            }

            else if(f==0)
            {
                System.out.print("
Item not found !!");
                //menu_display();
            }

        }
    }
}
//if condition for option 1 ends

```

```

        if(option==2)
        {
            System.out.print("\n
Enter the name of the item : ");
            sc.nextLine();
            String names=sc.nextLine();

            int j=n-1;

            while(j>-1)
            {
                if(names.equalsIgnoreCase(obj[j].name))

```

```

        {
            f++;
            break;
        }
        j--;
    }

    if(f>0)
    {
        obj[j].code=0;
        obj[j].name=" ";
        obj[j].quantity=0;
        obj[j].price=0;

    }

    else
        System.out.println("
*****Item not found*****");

    } //if condition for option 2 ends

} //Delete() ends

```

// Method to edit the details of the item present

```

public void Edit(Billing_System obj[],int n)
{
    Scanner sc=new Scanner(System.in);

    System.out.print("\n\n\n\n\n\n\n
Do you want to edit the record ? YES/NO : ");
    String choice =sc.nextLine();

    if(choice.equalsIgnoreCase("YES"))
    {
        System.out.print("\n\n
Enter the code of the quantity : ");

        int codes=sc.nextInt();
        int index= get_index(obj,codes,n);

        if(index>=0 && index<n)
        {

            System.out.print("\n\n
1.Edit Quantity");
            System.out.print("\n
2.Edit Price (Not Available for Customers)");
            System.out.print("\n\n\n
Enter option (1 or 2) : ");

            int op=sc.nextInt(); //Takes Option 1 or 2

```



```

        if(op==1)
        {
            System.out.print("\n\n
Enter new Quantity : ");
            int quaantity=sc.nextInt();
            obj[index].quantity=quaantity;
            System.out.println("\n\n\n\n\n\n
***** Item Edited and Detail is updated *****
");
        }

```

```

        if(op==2)
        {
            System.out.print("\n
Enter new Price : ");
            int priice=sc.nextInt();
            obj[index].price=priice;
            System.out.println("\n\n\n\n
***** Item Edited and Detail is updated *****
");
        }

```

```

    }//if ends

```

```

} //outer if ends

```

```

else if(choice.equalsIgnoreCase("NO"))
{
    System.out.println("\n
No detail is to be updated !!\n\n");
    //menu_display();
}

```

```

else
{
    System.out.println("\n
Invalid Code !!");
    //menu_display();
}

```

```

} //Edit method ends

```

```

// Method to return the index of the searched item

```

```

private int get_index(Billing_System obj[],int codes,int n)
{

```

```

    int j=n-1;

```

```

    while(j>-1)
    {

```

```

        if(codes==obj[j].code)

```

[illegible]

```

        for(int j=0;j<n;j++)
        {
            if(obj[j].code !=0)
            {
                System.out.println("
"+obj[j].code+"
"+obj[j].quantity+"
total+=obj[j].price;
            }
            //menu_display();
        } // bill_display() ends
    } // Super Class ends

```

```

class Staff_emp extends Billing_System
{
    Billing_System sf=new Billing_System();

    // Creating array of Object staff[] of each item for storing the details like
    code,name,quantity and price

    Billing_System st[]=new Billing_System[100];
    Scanner sc=new Scanner(System.in);

    int size=0;          // The number of items bought

    Staff_emp()
    {
        sf.login_staff();
    }

    private void add_item()
    {
        System.out.print("\n\n\n\n\n\n\n
***** ADD ARTICLES *****\n\n\n");

        System.out.print("\n\n\n
Enter the code of item : ");
        int code=sc.nextInt();
        sc.nextLine();

        System.out.print("
Enter the name of item : ");
        String name=sc.nextLine();

        System.out.print("
Enter quantity of item : ");
        int quant=sc.nextInt();
    }
}

```

```

        System.out.print("
Enter price of item    : ");
        int price=sc.nextInt();

        st[size]=new Billing_System();
        st[size].Add(code,name,quant,price);

        size++;

        sc.nextLine();
        System.out.print("\n\n\n
Do you want to add more items? (YES/NO) : ");
        String option=sc.nextLine();

        if(option.equalsIgnoreCase("YES"))
            add_item();

        else if(option.equalsIgnoreCase("NO"))
        {
            menu_driven();
        }

    } //add_item() ends


private void searching()
{

    sf.Search(st,size);

    System.out.print("\n\n\n\n\n\n\n
Do you want to search more items? (YES/NO) : ");
    String option=sc.nextLine();

    if(option.equalsIgnoreCase("YES"))
        searching();

    else if(option.equalsIgnoreCase("NO"))
    {
        menu_driven();
    }

} //searching() ends


private void delete()
{
    sf.Delete(st,size);

    System.out.print("\n\n\n\n\n\n\n
Do you want to delete more items? (YES/NO) : ");
    String option=sc.nextLine();

    if(option.equalsIgnoreCase("YES"))
        delete();

    else if(option.equalsIgnoreCase("NO"))

```

[illegible]

```

while(ch>=1 && ch<=8)
{
    switch(ch)
    {
        case 1:
            {
                add_item();
                break;
            }

        case 2: {
            searching();
            break;
        }

        case 3: {
            edit();
            break;
        }

        case 4: {
            delete();
            break;
        }

        case 5: {
            calc();
            break;
        }

        case 6: {
            display();
            break;
        }

        case 7: {
            System.out.println("\n\n\n
            ..... EXIT ..... \n");
            System.exit(0);
            break;
        }

        case 8: {
            System.out.println("\n\n\n
            ..... EXIT ..... \n");
            System.exit(0);
            break;
        }

        default: {
            System.out.println("\n
            Please enter the correct choice");
            break;
        }
    }
}

```



```

        int price=sc.nextInt();

        cons[size]=new Billing_System();
        cons[size].Add(code,name,quant,price);

        size++;

        sc.nextLine();
        System.out.print("\n\n\n
Do you want to add more items? (YES/NO) : ");
        String option=sc.nextLine();

        if(option.equalsIgnoreCase("YES"))
            add_item();

        else if(option.equalsIgnoreCase("NO"))
        {
            menu_driven();
        }

    } //add_item() ends


private void searching()
{

    sf.Search(cons,size);

    System.out.print("\n\n\n\n\n\n\n
Do you want to search more items? (YES/NO) : ");
    String option=sc.nextLine();

    if(option.equalsIgnoreCase("YES"))
        searching();

    else if(option.equalsIgnoreCase("NO"))
    {
        menu_driven();
    }

} //searching() ends


private void delete()
{
    sf.Delete(cons,size);

    System.out.print("\n\n\n\n\n\n\n
Do you want to delete more items? (YES/NO) : ");
    String option=sc.nextLine();

    if(option.equalsIgnoreCase("YES"))
        delete();

    else if(option.equalsIgnoreCase("NO"))
    {
        menu_driven();
    }
}

```



```
    }

    } //delete() ends


private void edit()
{
    sf.Edit(cons,size);

        System.out.print("\n\n\n\n\n\n\n");
Do you want to edit more items? (YES/NO) : ";
        String option=sc.nextLine();

        if(option.equalsIgnoreCase("YES"))
            edit();

        else if(option.equalsIgnoreCase("NO"))
        {
            menu_driven();
        }

} //edit() ends


private void display()
{
    sf.bill_display(cons,size);
    menu_driven();

} //display() ends


private void calc()
{
    sf.bill_calc(cons,size);
    menu_driven();

} //calc() ends


private void feedback()
{
        System.out.print("\n\n\n\n\n\n\n");
Do you want to give the feedback (YES/NO) : ";
        String ch=sc.nextLine();

        if(ch.equalsIgnoreCase("YES"))
        {
            System.out.print("\n\n\n\n\n\n\n");
Write to us : ";
            String feed=sc.nextLine();
            System.out.println("\n\n\n\n\n\n\n");
THANK YOU FOR YOUR FEEBACK !!!\n\n\n");
            menu_driven();
        }
}
```

```
HAVE A GOOD DAY :) \n\n");
```

```
System.out.print("\n\n\n\n.....  
.....  
.....\n\n");
```

```
while(ch>=1 && ch<=8)
{
    switch(ch)
    {
        case 1:
            {
                add_item();
                break;
            }

        case 2: {
            searching();
            break;
        }

        case 3: {
            edit();
            break;
        }

        case 4: {
            delete();
            break;
        }

        case 5: {
            calc();
```



```
Staff_emp obj1=new Staff_emp();
obj1.menu_driven();
}

if(identity.equalsIgnoreCase("Customer"))
{
Consumer obj2=new Consumer();
obj2.menu_driven();
}

} //main method ends
} //main class ends
```

----- Code Completion -----

Key Features of OOPS implemented :-

The code has been done for calculating and storing the bill per customer and and it is accessible by the staff of the shop also .

Inheritance :-

In this project , we have implemented the inheritance by inheriting the features of the Billing System (**SuperClass**) using the Staff_emp and Customer class (**Subclasses**).

Polymorphism :-

Here ,we tried to implement this features by implementing the Operation (**interface**) in the Billing_System (**Superclass**) since it's an abstract class and the two (**subclasses**) Staff_emp and Customer class are using the features of the interface in their own way.

Abstraction :-


We have used this feature in our code by creating an array of object in the (**subclasses**) for each item without knowing the inside details of the item object. And we also have used some of the behaviours of the object without knowing the actual implementation of those.

Encapsulation:-


This feature has been implemented by the creation of the objects of the superclass and using their features.

UML Diagram of the Project


- User Case Diagram



- Class Diagram



- Activity Diagram



- Sequence Diagram

sd SuperMarket Billing Software

