


Lesson 7 Notes Increment Operator in Java :



```
int b=1;  
s.o.p(b++); 1  
s.o.p(b)    2
```

`b=old value (1)`
`b=b+1`
`1+1=2`

```
int a,b;  
b=1;  
a=++b + ++b;
```

2 + 3 =5
a=++b + ++b
2 3

a=5 ✓

b= 3 ✓

```
int a,b;  
b=1;  
a=++b + ++b;
```

2 + 3 =5
a=++b + ++b
2 3

a=5 ✓

b= 3 ✓

```
int a,b;  
b=1;  
1 + 2 =3  
a=b++ + b++;  
2 3
```

a=3 ✓

b= 3 ✓

```
int a,b;  
b=1;  
1 + 2 =3  
a=b++ + b++;  
2 3
```

a=3 ✓

b= 3 ✓

```
int a,b;  
b=1;  
1 + 2 =3  
a=b++ + b++;  
2 3
```

a=3 ✓

b= 3 ✓

```
int a,b;  
b=1;  
1 + 3 =4  
a=b++ + ++b;  
2 3
```

a=4 ✓

b= 3 ✓

```
int a,b;
b=1;
1 + 3 =4
↑   ↑
a=b++ ++b;
↓   ↓
2   3
```

a=4 ✓

b= 3 ✓

```
int a,b;
b=1;
2 + 2 + 4 =8
↑   ↑   ↑
a=++b ++b ++b;
↓   ↓   ↓
2   3   4
```

a=8 ✓
b=4 ✓

class Mac

{

public static void main(String args[])

{

int b=1;

```
        System.out.println(b++);//1
    }
}
```

```
class Mac
{
    public static void main(String args[])
    {
        int b=1;
        System.out.println(b++);//1
        System.out.println(b);//2
    }
}
```

```
class Mac
{
    public static void main(String args[])
    {
        int a=10;
        System.out.println(++a);//11
        System.out.println(a);//11
    }
}
```

```
}  
}  


---

  
class Mac  
{  
    public static void main(String args[])  
    {  
        int a,b;  
        b=1;  
        a=++b + ++b;  
  
        System.out.println(a);//5  
        System.out.println(b);//3  
    }  
}
```

```
class Mac  
{  
    public static void main(String args[])  
    {  
        int a,b;
```

```
b=1;
```

```
a=b++ + b++;
```

```
System.out.println(a);//3
```

```
System.out.println(b);//3
```

```
}
```

```
}
```

```
class Mac
```

```
{
```

```
public static void main(String args[])
```

```
{
```

```
int a,b;
```

```
b=1;
```

```
a=b++ + ++b;
```

```
System.out.println(a);//4
```

```
System.out.println(b);//3
```

```
}
```

```
}
```

```
class Mac
{
    public static void main(String args[])
    {
        int a,b;

        b=1;

        a=++b + b++ + ++b;

        System.out.println(a);//8
        System.out.println(b);//4
    }
}
```

```
class Mac
{
    public static void main(String args[])
    {
        int x=1;

        int y=x++;

        System.out.println(y);//1
    }
}
```

```
}  
}  


---

  
class Mac  
{  
    public static void main(String args[])  
    {  
        int x=10;  
        int y=x--;  
  
        System.out.println(y);  
  
    }  
}
```

```
class Mac  
{  
    public static void main(String args[])  
    {  
        int x=10;
```

```
System.out.println(x--); //10
```

```
System.out.println(x); //9
```

```
}
```

```
}
```

```
class Mac
```

```
{
```

```
public static void main(String args[])
```

```
{
```

```
int x=10;
```

```
System.out.println(--x); //9
```

```
System.out.println(x); //9
```

```
}
```

```
}
```
