

# OAuthè<sup>a</sup>è<sup>''</sup>¼ã, 'ä½¿ã£ãŸTwitter Boté—ç<sup>TM</sup>°

ã<sup>-</sup>ã<sup>''</sup>ãf<sup>¼</sup>ã<%ã¼·ä¼š

æ<sup>1</sup>ä¿ã...%ç\$€(ãã»ã¿ã¤ã²ã\$)  
æ<sup>a</sup>ä¼¼ä¼šç¤¼ã,ã<sup>a</sup>ãf<sup>¼</sup>ã,ãf<sup>¼</sup>ã,ãf<sup>¼</sup>

ç<sup>a</sup>ç,,¶ã\$ã<sup>TM</sup>ãœã<sup>''</sup>ã,ã,“ã<sup>a</sup>ã•ã,,

Ã— Oathè<sup>a</sup>è<sup>''</sup>¼ã, 'ä½¿ã£ãŸTwitter Boté—ç<sup>TM</sup>°

â—ç OAuthè<sup>a</sup>è<sup>''</sup>¼ã, 'ä½¿ã£ãŸTwitter Boté—ç<sup>TM</sup>°

ã,¿ã,¤ãfã—ã|ã¾ã—ãŸã<sup>''</sup>ã,ã,“ã<sup>a</sup>ã•ã,,ã€,ã»¥ã,çOAuthã\$ãŠéãã,Šã—ã¾ã<sup>TM</sup>ã€,

## agenda

ãŠè©«ã³ã<sup>''</sup>è<sup>''</sup>,æ£

è‡<sup>a</sup>ã•±ç´¹ä»«

OAuthè<sup>a</sup>è<sup>''</sup>¼ã<sup>''</sup>ã<sup>-</sup>(æ|,è|)

ã‡ã¿ã£ãŸãf<sup>¼</sup>ã«ã¤ã,,ã|

ãf‡ã,ãfçã,«ãf«ã<sup>a</sup>ãŠè©±ã<sup>-</sup>ã<sup>°</sup>ã<sup>a</sup>ã,ã\$ãŠéãã,Šã—ã¾ã<sup>TM</sup>ã€,

## è‡<sup>a</sup>ã•±ç´¹ä»«

- æf...ã±ã¥é•ã±±ç´¹ã<sup>''</sup>
- [Twitter](#): nefo\_mi
- [Github](#): mitsuhide

ã©ã“ã<ã,%ãããŸã®i<sup>¼</sup>Ÿ

ã<sup>-</sup>ã<sup>''</sup>ãf<sup>¼</sup>ã<%ã¼·ä¼šã<ã,%ã,,ã£ã|ã¾ã¼ã—ãŸã€,

ç¤¼ã‡...ã©æ<sup>-</sup>ã—ã,,ç%ã©ã¥½ããœã<sup>-</sup>,ã,Šé›‡ã¾ã£ã|ã\$ããŸã<%ã¼·ä¼š

- [ã¾ã<sup>''</sup>ã.ã•ã.ã<sup>''</sup>](#)

ã»—ã®ã<%ã¼·ä¼¼šã<sup>''</sup>é€£æ<sup>°</sup>ã—ã|ã,,ã<sup>a</sup>ãŸã,%ã,,ã,,ã<sup>a</sup>i<sup>¼</sup>

# OAuthè<sup>a</sup>è<sup>''</sup>¼ã«ã, ^ã,<Twitter Botã®ã¤ãã,Šã<ãŸ

Twitterã£ã|ã<sup>a</sup>ã«i<sup>¼</sup>Ÿ

- [Twitter](#): ä“ã,œ
- ä›½ã¼šè<sup>°</sup>ã“jã,,ã,,ã£ã|ã,<Webã,µãf<sup>¼</sup>ãf“ã,¹
- æœ€èè¿‘ãf%ãfçãfžãœ—ã•ã,œã¾ã—ãŸã

Twitterã\$éŠã³ãŸã,,i<sup>¼</sup>

1. äfãfœãffãf^ã½œã,<(BOT)
2. ä,ã<sup>-</sup>ãfçã,¤ã,çãf³ãf^ã,'ã¤ãã,<
3. ä¤ã¶ã¶ã,,ãã,'è\$£æžã—ãŸã,Š(é›‡ã¿çŸ¥)

# Twitterã\$éŠã¶ãŸãŸãã,ã«ã<sup>-</sup>ãf|ãf<sup>¼</sup>ã,¶è<sup>a</sup>è<sup>''</sup>¼ãœã¿...è|

ãªã«ã¯ã¨ã,,ã,ã,œèªè¨¼ã—ãªã,,ã¨Twitterã§éŠã¹ãªã,,.

ãªã,“ã§OAuthèªè¨¼ãªã®¨¼Ÿ

ãf!ãf¹¼ã,¶ãããf‘ã,¹ãf¯ãf¹¼ãf%ãã...Ÿã,œã,«Basicèªè¨¼ãã,fããããã®¨¼Ÿ

ç†ç”±ã¯ã°œã¤

Basicèªè¨¼ã¯ã½¿ã~ãªãªãªã,«ã€,

- [Twitter Api](#)

We announced in December of 2009 the deprecation of Basic Auth. Its removal date from the platform is set for *June 2010*.

ã,,ãã,fŸãfªãf†ã,£ãœã¤§ä°ãªã,-ã®ã,,

- [Uniqlo Lucky Line](#). Twitterã,¹ã½¿ã£ãŸãf—ãfãfçãf¹¼ã,·ãf§ãf³ã,µã,¤ãf^
- ãf!ãf¹¼ã,¶ãã®ã»,ã«ã,œãŸãf†ãã,¹ãf¯ãfªã,ã,ããf«ãœæµã†°ã—ãŸ¨¼
- ãf‘ã,¹ãf¯ãf¹¼ãf%ããæµã†°ã—ãã,,ãªã,,ãœãœBasicèªè¨¼ããã£ãŸãŸã,,ãã®%ãœã°ãœã£ãŸã€,

OAuthèªè¨¼¼è¶...æ!,è!

1.ã,µãf¹¼ãf“ã,¹ãf—ãfãfãã,¤ãfœãf¹¼


ãªãªãª¨Twitter

2.ã,³ãf³ãã,·ãfŸãf¹¼ãfž


ãªãªãª¨Bot(ã†ã¿ã£ãŸãf¹¼)

3.ãf!ãf¹¼ã,¶

Basicèªè¨¼¼ç·¨



OAuthèªè¨¼¼ç·¨



## OAuth 2.0

OAuth 2.0 is a standard for authorization that allows applications to access resources on behalf of a user without the need for the user's password.

The flow typically involves the following steps:

1. The user grants permission to the application.

## Umitter

Umitter is a Ruby-based OAuth 2.0 implementation.

Umitter is designed to be easy to use and integrate with existing applications.

Ruby is a popular choice for OAuth 2.0 implementations.

Umitter is a simple-to-use OAuth 2.0 implementation.

Umitter is a Ruby-based OAuth 2.0 implementation.

Umitter is a simple-to-use OAuth 2.0 implementation.

Umitter is a Ruby-based OAuth 2.0 implementation.

Umitter is a simple-to-use OAuth 2.0 implementation.

Umitter is a Ruby-based OAuth 2.0 implementation.

## Bot

Umitter is a simple-to-use OAuth 2.0 implementation.

Umitter is a Ruby-based OAuth 2.0 implementation.

Umitter is a simple-to-use OAuth 2.0 implementation.

è†ªâˆ†ã ¢ã®Botã,'ãªãã£ã|ã¿ã³⁄ãªã,“ã‹ï¹⁄⁄

---

ãƒ©ã,ªãƒ–ãƒ©ãƒªãª©ã§ã¬ã™ã§ã«OAUTHã«ª³⁄ª¿œã—ã|ã,,ã,ª®ã§ã,ã,“ã³⁄ã,Šæ  
°—ã«ã—ãªã,,ã§ã,,è%¬ã,,ãª,,ã€,

Ruby: simple-oauth, rubytter

Java: JTwitter

Python: twoauth

PHP: HTTP\_OAuth

---

ãã,œã§çµª±€ä¹²•ãœè¨€ã,,ãÿãªã£ãÿã®ï¹⁄⁄

---

ã¬ã”ãƒ¹⁄⁴ªª%ªª¹⁄⁴•ã¹⁄⁴šã,,ã£ã|ã,ª,¬ï¹⁄⁴

ã€€çœÿéççª®ãªè©±ãª,ª%ªƒã,¿ã³⁄ã§

twitterã®Botä¹²œã£ãÿã,^.

ã€€umitter

OAuthèª¨¹⁄⁴ã£ã|ç°ªã~ãã†ï¹⁄⁴

ã€€Botã,'ä¹²œã,Šã³⁄ã—ã,†ã†

---

ã”æ,...è´ã,ã,Šãœã¨ã†ã”ã–ã,,ã³⁄ã—ãÿã€,

---

- ç™ªèª¨è³ªª¬™: <http://mitsuhide.github.com/umitter/>
  - github/umitter: <http://github.com/mitsuhide/umitter>
- 

ä¹²™ç™¹⁄⁴

---

- [simple-oauth](#)
- [umitter](#)
- [Twitter Api](#)