

Automate yourself



Today Make starts working for you — and you go inside it.

E401, then the PC Lab · Prof. DY Kwon · IGS e-Business

I know what to do. I often don't do it.



I plan it. I even write it down. Then I don't do it. So instead of trusting myself, I set up a machine that moves me.

Today's automation is not for hard workers. It is for the me who doesn't move.

Automate only the work, and something goes empty



AI runs on my thinking. If I stop thinking, AI has nothing to do.

And my thinking does not come at a desk. It comes when I exercise, when I go somewhere new, when I talk with a good friend.

So that time has to go inside the automation too.

Three things, and that is all

One — open Make with the same Google account as last week

Two — connect your sheet to your Gmail: an email for every new answer, checked once a day

Three — add a last line to that email that is only yours

There is no AI inside today's scenario. That is on purpose.

Everyone has one



Mine is the morning. My head is clear. Then the small jobs arrive — emails, forms, checking. I finish them all, and by lunch my best hour is gone.


Automation is not about working faster. It is about protecting your best hour.

Automation saves you 30 minutes. What goes in?

Most people pick up their phone. Then nothing has changed.

The design is not finished until you decide what goes into the empty time.

Not from the screen



Automation can hand you that time back — if you plan for it.


You go inside the automation



If only the work runs by itself, the thinking behind the work dries up.

So today's email carries two things: your business, and one thing for you.

Your business gets one step better every week



Last week you asked. This week you listen.

Before we build — open your sheet

1. **How many real answers?** Count the rows — not your own test.
2. **One answer that surprised you.** What did someone say that you did not expect?
3. **Anything broken?** The form, the sheet sharing, the Google account.


Today Make reads these rows for you — every day.

On your phone, open make.com in the browser



The same site works on your phone and on a computer. We build in the browser — the Make app is for running scenarios, not for building them.

First, a short tour. Then we build.



— THE MENU


Tap ≡ — four places matter today

Org — your home screen

Scenarios — every automation you made

Templates — automations someone already built

Credentials — the accounts you connected



What you see first


"What are we automating today?" — you can describe an automation in words. Not today.

Credits left — your fuel for the month. Mine: **379 of 1,000**, about **89 a day**.

Every automation you made lives here

Open one, and you see its points and the lines between them

Each scenario is **ON** or **OFF**, and runs on its own clock. This is where you come back to change one.



Scenarios someone already built

Pick one, and the points are already connected. You connect **your own accounts** and fill in the blanks.


Templates can be old. The Sheets → Gmail template still uses an old Gmail point that personal Gmail accounts cannot connect. **So today we build from zero.**

The same places — the menu stays open on the left

Same account, same scenarios

Your phone is fine for today. On a computer the canvas is bigger, so a long scenario is easier to read. **If something will not open on your phone, try the PC in front of you.**

Points, and lines between them



Make teaches almost the same thing

Create your first scenario

A new row in Google Sheets → a Slack message to a sales team. Ten steps: add Google Sheets, connect, set the trigger, map data, **Run once**, set the clock.

help.make.com/create-your-first-scenario

Expand your scenario

Many new rows → **one** notification. Step 6 adds a **Text aggregator** — the point we add next week.

help.make.com/expand-your-scenario

Today we walk the same road — with your form, and an email to you.


One I built before



Look for three things: where it starts, what each point does, and when it runs.

Today's one has only two points.

Your sheet, then your inbox



Last week you drew one point. Today it gets a partner.

Seven places I got stuck — so you don't have to

What happened	The fix
The template's Gmail said "restricted scopes"	Start from zero. Add Gmail from the +
On my phone, Google's window would not confirm → 403	Connect on the PC
Run once — nothing came	Right-click Sheets → Choose where to start → All
Run once again — nothing came	No new row. Fill in your form once more
The email came as code	Not [bundle] — click the questions one by one
Everything on one line	Type <code>
</code> at the end of each line
Subject was "Test"	W4 · your name · New answer

▼ Connection *



My Google connection

Add

For more information on how to create a connection to Google Sheets, see the [online Help](#).

▼ Search Method *

Search by path ▼

▼ Drive *

My Drive ▼

▼ Spreadsheet ID *

/ BPA_HW1

▼ Sheet Name *

Form Responses 1 ▼

▼ Table contains headers *

Yes ▼

▼ Row with headers *

A1:Z1

☐ Show advanced settings

Cancel

Save

Start from zero — the first point

1. ≡ → **Scenarios** → **+ Create a new scenario**
2. Tap the big **+** → search **Google Sheets** → **Watch New Rows**
3. **Create a connection** → **Sign in with Google** — the same account as last week
4. Search by path · My Drive · your Week 3 spreadsheet · Sheet Name **Form Responses 1** · Table contains headers **Yes** → **Save**

This is how Make's own first lesson starts, too — from an empty scenario.

Connect each account


The most important step.


Add → Sign in with Google → choose the same account as last week

Google shows what Make may use — **tick every box**, then **Continue**

Gmail needs its own connection. Do the same again when you add Gmail.

On a phone, Google's permission window is hard to confirm. Make the two connections on the PC in front of you — Make saves them, and your phone uses them after that.





— IF YOU SEE 403

403 — no login on the request

"Method doesn't allow unregistered callers" — Google got a request with no login on it. On a phone this usually means the permission window was never really confirmed.

1. ☰ → Credentials → delete that Google connection.
2. Make it again on the PC in front of you — the Google window opens properly there. Tick every box → Continue.
3. Go back to your phone. The saved connection is already there.

Gmail

⋮ ☒ ? ✕

Connection Refresh

 My Gmail connection ▼ Add

For more information on how to create a connection to Gmail, see the [online Help](#).

 You have until **January 4th 2027, 02:04 PM (Mon)** to reauthorize your connection. See [our online help](#) for instructions.

▼ To * Map

▼ Recipient email address 1 * ⋮ ✕

▼ Recipient email address 2 * ⋮ ✕

[+ Add recipient](#)

Enter a recipient email address.

▼ Subject

▼ Body type * ▼

Raw HTML

Select how you want to provide the body contents.

☐ Show advanced settings

Cancel Save

— STEP 3

The second point — an email to you

1. The small + on the right of Sheets → **Gmail** → **Send an email** — always add it new, from the +
2. **Create a connection** → the same Google account → tick every box → **Continue**
3. To: **your own address**, then **Add recipient** → smit.ai.lab@gmail.com · Subject: **W4 · your name · New answer**
4. **Content** — a label and a question block for each question (next page) → **Save**

☆ ✨ ⚙️ X¹ A 📅 📊 {} ? ✕

Search items

▼ Collapse all

▼ 📊 Google Sheets 1 - Watch New Rows

- 📊 Google Sheets - Watch New Rows [bundle]
- Row number
- Spreadsheet ID
- Sheet
- Timestamp (A)
- Have you tried to box or punch at home?" (B)
- What did you use? (C)
- How often does noise bother you or your neighbors? (D)
- How much would you pay per month for a quiet sandbag? (E)
- Who are you? (Age, location, boxer or fitness person) (F)
- (G)
- (H)
- (I)
- (J)
- (K)
- (L)
- (M)
- (N)
- (O)
- (P)
- (Q)
- (R)
- (S)
- (T)
- (U)

— YOUR QUESTIONS ARE BLOCKS

Last week you wrote them. Today you click them.

Click inside **Content**, and a panel opens. Every question from your Week 3 form is there — a green block you can click.

Click the questions, one by one. Not the top block — **[bundle]** puts the whole row in, as code.

Gmail

▼ Subject

Test

▼ Body type *

Raw HTML

Select how you want to provide the body contents.

▼ Content

New answer

Tried at home:

1. Have you tried to box or punch at home?" (B)

Used: 1. What did you use? (C)

Noise:

1. How often does noise bother you or your neighbors? (D)

Would pay:

1. How much would you pay per month for a quiet sandbag? (E)

Who:

1. Who are you? (Age, location, boxer or fitness person) (F)

You can use complete HTML code.

▼ Attachments

Map

+ Add attachment

— CONTENT

A label, a block, a line break

Type a short label → click the question block → type `<br>`.
Repeat for each question.

The email arrives like this:

New answer
Tried at home: yes
Used: punching bag
Would pay: 10 dollar

Body type is Raw HTML, so pressing Enter does not make a new line — `<br>` does. At the bottom, add your last line.

Choose where to start. Then press Run once.



Right-click the Sheets point → **Choose where to start** → **All** → Save. Otherwise Make only looks for rows added from now on.

Then **Run once**, and open your Gmail. **One email for each answer** — with your own questions as labels.

Signal in, email out. That is your first automation.

If yours looks like this

```
{
  "0": "9/16/2026 13:35:40",
  "1": "yes",
  "2": "punching bag, wife",
  "3": "everytime",
  "4": "10 dollar",
  "5": "40+",
  "__ROW_NUMBER__": 2,
  "__SPREADSHEET_ID__": "1",
  "__SHEET__": "Form Responses 1"
}
```

My first test email, today. I dropped the whole **[bundle]** into Content — so Make sent the row as code.

Take it out, click the questions one by one, and run it again.

Press Run once again. Nothing comes.



Make remembers the last row it read. It sends **only rows added since the last run.**

To test again: **fill in your own form once more** → a new row appears → Run once.

No new answer, no email. That is Make working, not Make broken.

Why not every 15 minutes?

Every time Make wakes up to check, it uses **one credit** — even if nothing is new. The free plan has 1,000 a month.

2,880

checks a month, every 15 minutes — the free plan is gone in about 10 days

30

checks a month, once a day

Same email. One of them is almost free.

Once a day, at a time you choose

1. In the toolbar, tap **Every 15 minutes** → Run scenario: **Every day** → pick a time

2. **Save**

3. **Activate scenario**

Pick the time you want to read it. Tomorrow at that time, the email comes by itself.

One line under the answers — for you, not your business



One thing for your body, or one person to contact today. "Walk 20 minutes." "Call a friend."

Everyone builds the same scenario. The last line is only yours.

In Content, type it at the bottom, after the last answer.

The first email will look bad. That is normal.

Don't just say "I don't like it." That gets you nowhere. Say exactly what to change:

"Show only two columns — the problem and the price." "Put a line between answers."

Clear direction makes a good result.

Sheets, Gmail — and no AI



It still works, every day. Even if every AI company shut down tonight, this email arrives tomorrow.

Build with AI. Run on rules. Next week, AI goes in only one place — it reads your answers and writes a short report.

All five — or the draft will not appear



1. Subject starts with **W4** — W4 · your name · New answer
2. smit.ai.lab@gmail.com is in To
3. A **new row** in your sheet, then **Run once**
4. The email arrived in **your** Gmail
5. In the chat, type the Gmail address you connected → **ARRIVED** ✓ → press **Submit** → see it saved

The server checks the professor's inbox — not your word. No W4 in the Subject = not accepted.

Talk to the AI assistant. It asks three things.

1

Did the email arrive?

paste its subject and first lines

2

smit.ai.lab@gmail.com and W4?

in To, and in the Subject

3

Your business

one thing the answers tell you

The draft appears only after ARRIVED ✓. Press Submit, and it is saved.

Almost everyone gets stuck at the same places

1. **403, or the Google window will not confirm on your phone** — delete the connection in Credentials and make it again on the PC
2. **"Restricted scopes with @gmail.com accounts"** — an old Gmail point, usually from a template. Delete it and add Gmail again from the +
3. **Make finds no rows** — wrong account (top-right corner), or an empty row in your sheet. Make stops at an empty row.
4. **No email** — look in Spam. Second Run once? There is no new row — fill in your form once more

Write down the exact error message. Ask 3 people around you first. Then raise your hand.

Share your form with 3 more people

KakaoTalk, friends, family — right now

More answers today means a better email tomorrow. **Your summary is only as good as the people who answer.**

Make's own lessons — for tonight

1. **Learn the basics** — what automation is, and why · help.make.com/learn-the-basics
2. **Create your first scenario** — ten steps, Sheets → a message · help.make.com/create-your-first-scenario
3. **Expand your scenario** — a router, a filter, a Text aggregator · help.make.com/expand-your-scenario
4. **Google Sheets** — how to connect it · apps.make.com/google-sheets
5. **Gmail** — how to connect it · apps.make.com/google-email

All five links are on the course website, Week 4. Make's lessons send a Slack message — ours sends an email. The points are the same.

What my automation is for



"Even without AI one day, I want to stand on my own. To be happy when I'm alone. To do good work by myself."

That's what my automation should prepare me for, every day.

— SEE YOU NEXT WEDNESDAY

Let the email come every day



KakaoTalk group — any time this week.