

# Automate yourself



**Today Make starts working for you — and you go inside it.**

E401, then the PC Lab · Prof. DY Kwon · IGS e-Business

# I know what to do. I often don't do it.



I plan it. I even write it down. Then I don't do it. So instead of trusting myself, I set up a machine that moves me.

**Today's automation is not for hard workers. It is for the me who doesn't move.**

# Automate only the work, and something goes empty



AI runs on my thinking. If I stop thinking, AI has nothing to do.

And my thinking does not come at a desk. It comes when I exercise, when I go somewhere new, when I talk with a good friend.

**So that time has to go inside the automation too.**

# Three things, and that is all

**One — open Make with the same Google account as last week**

**Two — connect your sheet to your Gmail: an email for every new answer, checked once a day**

**Three — add a last line to that email that is only yours**

There is no AI inside today's scenario. That is on purpose.

# Everyone has one



Mine is the morning. My head is clear. Then the small jobs arrive — emails, forms, checking. I finish them all, and by lunch my best hour is gone.


**Automation is not about working faster. It is about protecting your best hour.**

# Automation saves you 30 minutes. What goes in?

Most people pick up their phone. Then nothing has changed.

**The design is not finished until you decide what goes into the empty time.**

# Not from the screen



**Automation can hand you that time back — if you plan for it.**


# You go inside the automation



If only the work runs by itself, the thinking behind the work dries up.

**So today's email carries two things: your business, and one thing for you.**

# Your business gets one step better every week



**Last week you asked. This week you listen.**

# Before we build — open your sheet

1. **How many real answers?** Count the rows — not your own test.
2. **One answer that surprised you.** What did someone say that you did not expect?
3. **Anything broken?** The form, the sheet sharing, the Google account.


**Today Make reads these rows for you — every day.**

# On your phone, open [make.com](https://make.com) in the browser



The same site works on your phone and on a computer. We build in the browser — the Make app is for running scenarios, not for building them. **But connecting Google does not work on a phone — that part is on the PC.**

**First, a short tour. Then we build.**



— THE MENU


# Tap ≡ — four places matter today

**Org** — your home screen

**Scenarios** — every automation you made

**Templates** — automations someone already built

**Credentials** — the accounts you connected



# What you see first


**"What are we automating today?"** — you can describe an automation in words. Not today.

**Credits left** — your fuel for the month. Mine: **379 of 1,000**, about **89 a day**.

# Every automation you made lives here

**Open one, and you see its points and the lines between them**

Each scenario is **ON** or **OFF**, and runs on its own clock. This is where you come back to change one.



# Scenarios someone already built

Pick one, and the points are already connected. You connect **your own accounts** and fill in the blanks.


**Templates can be old.** The Sheets → Gmail template still uses an old Gmail point that personal Gmail accounts cannot connect. **So today we build from zero.**

# The same places — the menu stays open on the left

## Same account, same scenarios

**Connecting Google does not work on a phone** — the first time, the Google sign-in and permission window never appears. Make your connections on the PC in front of you. After that, you can keep building on your phone.

# Points, and lines between them



# Make teaches almost the same thing

## Create your first scenario

A new row in Google Sheets → a Slack message to a sales team. Ten steps: add Google Sheets, connect, set the trigger, map data, **Run once**, set the clock.

[help.make.com/create-your-first-scenario](https://help.make.com/create-your-first-scenario)

## Expand your scenario

Many new rows → **one** notification. Step 6 adds a **Text aggregator** — the point we add next week.

[help.make.com/expand-your-scenario](https://help.make.com/expand-your-scenario)

**Today we walk the same road — with your form, and an email to you.**


# One I built before



Look for three things: where it starts, what each point does, and when it runs.

**Today's one has only two points.**

# Your sheet, then your inbox



**Last week you drew one point. Today it gets a partner.**

# Seven places I got stuck — so you don't have to

| What happened                                             | The fix                                                        |
|-----------------------------------------------------------|----------------------------------------------------------------|
| The template's Gmail said "restricted scopes"             | Start from zero. Add Gmail from the +                          |
| On my phone, Google's sign-in window never appeared → 403 | Connect on the <b>PC</b>                                       |
| Run once — nothing came                                   | Right-click Sheets → <b>Choose where to start</b> → <b>All</b> |
| Run once again — nothing came                             | No new row. <b>Fill in your form once more</b>                 |
| The email came as code                                    | Not <b>[bundle]</b> — click the questions one by one           |
| Everything on one line                                    | Type <code>&lt;br&gt;</code> at the end of each line           |
| Subject was "Test"                                        | <b>W4 · your name · New answer</b>                             |

## ▼ Connection \*



My Google connection

Add

For more information on how to create a connection to Google Sheets, see the [online Help](#).

## ▼ Search Method \*

Search by path ▼

## ▼ Drive \*

My Drive ▼

## ▼ Spreadsheet ID \*

/ BPA\_HW1

## ▼ Sheet Name \*

Form Responses 1 ▼

## ▼ Table contains headers \*

Yes ▼

## ▼ Row with headers \*

A1:Z1

☐ Show advanced settings

Cancel

Save

# Start from zero — the first point

1. ☰ → **Scenarios** → **+ Create a new scenario**
2. Tap the big **+** → search **Google Sheets** → **Watch New Rows**
3. **Create a connection** → **Sign in with Google** — the same account as last week
4. Search by path · My Drive · your Week 3 spreadsheet · Sheet Name **Form Responses 1** · Table contains headers **Yes** → **Save**

This is how Make's own first lesson starts, too — from an empty scenario.

# Connect each account


The most important step.


**Add → Sign in with Google → choose the same account as last week**

Google shows what Make may use — **tick every box**, then **Continue**

**Gmail needs its own connection.** Do the same again when you add Gmail.

On a phone, Google's sign-in and permission window does not appear. Make both connections on the PC in front of you — Make saves them, and your phone uses them after that.





— IF YOU SEE 403

# 403 — no login on the request

**"Method doesn't allow unregistered callers"** — Google got a request with no login on it. On a phone this happens because the Google sign-in window never appears.

1. ☰ → Credentials → delete that Google connection.
2. Make it again on the PC in front of you — the Google window opens properly there. Tick every box → Continue.
3. Go back to your phone. The saved connection is already there.

Gmail

⋮ ☒ ? ✕

Connection Refresh

 My Gmail connection ▼ Add

For more information on how to create a connection to Gmail, see the [online Help](#).

 You have until **January 4th 2027, 02:04 PM (Mon)** to reauthorize your connection. See [our online help](#) for instructions.

▼ To \* Map

▼ Recipient email address 1 \* ⋮ ✕

▼ Recipient email address 2 \* ⋮ ✕

[+ Add recipient](#)

Enter a recipient email address.

▼ Subject

▼ Body type \* ▼

Raw HTML

Select how you want to provide the body contents.

☐ Show advanced settings

Cancel Save

— STEP 3

# The second point — an email to you

1. The small + on the right of Sheets → **Gmail** → **Send an email** — always add it new, from the +
2. **Create a connection** → the same Google account → tick every box → **Continue**
3. To: **your own address**, then **Add recipient** → [smit.ai.lab@gmail.com](mailto:smit.ai.lab@gmail.com) · Subject: **W4 · your name · New answer**
4. **Content** — a label and a question block for each question (next page) → **Save**

☆ ✨ ⚙️ X¹ A 📅 📊 {} ? ✕

Search items

▼ Collapse all

▼ 📊 Google Sheets 1 - Watch New Rows

- 📊 Google Sheets - Watch New Rows [bundle]
- Row number
- Spreadsheet ID
- Sheet
- Timestamp (A)
- Have you tried to box or punch at home?" (B)
- What did you use? (C)
- How often does noise bother you or your neighbors? (D)
- How much would you pay per month for a quiet sandbag? (E)
- Who are you? (Age, location, boxer or fitness person) (F)
- (G)
- (H)
- (I)
- (J)
- (K)
- (L)
- (M)
- (N)
- (O)
- (P)
- (Q)
- (R)
- (S)
- (T)
- (U)

— YOUR QUESTIONS ARE BLOCKS

# Last week you wrote them. Today you click them.

Click inside **Content**, and a panel opens. Every question from your Week 3 form is there — a green block you can click.

**Click the questions**, one by one. Not the top block — **[bundle]** puts the whole row in, as code.

Gmail

▼ Subject

Test

▼ Body type \*

Raw HTML

Select how you want to provide the body contents.

▼ Content

<b>New answer</b><br>

Tried at home:

1. Have you tried to box or punch at home?" (B) <br>

Used: 1. What did you use? (C) <br>

Noise:

1. How often does noise bother you or your neighbors? (D)

<br>

Would pay:

1. How much would you pay per month for a quiet sandbag? (E)

<br>

Who:

1. Who are you? (Age, location, boxer or fitness person) (F)

You can use complete HTML code.

▼ Attachments

Map

+ Add attachment

— CONTENT

# A label, a block, a line break

Type a short label → click the question block → type `<br>` .  
Repeat for each question.

The email arrives like this:

New answer

Tried at home: yes

Used: punching bag

Would pay: 10 dollar

Body type is Raw HTML, so pressing Enter does not make a new line — `<br>` does. At the bottom, add your last line.

# Choose where to start. Then press Run once.



Right-click the Sheets point → **Choose where to start** → **All** → Save. Otherwise Make only looks for rows added from now on.

Then **Run once**, and open your Gmail. **One email for each answer** — with your own questions as labels.

**Signal in, email out. That is your first automation.**

# If yours looks like this

```
{
  "0": "9/16/2026 13:35:40",
  "1": "yes",
  "2": "punching bag, wife",
  "3": "everytime",
  "4": "10 dollar",
  "5": "40+",
  "__ROW_NUMBER__": 2,
  "__SPREADSHEET_ID__": "1",
  "__SHEET__": "Form Responses 1"
}
```

My first test email, today. I dropped the whole **[bundle]** into Content — so Make sent the row as code.

**Take it out, click the questions one by one, and run it again.**

# Press Run once again. Nothing comes.



Make remembers the last row it read. It sends **only rows added since the last run.**

To test again: **fill in your own form once more** → a new row appears → Run once.

**No new answer, no email. That is Make working, not Make broken.**

# Why not every 15 minutes?

Every time Make wakes up to check, it uses **one credit** — even if nothing is new. The free plan has 1,000 a month.

---

**2,880**

checks a month, every 15 minutes — the free plan is gone in about 10 days

**30**

checks a month, once a day

**Same email. One of them is almost free.**

# Once a day, at a time you choose

1. In the toolbar, tap **Every 15 minutes** → Run scenario: **Every day** → pick a time

2. **Save**

3. **Activate scenario**

Pick the time you want to read it. Tomorrow at that time, the email comes by itself.

# One line under the answers — for you, not your business



One thing for your body, or one person to contact today. "Walk 20 minutes." "Call a friend."

**Everyone builds the same scenario. The last line is only yours.**

In Content, type it at the bottom, after the last answer.

# **The first email will look bad. That is normal.**

Don't just say "I don't like it." That gets you nowhere. Say exactly what to change:

"Show only two columns — the problem and the price." "Put a line between answers."

**Clear direction makes a good result.**

# Sheets, Gmail — and no AI



It still works, every day. Even if every AI company shut down tonight, this email arrives tomorrow.

**Build with AI. Run on rules. Next week, AI goes in only one place — it reads your answers and writes a short report.**

# All five — or the draft will not appear



1. Subject starts with **W4** — W4 · your name · New answer
2. [smit.ai.lab@gmail.com](mailto:smit.ai.lab@gmail.com) is in To
3. A **new row** in your sheet, then **Run once**
4. The email arrived in **your** Gmail
5. In the chat, type the Gmail address you connected → **ARRIVED** ✓ → press **Submit** → see it saved

The server checks the professor's inbox — not your word. No W4 in the Subject = not accepted.

# Talk to the AI assistant. It asks three things.

**1**

**Did the email arrive?**

paste its subject and first lines

**2**

**smit.ai.lab@gmail.com and W4?**

in To, and in the Subject

**3**

**Your business**

one thing the answers tell you

**The draft appears only after ARRIVED ✓. Press Submit, and it is saved.**

# Almost everyone gets stuck at the same places

1. **403, or no Google sign-in window on your phone** — delete the connection in Credentials and make it again on the PC
2. **"Restricted scopes with @gmail.com accounts"** — an old Gmail point, usually from a template. Delete it and add Gmail again from the +
3. **Make finds no rows** — wrong account (top-right corner), or an empty row in your sheet. Make stops at an empty row.
4. **No email** — look in Spam. Second Run once? There is no new row — fill in your form once more

Write down the exact error message. Ask 3 people around you first. Then raise your hand.

# Share your form with 3 more people

**KakaoTalk, friends, family — right now**

More answers today means a better email tomorrow. **Your summary is only as good as the people who answer.**

# Make's own lessons — for tonight

1. **Learn the basics** — what automation is, and why · [help.make.com/learn-the-basics](https://help.make.com/learn-the-basics)
2. **Create your first scenario** — ten steps, Sheets → a message · [help.make.com/create-your-first-scenario](https://help.make.com/create-your-first-scenario)
3. **Expand your scenario** — a router, a filter, a Text aggregator · [help.make.com/expand-your-scenario](https://help.make.com/expand-your-scenario)
4. **Google Sheets** — how to connect it · [apps.make.com/google-sheets](https://apps.make.com/google-sheets)
5. **Gmail** — how to connect it · [apps.make.com/google-email](https://apps.make.com/google-email)

All five links are on the course website, Week 4. Make's lessons send a Slack message — ours sends an email. The points are the same.

# What my automation is for



"Even without AI one day, I want to stand on my own. To be happy when I'm alone. To do good work by myself."

**That's what my automation should prepare me for, every day.**

— SEE YOU NEXT WEDNESDAY

# Let the email come every day



**KakaoTalk group — any time this week.**