```
Input
# Source Code:
namespace MainProject
 class MainClass
   public void MainMethod()
     int[] valid_6;
     int[] valid_8;
      TestProject.TestClass obj1 = new TestProject.TestClass();
using System;
namespace TestProject
 public class TestClass
   private static readonly Random random = new Random();
   private static readonly object syncLock = new object();
    public int main_tmalloc1base_8()
     lock (syncLock)
        return random.Next(-8, 8);
    public int ssl3_accept_tnondet172_12()
     lock (syncLock)
        return random.Next(-8, 8);
   public int ssl3_accept_ret10_248()
      lock (syncLock)
        return random.Next(-8, 8);
# Class Name:
MainClass
# Method Name:
MainMethod
# Path Constraint:
valid_6[obj1.main_tmalloc1base_8()] == 1 && valid_8 == valid_6 && obj1.ssl3_accept_ret10_248() <=
obj1.ssl3_accept_tnondet172_12()
```

```
Output
Path Constraint:
(valid_6[obj1.main_tmalloc1base_8()]==1&&obj1.main_tmalloc1base_8()>=0&&obj1.main_tmalloc1base_8()<
5)&&valid_8==valid_6&&obj1.ssl3_accept_ret10_248()<=obj1.ssl3_accept_tnondet172_12()
Results:
(obj1.main_tmalloc1base_8(), (-1, 0.75))
(obj1.ssl3_accept_ret10_248(), (-8, -6.125))
(obj1.ssl3_accept_tnondet172_12(), (-8, -6.125))
(valid 8[0], (0, 2))
(valid_6[0], (0, 2))
(valid_8[1], ANY)
(valid_6[1], ANY)
(valid_8[2], ANY)
(valid_6[2], ANY)
(valid_8[3], ANY)
(valid_6[3], ANY)
(valid_8[4], ANY)
(valid_6[4], ANY)
(obj1.main_tmalloc1base_8(), (-1, 0.75))
(obj1.ssl3_accept_ret10_248(), (-8, -6.125))
(obj1.ssl3 accept thondet172 12(), (-6.125, -4.25))
(valid_8[0], (0, 2))
(valid_6[0], (0, 2))
(valid_8[1], ANY)
(valid_6[1], ANY)
(valid_8[2], ANY)
(valid_6[2], ANY)
(valid_8[3], ANY)
(valid 6[3], ANY)
(valid 8[4], ANY)
(valid_6[4], ANY)
(obj1.main\ tmalloc1base\ 8(), (-1, 0.75))
(obj1.ssl3_accept_ret10_248(), (-6.125, -4.25))
(obj1.ssl3 accept thondet172 12(), (-6.125, -4.25))
(valid_8[0], (0, 2))
(valid_6[0], (0, 2))
(valid 8[1], ANY)
(valid_6[1], ANY)
(valid_8[2], ANY)
(valid 6[2], ANY)
(valid_8[3], ANY)
(valid_6[3], ANY)
(valid_8[4], ANY)
(valid_6[4], ANY)
(obj1.main_tmalloc1base_8(), (-1, 0.75))
(obj1.ssl3_accept_ret10_248(), (-8, -6.125))
(obj1.ssl3_accept_tnondet172_12(), (-4.25, -2.375))
(valid_8[0], (0, 2))
(valid_6[0], (0, 2))
(valid_8[1], ANY)
(valid_6[1], ANY)
(valid_8[2], ANY)
```

```
(valid 6[2], ANY)
(valid_8[3], ANY)
(valid_6[3], ANY)
(valid_8[4], ANY)
(valid_6[4], ANY)
(obj1.main tmalloc1base 8(), (-1, 0.75))
(obj1.ssl3_accept_ret10_248(), (-8, -6.125))
(obj1.ssl3_accept_tnondet172_12(), (-2.375, -0.5))
(valid_8[0], (0, 2))
(valid_6[0], (0, 2))
(valid 8[1], ANY)
(valid_6[1], ANY)
(valid_8[2], ANY)
(valid 6[2], ANY)
(valid_8[3], ANY)
(valid_6[3], ANY)
(valid 8[4], ANY)
(valid_6[4], ANY)
(obj1.main_tmalloc1base_8(), (-1, 0.75))
(obj1.ssl3_accept_ret10_248(), (-6.125, -4.25))
(obj1.ssl3_accept_tnondet172_12(), (-4.25, -2.375))
(valid_8[0], (0, 2))
(valid_6[0], (0, 2))
(valid_8[1], ANY)
(valid_6[1], ANY)
(valid_8[2], ANY)
(valid_6[2], ANY)
(valid_8[3], ANY)
(valid_6[3], ANY)
(valid_8[4], ANY)
(valid 6[4], ANY)
(obj1.main_tmalloc1base_8(), (-1, 0.75))
(obj1.ssl3_accept_ret10_248(), (-6.125, -4.25))
(obj1.ssl3_accept_tnondet172_12(), (-2.375, -0.5))
(valid_8[0], (0, 2))
(valid_6[0], (0, 2))
(valid_8[1], ANY)
(valid_6[1], ANY)
(valid_8[2], ANY)
(valid_6[2], ANY)
(valid_8[3], ANY)
(valid_6[3], ANY)
(valid 8[4], ANY)
(valid_6[4], ANY)
(obj1.main\_tmalloc1base\_8(), (-1, 0.75))
(obj1.ssl3_accept_ret10_248(), (-4.25, -2.375))
(obj1.ssl3_accept_tnondet172_12(), (-4.25, -2.375))
(valid_8[0], (0, 2))
(valid_6[0], (0, 2))
(valid_8[1], ANY)
(valid 6[1], ANY)
(valid_8[2], ANY)
```

```
(valid 6[2], ANY)
(valid_8[3], ANY)
(valid_6[3], ANY)
(valid_8[4], ANY)
(valid_6[4], ANY)
(obj1.main tmalloc1base 8(), (-1, 0.75))
(obj1.ssl3_accept_ret10_248(), (-4.25, -2.375))
(obj1.ssl3_accept_tnondet172_12(), (-2.375, -0.5))
(valid_8[0], (0, 2))
(valid_6[0], (0, 2))
(valid 8[1], ANY)
(valid_6[1], ANY)
(valid_8[2], ANY)
(valid 6[2], ANY)
(valid_8[3], ANY)
(valid_6[3], ANY)
(valid 8[4], ANY)
(valid_6[4], ANY)
(obj1.main_tmalloc1base_8(), (-1, 0.75))
(obj1.ssl3_accept_ret10_248(), (-2.375, -0.5))
(obj1.ssl3_accept_tnondet172_12(), (-2.375, -0.5))
(valid_8[0], (0, 2))
(valid_6[0], (0, 2))
(valid_8[1], ANY)
(valid_6[1], ANY)
(valid_8[2], ANY)
(valid_6[2], ANY)
(valid_8[3], ANY)
(valid_6[3], ANY)
(valid_8[4], ANY)
(valid 6[4], ANY)
(obj1.main_tmalloc1base_8(), (-1, 0.75))
(obj1.ssl3_accept_ret10_248(), (-8, -6.125))
(obj1.ssl3_accept_tnondet172_12(), (-0.5, 1.375))
(valid_8[0], (0, 2))
(valid_6[0], (0, 2))
(valid_8[1], ANY)
(valid_6[1], ANY)
(valid_8[2], ANY)
(valid_6[2], ANY)
(valid_8[3], ANY)
(valid_6[3], ANY)
(valid 8[4], ANY)
(valid_6[4], ANY)
(obj1.main\_tmalloc1base\_8(), (-1, 0.75))
(obj1.ssl3_accept_ret10_248(), (-8, -6.125))
(obj1.ssl3_accept_tnondet172_12(), (1.375, 3.25))
(valid_8[0], (0, 2))
(valid_6[0], (0, 2))
(valid_8[1], ANY)
(valid 6[1], ANY)
(valid_8[2], ANY)
```

```
(valid 6[2], ANY)
(valid_8[3], ANY)
(valid_6[3], ANY)
(valid_8[4], ANY)
(valid_6[4], ANY)
(obj1.main tmalloc1base 8(), (-1, 0.75))
(obj1.ssl3_accept_ret10_248(), (-6.125, -4.25))
(obj1.ssl3_accept_tnondet172_12(), (-0.5, 1.375))
(valid_8[0], (0, 2))
(valid_6[0], (0, 2))
(valid 8[1], ANY)
(valid_6[1], ANY)
(valid_8[2], ANY)
(valid 6[2], ANY)
(valid_8[3], ANY)
(valid_6[3], ANY)
(valid 8[4], ANY)
(valid_6[4], ANY)
(obj1.main_tmalloc1base_8(), (-1, 0.75))
(obj1.ssl3_accept_ret10_248(), (-6.125, -4.25))
(obj1.ssl3_accept_tnondet172_12(), (1.375, 3.25))
(valid_8[0], (0, 2))
(valid_6[0], (0, 2))
(valid_8[1], ANY)
(valid_6[1], ANY)
(valid_8[2], ANY)
(valid_6[2], ANY)
(valid_8[3], ANY)
(valid_6[3], ANY)
(valid_8[4], ANY)
(valid 6[4], ANY)
(obj1.main_tmalloc1base_8(), (-1, 0.75))
(obj1.ssl3_accept_ret10_248(), (-8, -6.125))
(obj1.ssl3_accept_tnondet172_12(), (3.25, 5.125))
(valid_8[0], (0, 2))
(valid_6[0], (0, 2))
(valid_8[1], ANY)
(valid_6[1], ANY)
(valid_8[2], ANY)
(valid_6[2], ANY)
(valid_8[3], ANY)
(valid_6[3], ANY)
(valid 8[4], ANY)
(valid_6[4], ANY)
(obj1.main\_tmalloc1base\_8(), (-1, 0.75))
(obj1.ssl3_accept_ret10_248(), (-8, -6.125))
(obj1.ssl3_accept_tnondet172_12(), (5.125, 7))
(valid_8[0], (0, 2))
(valid_6[0], (0, 2))
(valid_8[1], ANY)
(valid 6[1], ANY)
(valid_8[2], ANY)
```

```
(valid 6[2], ANY)
(valid_8[3], ANY)
(valid_6[3], ANY)
(valid_8[4], ANY)
(valid_6[4], ANY)
(obj1.main tmalloc1base 8(), (-1, 0.75))
(obj1.ssl3_accept_ret10_248(), (-6.125, -4.25))
(obj1.ssl3_accept_tnondet172_12(), (3.25, 5.125))
(valid_8[0], (0, 2))
(valid_6[0], (0, 2))
(valid 8[1], ANY)
(valid_6[1], ANY)
(valid_8[2], ANY)
(valid 6[2], ANY)
(valid_8[3], ANY)
(valid_6[3], ANY)
(valid 8[4], ANY)
(valid_6[4], ANY)
(obj1.main_tmalloc1base_8(), (-1, 0.75))
(obj1.ssl3_accept_ret10_248(), (-6.125, -4.25))
(obj1.ssl3_accept_tnondet172_12(), (5.125, 7))
(valid_8[0], (0, 2))
(valid_6[0], (0, 2))
(valid_8[1], ANY)
(valid_6[1], ANY)
(valid_8[2], ANY)
(valid_6[2], ANY)
(valid_8[3], ANY)
(valid_6[3], ANY)
(valid_8[4], ANY)
(valid 6[4], ANY)
(obj1.main_tmalloc1base_8(), (-1, 0.75))
(obj1.ssl3_accept_ret10_248(), (-4.25, -2.375))
(obj1.ssl3_accept_tnondet172_12(), (-0.5, 1.375))
(valid_8[0], (0, 2))
(valid_6[0], (0, 2))
(valid_8[1], ANY)
(valid_6[1], ANY)
(valid_8[2], ANY)
(valid_6[2], ANY)
(valid_8[3], ANY)
(valid_6[3], ANY)
(valid 8[4], ANY)
(valid_6[4], ANY)
(obj1.main\_tmalloc1base\_8(), (-1, 0.75))
(obj1.ssl3_accept_ret10_248(), (-4.25, -2.375))
(obj1.ssl3_accept_tnondet172_12(), (1.375, 3.25))
(valid_8[0], (0, 2))
(valid_6[0], (0, 2))
(valid 8[1], ANY)
(valid 6[1], ANY)
(valid_8[2], ANY)
```

```
(valid 6[2], ANY)
(valid_8[3], ANY)
(valid_6[3], ANY)
(valid_8[4], ANY)
(valid_6[4], ANY)
(obj1.main tmalloc1base 8(), (-1, 0.75))
(obj1.ssl3_accept_ret10_248(), (-2.375, -0.5))
(obj1.ssl3_accept_tnondet172_12(), (-0.5, 1.375))
(valid_8[0], (0, 2))
(valid_6[0], (0, 2))
(valid 8[1], ANY)
(valid_6[1], ANY)
(valid_8[2], ANY)
(valid 6[2], ANY)
(valid_8[3], ANY)
(valid_6[3], ANY)
(valid 8[4], ANY)
(valid_6[4], ANY)
(obj1.main_tmalloc1base_8(), (-1, 0.75))
(obj1.ssl3_accept_ret10_248(), (-2.375, -0.5))
(obj1.ssl3_accept_tnondet172_12(), (1.375, 3.25))
(valid_8[0], (0, 2))
(valid_6[0], (0, 2))
(valid_8[1], ANY)
(valid_6[1], ANY)
(valid_8[2], ANY)
(valid_6[2], ANY)
(valid_8[3], ANY)
(valid_6[3], ANY)
(valid_8[4], ANY)
(valid 6[4], ANY)
(obj1.main_tmalloc1base_8(), (-1, 0.75))
(obj1.ssl3_accept_ret10_248(), (-4.25, -2.375))
(obj1.ssl3_accept_tnondet172_12(), (3.25, 5.125))
(valid_8[0], (0, 2))
(valid_6[0], (0, 2))
(valid_8[1], ANY)
(valid_6[1], ANY)
(valid_8[2], ANY)
(valid_6[2], ANY)
(valid_8[3], ANY)
(valid_6[3], ANY)
(valid 8[4], ANY)
(valid_6[4], ANY)
(obj1.main\_tmalloc1base\_8(), (-1, 0.75))
(obj1.ssl3_accept_ret10_248(), (-4.25, -2.375))
(obj1.ssl3_accept_tnondet172_12(), (5.125, 7))
(valid_8[0], (0, 2))
(valid_6[0], (0, 2))
(valid_8[1], ANY)
(valid 6[1], ANY)
(valid_8[2], ANY)
```

```
(valid 6[2], ANY)
(valid_8[3], ANY)
(valid_6[3], ANY)
(valid_8[4], ANY)
(valid_6[4], ANY)
(obj1.main tmalloc1base 8(), (-1, 0.75))
(obj1.ssl3_accept_ret10_248(), (-2.375, -0.5))
(obj1.ssl3_accept_tnondet172_12(), (3.25, 5.125))
(valid_8[0], (0, 2))
(valid_6[0], (0, 2))
(valid 8[1], ANY)
(valid_6[1], ANY)
(valid_8[2], ANY)
(valid 6[2], ANY)
(valid_8[3], ANY)
(valid_6[3], ANY)
(valid 8[4], ANY)
(valid_6[4], ANY)
(obj1.main_tmalloc1base_8(), (-1, 0.75))
(obj1.ssl3_accept_ret10_248(), (-2.375, -0.5))
(obj1.ssl3_accept_tnondet172_12(), (5.125, 7))
(valid_8[0], (0, 2))
(valid_6[0], (0, 2))
(valid_8[1], ANY)
(valid_6[1], ANY)
(valid_8[2], ANY)
(valid_6[2], ANY)
(valid_8[3], ANY)
(valid_6[3], ANY)
(valid_8[4], ANY)
(valid 6[4], ANY)
(obj1.main_tmalloc1base_8(), (-1, 0.75))
(obj1.ssl3_accept_ret10_248(), (-0.5, 1.375))
(obj1.ssl3_accept_tnondet172_12(), (-0.5, 1.375))
(valid_8[0], (0, 2))
(valid_6[0], (0, 2))
(valid_8[1], ANY)
(valid_6[1], ANY)
(valid_8[2], ANY)
(valid_6[2], ANY)
(valid_8[3], ANY)
(valid_6[3], ANY)
(valid 8[4], ANY)
(valid_6[4], ANY)
(obj1.main\_tmalloc1base\_8(), (-1, 0.75))
(obj1.ssl3_accept_ret10_248(), (-0.5, 1.375))
(obj1.ssl3_accept_tnondet172_12(), (1.375, 3.25))
(valid_8[0], (0, 2))
(valid_6[0], (0, 2))
(valid_8[1], ANY)
(valid 6[1], ANY)
(valid_8[2], ANY)
```

```
(valid 6[2], ANY)
(valid_8[3], ANY)
(valid_6[3], ANY)
(valid_8[4], ANY)
(valid_6[4], ANY)
(obj1.main tmalloc1base 8(), (-1, 0.75))
(obj1.ssl3_accept_ret10_248(), (1.375, 3.25))
(obj1.ssl3_accept_tnondet172_12(), (1.375, 3.25))
(valid_8[0], (0, 2))
(valid_6[0], (0, 2))
(valid 8[1], ANY)
(valid_6[1], ANY)
(valid_8[2], ANY)
(valid 6[2], ANY)
(valid_8[3], ANY)
(valid_6[3], ANY)
(valid 8[4], ANY)
(valid_6[4], ANY)
(obj1.main_tmalloc1base_8(), (-1, 0.75))
(obj1.ssl3_accept_ret10_248(), (-0.5, 1.375))
(obj1.ssl3_accept_tnondet172_12(), (3.25, 5.125))
(valid_8[0], (0, 2))
(valid_6[0], (0, 2))
(valid_8[1], ANY)
(valid_6[1], ANY)
(valid_8[2], ANY)
(valid_6[2], ANY)
(valid_8[3], ANY)
(valid_6[3], ANY)
(valid_8[4], ANY)
(valid 6[4], ANY)
(obj1.main_tmalloc1base_8(), (-1, 0.75))
(obj1.ssl3_accept_ret10_248(), (-0.5, 1.375))
(obj1.ssl3_accept_tnondet172_12(), (5.125, 7))
(valid_8[0], (0, 2))
(valid_6[0], (0, 2))
(valid_8[1], ANY)
(valid_6[1], ANY)
(valid_8[2], ANY)
(valid_6[2], ANY)
(valid_8[3], ANY)
(valid_6[3], ANY)
(valid 8[4], ANY)
(valid_6[4], ANY)
(obj1.main\_tmalloc1base\_8(), (-1, 0.75))
(obj1.ssl3_accept_ret10_248(), (1.375, 3.25))
(obj1.ssl3_accept_tnondet172_12(), (3.25, 5.125))
(valid_8[0], (0, 2))
(valid_6[0], (0, 2))
(valid_8[1], ANY)
(valid 6[1], ANY)
(valid_8[2], ANY)
```

```
(valid 6[2], ANY)
(valid_8[3], ANY)
(valid_6[3], ANY)
(valid_8[4], ANY)
(valid_6[4], ANY)
(obj1.main tmalloc1base 8(), (-1, 0.75))
(obj1.ssl3_accept_ret10_248(), (1.375, 3.25))
(obj1.ssl3_accept_tnondet172_12(), (5.125, 7))
(valid_8[0], (0, 2))
(valid_6[0], (0, 2))
(valid 8[1], ANY)
(valid_6[1], ANY)
(valid_8[2], ANY)
(valid 6[2], ANY)
(valid_8[3], ANY)
(valid_6[3], ANY)
(valid 8[4], ANY)
(valid_6[4], ANY)
(obj1.main_tmalloc1base_8(), (-1, 0.75))
(obj1.ssl3_accept_ret10_248(), (3.25, 5.125))
(obj1.ssl3_accept_tnondet172_12(), (3.25, 5.125))
(valid_8[0], (0, 2))
(valid_6[0], (0, 2))
(valid_8[1], ANY)
(valid_6[1], ANY)
(valid_8[2], ANY)
(valid_6[2], ANY)
(valid_8[3], ANY)
(valid_6[3], ANY)
(valid_8[4], ANY)
(valid 6[4], ANY)
(obj1.main_tmalloc1base_8(), (-1, 0.75))
(obj1.ssl3_accept_ret10_248(), (3.25, 5.125))
(obj1.ssl3_accept_tnondet172_12(), (5.125, 7))
(valid_8[0], (0, 2))
(valid_6[0], (0, 2))
(valid_8[1], ANY)
(valid_6[1], ANY)
(valid_8[2], ANY)
(valid_6[2], ANY)
(valid_8[3], ANY)
(valid_6[3], ANY)
(valid 8[4], ANY)
(valid_6[4], ANY)
(obj1.main\_tmalloc1base\_8(), (-1, 0.75))
(obj1.ssl3_accept_ret10_248(), (5.125, 7))
(obj1.ssl3_accept_tnondet172_12(), (5.125, 7))
(valid_8[0], (0, 2))
(valid_6[0], (0, 2))
(valid 8[1], ANY)
(valid 6[1], ANY)
(valid_8[2], ANY)
```

```
(valid 6[2], ANY)
(valid_8[3], ANY)
(valid_6[3], ANY)
(valid_8[4], ANY)
(valid_6[4], ANY)
(obj1.main tmalloc1base 8(), (0.75, 2.5))
(obj1.ssl3_accept_ret10_248(), (-8, -6.125))
(obj1.ssl3_accept_tnondet172_12(), (-8, -6.125))
(valid_8[0], ANY)
(valid_6[0], ANY)
(valid 8[1], (0, 2))
(valid_6[1], (0, 2))
(valid_8[2], (0, 2))
(valid 6[2], (0, 2))
(valid_8[3], ANY)
(valid_6[3], ANY)
(valid 8[4], ANY)
(valid_6[4], ANY)
(obj1.main_tmalloc1base_8(), (0.75, 2.5))
(obj1.ssl3_accept_ret10_248(), (-8, -6.125))
(obj1.ssl3_accept_tnondet172_12(), (-6.125, -4.25))
(valid 8[0], ANY)
(valid_6[0], ANY)
(valid_8[1], (0, 2))
(valid_6[1], (0, 2))
(valid_8[2], (0, 2))
(valid_6[2], (0, 2))
(valid_8[3], ANY)
(valid_6[3], ANY)
(valid_8[4], ANY)
(valid 6[4], ANY)
(obj1.main_tmalloc1base_8(), (0.75, 2.5))
(obj1.ssl3_accept_ret10_248(), (-6.125, -4.25))
(obj1.ssl3_accept_tnondet172_12(), (-6.125, -4.25))
(valid_8[0], ANY)
(valid_6[0], ANY)
(valid_8[1], (0, 2))
(valid_6[1], (0, 2))
(valid_8[2], (0, 2))
(valid_6[2], (0, 2))
(valid_8[3], ANY)
(valid_6[3], ANY)
(valid 8[4], ANY)
(valid_6[4], ANY)
(obj1.main_tmalloc1base_8(), (0.75, 2.5))
(obj1.ssl3_accept_ret10_248(), (-8, -6.125))
(obj1.ssl3_accept_tnondet172_12(), (-4.25, -2.375))
(valid_8[0], ANY)
(valid_6[0], ANY)
(valid_8[1], (0, 2))
(valid 6[1], (0, 2))
(valid_8[2], (0, 2))
```

```
(valid 6[2], (0, 2))
(valid_8[3], ANY)
(valid_6[3], ANY)
(valid 8[4], ANY)
(valid_6[4], ANY)
(obj1.main tmalloc1base 8(), (0.75, 2.5))
(obj1.ssl3_accept_ret10_248(), (-8, -6.125))
(obj1.ssl3_accept_tnondet172_12(), (-2.375, -0.5))
(valid_8[0], ANY)
(valid_6[0], ANY)
(valid 8[1], (0, 2))
(valid_6[1], (0, 2))
(valid_8[2], (0, 2))
(valid 6[2], (0, 2))
(valid_8[3], ANY)
(valid_6[3], ANY)
(valid 8[4], ANY)
(valid_6[4], ANY)
(obj1.main_tmalloc1base_8(), (0.75, 2.5))
(obj1.ssl3_accept_ret10_248(), (-6.125, -4.25))
(obj1.ssl3_accept_tnondet172_12(), (-4.25, -2.375))
(valid 8[0], ANY)
(valid_6[0], ANY)
(valid_8[1], (0, 2))
(valid_6[1], (0, 2))
(valid_8[2], (0, 2))
(valid_6[2], (0, 2))
(valid_8[3], ANY)
(valid_6[3], ANY)
(valid_8[4], ANY)
(valid 6[4], ANY)
(obj1.main tmalloc1base 8(), (0.75, 2.5))
(obj1.ssl3_accept_ret10_248(), (-6.125, -4.25))
(obj1.ssl3_accept_tnondet172_12(), (-2.375, -0.5))
(valid_8[0], ANY)
(valid_6[0], ANY)
(valid_8[1], (0, 2))
(valid_6[1], (0, 2))
(valid_8[2], (0, 2))
(valid_6[2], (0, 2))
(valid_8[3], ANY)
(valid_6[3], ANY)
(valid 8[4], ANY)
(valid_6[4], ANY)
(obj1.main_tmalloc1base_8(), (0.75, 2.5))
(obj1.ssl3_accept_ret10_248(), (-4.25, -2.375))
(obj1.ssl3_accept_tnondet172_12(), (-4.25, -2.375))
(valid_8[0], ANY)
(valid_6[0], ANY)
(valid_8[1], (0, 2))
(valid 6[1], (0, 2))
(valid_8[2], (0, 2))
```

```
(valid 6[2], (0, 2))
(valid_8[3], ANY)
(valid_6[3], ANY)
(valid 8[4], ANY)
(valid_6[4], ANY)
(obj1.main tmalloc1base 8(), (0.75, 2.5))
(obj1.ssl3_accept_ret10_248(), (-4.25, -2.375))
(obj1.ssl3_accept_tnondet172_12(), (-2.375, -0.5))
(valid_8[0], ANY)
(valid_6[0], ANY)
(valid 8[1], (0, 2))
(valid_6[1], (0, 2))
(valid_8[2], (0, 2))
(valid 6[2], (0, 2))
(valid_8[3], ANY)
(valid_6[3], ANY)
(valid 8[4], ANY)
(valid_6[4], ANY)
(obj1.main_tmalloc1base_8(), (0.75, 2.5))
(obj1.ssl3_accept_ret10_248(), (-2.375, -0.5))
(obj1.ssl3_accept_tnondet172_12(), (-2.375, -0.5))
(valid 8[0], ANY)
(valid_6[0], ANY)
(valid_8[1], (0, 2))
(valid_6[1], (0, 2))
(valid_8[2], (0, 2))
(valid_6[2], (0, 2))
(valid_8[3], ANY)
(valid_6[3], ANY)
(valid_8[4], ANY)
(valid 6[4], ANY)
(obj1.main tmalloc1base 8(), (0.75, 2.5))
(obj1.ssl3_accept_ret10_248(), (-8, -6.125))
(obj1.ssl3_accept_tnondet172_12(), (-0.5, 1.375))
(valid_8[0], ANY)
(valid_6[0], ANY)
(valid_8[1], (0, 2))
(valid_6[1], (0, 2))
(valid_8[2], (0, 2))
(valid_6[2], (0, 2))
(valid_8[3], ANY)
(valid_6[3], ANY)
(valid 8[4], ANY)
(valid_6[4], ANY)
(obj1.main_tmalloc1base_8(), (0.75, 2.5))
(obj1.ssl3_accept_ret10_248(), (-8, -6.125))
(obj1.ssl3_accept_tnondet172_12(), (1.375, 3.25))
(valid_8[0], ANY)
(valid_6[0], ANY)
(valid_8[1], (0, 2))
(valid 6[1], (0, 2))
(valid_8[2], (0, 2))
```

```
(valid 6[2], (0, 2))
(valid_8[3], ANY)
(valid_6[3], ANY)
(valid 8[4], ANY)
(valid_6[4], ANY)
(obj1.main tmalloc1base 8(), (0.75, 2.5))
(obj1.ssl3_accept_ret10_248(), (-6.125, -4.25))
(obj1.ssl3_accept_tnondet172_12(), (-0.5, 1.375))
(valid_8[0], ANY)
(valid_6[0], ANY)
(valid 8[1], (0, 2))
(valid_6[1], (0, 2))
(valid_8[2], (0, 2))
(valid 6[2], (0, 2))
(valid_8[3], ANY)
(valid_6[3], ANY)
(valid 8[4], ANY)
(valid_6[4], ANY)
(obj1.main_tmalloc1base_8(), (0.75, 2.5))
(obj1.ssl3_accept_ret10_248(), (-6.125, -4.25))
(obj1.ssl3_accept_tnondet172_12(), (1.375, 3.25))
(valid 8[0], ANY)
(valid_6[0], ANY)
(valid_8[1], (0, 2))
(valid_6[1], (0, 2))
(valid_8[2], (0, 2))
(valid_6[2], (0, 2))
(valid_8[3], ANY)
(valid_6[3], ANY)
(valid_8[4], ANY)
(valid 6[4], ANY)
(obj1.main_tmalloc1base_8(), (0.75, 2.5))
(obj1.ssl3_accept_ret10_248(), (-8, -6.125))
(obj1.ssl3_accept_tnondet172_12(), (3.25, 5.125))
(valid_8[0], ANY)
(valid_6[0], ANY)
(valid_8[1], (0, 2))
(valid_6[1], (0, 2))
(valid_8[2], (0, 2))
(valid_6[2], (0, 2))
(valid_8[3], ANY)
(valid_6[3], ANY)
(valid 8[4], ANY)
(valid_6[4], ANY)
(obj1.main_tmalloc1base_8(), (0.75, 2.5))
(obj1.ssl3_accept_ret10_248(), (-8, -6.125))
(obj1.ssl3_accept_tnondet172_12(), (5.125, 7))
(valid_8[0], ANY)
(valid_6[0], ANY)
(valid_8[1], (0, 2))
(valid 6[1], (0, 2))
(valid_8[2], (0, 2))
```

```
(valid 6[2], (0, 2))
(valid_8[3], ANY)
(valid_6[3], ANY)
(valid 8[4], ANY)
(valid_6[4], ANY)
(obj1.main tmalloc1base 8(), (0.75, 2.5))
(obj1.ssl3_accept_ret10_248(), (-6.125, -4.25))
(obj1.ssl3_accept_tnondet172_12(), (3.25, 5.125))
(valid_8[0], ANY)
(valid_6[0], ANY)
(valid 8[1], (0, 2))
(valid_6[1], (0, 2))
(valid_8[2], (0, 2))
(valid 6[2], (0, 2))
(valid_8[3], ANY)
(valid_6[3], ANY)
(valid 8[4], ANY)
(valid_6[4], ANY)
(obj1.main_tmalloc1base_8(), (0.75, 2.5))
(obj1.ssl3_accept_ret10_248(), (-6.125, -4.25))
(obj1.ssl3_accept_tnondet172_12(), (5.125, 7))
(valid 8[0], ANY)
(valid_6[0], ANY)
(valid_8[1], (0, 2))
(valid_6[1], (0, 2))
(valid_8[2], (0, 2))
(valid_6[2], (0, 2))
(valid_8[3], ANY)
(valid_6[3], ANY)
(valid_8[4], ANY)
(valid 6[4], ANY)
(obj1.main tmalloc1base 8(), (0.75, 2.5))
(obj1.ssl3_accept_ret10_248(), (-4.25, -2.375))
(obj1.ssl3_accept_tnondet172_12(), (-0.5, 1.375))
(valid_8[0], ANY)
(valid_6[0], ANY)
(valid_8[1], (0, 2))
(valid_6[1], (0, 2))
(valid_8[2], (0, 2))
(valid_6[2], (0, 2))
(valid_8[3], ANY)
(valid_6[3], ANY)
(valid 8[4], ANY)
(valid_6[4], ANY)
(obj1.main_tmalloc1base_8(), (0.75, 2.5))
(obj1.ssl3_accept_ret10_248(), (-4.25, -2.375))
(obj1.ssl3_accept_tnondet172_12(), (1.375, 3.25))
(valid_8[0], ANY)
(valid_6[0], ANY)
(valid_8[1], (0, 2))
(valid 6[1], (0, 2))
(valid_8[2], (0, 2))
```

```
(valid 6[2], (0, 2))
(valid_8[3], ANY)
(valid_6[3], ANY)
(valid 8[4], ANY)
(valid_6[4], ANY)
(obj1.main tmalloc1base 8(), (0.75, 2.5))
(obj1.ssl3_accept_ret10_248(), (-2.375, -0.5))
(obj1.ssl3_accept_tnondet172_12(), (-0.5, 1.375))
(valid_8[0], ANY)
(valid_6[0], ANY)
(valid 8[1], (0, 2))
(valid_6[1], (0, 2))
(valid_8[2], (0, 2))
(valid 6[2], (0, 2))
(valid_8[3], ANY)
(valid_6[3], ANY)
(valid 8[4], ANY)
(valid_6[4], ANY)
(obj1.main_tmalloc1base_8(), (0.75, 2.5))
(obj1.ssl3_accept_ret10_248(), (-2.375, -0.5))
(obj1.ssl3_accept_tnondet172_12(), (1.375, 3.25))
(valid 8[0], ANY)
(valid_6[0], ANY)
(valid_8[1], (0, 2))
(valid_6[1], (0, 2))
(valid_8[2], (0, 2))
(valid_6[2], (0, 2))
(valid_8[3], ANY)
(valid_6[3], ANY)
(valid_8[4], ANY)
(valid 6[4], ANY)
(obj1.main tmalloc1base 8(), (0.75, 2.5))
(obj1.ssl3_accept_ret10_248(), (-4.25, -2.375))
(obj1.ssl3_accept_tnondet172_12(), (3.25, 5.125))
(valid_8[0], ANY)
(valid_6[0], ANY)
(valid_8[1], (0, 2))
(valid_6[1], (0, 2))
(valid_8[2], (0, 2))
(valid_6[2], (0, 2))
(valid_8[3], ANY)
(valid_6[3], ANY)
(valid 8[4], ANY)
(valid_6[4], ANY)
(obj1.main_tmalloc1base_8(), (0.75, 2.5))
(obj1.ssl3_accept_ret10_248(), (-4.25, -2.375))
(obj1.ssl3_accept_tnondet172_12(), (5.125, 7))
(valid_8[0], ANY)
(valid_6[0], ANY)
(valid_8[1], (0, 2))
(valid 6[1], (0, 2))
(valid_8[2], (0, 2))
```

```
(valid 6[2], (0, 2))
(valid_8[3], ANY)
(valid_6[3], ANY)
(valid 8[4], ANY)
(valid_6[4], ANY)
(obj1.main tmalloc1base 8(), (0.75, 2.5))
(obj1.ssl3_accept_ret10_248(), (-2.375, -0.5))
(obj1.ssl3_accept_tnondet172_12(), (3.25, 5.125))
(valid_8[0], ANY)
(valid_6[0], ANY)
(valid 8[1], (0, 2))
(valid_6[1], (0, 2))
(valid_8[2], (0, 2))
(valid 6[2], (0, 2))
(valid_8[3], ANY)
(valid_6[3], ANY)
(valid 8[4], ANY)
(valid_6[4], ANY)
(obj1.main_tmalloc1base_8(), (0.75, 2.5))
(obj1.ssl3_accept_ret10_248(), (-2.375, -0.5))
(obj1.ssl3_accept_tnondet172_12(), (5.125, 7))
(valid 8[0], ANY)
(valid_6[0], ANY)
(valid_8[1], (0, 2))
(valid_6[1], (0, 2))
(valid_8[2], (0, 2))
(valid_6[2], (0, 2))
(valid_8[3], ANY)
(valid_6[3], ANY)
(valid_8[4], ANY)
(valid 6[4], ANY)
(obj1.main tmalloc1base 8(), (0.75, 2.5))
(obj1.ssl3_accept_ret10_248(), (-0.5, 1.375))
(obj1.ssl3_accept_tnondet172_12(), (-0.5, 1.375))
(valid_8[0], ANY)
(valid_6[0], ANY)
(valid_8[1], (0, 2))
(valid_6[1], (0, 2))
(valid_8[2], (0, 2))
(valid_6[2], (0, 2))
(valid_8[3], ANY)
(valid_6[3], ANY)
(valid 8[4], ANY)
(valid_6[4], ANY)
(obj1.main_tmalloc1base_8(), (0.75, 2.5))
(obj1.ssl3_accept_ret10_248(), (-0.5, 1.375))
(obj1.ssl3_accept_tnondet172_12(), (1.375, 3.25))
(valid_8[0], ANY)
(valid_6[0], ANY)
(valid_8[1], (0, 2))
(valid 6[1], (0, 2))
(valid_8[2], (0, 2))
```

```
(valid 6[2], (0, 2))
(valid_8[3], ANY)
(valid_6[3], ANY)
(valid 8[4], ANY)
(valid_6[4], ANY)
(obj1.main tmalloc1base 8(), (0.75, 2.5))
(obj1.ssl3_accept_ret10_248(), (1.375, 3.25))
(obj1.ssl3_accept_tnondet172_12(), (1.375, 3.25))
(valid_8[0], ANY)
(valid_6[0], ANY)
(valid 8[1], (0, 2))
(valid_6[1], (0, 2))
(valid_8[2], (0, 2))
(valid 6[2], (0, 2))
(valid_8[3], ANY)
(valid_6[3], ANY)
(valid 8[4], ANY)
(valid_6[4], ANY)
(obj1.main_tmalloc1base_8(), (0.75, 2.5))
(obj1.ssl3_accept_ret10_248(), (-0.5, 1.375))
(obj1.ssl3_accept_tnondet172_12(), (3.25, 5.125))
(valid 8[0], ANY)
(valid_6[0], ANY)
(valid_8[1], (0, 2))
(valid_6[1], (0, 2))
(valid_8[2], (0, 2))
(valid_6[2], (0, 2))
(valid_8[3], ANY)
(valid_6[3], ANY)
(valid_8[4], ANY)
(valid 6[4], ANY)
(obj1.main tmalloc1base 8(), (0.75, 2.5))
(obj1.ssl3_accept_ret10_248(), (-0.5, 1.375))
(obj1.ssl3_accept_tnondet172_12(), (5.125, 7))
(valid_8[0], ANY)
(valid_6[0], ANY)
(valid_8[1], (0, 2))
(valid_6[1], (0, 2))
(valid_8[2], (0, 2))
(valid_6[2], (0, 2))
(valid_8[3], ANY)
(valid_6[3], ANY)
(valid 8[4], ANY)
(valid_6[4], ANY)
(obj1.main_tmalloc1base_8(), (0.75, 2.5))
(obj1.ssl3_accept_ret10_248(), (1.375, 3.25))
(obj1.ssl3_accept_tnondet172_12(), (3.25, 5.125))
(valid_8[0], ANY)
(valid_6[0], ANY)
(valid_8[1], (0, 2))
(valid 6[1], (0, 2))
(valid_8[2], (0, 2))
```

```
(valid 6[2], (0, 2))
(valid_8[3], ANY)
(valid_6[3], ANY)
(valid 8[4], ANY)
(valid_6[4], ANY)
(obj1.main tmalloc1base 8(), (0.75, 2.5))
(obj1.ssl3_accept_ret10_248(), (1.375, 3.25))
(obj1.ssl3_accept_tnondet172_12(), (5.125, 7))
(valid_8[0], ANY)
(valid_6[0], ANY)
(valid 8[1], (0, 2))
(valid_6[1], (0, 2))
(valid_8[2], (0, 2))
(valid 6[2], (0, 2))
(valid_8[3], ANY)
(valid_6[3], ANY)
(valid 8[4], ANY)
(valid_6[4], ANY)
(obj1.main_tmalloc1base_8(), (0.75, 2.5))
(obj1.ssl3_accept_ret10_248(), (3.25, 5.125))
(obj1.ssl3_accept_tnondet172_12(), (3.25, 5.125))
(valid 8[0], ANY)
(valid_6[0], ANY)
(valid_8[1], (0, 2))
(valid_6[1], (0, 2))
(valid_8[2], (0, 2))
(valid_6[2], (0, 2))
(valid_8[3], ANY)
(valid_6[3], ANY)
(valid_8[4], ANY)
(valid 6[4], ANY)
(obj1.main_tmalloc1base_8(), (0.75, 2.5))
(obj1.ssl3_accept_ret10_248(), (3.25, 5.125))
(obj1.ssl3_accept_tnondet172_12(), (5.125, 7))
(valid_8[0], ANY)
(valid_6[0], ANY)
(valid_8[1], (0, 2))
(valid_6[1], (0, 2))
(valid_8[2], (0, 2))
(valid_6[2], (0, 2))
(valid_8[3], ANY)
(valid_6[3], ANY)
(valid 8[4], ANY)
(valid_6[4], ANY)
(obj1.main_tmalloc1base_8(), (0.75, 2.5))
(obj1.ssl3_accept_ret10_248(), (5.125, 7))
(obj1.ssl3_accept_tnondet172_12(), (5.125, 7))
(valid_8[0], ANY)
(valid_6[0], ANY)
(valid_8[1], (0, 2))
(valid 6[1], (0, 2))
(valid_8[2], (0, 2))
```

```
(valid 6[2], (0, 2))
(valid_8[3], ANY)
(valid_6[3], ANY)
(valid_8[4], ANY)
(valid_6[4], ANY)
(obj1.main tmalloc1base 8(), (2.5, 4.25))
(obj1.ssl3_accept_ret10_248(), (-8, -6.125))
(obj1.ssl3_accept_tnondet172_12(), (-8, -6.125))
(valid_8[0], ANY)
(valid_6[0], ANY)
(valid 8[1], ANY)
(valid_6[1], ANY)
(valid_8[2], ANY)
(valid 6[2], ANY)
(valid_8[3], (0, 2))
(valid_6[3], (0, 2))
(valid_8[4], (0, 2))
(valid_6[4], (0, 2))
(obj1.main_tmalloc1base_8(), (2.5, 4.25))
(obj1.ssl3_accept_ret10_248(), (-8, -6.125))
(obj1.ssl3_accept_tnondet172_12(), (-6.125, -4.25))
(valid 8[0], ANY)
(valid_6[0], ANY)
(valid_8[1], ANY)
(valid_6[1], ANY)
(valid_8[2], ANY)
(valid_6[2], ANY)
(valid_8[3], (0, 2))
(valid_6[3], (0, 2))
(valid_8[4], (0, 2))
(valid_6[4], (0, 2))
(obj1.main_tmalloc1base_8(), (2.5, 4.25))
(obj1.ssl3_accept_ret10_248(), (-6.125, -4.25))
(obj1.ssl3_accept_tnondet172_12(), (-6.125, -4.25))
(valid_8[0], ANY)
(valid_6[0], ANY)
(valid_8[1], ANY)
(valid_6[1], ANY)
(valid_8[2], ANY)
(valid_6[2], ANY)
(valid_8[3], (0, 2))
(valid_6[3], (0, 2))
(valid 8[4], (0, 2))
(valid_6[4], (0, 2))
(obj1.main_tmalloc1base_8(), (2.5, 4.25))
(obj1.ssl3_accept_ret10_248(), (-8, -6.125))
(obj1.ssl3_accept_tnondet172_12(), (-4.25, -2.375))
(valid_8[0], ANY)
(valid_6[0], ANY)
(valid_8[1], ANY)
(valid 6[1], ANY)
(valid_8[2], ANY)
```

```
(valid 6[2], ANY)
(valid_8[3], (0, 2))
(valid_6[3], (0, 2))
(valid_8[4], (0, 2))
(valid_6[4], (0, 2))
(obj1.main tmalloc1base 8(), (2.5, 4.25))
(obj1.ssl3_accept_ret10_248(), (-8, -6.125))
(obj1.ssl3_accept_tnondet172_12(), (-2.375, -0.5))
(valid_8[0], ANY)
(valid_6[0], ANY)
(valid 8[1], ANY)
(valid_6[1], ANY)
(valid_8[2], ANY)
(valid 6[2], ANY)
(valid_8[3], (0, 2))
(valid_6[3], (0, 2))
(valid 8[4], (0, 2))
(valid_6[4], (0, 2))
(obj1.main_tmalloc1base_8(), (2.5, 4.25))
(obj1.ssl3_accept_ret10_248(), (-6.125, -4.25))
(obj1.ssl3_accept_tnondet172_12(), (-4.25, -2.375))
(valid 8[0], ANY)
(valid_6[0], ANY)
(valid_8[1], ANY)
(valid_6[1], ANY)
(valid_8[2], ANY)
(valid_6[2], ANY)
(valid_8[3], (0, 2))
(valid_6[3], (0, 2))
(valid_8[4], (0, 2))
(valid_6[4], (0, 2))
(obj1.main_tmalloc1base_8(), (2.5, 4.25))
(obj1.ssl3_accept_ret10_248(), (-6.125, -4.25))
(obj1.ssl3_accept_tnondet172_12(), (-2.375, -0.5))
(valid_8[0], ANY)
(valid_6[0], ANY)
(valid_8[1], ANY)
(valid_6[1], ANY)
(valid_8[2], ANY)
(valid_6[2], ANY)
(valid_8[3], (0, 2))
(valid_6[3], (0, 2))
(valid 8[4], (0, 2))
(valid_6[4], (0, 2))
(obj1.main_tmalloc1base_8(), (2.5, 4.25))
(obj1.ssl3_accept_ret10_248(), (-4.25, -2.375))
(obj1.ssl3_accept_tnondet172_12(), (-4.25, -2.375))
(valid_8[0], ANY)
(valid_6[0], ANY)
(valid_8[1], ANY)
(valid 6[1], ANY)
(valid_8[2], ANY)
```

```
(valid 6[2], ANY)
(valid_8[3], (0, 2))
(valid_6[3], (0, 2))
(valid_8[4], (0, 2))
(valid_6[4], (0, 2))
(obj1.main tmalloc1base 8(), (2.5, 4.25))
(obj1.ssl3_accept_ret10_248(), (-4.25, -2.375))
(obj1.ssl3_accept_tnondet172_12(), (-2.375, -0.5))
(valid_8[0], ANY)
(valid_6[0], ANY)
(valid 8[1], ANY)
(valid_6[1], ANY)
(valid_8[2], ANY)
(valid 6[2], ANY)
(valid_8[3], (0, 2))
(valid_6[3], (0, 2))
(valid 8[4], (0, 2))
(valid_6[4], (0, 2))
(obj1.main_tmalloc1base_8(), (2.5, 4.25))
(obj1.ssl3_accept_ret10_248(), (-2.375, -0.5))
(obj1.ssl3_accept_tnondet172_12(), (-2.375, -0.5))
(valid 8[0], ANY)
(valid_6[0], ANY)
(valid_8[1], ANY)
(valid_6[1], ANY)
(valid_8[2], ANY)
(valid_6[2], ANY)
(valid_8[3], (0, 2))
(valid_6[3], (0, 2))
(valid_8[4], (0, 2))
(valid_6[4], (0, 2))
(obj1.main_tmalloc1base_8(), (2.5, 4.25))
(obj1.ssl3_accept_ret10_248(), (-8, -6.125))
(obj1.ssl3_accept_tnondet172_12(), (-0.5, 1.375))
(valid_8[0], ANY)
(valid_6[0], ANY)
(valid_8[1], ANY)
(valid_6[1], ANY)
(valid_8[2], ANY)
(valid_6[2], ANY)
(valid_8[3], (0, 2))
(valid_6[3], (0, 2))
(valid 8[4], (0, 2))
(valid_6[4], (0, 2))
(obj1.main_tmalloc1base_8(), (2.5, 4.25))
(obj1.ssl3_accept_ret10_248(), (-8, -6.125))
(obj1.ssl3_accept_tnondet172_12(), (1.375, 3.25))
(valid_8[0], ANY)
(valid_6[0], ANY)
(valid_8[1], ANY)
(valid 6[1], ANY)
(valid_8[2], ANY)
```

```
(valid 6[2], ANY)
(valid_8[3], (0, 2))
(valid_6[3], (0, 2))
(valid_8[4], (0, 2))
(valid_6[4], (0, 2))
(obj1.main tmalloc1base 8(), (2.5, 4.25))
(obj1.ssl3_accept_ret10_248(), (-6.125, -4.25))
(obj1.ssl3_accept_tnondet172_12(), (-0.5, 1.375))
(valid_8[0], ANY)
(valid_6[0], ANY)
(valid 8[1], ANY)
(valid_6[1], ANY)
(valid_8[2], ANY)
(valid 6[2], ANY)
(valid_8[3], (0, 2))
(valid_6[3], (0, 2))
(valid_8[4], (0, 2))
(valid_6[4], (0, 2))
(obj1.main_tmalloc1base_8(), (2.5, 4.25))
(obj1.ssl3_accept_ret10_248(), (-6.125, -4.25))
(obj1.ssl3_accept_tnondet172_12(), (1.375, 3.25))
(valid 8[0], ANY)
(valid_6[0], ANY)
(valid_8[1], ANY)
(valid_6[1], ANY)
(valid_8[2], ANY)
(valid_6[2], ANY)
(valid_8[3], (0, 2))
(valid_6[3], (0, 2))
(valid_8[4], (0, 2))
(valid_6[4], (0, 2))
(obj1.main_tmalloc1base_8(), (2.5, 4.25))
(obj1.ssl3_accept_ret10_248(), (-8, -6.125))
(obj1.ssl3_accept_tnondet172_12(), (3.25, 5.125))
(valid_8[0], ANY)
(valid_6[0], ANY)
(valid_8[1], ANY)
(valid_6[1], ANY)
(valid_8[2], ANY)
(valid_6[2], ANY)
(valid_8[3], (0, 2))
(valid_6[3], (0, 2))
(valid 8[4], (0, 2))
(valid_6[4], (0, 2))
(obj1.main_tmalloc1base_8(), (2.5, 4.25))
(obj1.ssl3_accept_ret10_248(), (-8, -6.125))
(obj1.ssl3_accept_tnondet172_12(), (5.125, 7))
(valid_8[0], ANY)
(valid_6[0], ANY)
(valid 8[1], ANY)
(valid 6[1], ANY)
(valid_8[2], ANY)
```

```
(valid 6[2], ANY)
(valid_8[3], (0, 2))
(valid_6[3], (0, 2))
(valid_8[4], (0, 2))
(valid_6[4], (0, 2))
(obj1.main tmalloc1base 8(), (2.5, 4.25))
(obj1.ssl3_accept_ret10_248(), (-6.125, -4.25))
(obj1.ssl3_accept_tnondet172_12(), (3.25, 5.125))
(valid_8[0], ANY)
(valid_6[0], ANY)
(valid 8[1], ANY)
(valid_6[1], ANY)
(valid_8[2], ANY)
(valid 6[2], ANY)
(valid_8[3], (0, 2))
(valid_6[3], (0, 2))
(valid 8[4], (0, 2))
(valid_6[4], (0, 2))
(obj1.main_tmalloc1base_8(), (2.5, 4.25))
(obj1.ssl3_accept_ret10_248(), (-6.125, -4.25))
(obj1.ssl3_accept_tnondet172_12(), (5.125, 7))
(valid 8[0], ANY)
(valid_6[0], ANY)
(valid_8[1], ANY)
(valid_6[1], ANY)
(valid_8[2], ANY)
(valid_6[2], ANY)
(valid_8[3], (0, 2))
(valid_6[3], (0, 2))
(valid_8[4], (0, 2))
(valid_6[4], (0, 2))
(obj1.main_tmalloc1base_8(), (2.5, 4.25))
(obj1.ssl3_accept_ret10_248(), (-4.25, -2.375))
(obj1.ssl3_accept_tnondet172_12(), (-0.5, 1.375))
(valid_8[0], ANY)
(valid_6[0], ANY)
(valid_8[1], ANY)
(valid_6[1], ANY)
(valid_8[2], ANY)
(valid_6[2], ANY)
(valid_8[3], (0, 2))
(valid_6[3], (0, 2))
(valid 8[4], (0, 2))
(valid_6[4], (0, 2))
(obj1.main_tmalloc1base_8(), (2.5, 4.25))
(obj1.ssl3_accept_ret10_248(), (-4.25, -2.375))
(obj1.ssl3_accept_tnondet172_12(), (1.375, 3.25))
(valid_8[0], ANY)
(valid_6[0], ANY)
(valid_8[1], ANY)
(valid 6[1], ANY)
(valid_8[2], ANY)
```

```
(valid 6[2], ANY)
(valid_8[3], (0, 2))
(valid_6[3], (0, 2))
(valid_8[4], (0, 2))
(valid_6[4], (0, 2))
(obj1.main tmalloc1base 8(), (2.5, 4.25))
(obj1.ssl3_accept_ret10_248(), (-2.375, -0.5))
(obj1.ssl3_accept_tnondet172_12(), (-0.5, 1.375))
(valid_8[0], ANY)
(valid_6[0], ANY)
(valid 8[1], ANY)
(valid_6[1], ANY)
(valid_8[2], ANY)
(valid 6[2], ANY)
(valid_8[3], (0, 2))
(valid_6[3], (0, 2))
(valid 8[4], (0, 2))
(valid_6[4], (0, 2))
(obj1.main_tmalloc1base_8(), (2.5, 4.25))
(obj1.ssl3_accept_ret10_248(), (-2.375, -0.5))
(obj1.ssl3_accept_tnondet172_12(), (1.375, 3.25))
(valid 8[0], ANY)
(valid_6[0], ANY)
(valid_8[1], ANY)
(valid_6[1], ANY)
(valid_8[2], ANY)
(valid_6[2], ANY)
(valid_8[3], (0, 2))
(valid_6[3], (0, 2))
(valid_8[4], (0, 2))
(valid_6[4], (0, 2))
(obj1.main_tmalloc1base_8(), (2.5, 4.25))
(obj1.ssl3_accept_ret10_248(), (-4.25, -2.375))
(obj1.ssl3_accept_tnondet172_12(), (3.25, 5.125))
(valid_8[0], ANY)
(valid_6[0], ANY)
(valid_8[1], ANY)
(valid_6[1], ANY)
(valid_8[2], ANY)
(valid_6[2], ANY)
(valid_8[3], (0, 2))
(valid_6[3], (0, 2))
(valid 8[4], (0, 2))
(valid_6[4], (0, 2))
(obj1.main_tmalloc1base_8(), (2.5, 4.25))
(obj1.ssl3_accept_ret10_248(), (-4.25, -2.375))
(obj1.ssl3_accept_tnondet172_12(), (5.125, 7))
(valid_8[0], ANY)
(valid_6[0], ANY)
(valid_8[1], ANY)
(valid 6[1], ANY)
(valid_8[2], ANY)
```

```
(valid 6[2], ANY)
(valid_8[3], (0, 2))
(valid_6[3], (0, 2))
(valid_8[4], (0, 2))
(valid_6[4], (0, 2))
(obj1.main tmalloc1base 8(), (2.5, 4.25))
(obj1.ssl3_accept_ret10_248(), (-2.375, -0.5))
(obj1.ssl3_accept_tnondet172_12(), (3.25, 5.125))
(valid_8[0], ANY)
(valid_6[0], ANY)
(valid 8[1], ANY)
(valid_6[1], ANY)
(valid_8[2], ANY)
(valid 6[2], ANY)
(valid_8[3], (0, 2))
(valid_6[3], (0, 2))
(valid 8[4], (0, 2))
(valid_6[4], (0, 2))
(obj1.main_tmalloc1base_8(), (2.5, 4.25))
(obj1.ssl3_accept_ret10_248(), (-2.375, -0.5))
(obj1.ssl3_accept_tnondet172_12(), (5.125, 7))
(valid 8[0], ANY)
(valid_6[0], ANY)
(valid_8[1], ANY)
(valid_6[1], ANY)
(valid_8[2], ANY)
(valid_6[2], ANY)
(valid_8[3], (0, 2))
(valid_6[3], (0, 2))
(valid_8[4], (0, 2))
(valid_6[4], (0, 2))
(obj1.main_tmalloc1base_8(), (2.5, 4.25))
(obj1.ssl3_accept_ret10_248(), (-0.5, 1.375))
(obj1.ssl3_accept_tnondet172_12(), (-0.5, 1.375))
(valid_8[0], ANY)
(valid_6[0], ANY)
(valid_8[1], ANY)
(valid_6[1], ANY)
(valid_8[2], ANY)
(valid_6[2], ANY)
(valid_8[3], (0, 2))
(valid_6[3], (0, 2))
(valid 8[4], (0, 2))
(valid_6[4], (0, 2))
(obj1.main_tmalloc1base_8(), (2.5, 4.25))
(obj1.ssl3_accept_ret10_248(), (-0.5, 1.375))
(obj1.ssl3_accept_tnondet172_12(), (1.375, 3.25))
(valid_8[0], ANY)
(valid_6[0], ANY)
(valid_8[1], ANY)
(valid 6[1], ANY)
(valid_8[2], ANY)
```

```
(valid 6[2], ANY)
(valid_8[3], (0, 2))
(valid_6[3], (0, 2))
(valid_8[4], (0, 2))
(valid_6[4], (0, 2))
(obj1.main tmalloc1base 8(), (2.5, 4.25))
(obj1.ssl3_accept_ret10_248(), (1.375, 3.25))
(obj1.ssl3_accept_tnondet172_12(), (1.375, 3.25))
(valid_8[0], ANY)
(valid_6[0], ANY)
(valid 8[1], ANY)
(valid_6[1], ANY)
(valid_8[2], ANY)
(valid 6[2], ANY)
(valid_8[3], (0, 2))
(valid_6[3], (0, 2))
(valid 8[4], (0, 2))
(valid_6[4], (0, 2))
(obj1.main_tmalloc1base_8(), (2.5, 4.25))
(obj1.ssl3_accept_ret10_248(), (-0.5, 1.375))
(obj1.ssl3_accept_tnondet172_12(), (3.25, 5.125))
(valid 8[0], ANY)
(valid_6[0], ANY)
(valid_8[1], ANY)
(valid_6[1], ANY)
(valid_8[2], ANY)
(valid_6[2], ANY)
(valid_8[3], (0, 2))
(valid_6[3], (0, 2))
(valid_8[4], (0, 2))
(valid_6[4], (0, 2))
(obj1.main_tmalloc1base_8(), (2.5, 4.25))
(obj1.ssl3_accept_ret10_248(), (-0.5, 1.375))
(obj1.ssl3_accept_tnondet172_12(), (5.125, 7))
(valid_8[0], ANY)
(valid_6[0], ANY)
(valid_8[1], ANY)
(valid_6[1], ANY)
(valid_8[2], ANY)
(valid_6[2], ANY)
(valid_8[3], (0, 2))
(valid_6[3], (0, 2))
(valid 8[4], (0, 2))
(valid_6[4], (0, 2))
(obj1.main_tmalloc1base_8(), (2.5, 4.25))
(obj1.ssl3_accept_ret10_248(), (1.375, 3.25))
(obj1.ssl3_accept_tnondet172_12(), (3.25, 5.125))
(valid_8[0], ANY)
(valid_6[0], ANY)
(valid_8[1], ANY)
(valid 6[1], ANY)
(valid_8[2], ANY)
```

```
(valid 6[2], ANY)
(valid_8[3], (0, 2))
(valid_6[3], (0, 2))
(valid_8[4], (0, 2))
(valid_6[4], (0, 2))
(obj1.main tmalloc1base 8(), (2.5, 4.25))
(obj1.ssl3_accept_ret10_248(), (1.375, 3.25))
(obj1.ssl3_accept_tnondet172_12(), (5.125, 7))
(valid_8[0], ANY)
(valid_6[0], ANY)
(valid 8[1], ANY)
(valid_6[1], ANY)
(valid_8[2], ANY)
(valid 6[2], ANY)
(valid_8[3], (0, 2))
(valid_6[3], (0, 2))
(valid_8[4], (0, 2))
(valid_6[4], (0, 2))
(obj1.main_tmalloc1base_8(), (2.5, 4.25))
(obj1.ssl3_accept_ret10_248(), (3.25, 5.125))
(obj1.ssl3_accept_tnondet172_12(), (3.25, 5.125))
(valid 8[0], ANY)
(valid_6[0], ANY)
(valid_8[1], ANY)
(valid_6[1], ANY)
(valid_8[2], ANY)
(valid_6[2], ANY)
(valid_8[3], (0, 2))
(valid_6[3], (0, 2))
(valid_8[4], (0, 2))
(valid_6[4], (0, 2))
(obj1.main_tmalloc1base_8(), (2.5, 4.25))
(obj1.ssl3_accept_ret10_248(), (3.25, 5.125))
(obj1.ssl3_accept_tnondet172_12(), (5.125, 7))
(valid_8[0], ANY)
(valid_6[0], ANY)
(valid_8[1], ANY)
(valid_6[1], ANY)
(valid_8[2], ANY)
(valid_6[2], ANY)
(valid_8[3], (0, 2))
(valid_6[3], (0, 2))
(valid 8[4], (0, 2))
(valid_6[4], (0, 2))
(obj1.main_tmalloc1base_8(), (2.5, 4.25))
(obj1.ssl3_accept_ret10_248(), (5.125, 7))
(obj1.ssl3_accept_tnondet172_12(), (5.125, 7))
(valid_8[0], ANY)
(valid_6[0], ANY)
(valid_8[1], ANY)
(valid 6[1], ANY)
(valid_8[2], ANY)
```

```
(valid 6[2], ANY)
(valid_8[3], (0, 2))
(valid_6[3], (0, 2))
(valid_8[4], (0, 2))
(valid_6[4], (0, 2))
(obj1.main tmalloc1base 8(), (4.25, 6))
(obj1.ssl3_accept_ret10_248(), (-8, -6.125))
(obj1.ssl3_accept_tnondet172_12(), (-8, -6.125))
(valid_8[0], ANY)
(valid_6[0], ANY)
(valid 8[1], ANY)
(valid_6[1], ANY)
(valid_8[2], ANY)
(valid 6[2], ANY)
(valid_8[3], ANY)
(valid_6[3], ANY)
(valid 8[4], ANY)
(valid_6[4], ANY)
(obj1.main_tmalloc1base_8(), (4.25, 6))
(obj1.ssl3_accept_ret10_248(), (-8, -6.125))
(obj1.ssl3_accept_tnondet172_12(), (-6.125, -4.25))
(valid_8[0], ANY)
(valid_6[0], ANY)
(valid_8[1], ANY)
(valid_6[1], ANY)
(valid_8[2], ANY)
(valid_6[2], ANY)
(valid_8[3], ANY)
(valid_6[3], ANY)
(valid_8[4], ANY)
(valid_6[4], ANY)
(obj1.main_tmalloc1base_8(), (4.25, 6))
(obj1.ssl3_accept_ret10_248(), (-6.125, -4.25))
(obj1.ssl3_accept_tnondet172_12(), (-6.125, -4.25))
(valid_8[0], ANY)
(valid_6[0], ANY)
(valid_8[1], ANY)
(valid_6[1], ANY)
(valid_8[2], ANY)
(valid_6[2], ANY)
(valid_8[3], ANY)
(valid_6[3], ANY)
(valid 8[4], ANY)
(valid_6[4], ANY)
(obj1.main_tmalloc1base_8(), (4.25, 6))
(obj1.ssl3_accept_ret10_248(), (-8, -6.125))
(obj1.ssl3_accept_tnondet172_12(), (-4.25, -2.375))
(valid_8[0], ANY)
(valid_6[0], ANY)
(valid_8[1], ANY)
(valid 6[1], ANY)
(valid_8[2], ANY)
```

```
(valid 6[2], ANY)
(valid_8[3], ANY)
(valid_6[3], ANY)
(valid_8[4], ANY)
(valid_6[4], ANY)
(obj1.main tmalloc1base 8(), (4.25, 6))
(obj1.ssl3_accept_ret10_248(), (-8, -6.125))
(obj1.ssl3_accept_tnondet172_12(), (-2.375, -0.5))
(valid_8[0], ANY)
(valid_6[0], ANY)
(valid 8[1], ANY)
(valid_6[1], ANY)
(valid_8[2], ANY)
(valid 6[2], ANY)
(valid_8[3], ANY)
(valid_6[3], ANY)
(valid 8[4], ANY)
(valid_6[4], ANY)
(obj1.main_tmalloc1base_8(), (4.25, 6))
(obj1.ssl3_accept_ret10_248(), (-6.125, -4.25))
(obj1.ssl3_accept_tnondet172_12(), (-4.25, -2.375))
(valid_8[0], ANY)
(valid_6[0], ANY)
(valid_8[1], ANY)
(valid_6[1], ANY)
(valid_8[2], ANY)
(valid_6[2], ANY)
(valid_8[3], ANY)
(valid_6[3], ANY)
(valid_8[4], ANY)
(valid_6[4], ANY)
(obj1.main_tmalloc1base_8(), (4.25, 6))
(obj1.ssl3_accept_ret10_248(), (-6.125, -4.25))
(obj1.ssl3_accept_tnondet172_12(), (-2.375, -0.5))
(valid_8[0], ANY)
(valid_6[0], ANY)
(valid_8[1], ANY)
(valid_6[1], ANY)
(valid_8[2], ANY)
(valid_6[2], ANY)
(valid_8[3], ANY)
(valid_6[3], ANY)
(valid 8[4], ANY)
(valid_6[4], ANY)
(obj1.main_tmalloc1base_8(), (4.25, 6))
(obj1.ssl3_accept_ret10_248(), (-4.25, -2.375))
(obj1.ssl3_accept_tnondet172_12(), (-4.25, -2.375))
(valid_8[0], ANY)
(valid_6[0], ANY)
(valid 8[1], ANY)
(valid 6[1], ANY)
(valid_8[2], ANY)
```

```
(valid 6[2], ANY)
(valid_8[3], ANY)
(valid_6[3], ANY)
(valid_8[4], ANY)
(valid_6[4], ANY)
(obj1.main tmalloc1base 8(), (4.25, 6))
(obj1.ssl3_accept_ret10_248(), (-4.25, -2.375))
(obj1.ssl3_accept_tnondet172_12(), (-2.375, -0.5))
(valid_8[0], ANY)
(valid_6[0], ANY)
(valid 8[1], ANY)
(valid_6[1], ANY)
(valid_8[2], ANY)
(valid 6[2], ANY)
(valid_8[3], ANY)
(valid_6[3], ANY)
(valid 8[4], ANY)
(valid_6[4], ANY)
(obj1.main_tmalloc1base_8(), (4.25, 6))
(obj1.ssl3_accept_ret10_248(), (-2.375, -0.5))
(obj1.ssl3_accept_tnondet172_12(), (-2.375, -0.5))
(valid_8[0], ANY)
(valid_6[0], ANY)
(valid_8[1], ANY)
(valid_6[1], ANY)
(valid_8[2], ANY)
(valid_6[2], ANY)
(valid_8[3], ANY)
(valid_6[3], ANY)
(valid_8[4], ANY)
(valid_6[4], ANY)
(obj1.main_tmalloc1base_8(), (4.25, 6))
(obj1.ssl3_accept_ret10_248(), (-8, -6.125))
(obj1.ssl3_accept_tnondet172_12(), (-0.5, 1.375))
(valid_8[0], ANY)
(valid_6[0], ANY)
(valid_8[1], ANY)
(valid_6[1], ANY)
(valid_8[2], ANY)
(valid_6[2], ANY)
(valid_8[3], ANY)
(valid_6[3], ANY)
(valid 8[4], ANY)
(valid_6[4], ANY)
(obj1.main_tmalloc1base_8(), (4.25, 6))
(obj1.ssl3_accept_ret10_248(), (-8, -6.125))
(obj1.ssl3_accept_tnondet172_12(), (1.375, 3.25))
(valid_8[0], ANY)
(valid_6[0], ANY)
(valid_8[1], ANY)
(valid 6[1], ANY)
(valid_8[2], ANY)
```

```
(valid 6[2], ANY)
(valid_8[3], ANY)
(valid_6[3], ANY)
(valid_8[4], ANY)
(valid_6[4], ANY)
(obj1.main tmalloc1base 8(), (4.25, 6))
(obj1.ssl3_accept_ret10_248(), (-6.125, -4.25))
(obj1.ssl3_accept_tnondet172_12(), (-0.5, 1.375))
(valid_8[0], ANY)
(valid_6[0], ANY)
(valid 8[1], ANY)
(valid_6[1], ANY)
(valid_8[2], ANY)
(valid 6[2], ANY)
(valid_8[3], ANY)
(valid_6[3], ANY)
(valid 8[4], ANY)
(valid_6[4], ANY)
(obj1.main_tmalloc1base_8(), (4.25, 6))
(obj1.ssl3_accept_ret10_248(), (-6.125, -4.25))
(obj1.ssl3_accept_tnondet172_12(), (1.375, 3.25))
(valid_8[0], ANY)
(valid_6[0], ANY)
(valid_8[1], ANY)
(valid_6[1], ANY)
(valid_8[2], ANY)
(valid_6[2], ANY)
(valid_8[3], ANY)
(valid_6[3], ANY)
(valid_8[4], ANY)
(valid_6[4], ANY)
(obj1.main_tmalloc1base_8(), (4.25, 6))
(obj1.ssl3_accept_ret10_248(), (-8, -6.125))
(obj1.ssl3_accept_tnondet172_12(), (3.25, 5.125))
(valid_8[0], ANY)
(valid_6[0], ANY)
(valid_8[1], ANY)
(valid_6[1], ANY)
(valid_8[2], ANY)
(valid_6[2], ANY)
(valid_8[3], ANY)
(valid_6[3], ANY)
(valid 8[4], ANY)
(valid_6[4], ANY)
(obj1.main_tmalloc1base_8(), (4.25, 6))
(obj1.ssl3_accept_ret10_248(), (-8, -6.125))
(obj1.ssl3_accept_tnondet172_12(), (5.125, 7))
(valid_8[0], ANY)
(valid_6[0], ANY)
(valid_8[1], ANY)
(valid 6[1], ANY)
(valid_8[2], ANY)
```

```
(valid 6[2], ANY)
(valid_8[3], ANY)
(valid_6[3], ANY)
(valid_8[4], ANY)
(valid_6[4], ANY)
(obj1.main tmalloc1base 8(), (4.25, 6))
(obj1.ssl3_accept_ret10_248(), (-6.125, -4.25))
(obj1.ssl3_accept_tnondet172_12(), (3.25, 5.125))
(valid_8[0], ANY)
(valid_6[0], ANY)
(valid 8[1], ANY)
(valid_6[1], ANY)
(valid_8[2], ANY)
(valid 6[2], ANY)
(valid_8[3], ANY)
(valid_6[3], ANY)
(valid 8[4], ANY)
(valid_6[4], ANY)
(obj1.main_tmalloc1base_8(), (4.25, 6))
(obj1.ssl3_accept_ret10_248(), (-6.125, -4.25))
(obj1.ssl3_accept_tnondet172_12(), (5.125, 7))
(valid_8[0], ANY)
(valid_6[0], ANY)
(valid_8[1], ANY)
(valid_6[1], ANY)
(valid_8[2], ANY)
(valid_6[2], ANY)
(valid_8[3], ANY)
(valid_6[3], ANY)
(valid_8[4], ANY)
(valid_6[4], ANY)
(obj1.main_tmalloc1base_8(), (4.25, 6))
(obj1.ssl3_accept_ret10_248(), (-4.25, -2.375))
(obj1.ssl3_accept_tnondet172_12(), (-0.5, 1.375))
(valid_8[0], ANY)
(valid_6[0], ANY)
(valid_8[1], ANY)
(valid_6[1], ANY)
(valid_8[2], ANY)
(valid_6[2], ANY)
(valid_8[3], ANY)
(valid_6[3], ANY)
(valid 8[4], ANY)
(valid_6[4], ANY)
(obj1.main_tmalloc1base_8(), (4.25, 6))
(obj1.ssl3_accept_ret10_248(), (-4.25, -2.375))
(obj1.ssl3_accept_tnondet172_12(), (1.375, 3.25))
(valid_8[0], ANY)
(valid_6[0], ANY)
(valid_8[1], ANY)
(valid 6[1], ANY)
(valid_8[2], ANY)
```

```
(valid 6[2], ANY)
(valid_8[3], ANY)
(valid_6[3], ANY)
(valid_8[4], ANY)
(valid_6[4], ANY)
(obj1.main tmalloc1base 8(), (4.25, 6))
(obj1.ssl3_accept_ret10_248(), (-2.375, -0.5))
(obj1.ssl3_accept_tnondet172_12(), (-0.5, 1.375))
(valid_8[0], ANY)
(valid_6[0], ANY)
(valid 8[1], ANY)
(valid_6[1], ANY)
(valid_8[2], ANY)
(valid 6[2], ANY)
(valid_8[3], ANY)
(valid_6[3], ANY)
(valid 8[4], ANY)
(valid_6[4], ANY)
(obj1.main_tmalloc1base_8(), (4.25, 6))
(obj1.ssl3_accept_ret10_248(), (-2.375, -0.5))
(obj1.ssl3_accept_tnondet172_12(), (1.375, 3.25))
(valid_8[0], ANY)
(valid_6[0], ANY)
(valid_8[1], ANY)
(valid_6[1], ANY)
(valid_8[2], ANY)
(valid_6[2], ANY)
(valid_8[3], ANY)
(valid_6[3], ANY)
(valid_8[4], ANY)
(valid_6[4], ANY)
(obj1.main_tmalloc1base_8(), (4.25, 6))
(obj1.ssl3_accept_ret10_248(), (-4.25, -2.375))
(obj1.ssl3_accept_tnondet172_12(), (3.25, 5.125))
(valid_8[0], ANY)
(valid_6[0], ANY)
(valid_8[1], ANY)
(valid_6[1], ANY)
(valid_8[2], ANY)
(valid_6[2], ANY)
(valid_8[3], ANY)
(valid_6[3], ANY)
(valid 8[4], ANY)
(valid_6[4], ANY)
(obj1.main_tmalloc1base_8(), (4.25, 6))
(obj1.ssl3_accept_ret10_248(), (-4.25, -2.375))
(obj1.ssl3_accept_tnondet172_12(), (5.125, 7))
(valid_8[0], ANY)
(valid_6[0], ANY)
(valid_8[1], ANY)
(valid 6[1], ANY)
(valid_8[2], ANY)
```

```
(valid 6[2], ANY)
(valid_8[3], ANY)
(valid_6[3], ANY)
(valid_8[4], ANY)
(valid_6[4], ANY)
(obj1.main tmalloc1base 8(), (4.25, 6))
(obj1.ssl3_accept_ret10_248(), (-2.375, -0.5))
(obj1.ssl3_accept_tnondet172_12(), (3.25, 5.125))
(valid_8[0], ANY)
(valid_6[0], ANY)
(valid 8[1], ANY)
(valid_6[1], ANY)
(valid_8[2], ANY)
(valid 6[2], ANY)
(valid_8[3], ANY)
(valid_6[3], ANY)
(valid 8[4], ANY)
(valid_6[4], ANY)
(obj1.main_tmalloc1base_8(), (4.25, 6))
(obj1.ssl3_accept_ret10_248(), (-2.375, -0.5))
(obj1.ssl3_accept_tnondet172_12(), (5.125, 7))
(valid_8[0], ANY)
(valid_6[0], ANY)
(valid_8[1], ANY)
(valid_6[1], ANY)
(valid_8[2], ANY)
(valid_6[2], ANY)
(valid_8[3], ANY)
(valid_6[3], ANY)
(valid_8[4], ANY)
(valid_6[4], ANY)
(obj1.main_tmalloc1base_8(), (4.25, 6))
(obj1.ssl3_accept_ret10_248(), (-0.5, 1.375))
(obj1.ssl3_accept_tnondet172_12(), (-0.5, 1.375))
(valid_8[0], ANY)
(valid_6[0], ANY)
(valid_8[1], ANY)
(valid_6[1], ANY)
(valid_8[2], ANY)
(valid_6[2], ANY)
(valid_8[3], ANY)
(valid_6[3], ANY)
(valid 8[4], ANY)
(valid_6[4], ANY)
(obj1.main_tmalloc1base_8(), (4.25, 6))
(obj1.ssl3_accept_ret10_248(), (-0.5, 1.375))
(obj1.ssl3_accept_tnondet172_12(), (1.375, 3.25))
(valid_8[0], ANY)
(valid_6[0], ANY)
(valid 8[1], ANY)
(valid 6[1], ANY)
(valid_8[2], ANY)
```

```
(valid 6[2], ANY)
(valid_8[3], ANY)
(valid_6[3], ANY)
(valid_8[4], ANY)
(valid_6[4], ANY)
(obj1.main tmalloc1base 8(), (4.25, 6))
(obj1.ssl3_accept_ret10_248(), (1.375, 3.25))
(obj1.ssl3_accept_tnondet172_12(), (1.375, 3.25))
(valid_8[0], ANY)
(valid_6[0], ANY)
(valid 8[1], ANY)
(valid_6[1], ANY)
(valid_8[2], ANY)
(valid 6[2], ANY)
(valid_8[3], ANY)
(valid_6[3], ANY)
(valid 8[4], ANY)
(valid_6[4], ANY)
(obj1.main_tmalloc1base_8(), (4.25, 6))
(obj1.ssl3_accept_ret10_248(), (-0.5, 1.375))
(obj1.ssl3_accept_tnondet172_12(), (3.25, 5.125))
(valid_8[0], ANY)
(valid_6[0], ANY)
(valid_8[1], ANY)
(valid_6[1], ANY)
(valid_8[2], ANY)
(valid_6[2], ANY)
(valid_8[3], ANY)
(valid_6[3], ANY)
(valid_8[4], ANY)
(valid_6[4], ANY)
(obj1.main_tmalloc1base_8(), (4.25, 6))
(obj1.ssl3_accept_ret10_248(), (-0.5, 1.375))
(obj1.ssl3_accept_tnondet172_12(), (5.125, 7))
(valid_8[0], ANY)
(valid_6[0], ANY)
(valid_8[1], ANY)
(valid_6[1], ANY)
(valid_8[2], ANY)
(valid_6[2], ANY)
(valid_8[3], ANY)
(valid_6[3], ANY)
(valid 8[4], ANY)
(valid_6[4], ANY)
(obj1.main_tmalloc1base_8(), (4.25, 6))
(obj1.ssl3_accept_ret10_248(), (1.375, 3.25))
(obj1.ssl3_accept_tnondet172_12(), (3.25, 5.125))
(valid_8[0], ANY)
(valid_6[0], ANY)
(valid 8[1], ANY)
(valid 6[1], ANY)
(valid_8[2], ANY)
```

```
(valid 6[2], ANY)
(valid_8[3], ANY)
(valid_6[3], ANY)
(valid_8[4], ANY)
(valid_6[4], ANY)
(obj1.main tmalloc1base 8(), (4.25, 6))
(obj1.ssl3_accept_ret10_248(), (1.375, 3.25))
(obj1.ssl3_accept_tnondet172_12(), (5.125, 7))
(valid_8[0], ANY)
(valid_6[0], ANY)
(valid 8[1], ANY)
(valid_6[1], ANY)
(valid_8[2], ANY)
(valid 6[2], ANY)
(valid_8[3], ANY)
(valid_6[3], ANY)
(valid 8[4], ANY)
(valid_6[4], ANY)
(obj1.main_tmalloc1base_8(), (4.25, 6))
(obj1.ssl3_accept_ret10_248(), (3.25, 5.125))
(obj1.ssl3_accept_tnondet172_12(), (3.25, 5.125))
(valid_8[0], ANY)
(valid_6[0], ANY)
(valid_8[1], ANY)
(valid_6[1], ANY)
(valid_8[2], ANY)
(valid_6[2], ANY)
(valid_8[3], ANY)
(valid_6[3], ANY)
(valid_8[4], ANY)
(valid_6[4], ANY)
(obj1.main_tmalloc1base_8(), (4.25, 6))
(obj1.ssl3_accept_ret10_248(), (3.25, 5.125))
(obj1.ssl3_accept_tnondet172_12(), (5.125, 7))
(valid_8[0], ANY)
(valid_6[0], ANY)
(valid_8[1], ANY)
(valid_6[1], ANY)
(valid_8[2], ANY)
(valid_6[2], ANY)
(valid_8[3], ANY)
(valid_6[3], ANY)
(valid 8[4], ANY)
(valid_6[4], ANY)
(obj1.main_tmalloc1base_8(), (4.25, 6))
(obj1.ssl3_accept_ret10_248(), (5.125, 7))
(obj1.ssl3_accept_tnondet172_12(), (5.125, 7))
(valid_8[0], ANY)
(valid_6[0], ANY)
(valid_8[1], ANY)
(valid 6[1], ANY)
(valid_8[2], ANY)
```

(valid\_6[2], ANY)
(valid\_8[3], ANY)
(valid\_6[3], ANY)
(valid\_8[4], ANY)
(valid\_6[4], ANY)

Execution Time: 5747 ms