

Section : Biology

Q.1 Development of fruits without fertilization is known as -

1. Polyembryony
2. Parthenocarp
3. Pollination
4. Embryogenesis

Options 1. 1

2. 2
3. 3
4. 4

Q.2 Which one of the following is not practiced in the organic farming?

1. Dependence on natural predation
2. Indiscriminate use of chemical pesticides
3. Keeping pests at manageable levels
4. Developing appropriate biocontrol methods

Options 1. 1

2. 2
3. 3
4. 4

Q.3 Match List-I with List-II

List-I

List-II

Genes of lac Operon Codes for

- | | |
|--------------|----------------------------|
| (A) <i>i</i> | (I) β -galactosidase |
| (B) <i>z</i> | (II) Transacetylase |
| (C) <i>a</i> | (III) Permease |
| (D) <i>y</i> | (IV) Repressor |

Choose the correct answer from the options given below:

1. (A) - (I), (B) - (II), (C) - (III), (D) - (IV)
2. (A) - (I), (B) - (III), (C) - (II), (D) - (IV)
3. (A) - (IV), (B) - (I), (C) - (II), (D) - (III)
4. (A) - (III), (B) - (IV), (C) - (I), (D) - (II)

Options 1. 1

2. 2
3. 3
4. 4

Q.4 MTP is considered safe up to _____ weeks of pregnancy.

1. 20
2. 12
3. 32
4. 30

Options 1. 1

2. 2
3. 3
4. 4

Q.5 After the completion of replication, each DNA molecule will have one parental strand and one newly synthesized strand. This scheme is known as:

1. Semi-conservative DNA replication
2. Translation
3. Polymerization
4. Semi-conservative DNA transcription

Options 1. 1

2. 2
3. 3

Q.6 Polymerase Chain Reaction (PCR) can be used to:

- (A) Detect HIV in AIDS patients
- (B) Detect mutations in cancer patients
- (C) Observe antibody antigen reaction
- (D) Identify some of the genetic disorders

Choose the correct answer from the options given below:

- 1. (A), (B) and (D) only
- 2. (A), (B) and (C) only
- 3. (A), (B), (C) and (D)
- 4. (B), (C) and (D) only

Options 1. 1

2. 2

3. 3

4. 4

Q.7 Darwin's finches and Australian marsupials are an example of:

- 1. Divergent Evolution
- 2. Convergent Evolution
- 3. Adaptive Radiation
- 4. Natural Selection

Options 1. 1

2. 2

3. 3

4. 4

Q.8 You must have seen the weed *Calotropis* growing in abandoned fields. The plant produces highly poisonous _____ and that is why you never see any cattle or goats browsing on this plant.

- 1. Pancreatic glycosides
- 2. Cardiac glycoproteins
- 3. Cardiac glycosides
- 4. Cardiac glycogens

Options 1. 1

2. 2

3. 3

4. 4

Q.9 The formation of pomato is an example of:

- 1. Micropropagation
- 2. Totipotency
- 3. Tissue culture
- 4. Somatic hybridization

Options 1. 1

2. 2

3. 3

4. 4

Q.10 The historic convention on Biological Diversity ('The Earth Summit') held in _____ in 1992.

- 1. Kyoto
- 2. Johannesburg
- 3. Rio de Janeiro
- 4. Mauritius

Options 1. 1

2. 2

3. 3

4. 4

Q.11 Match List-I with List-II

List-I

List-II

Terms	Features
(A) Spermatogenesis	(I) Nutrition to germ cells
(B) Acrosome	(II) Testicular hormones
(C) Leydig's cells	(III) Penetration of sperm
(D) Sertoli cells	(IV) Formation of sperms

Choose the correct answer from the options given below:

- (A) - (IV), (B) - (III), (C) - (II), (D) - (I)
- (A) - (I), (B) - (II), (C) - (III), (D) - (IV)
- (A) - (II), (B) - (I), (C) - (IV), (D) - (III)
- (A) - (III), (B) - (IV), (C) - (I), (D) - (I)

Options 1. 1

- 2
- 3
- 4

Q.12 Match List-I with List-II

List-I	List-II
Organisms	Products/Bioactive molecule
(A) <i>Trichoderma polysporum</i>	(I) Citric acid
(B) <i>Monascus purpureus</i>	(II) Cyclosporin A
(C) <i>Aspergillus niger</i>	(III) Ethanol
(D) <i>Saccharomyces cerevisiae</i>	(IV) Statins

Choose the correct answer from the options given below:

- (A) - (III), (B) - (II), (C) - (I), (D) - (IV)
- (A) - (I), (B) - (II), (C) - (IV), (D) - (III)
- (A) - (I), (B) - (III), (C) - (IV), (D) - (II)
- (A) - (II), (B) - (IV), (C) - (I), (D) - (III)

Options 1. 1

- 2
- 3
- 4

Q.13 Which of the following facts are not true about GM crops ?

- They are more tolerant to abiotic stress (cold, drought, heat, salinity, etc.).
- They are pest-resistant.
- They cause early exhaustion of soil fertility.
- The food produced has decreased nutritional value.

Choose the correct answer from the options given below:

- (A) and (B) only
- (A), (B) and (C) only
- (B), (C) and (D)
- (C) and (D) only

Options 1. 1

- 2
- 3
- 4

Q.14 The thermostable DNA polymerase is isolated from the bacterium:

- Thermus marinus*
- Thermus thermotoga*
- Thermus aquaticus*
- Thermus aquifeticus*

Options 1. 1

- 2
- 3
- 4

Q.15 Find the odd one out among the following structures?

- Tapetum

- 2. Microspore
- 3. Megaspore
- 4. Generative cell

Options 1. 1

- 2. 2
- 3. 3
- 4. 4

Q.16 Arrange the given steps for sewage treatment plant in correct sequence?

- (A) Formation of flocs
- (B) Pumping of sludge into anaerobic sludge digester
- (C) Filtration and sedimentation
- (D) Reduction in BOD by biological treatment

Choose the correct answer from the options given below:

- 1. (B), (C), (D), (A)
- 2. (C), (B), (A), (D)
- 3. (B), (A), (D), (C)
- 4. (C), (A), (D), (B)

Options 1. 1

- 2. 2
- 3. 3
- 4. 4

Q.17 Arrange the given geological periods according to their occurrence from oldest to latest order?

- (A) Devonian
- (B) Cretaceous
- (C) Triassic
- (D) Carboniferous

Choose the correct answer from the options given below:

- 1. (A), (B), (C), (D)
- 2. (A), (D), (C), (B)
- 3. (B), (A), (D), (C)
- 4. (C), (B), (D), (A)

Options 1. 1

- 2. 2
- 3. 3
- 4. 4

Q.18 Arrange the following stages in sequence of their occurrence during human reproduction:

- (A) Implantation
- (B) Cleavage
- (C) Blastocyst
- (D) Zygote

Choose the correct answer from the options given below:

- 1. (A), (B), (C), (D)
- 2. (D), (B), (C), (A)
- 3. (B), (A), (D), (C)
- 4. (C), (B), (D), (A)

Options 1. 1

- 2. 2
- 3. 3
- 4. 4

Q.19 Sometimes the change in allele frequency is so different in the new sample of the population in which they become a different species. This phenomenon is known as

- 1. Genetic drift
- 2. Natural selection
- 3. Mutation
- 4. Founder effect

Options 1. 1

- 2. 2
- 3. 3

- Q.20** Identify the statements which are correct with respect to fertilization.
- (A) Sperm comes in contact with zona pellucida layer of the ovum
 - (B) Acrosome secretions help the sperm to pass through the cells of corona radiata
 - (C) Entry of sperm into the cytoplasm of ovum induces the completion of the meiotic division of the secondary oocyte
 - (D) Fertilization can occur if the ovum and sperms are transported simultaneously to the ampullary region

Choose the correct answer from the options given below:

- 1. (B) and (D) only
- 2. (B) and (C) only
- 3. (A), (C) and (D) only
- 4. (B), (C) and (D) only

Options 1. 1

- 2. 2
- 3. 3
- 4. 4

- Q.21** In species-area relationship equation $\log S = \log C + Z \log A$, 'Z' denotes the -

- 1. Y-intercept
- 2. Regression coefficient
- 3. Species richness
- 4. Area

Options 1. 1

- 2. 2
- 3. 3
- 4. 4

- Q.22** Tropics have greater biodiversity because:

- 1. Tropical environments are less predictable
- 2. More solar energy is available in the tropics
- 3. Tropical regions have been more subjected to glaciation in the past
- 4. There is low productivity in the tropics

Options 1. 1

- 2. 2
- 3. 3
- 4. 4

- Q.23** Which one of the followings is not the *In situ* conservation site ?

- 1. Sacred groves
- 2. Zoological parks
- 3. Biodiversity hotspots
- 4. National parks

Options 1. 1

- 2. 2
- 3. 3
- 4. 4

- Q.24** The density of a population in a given habitat during a given period, fluctuates due to changes in -

- (A) Natality
- (B) Immigration
- (C) Emigration
- (D) Mortality

Choose the correct answer from the options given below:

- 1. (A), (B) and (D) only
- 2. (B), (C) and (D) only
- 3. (A), (B) and (C) only
- 4. (A), (B), (C) and (D)

Options 1. 1

- 2. 2

3. 3

4. 4

Q.25 Match List-I with List-II

List-I

Genetic disorders

(A) Thalassemia

(B) Down's Syndrome

(C) Haemophilia

(D) Turner's Syndrome

List-II

Features

(I) Absence of one X chromosome

(II) Sex-linked recessive

(III) Autosome-linked recessive

(IV) Trisomy of chromosome number 21

Choose the correct answer from the options given below:

1. (A) - (I), (B) - (II), (C) - (III), (D) - (IV)

2. (A) - (I), (B) - (III), (C) - (II), (D) - (IV)

3. (A) - (III), (B) - (IV), (C) - (II), (D) - (I)

4. (A) - (III), (B) - (IV), (C) - (I), (D) - (II)

Options 1. 1

2. 2

3. 3

4. 4

Q.26 Arrange the phases of the menstrual cycle according to their occurrence.

(A) Follicular Phase

(B) Menstruation

(C) Luteal Phase

(D) Ovulation

Choose the correct answer from the options given below:

1. (A), (B), (C), (D)

2. (A), (C), (B), (D)

3. (B), (A), (D), (C)

4. (C), (B), (D), (A)

Options 1. 1

2. 2

3. 3

4. 4

Q.27 ABO blood groupings are controlled by the gene I. This 'ABO' blood grouping in human beings is an example of -

1. Incomplete Dominance

2. Segregation

3. Co-dominance

4. Polyploidy

Options 1. 1

2. 2

3. 3

4. 4

Q.28 Somaclones are:

1. Plants genetically identical to the original plant from which they are grown.

2. Plants genetically dissimilar to the original plant from which they are grown.

3. Plants grown from only shoots in the test tube.

4. Genetically engineered plants.

Options 1. 1

2. 2

3. 3

4. 4

Q.29 Which one of the followings does not favour decomposition?

1. Oxygen

2. Nitrogen and water-soluble sugars

3. Low temperature and anaerobiosis

4. Warm and moist environment

Options 1. 1

2. 2

3. 3

4. 4

Q.30 The technology of biogas production was developed in India mainly due to the efforts of -

1. Indian Agricultural Research Institute and Khadi and Village Industries Company

2. Indian Agriculture Research Institute and Khadi and Village Institute Commission

3. Indian Agricultural Research Institute and Khadi and Village Industries Commission

4. Indian Agricultural Research Industry and Khadi and Village Industries Commission

Options 1. 1

2. 2

3. 3

4. 4

Q.31 Which one of the following is not the part of transcription unit in DNA?

1. A Promoter

2. A Terminator

3. Initiation factor

4. The Structural gene

Options 1. 1

2. 2

3. 3

4. 4

Q.32 Which one of the following diseases is not the sexually transmitted infections?

1. Chlamydia

2. Trichomoniasis

3. Thalassaemia

4. Gonorrhoea

Options 1. 1

2. 2

3. 3

4. 4

Q.33 Generally, an angiosperm embryo sac at maturity is -

1. 7-nucleate and 6-celled structure

2. 8-nucleate and 7-celled structure

3. 8-nucleate and 9-celled structure

4. 4-nucleate and 2-celled structure

Options 1. 1

2. 2

3. 3

4. 4

Q.34 Match List-I with List-II

List-I

List-II

Population interaction Species A / Species B

(A) Mutualism

(I) +/0

(B) Competition

(II) +/+

(C) Commensalism

(III) -/0

(D) Amensalism

(IV) -/-

'-' sign for detrimental interaction, '0' sign for neutral interaction, '+' sign for beneficial interaction

Choose the correct answer from the options given below:

1. (A) - (III), (B) - (II), (C) - (I), (D) - (IV)
2. (A) - (I), (B) - (II), (C) - (IV), (D) - (III)
3. (A) - (I), (B) - (III), (C) - (IV), (D) - (II)
4. (A) - (II), (B) - (IV), (C) - (I), (D) - (III)

Options 1. 1

2. 2
3. 3
4. 4

Q.35 Vertical distribution of different species occupying different levels is called as

1. Production
2. Niche
3. Trophic level
4. Stratification

Options 1. 1

2. 2
3. 3
4. 4

Q.36 Identify the hormone releasing IUDs.

1. Saheli
2. Multiload 375
3. LNG-20
4. Lippes loop

Options 1. 1

2. 2
3. 3
4. 4

Q.37 Arrange the given steps of the Hershey and Chase experiment in correct sequence.

- (A) Separation of virus particles from bacteria by centrifugation
- (B) Infection of bacteria with phage DNA
- (C) Radioactive bacteriophages were allowed to attach the bacteria
- (D) Removal of viral coat from bacteria by blending

Choose the correct answer from the options given below:

1. (A), (B), (C), (D)
2. (A), (C), (B), (D)
3. (B), (A), (D), (C)
4. (C), (B), (D), (A)

Options 1. 1

2. 2
3. 3
4. 4

Q.38 In a Mendelian dihybrid cross between a pea plant that has seeds with yellow color and round shape (RRYY) and another one that has seeds with green color and wrinkled shape (rryy), select the possible phenotypes obtained on self pollination after F_1 generation.

- (A) Round yellow
- (B) Round green
- (C) Wrinkled yellow
- (D) Wrinkled brown

Choose the correct answer from the options given below:

1. (A), (B) and (D) only
2. (A), (B) and (C) only
3. (B) and (D) only
4. (B), (C) and (D) only

Options 1. 1

2. 2
3. 3
4. 4

Q.39 Identify the free living nitrogen fixing soil bacteria.

1. *Nostoc*
2. *Rhizobium*
3. *Azospirillum*
4. *Oscillatoria*

Options 1. 1

2. 2
3. 3
4. 4

Q.40 All food chains begin with producers, except -

1. Detritus food chain
2. Terrestrial food chain
3. Aquatic food chain
4. Food web

Options 1. 1

2. 2
3. 3
4. 4

Q.41 Read the following paragraph carefully and answer the given questions.

Certain types of leukocytes (WBC) of our body like polymorpho-nuclear leukocytes (PMNL-neutrophils) and monocytes and natural killer (type of lymphocytes) in the blood as well as macrophages in tissues can phagocytose and destroy microbes. For determining the cause of allergy, the patient is exposed to or injected with very small doses of possible allergens, and the reactions studied. The use of drugs like anti-histamine, adrenalin and steroids quickly reduce the symptoms of allergy. Heroin, commonly called smack is chemically diacetylmorphine which is a white, odourless, bitter crystalline compound. This is obtained by acetylation of morphine. Techniques like radiography (use of X-rays), CT (computed tomography) and MRI (magnetic resonance imaging) are very useful to detect cancers of the internal organs. Different species of *Plasmodium* (*P. vivax*, *P. malaria* and *P. falciparum*) are responsible for different types of malaria. Of these, malignant malaria caused by *Plasmodium falciparum* is the most serious one and can even be fatal.

Which of the following technique is not very useful to detect the cancers of internal organs?

1. X-rays
2. Magnetic resonance imaging
3. ELISA
4. Computed tomography

Options 1. 1

2. 2
3. 3
4. 4

Q.42 Read the following paragraph carefully and answer the given questions.

Certain types of leukocytes (WBC) of our body like polymorpho-nuclear leukocytes (PMNL-neutrophils) and monocytes and natural killer (type of lymphocytes) in the blood as well as macrophages in tissues can phagocytose and destroy microbes. For determining the cause of allergy, the patient is exposed to or injected with very small doses of possible allergens, and the reactions studied. The use of drugs like anti-histamine, adrenalin and steroids quickly reduce the symptoms of allergy. Heroin, commonly called smack is chemically diacetylmorphine which is a white, odourless, bitter crystalline compound. This is obtained by acetylation of morphine. Techniques like radiography (use of X-rays), CT (computed tomography) and MRI (magnetic resonance imaging) are very useful to detect cancers of the internal organs. Different species of *Plasmodium* (*P. vivax*, *P. malaria* and *P. falciparum*) are responsible for different types of malaria. Of these, malignant malaria caused by *Plasmodium falciparum* is the most serious one and can even be fatal.

Malignant malaria is caused by -

1. *Plasmodium malaria*
2. *Plasmodium vivax*
3. *Plasmodium ovale*

4. *Plasmodium falciparum*

Options 1. 1

2. 2

3. 3

4. 4

Q.43 Read the following paragraph carefully and answer the given questions. Certain types of leukocytes (WBC) of our body like polymorpho-nuclear leukocytes (PMNL-neutrophils) and monocytes and natural killer (type of lymphocytes) in the blood as well as macrophages in tissues can phagocytose and destroy microbes. For determining the cause of allergy, the patient is exposed to or injected with very small doses of possible allergens, and the reactions studied. The use of drugs like anti-histamine, adrenalin and steroids quickly reduce the symptoms of allergy. Heroin, commonly called smack is chemically diacetylmorphine which is a white, odourless, bitter crystalline compound. This is obtained by acetylation of morphine. Techniques like radiography (use of X-rays), CT (computed tomography) and MRI (magnetic resonance imaging) are very useful to detect cancers of the internal organs. Different species of *Plasmodium* (*P. vivax*, *P. malaria* and *P. falciparum*) are responsible for different types of malaria. Of these, malignant malaria caused by *Plasmodium falciparum* is the most serious one and can even be fatal.

Which one of the following drugs can not quickly reduce the symptoms of allergy?

1. Anti-histamine

2. Amphetamines

3. Adrenalin

4. Steroids

Options 1. 1

2. 2

3. 3

4. 4

Q.44 Read the following paragraph carefully and answer the given questions. Certain types of leukocytes (WBC) of our body like polymorpho-nuclear leukocytes (PMNL-neutrophils) and monocytes and natural killer (type of lymphocytes) in the blood as well as macrophages in tissues can phagocytose and destroy microbes. For determining the cause of allergy, the patient is exposed to or injected with very small doses of possible allergens, and the reactions studied. The use of drugs like anti-histamine, adrenalin and steroids quickly reduce the symptoms of allergy. Heroin, commonly called smack is chemically diacetylmorphine which is a white, odourless, bitter crystalline compound. This is obtained by acetylation of morphine. Techniques like radiography (use of X-rays), CT (computed tomography) and MRI (magnetic resonance imaging) are very useful to detect cancers of the internal organs. Different species of *Plasmodium* (*P. vivax*, *P. malaria* and *P. falciparum*) are responsible for different types of malaria. Of these, malignant malaria caused by *Plasmodium falciparum* is the most serious one and can even be fatal.

Which one of the following is not the cellular barrier of innate immunity?

1. Monocytes

2. Neutrophils

3. Hepatocytes

4. Macrophages

Options 1. 1

2. 2

3. 3

4. 4

Q.45 Read the following paragraph carefully and answer the given questions. Certain types of leukocytes (WBC) of our body like polymorpho-nuclear leukocytes (PMNL-neutrophils) and monocytes and natural killer (type of lymphocytes) in the blood as well as macrophages in tissues can phagocytose and destroy microbes. For determining the cause of allergy, the patient is exposed to or injected with very small doses of possible allergens, and the reactions studied. The use of drugs like anti-histamine, adrenalin and steroids quickly reduce the symptoms of allergy. Heroin,

commonly called smack is chemically diacetylmorphine which is a white, odourless, bitter crystalline compound. This is obtained by acetylation of morphine. Techniques like radiography (use of X-rays), CT (computed tomography) and MRI (magnetic resonance imaging) are very useful to detect cancers of the internal organs. Different species of *Plasmodium* (*P. vivax*, *P. malaria* and *P. falciparum*) are responsible for different types of malaria. Of these, malignant malaria caused by *Plasmodium falciparum* is the most serious one and can even be fatal.

Heroin, commonly called smack is chemically _____ which is a white, odourless, bitter crystalline compound.

1. Diacetylmorphine
2. Diacetylmorphate
3. Diacetylmorphane
4. Diacetylmorphine

Options 1. 1

2. 2
3. 3
4. 4

Q.46 Read the following paragraph carefully and answer the given questions.

In the year 1963 the two enzymes responsible for restricting the growth of bacteriophage in *E. coli* were isolated. The first restriction endonuclease - *Hind II*, whose functioning depended on a specific DNA nucleotide sequence was characterized five years later. It was found that *Hind II* always cut DNA molecules at a particular point by recognizing a specific sequence of six base pairs. This specific base sequence is known as the recognition sequence for *Hind II*. Besides *Hind II*, today we know more than 900 restriction enzymes that have been isolated from over 230 strains of bacteria, each of which recognize different recognition sequences.

In *EcoR I* the latter 'R' is derived from the -

1. Order in which the enzyme is isolated
2. Name of the strain
3. Genus of prokaryotic cell from which the enzyme is isolated
4. Species of the prokaryotic cell from which the enzyme is isolated

Options 1. 1

2. 2
3. 3
4. 4

Q.47 Read the following paragraph carefully and answer the given questions.

In the year 1963 the two enzymes responsible for restricting the growth of bacteriophage in *E. coli* were isolated. The first restriction endonuclease - *Hind II*, whose functioning depended on a specific DNA nucleotide sequence was characterized five years later. It was found that *Hind II* always cut DNA molecules at a particular point by recognizing a specific sequence of six base pairs. This specific base sequence is known as the recognition sequence for *Hind II*. Besides *Hind II*, today we know more than 900 restriction enzymes that have been isolated from over 230 strains of bacteria, each of which recognize different recognition sequences.

When DNA from different sources is cut by the same restriction enzymes, the resultant DNA fragments have the :

1. Same kind of sticky- ends
2. Different kind of sticky- ends
3. Sticky ends with adenine and thymine only
4. Sticky ends rich in guanine and cytosine only

Options 1. 1

2. 2
3. 3
4. 4

Q.48 Read the following paragraph carefully and answer the given questions.

In the year 1963 the two enzymes responsible for restricting the growth of bacteriophage in *E. coli* were isolated. The first restriction endonuclease - *Hind II*, whose functioning depended on a specific DNA nucleotide sequence was characterized five years later. It was found that *Hind II* always cut DNA molecules at a particular point by recognizing a specific sequence of six base pairs. This specific base sequence is known as the

recognition sequence for *Hind II*. Besides *Hind II*, today we know more than 900 restriction enzymes that have been isolated from over 230 strains of bacteria, each of which recognize different recognition sequences.

Hind II is a restriction endonuclease because

1. It removes nucleotides from the ends of DNA.
2. It makes cut at specific positions within the DNA.
3. It recognizes palindromic RNA sequences.
4. It can join any two DNA sequences at specific points.

Options 1. 1

2. 2

3. 3

4. 4

Q.49 Read the following paragraph carefully and answer the given questions.

In the year 1963 the two enzymes responsible for restricting the growth of bacteriophage in *E. coli* were isolated. The first restriction endonuclease - *Hind II*, whose functioning depended on a specific DNA nucleotide sequence was characterized five years later. It was found that *Hind II* always cut DNA molecules at a particular point by recognizing a specific sequence of six base pairs. This specific base sequence is known as the recognition sequence for *Hind II*. Besides *Hind II*, today we know more than 900 restriction enzymes that have been isolated from over 230 strains of bacteria, each of which recognize different recognition sequences.

DNA fragments can be separated by a technique known as:

1. Autoradiography
2. ELISA
3. Ultracentrifugation
4. Gel electrophoresis

Options 1. 1

2. 2

3. 3

4. 4

Q.50 Read the following paragraph carefully and answer the given questions.

In the year 1963 the two enzymes responsible for restricting the growth of bacteriophage in *E. coli* were isolated. The first restriction endonuclease - *Hind II*, whose functioning depended on a specific DNA nucleotide sequence was characterized five years later. It was found that *Hind II* always cut DNA molecules at a particular point by recognizing a specific sequence of six base pairs. This specific base sequence is known as the recognition sequence for *Hind II*. Besides *Hind II*, today we know more than 900 restriction enzymes that have been isolated from over 230 strains of bacteria, each of which recognize different recognition sequences.

Restriction enzymes are also known as

1. Polymerase enzyme
2. Molecular scissors
3. Replicatory enzyme
4. Transcriptive enzyme

Options 1. 1

2. 2

3. 3

4. 4