

Q.1 Select the correct formula for the coordination compound "Dichloridobis(ethane-1,2-diamine)cobalt(III) chloride"






1. $[\text{CoCl}_2(\text{en})_2]\text{Cl}$
2. $[\text{CoCl}_2(\text{en})]\text{Cl}$
3. $[\text{CoCl}_2(\text{en})_2]\text{Cl}_2$
4. $[\text{CoCl}_2(\text{en})_2]$

Options

1. 1
2. 2
3. 3
4. 4

Q.2

Identify the product of the following reaction



Options

1. 1
2. 2
3. 3
4. 4

Q.3 The number of mono bromo structural isomers formed by free radical bromination of isopentane are

1. 4
2. 2
3. 1
4. 3

Options

1. 1
2. 2
3. 3
4. 4

Q.4 The gas evolved when methylamine reacts with nitrous acid is

1. H_2

2. C_2H_6

3. N_2

4. NH_3

Options 1. 1

2. 2

3. 3

4. 4

Q.5 Examples of corrosion include

(A) Rusting of iron

(B) Tarnishing of silver

(C) Green coating on copper and bronze

(D) Zinc coating on iron

Choose the correct answer from the options given below:

1. (A) and (D) only

2. (A) and (B) only

3. (A), (B) and (C) only

4. (A), (B), (C) and (D)

Options 1. 1

2. 2

3. 3

4. 4

Q.6 The solute and solvent in "Amalgam of mercury with sodium" are

1. Solute: Solid and Solvent: Liquid

2. Solute: Liquid and Solvent: Solid

3. Solute: Solid and Solvent: Solid

4. Solute: Liquid and Solvent: Liquid


Options 1. 1

2. 2

3. 3

4. 4

Q.7 What is the effect of doubling the concentration of alkyl halide on the rate of reaction for the given reaction?



1. Double the rate

2. Quadruple the rate

3. Half the rate

4. No Change

Options 1. 1

2. 2

3. 3

4. 4

Q.8 The unit of Boiling point Elevation Constant (K_b) is

1. K kg mol^{-1}

2. K kg mol

3. $\text{K kg}^{-1} \text{mol}$

4. $\text{K kg}^{-1} \text{mol}^{-1}$

Options 1. 1

2. 2

3. 3

4. 4

Q.9 Arrange the following complexes in increasing order of their magnetic moment

- (A) $[CoF_6]^{3-}$
 (B) $[Co(H_2O)_6]^{2+}$
 (C) $[FeF_6]^{3-}$
 (D) $[Fe(CN)_6]^{4-}$

Choose the correct answer from the options given below:

1. (D), (B), (A), (C)
2. (D), (B), (C), (A)
3. (C), (B), (A), (D)
4. (C), (D), (A), (B)

Options 1. 1

2. 2
3. 3
4. 4

Q.10 In Clemmensen reduction the carbonyl compound is treated with


1. Zinc amalgam + nitric acid
2. Sodium amalgam + nitric acid
3. Zinc amalgam + hydrochloric acid
4. Sodium amalgam + hydrochloric acid

Options 1. 1

2. 2
3. 3
4. 4

Q.11

What are the number of chiral centers in the given Alkyl halide



1. 1
2. 2
3. 0
4. 3

Options 1. 1

2. 2
3. 3
4. 4

Q.12 Haloform test is given by

- (A) Formaldehyde
- (B) Acetone
- (C) α -Phenyl ethyl alcohol
- (D) Acetaldehyde

Choose the correct answer from the options given below:

1. (A), (B) and (D) only
2. (A), (C) and (D) only

3. (A), (B), (C) and (D)
4. (B), (C) and (D) only

Options 1. 1
2. 2
3. 3
4. 4

Q.13

Match **List-I** with **List-II**

List-I	List-II
Physical property	Expression
(A) G (conductance)	(I) $l/(RA)$
(B) R (resistance)	(II) $A / (\rho l)$
(C) κ (Specific conductance)	(III) κ/c
(D) Λ_m (molar conductance)	(IV) $l / (\kappa A)$

Choose the **correct** answer from the options given below:

1. (A) - (III), (B) - (IV), (C) - (II), (D) - (I)
2. (A) - (II), (B) - (IV), (C) - (III), (D) - (I)
3. (A) - (I), (B) - (IV), (C) - (II), (D) - (III)
4. (A) - (II), (B) - (IV), (C) - (I), (D) - (III)

Match List-I with List-II

List-I	List-II
Physical property	Expression
(A) G (conductance)	(I) $\frac{l}{RA}$
(B) R (resistance)	(II) $\frac{A}{\rho l}$
(C) κ (specific conductance)	(III) $\frac{\kappa}{c}$
(D) Λ_m (molar conductance)	(IV) $\frac{l}{\kappa A}$

Choose the correct answer from the options given below:

1. (A) - (III), (B) - (IV), (C) - (II), (D) - (I)
2. (A) - (II), (B) - (IV), (C) - (III), (D) - (I)
3. (A) - (I), (B) - (IV), (C) - (II), (D) - (III)
4. (A) - (II), (B) - (IV), (C) - (I), (D) - (III)

Options 1. 1
2. 2
3. 3
4. 4

Q.14 Choose the correct statements for ortho and para nitrophenol

- (A) They can be separated by steam distillation
(B) o-Nitrophenol undergoes intramolecular hydrogen bonding

- (C) p-Nitrophenol undergoes inter molecular hydrogen bonding
(D) p-Nitrophenol is less volatile

Choose the correct answer from the options given below:

1. (A), (B) and (C) only
2. (A), (B) and (D) only
3. (A) and (C) only
4. (A), (B), (C) and (D)

Options 1. 1


2. 2

3. 3

4. 4

Q.15

The IUPAC name of the following compound is



1. Benzaldehyde
2. Cyclohexanealdehyde
3. Cyclohexanal
4. Cyclohexanecarbaldehyde

Options 1. 1

2. 2

3. 3

4. 4

Q.16 The terms dissolution, crystallization, dynamic equilibrium and saturated solution are defined respectively, as

- (A) no more solute can be dissolved in the solution at a given temperature and pressure
(B) some solute dissolves and its concentration increases in solution
(C) some solute particles in solution collide with the solid solute particles and get separated out of solution
(D) number of solute particles going into solution will be equal to the solute particles separating out of the solution

Choose the correct answer from the options given below:

1. (A), (C), (B), (D)
2. (A), (B), (C), (D)
3. (B), (A), (D), (C)
4. (B), (C), (D), (A)

Options 1. 1






2. 2

3. 3

4. 4

Q.17

What is the major product of the following reaction ?



Options

1. 1
2. 2
3. 3
4. 4

Q.18 Match the properties given in List-I with the metals given in List-II

List-I

List-II

Property

Metal

(A) 3d series element with highest melting point

(I) Os

(B) element which can show +8 oxidation state

(II) Fe

(C) 3d series element with largest number of oxidation states

(III) Cr

(D) constituent of Mischmetall

(IV) Mn

Choose the correct answer from the options given below:

1. (A) - (III), (B) - (I), (C) - (II), (D) - (IV)
2. (A) - (III), (B) - (I), (C) - (IV), (D) - (II)
3. (A) - (IV), (B) - (II), (C) - (I), (D) - (III)
4. (A) - (II), (B) - (I), (C) - (IV), (D) - (III)

Options

1. 1
2. 2
3. 3
4. 4

Q.19 The limiting molar conductivities for NaCl, HCl and CH_3COONa are 126.4, 425.9 and $91.0 \text{ S cm}^2 \text{ mol}^{-1}$, respectively. Calculate the limiting molar conductivity for acetic acid.

1. $390.5 \text{ S cm}^2 \text{ mol}^{-1}$
2. $208.5 \text{ S cm}^2 \text{ mol}^{-1}$
3. $461.3 \text{ S cm}^2 \text{ mol}^{-1}$
4. $643.3 \text{ S cm}^2 \text{ mol}^{-1}$

Options

1. 1

2. 2
3. 3
4. 4

Q.20 What is the Werner secondary valence in complex $[CoCl(NH_3)_5]^{2+} 2Cl^-$?

1. 3
2. 2
3. 5
4. 6

Options

1. 1
2. 2
3. 3
4. 4

Q.21 What is the name of the reaction when acetamide is converted to methylamine?

1. Friedel-Craft alkylation
2. Gabriel phthalimide synthesis
3. Hoffmann Bromamide degradation reaction
4. Carbylamine Reaction

Options

1. 1
2. 2
3. 3
4. 4

Q.22 Select the relation which correctly relates the variation of Λ_m with concentration for strong electrolytes.

1. $\Lambda_m = \Lambda_m^0 - Ac$
2. $\Lambda_m = \Lambda_m^0 - Ac^{\frac{1}{2}}$
3. $\Lambda_m = \Lambda_m^0 + Ac^{\frac{1}{2}}$
4. $\Lambda_m = \Lambda_m^0 - Ac^{\frac{3}{2}}$

Options

1. 1
2. 2
3. 3
4. 4

Q.23 The correct decreasing order of basic strength of following amines in aqueous medium is.

- (A) $(C_2H_5)_3N$
- (B) $(C_2H_5)_2NH$
- (C) $C_2H_5NH_2$
- (D) NH_3

Choose the \textbf{correct} answer from the options given below:

1. (B), (A), (C), (D)
2. (A), (B), (C), (D)
3. (B), (C), (A), (D)
4. (C), (A), (D), (B)

Options

1. 1
2. 2
3. 3
4. 4

Q.24 Match the complex given in List-I with type of hybridisation given in List-II.

List-I (Complex) List-II (Hybridisation)

(A) $[Ni(CO)_4]$ (I) sp^3d^2

(B) $[Ni(CN)_4]^{2-}$ (II) dsp^2

List-I (Complex) List-II (Hybridisation)

(C) $[Co(NH_3)_6]^{3+}$ (III) d^2sp^3

(D) $[CoF_6]^{3-}$ (IV) sp^3

Choose the correct answer from the options given below:

1. (A) - (IV), (B) - (II), (C) - (III), (D) - (I)
2. (A) - (IV), (B) - (III), (C) - (II), (D) - (I)
3. (A) - (II), (B) - (I), (C) - (IV), (D) - (III)
4. (A) - (II), (B) - (I), (C) - (III), (D) - (IV)

Options 1. 1

2. 2

3. 3

4. 4

Q.25 The statement "the limiting molar conductivity of an electrolyte can be represented as the sum of the individual contributions of the anion and cation of the electrolyte" corresponds to the law

1. Nernst Distribution Law
2. Debye's Law
3. Kohlrausch Law of Independent Migration of Ions
4. Law of Electrochemical Equivalence

Options 1. 1

2. 2

3. 3

4. 4

Q.26 The magnetic behaviour of manganate ion and permanganate ions, respectively, are

1. Both are paramagnetic
2. Both are diamagnetic
3. paramagnetic and diamagnetic
4. diamagnetic and paramagnetic

Options 1. 1

2. 2

3. 3

4. 4

Q.27 Choose the correct statement(s) for intermolecular dehydration of alcohols to form ethers

- (A) The formation of ether may involve a nucleophilic bimolecular SN^2 reaction or SN^1 reaction
- (B) The method is successful with secondary and tertiary alcohols.
- (C) The reaction requires protic acids
- (D) The reaction is carried out at low temperature.

Choose the correct answer from the options given below:

1. (A), (B) and (D) only
2. (A), (C) and (D) only
3. (A), (B), (C) and (D)
4. (B), (C) and (D) only

Options 1. 1

2. 2

3. 3

4. 4

Q.28 Which of the following compound is most reactive towards nucleophilic addition reaction?

1. Acetone
2. Acetophenone
3. Acetaldehyde
4. Formaldehyde

Options 1. 1

2. 2

3. 3
4. 4

Q.29 Select the correct expression for the parts per million concentration term :

1. $\text{ppm} = \frac{\text{Number of parts of the component}}{\text{Total number of parts of all components of the solution}} \times 10^6$
2. $\text{ppm} = \frac{\text{Number of parts of the component}}{\text{Total number of parts of all components of the solution}} \times 10^3$
3. $\text{ppm} = \frac{\text{Number of parts of the component}}{\text{Total number of parts of all components of the solution}} \times 10^{12}$
4. $\text{ppm} = \frac{\text{Total number of parts of all components of the solution}}{\text{Number of parts of the component}} \times 10^6$

- Options
1. 1
 2. 2
 3. 3
 4. 4

Q.30 Match List-I with List-II

List-I (Law/Property)

List-II (Expression)

- | | |
|---------------------------------------|------------------------------------|
| (A) Raoult's law | (I) $p_{\text{total}} = p_1 + p_2$ |
| (B) Dalton's law of partial pressures | (II) $p_1 = x_1 p_1^0$ |
| (C) Henry's law | (III) $\Pi = CRT$ |
| (D) Osmotic pressure | (IV) $p = K_H x$ |

Choose the correct answer from the options given below:

1. (A) - (I), (B) - (II), (C) - (IV), (D) - (III)
2. (A) - (II), (B) - (I), (C) - (IV), (D) - (III)
3. (A) - (I), (B) - (IV), (C) - (II), (D) - (III)
4. (A) - (III), (B) - (IV), (C) - (I), (D) - (II)

- Options
1. 1
 2. 2
 3. 3
 4. 4

Q.31 What is the correct formula for "Mohr's salt"?

1. $\text{FeSO}_4 \cdot (\text{NH}_4)_2\text{SO}_4 \cdot 6\text{H}_2\text{O}$
2. $\text{FeSO}_4 \cdot (\text{NH}_4)_2\text{SO}_4 \cdot 12\text{H}_2\text{O}$
3. $\text{Fe}_2(\text{SO}_4)_3 \cdot (\text{NH}_4)_2\text{SO}_4 \cdot 12\text{H}_2\text{O}$
4. $\text{Fe}_2(\text{SO}_4)_3 \cdot (\text{NH}_4)_2\text{SO}_4 \cdot 6\text{H}_2\text{O}$

- Options
1. 1
 2. 2
 3. 3
 4. 4

Q.32 Why does colour of KMnO_4 disappear when oxalic acid is added to its solution in acidic medium?

1. MnO_4^- is reduced to MnO_2 which is colourless
2. MnO_4^- is reduced to Mn_2O_4 which is colourless
3. MnO_4^- is oxidized to MnO_4^{2-} which is colourless
4. MnO_4^- is reduced to Mn^{2+} which is colourless

- Options
1. 1
 2. 2

3. 3

4. 4

Q.33 Arrange the following halocompounds in increasing order of their boiling points

- (A) Chloromethane
- (B) Bromomethane
- (C) Bromoform
- (D) Dibromomethane

Choose the correct answer from the options given below:

- 1. (A), (B), (C), (D)
- 2. (A), (B), (D), (C)
- 3. (B), (A), (D), (C)
- 4. (A),(D), (B), (C)

Options

- 1. 1
- 2. 2
- 3. 3
- 4. 4

Q.34 What is the product of reduction of Nitriles with Lithium Aluminium Hydride?

- 1. Alcohols
- 2. Aldehyde
- 3. Amines
- 4. Ketone

Options

- 1. 1
- 2. 2
- 3. 3
- 4. 4

Q.35 Match List-I with List-II

List-I (IUPAC name) List-II (Common name)

- (A) 2,4,6-Trinitrophenol (I) Resorcinol
- (B) Benzene-1,4-diol (II) Quinol
- (C) Benzene-1,3-diol (III) o-Cresol
- (D) 2-methyl phenol (IV) Picric acid

Choose the correct answer from the options given below:

- 1. (A) - (IV), (B) - (II), (C) - (I), (D) - (III)
- 2. (A) - (I), (B) - (II), (C) - (III), (D) - (IV)
- 3. (A) - (I), (B) - (II), (C) - (IV), (D) - (III)
- 4. (A) - (III), (B) - (I), (C) - (II), (D) - (IV)

Options

- 1. 1
- 2. 2
- 3. 3
- 4. 4

Q.36 Chose the correct statements about interstitial compounds from the following:

- (A) They have low melting points, lower than those of pure metals
- (B) They are perfect-stoichiometric compounds
- (C) These are formed when small atoms like H, C or N are trapped inside the crystal lattices of metals
- (D) They are neither typically ionic nor covalent

Choose the correct answer from the options given below:


- 1. (A), (B) and (D) only
- 2. (C) and (D) only
- 3. (A), (B), and (C) only
- 4. (B), and (C) only

Options

- 1. 1
- 2. 2
- 3. 3
- 4. 4

Q.37

The most suitable substrates for preparation of following alcohol is



1. $\text{CH}_3\text{CHO} + \text{CH}_3\text{CH}_2\text{MgBr}$
2. $\text{CH}_3\text{COCH}_3 + \text{CH}_3\text{MgBr}$
3. $\text{CH}_2\text{O} + \text{H}_3\text{C}-\overset{\text{CH}_3}{\underset{|}{\text{CH}}}-\text{MgBr}$
4. $\text{CH}_3\text{CH}_2\text{CHO} + \text{CH}_3\text{MgBr}$

Options 1. 1





2. 2

3. 3

4. 4

Q.38

Choose the alcohol which on oxidation with chromic anhydride will give a ketone.




Options 1. 1

2. 2

3. 3

4. 4

Q.39

Identify major product **A** in the reaction below

- 1.
- 2.
- 3.
- 4.

Options

1. 1
2. 2
3. 3
4. 4

Q.40

Arrange the following oxides in the \textbf{increasing} order of their basic strength:

- (A) V_2O_5
 (B) V_2O_3
 (C) V_2O_4
 (D) Mn_2O_7

Choose the \textbf{correct} answer from the options given below:


1. (D), (A), (C), (B)
2. (D), (C), (A), (B)
3. (A), (B), (C), (D)
4. (B), (A), (C), (D)

Options

1. 1
2. 2
3. 3
4. 4

Q.41

\textbf{Read the passage carefully and answer the Questions}

The decomposition of N_2O_5 (g) is given as

The above reaction is found to be of first order.

The initial concentration of N_2O_5 was 1.24×10^{-2} M at 318 K.The concentration of N_2O_5 after 60 minutes was 0.20×10^{-2} M.

The rate constant of the reaction at 318 K is (log 6.2 = 0.792)


1. 0.0304 min^{-1}
2. 0.0608 s^{-1}
3. $0.0304 \text{ L mol}^{-1} \text{ min}^{-1}$
4. 0.0304 s^{-1}

Options

1. 1
2. 2
3. 3
4. 4

Q.42 \textbf{Read the passage carefully and answer the Questions}

The decomposition of N_2O_5 (g) is given as



The above reaction is found to be of first order.

Select the correct statement for the half life of the given reaction


1. Half life is independent of the initial concentration of N_2O_5
2. Half life is directly proportional to the initial concentration of N_2O_5
3. Half life depends on the final concentration of all the species present in the reaction.
4. Half life is directly proportional to the rate constant.

Options

1. 1
2. 2
3. 3
4. 4

Q.43 \textbf{Read the passage carefully and answer the Questions}

The decomposition of N_2O_5 (g) is given as



The above reaction is found to be of first order.

Predict the intercept for the plot of $\log \frac{[\text{N}_2\text{O}_5]_0}{[\text{N}_2\text{O}_5]}$ versus time


1. 2.303 k
2. $2.303/k$
3. zero
4. $k/2.303$

Options

1. 1
2. 2
3. 3
4. 4

Q.44 \textbf{Read the passage carefully and answer the Questions}

The decomposition of N_2O_5 (g) is given as



The above reaction is found to be of first order.

Choose the correct statement about the rate of the reaction:


1. The rate of the reaction doubles as the initial amount of N_2O_5 is doubled
2. Changing the amount of reactant has no effect on the rate of the reaction
3. The rate of the reaction becomes half as the initial amount of N_2O_5 is doubled
4. The order of reaction will be doubled as the temperature is increased by 10°C

Options

1. 1
2. 2
3. 3
4. 4

Q.45 \textbf{Read the passage carefully and answer the Questions}

The decomposition of N_2O_5 (g) is given as



The above reaction is found to be of first order.

What is the unit of rate constant for the reaction given in the passage

1. $\text{mol L}^{-1} \text{s}^{-1}$
2. $\text{mol}^{-1} \text{L s}^{-1}$
3. s^{-1}
4. $\text{mol L}^{-1} \text{s}$

Options 1. 1

2. 2
3. 3
4. 4

Q.46 Read the passage carefully and answer the Questions

The term vitamin was coined from the word vital +amine since the earlier identified compounds had amino groups. Later work showed that most of them didn't contain amino groups. They are very essential for the body. They has to be taken various diet or in the form of medicines also.

Vitamins are classified into two groups depending upon their solubility in water or fat.

Fat soluble vitamins are soluble in fat and oils but insoluble in water. Ththey are stored in liver and adipose (fat storing) tissues

Water-soluble vitamins are soluble in water. These must be supplied regularly in diet because they are readily excreted in urine and cannot be stored in our body.

Which vitamin is known as Riboflavin?

1. Vitamin B2
2. Vitamin B1
3. Vitamin B12
4. Vitamin B6

Options 1. 1

2. 2
3. 3
4. 4

Q.47 Read the passage carefully and answer the Questions

The term vitamin was coined from the word vital +amine since the earlier identified compounds had amino groups. Later work showed that most of them didn't contain amino groups. They are very essential for the body. They has to be taken various diet or in the form of medicines also.

Vitamins are classified into two groups depending upon their solubility in water or fat.

Fat soluble vitamins are soluble in fat and oils but insoluble in water. Ththey are stored in liver and adipose (fat storing) tissues

Water-soluble vitamins are soluble in water. These must be supplied regularly in diet because they are readily excreted in urine and cannot be stored in our body.

Which among the following is not a fat soluble vitamin?

1. Vitamin A
2. Vitamin D
3. Vitamin C
4. Vitamin K

Options 1. 1

2. 2
3. 3
4. 4

Q.48 Read the passage carefully and answer the Questions

The term vitamin was coined from the word vital +amine since the earlier identified compounds had amino groups. Later work showed that most of them didn't contain amino groups. They are very essential for the body. They has to be taken various diet or in the form of medicines also.

Vitamins are classified into two groups depending upon their solubility in water or fat.

Fat soluble vitamins are soluble in fat and oils but insoluble in water. Ththey are

stored in liver and adipose (fat storing) tissues

Water-soluble vitamins are soluble in water. These must be supplied regularly in diet because they are readily excreted in urine and cannot be stored in our body.

Deficiency of which vitamin causes Rickets?

1. Vitamin C
2. Vitamin B
3. Vitamin D
4. Vitamin K

Options

1. 1
2. 2
3. 3
4. 4

Q.49 Read the passage carefully and answer the Questions

The term vitamin was coined from the word vital +amine since the earlier identified compounds had amino groups. Later work showed that most of them didn't contain amino groups. They are very essential for the body. They has to be taken various diet or in the form of medicines also.

Vitamins are classified into two groups depending upon their solubility in water or fat.

Fat soluble vitamins are soluble in fat and oils but insoluble in water. They are stored in liver and adipose (fat storing) tissues

Water-soluble vitamins are soluble in water. These must be supplied regularly in diet because they are readily excreted in urine and cannot be stored in our body.

Deficiency of Scurvy disease leads to

1. Loss of appetite
2. RBC deficient in haemoglobin
3. Bleeding gums
4. Hardening of cornea of eye.

Options

1. 1
2. 2
3. 3
4. 4

Q.50 Read the passage carefully and answer the Questions

The term vitamin was coined from the word vital +amine since the earlier identified compounds had amino groups. Later work showed that most of them didn't contain amino groups. They are very essential for the body. They has to be taken various diet or in the form of medicines also.

Vitamins are classified into two groups depending upon their solubility in water or fat.

Fat soluble vitamins are soluble in fat and oils but insoluble in water. They are stored in liver and adipose (fat storing) tissues

Water-soluble vitamins are soluble in water. These must be supplied regularly in diet because they are readily excreted in urine and cannot be stored in our body.

What are the sources of Vitamin C?

1. Yeast, milk, egg yolk, cereals and grams
2. Meat, fish, egg and curd
3. Green leafy vegetables.
4. Citrus fruits, amla and green leafy vegetables.

Options

1. 1
2. 2
3. 3
4. 4