وب سرویس شبیه سازی شده مگفا

اگر نرم افزار های شما امکان ارسال بهمک از طریق مگفا را دارند. شما می توان با کمتری تغییر (تغییر آدرس وب سرویس)امکان ارسال بهمک از طریق سایت ما را فراهم کرید.

توجه: ای وب سروی مربوط به نرم افزارهایی است که قبلا نوشته شده و امکان ایجاد تغییهات در آن وجود ندارد. توصه می گردد، بدایل پشتیاری محدود ای شبع ساز، جهت انجام پروژه های جدی از ای وب سروی استفاده ننمایی.

جهت دریافت پیامک

ليست متدها

در حال حاضر ۴ متد زیر برای وب سرویس مگفا پیاده سازی شده است.

enqueue

getAllMessages

getCredit

getRealMessageStatuses

جهت آشنایی بیشتر، به مستندات مگفا مراجعه فرمایید.

File:WebServiceSample.php

```
class WebServiceSample{
   // your username (fill it with your username)
   private $USERNAME = "user"
   // your password (fill it with your password)
   private $PASSWORD = "pass";
   // your domain (fill it with your domain - usually: "magfa")
   private $DOMAIN = "magfa";
   // base webservice url
   private $BASE WEBSERVICE URL = "http://94.232.173.124/magfa.asmx?wsd1
   private $client; // nusoap client object
   private $ERROR_MAX_VALUE = 1000;
   private $errors;
     * method : constructor
     * the constructor method of the class
     * @return void
   public function __construct(){
       include_once('errors.php');
       $this->errors = $errors;
       require once('nusoap/nusoap.php'); // including the nosoap library
       $this->client = new nusoap client($this->BASE WEBSERVICE URL true); //
creating an instance of nusoap client object
       // set the character set to utf-8 (inorder to prevent corrupting persian
messages sending via webservice )
       $this->client->soap_defenceding = 'UTF-8';
       $this->client->decode utf8 = true;
       $this->client->setCredentials($this->USERNAME,$this->PASSWORD,"basic"); //
authentication
   }
```

File: App.config

File: EnqueueSample.cs

```
mclass[i] = 0;
```