Business Problem:

The market research team at AeroFit wants to identify the characteristics of the target audience for each type of treadmill offered by the company, to provide a better recommendation of the treadmills to the new customers. The team decides to investigate whether there are differences across the product with respect to customer characteristics.

- Perform descriptive analytics to create a customer profile for each AeroFit treadmill product by developing appropriate tables and charts.
- For each AeroFit treadmill product, construct two-way contingency tables and compute all conditional and marginal probabilities along with their insights/impact on the business.

```
import numpy as np
import pandas as pd
import matplotlib.pyplot as plt
import seaborn as sns
```

1. Basic Metrics:

```
df_aerofit = pd.read_csv('C:\\Users\\njain121\\Desktop\\Scalar\\
CaseStudy\\New folder\\aerofit_treadmill.csv')
df_aerofit.head()
```

```
  Product  Age  Gender  Education MaritalStatus  Usage  Fitness
Income  Miles
0   KP281   18    Male         14        Single      3        4
29562    112
1   KP281   19    Male         15        Single      2        3
31836     75
2   KP281   19  Female         14     Partnered      4        3
30699     66
3   KP281   19    Male         12        Single      3        3
32973     85
4   KP281   20    Male         13     Partnered      4        2
35247     47
```

```
df.shape
```

```
(180, 9)
```

```
df_aerofit.info()  ## details of the dataframe
```

```
<class 'pandas.core.frame.DataFrame'>
RangeIndex: 180 entries, 0 to 179
Data columns (total 9 columns):
 #   Column         Non-Null Count  Dtype
---  ------         --------------  -----
 0   Product        180 non-null    object
 1   Age            180 non-null    int64
```

```
 2   Gender         180 non-null    object
 3   Education      180 non-null    int64
 4   MaritalStatus  180 non-null    object
 5   Usage          180 non-null    int64
 6   Fitness        180 non-null    int64
 7   Income         180 non-null    int64
 8   Miles          180 non-null    int64
dtypes: int64(6), object(3)
memory usage: 12.8+ KB
```

```
## sales per product
conditions = [(df_aerofit['Product'] == 'KP281'),
(df_aerofit['Product'] == 'KP481'),(df_aerofit['Product'] == 'KP781')]
values = [1500, 1750, 2500]
df_aerofit['Sales'] = np.select(conditions, values)
df_aerofit.head()
```

```
  Product  Age  Gender  Education MaritalStatus  Usage  Fitness
Income  \
0   KP281   18    Male         14        Single      3        4
29562
1   KP281   19    Male         15        Single      2        3
31836
2   KP281   19  Female         14     Partnered      4        3
30699
3   KP281   19    Male         12        Single      3        3
32973
4   KP281   20    Male         13     Partnered      4        2
35247

   Miles  Sales
0    112   1500
1     75   1500
2     66   1500
3     85   1500
4     47   1500
```

```
df_aerofit.describe(include='all')
```

```
       Product         Age Gender   Education MaritalStatus
Usage  \
count      180  180.000000    180  180.000000           180
180.000000
unique       3         NaN      2         NaN             2
NaN
top      KP281         NaN   Male         NaN     Partnered
NaN
freq        80         NaN    104         NaN           107
NaN
mean       NaN   28.788889    NaN   15.572222           NaN
```

```
3.455556
std        NaN    6.943498    NaN    1.617055           NaN
1.084797
min        NaN   18.000000    NaN   12.000000           NaN
2.000000
25%        NaN   24.000000    NaN   14.000000           NaN
3.000000
50%        NaN   26.000000    NaN   16.000000           NaN
3.000000
75%        NaN   33.000000    NaN   16.000000           NaN
4.000000
max        NaN   50.000000    NaN   21.000000           NaN
7.000000

           Fitness         Income       Miles        Sales
count   180.000000     180.000000  180.000000   180.000000
unique         NaN            NaN         NaN          NaN
top            NaN            NaN         NaN          NaN
freq           NaN            NaN         NaN          NaN
mean      3.311111   53719.577778  103.194444  1805.555556
std       0.958869   16506.684226   51.863605   387.978895
min       1.000000   29562.000000   21.000000  1500.000000
25%       3.000000   44058.750000   66.000000  1500.000000
50%       3.000000   50596.500000   94.000000  1750.000000
75%       4.000000   58668.000000  114.750000  1750.000000
max       5.000000  104581.000000  360.000000  2500.000000
```

```
df_aerofit.isna() ##Check for the missing values
```

```
     Product    Age  Gender  Education  MaritalStatus  Usage  Fitness
Income  \
0      False  False   False      False          False  False    False
False
1      False  False   False      False          False  False    False
False
2      False  False   False      False          False  False    False
False
3      False  False   False      False          False  False    False
False
4      False  False   False      False          False  False    False
False
..       ...    ...     ...        ...            ...    ...      ...
...
175    False  False   False      False          False  False    False
False
176    False  False   False      False          False  False    False
False
177    False  False   False      False          False  False    False
False
178    False  False   False      False          False  False    False
```

```
False
179    False  False   False      False          False  False    False
False

     Miles  Sales
0    False  False
1    False  False
2    False  False
3    False  False
4    False  False
..     ...    ...
175  False  False
176  False  False
177  False  False
178  False  False
179  False  False

[180 rows x 10 columns]
```

```
products_counts = df_aerofit.groupby('Product').size()  ## count per
product
products_counts
```

```
Product
KP281    80
KP481    60
KP781    40
dtype: int64
```

```
## sales per product
sales_per_prd = df_aerofit.groupby('Product').agg(sum).reset_index()
sales_per_prd[['Product','Sales']]
```

```
C:\Users\njain121\AppData\Local\Temp\ipykernel_11676\3853701822.py:2:
FutureWarning: The provided callable <built-in function sum> is
currently using DataFrameGroupBy.sum. In a future version of pandas,
the provided callable will be used directly. To keep current behavior
pass the string "sum" instead.
  sales_per_prd = df_aerofit.groupby('Product').agg(sum).reset_index()
```

```
  Product   Sales
0   KP281  120000
1   KP481  105000
2   KP781  100000
```

```
## Unique Attributes
df_aerofit.nunique().sort_values(ascending=False)
```

```
Income           62
Miles            37
Age              32
```

```
Education         8
Usage             6
Fitness           5
Product           3
Sales             3
MaritalStatus     2
Gender            2
dtype: int64
```

Outliers Product wise

1. Miles

```
## 1. Product: KP281
df_KP281 = df_aerofit[df_aerofit['Product'] == 'KP281']
Q1_KP281 = np.percentile(df_KP281['Miles'], 25)
Q3_KP281 = np.percentile(df_KP281['Miles'], 75)
IQR_KP281 = Q3_KP281 - Q1_KP281

# Calculate whiskers
l_whisker = Q1_KP281 - 1.5 * IQR_KP281
u_whisker = Q3_KP281 + 1.5 * IQR_KP281

outliers_KP281 = df_KP281[(df_KP281['Miles'] < l_whisker) |
(df_KP281['Miles'] > u_whisker)]

print('Q1_KP281: ', Q1_KP281,'; Q3_KP281: ',  Q3_KP281,'; IQR_KP281:
', IQR_KP281, '; Lower whisker: ',  l_whisker, '; Upper whisker:
',u_whisker)
print()
display(outliers_KP281[['Product',
'Miles']].sort_values(by='Miles',ascending=False).head())

## 2. Product: KP481
df_KP481 = df_aerofit[df_aerofit['Product'] == 'KP481']
Q1_KP481 = np.percentile(df_KP481['Miles'], 25)
Q3_KP481 = np.percentile(df_KP481['Miles'], 75)
IQR_KP481 = Q3_KP481 - Q1_KP481

# Calculate whiskers
l_whisker = Q1_KP481 - 1.5 * IQR_KP481
u_whisker = Q3_KP481 + 1.5 * IQR_KP481

outliers_KP481 = df_KP481[(df_KP481['Miles'] < l_whisker) |
(df_KP481['Miles'] > u_whisker)]

print('Q1_KP481: ', Q1_KP481,'; Q3_KP481: ',  Q3_KP481,'; IQR_KP481:
', IQR_KP481, '; Lower whisker: ',  l_whisker, '; Upper whisker:
',u_whisker)
print()
display(outliers_KP481[['Product',
```

```
'Miles']].sort_values(by='Miles',ascending=False).head())

## 3. Product: KP781
df_KP781 = df_aerofit[df_aerofit['Product'] == 'KP781']
Q1_KP781 = np.percentile(df_KP781['Miles'], 25)
Q3_KP781 = np.percentile(df_KP781['Miles'], 75)
IQR_KP781 = Q3_KP781 - Q1_KP781

# Calculate whiskers
l_whisker = Q1_KP781 - 1.5 * IQR_KP781
u_whisker = Q3_KP781 + 1.5 * IQR_KP781

outliers_KP781 = df_KP781[(df_KP781['Miles'] < l_whisker) |
(df_KP781['Miles'] > u_whisker)]

print('Q1_KP781: ', Q1_KP781,'; Q3_KP781: ',  Q3_KP781,'; IQR_KP781:
', IQR_KP781, '; Lower whisker: ',  l_whisker, '; Upper whisker:
',u_whisker)
print()
display(outliers_KP781[['Product',
'Miles']].sort_values(by='Miles',ascending=False).head())
```

```
Q1_KP281:  66.0 ; Q3_KP281:  94.0 ; IQR_KP281:  28.0 ; Lower whisker:
24.0 ; Upper whisker:  136.0


   Product  Miles
23   KP281    188
61   KP281    169
8    KP281    141
53   KP281    141

Q1_KP481:  64.0 ; Q3_KP481:  106.0 ; IQR_KP481:  42.0 ; Lower whisker:
1.0 ; Upper whisker:  169.0


    Product  Miles
84    KP481    212
103   KP481    170
120   KP481    170

Q1_KP781:  120.0 ; Q3_KP781:  200.0 ; IQR_KP781:  80.0 ; Lower
whisker:  0.0 ; Upper whisker:  320.0


    Product  Miles
173   KP781    360
```

Just to makes it clear, two products (like KP281 and KP481) have outliers with the same value, so they are overlapping.

```
plt.figure(figsize=(15, 10))
plt.subplot(2,2,1)

## Box Plot of Miles per Product
sns.boxplot(data = df_aerofit, x= 'Product', y = 'Miles',
color='mediumseagreen')
plt.title('Box Plot of Miles per Product', fontsize=14)
plt.xlabel('Products', fontsize=12)
plt.tight_layout()

## Box Plot of Age per Product
plt.subplot(2,2,2)
sns.boxplot(data = df_aerofit, x= 'Product', y = 'Age', color='cyan')
plt.title('Box Plot of Age per Product', fontsize=14)
plt.xlabel('Products', fontsize=12)
plt.tight_layout()

## Box Plot of Income per Product
plt.subplot(2,2,3)
sns.boxplot(data = df_aerofit, x= 'Product', y = 'Income')
plt.title('Box Plot of Income per Product', fontsize=14)
plt.xlabel('Products', fontsize=12)
plt.tight_layout()
plt.show()
```



Key Insights from boxplots:

1. **Miles per Product:**
   - Interpretation
     - KP781 is preferred by more intense users with higher expected mileage.
     - KP281 and KP481 are used by moderate users with similar usage patterns.
     - The spread and outliers suggest KP781 attracts a wider range of high-mileage users.
   - Business Actions:
     - KP781 product appeals to highly active individuals.
     - Market it as a performance or endurance-focused product.
     - Consider partnerships with fitness apps, gyms, or running clubs.
     - Offer features like durability, comfort, or health tracking.
2. **Age per Product:**
   - Interpretation
     - KP781 attracts more to younger customers.
     - KP281 attracts a slightly older age group people with a wider age range.
     - KP481 sits in between but leans closer to KP281 in age distribution.
   - Business Actions:
     - Older users may value comfort, reliability, and ease of use.
     - Younger users may prioritize style, innovation, and affordability.
     - Tailor advertising channels accordingly (e.g., social media for younger, email/newsletters for older).
3. **Income per Product:**
   - Interpretation
     - KP781 is preferred by customer hving higher-income.
     - KP281 is more popular among low to medium income customers.
     - KP481 is opted by mostly a middle-income segment customers.
   - Business Actions:
     - Position product KP781 as a premium one with exclusive features or services.
     - Use luxury branding and target high-income segments for Product KP781.
     - For lower-income segments, emphasize value, affordability, and essential features to sell KP281 and KP481.

```
plt.figure(figsize=(15, 10))
plt.subplot(2,3,1)

## Bar Plot Product vs Fitness
sns.barplot(data=df_aerofit, x='Product', y='Fitness', palette =
'Set2')
plt.title('Product vs Fitness', fontsize=14)

## countPlot for Product and Gender
plt.subplot(2,3,3)
sns.countplot(data = df_aerofit, x= 'Product', hue = 'Gender')
```

```
plt.title('Product count per Gender', fontsize=14)

## countPlot for Product and Gender
plt.subplot(2,3,2)
sns.countplot(data = df_aerofit, x= 'Product', hue = 'MaritalStatus')
plt.title('Product count per MaritalStatus', fontsize=14)

plt.show()
```

```
C:\Users\njain121\AppData\Local\Temp\ipykernel_11676\3298067049.py:5:
FutureWarning:

Passing `palette` without assigning `hue` is deprecated and will be
removed in v0.14.0. Assign the `x` variable to `hue` and set
`legend=False` for the same effect.

  sns.barplot(data=df_aerofit, x='Product', y='Fitness', palette =
'Set2')
```



Key Insights from barplot and countplots:

1. **Product vs Fitness:**
   - Interpretation
     - KP781 has the highest fitness level, suggesting it performs best in terms of effectiveness or customer satisfaction.
     - KP481 has the lowest fitness level, which may indicate a need for improvement or repositioning.
     - KP281 is in the middle, potentially a balanced option.
   - Business Actions:
     - Promote KP781 as a premium or high-performance product.
     - Investigate KP481 for potential issues—why is it underperforming?
     - Consider customer feedback or product redesign for KP481 to improve its fitness score
2. **Product count per Gender:**
   - Interpretation

        - KP281 is the most popular product across both genders.
        - Males consistently outnumber females in usage across all products.
    - Business Actions:
        - KP281 is gender-neutral in appeal—leverage this in broad campaigns.
        - KP781 again shows a gap between performance and adoption—especially among females. Investigate barriers (e.g., design, communication, accessibility).
3. **Product count per Marital Status:**
    - Interpretation
        - KP281 is popular among both singles and partnered individuals.
        - KP481 has moderate usage, with slightly more singles.
        - KP781 has low usage overall, with a slight skew toward singles.
    - Business Actions:
        - Promote KP781 to partnered individuals with messaging around shared health goals or family wellness.
        - KP281 can be considered as flagship product as it broadly appeals more customers.

```
# Encode categorical variables
df['Product'] = df_aerofit['Product'].astype('category').cat.codes
df['Miles'] = df_aerofit['Miles'].astype('category').cat.codes
df['Usage'] = df_aerofit['Usage'].astype('category').cat.codes
df['Age'] = df_aerofit['Age'].astype('category').cat.codes
df['Gender'] = df_aerofit['Gender'].astype('category').cat.codes
df['Education'] = df_aerofit['Education'].astype('category').cat.codes
df['MaritalStatus'] =
df_aerofit['MaritalStatus'].astype('category').cat.codes
df['Fitness'] = df_aerofit['Fitness'].astype('category').cat.codes
df['Income'] = df_aerofit['Income'].astype('category').cat.codes

# Compute correlation matrix
corr_matrix = df.corr()

# Plot heatmap
plt.figure(figsize=(10, 8))
sns.heatmap(corr_matrix, annot=True, cmap='crest', linewidths=0.5)
plt.title('Correlation Matrix Heatmap')
plt.show()
```



Key Correlation Insights from heatmap

1. **Fitness vs. Usage (Strong Positive Correlation)**
   - Interpretation: Customers who use the product more frequently tend to report higher fitness levels.
   - Business Action:
     - Target fitness-conscious individuals with loyalty or usage-based rewards.
     - Promote the product as a tool for maintaining or improving fitness.
2. **Income vs. Product (Moderate Positive Correlation)**
   - Interpretation: Certain products (e.g., KP781) are more popular among higher-income customers.
   - Business Action:
     - Position premium products for higher-income segments.
     - Use income-based segmentation for personalized marketing.
3. **Education vs. Income (Moderate Positive Correlation)**

    - Interpretation: Higher education levels are associated with higher income.
    - Business Action:
        - Consider educational background when designing campaigns for high-end products.
        - Use education as a proxy for income in targeting when direct income data is unavailable.
4. **Age vs. Income (Moderate Positive Correlation)**
    - Interpretation: Older customers tend to have higher incomes.
    - Business Action:
        - Tailor product messaging for older demographics with a focus on value and quality.
        - Offer financing or premium plans to this group.
5. **Miles vs. Age/Income (Negative Correlation)**
    - Interpretation: Younger or lower-income individuals tend to travel more miles.
    - Business Action:
        - Promote travel-related features or benefits to younger users.
        - Consider bundling offers with travel or mobility services.

Non-Graphical Analysis

```
# Function to generate customer profiling for each product
def customer_profiling(df_aerofit, product):
    product_df_aerofit = df_aerofit[df_aerofit['Product'] == product]

    age_range = (product_df_aerofit['Age'].min(),
product_df_aerofit['Age'].max(), product_df_aerofit['Age'].mean(),
product_df_aerofit['Age'].mode())
    gender = product_df_aerofit['Gender'].value_counts(normalize=True)
* 100
    marital_status =
product_df_aerofit['MaritalStatus'].value_counts(normalize=True) * 100
    income_group = (product_df_aerofit['Income'].min(),
product_df_aerofit['Income'].max(),
product_df_aerofit['Income'].mean(),
product_df_aerofit['Income'].mode())
    education = (product_df_aerofit['Education'].min(),
product_df_aerofit['Education'].max())

    return age_range, gender,marital_status, income_group, education

# Generate profiling for each product
products = df_aerofit['Product'].unique()
profiling = {}
```

```python
for product in products:
    profiling[product] = customer_profiling(df_aerofit, product)

# Display the profiling results
for product, profile in profiling.items():
    age_range, gender, marital_status, income_group, education =
profile
    print(f"Product: {product}")
    print(f"Age Range: Min- {age_range[0]}, Max- {age_range[1]}, Mean-
{age_range[2]}, Mode- {age_range[3][0]}")
    print("Gender Distribution:")
    print(gender)
    print("Marital Status Distribution:")
    print(marital_status)
    print(f"Annual Income Group (in $): Min- {income_group[0]}, Max-
{income_group[1]}, Mean- {income_group[2]}, Mode- {income_group[3]
[0]}")
    print(f"Education Group: {education[0]} - {education[1]}")
    print("\n")
```

```
Product: KP281
Age Range: Min- 18, Max- 50, Mean- 28.55, Mode- 23
Gender Distribution:
Gender
Male      50.0
Female    50.0
Name: proportion, dtype: float64
Marital Status Distribution:
MaritalStatus
Partnered    60.0
Single       40.0
Name: proportion, dtype: float64
Annual Income Group (in $): Min- 29562, Max- 68220, Mean- 46418.025,
Mode- 46617
Education Group: 12 - 18


Product: KP481
Age Range: Min- 19, Max- 48, Mean- 28.9, Mode- 25
Gender Distribution:
Gender
Male      51.666667
Female    48.333333
Name: proportion, dtype: float64
Marital Status Distribution:
MaritalStatus
Partnered    60.0
Single       40.0
Name: proportion, dtype: float64
Annual Income Group (in $): Min- 31836, Max- 67083, Mean- 48973.65,
```

```
Mode- 45480
Education Group: 12 - 18


Product: KP781
Age Range: Min- 22, Max- 48, Mean- 29.1, Mode- 25
Gender Distribution:
Gender
Male      82.5
Female    17.5
Name: proportion, dtype: float64
Marital Status Distribution:
MaritalStatus
Partnered    57.5
Single       42.5
Name: proportion, dtype: float64
Annual Income Group (in $): Min- 48556, Max- 104581, Mean- 75441.575,
Mode- 90886
Education Group: 14 - 21
```

Calculated:

- Age range (min, max, mean, mode)
- Gender distribution (as percentages)
- Marital Status distribution (as percentages)
- Annual Income range (min, max, mean, mode)
- Education range (min, max) Prints a clean summary for each product.

Representing the Probability

1. Percent of customers have purchased KP281, KP481, or KP781

```
df_products = products_counts.to_frame().reset_index()
print(df_products)
```

```
  Product   0
0   KP281  80
1   KP481  60
2   KP781  40
```

```
total_count = df_aerofit.shape[0]
for product, count in products_counts.items():
    prob = (count/total_count)*100
    print(f"Probability percentage of purchasing {product}: {prob}")
```

```
Probability percentage of purchasing KP281: 44.44444444444444
Probability percentage of purchasing KP481: 33.33333333333333
Probability percentage of purchasing KP781: 22.22222222222222
```

```
products = df_aerofit['Product'].unique()
products

crosstab = pd.crosstab(df_aerofit['Product'], df_aerofit['Gender'])
crosstab
```

```
Gender   Female  Male
Product
KP281        40    40
KP481        29    31
KP781         7    33
```

```
df_males = df_aerofit[df_aerofit['Gender']=='Male']
df_females = df_aerofit[df_aerofit['Gender']=='Female']

Males_count = df_males['Gender'].value_counts()
Females_count = df_females['Gender'].value_counts()

for index, row in crosstab.iterrows():
    print(f"Product: {index}")

    ## Probability to purchase KP781 given the customer is a Male
    prob_male = row[1]/Males_count[0]
    prob_male = round(prob_male,2)
    print(f"Probability to purchase {index} given the customer is a
Male: {prob_male}")

    ## Probability to purchase KP781 given the customer is a Female
    prob_female = row[0]/Females_count[0]
    prob_female = round(prob_female,2)
    print(f"Probability to purchase {index} given the customer is a
Female: {prob_female}")
    print("\n")
```

```
Product: KP281
Probability to purchase KP281 given the customer is a Male: 0.38
Probability to purchase KP281 given the customer is a Female: 0.53


Product: KP481
Probability to purchase KP481 given the customer is a Male: 0.3
Probability to purchase KP481 given the customer is a Female: 0.38


Product: KP781
Probability to purchase KP781 given the customer is a Male: 0.32
```

```
Probability to purchase KP781 given the customer is a Female: 0.09



C:\Users\njain121\AppData\Local\Temp\ipykernel_11676\3196196106.py:11:
FutureWarning: Series.__getitem__ treating keys as positions is
deprecated. In a future version, integer keys will always be treated
as labels (consistent with DataFrame behavior). To access a value by
position, use `ser.iloc[pos]`
  prob_male = row[1]/Males_count[0]
C:\Users\njain121\AppData\Local\Temp\ipykernel_11676\3196196106.py:16:
FutureWarning: Series.__getitem__ treating keys as positions is
deprecated. In a future version, integer keys will always be treated
as labels (consistent with DataFrame behavior). To access a value by
position, use `ser.iloc[pos]`
  prob_female = row[0]/Females_count[0]
```

Insights:

- Among all female customers in the dataset, about 53% chose the KP281 model.
- Among all male customers in the dataset, about 38% chose the KP281 model and 32% chose KP781.

```
## The probability that a customer uses the treadmill 4 or more times
per week

cust_usage_4_more = df_aerofit[df_aerofit['Usage'] >=4]
prob_usage_4_more = cust_usage_4_more.shape[0]/df_aerofit.shape[0]
prob_usage_4_more*100

43.333333333333336
```

Insights: Probability of High Usage

- The probability that a customer uses the treadmill 4 or more times per week is 43.3%.
- This suggests a significant portion of customers are highly engaged, which is a strong selling point.

Conclusive Insights:

```
- **KP281:** A versatile, balanced product ideal for a broad audience—
young to middle-aged, moderate income, and both genders.
- **KP481:** Appeals to middle-income, younger users, but shows lower
satisfaction.
- **KP781:** A premium, high-performance model favored by high-income,
fitness-focused males.
```

Cross-Product Business Insights

```
- **Usage & Engagement**
    - 43.3% of customers use the treadmill 4+ times/week.
    - Strong opportunity to promote loyalty programs or usage-based
rewards.
- **Fitness vs. Usage Correlation**
    - Promote treadmills as tools for fitness improvement.
- **Income & Product Correlation**
    - KP781 aligns with higher-income customers.
    - KP281 and KP481 serve low to mid-income segments.
    - Use income-based segmentation for personalized offers.
- **Education**
    - Higher education correlates with higher income.
    - Use education level in targeting when income data is
unavailable.
- **Demographic-Based advice**
    - Younger users: Emphasize style, innovation, and affordability.
    - Older users: Focus on comfort, quality, and financing options.
```

Business Strategies:

```
- ***KP781 — The Premium Performer***
    - Market as a high-performance, premium product.
    - Target fitness enthusiasts, athletes, and high-income
professionals.
    - Use luxury branding, influencer marketing, and fitness
partnerships.
    - Promote features like durability, advanced tracking, and smart
connectivity.
    - Address female adoption gap with inclusive design and messaging.

- ***KP281 — The Versatile All-Rounder***
    - Position as a flagship product for general fitness needs.
    - Emphasize value, reliability, and comfort.
    - Use broad marketing channels (TV, email, social media).
    - Highlight gender-neutral appeal and family-friendly features.
    - Ideal for first-time buyers or budget-conscious customers.

- ***KP481 — The Balanced Mid-Tier Option***
    - Reposition or improve based on lower fitness satisfaction.
    - Focus on middle-income, younger adults.
    - Highlight ease of use, affordability, and compact design.
    - Gather customer feedback to refine features or marketing.
    - Use targeted promotions for singles and small households.
```