

Retrieval Augmented Generation (RAG) is an AI framework that combines information retrieval with large language models. It enhances the accuracy and reliability of generative AI models by grounding them in external knowledge sources.

The RAG process works in three main steps:

1. Retrieval: Finding relevant information from a knowledge base
2. Augmentation: Adding the retrieved information to the prompt
3. Generation: Producing a response based on the augmented context

This approach reduces hallucinations and provides verifiable sources.

RAG is widely used in question answering, chatbots, and research.

It allows AI models to access up-to-date information without retraining.

Retrieval Augmented Generation (RAG) is an AI framework that combines information retrieval with large language models. It enhances the accuracy and reliability of generative AI models by grounding them in external knowledge sources.

The RAG process works in three main steps:

1. Retrieval: Finding relevant information from a knowledge base
2. Augmentation: Adding the retrieved information to the prompt
3. Generation: Producing a response based on the augmented context

This approach reduces hallucinations and provides verifiable sources.

RAG is widely used in question answering, chatbots, and research.

It allows AI models to access up-to-date information without retraining.

Retrieval Augmented Generation (RAG) is an AI framework that combines information retrieval with large language models. It enhances the accuracy and reliability of generative AI models by grounding them in external knowledge sources.

The RAG process works in three main steps:

1. Retrieval: Finding relevant information from a knowledge base
2. Augmentation: Adding the retrieved information to the prompt
3. Generation: Producing a response based on the augmented context

This approach reduces hallucinations and provides verifiable sources.

RAG is widely used in question answering, chatbots, and research.

It allows AI models to access up-to-date information without retraining.

Retrieval Augmented Generation (RAG) is an AI framework that combines information retrieval with large language models. It enhances the accuracy and reliability of generative AI models by grounding them in external knowledge sources.

The RAG process works in three main steps:

1. Retrieval: Finding relevant information from a knowledge base
2. Augmentation: Adding the retrieved information to the prompt
3. Generation: Producing a response based on the augmented context

This approach reduces hallucinations and provides verifiable sources.

RAG is widely used in question answering, chatbots, and research.

It allows AI models to access up-to-date information without retraining.

Retrieval Augmented Generation (RAG) is an AI framework that combines information retrieval with large language models. It enhances the accuracy and reliability of generative AI models by grounding them in external knowledge sources.

The RAG process works in three main steps:

1. Retrieval: Finding relevant information from a knowledge base
2. Augmentation: Adding the retrieved information to the prompt
3. Generation: Producing a response based on the augmented context

This approach reduces hallucinations and provides verifiable sources.

RAG is widely used in question answering, chatbots, and research.

It allows AI models to access up-to-date information without retraining.