


NUMERIC METHODS: Round()



The screenshot shows a SQL IDE with a query editor on the left and a results pane on the right. The query editor contains the following SQL code:

```
1 CREATE TABLE Student (  
2   Studnt_ID INT,  
3   Student_Name VARCHAR(25),  
4   Class VARCHAR(5),  
5   Marks INT,  
6   Fee_Paid DECIMAL(10,2),  
7   Date_of_Birth DATE,  
8   Admission_Date DATE  
9 );  
10  
11  
12 INSERT INTO Student VALUES (101, 'Neha', 'BCA', 50, 50000, '2007-12-12', '2025-01-01');  
13 INSERT INTO Student VALUES (102, 'Rithika', 'BSE', 55, 60000, '2007-09-06', '2025-06-01');  
14 INSERT INTO Student VALUES (103, 'Kaveri', 'Btech', 60, 55000, '2007-02-13', '2025-07-03');  
15 INSERT INTO Student VALUES (104, 'Sampritha', 'BBA', 66, 65000, '2007-11-24', '2025-03-04');  
16  
17  
18 SELECT * FROM Student;  
19  
20  
21 SELECT Student_Name,  
22        Marks,  
23        ROUND(Marks * 1.25, 0) AS Bonus_Marks  
24 FROM Student;  
25
```

The results pane shows the output of the queries. The first query returns a table with 7 columns: Student_ID, Student_Name, Class, Marks, Fee_Paid, Date_of_Birth, and Admission_Date. The second query returns a table with 3 columns: Student_Name, Marks, and Bonus_Marks.

Student_ID	Student_Name	Class	Marks	Fee_Paid	Date_of_Birth	Admission_Date
101	Neha	BCA	50	50000.00	2007-12-12	2025-01-01
102	Rithika	BSE	55	60000.00	2007-09-06	2025-06-01
103	Kaveri	Btech	60	55000.00	2007-02-13	2025-07-03
104	Sampritha	BBA	66	65000.00	2007-11-24	2025-03-04

Student_Name	Marks	Bonus_Marks
Neha	50	63.00
Rithika	55	69.00
Kaveri	60	75.00
Sampritha	66	83.00

CEIL()

```
CREATE TABLE Student (  
  Studnt_ID INT,  
  Student_Name VARCHAR(25),  
  Class VARCHAR(5),  
  Marks INT,  
  Fee_Paid DECIMAL(10,2),  
  Date_of_Birth DATE,  
  Admission_Date DATE  
);  
INSERT INTO Student VALUES (101, 'Neha', 'BCA', 50, 50000, '2007-12-12', '2025-01-01');  
INSERT INTO Student VALUES (102, 'Rithika', 'BSE', 55, 60000, '2007-09-06', '2025-06-01');  
INSERT INTO Student VALUES (103, 'Kaveri', 'Btech', 60, 55000, '2007-02-13', '2025-07-03');  
INSERT INTO Student VALUES (104, 'Sampritha', 'BBA', 66, 65000, '2007-11-24', '2025-03-04');  
  
SELECT * FROM Student;  
  
SELECT Student_Name,  
       Marks,  
       CEILING(Marks * 1.25) AS Bonus_Marks  
FROM Student;
```

Output:

Studnt_ID	Student_Name	Class	Marks	Fee_Paid	Date_of_Birth	Admission_Date
101	Neha	BCA	50	50000.00	2007-12-12	2025-01-01
102	Rithika	BSE	55	60000.00	2007-09-06	2025-06-01
103	Kaveri	Btech	60	55000.00	2007-02-13	2025-07-03
104	Sampritha	BBA	66	65000.00	2007-11-24	2025-03-04
Student_Name	Marks	Bonus_Marks				
Neha	50	63				
Rithika	55	69				
Kaveri	60	75				
Sampritha	66	83				

FLOOR()

```
CREATE TABLE Student (  
    Studnt_ID INT,  
    Student_Name VARCHAR(25),  
    Class VARCHAR(5),  
    Marks INT,  
    Fee_Paid DECIMAL(10,2),  
    Date_of_Birth DATE,  
    Admission_Date DATE  
);  
  
INSERT INTO Student VALUES (101, 'Neha', 'BCA', 50, 50000, '2007-12-12', '2025-01-01');  
INSERT INTO Student VALUES (102, 'Rithika', 'BSE', 55, 60000, '2007-09-06', '2025-06-01');  
INSERT INTO Student VALUES (103, 'Kaveri', 'Btech', 60, 55000, '2007-02-13', '2025-07-03');  
INSERT INTO Student VALUES (104, 'Sampritha', 'BBA', 66, 65000, '2007-11-24', '2025-03-04');  
  
SELECT * FROM Student;  
  
SELECT Student_Name,  
       Marks,  
       FLOOR(Marks * 1.25) AS Bonus_Marks  
FROM Student;
```

Output:

Studnt_ID	Student_Name	Class	Marks	Fee_Paid	Date_of_Birth	Admission_Date
101	Neha	BCA	50	50000.00	2007-12-12	2025-01-01
102	Rithika	BSE	55	60000.00	2007-09-06	2025-06-01
103	Kaveri	Btech	60	55000.00	2007-02-13	2025-07-03
104	Sampritha	BBA	66	65000.00	2007-11-24	2025-03-04
Student_Name	Marks	Bonus_Marks				
Neha	50	62				
Rithika	55	68				
Kaveri	60	75				
Sampritha	66	82				

MOD()

```
CREATE TABLE Student (  
    Studnt_ID INT,  
    Student_Name VARCHAR(25),  
    Class VARCHAR(5),  
    Marks INT,  
    Fee_Paid DECIMAL(10,2),  
    Date_of_Birth DATE,  
    Admission_Date DATE  
);
```

```
INSERT INTO Student VALUES (101, 'Neha', 'BCA', 50, 50000, '2007-12-12', '2025-01-01');  
INSERT INTO Student VALUES (102, 'Rithika', 'BSE', 55, 60000, '2007-09-06', '2025-06-01');  
INSERT INTO Student VALUES (103, 'Kaveri', 'Btech', 60, 55000, '2007-02-13', '2025-07-03');  
INSERT INTO Student VALUES (104, 'Sampritha', 'BBA', 66, 65000, '2007-11-24', '2025-03-04');
```

```
SELECT * FROM Student;
```

```
SELECT Student_Name,  
    Marks,  
    (Marks * 1.25) % 1 AS Bonus_Marks_Remainder  
FROM Student;
```

Output:

Studnt_ID	Student_Name	Class	Marks	Fee_Paid	Date_of_Birth	Admission_Date
101	Neha	BCA	50	50000.00	2007-12-12	2025-01-01
102	Rithika	BSE	55	60000.00	2007-09-06	2025-06-01
103	Kaveri	Btech	60	55000.00	2007-02-13	2025-07-03
104	Sampritha	BBA	66	65000.00	2007-11-24	2025-03-04

Student_Name	Marks	Bonus_Marks_Remainder
Neha	50	.50
Rithika	55	.75
Kaveri	60	.00
Sampritha	66	.50

ABS()

```
CREATE TABLE Student (  
    Studnt_ID INT,  
    Student_Name VARCHAR(25),  
    Class VARCHAR(5),  
    Marks INT,  
    Fee_Paid DECIMAL(10,2),  
    Date_of_Birth DATE,  
    Admission_Date DATE  
);  
  
INSERT INTO Student VALUES (101, 'Neha', 'BCA', 50, 50000, '2007-12-12', '2025-01-01');  
INSERT INTO Student VALUES (102, 'Rithika', 'BSE', 55, 60000, '2007-09-06', '2025-06-01');  
INSERT INTO Student VALUES (103, 'Kaveri', 'Btech', 60, 55000, '2007-02-13', '2025-07-03');  
INSERT INTO Student VALUES (104, 'Sampritha', 'BBA', 66, 65000, '2007-11-24', '2025-03-04');  
  
SELECT * FROM Student;  
  
SELECT Student_Name,  
       Marks,  
       ABS(Marks * 1.25) AS Bonus_Marks  
FROM Student;
```

Output:

Studnt_ID	Student_Name	Class	Marks	Fee_Paid	Date_of_Birth	Admission_Date
101	Neha	BCA	50	50000.00	2007-12-12	2025-01-01
102	Rithika	BSE	55	60000.00	2007-09-06	2025-06-01
103	Kaveri	Btech	60	55000.00	2007-02-13	2025-07-03
104	Sampritha	BBA	66	65000.00	2007-11-24	2025-03-04

Student_Name	Marks	Bonus_Marks
Neha	50	62.50
Rithika	55	68.75
Kaveri	60	75.00
Sampritha	66	82.50