

AGGREGATE FUNCTIONS: GROUP BY

```
CREATE TABLE student (  
    Student_ID INT,  
    Student_Name VARCHAR(25),  
    Class VARCHAR(5),  
    Marks INT,  
    Fee_Paid DECIMAL(10,2),  
    Date_of_Birth DATE,  
    Admission_Date DATE  
);  
  
INSERT INTO Student VALUES (101, 'Neha', 'BCA', 50, 50000, '2007-12-12', '2025-01-01');  
  
INSERT INTO Student VALUES (102, 'Rithika', 'BSE', 55, 60000, '2007-09-06', '2025-06-01');  
  
INSERT INTO Student VALUES (103, 'Kaveri', 'BTech', 60, 55000, '2007-02-13', '2025-07-03');  
  
INSERT INTO Student VALUES (104, 'Sampritha', 'BCA', 66, 65000, '2007-11-24', '2025-03-04');  
  
SELECT Class,  
    COUNT(*) AS Total_Student,  
    AVG(Marks) AS Average_marks  
FROM Student  
GROUP BY Class;
```

Output:

Class	Total_Student	Average_marks
BCA	2	58.0000
BSE	1	55.0000
BTech	1	60.0000

CALUSE

```
CREATE TABLE Student (  
    Student_ID INT,  
    Student_Name VARCHAR(25),  
    Class VARCHAR(5),  
    Marks INT,  
    Fee_Paid DECIMAL(10,2),  
    Date_of_Birth DATE,  
    Admission_Date DATE  
);  
  
INSERT INTO Student VALUES (101, 'Neha', 'BCA', 50, 50000, '2007-12-12', '2025-01-01');  
  
INSERT INTO Student VALUES (102, 'Rithika', 'BSE', 55, 60000, '2007-09-06', '2025-06-01');  
  
INSERT INTO Student VALUES (103, 'Kaveri', 'BTech', 60, 55000, '2007-02-13', '2025-07-03');  
  
INSERT INTO Student VALUES (104, 'Sampritha', 'BCA', 66, 65000, '2007-11-24', '2025-03-04');  
  
SELECT Class,  
    COUNT(*) AS Total_Student,  
    AVG(Marks) AS Average_marks  
FROM Student  
GROUP BY Class  
HAVING COUNT(*) > 1;
```

Output:

Class	Total_Student	Average_marks
BCA	2	58.0000

ORDER BY

```
CREATE TABLE Student (  
    Student_ID INT,  
    Student_Name VARCHAR(25),  
    Class VARCHAR(5),  
    Marks INT,  
    Fee_Paid DECIMAL(10,2),  
    Date_of_Birth DATE,  
    Admission_Date DATE  
);  
  
INSERT INTO Student VALUES (101, 'Neha', 'BCA', 50, 50000, '2007-12-12', '2025-01-01');  
  
INSERT INTO Student VALUES (102, 'Rithika', 'BSE', 55, 60000, '2007-09-06', '2025-06-01');  
  
INSERT INTO Student VALUES (103, 'Kaveri', 'BTech', 60, 55000, '2007-02-13', '2025-07-03');  
  
INSERT INTO Student VALUES (104, 'Sampritha', 'BCA', 66, 65000, '2007-11-24', '2025-03-04');  
  
SELECT Student_Name,  
       Class,  
       Marks  
FROM Student  
ORDER BY Marks;
```

Output:

Student_Name	Class	Marks
Neha	BCA	50
Rithika	BSE	55
Kaveri	BTech	60
Sampritha	BCA	66