

DATA FUNCTIONS : EXTRACTING THE YEAR

```
CREATE TABLE Student (  
    Student_ID INT,  
    Student_Name VARCHAR(25),  
    Class VARCHAR(5),  
    Marks INT,  
    Fee_Paid DECIMAL(10,2),  
    Date_of_Birth DATE,  
    Admission_Date DATE  
);
```

```
INSERT INTO Student VALUES (101, 'Neha', 'BBA', 66, 65000, '2007-11-24', '2025-03-04');  
INSERT INTO Student VALUES (102, 'Rithika', 'BCA', 55, 60000, '2007-08-15', '2025-04-10');  
INSERT INTO Student VALUES (103, 'Kaveri', 'BTech', 60, 55000, '2007-01-30', '2025-07-03');  
INSERT INTO Student VALUES (104, 'Sampritha', 'BSc', 64, 62000, '2007-10-05', '2025-02-17');
```

```
SELECT * FROM Student;
```

```
SELECT Student_Name,  
       Date_of_Birth,  
       YEAR(Date_of_Birth) AS Birth_Year  
FROM Student;
```

Output:

Student_ID	Student_Name	Class	Marks	Fee_Paid	Date_of_Birth	Admission_Date
101	Neha	BBA	66	65000.00	2007-11-24	2025-03-04
102	Rithika	BCA	55	60000.00	2007-08-15	2025-04-10
103	Kaveri	BTech	60	55000.00	2007-01-30	2025-07-03
104	Sampritha	BSc	64	62000.00	2007-10-05	2025-02-17

Student_Name	Date_of_Birth	Birth_Year
Neha	2007-11-24	2007
Rithika	2007-08-15	2007
Kaveri	2007-01-30	2007
Sampritha	2007-10-05	2007

EXTRACING THE MONTH

```

CREATE TABLE Student (
    Student_ID INT,
    Student_Name VARCHAR(25),
    Class VARCHAR(5),
    Marks INT,
    Fee_Paid DECIMAL(10,2),
    Date_of_Birth DATE,
    Admission_Date DATE
);

INSERT INTO Student VALUES (101, 'Neha', 'BBA', 66, 65000, '2007-11-24', '2025-03-04');
INSERT INTO Student VALUES (102, 'Rithika', 'BCA', 55, 60000, '2007-08-15', '2025-04-10');
INSERT INTO Student VALUES (103, 'Kaveri', 'BTech', 60, 55000, '2007-01-30', '2025-07-03');
INSERT INTO Student VALUES (104, 'Sampritha', 'BSc', 64, 62000, '2007-10-05', '2025-02-17');

SELECT * FROM Student;

SELECT Student_Name,
       Date_of_Birth,
       MONTH(Date_of_Birth) AS Birth_Month
FROM Student;

```

Output:

Student_ID	Student_Name	Class	Marks	Fee_Paid	Date_of_Birth	Admission_Date
101	Neha	BBA	66	65000.00	2007-11-24	2025-03-04
102	Rithika	BCA	55	60000.00	2007-08-15	2025-04-10
103	Kaveri	BTech	60	55000.00	2007-01-30	2025-07-03
104	Sampritha	BSc	64	62000.00	2007-10-05	2025-02-17

Student_Name	Date_of_Birth	Birth_Month
Neha	2007-11-24	11
Rithika	2007-08-15	8
Kaveri	2007-01-30	1
Sampritha	2007-10-05	10

EXTRACTING THE DAY

```
CREATE TABLE student (  
    Student_ID INT,  
    Student_Name VARCHAR(25),  
    Class VARCHAR(5),  
    Marks INT,  
    Fee_Paid DECIMAL(10,2),  
    Date_of_Birth DATE,  
    Admission_Date DATE  
);  
  
INSERT INTO Student VALUES (101, 'Neha', 'BBA', 66, 65000, '2007-11-24', '2025-03-04');  
INSERT INTO Student VALUES (102, 'Rithika', 'BCA', 55, 60000, '2007-08-15', '2025-04-10');  
INSERT INTO Student VALUES (103, 'Kaveri', 'BTech', 60, 55000, '2007-01-30', '2025-07-03');  
INSERT INTO Student VALUES (104, 'Sampritha', 'BSc', 64, 62000, '2007-10-05', '2025-02-17');  
  
SELECT * FROM Student;  
  
SELECT Student_Name,  
    Date_of_Birth,  
    DAY(Date_of_Birth) AS Birth_Day  
FROM Student;
```

Output:

Student_ID	Student_Name	Class	Marks	Fee_Paid	Date_of_Birth	Admission_Date
101	Neha	BBA	66	65000.00	2007-11-24	2025-03-04
102	Rithika	BCA	55	60000.00	2007-08-15	2025-04-10
103	Kaveri	BTech	60	55000.00	2007-01-30	2025-07-03
104	Sampritha	BSc	64	62000.00	2007-10-05	2025-02-17

Student_Name	Date_of_Birth	Birth_Day
Neha	2007-11-24	24
Rithika	2007-08-15	15
Kaveri	2007-01-30	30
Sampritha	2007-10-05	5

CALCULATING THE CURRENT AGE

```
CREATE TABLE Student (  
    Student_ID INT,  
    Student_Name VARCHAR(25),  
    Class VARCHAR(5),  
    Marks INT,  
    Fee_Paid DECIMAL(10,2),  
    Date_of_Birth DATE,  
    Admission_Date DATE  
);  
  
INSERT INTO Student VALUES (101, 'Neha', 'BBA', 66, 65000, '2007-11-24', '2025-03-04');  
  
INSERT INTO Student VALUES (102, 'Rithika', 'BCA', 55, 60000, '2007-08-15', '2025-04-10');  
  
INSERT INTO Student VALUES (103, 'Kaveri', 'BTech', 60, 55000, '2007-01-30', '2025-07-03');  
  
INSERT INTO Student VALUES (104, 'Sampritha', 'BSc', 64, 62000, '2007-10-05', '2025-02-17');  
  
SELECT * FROM Student;  
  
SELECT Student_Name,  
    Date_of_Birth,  
    TIMESTAMPDIFF(YEAR, Date_of_Birth, CURDATE()) AS Age  
FROM Student;
```

Output:

Student_ID	Student_Name	Class	Marks	Fee_Paid	Date_of_Birth	Admission_Date
101	Neha	BBA	66	65000.00	2007-11-24	2025-03-04
102	Rithika	BCA	55	60000.00	2007-08-15	2025-04-10
103	Kaveri	BTech	60	55000.00	2007-01-30	2025-07-03
104	Sampritha	BSc	64	62000.00	2007-10-05	2025-02-17

Student_Name	Date_of_Birth	Age
Neha	2007-11-24	18
Rithika	2007-08-15	19
Kaveri	2007-01-30	19
Sampritha	2007-10-05	18

COUNT()

```
CREATE TABLE Student (  
    Student_ID INT,  
    Student_Name VARCHAR(25),  
    Class VARCHAR(5),  
    Marks INT,  
    Fee_Paid DECIMAL(10,2),  
    Date_of_Birth DATE,  
    Admission_Date DATE  
);
```

```
INSERT INTO Student VALUES (101, 'Neha', 'BBA', 66, 65000, '2007-11-24', '2025-03-04');
INSERT INTO Student VALUES (102, 'Rithika', 'BCA', 55, 60000, '2007-08-15', '2025-04-10');
INSERT INTO Student VALUES (103, 'Kaveri', 'BTech', 60, 55000, '2007-01-30', '2025-07-03');
INSERT INTO Student VALUES (104, 'Sampritha', 'BSc', 64, 62000, '2007-10-05', '2025-02-17');
```

```
SELECT * FROM Student;
```

```
SELECT COUNT(Student_ID) AS Total_Students
FROM Student;
```

Output:

Student_ID	Student_Name	Class	Marks	Fee_Paid	Date_of_Birth	Admission_Date
101	Neha	BBA	66	65000.00	2007-11-24	2025-03-04
102	Rithika	BCA	55	60000.00	2007-08-15	2025-04-10
103	Kaveri	BTech	60	55000.00	2007-01-30	2025-07-03
104	Sampritha	BSc	64	62000.00	2007-10-05	2025-02-17
Total_Students						
4						

SUM()

```
CREATE TABLE Student (  
    Student_ID INT,  
    Student_Name VARCHAR(25),  
    Class VARCHAR(5),  
    Marks INT,  
    Fee_Paid DECIMAL(10,2),  
    Date_of_Birth DATE,  
    Admission_Date DATE  
);
```

```
INSERT INTO Student VALUES (101, 'Neha', 'BBA', 66, 65000, '2007-11-24', '2025-03-04');
```

```
INSERT INTO Student VALUES (102, 'Rithika', 'BCA', 55, 60000, '2007-08-15', '2025-04-10');
```

```
INSERT INTO Student VALUES (103, 'Kaveri', 'BTech', 60, 55000, '2007-01-30', '2025-07-03');
```

```
INSERT INTO Student VALUES (104, 'Sampritha', 'BSc', 64, 62000, '2007-10-05', '2025-02-17');
```

```
SELECT * FROM Student;
```

```
SELECT SUM(Marks) AS Total_Marks
FROM Student;
```

Output:

Student_ID	Student_Name	Class	Marks	Fee_Paid	Date_of_Birth	Admission_Date
101	Neha	BBA	66	65000.00	2007-11-24	2025-03-04
102	Rithika	BCA	55	60000.00	2007-08-15	2025-04-10
103	Kaveri	BTech	60	55000.00	2007-01-30	2025-07-03
104	Sampritha	BSc	64	62000.00	2007-10-05	2025-02-17
Total_Marks						
245						

AVG()

```
CREATE TABLE Student (  
    Student_ID INT,  
    Student_Name VARCHAR(25),  
    Class VARCHAR(5),  
    Marks INT,  
    Fee_Paid DECIMAL(10,2),  
    Date_of_Birth DATE,  
    Admission_Date DATE  
);  
  
INSERT INTO Student VALUES (101, 'Neha', 'BBA', 66, 65000, '2007-11-24', '2025-03-04');  
  
INSERT INTO Student VALUES (102, 'Rithika', 'BCA', 55, 60000, '2007-08-15', '2025-04-10');  
  
INSERT INTO Student VALUES (103, 'Kaveri', 'BTech', 60, 55000, '2007-01-30', '2025-07-03');  
  
INSERT INTO Student VALUES (104, 'Sampritha', 'BSc', 64, 62000, '2007-10-05', '2025-02-17');  
  
SELECT * FROM Student;  
  
SELECT AVG(Marks) AS Average_Marks  
FROM Student;
```

Output:

Student_ID	Student_Name	Class	Marks	Fee_Paid	Date_of_Birth	Admission_Date
101	Neha	BBA	66	65000.00	2007-11-24	2025-03-04
102	Rithika	BCA	55	60000.00	2007-08-15	2025-04-10
103	Kaveri	BTech	60	55000.00	2007-01-30	2025-07-03
104	Sampritha	BSc	64	62000.00	2007-10-05	2025-02-17

Average_Marks
61.2500

MIN()

```
CREATE TABLE Student (  
    Student_ID INT,  
    Student_Name VARCHAR(25),  
    Class VARCHAR(5),  
    Marks INT,  
    Fee_Paid DECIMAL(10,2),  
    Date_of_Birth DATE,  
    Admission_Date DATE  
);  
  
INSERT INTO Student VALUES (101, 'Neha', 'BBA', 66, 65000, '2007-11-24', '2025-03-04');  
  
INSERT INTO Student VALUES (102, 'Rithika', 'BCA', 55, 60000, '2007-08-15', '2025-04-10');  
  
INSERT INTO Student VALUES (103, 'Kaveri', 'BTech', 60, 55000, '2007-01-30', '2025-07-03');  
  
INSERT INTO Student VALUES (104, 'Sampritha', 'BSc', 64, 62000, '2007-10-05', '2025-02-17');  
  
SELECT * FROM Student;  
  
SELECT MIN(Marks) AS Minimum_Marks  
FROM Student;
```

Output:

Student_ID	Student_Name	Class	Marks	Fee_Paid	Date_of_Birth	Admission_Date
101	Neha	BBA	66	65000.00	2007-11-24	2025-03-04
102	Rithika	BCA	55	60000.00	2007-08-15	2025-04-10
103	Kaveri	BTech	60	55000.00	2007-01-30	2025-07-03
104	Sampritha	BSc	64	62000.00	2007-10-05	2025-02-17

Minimum_Marks
55

MAX()

```
CREATE TABLE Student (  
    Student_ID INT,  
    Student_Name VARCHAR(25),  
    Class VARCHAR(5),  
    Marks INT,  
    Fee_Paid DECIMAL(10,2),  
    Date_of_Birth DATE,  
    Admission_Date DATE  
);  
  
INSERT INTO Student VALUES (101, 'Neha', 'BBA', 66, 65000, '2007-11-24', '2025-03-04');  
  
INSERT INTO Student VALUES (102, 'Rithika', 'BCA', 55, 60000, '2007-08-15', '2025-04-10');  
  
INSERT INTO Student VALUES (103, 'Kaveri', 'BTech', 60, 55000, '2007-01-30', '2025-07-03');  
  
INSERT INTO Student VALUES (104, 'Sampritha', 'BSc', 64, 62000, '2007-10-05', '2025-02-17');  
  
SELECT * FROM Student;  
  
SELECT MAX(Marks) AS Maximum_Marks  
FROM Student;
```

Output:

Student_ID	Student_Name	Class	Marks	Fee_Paid	Date_of_Birth	Admission_Date
101	Neha	BBA	66	65000.00	2007-11-24	2025-03-04
102	Rithika	BCA	55	60000.00	2007-08-15	2025-04-10
103	Kaveri	BTech	60	55000.00	2007-01-30	2025-07-03
104	Sampritha	BSc	64	62000.00	2007-10-05	2025-02-17

Maximum_Marks
66