

References:

- https://www.ijircce.com/upload/2015/sacaim/10_403.pdf
- Wang, W., & Guo, Y. (2009, October). Air pollution PM2.5 data analysis in Los Angeles long beach with seasonal ARIMA model. In *Energy and Environment Technology, 2009. ICEET'09. International Conference on* (Vol. 3, pp. 7-10). IEEE.
- Seaton, A., Godden, D., MacNee, W., & Donaldson, K. (1995). Particulate air pollution and acute health effects. *The lancet*, 345(8943), 176-178.
- Sowe, S. K., Kimata, T., Dong, M., & Zettsu, K. (2014, July). Managing heterogeneous sensor data on a big data platform: IoT services for data-intensive science. In *Computer Software and Applications Conference Workshops (COMPSACW), 2014 IEEE 38th International* (pp. 295-300). IEEE.
- Yao, L., Lu, N., & Jiang, S. (2012, May). Artificial neural network (ANN) for multi-source PM2.5 Estimation using surface, MODIS, and meteorological data. In *Biomedical Engineering and Biotechnology (iCBEB), 2012 International Conference on* (pp. 1228-1231). IEEE.
- Osborne, M. A., Roberts, S. J., Rogers, A., & Jennings, N. R. (2012). Real-time information processing of environmental sensor network data using bayesian gaussian processes. *ACM Transactions on Sensor Networks (TOSN)*, 9(1), 1.
- Maitra, R. (2009). Initializing partition-optimization algorithms. *IEEE/ACM Transactions on Computational Biology and Bioinformatics (TCBB)*, 6(1), 144-157.
- Gionis, A., Mannila, H., & Tsaparas, P. (2007). Clustering aggregation. *ACM Transactions on Knowledge Discovery from Data (TKDD)*, 1(1), 4.
- Kanungo, T., Mount, D. M., Netanyahu, N. S., Piatko, C. D., Silverman, R., & Wu, A. Y. (2002). An efficient k-means clustering algorithm: Analysis and implementation. *IEEE transactions on pattern analysis and machine intelligence*, 24(7), 881-892.
- Pal, N. R., Pal, K., Keller, J. M., & Bezdek, J. C. (2005). A possibilistic fuzzy c-means clustering algorithm. *IEEE Transactions on Fuzzy Systems*, 13(4), 517-530.
- Jerrett, M., Burnett, R. T., Ma, R., Pope III, C. A., Krewski, D., Newbold, K. B., ... & Thun, M. J. (2005). Spatial analysis of air pollution and mortality in Los Angeles. *Epidemiology*, 16(6), 727-736.
- Darken, C., & Moody, J. (1990, June). Fast adaptive k-means clustering: some empirical results. In *Neural Networks, 1990., 1990 IJCNN International Joint Conference on* (pp. 233-238). IEEE.
- Huang, Z., & Ng, M. K. (1999). A fuzzy k-modes algorithm for clustering categorical data. *IEEE Transactions on Fuzzy Systems*, 7(4), 446-452.
- Zhang, Z., Zhang, J., & Xue, H. (2008, May). Improved K-means clustering algorithm. In *Image and Signal Processing, 2008. CISP'08. Congress on* (Vol. 5, pp. 169-172). IEEE.
- Graves, T. L., Harrold, M. J., Kim, J. M., Porter, A., & Rothermel, G. (2001). An empirical study of regression test selection techniques. *ACM Transactions on Software Engineering and Methodology (TOSEM)*, 10(2), 184-208.
- Kampa, M., & Castanas, E. (2008). Human health effects of air pollution. *Environmental pollution*, 151(2), 362-367.
- Selden, T. M., & Song, D. (1994). Environmental quality and development: is there a Kuznets curve for air pollution emissions?. *Journal of Environmental Economics and management*, 27(2), 147-162.
- Zivkovic, Z., & van der Heijden, F. (2004). Recursive unsupervised learning of finite mixture models. *IEEE Transactions on pattern analysis and machine intelligence*, 26(5), 651-656.
- Le, Q. V. (2013, May). Building high-level features using large scale unsupervised learning. In *Acoustics, Speech and Signal Processing (ICASSP), 2013 IEEE International Conference on* (pp. 8595-8598). IEEE.