

Date:- 13 July 2026

Name:- Neha Kadam

## Task 8: Movie Ticket Booking System

7:25

Programiz  
Online SQL Editor

Interactive SQL Course

Input

Run SQL

```
CREATE TABLE Movies(  
  MovieID INT PRIMARY KEY,  
  MovieName VARCHAR(100) NOT NULL,  
  Genre VARCHAR(50) NOT NULL,  
  Language VARCHAR(30) NOT NULL,  
  Duration INT NOT NULL  
);  
CREATE TABLE Shows(  
  ShowID INT PRIMARY KEY,  
  MovieID INT NOT NULL,  
  ShowDate DATE NOT NULL,  
  ShowTime TIME NOT NULL,  
  ScreenNo INT NOT NULL  
);  
CREATE TABLE Bookings(  
  BookingID INT PRIMARY KEY,  
  ShowID INT NOT NULL,  
  CustomerName VARCHAR(100) NOT NULL,  
  Seats INT NOT NULL
```

Output

Available Tables

SQL query successfully executed.  
However, the result set is empty.

7:20

94

```
INSERT INTO Movies VALUES  
(1,'Jawan','Action','Hindi',170),  
(2,'Animal','Action','Hindi',180),  
(3,'Avatar','Sci-Fi','English',190),  
(4,'KGF','Action','Kannada',165),  
(5,'Pushpa','Action','Telugu',175),  
(6,'Frozen','Animation','English',110),  
(7,'Titanic','Romance','English',195),  
(8,'RRR','Action','Telugu',185),  
(9,'3 Idiots','Comedy','Hindi',170),  
(10,'Interstellar','Sci-Fi', 'English',169);
```

Output

Available Tables

| MovieID | MovieName    | Genre     | Language |
|---------|--------------|-----------|----------|
| 1       | Jawan        | Action    | Hindi    |
| 2       | Animal       | Action    | Hindi    |
| 3       | Avatar       | Sci-Fi    | English  |
| 4       | KGF          | Action    | Kannada  |
| 5       | Pushpa       | Action    | Telugu   |
| 6       | Frozen       | Animation | English  |
| 7       | Titanic      | Romance   | English  |
| 8       | RRR          | Action    | Telugu   |
| 9       | 3 Idiots     | Comedy    | Hindi    |
| 10      | Interstellar | Sci-Fi    | English  |

7:21

94

INSERT INTO Shows VALUES

(101,1,'2026-07-20','10:00:00',1),  
(102,2,'2026-07-20','01:00:00',2),  
(103,3,'2026-07-20','04:00:00',3),  
(104,4,'2026-07-21','10:00:00',1),  
(105,5,'2026-07-21','01:00:00',2),  
(106,6,'2026-07-21','04:00:00',3),  
(107,7,'2026-07-22','10:00:00',1),  
(108,8,'2026-07-22','01:00:00',2),  
(109,9,'2026-07-22','04:00:00',3),  
(110,10,'2026-07-23','07:00:00',1);

Output

Available Tables

| ShowID | MovieID | ShowDate   | ShowTime |
|--------|---------|------------|----------|
| 101    | 1       | 2026-07-20 | 10:00:00 |
| 102    | 2       | 2026-07-20 | 01:00:00 |
| 103    | 3       | 2026-07-20 | 04:00:00 |
| 104    | 4       | 2026-07-21 | 10:00:00 |
| 105    | 5       | 2026-07-21 | 01:00:00 |
| 106    | 6       | 2026-07-21 | 04:00:00 |

7:22

94

INSERT INTO Bookings VALUES

(1,101,'Amit',2,500),  
(2,102,'Neha',3,900),  
(3,103,'Rahul',1,300),  
(4,104,'Priya',2,600),  
(5,105,'Riya',4,1200),  
(6,106,'Karan',2,500),  
(7,107,'Sneha',5,1500),  
(8,108,'Rohit',2,600),  
(9,109,'Anjali',1,300),  
(10,110,'Ajay',3,900);

Output

Available Tables

| BookingID | ShowID | CustomerName |
|-----------|--------|--------------|
| 1         | 101    | Amit         |
| 2         | 102    | Neha         |
| 3         | 103    | Rahul        |
| 4         | 104    | Priya        |
| 5         | 105    | Riya         |
| 6         | 106    | Karan        |
| 7         | 107    | Sneha        |
| 8         | 108    | Rohit        |
| 9         | 109    | Anjali       |
| 10        | 110    | Ajay         |

## Task 9: Gym Management System

 **Programiz**  
Online SQL Editor

Interactive SQL Course

Input

```
CREATE TABLE Members(  
  MemberID INT PRIMARY KEY,  
  MemberName VARCHAR(100) NOT NULL,  
  Age INT NOT NULL,  
  Gender VARCHAR(10) NOT NULL  
);  
CREATE TABLE Trainers(  
  TrainerID INT PRIMARY KEY,  
  TrainerName VARCHAR(100) NOT NULL,  
  Specialization VARCHAR(50) NOT NULL,  
  Experience INT NOT NULL  
);  
CREATE TABLE Membership(  
  MembershipID INT PRIMARY KEY,  
  MemberID INT NOT NULL,  
  TrainerID INT NOT NULL,  
  Plan VARCHAR(30) NOT NULL,  
  Fees INT NOT NULL  
);
```

Run SQL

Output

Available Tables

SQL query successfully executed.  
However, the result set is empty.

7:36

INSERT INTO Members VALUES  
(1,'Amit',22,'Male'),  
(2,'Neha',20,'Female'),  
(3,'Riya',23,'Female'),  
(4,'Rahul',25,'Male'),  
(5,'Sneha',24,'Female'),  
(6,'Ajay',28,'Male'),  
(7,'Pooja',21,'Female'),  
(8,'Rohan',26,'Male'),  
(9,'Kiran',27,'Male'),  
(10,'Meena',22,'Female');

Output

Available Tables

| MemberID | MemberName | Age | Gender |
|----------|------------|-----|--------|
| 1        | Amit       | 22  | Male   |
| 2        | Neha       | 20  | Female |
| 3        | Riya       | 23  | Female |
| 4        | Rahul      | 25  | Male   |
| 5        | Sneha      | 24  | Female |
| 6        | Ajay       | 28  | Male   |
| 7        | Pooja      | 21  | Female |
| 8        | Rohan      | 26  | Male   |
| 9        | Kiran      | 27  | Male   |
| 10       | Meena      | 22  | Female |



```
INSERT INTO Trainers VALUES
(1,'Rakesh','Cardio',5),
(2,'Ankit','Yoga',6),
(3,'Priya','Strength',4),
(4,'Kunal','CrossFit',7),
(5,'Rohit','Bodybuilding',8),
(6,'Anu','Pilates',3),
(7,'Vikas','Weight Loss',5),
(8,'Asha','Fitness',4),
(9,'Raj','Nutrition',6),
(10,'Mohan','Powerlifting',9);
```

### Available Tables

| TrainerID | TrainerName | Specialization |
|-----------|-------------|----------------|
| 1         | Rakesh      | Cardio         |
| 2         | Ankit       | Yoga           |
| 3         | Priya       | Strength       |
| 4         | Kunal       | CrossFit       |
| 5         | Rohit       | Bodybuilding   |
| 6         | Anu         | Pilates        |
| 7         | Vikas       | Weight Loss    |
| 8         | Asha        | Fitness        |
| 9         | Raj         | Nutrition      |
| 10        | Mohan       | Powerlifting   |



```
INSERT INTO Membership VALUES
(1,1,1,'Monthly',2000),
(2,2,2,'Quarterly',5000),
(3,3,3,'Monthly',2200),
(4,4,4,'Yearly',18000),
(5,5,5,'Monthly',2500),
(6,6,6,'Quarterly',5500),
(7,7,7,'Monthly',2000),
(8,8,8,'Yearly',20000),
(9,9,9,'Quarterly',6000),
(10,10,10,'Monthly',2100);
```

### Available Tables

| MembershipID | MemberID | TrainerID |
|--------------|----------|-----------|
| 1            | 1        | 1         |
| 2            | 2        | 2         |
| 3            | 3        | 3         |
| 4            | 4        | 4         |
| 5            | 5        | 5         |
| 6            | 6        | 6         |
| 7            | 7        | 7         |
| 8            | 8        | 8         |
| 9            | 9        | 9         |
| 10           | 10       | 10        |

7:37 [icons] 92

```
INSERT INTO Membership VALUES
(1,1,1,'Monthly',2000),
(2,2,2,'Quarterly',5000),
(3,3,3,'Monthly',2200),
(4,4,4,'Yearly',18000),
(5,5,5,'Monthly',2500),
(6,6,6,'Quarterly',5500),
(7,7,7,'Monthly',2000),
(8,8,8,'Yearly',20000),
(9,9,9,'Quarterly',6000),
(10,10,10,'Monthly',2100);
```

Output

[Available Tables](#)

| MemberID | TrainerID | Plan      | Fees  |
|----------|-----------|-----------|-------|
|          | 1         | Monthly   | 2000  |
|          | 2         | Quarterly | 5000  |
|          | 3         | Monthly   | 2200  |
|          | 4         | Yearly    | 18000 |
|          | 5         | Monthly   | 2500  |
|          | 6         | Quarterly | 5500  |
|          | 7         | Monthly   | 2000  |
|          | 8         | Yearly    | 20000 |
|          | 9         | Quarterly | 6000  |
|          | 10        | Monthly   | 2100  |

## Task 10: Restaurant Management System





queries.sql ×



```
1  CREATE TABLE Customers(  
2  CustomerID INT PRIMARY KEY,  
3  CustomerName VARCHAR(100) NOT NULL,  
4  Phone VARCHAR(15) NOT NULL,  
5  City VARCHAR(50) NOT NULL  
6  );  
7  
8  CREATE TABLE Menu(  
9  ItemID INT PRIMARY KEY,  
10 ItemName VARCHAR(100) NOT NULL,  
11 Category VARCHAR(50) NOT NULL,  
12 Price INT NOT NULL  
13 );  
14  
15 CREATE TABLE Orders(  
16 OrderID INT PRIMARY KEY,  
17 CustomerID INT NOT NULL,  
18 ItemID INT NOT NULL,  
19 Quantity INT NOT NULL,  
20 Total INT NOT NULL  
21 );  
22  
23 INSERT INTO Customers VALUES  
24 (1,'Amit','9876543210','Mumbai'),  
25 (2,'Neha','9876543211','Pune'),  
26 (3,'Rahul','9876543212','Nashik'),  
27 (4,'Riya','9876543213','Mumbai'),  
28 (5,'Ajay','9876543214','Pune'),  
29 (6,'Sneha','9876543215','Nagpur'),  
30 (7,'Karan','9876543216','Mumbai'),  
31 (8,'Anjali','9876543217','Thane'),  
32 (9,'Rohit','9876543218','Pune'),  
33 (10,'Priya','9876543219','Mumbai');  
34  
35 INSERT INTO Menu VALUES  
36 (1,'Pizza','Fast Food',250),  
37 (2,'Burger','Fast Food',150),
```

```
queries.sql X +
38  (3, 'Pasta', 'Italian', 220),
39  (4, 'Biryani', 'Main Course', 300),
40  (5, 'Noodles', 'Chinese', 180),
41  (6, 'Sandwich', 'Snacks', 120),
42  (7, 'Paneer Tikka', 'Starter', 280),
43  (8, 'Ice Cream', 'Dessert', 100),
44  (9, 'Coffee', 'Beverage', 80),
45  (10, 'Momos', 'Snacks', 160);
46
47  INSERT INTO Orders VALUES
48  (1,1,1,2,500),
49  (2,2,4,1,300),
50  (3,3,5,2,360),
51  (4,4,2,3,450),
52  (5,5,7,1,280),
53  (6,6,9,2,160),
54  (7,7,10,2,320),
55  (8,8,6,3,360),
56  (9,9,3,1,220),
57  (10,10,8,4,400);
58
59  -- =====
60  -- PART C - SQL OPERATIONS
61  -- Restaurant Management System
62  -- =====
63
64  -- Display all records
65  SELECT * FROM Customers;
66  SELECT * FROM Menu;
67  SELECT * FROM Orders;
68
69  -- Display selected columns
70  SELECT CustomerName, City FROM Customer
71  SELECT ItemName, Price FROM Menu;
72  SELECT OrderID, Total FROM Orders;
73
74  -- WHERE clause
75  SELECT * FROM Customers
```



```
queries.sql × +
75 SELECT * FROM Customers
76 WHERE City = 'Mumbai';
77
78 SELECT * FROM Menu
79 WHERE Category = 'Snacks';
80
81 SELECT * FROM Orders
82 WHERE Quantity > 2;
83
84 -- LIKE
85 SELECT * FROM Customers
86 WHERE CustomerName LIKE 'A%';
87
88 SELECT * FROM Menu
89 WHERE ItemName LIKE 'P%';
90
91 -- BETWEEN
92 SELECT * FROM Menu
93 WHERE Price BETWEEN 100 AND 250;
94
95 SELECT * FROM Orders
96 WHERE Total BETWEEN 200 AND 500;
97
98 -- IN
99 SELECT * FROM Customers
100 WHERE City IN ('Mumbai', 'Pune');
101
102 SELECT * FROM Menu
103 WHERE Category IN ('Fast Food', 'Snacks');
104
105 -- ORDER BY
106 SELECT * FROM Customers
107 ORDER BY CustomerName ASC;
108
109 SELECT * FROM Menu
110 ORDER BY Price DESC;
111
112 SELECT * FROM Orders
```

```
queries.sql × +
112 SELECT * FROM Orders
113 ORDER BY Total ASC;
114
115 -- GROUP BY
116 SELECT City, COUNT(*) AS TotalCustomers
117 FROM Customers
118 GROUP BY City;
119
120 SELECT Category, COUNT(*) AS TotalItems
121 FROM Menu
122 GROUP BY Category;
123
124 SELECT Quantity, COUNT(*) AS TotalOrder
125 FROM Orders
126 GROUP BY Quantity;
127
128 -- Aggregate Functions
129
130 -- COUNT()
131 SELECT COUNT(*) AS TotalCustomers FROM
132 SELECT COUNT(*) AS TotalMenuItems FROM
133 SELECT COUNT(*) AS TotalOrders FROM Ord
134
135 -- SUM()
136 SELECT SUM(Price) AS TotalMenuPrice FRO
137 SELECT SUM(Total) AS TotalSales FROM Or
138
139 -- AVG()
140 SELECT AVG(Price) AS AveragePrice FROM
141 SELECT AVG(Total) AS AverageBill FROM O
142
143 -- MAX()
144 SELECT MAX(Price) AS HighestPrice FROM
145 SELECT MAX(Total) AS HighestBill FROM O
146
147 -- MIN()
148 SELECT MIN(Price) AS LowestPrice FROM M
149 SELECT MIN(Total) AS LowestBill FROM Or
```



```
queries.sql X +
137 SELECT SUM(Total) AS TotalSales FROM Or
138
139 -- AVG()
140 SELECT AVG(Price) AS AveragePrice FROM
141 SELECT AVG(Total) AS AverageBill FROM O
142
143 -- MAX()
144 SELECT MAX(Price) AS HighestPrice FROM
145 SELECT MAX(Total) AS HighestBill FROM O
146
147 -- MIN()
148 SELECT MIN(Price) AS LowestPrice FROM M
149 SELECT MIN(Total) AS LowestBill FROM Or
150
151 -- UPDATE (3 Records)
152 UPDATE Customers
153 SET City = 'Thane'
154 WHERE CustomerID = 1;
155
156 UPDATE Menu
157 SET Price = 270
158 WHERE ItemID = 1;
159
160 UPDATE Orders
161 SET Quantity = 5
162 WHERE OrderID = 3;
163
164 -- DELETE (2 Records)
165 DELETE FROM Customers
166 WHERE CustomerID = 10;
167
168 DELETE FROM Orders
169 WHERE OrderID = 10;
170
171 -- ALTER TABLE
172 ALTER TABLE Customers
173 ADD Email VARCHAR(100);
174
```

I/O

AI Agent

95 ms

STDIN

Input for the program ( Optional )

Output:

| CustomerID | CustomerName | Phone      | City   |
|------------|--------------|------------|--------|
| 1          | Amit         | 9876543210 | Mumbai |
| 2          | Neha         | 9876543211 | Pune   |
| 3          | Rahul        | 9876543212 | Nashik |
| 4          | Riya         | 9876543213 | Mumbai |
| 5          | Ajay         | 9876543214 | Pune   |
| 6          | Sneha        | 9876543215 | Nagpur |
| 7          | Karan        | 9876543216 | Mumbai |
| 8          | Anjali       | 9876543217 | Thane  |
| 9          | Rohit        | 9876543218 | Pune   |
| 10         | Priya        | 9876543219 | Mumbai |

| ItemID | ItemName     | Category    | Price |
|--------|--------------|-------------|-------|
| 1      | Pizza        | Fast Food   | 250   |
| 2      | Burger       | Fast Food   | 150   |
| 3      | Pasta        | Italian     | 220   |
| 4      | Biryani      | Main Course | 300   |
| 5      | Noodles      | Chinese     | 180   |
| 6      | Sandwich     | Snacks      | 120   |
| 7      | Paneer Tikka | Starter     | 280   |
| 8      | Ice Cream    | Dessert     | 100   |
| 9      | Coffee       | Beverage    | 80    |
| 10     | Momos        | Snacks      | 160   |

I/O

AI Agent

95 ms

STDIN

Input for the program ( Optional )

Output:

| OrderID | CustomerID | ItemID | Quantity | Total |
|---------|------------|--------|----------|-------|
| 1       | 1          | 1      | 2        | 500   |
| 2       | 2          | 4      | 1        | 300   |
| 3       | 3          | 5      | 2        | 360   |
| 4       | 4          | 2      | 3        | 450   |
| 5       | 5          | 7      | 1        | 280   |
| 6       | 6          | 9      | 2        | 160   |
| 7       | 7          | 10     | 2        | 320   |
| 8       | 8          | 6      | 3        | 360   |
| 9       | 9          | 3      | 1        | 220   |
| 10      | 10         | 8      | 4        | 400   |

| CustomerName | City   |
|--------------|--------|
| Amit         | Mumbai |
| Neha         | Pune   |
| Rahul        | Nashik |
| Riya         | Mumbai |
| Ajay         | Pune   |
| Sneha        | Nagpur |
| Karan        | Mumbai |
| Anjali       | Thane  |
| Rohit        | Pune   |
| Priya        | Mumbai |



I/O

AI Agent

95 ms

STDIN

Input for the program ( Optional )

Output:

| +-----+-----+ |       |
|---------------|-------|
| ItemName      | Price |
| +-----+-----+ |       |
| Pizza         | 250   |
| Burger        | 150   |
| Pasta         | 220   |
| Biryani       | 300   |
| Noodles       | 180   |
| Sandwich      | 120   |
| Paneer Tikka  | 280   |
| Ice Cream     | 100   |
| Coffee        | 80    |
| Momos         | 160   |
| +-----+-----+ |       |
| +-----+-----+ |       |
| OrderID       | Total |
| +-----+-----+ |       |
| 1             | 500   |
| 2             | 300   |
| 3             | 360   |
| 4             | 450   |
| 5             | 280   |
| 6             | 160   |
| 7             | 320   |
| 8             | 360   |
| 9             | 220   |
| 10            | 400   |
| +-----+-----+ |       |

I/O

AI Agent

95 ms

STDIN

Input for the program ( Optional )

Output:

| CustomerID | CustomerName | Phone      | City   |
|------------|--------------|------------|--------|
| 1          | Amit         | 9876543210 | Mumbai |
| 4          | Riya         | 9876543213 | Mumbai |
| 7          | Karan        | 9876543216 | Mumbai |
| 10         | Priya        | 9876543219 | Mumbai |

| ItemID | ItemName | Category | Price |
|--------|----------|----------|-------|
| 6      | Sandwich | Snacks   | 120   |
| 10     | Momos    | Snacks   | 160   |

| OrderID | CustomerID | ItemID | Quantity | Total |
|---------|------------|--------|----------|-------|
| 4       | 4          | 2      | 3        | 450   |
| 8       | 8          | 6      | 3        | 360   |
| 10      | 10         | 8      | 4        | 400   |

| CustomerID | CustomerName | Phone      | City   |
|------------|--------------|------------|--------|
| 1          | Amit         | 9876543210 | Mumbai |
| 5          | Ajay         | 9876543214 | Pune   |
| 8          | Anjali       | 9876543217 | Thane  |

I/O

AI Agent

95 ms

STDIN

Input for the program ( Optional )

Output:

| 1 | Pizza        | Fast Food | 250 |  |
|---|--------------|-----------|-----|--|
| 3 | Pasta        | Italian   | 220 |  |
| 7 | Paneer Tikka | Starter   | 280 |  |

| ItemID | ItemName  | Category  | Price |  |
|--------|-----------|-----------|-------|--|
| 1      | Pizza     | Fast Food | 250   |  |
| 2      | Burger    | Fast Food | 150   |  |
| 3      | Pasta     | Italian   | 220   |  |
| 5      | Noodles   | Chinese   | 180   |  |
| 6      | Sandwich  | Snacks    | 120   |  |
| 8      | Ice Cream | Dessert   | 100   |  |
| 10     | Momos     | Snacks    | 160   |  |

| OrderID | CustomerID | ItemID | Quantity | Total |  |
|---------|------------|--------|----------|-------|--|
| 1       | 1          | 1      | 2        | 500   |  |
| 2       | 2          | 4      | 1        | 300   |  |
| 3       | 3          | 5      | 2        | 360   |  |
| 4       | 4          | 2      | 3        | 450   |  |
| 5       | 5          | 7      | 1        | 280   |  |
| 7       | 7          | 10     | 2        | 320   |  |
| 8       | 8          | 6      | 3        | 360   |  |
| 9       | 9          | 3      | 1        | 220   |  |
| 10      | 10         | 8      | 4        | 400   |  |

I/O

AI Agent

95 ms

STDIN

Input for the program ( Optional )

Output:

| CustomerID | CustomerName | Phone      | City   |
|------------|--------------|------------|--------|
| 1          | Amit         | 9876543210 | Mumbai |
| 2          | Neha         | 9876543211 | Pune   |
| 4          | Riya         | 9876543213 | Mumbai |
| 5          | Ajay         | 9876543214 | Pune   |
| 7          | Karan        | 9876543216 | Mumbai |
| 9          | Rohit        | 9876543218 | Pune   |
| 10         | Priya        | 9876543219 | Mumbai |

| ItemID | ItemName | Category  | Price |
|--------|----------|-----------|-------|
| 1      | Pizza    | Fast Food | 250   |
| 2      | Burger   | Fast Food | 150   |
| 6      | Sandwich | Snacks    | 120   |
| 10     | Momos    | Snacks    | 160   |

| CustomerID | CustomerName | Phone      | City   |
|------------|--------------|------------|--------|
| 5          | Ajay         | 9876543214 | Pune   |
| 1          | Amit         | 9876543210 | Mumbai |
| 8          | Anjali       | 9876543217 | Thane  |
| 7          | Karan        | 9876543216 | Mumbai |
| 2          | Neha         | 9876543211 | Pune   |
| 10         | Priya        | 9876543219 | Mumbai |



STDIN

Input for the program ( Optional )

Output:

|    |       |            |        |
|----|-------|------------|--------|
| 10 | Priya | 9876543219 | Mumbai |
| 3  | Rahul | 9876543212 | Nashik |
| 4  | Riya  | 9876543213 | Mumbai |
| 9  | Rohit | 9876543218 | Pune   |
| 6  | Sneha | 9876543215 | Nagpur |

| ItemID | ItemName     | Category    | Price |
|--------|--------------|-------------|-------|
| 4      | Biryani      | Main Course | 300   |
| 7      | Paneer Tikka | Starter     | 280   |
| 1      | Pizza        | Fast Food   | 250   |
| 3      | Pasta        | Italian     | 220   |
| 5      | Noodles      | Chinese     | 180   |
| 10     | Momos        | Snacks      | 160   |
| 2      | Burger       | Fast Food   | 150   |
| 6      | Sandwich     | Snacks      | 120   |
| 8      | Ice Cream    | Dessert     | 100   |
| 9      | Coffee       | Beverage    | 80    |

| OrderID | CustomerID | ItemID | Quantity | Total |
|---------|------------|--------|----------|-------|
| 6       | 6          | 9      | 2        | 160   |
| 9       | 9          | 3      | 1        | 220   |
| 5       | 5          | 7      | 1        | 280   |
| 2       | 2          | 4      | 1        | 300   |
| 7       | 7          | 10     | 2        | 320   |



I/O

AI Agent

95 ms

STDIN

Input for the program ( Optional )

Output:

|    |    |    |   |     |
|----|----|----|---|-----|
| 7  | 7  | 10 | 2 | 320 |
| 3  | 3  | 5  | 2 | 360 |
| 8  | 8  | 6  | 3 | 360 |
| 10 | 10 | 8  | 4 | 400 |
| 4  | 4  | 2  | 3 | 450 |
| 1  | 1  | 1  | 2 | 500 |

-----+

-----+  
| City | TotalCustomers |

-----+

|        |   |
|--------|---|
| Mumbai | 4 |
| Pune   | 3 |
| Nashik | 1 |
| Nagpur | 1 |
| Thane  | 1 |

-----+

-----+  
| Category | TotalItems |

-----+

|             |   |
|-------------|---|
| Fast Food   | 2 |
| Italian     | 1 |
| Main Course | 1 |
| Chinese     | 1 |
| Snacks      | 2 |
| Starter     | 1 |
| Dessert     | 1 |
| Beverage    | 1 |

-----+

I/O

AI Agent

95 ms

STDIN

Input for the program ( Optional )

Output:

| Quantity | TotalOrders |
|----------|-------------|
| 2        | 4           |
| 1        | 3           |
| 3        | 2           |
| 4        | 1           |

| TotalCustomers |
|----------------|
| 10             |

| TotalMenuItems |
|----------------|
| 10             |

| TotalOrders |
|-------------|
| 10          |

| TotalMenuPrice |
|----------------|
| 1840           |

I/O

AI Agent

95 ms

STDIN

Input for the program ( Optional )

Output:

```
+-----+
| TotalSales |
+-----+
|      3350 |
+-----+
+-----+
| AveragePrice |
+-----+
|    184.0000 |
+-----+
+-----+
| AverageBill |
+-----+
|    335.0000 |
+-----+
+-----+
| HighestPrice |
+-----+
|         300 |
+-----+
+-----+
| HighestBill |
+-----+
|         500 |
+-----+
+-----+
| LowestPrice |
+-----+
```

I/O

AI Agent

95 ms

STDIN

Input for the program ( Optional )

Output:

```
+-----+
| 184.0000 |
+-----+
+-----+
| AverageBill |
+-----+
| 335.0000 |
+-----+
+-----+
| HighestPrice |
+-----+
| 300 |
+-----+
+-----+
| HighestBill |
+-----+
| 500 |
+-----+
+-----+
| LowestPrice |
+-----+
| 80 |
+-----+
+-----+
| LowestBill |
+-----+
| 160 |
+-----+
```