Information Security & Cryptography

Nehal Jhajharia

Lab Assignment 5

Using RSA, construct a program to encrypt and decrypt plaintext messages strings.

```
def gcd(a, h):
    temp = 0
    while(1):
        temp = a % h
        if (temp == 0):
            return h
        a = h
        h = temp

def gcdExtended(a, b):
    # Base Case
    if a == 0 :
        return b,0,1

    gcd,x1,y1 = gcdExtended(b%a, a)

    # Update x and y using results of recursive call
    x = y1 - (b//a) * x1
    y = x1

    return gcd,x,y


# p = 10333
# q = 11621
p =
323170060713110073007148766886699519604441026697154840321303454275246551388678908931972014115229134636887179609218980194941195591504909210950881523864482831206308773673009960917501977503896521067960576383840675682767922186426197561618380943384761704705816458520363050428875758915410658086075523991239303855219143333896683424206849747865645694948561760353263220580778056593310261927084603141502585928641771167259436037184618573575
```

```
835115230164590440369761323328723122712568471082020972515710172693132346967854258065669793504599726835299863821552516638964796012693924980662544070068581946958993838435695183356821818866 3
q = 3231700607131100730071487668866995196044410266971548403213034542752465513886789089319720141152291346368871796092189801949411955915049092109508815238644828312063087736730099609175019775038965210679605763838406756827679221864261975616183809433847617047058164585203630504288757589154106580860755239912393038552191433338966834242068497478656456949485617603532632205807780565933102619270846031415025859286417711672594360371846185735759835115233406399478558037072166541766221288120310494591455114000814739635788676766982004282879370858825224703109207115554022475103106425320988409923818468824646748949872133645013388938577 3

if p == q:
   print('equal')
else:
   print('unequal')

n = p*q

phi = (p-1)*(q-1)
e = 2
while (e < phi):
   if(gcd(e, phi) == 1):
       break
   else:
       e = e+1

# print(e)
# Private key (d stands for decrypt), choosing d such that it satisfies
# d*e = 1 mod(totient)

# k = 2
# d = (1 + (k*phi)) / e
_, _, d = gcdExtended(phi, e)
if d < 0: d += phi
# print(d)

# print((d * e) % phi)
# Encryption
```

```python
msg = (input("Enter msg : "))

res = []
for ch in msg:
    c = ord(ch)
    c = pow(c, e, n)
    res.append(c)

# Encryption c = (msg ^ e) % n
print(res)

# Decryption m = (c ^ d) % n
print("decrypted: ")
for ec in res:
    m = pow(ec, d, n)
    print(chr(m), end="")

# print("Decrypted message = ", m)
```

```
jhajharia@Nehals-MacBook-Air Asmt5 % python3 rsa.py
unequal
Enter msg : 14
[282475249, 380204032]
decrypted:
14%
jhajharia@Nehals-MacBook-Air Asmt5 %
```