API Specification Guide

API Catalog

Version 1.3

January 2026

Confidential - Partners

Document Information

Item	Details
Document Title	Bank Dhofar API Specification Guide
Version	1.3
Classification	Confidential - Partners
Country	Oman
Last Updated	January 2026

Version History

Version	Description	Date
1.0	E-Mandate Integration Specification - Initial release	24-Jan-2024
1.1	Corporate Banking APIs - Initial release	12-Sep-2025
1.2	EasyBiz Payment Services - API Specification	11-Nov-2025
1.3	Consolidated API Catalog - All services unified	21-Jan-2026

Confidentiality Notice

CONFIDENTIAL - PARTNERS ONLY

This document contains confidential and proprietary information of Bank Dhofar. The receipt or possession of this document does not convey any rights to reproduce or disclose its contents. This document must be used only in connection with authorized API integration projects and for no other purpose. Unauthorized disclosure to any third party is strictly prohibited.

Table of Contents

Introduction 4

API Overview 5

Part 1: EasyBiz Payment Services 7

1.1 Introduction & Authentication 7

1.2 Create Customer API 10

1.3 Update Customer API 12

1.4 Fetch Virtual Account API 14

1.5 Collect Payment - Basic API 15

1.6 Collect Payment - Detailed API 17

1.7 Check Payment Status API 20

1.8 Update Payment API 21

1.9 Cancel Payment API 22

Part 2: Corporate Banking APIs 23

2.1 Introduction & Authentication 23

2.2 Token Generation API 25

2.3 Operative Account Listing API 27

2.4 Account Balance Inquiry API 29

2.5 Beneficiary Listing API 31

2.6 Fund Transfer API 33

2.7 Mini Statement API 36

2.8 Transaction History API 38

2.9 Deposit Account Listing API 40

2.10 Loan Account Listing API 42

Part 3: E-Mandate Services **44**

3.1 Introduction & Architecture 44

3.2 Authentication 46

3.3 Company Registration API 47

3.4 Initiate Mandate API 48

3.5 Amend Mandate API 51

3.6 Mandate Termination API 53

3.7 Request Acknowledgement API 54

3.8 Request Acceptance API 55

3.9 Bulk Payment Release API 56

3.10 Bulk Payment Response API 57

3.11 Error Codes Reference 58

Appendix **59**

A. Transaction Purpose Codes 59

B. Quick Reference - All Endpoints 61

Introduction

This comprehensive document serves as the official API specification guide for Bank Dhofar's partner services. It provides detailed interface specifications to enable seamless integration between partners and Bank Dhofar's banking systems.

The APIs documented herein enable secure, real-time communication between external corporate systems and Bank Dhofar's infrastructure, supporting operations such as:

- **Payment Collection** - Create customers, virtual accounts, and collect payments
- **Account Management** - Query balances, statements, and transaction history
- **Fund Transfers** - Initiate transfers within the bank and across Oman
- **E-Mandate Services** - Manage recurring payment mandates with Financial Institutes

API Design Principles

- RESTful architecture using JSON for data exchange
- OAuth 2.0 / OpenID Connect authentication
- HTTPS transport with TLS 1.2+
- Strict validation with structured error responses

> **Production URLs**
>
> This document contains UAT/Test environment URLs. For production endpoint URLs, please contact your Bank Dhofar relationship manager.

API Overview

API Services Summary

Part	Service	APIs	Authentication	Use Case
1	EasyBiz Payment Services	9	OAuth2 + mTLS + AES-256	Payment collection, invoicing
2	Corporate Banking APIs	9	OAuth2 + VPN	Account inquiry, fund transfers
3	E-Mandate Services	9	Keycloak OIDC	Recurring mandate management

Base URLs

Service	Environment	Base URL
EasyBiz	UAT	`https://easybiz.dob.bankdhofar.com:1650`
Corporate Banking	UAT	`https://api-gateway.uat.bankdhofar.com`
E-Mandate	UAT	`https://api-gateway.uat.bankdhofar.com`

Architecture Overview



Figure 1: Bank Dhofar API Architecture

1

EasyBiz Payment Services

Customer Management, Virtual Accounts & Payment Collection APIs

1.1 Introduction & Authentication

EasyBiz Payment Services enable partners to manage customers, create virtual accounts, and collect payments through Bank Dhofar's infrastructure.

Authentication Flow

Step 1: Client Registration

Partners must register their applications to receive:

- `client_id` - Unique identifier for the client application
- `client_secret` - Secret key for authentication

Step 2: Token Generation

1. Client sends POST request to `/oauth2GetToken` with credentials
2. System generates access token with client information
3. Token is cached for validation purposes
4. Access token is returned to client (expires in 3600 seconds)

Step 3: API Access

1. Client includes access token in Authorization header: `Bearer <token>`
2. OAuth2 middleware validates the token
3. Middleware extracts client information and sets up request context
4. API processes the request with authenticated client data

Token Generation Endpoint

POST `https://easybiz.dob.bankdhofar.com:1650/Api/v1.0/oauth2GetToken`

Request Body

```
{
    "grant_type": "client_credentials",
    "client_id": "hylo_470_5e5c41222d17ce4d",
    "client_secret": "$2a$10$jRaFtxVnke4q36jDe2A4uubWP",
    "scope": "payment:write"
}
```

Response

```
{
    "access_token": "eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9...",
    "token_type": "Bearer",
    "expires_in": 3600,
    "scope": "payment:write"
}
```

Security Requirements

mTLS Required

Certificate and Key must be passed while calling APIs since mTLS is enabled.

Request Body Encryption

Request body must be encrypted and passed in the `Data` field. Responses are also encrypted.

Parameter	Value
Algorithm	AES-256 in CBC mode with PKCS5 padding
IV	{0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0}
Key Derivation	PBKDF2 with SHA-1

* Key and salt will be shared separately by Bank Dhofar.

Client Certificate Generation

```
# Step 1: Generate client key
openssl genrsa -out client.key 2048

# Step 2: Generate client CSR
openssl req -new -key client.key -out client.csr \
    -subj "/C=OM/ST=Muscat/L=Muscat/O=YourOrg/OU=Client/CN=client-user"

# Step 3: Create client-ext.cnf
echo "extendedKeyUsage = clientAuth" > client-ext.cnf

# Step 4: Sign Client CSR with CA
openssl x509 -req -in client.csr -CA ca.crt -CAkey ca.key -CAcreateserial \
    -out client.crt -days 825 -sha256 -extfile client-ext.cnf
```

1.2 Create Customer API

Creates a new customer/contact in the system and returns a virtual account number.

POST `<base_url>/api/v1.0/CreateContact`

Content Type	application/json
Method	POST
Authentication	Bearer Token + mTLS

Request Body Parameters

Parameter	Type	Required	Description
ContactEmail	String	Optional	Contact/Buyer's Email Id
ContactMobile	String	Required	Contact's Mobile Number
ContactBizName	String	Required	Contact's organization Name
ContactFullName	String	Required	Name of the contact
CompanyId	String	Required	Seller CompanyId
Mobile	String	Required	Seller Username
OpeningBalance	String	Optional	Opening Balance
Address1	String	Optional	Address line 1
Address2	String	Optional	Address line 2
City	String	Optional	City
State	String	Optional	State
Country	String	Optional	Country
PostalCode	String	Optional	Postal Code

Response Parameters

Parameter	Type	Description
Code	String	Response code (0 = success)
Status	String	Status of contact creation
Message	String	Descriptive message
Contact.Id	String	Unique contact identifier
Contact.LedgerLink	String	Unique LedgerLink
VPA	String	Virtual Account Number

Sample Request

```
{
    "CompanyId": "415",
    "ContactEmail": "john@gmail.com",
    "ContactMobile": "67111101",
    "Mobile": "H.891999920",
    "ContactBizName": "BritannicaEnterprise",
    "ContactFullName": "john",
    "MobileCountry": "Oman",
    "Address1": "AS1",
    "Address2": "Bait Al Falaj St",
    "City": "Cbd",
    "State": "Ruwi",
    "Country": "Oman",
    "PostalCode": "2992"
}
```

Sample Response

```
{
    "Code": "0",
    "Message": "Contact created successfully.",
    "Status": "APPROVED",
    "Contact": {
        "Id": "983",
        "LedgerLink": "iqQ6B39t",
        "Mobile": "6578934",
        "OpeningBalance": "0"
    },
    "VPA": "0603143010351739"
}
```

1.3 Update Customer API

Updates an existing customer/contact in the system.

POST `<base_url>/api/v1.0/UpdateContact`

Request Body Parameters

Parameter	Type	Required	Description
ContactId	String	Required	ContactId from create contact response
CompanyId	String	Required	CompanyId
Mobile	String	Required	Username of the seller
ContactEmail	String	Optional	Contact's Email (either email or mobile required)
ContactMobile	String	Optional	Contact's Mobile (either email or mobile required)
ContactBizName	String	Optional	Contact's organization name
ContactFullName	String	Optional	Name of the contact

Sample Request

```
{
    "ContactId": "841",
    "CompanyId": "415",
    "Mobile": "H.891999920",
    "ContactEmail": "john1@gmail.com",
    "ContactMobile": "24833083",
    "ContactBizName": "britannica enterprises",
    "ContactFullName": "john"
}
```

Sample Response

```
{
    "Code": "0",
    "Message": "Contact updated successfully.",
    "Status": "APPROVED",
    "Contact": {
        "Id": "841",
        "LedgerLink": "RyovWajv",
        "Mobile": "24833083",
        "Email": "john1@gmail.com"
    }
}
```

1.4 Fetch Virtual Account API

Retrieves the virtual account number for an existing contact.

POST `<base_url>/api/v1.0/fetchVirtualAccount`

Request Body Parameters

Parameter	Type	Required	Description
ContactId	String	Required	Contact/Buyer Unique Identification Number

Sample Request

```
{
    "ContactId": "795"
}
```

Sample Response

```
{
    "Code": "0",
    "Message": "Contact account number fetched successfully.",
    "Status": "APPROVED",
    "Contact": {
        "Id": "795",
        "VPA": "0702617"
    }
}
```

1.5 Collect Payment - Basic API

Creates a basic payment link for collecting payments.

POST `<base_url>/api/v1.0/Payment`

Request Body Parameters

Parameter	Type	Required	Description
orderId	String	Required	Unique Identifier for Payment Link
amount	String	Required	Payment Amount
customer_name	String	Required	Name of the Payer
customer_mobile	String	Required	Payer Mobile Number
customer_email	String	Optional	Payer Email Id
currency	String	Required	Currency (default: "OMR")
expire_by	Integer	Optional	Payment expiry timestamp
sms_notify	Boolean	Optional	Send SMS notification (default: true)
email_notify	Boolean	Optional	Send Email notification (default: true)
partial_payment	Boolean	Optional	Allow partial payment (default: true)
dueDate	String	Optional	Due Date (YYYY-MM-DD)
redirect_url	String	Optional	Redirect URL after payment

Sample Request

```
{
    "orderId": "INV1001",
    "amount": "100",
    "customer_name": "TEST ACCOUNT PVT LTD",
    "customer_mobile": "919999999999",
    "customer_email": "testaccount@example.com",
    "currency": "OMR",
    "expire_by": 1691097057,
    "sms_notify": true,
    "email_notify": true,
    "partial_payment": true,
    "dueDate": "2022-05-24"
}
```

Sample Response - Success

```
{
    "code": "0",
    "message": "Payment link created successfully",
    "status": "CREATED",
    "hyloRefNo": "PAY123456",
    "currency": "OMR",
    "short_url": "https://pay.bankdhofar.com/p/abc123",
    "order_id": "INV1001",
    "expire_by": 1691097057,
    "issued_at": 1690924257,
    "amount": "100",
    "amount_due": "100",
    "amount_paid": "0",
    "customer_name": "TEST ACCOUNT PVT LTD",
    "customer_mobile": "919999999999",
    "customer_email": "testaccount@example.com",
    "dueDate": "2022-05-24"
}
```

Sample Response - Failure

```
{
    "code": "1001",
    "type": "VALIDATION_ERROR",
    "message": "Invalid order ID format"
}
```

1.6 Collect Payment - Detailed API

Creates a detailed invoice with line items, taxes, discounts, and generates a payment link.

POST `<base_url>/api/v1.0/createInvoice`

Request Body Parameters

Parameter	Type	Description
orderId	String	Unique identifier for the order
title	String	Title or description of the order
contactMobile	String	Customer's mobile number
contactEmail	String	Customer's email address
contactFullName	String	Customer's full name
chargeApplyType	String	Level at which charges apply (e.g., "Item Level")
items	Array	List of order items (see below)
charges	Object	Overall order-level charges
subTotal	String	Total amount before charges
totalTax	String	Total tax amount
totalDiscount	String	Total discount amount
totalAmount	String	Final total amount
currency	String	Currency code (e.g., "OMR")
generatePaymentLink	String	"yes" to generate payment link
DueDate	String	Due date for the payment

Items Array Structure

Field	Type	Description
id	String	Unique item ID
name	String	Item name

units	String	Unit of measure (e.g., "pcs", "kg")
quantity	String	Quantity of the item
sellingPrice	String	Price per unit
totalAmount	String	Total amount for this item
itemCharges	Object	Item-level charges (taxes, discounts)

Charges Object Structure

Field	Type	Description
taxes	Array	List of taxes [{name, value, amount}]
discounts	Array	List of discounts [{name, value, amount}]
otherCharges	Array	List of other charges [{name, value, amount}]

Sample Response - Success

```
{
    "code": "0",
    "message": "Invoice created successfully",
    "status": "CREATED",
    "hyloRefNo": "INV789012",
    "invoice_url": "https://invoice.bankdhofar.com/v/xyz789",
    "short_url": "https://pay.bankdhofar.com/p/xyz789",
    "order_id": "ORD-2024-001"
}
```

1.7 Check Payment Status API

Retrieves the current status of a payment.

POST `<base_url>/api/v1.0/PaymentStatus`

Request Body Parameters

Parameter	Type	Required	Description
orderId	String	Required	Unique Identifier for Payment Link

Sample Request

```
{
    "orderId": "INV1001"
}
```

Sample Response - Success

```
{
    "code": "0",
    "message": "Payment status retrieved",
    "paymentDetails": {
        "code": "0",
        "message": "SUCCESS",
        "txStatus": "COMPLETED",
        "txTime": "2024-01-15T10:30:00Z",
        "paymentStatus": "PAID",
        "currency": "OMR",
        "paymentMode": "CARD",
        "referenceId": "TXN123456789",
        "orderAmount": "100.000",
        "remainingAmount": "0.000",
        "signature": "abc123def456..."
    }
}
```

1.8 Update Payment API

Updates an existing payment record (e.g., for cash or cheque payments).

POST `<base_url>/api/v1.0/UpdatePayment`

Request Body Parameters

Parameter	Type	Description
orderId	String	Order/Invoice identifier
paymentMode	String	Mode of Payment (CASH, CHEQUE)
amount	String	Amount being paid
status	String	Payment status (e.g., "PAID")
refNo	String	Cheque Number (for cheque payments)
settlementDate	String	Cheque Date (for cheque payments)
bankName	String	Bank Name (for cheque payments)

Sample Request

```
{
    "orderId": "INV1001",
    "paymentMode": "CASH",
    "amount": "100",
    "status": "PAID",
    "refNo": "",
    "settlementDate": "",
    "bankName": ""
}
```

Sample Response

```
{
    "code": "0",
    "message": "Payment updated successfully",
    "status": "SUCCESS"
}
```

1.9 Cancel Payment API

Cancels an existing payment link.

POST `<base_url>/api/v1.0/CancelPayment`

Request Body Parameters

Parameter	Type	Required	Description
orderId	String	Required	Unique Identifier for Payment Link

Sample Request

```
{
    "orderId": "INV1001"
}
```

Sample Response - Success

```
{
    "code": "0",
    "type": "SUCCESS",
    "message": "Payment cancelled successfully"
}
```

2

Corporate Banking APIs

Account Inquiry, Fund Transfers & Statement APIs for Corporate Customers

2.1 Introduction & Authentication

The Corporate Banking APIs enable corporate customers to access account information, manage beneficiaries, and initiate fund transfers through Bank Dhofar's API infrastructure.

API Categories

- **Authentication APIs** - Token generation for secure access
- **Inquiry APIs** - Fetch account balances, mini statements, and transaction history
- **Listing APIs** - Retrieve lists of accounts, beneficiaries, deposits, and loans
- **Transaction APIs** - Initiate fund transfers within the bank or across Oman

Security & Connectivity Requirements

Requirement	Details
Protocol	HTTPS
Authentication	OAuth 2.0 Token-based
Data Format	JSON
Connectivity	VPN access required (provided during onboarding)
IP Whitelist	Static or dynamic IP ranges must be provided
Rate Limit	5 requests/second
Burst Rate	10 requests/second

Base URL

```
https://api-gateway.uat.bankdhofar.com
```

Open API Access Required

Users must be enabled for Open API access via admin settings: Corporate Customer Entitlements → User Maintenance → Modify Corporate User ID → "Open API Access Required Allowed" = Y

2.2 Token Generation API

Generates an OAuth2 access token for authenticating subsequent API calls.

POST `https://api-gateway.uat.bankdhofar.com/openauth/v2/oauth/token`

Request Body Parameters (x-www-form-urlencoded)

Parameter	Required	Example	Description
grant_type	Required	password	OAuth grant type
client_id	Required	86b90fd562c0b4b0cb14	Client identifier
client_secret	Required	a4cddf0aa8db0d7a...	Client secret
bank_id	Required	025	Bank identifier
channel_id	Required	I	Channel identifier
username	Required	MUATCORP.MAKER1	Corporate username
password	Required	Password@123	User password
language_id	Required	001	Language (001 = English)
login_type	Required	02	Login type
custom_data	Required	Y	Must be "Y" for Open API users

Request Headers

Header	Value
Content-Type	application/json
Accept	application/json

Sample Response


```
{
    "access_token": "4192dbb88915fcbcfaaa77b180572687bf75d50e8c57a66ae4ebc50f2bbc2211",
    "token_type": "Bearer",
    "expires_in": 3599,
    "user": {
        "userId": "MAKER1",
        "userType": "2",
        "corporateId": "MUATCORP",
        "isTermsandConditionsAcceptanceRequired": "N",
        "forceSignonPasswordChangeFlag": "N",
        "forceTxnPasswordChangeFlag": "N",
        "forceSecurityQuestionChangeFlag": "N",
        "isUnifiedLoginAllowed": "N",
        "uniqueId": "efb43cae8caf67b730aef72726b8ee3591b6f954"
    }
}
```

2.3 Operative Account Listing API

Retrieves the list of operative (current/savings) accounts for the corporate customer.

GET `/dehadmin/rest/v1/banks/{bankid}/corporates/{corpid}/users/{userid}/custom-operativeaccounts/accountsummarylist`

Path Parameters

Parameter	Description
bankid	Bank identifier (e.g., "025")
corpid	Corporate identifier
userid	User identifier

Query Parameters

Parameter	Required	Description
accountCurrency	Required	Currency filter (e.g., "OMR")

Request Headers

Header	Value
Authorization	Bearer {access_token}
Content-Type	application/json
Accept	application/json

Sample Response


```
{
    "header": {
        "status": {
            "message": [{"message_TYPE": "SU", "messageDesc": "SUCCESS", "messageCode":
"0000"}]
        },
        "pagination": {"totalRecordCount": "12", "hasMoreRecords": "N", "numRecReturned":
"12"}
    },
    "data": [
        {
            "accountId": "01040007431002",
            "accountEntityType": {"codeType": "LMAT", "cmCode": "I", "codeDescription":
"Home Bank Own Entity"},
            "accountName": "OMAN INVESTMENT FINANCE CO",
            "accountNickName": "OMAN INVES",
            "accountStatus": {"codeType": "ACS", "cmCode": "O", "codeDescription":
"Active"},
            "accountCurrency": {"codeType": "CRN", "cmCode": "OMR", "codeDescription":
"OMR"},
            "accountType": {"codeType": "ACNT", "cmCode": "ODA", "codeDescription":
"OVERDRAFT A/C"},
            "balances": [
                {"type": "totalBalance", "amountDetails": {"amount": 20348.648,
"currency": "OMR"}},
                {"type": "availableBalance", "amountDetails": {"amount": 20348.648,
"currency": "OMR"}}
            ]
        }
    ]
}
```

2.4 Account Balance Inquiry API

Retrieves detailed balance information for a specific account.

GET /dehadmin/rest/v1/banks/{bankid}/corporates/{corpid}/users/{userid}/custom-operativeaccounts/{accountId}

Path Parameters

Parameter	Description
accountId	Account number to query

Sample Response


```
{
    "accountId": "01040007431004",
    "accountName": "OMAN INVESTMENT FINANCE CO",
    "accountStatus": {"codeType": "ACS", "cmCode": "A", "codeDescription": "Active"},
    "accountCurrency": {"codeType": "CRN", "cmCode": "OMR", "codeDescription": "OMR"},
    "accountType": {"codeType": "ACT", "cmCode": "ODA", "codeDescription": "OVERDRAFT A/
C"},
    "branchCode": "009",
    "customerId": "0007431",
    "sanctionLimit": {"amount": 225000.0, "currency": "OMR"},
    "drawingPower": {"amount": 28372950.869, "currency": "OMR"},
    "availableBalance": {"amount": -223895.525, "currency": "OMR"},
    "accountBalance": {"amount": -223895.525, "currency": "OMR"},
    "effectiveAvailableBalance": {"amount": 0.0, "currency": "OMR"},
    "ledgerBalance": {"amount": 0.0, "currency": "OMR"},
    "lienBalance": {"amount": 770376.039, "currency": "OMR"},
    "unclearBalance": {"amount": 0.0, "currency": "OMR"},
    "modeOfOperation": "SOLE",
    "debitInterestRate": 0.0,
    "creditInterestRate": 0.0
}
```

2.5 Beneficiary Listing API

Retrieves the list of registered beneficiaries/counterparties for the corporate customer.

GET `/dehadmin/rest/v1/banks/{bankid}/corporates/{corpid}/custom-all-counterparties`

Query Parameters

Parameter	Required	Values	Description
payeeType	Required	AL, WB, WO	AL=All, WB=Within Bank, WO=Within Oman

Sample Response


```
[
    {
        "counterpartyId": 628,
        "counterpartyName": "UATBAHARIN1",
        "counterpartyNickname": "UATBAHARIN1",
        "accountId": "12345678",
        "bankDetails": {
            "isExistingBank": "Y",
            "counterpartyBank": {"codeType": "IBT", "cmCode": "OBK", "codeDescription":
"Other Bank"},
            "bankIdentifier": "BMAGBHBMXXX",
            "networkType": {"codeType": "NWK", "cmCode": "GPC", "codeDescription": "GCC
Transfer"},
            "bankName": "CENTRAL BANK OF BAHRAIN",
            "branchName": "XXX",
            "country": {"codeType": "CNT", "cmCode": "BH", "codeDescription": "BAHRAIN"}
        },
        "counterpartyUserType": {"codeType": "CPYT", "cmCode": "C", "codeDescription":
"Corporate"},
        "accountCurrency": "BHD",
        "creationDate": "2024-10-21T08:40:45Z"
    }
]
```

2.6 Fund Transfer API

Initiates fund transfers including Own Account, Within Bank, and Within Oman transfers.

POST `/dehadmin/rest/v3/banks/{bankid}/corporates/{corpid}/users/{userid}/custom-multientrytransactionswithlimitedfieldrequests`

Request Headers

Header	Value
Authorization	Bearer {access_token}
Content-Type	application/json
ChannelContext	JSON object with authorization details (see below)

ChannelContext Header

```
{
    "authorizationDetails": {
        "primaryAccessCode": "",
        "secondaryAccessCode": "",
        "userId": "OMAL",
        "acceptTermsAndConditions": "Y",
        "isConfirmationMode": "Y",
        "workflowInput": {
            "ruleId": "",
            "approverDetails": [{"approverType": "R", "approverId": ""}],
            "userRemarks": ""
        }
    }
}
```

Request Body Parameters

Parameter	Required	Description
transactionCurrency	Required	Transaction currency (beneficiary currency)
transactionType	Required	OWN=Self, TPA=Within Bank, PMT=Other Bank
transactionDate	Required	Transaction date (current date)
initiatorAccount	Required	Debit account number

amount	Required	Transaction amount
remarks	Required	Transaction remarks (max 35 chars)
payeeAccountDetails	Required	Beneficiary details
counterpartyType	Required	O=Own, P=Registered, H=Adhoc
transactionPurpose	For PMT	Purpose code (see Appendix A)

Sample Request - Within Bank Transfer

```
{
    "transactionCurrency": "OMR",
    "transactionType": "TPA",
    "transactionDate": "2025-01-14T20:00:00",
    "entryDetails": [
        {
            "initiatorAccount": "01040125856001",
            "amount": 121,
            "remarks": "SELFSAMECURRENCY5",
            "payeeAccountDetails": {
                "counterpartyAccount": "01040125856002"
            },
            "counterpartyType": "O"
        }
    ]
}
```

Sample Response

```
{
    "frequencyType": {"id": "O", "description": "One Time"},
    "transactionDate": "2025-01-14T20:00:00Z",
    "transactionType": {"codeType": "TTP", "cmCode": "OWN", "codeDescription": "Self
transfer"},
    "commonSection": {
        "numberOfEntries": "1",
        "totalAmount": "121.0",
        "requestReferenceId": 1467501,
        "transactionReferenceId": 1443700,
        "transactionStatus": {"codeType": "ALS", "cmCode": "SUC", "codeDescription":
"Success"}
    }
}
```

Transaction Status Codes

Code	Description

SUC	Success
PEN	Pending
PCA	Pending for Corporate Approval
PBA	Pending for Bank Approval
REJ	Rejected
FAL	Failed
ABT	Aborted

2.7 Mini Statement API

Retrieves the last N transactions for an account.

GET `/dehadmin/rest/v1/banks/{bankid}/corporates/{corpid}/users/{userid}/custom-operativeaccounts/{accountId}/ministatement`

Query Parameters

Parameter	Required	Description
`lastNTransactions`	**Required**	Number of transactions (e.g., 15)

Sample Response


```
[
    {
        "transactionDate": "2024-11-14T02:01:00Z",
        "amountType": {"codeType": "ACT", "cmCode": "05", "codeDescription": "DEBIT"},
        "amount": {"amount": 100.0, "currency": "OMR"},
        "transactionRemarks": "IB-TF-ok-1535-1",
        "transactionCategory": "TCI",
        "transactionBalance": {"amount": 20027.607, "currency": "OMR"},
        "lastTransactionSerialNo": "1",
        "lastTransactionId": "SD7381063",
        "lastPostedDate": "2024-11-16T20:40:47Z",
        "availableBalance": {"amount": 19092.607, "currency": "OMR"},
        "ledgerBalance": {"amount": 20348.648, "currency": "OMR"}
    }
]
```

2.8 Transaction History API

Retrieves transaction history for an account within a date range.

GET `/dehadmin/rest/v1/banks/{bankid}/corporates/{corpid}/users/{userid}/custom-operativeaccounts/{accountId}/transactions`

Query Parameters

Parameter	Required	Description
`transactionValue`	Required	Minimum transaction value (0 for all)
`transactionDate`	Required	Date range (URL encoded JSON)

Date Range Format

The transactionDate parameter must be URL encoded. Example:

`{"lt":"2023-11-16T20:00:00","gt":"2024-11-16T20:00:00"}`

Encoded:

`%7B%22lt%22%3A%222023-11-16T20%3A00%3A00%22%2C%22gt%22%3A%222024-11-16T20%3A00%3A00%22%7D`

Sample Response

```
[
    {
        "transactionDate": "14-11-2024",
        "accountId": "01130605347002",
        "amountType": {"codeType": "ACT", "cmCode": "05", "codeDescription": "DEBIT"},
        "amount": {"amount": 20.0, "currency": "OMR"},
        "transactionRemarks": "IB-TF-TEST-2723-1SAIMK-TEST",
        "transactionBalance": {"amount": 2445.53, "currency": "OMR"},
        "transactionId": "SD7381061",
        "valueDate": "17-11-2024"
    }
]
```

2.9 Deposit Account Listing API

Retrieves the list of deposit (term deposit) accounts.

GET /dehadmin/rest/v1/banks/{bankid}/corporates/{corpid}/users/{userid}/customdepositaccounts

Sample Response


```
[
    {
        "accountId": "01030007431017",
        "accountName": "OMAN INVESTMENT FINANCE CO",
        "accountNickName": "OMAN INVES",
        "accountStatus": {"codeType": "ACS", "cmCode": "A", "codeDescription": "Active"},
        "accountCurrency": {"codeType": "CRN", "cmCode": "OMR", "codeDescription": "OMR"},
        "accountOpenDate": "2024-10-02T20:00:00Z",
        "parentAccountType": {"codeType": "MAT", "cmCode": "DEP", "codeDescription":
"Deposit Accounts"},
        "accountType": {"codeType": "ACNT", "cmCode": "TDA", "codeDescription": "TERM
DEPOSIT"},
        "balances": [
            {"type": "maturityAmount", "amountDetails": {"amount": 578.481, "currency":
"OMR"}},
            {"type": "depositAmount", "amountDetails": {"amount": 544.0, "currency":
"OMR"}}
        ],
        "interestRate": 4.75,
        "maturityDate": "21-01-2026"
    }
]
```

2.10 Loan Account Listing API

Retrieves the list of loan accounts.

GET /dehadmin/rest/v1/banks/{bankid}/corporates/{corpid}/users/{userid}/custom-loanaccounts

Sample Response


```
[
    {
        "accountId": "01060007431276",
        "accountName": "OMAN INVESTMENT FINANCE CO",
        "accountNickName": "OMAN INVES",
        "accountStatus": {"codeType": "ACS", "cmCode": "O", "codeDescription": "Open"},
        "accountCurrency": {"codeType": "CRN", "cmCode": "OMR", "codeDescription": "OMR"},
        "accountOpenDate": "2020-06-30T20:00:00Z",
        "parentAccountType": {"codeType": "MAT", "cmCode": "LON", "codeDescription": "Loan
Accounts"},
        "accountType": {"codeType": "ACNT", "cmCode": "CLA", "codeDescription":
"COMMERCIAL LENDING"},
        "balances": [
            {"type": "disbursedAmount", "amountDetails": {"amount": 2000000.0, "currency":
"OMR"}},
            {"type": "dueAmount", "amountDetails": {"amount": -900000.0, "currency":
"OMR"}},
            {"type": "overdueAmount", "amountDetails": {"amount": -900000.0, "currency":
"OMR"}}
        ],
        "interestRate": 0.0
    }
]
```

3

E-Mandate Services

Mandate Lifecycle Management & Bulk Payment APIs for Financial Institutes

3.1 Introduction & Architecture

E-Mandate Services enable Financial Institutes to manage direct debit mandates with Bank Dhofar through the CBO (Central Bank of Oman) integrated system powered by ProgressSoft.

Service Capabilities

- **Company Registration** - Register financial institutes as creditors
- **Mandate Lifecycle** - Initiate, amend, and terminate mandates
- **Status Tracking** - Acknowledgement and acceptance workflows
- **Bulk Payments** - Release and track bulk payment executions

Architecture Flow



Figure 2: E-Mandate Request Flow

3.2 Authentication

E-Mandate services are secured using Keycloak OpenID Connect (OIDC) authentication.

POST `https://api-gateway.uat.bankdhofar.com/api/token`

Request Body

```
{
    "clientId": "D4E7F9A1B2C34567A8B9C0D12345EFGH",
    "username": "corpuser001",
    "password": "Corp@2026!XyZ#",
    "grantType": "password"
}
```

Response

```
{
    "access_token": "eyJhbGciOiJSUzI1NiIsInR5cCI6IkpXVCJ9...",
    "token_type": "Bearer",
    "expires_in": 3600
}
```

Authorization Header Format

All subsequent API calls must include: `Authorization: Bearer <access_token>`

Credentials

For actual clientId, username and password, please contact the Bank Dhofar business team. Requests without a valid access token will be rejected with a 401 Unauthorized response.

3.3 Company Registration API

Registers a financial institute as a creditor in the mandate system.

POST `https://api-gateway.uat.bankdhofar.com/api/v1/companies/register`

Request Body

```
{
    "name": "United Finance SOAG",
    "addressLine1": "Ruwi Street 12",
    "city": "Muscat",
    "postalCode": "113",
    "country": "OM"
}
```

Response

```
{
    "id": "27507061-3b84-4aeb-a694-2f526d1bb755",
    "name": "United Finance SOAG",
    "postalCode": "113",
    "country": "OM",
    "prefix": "UNF1",
    "createdAt": null
}
```

Company Prefix

The returned `prefix` (e.g., "UNF1") must be used as the first 4 characters of every subsequent request ID.

3.4 Initiate Mandate API

Initiates a new mandate request for recurring payments.

POST `https://api-gateway.uat.bankdhofar.com/api/v1/mandate/initiate`

Request Body Parameters

Parameter	Type	Required	Description
mandateRequestId	String	Required	Unique ID (max 35 chars, format: {Prefix}-{CorpPrefix}-MNDT-{Seq})
creationDateTime	String	Required	ISO datetime
sequenceType	String	Required	RCUR (Recurring), OOFF (One-off)
frequencyType	String	Required	DAIL, WEEK, MNTH, YEAR
startDate	String	Required	Mandate start date
endDate	String	Required	Mandate end date
collectionAmount	Number	Optional	Fixed collection amount
maxAmount	Number	Optional	Maximum amount (takes precedence over collectionAmount)
currency	String	Required	Currency code
creditorName	String	Required	Creditor name
creditorAccountNumber	String	Required	Creditor account
creditorBankCode	String	Required	Creditor bank BIC
debtorName	String	Required	Debtor name
debtorMobile	String	Required	Debtor mobile
debtorAccountNumber	String	Required	Debtor account
debtorBankCode	String	Required	Debtor bank BIC
mandateType	String	Required	REVOCABLE, IRREVOCABLE

autoPost	Boolean	Optional	Auto-post transactions

Sample Request

```
{
    "mandateRequestId": "UNF1-MNDTd4-1493",
    "creationDateTime": "2025-05-14T11:29:00",
    "sequenceType": "RCUR",
    "frequencyType": "DAIL",
    "startDate": "2025-05-17+04:00",
    "endDate": "2025-05-31+04:00",
    "collectionAmount": 50.00,
    "currency": "11",
    "creditorName": "UNITED FINANCE SOAG",
    "creditorAccountNumber": "62W23140",
    "creditorId": "01011139480001",
    "creditorBankCode": "BDOFOMRU",
    "debtorName": "AHMED MOHAMMED ALI",
    "debtorMobile": "12687335",
    "debtorAccountNumber": "01010603143001",
    "debtorBankCode": "BDOFOMRU",
    "mandateDescription": "BDOF-HMDT-109",
    "autoPost": false,
    "productCode": "RETAIL",
    "productCif": "1139480",
    "productType": "CREDITOR",
    "mandateType": "REVOCABLE",
    "numberOfDebits": 15,
    "executionDay": 1,
    "paymentPriority": 1,
    "paymentMode": "1116"
}
```

Sample Response - Success

```
{
    "success": true,
    "code": "OK",
    "message": "Request received successfully",
    "data": {
        "requestId": "UNF1-MNDTd4-1493",
        "eventType": "MNDTINIT",
        "status": "RAISED"
    }
}
```

Sample Response - Duplicate

```
{
    "success": false,
    "code": "FAILED",
    "message": "Duplicate mandateRequestId: UNF1-MNDTd4-1493"
}
```

3.5 Amend Mandate API

Amends an existing mandate.

POST https://api-gateway.uat.bankdhofar.com/api/v1/mandate/amend

Sample Request

```
{
    "mandateRequestId": "76800298b189",
    "mandateId": "5ea4fdd5d25ff",
    "creDtTm": "2024-10-02T10:48:09",
    "amendmentReasonCode": "4",
    "amendmentAdditionalInfo": "Additional Info",
    "sequenceType": "RCUR",
    "frequencyType": "MNTH",
    "fromDate": "2024-10-02",
    "toDate": "2025-10-02",
    "collectionAmount": 50,
    "currency": "OMR",
    "autoPost": false,
    "initiatedBy": "UserName",
    "mandateType": "AMENDMENT",
    "numberOfPayments": 11
}
```

Sample Response

```
{
    "success": true,
    "code": "OK",
    "message": "Request received successfully",
    "data": {
        "requestId": "76800298b189",
        "eventType": "MNDTAMEND",
        "status": "RAISED"
    }
}
```

3.6 Mandate Termination API

Terminates/cancels an existing mandate.

POST `https://api-gateway.uat.bankdhofar.com/api/v1/mandate/terminate`

Sample Request

```
{
    "mandateRequestId": "MNDTCXLREQ123467",
    "creDtTm": "2024-10-02T09:29:50",
    "cancellationReasonCode": "CUSTOMER_REQUEST",
    "cancellationAdditionalInfo": "Customer requested cancellation due to account
closure",
    "originalMandateId": "ORGMNDT9876545"
}
```

Sample Response

```
{
    "success": true,
    "code": "OK",
    "message": "Request received successfully",
    "data": {
        "requestId": "MNDTCXLREQ123467",
        "eventType": "MNDTTERM",
        "status": "RAISED"
    }
}
```

3.7 Request Acknowledgement API

Retrieves the acknowledgement status of a mandate request.

POST `https://api-gateway.uat.bankdhofar.com/api/v1/mandate/acknowledgement`

Sample Request

```
{
    "mandateRequestId": "5ea4fd5d25ff",
    "requestType": "MNDTINIT"
}
```

Sample Response

```
{
    "success": true,
    "code": "OK",
    "message": "Response Received successfully",
    "data": {
        "mandateId": "156991391cc1",
        "eventType": "MNDTINIT",
        "status": "ACCEPTED"
    }
}
```

3.8 Request Acceptance API

Retrieves the final acceptance status of a mandate request.

POST `https://api-gateway.uat.bankdhofar.com/api/v1/mandate/acceptance`

Sample Request

```
{
    "mandateId": "5ea4fd5d25ff",
    "requestType": "MNDTINIT"
}
```

Sample Response

```
{
    "success": true,
    "code": "OK",
    "message": "Response Received successfully",
    "data": {
        "requestId": "5ea4fd5d25ff",
        "mandateId": "5ea4fd5d25ff",
        "eventType": "MNDTAMEND",
        "status": "ACCEPTED",
        "reason": "Only in case of rejected"
    }
}
```

3.9 Bulk Payment Release API

Releases a batch of payments for execution.

POST `https://api-gateway.uat.bankdhofar.com/api/v1/bulk/payment/release`

Sample Request

```
{
    "BulkPaymentRequest": {
        "BulkRequestId": "UNF2-HMDETd4-1493",
        "Summary": {
            "NumberOfRecords": 2,
            "TotalAmount": 150.00,
            "Currency": "OMR"
        },
        "Payments": [
            {
                "MandateId": "MAND12345",
                "PaymentSequence": 1,
                "ReleaseDate": "2025-09-01",
                "PaymentAmount": 100.00
            },
            {
                "MandateId": "MAND67890",
                "PaymentSequence": 2,
                "ReleaseDate": "2025-09-01",
                "PaymentAmount": 50.00
            }
        ]
    }
}
```

Sample Response

```
{
    "success": true,
    "code": "OK",
    "message": "BulkRequest received successfully",
    "data": {
        "bulkRequestId": "464654654658",
        "systemId": 8,
        "eventType": "RELEASEBULKPAY",
        "status": "RAISED"
    }
}
```

3.10 Bulk Payment Response API

Retrieves the status and results of a bulk payment request.

GET `https://api-gateway.uat.bankdhofar.com/api/v1/bulk/payment/response/{BulkRequestId}`

Sample Response


```
{
    "success": true,
    "code": "OK",
    "message": "Response received successfully",
    "data": {
        "Summary": {
            "externalRequestId": "4646546546567",
            "numberOfRecords": 2,
            "totalAmount": "150.000",
            "currency": "OMR",
            "status": "PERSISTED",
            "requestedAt": "2025-12-30T11:46:23.691956",
            "Payments": [
                {
                    "mandateId": "MAND12345",
                    "paymentSequence": 1,
                    "releaseDate": "2025-09-01",
                    "paymentAmount": "100.000",
                    "status": "ACCEPTED",
                    "reason": "ACCEPTED"
                },
                {
                    "mandateId": "MAND67890",
                    "paymentSequence": 2,
                    "releaseDate": "2025-09-01",
                    "paymentAmount": "50.000",
                    "status": "REJECTED",
                    "reason": "Amount should not exceed the amount of mandate"
                }
            ]
        },
        "eventType": "RELEASEBULKPAY",
        "status": "PERSISTED"
    }
}
```

3.11 Error Codes Reference

Code	Value	Description
200	SUCCESS	Request raised successfully
204	No content	Unable to find response
400	Bad Request	Invalid parameters
401	Unauthorized	Invalid or missing token
403	Forbidden	Insufficient scope/permissions
404	Method not Found	Invalid endpoint
503	Service unavailable	Services facing issues

Appendix

A. Transaction Purpose Codes

The following purpose codes are used in fund transfer transactions:

Code	Description
1001	Membership fees
1002	Charity Payment
1003	Others
201	Monthly Pension Salary
301	Monthly Social Security Salary
302	Social Security onetime payment
401	Deposit Operation
402	Account Management
403	Utility Payment
404	Customer to Corporate
405	Customer to Customer
406	Reversal of Debit/Credit Transaction
501	Court Order
601	Government Payment
602	Government Fee Collection
603	Government Penalty Payment
701	Property Tax
702	Corporate Tax
703	Income Tax
704	VAT payment
705	Excise (Import/Export) payment
706	Municipality Tax
707	Tourism Tax
801	IPO subscription
802	IPO refund
803	Dividend
804	Market Shares Payment

901	Interest Payment
902	Loan disbursement
903	Full & final Loan Settlement
904	Loan installment payment
905	Loan insurance refund
906	Mortgage installment
907	Credit card payment
1101	Bills to Vendor/company
1102	Service payment
1103	Insurance payment
1104	Rent of lease
1105	Fees collection
1106	School fees

B. Quick Reference - All Endpoints

Part 1: EasyBiz Payment Services

API	Method	Endpoint
Token Generation	POST	/Api/v1.0/oauth2GetToken
Create Customer	POST	/api/v1.0/CreateContact
Update Customer	POST	/api/v1.0/UpdateContact
Fetch Virtual Account	POST	/api/v1.0/fetchVirtualAccount
Collect Payment (Basic)	POST	/api/v1.0/Payment
Collect Payment (Detailed)	POST	/api/v1.0/createInvoice
Check Payment Status	POST	/api/v1.0/PaymentStatus
Update Payment	POST	/api/v1.0/UpdatePayment
Cancel Payment	POST	/api/v1.0/CancelPayment

Part 2: Corporate Banking APIs

API	Method	Endpoint
Token Generation	POST	/openauth/v2/oauth/token
Operative Account Listing	GET	/dehadmin/rest/v1/banks/{id}/.../accountsummarylist
Account Balance Inquiry	GET	/dehadmin/rest/v1/banks/{id}/.../custom-operativeaccounts/{accId}
Beneficiary Listing	GET	/dehadmin/rest/v1/banks/{id}/.../custom-all-counterparties
Fund Transfer	POST	/dehadmin/rest/v3/banks/{id}/.../custom-multientrytransactions...
Mini Statement	GET	/dehadmin/rest/v1/banks/{id}/.../ministatement
Transaction History	GET	/dehadmin/rest/v1/banks/{id}/.../transactions
Deposit Account Listing	GET	/dehadmin/rest/v1/banks/{id}/.../customdepositaccounts
Loan Account Listing	GET	/dehadmin/rest/v1/banks/{id}/.../custom-loanaccounts

Part 3: E-Mandate Services

API	Method	Endpoint
Token Generation	POST	/api/token
Company Registration	POST	/api/v1/companies/register
Initiate Mandate	POST	/api/v1/mandate/initiate
Amend Mandate	POST	/api/v1/mandate/amend
Terminate Mandate	POST	/api/v1/mandate/terminate

Request Acknowledgement	POST	/api/v1/mandate/acknowledgement
Request Acceptance	POST	/api/v1/mandate/acceptance
Bulk Payment Release	POST	/api/v1/bulk/payment/release
Bulk Payment Response	GET	/api/v1/bulk/payment/response/{id}

Bank Dhofar API Specification Guide V1.3

Confidential - Partners | January 2026

© Bank Dhofar SAOG. All rights reserved.