```
<html xmlns:v="urn:schemas-microsoft-com:vml"
xmlns:o="urn:schemas-microsoft-com:office:office"
xmlns:w="urn:schemas-microsoft-com:office:word"
xmlns:m="http://schemas.microsoft.com/office/2004/12/omml"
xmlns="http://www.w3.org/TR/REC-html40">
<head>
<meta http-equiv=Content-Type content="text/html; charset=unicode">
<meta name=ProgId content=Word.Document>
<meta name=Generator content="Microsoft Word 15">
<meta name=Originator content="Microsoft Word 15">
k rel=File-List href="text-to-word files/filelist.xml">
<link rel=Edit-Time-Data href="text-to-word_files/editdata.mso">
<!--[if !mso]>
<style>
v\:* {behavior:url(#default#VML);}
o\:* {behavior:url(#default#VML);}
w\:* {behavior:url(#default#VML);}
.shape {behavior:url(#default#VML);}
</style>
<![endif]-->
<title>Text To Word</title>
<!--[if gte mso 9]><xml>
<o:DocumentProperties>
 <o:Author>hp</o:Author>
 <o:Template>Normal</o:Template>
 <o:LastAuthor>hp</o:LastAuthor>
 <o:Revision>2</o:Revision>
 <o:TotalTime>0</o:TotalTime>
 <o:Created>2025-02-07T20:14:00Z</o:Created>
 <o:LastSaved>2025-02-07T20:15:00Z</o:LastSaved>
 <o:Pages>2</o:Pages>
 <o:Words>330</o:Words>
 <o:Characters>1881</o:Characters>
 <o:Lines>15</o:Lines>
 <o:Paragraphs>4</o:Paragraphs>
 <o:CharactersWithSpaces>2207</o:CharactersWithSpaces>
 <o:Version>15.00</o:Version>
</o:DocumentProperties>
<o:OfficeDocumentSettings>
 <o:AllowPNG/>
</o:OfficeDocumentSettings>
</xml><![endif]-->
```

```
k rel=themeData href="text-to-word_files/themedata.thmx">
<link rel=colorSchemeMapping href="text-to-word_files/colorschememapping.xml">
<!--[if gte mso 9]><xml>
<w:WordDocument>
 <w:View>Print</w:View>
<w:Zoom>60</w:Zoom>
<w:GrammarState>Clean</w:GrammarState>
 <w:TrackMoves>false</w:TrackMoves>
<w:TrackFormatting/>
<w:ValidateAgainstSchemas/>
<w:SaveIfXMLInvalid>false</w:SaveIfXMLInvalid>
 <w:lgnoreMixedContent>false</w:lgnoreMixedContent>
 <w:AlwaysShowPlaceholderText>false</w:AlwaysShowPlaceholderText>
<w:DoNotPromoteQF/>
 <w:LidThemeOther>EN-US</w:LidThemeOther>
 <w:LidThemeAsian>X-NONE</w:LidThemeAsian>
 <w:LidThemeComplexScript>X-NONE</w:LidThemeComplexScript>
 <w:Compatibility>
 <w:BreakWrappedTables/>
 <w:SplitPgBreakAndParaMark/>
 </w:Compatibility>
 <m:mathPr>
 <m:mathFont m:val="Cambria Math"/>
 <m:brkBin m:val="before"/>
 <m:brkBinSub m:val="&#45:-"/>
 <m:smallFrac m:val="off"/>
 <m:dispDef/>
 <m:IMargin m:val="0"/>
 <m:rMargin m:val="0"/>
 <m:defJc m:val="centerGroup"/>
 <m:wrapIndent m:val="1440"/>
 <m:intLim m:val="subSup"/>
 <m:naryLim m:val="undOvr"/>
 </m:mathPr></w:WordDocument>
</xml><![endif]--><!--[if gte mso 9]><xml>
<w:LatentStyles DefLockedState="false" DefUnhideWhenUsed="false"
DefSemiHidden="false" DefQFormat="false" DefPriority="99"
LatentStyleCount="371">
<w:LsdException Locked="false" Priority="0" QFormat="true" Name="Normal"/>
<w:LsdException Locked="false" Priority="9" QFormat="true" Name="heading 1"/>
 <w:LsdException Locked="false" Priority="9" SemiHidden="true"
 UnhideWhenUsed="true" QFormat="true" Name="heading 2"/>
 <w:LsdException Locked="false" Priority="9" QFormat="true" Name="heading 3"/>
```

```
<w:LsdException Locked="false" Priority="9" SemiHidden="true"
```

UnhideWhenUsed="true" QFormat="true" Name="heading 4"/>

<w:LsdException Locked="false" Priority="9" SemiHidden="true"</p>

UnhideWhenUsed="true" QFormat="true" Name="heading 5"/>

<w:LsdException Locked="false" Priority="9" SemiHidden="true"</p>

UnhideWhenUsed="true" QFormat="true" Name="heading 6"/>

<w:LsdException Locked="false" Priority="9" SemiHidden="true"</p>

UnhideWhenUsed="true" QFormat="true" Name="heading 7"/>

<w:LsdException Locked="false" Priority="9" SemiHidden="true"

UnhideWhenUsed="true" QFormat="true" Name="heading 8"/>

<w:LsdException Locked="false" Priority="9" SemiHidden="true"</p>

UnhideWhenUsed="true" QFormat="true" Name="heading 9"/>

<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="index 1"/>

<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="index 2"/>

<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="index 3"/>

<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="index 4"/>

<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="index 5"/>

<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="index 6"/>

<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="index 7"/>

<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="index 8"/>

<w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="index 9"/>

<w:LsdException Locked="false" Priority="39" SemiHidden="true" UnhideWhenUsed="true" Name="toc 1"/>

<w:LsdException Locked="false" Priority="39" SemiHidden="true" UnhideWhenUsed="true" Name="toc 2"/>

<w:LsdException Locked="false" Priority="39" SemiHidden="true" UnhideWhenUsed="true" Name="toc 3"/>

<w:LsdException Locked="false" Priority="39" SemiHidden="true" UnhideWhenUsed="true" Name="toc 4"/>

<w:LsdException Locked="false" Priority="39" SemiHidden="true" UnhideWhenUsed="true" Name="toc 5"/>

<w:LsdException Locked="false" Priority="39" SemiHidden="true" UnhideWhenUsed="true" Name="toc 6"/>

<w:LsdException Locked="false" Priority="39" SemiHidden="true"

- UnhideWhenUsed="true" Name="toc 7"/>
- <w:LsdException Locked="false" Priority="39" SemiHidden="true"</p>
- UnhideWhenUsed="true" Name="toc 8"/>
- <w:LsdException Locked="false" Priority="39" SemiHidden="true"
- UnhideWhenUsed="true" Name="toc 9"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Normal Indent"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="footnote text"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="annotation text"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="header"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="footer"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="index heading"/>
- <w:LsdException Locked="false" Priority="35" SemiHidden="true" UnhideWhenUsed="true" QFormat="true" Name="caption"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="table of figures"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="envelope address"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="envelope return"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="footnote reference"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="annotation reference"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="line number"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="page number"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="endnote reference"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="endnote text"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="table of authorities"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="macro"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="toa heading"/>

- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="List"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="List Bullet"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="List Number"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="List 2"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="List 3"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="List 4"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="List 5"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="List Bullet 2"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="List Bullet 3"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="List Bullet 4"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="List Bullet 5"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="List Number 2"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="List Number 3"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="List Number 4"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="List Number 5"/>
- <w:LsdException Locked="false" Priority="10" QFormat="true" Name="Title"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Closing"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Signature"/>
- <w:LsdException Locked="false" Priority="1" SemiHidden="true"</p>
- UnhideWhenUsed="true" Name="Default Paragraph Font"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Body Text"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Body Text Indent"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="List Continue"/>

- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="List Continue 2"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="List Continue 3"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="List Continue 4"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="List Continue 5"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Message Header"/>
- <w:LsdException Locked="false" Priority="11" QFormat="true" Name="Subtitle"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Salutation"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Date"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Body Text First Indent"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Body Text First Indent 2"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Note Heading"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Body Text 2"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Body Text 3"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Body Text Indent 2"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Body Text Indent 3"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"
 Name="Block Text"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Hyperlink"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="FollowedHyperlink"/>
- <w:LsdException Locked="false" Priority="22" QFormat="true" Name="Strong"/>
- <w:LsdException Locked="false" Priority="20" QFormat="true" Name="Emphasis"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Document Map"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Plain Text"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="E-mail Signature"/>

- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="HTML Top of Form"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="HTML Bottom of Form"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Normal (Web)"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="HTML Acronym"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="HTML Address"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="HTML Cite"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="HTML Code"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="HTML Definition"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="HTML Keyboard"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="HTML Preformatted"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="HTML Sample"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="HTML Typewriter"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="HTML Variable"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Normal Table"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="annotation subject"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="No List"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Outline List 1"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Outline List 2"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Outline List 3"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Table Simple 1"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Table Simple 2"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true"</p>

- Name="Table Simple 3"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Table Classic 1"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Table Classic 2"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Table Classic 3"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Table Classic 4"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Table Colorful 1"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Table Colorful 2"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Table Colorful 3"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Table Columns 1"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Table Columns 2"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Table Columns 3"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Table Columns 4"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Table Columns 5"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Table Grid 1"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Table Grid 2"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Table Grid 3"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Table Grid 4"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Table Grid 5"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Table Grid 6"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Table Grid 7"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Table Grid 8"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Table List 1"/>

- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Table List 2"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Table List 3"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Table List 4"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Table List 5"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Table List 6"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Table List 7"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Table List 8"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Table 3D effects 1"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Table 3D effects 2"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Table 3D effects 3"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Table Contemporary"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Table Elegant"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Table Professional"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Table Subtle 1"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Table Subtle 2"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Table Web 1"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Table Web 2"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Table Web 3"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Balloon Text"/>
- <w:LsdException Locked="false" Priority="39" Name="Table Grid"/>
- <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Table Theme"/>
- <w:LsdException Locked="false" SemiHidden="true" Name="Placeholder Text"/>
- <w:LsdException Locked="false" Priority="1" QFormat="true" Name="No Spacing"/>

```
<w:LsdException Locked="false" Priority="60" Name="Light Shading"/>
<w:LsdException Locked="false" Priority="61" Name="Light List"/>
<w:LsdException Locked="false" Priority="62" Name="Light Grid"/>
<w:LsdException Locked="false" Priority="63" Name="Medium Shading 1"/>
<w:LsdException Locked="false" Priority="64" Name="Medium Shading 2"/>
<w:LsdException Locked="false" Priority="65" Name="Medium List 1"/>
<w:LsdException Locked="false" Priority="66" Name="Medium List 2"/>
<w:LsdException Locked="false" Priority="67" Name="Medium Grid 1"/>
<w:LsdException Locked="false" Priority="68" Name="Medium Grid 2"/>
<w:LsdException Locked="false" Priority="69" Name="Medium Grid 3"/>
<w:LsdException Locked="false" Priority="70" Name="Dark List"/>
<w:LsdException Locked="false" Priority="71" Name="Colorful Shading"/>
<w:LsdException Locked="false" Priority="72" Name="Colorful List"/>
<w:LsdException Locked="false" Priority="73" Name="Colorful Grid"/>
<w:LsdException Locked="false" Priority="60" Name="Light Shading Accent 1"/>
<w:LsdException Locked="false" Priority="61" Name="Light List Accent 1"/>
<w:LsdException Locked="false" Priority="62" Name="Light Grid Accent 1"/>
<w:LsdException Locked="false" Priority="63" Name="Medium Shading 1 Accent 1"/>
<w:LsdException Locked="false" Priority="64" Name="Medium Shading 2 Accent 1"/>
<w:LsdException Locked="false" Priority="65" Name="Medium List 1 Accent 1"/>
<w:LsdException Locked="false" SemiHidden="true" Name="Revision"/>
<w:LsdException Locked="false" Priority="34" QFormat="true"</p>
Name="List Paragraph"/>
<w:LsdException Locked="false" Priority="29" QFormat="true" Name="Quote"/>
<w:LsdException Locked="false" Priority="30" QFormat="true"
Name="Intense Quote"/>
<w:LsdException Locked="false" Priority="66" Name="Medium List 2 Accent 1"/>
<w:LsdException Locked="false" Priority="67" Name="Medium Grid 1 Accent 1"/>
<w:LsdException Locked="false" Priority="68" Name="Medium Grid 2 Accent 1"/>
<w:LsdException Locked="false" Priority="69" Name="Medium Grid 3 Accent 1"/>
<w:LsdException Locked="false" Priority="70" Name="Dark List Accent 1"/>
<w:LsdException Locked="false" Priority="71" Name="Colorful Shading Accent 1"/>
<w:LsdException Locked="false" Priority="72" Name="Colorful List Accent 1"/>
<w:LsdException Locked="false" Priority="73" Name="Colorful Grid Accent 1"/>
<w:LsdException Locked="false" Priority="60" Name="Light Shading Accent 2"/>
<w:LsdException Locked="false" Priority="61" Name="Light List Accent 2"/>
<w:LsdException Locked="false" Priority="62" Name="Light Grid Accent 2"/>
<w:LsdException Locked="false" Priority="63" Name="Medium Shading 1 Accent 2"/>
<w:LsdException Locked="false" Priority="64" Name="Medium Shading 2 Accent 2"/>
<w:LsdException Locked="false" Priority="65" Name="Medium List 1 Accent 2"/>
<w:LsdException Locked="false" Priority="66" Name="Medium List 2 Accent 2"/>
<w:LsdException Locked="false" Priority="67" Name="Medium Grid 1 Accent 2"/>
<w:LsdException Locked="false" Priority="68" Name="Medium Grid 2 Accent 2"/>
```

```
<w:LsdException Locked="false" Priority="69" Name="Medium Grid 3 Accent 2"/>
<w:LsdException Locked="false" Priority="70" Name="Dark List Accent 2"/>
<w:LsdException Locked="false" Priority="71" Name="Colorful Shading Accent 2"/>
<w:LsdException Locked="false" Priority="72" Name="Colorful List Accent 2"/>
<w:LsdException Locked="false" Priority="73" Name="Colorful Grid Accent 2"/>
<w:LsdException Locked="false" Priority="60" Name="Light Shading Accent 3"/>
<w:LsdException Locked="false" Priority="61" Name="Light List Accent 3"/>
<w:LsdException Locked="false" Priority="62" Name="Light Grid Accent 3"/>
<w:LsdException Locked="false" Priority="63" Name="Medium Shading 1 Accent 3"/>
<w:LsdException Locked="false" Priority="64" Name="Medium Shading 2 Accent 3"/>
<w:LsdException Locked="false" Priority="65" Name="Medium List 1 Accent 3"/>
<w:LsdException Locked="false" Priority="66" Name="Medium List 2 Accent 3"/>
<w:LsdException Locked="false" Priority="67" Name="Medium Grid 1 Accent 3"/>
<w:LsdException Locked="false" Priority="68" Name="Medium Grid 2 Accent 3"/>
<w:LsdException Locked="false" Priority="69" Name="Medium Grid 3 Accent 3"/>
<w:LsdException Locked="false" Priority="70" Name="Dark List Accent 3"/>
<w:LsdException Locked="false" Priority="71" Name="Colorful Shading Accent 3"/>
<w:LsdException Locked="false" Priority="72" Name="Colorful List Accent 3"/>
<w:LsdException Locked="false" Priority="73" Name="Colorful Grid Accent 3"/>
<w:LsdException Locked="false" Priority="60" Name="Light Shading Accent 4"/>
<w:LsdException Locked="false" Priority="61" Name="Light List Accent 4"/>
<w:LsdException Locked="false" Priority="62" Name="Light Grid Accent 4"/>
<w:LsdException Locked="false" Priority="63" Name="Medium Shading 1 Accent 4"/>
<w:LsdException Locked="false" Priority="64" Name="Medium Shading 2 Accent 4"/>
<w:LsdException Locked="false" Priority="65" Name="Medium List 1 Accent 4"/>
<w:LsdException Locked="false" Priority="66" Name="Medium List 2 Accent 4"/>
<w:LsdException Locked="false" Priority="67" Name="Medium Grid 1 Accent 4"/>
<w:LsdException Locked="false" Priority="68" Name="Medium Grid 2 Accent 4"/>
<w:LsdException Locked="false" Priority="69" Name="Medium Grid 3 Accent 4"/>
<w:LsdException Locked="false" Priority="70" Name="Dark List Accent 4"/>
<w:LsdException Locked="false" Priority="71" Name="Colorful Shading Accent 4"/>
<w:LsdException Locked="false" Priority="72" Name="Colorful List Accent 4"/>
<w:LsdException Locked="false" Priority="73" Name="Colorful Grid Accent 4"/>
<w:LsdException Locked="false" Priority="60" Name="Light Shading Accent 5"/>
<w:LsdException Locked="false" Priority="61" Name="Light List Accent 5"/>
<w:LsdException Locked="false" Priority="62" Name="Light Grid Accent 5"/>
<w:LsdException Locked="false" Priority="63" Name="Medium Shading 1 Accent 5"/>
<w:LsdException Locked="false" Priority="64" Name="Medium Shading 2 Accent 5"/>
<w:LsdException Locked="false" Priority="65" Name="Medium List 1 Accent 5"/>
<w:LsdException Locked="false" Priority="66" Name="Medium List 2 Accent 5"/>
<w:LsdException Locked="false" Priority="67" Name="Medium Grid 1 Accent 5"/>
<w:LsdException Locked="false" Priority="68" Name="Medium Grid 2 Accent 5"/>
<w:LsdException Locked="false" Priority="69" Name="Medium Grid 3 Accent 5"/>
```

```
<w:LsdException Locked="false" Priority="70" Name="Dark List Accent 5"/>
<w:LsdException Locked="false" Priority="71" Name="Colorful Shading Accent 5"/>
<w:LsdException Locked="false" Priority="72" Name="Colorful List Accent 5"/>
<w:LsdException Locked="false" Priority="73" Name="Colorful Grid Accent 5"/>
<w:LsdException Locked="false" Priority="60" Name="Light Shading Accent 6"/>
<w:LsdException Locked="false" Priority="61" Name="Light List Accent 6"/>
<w:LsdException Locked="false" Priority="62" Name="Light Grid Accent 6"/>
<w:LsdException Locked="false" Priority="63" Name="Medium Shading 1 Accent 6"/>
<w:LsdException Locked="false" Priority="64" Name="Medium Shading 2 Accent 6"/>
<w:LsdException Locked="false" Priority="65" Name="Medium List 1 Accent 6"/>
<w:LsdException Locked="false" Priority="66" Name="Medium List 2 Accent 6"/>
<w:LsdException Locked="false" Priority="67" Name="Medium Grid 1 Accent 6"/>
<w:LsdException Locked="false" Priority="68" Name="Medium Grid 2 Accent 6"/>
<w:LsdException Locked="false" Priority="69" Name="Medium Grid 3 Accent 6"/>
<w:LsdException Locked="false" Priority="70" Name="Dark List Accent 6"/>
<w:LsdException Locked="false" Priority="71" Name="Colorful Shading Accent 6"/>
<w:LsdException Locked="false" Priority="72" Name="Colorful List Accent 6"/>
<w:LsdException Locked="false" Priority="73" Name="Colorful Grid Accent 6"/>
<w:LsdException Locked="false" Priority="19" QFormat="true"</p>
Name="Subtle Emphasis"/>
<w:LsdException Locked="false" Priority="21" QFormat="true"
Name="Intense Emphasis"/>
<w:LsdException Locked="false" Priority="31" QFormat="true"</p>
Name="Subtle Reference"/>
<w:LsdException Locked="false" Priority="32" QFormat="true"
Name="Intense Reference"/>
<w:LsdException Locked="false" Priority="33" QFormat="true" Name="Book Title"/>
<w:LsdException Locked="false" Priority="37" SemiHidden="true"
UnhideWhenUsed="true" Name="Bibliography"/>
<w:LsdException Locked="false" Priority="39" SemiHidden="true"</p>
UnhideWhenUsed="true" QFormat="true" Name="TOC Heading"/>
<w:LsdException Locked="false" Priority="41" Name="Plain Table 1"/>
<w:LsdException Locked="false" Priority="42" Name="Plain Table 2"/>
<w:LsdException Locked="false" Priority="43" Name="Plain Table 3"/>
<w:LsdException Locked="false" Priority="44" Name="Plain Table 4"/>
<w:LsdException Locked="false" Priority="45" Name="Plain Table 5"/>
<w:LsdException Locked="false" Priority="40" Name="Grid Table Light"/>
<w:LsdException Locked="false" Priority="46" Name="Grid Table 1 Light"/>
<w:LsdException Locked="false" Priority="47" Name="Grid Table 2"/>
<w:LsdException Locked="false" Priority="48" Name="Grid Table 3"/>
<w:LsdException Locked="false" Priority="49" Name="Grid Table 4"/>
<w:LsdException Locked="false" Priority="50" Name="Grid Table 5 Dark"/>
<w:LsdException Locked="false" Priority="51" Name="Grid Table 6 Colorful"/>
```

```
<w:LsdException Locked="false" Priority="52" Name="Grid Table 7 Colorful"/>
<w:LsdException Locked="false" Priority="46"</p>
Name="Grid Table 1 Light Accent 1"/>
<w:LsdException Locked="false" Priority="47" Name="Grid Table 2 Accent 1"/>
<w:LsdException Locked="false" Priority="48" Name="Grid Table 3 Accent 1"/>
<w:LsdException Locked="false" Priority="49" Name="Grid Table 4 Accent 1"/>
<w:LsdException Locked="false" Priority="50" Name="Grid Table 5 Dark Accent 1"/>
<w:LsdException Locked="false" Priority="51"</p>
Name="Grid Table 6 Colorful Accent 1"/>
<w:LsdException Locked="false" Priority="52"</p>
Name="Grid Table 7 Colorful Accent 1"/>
<w:LsdException Locked="false" Priority="46"</p>
Name="Grid Table 1 Light Accent 2"/>
<w:LsdException Locked="false" Priority="47" Name="Grid Table 2 Accent 2"/>
<w:LsdException Locked="false" Priority="48" Name="Grid Table 3 Accent 2"/>
<w:LsdException Locked="false" Priority="49" Name="Grid Table 4 Accent 2"/>
<w:LsdException Locked="false" Priority="50" Name="Grid Table 5 Dark Accent 2"/>
<w:LsdException Locked="false" Priority="51"</p>
Name="Grid Table 6 Colorful Accent 2"/>
<w:LsdException Locked="false" Priority="52"</p>
Name="Grid Table 7 Colorful Accent 2"/>
<w:LsdException Locked="false" Priority="46"</p>
Name="Grid Table 1 Light Accent 3"/>
<w:LsdException Locked="false" Priority="47" Name="Grid Table 2 Accent 3"/>
<w:LsdException Locked="false" Priority="48" Name="Grid Table 3 Accent 3"/>
<w:LsdException Locked="false" Priority="49" Name="Grid Table 4 Accent 3"/>
<w:LsdException Locked="false" Priority="50" Name="Grid Table 5 Dark Accent 3"/>
<w:LsdException Locked="false" Priority="51"</p>
Name="Grid Table 6 Colorful Accent 3"/>
<w:LsdException Locked="false" Priority="52"</p>
Name="Grid Table 7 Colorful Accent 3"/>
<w:LsdException Locked="false" Priority="46"</p>
Name="Grid Table 1 Light Accent 4"/>
<w:LsdException Locked="false" Priority="47" Name="Grid Table 2 Accent 4"/>
<w:LsdException Locked="false" Priority="48" Name="Grid Table 3 Accent 4"/>
<w:LsdException Locked="false" Priority="49" Name="Grid Table 4 Accent 4"/>
<w:LsdException Locked="false" Priority="50" Name="Grid Table 5 Dark Accent 4"/>
<w:LsdException Locked="false" Priority="51"</p>
Name="Grid Table 6 Colorful Accent 4"/>
<w:LsdException Locked="false" Priority="52"</p>
Name="Grid Table 7 Colorful Accent 4"/>
<w:LsdException Locked="false" Priority="46"</p>
Name="Grid Table 1 Light Accent 5"/>
```

```
<w:LsdException Locked="false" Priority="47" Name="Grid Table 2 Accent 5"/>
<w:LsdException Locked="false" Priority="48" Name="Grid Table 3 Accent 5"/>
<w:LsdException Locked="false" Priority="49" Name="Grid Table 4 Accent 5"/>
<w:LsdException Locked="false" Priority="50" Name="Grid Table 5 Dark Accent 5"/>
<w:LsdException Locked="false" Priority="51"</p>
Name="Grid Table 6 Colorful Accent 5"/>
<w:LsdException Locked="false" Priority="52"</p>
Name="Grid Table 7 Colorful Accent 5"/>
<w:LsdException Locked="false" Priority="46"</p>
Name="Grid Table 1 Light Accent 6"/>
<w:LsdException Locked="false" Priority="47" Name="Grid Table 2 Accent 6"/>
<w:LsdException Locked="false" Priority="48" Name="Grid Table 3 Accent 6"/>
<w:LsdException Locked="false" Priority="49" Name="Grid Table 4 Accent 6"/>
<w:LsdException Locked="false" Priority="50" Name="Grid Table 5 Dark Accent 6"/>
<w:LsdException Locked="false" Priority="51"</p>
Name="Grid Table 6 Colorful Accent 6"/>
<w:LsdException Locked="false" Priority="52"</p>
Name="Grid Table 7 Colorful Accent 6"/>
<w:LsdException Locked="false" Priority="46" Name="List Table 1 Light"/>
<w:LsdException Locked="false" Priority="47" Name="List Table 2"/>
<w:LsdException Locked="false" Priority="48" Name="List Table 3"/>
<w:LsdException Locked="false" Priority="49" Name="List Table 4"/>
<w:LsdException Locked="false" Priority="50" Name="List Table 5 Dark"/>
<w:LsdException Locked="false" Priority="51" Name="List Table 6 Colorful"/>
<w:LsdException Locked="false" Priority="52" Name="List Table 7 Colorful"/>
<w:LsdException Locked="false" Priority="46"</p>
Name="List Table 1 Light Accent 1"/>
<w:LsdException Locked="false" Priority="47" Name="List Table 2 Accent 1"/>
<w:LsdException Locked="false" Priority="48" Name="List Table 3 Accent 1"/>
<w:LsdException Locked="false" Priority="49" Name="List Table 4 Accent 1"/>
<w:LsdException Locked="false" Priority="50" Name="List Table 5 Dark Accent 1"/>
<w:LsdException Locked="false" Priority="51"</p>
Name="List Table 6 Colorful Accent 1"/>
<w:LsdException Locked="false" Priority="52"</p>
Name="List Table 7 Colorful Accent 1"/>
<w:LsdException Locked="false" Priority="46"</p>
Name="List Table 1 Light Accent 2"/>
<w:LsdException Locked="false" Priority="47" Name="List Table 2 Accent 2"/>
<w:LsdException Locked="false" Priority="48" Name="List Table 3 Accent 2"/>
<w:LsdException Locked="false" Priority="49" Name="List Table 4 Accent 2"/>
<w:LsdException Locked="false" Priority="50" Name="List Table 5 Dark Accent 2"/>
<w:LsdException Locked="false" Priority="51"</p>
Name="List Table 6 Colorful Accent 2"/>
```

```
<w:LsdException Locked="false" Priority="52"</p>
 Name="List Table 7 Colorful Accent 2"/>
<w:LsdException Locked="false" Priority="46"</p>
 Name="List Table 1 Light Accent 3"/>
<w:LsdException Locked="false" Priority="47" Name="List Table 2 Accent 3"/>
<w:LsdException Locked="false" Priority="48" Name="List Table 3 Accent 3"/>
<w:LsdException Locked="false" Priority="49" Name="List Table 4 Accent 3"/>
<w:LsdException Locked="false" Priority="50" Name="List Table 5 Dark Accent 3"/>
<w:LsdException Locked="false" Priority="51"</p>
 Name="List Table 6 Colorful Accent 3"/>
<w:LsdException Locked="false" Priority="52"</p>
 Name="List Table 7 Colorful Accent 3"/>
<w:LsdException Locked="false" Priority="46"</p>
 Name="List Table 1 Light Accent 4"/>
<w:LsdException Locked="false" Priority="47" Name="List Table 2 Accent 4"/>
<w:LsdException Locked="false" Priority="48" Name="List Table 3 Accent 4"/>
<w:LsdException Locked="false" Priority="49" Name="List Table 4 Accent 4"/>
<w:LsdException Locked="false" Priority="50" Name="List Table 5 Dark Accent 4"/>
<w:LsdException Locked="false" Priority="51"</p>
 Name="List Table 6 Colorful Accent 4"/>
<w:LsdException Locked="false" Priority="52"</p>
 Name="List Table 7 Colorful Accent 4"/>
<w:LsdException Locked="false" Priority="46"</p>
 Name="List Table 1 Light Accent 5"/>
<w:LsdException Locked="false" Priority="47" Name="List Table 2 Accent 5"/>
<w:LsdException Locked="false" Priority="48" Name="List Table 3 Accent 5"/>
<w:LsdException Locked="false" Priority="49" Name="List Table 4 Accent 5"/>
<w:LsdException Locked="false" Priority="50" Name="List Table 5 Dark Accent 5"/>
<w:LsdException Locked="false" Priority="51"</p>
 Name="List Table 6 Colorful Accent 5"/>
<w:LsdException Locked="false" Priority="52"</p>
 Name="List Table 7 Colorful Accent 5"/>
<w:LsdException Locked="false" Priority="46"</p>
 Name="List Table 1 Light Accent 6"/>
<w:LsdException Locked="false" Priority="47" Name="List Table 2 Accent 6"/>
<w:LsdException Locked="false" Priority="48" Name="List Table 3 Accent 6"/>
<w:LsdException Locked="false" Priority="49" Name="List Table 4 Accent 6"/>
<w:LsdException Locked="false" Priority="50" Name="List Table 5 Dark Accent 6"/>
<w:LsdException Locked="false" Priority="51"</p>
 Name="List Table 6 Colorful Accent 6"/>
<w:LsdException Locked="false" Priority="52"</p>
 Name="List Table 7 Colorful Accent 6"/>
</w:LatentStyles>
```

```
</xml><![endif]-->
<style>
<!--
/* Font Definitions */
@font-face
       {font-family:Wingdings;
       panose-1:5 0 0 0 0 0 0 0 0 0;
       mso-font-charset:2;
       mso-generic-font-family:auto;
       mso-font-pitch:variable;
       mso-font-signature:0 268435456 0 0 -2147483648 0;}
@font-face
       {font-family:"Cambria Math";
       panose-1:2 4 5 3 5 4 6 3 2 4;
       mso-font-charset:1;
       mso-generic-font-family:roman;
       mso-font-format:other;
       mso-font-pitch:variable;
       mso-font-signature:0 0 0 0 0 0;}
/* Style Definitions */
p.MsoNormal, li.MsoNormal, div.MsoNormal
       {mso-style-unhide:no;
       mso-style-qformat:yes;
       mso-style-parent:"";
       margin:0in;
       margin-bottom:.0001pt;
       mso-pagination:widow-orphan;
       font-size:12.0pt;
       font-family: "Times New Roman", "serif";
       mso-fareast-font-family:"Times New Roman";
       mso-fareast-theme-font:minor-fareast;}
h3
       {mso-style-priority:9;
       mso-style-unhide:no;
       mso-style-qformat:yes;
       mso-style-link:"Heading 3 Char";
       mso-margin-top-alt:auto;
       margin-right:0in;
       mso-margin-bottom-alt:auto;
       margin-left:0in;
       mso-pagination:widow-orphan;
       mso-outline-level:3;
       font-size:13.5pt;
```

```
font-family: "Times New Roman", "serif";
       mso-fareast-font-family:"Times New Roman";
       mso-fareast-theme-font:minor-fareast;
       font-weight:bold;}
р
       {mso-style-priority:99;
       mso-margin-top-alt:auto;
       margin-right:0in;
       mso-margin-bottom-alt:auto;
       margin-left:0in;
       mso-pagination:widow-orphan;
       font-size:12.0pt;
       font-family: "Times New Roman", "serif";
       mso-fareast-font-family:"Times New Roman";
       mso-fareast-theme-font:minor-fareast;}
span.Heading3Char
       {mso-style-name: "Heading 3 Char";
       mso-style-noshow:yes;
       mso-style-priority:9;
       mso-style-unhide:no;
       mso-style-locked:yes;
       mso-style-link:"Heading 3";
       mso-ansi-font-size:12.0pt;
       mso-bidi-font-size:12.0pt;
       font-family: "Calibri Light", "sans-serif";
       mso-ascii-font-family:"Calibri Light";
       mso-ascii-theme-font:major-latin;
       mso-fareast-font-family:"Times New Roman";
       mso-fareast-theme-font:major-fareast;
       mso-hansi-font-family:"Calibri Light";
       mso-hansi-theme-font:major-latin;
       mso-bidi-font-family:"Times New Roman";
       mso-bidi-theme-font:major-bidi;
       color:#1F4D78:
       mso-themecolor:accent1;
       mso-themeshade:127;}
span.GramE
       {mso-style-name:"";
       mso-gram-e:yes;}
.MsoChpDefault
       {mso-style-type:export-only;
       mso-default-props:yes;
       font-size:10.0pt;
```

```
mso-ansi-font-size:10.0pt;
       mso-bidi-font-size:10.0pt;}
@page WordSection1
       {size:8.5in 11.0in;
       margin:1.0in 1.0in 1.0in 1.0in;
       mso-header-margin:.5in;
       mso-footer-margin:.5in;
       mso-paper-source:0;}
div.WordSection1
       {page:WordSection1;}
/* List Definitions */
@list I0
       {mso-list-id:343754220;
       mso-list-template-ids:1745762024;}
@list I0:level1
       {mso-level-number-format:bullet;
       mso-level-text: :;
       mso-level-tab-stop:.5in;
       mso-level-number-position:left;
       text-indent:-.25in;
       mso-ansi-font-size:10.0pt;
       font-family:Symbol;}
@list I0:level2
       {mso-level-number-format:bullet;
       mso-level-text:o;
       mso-level-tab-stop:1.0in;
       mso-level-number-position:left;
       text-indent:-.25in;
       mso-ansi-font-size:10.0pt;
       font-family: "Courier New";
       mso-bidi-font-family:"Times New Roman";}
@list I0:level3
       {mso-level-number-format:bullet;
       mso-level-text: ==;
       mso-level-tab-stop:1.5in;
       mso-level-number-position:left;
       text-indent:-.25in;
       mso-ansi-font-size:10.0pt;
       font-family:Wingdings;}
@list I0:level4
       {mso-level-number-format:bullet;
       mso-level-text: ==;
       mso-level-tab-stop:2.0in;
```

```
mso-level-number-position:left;
       text-indent:-.25in;
       mso-ansi-font-size:10.0pt;
       font-family:Wingdings;}
@list I0:level5
       {mso-level-number-format:bullet;
       mso-level-text: ==;
       mso-level-tab-stop:2.5in;
       mso-level-number-position:left;
       text-indent:-.25in;
       mso-ansi-font-size:10.0pt;
       font-family:Wingdings;}
@list I0:level6
       {mso-level-number-format:bullet;
       mso-level-text: ==;
       mso-level-tab-stop:3.0in;
       mso-level-number-position:left;
       text-indent:-.25in;
       mso-ansi-font-size:10.0pt;
       font-family:Wingdings;}
@list I0:level7
       {mso-level-number-format:bullet;
       mso-level-text: ==;
       mso-level-tab-stop:3.5in;
       mso-level-number-position:left;
       text-indent:-.25in;
       mso-ansi-font-size:10.0pt;
       font-family:Wingdings;}
@list I0:level8
       {mso-level-number-format:bullet;
       mso-level-text: ==;
       mso-level-tab-stop:4.0in;
       mso-level-number-position:left;
       text-indent:-.25in;
       mso-ansi-font-size:10.0pt;
       font-family:Wingdings;}
@list I0:level9
       {mso-level-number-format:bullet;
       mso-level-text: ==;
       mso-level-tab-stop:4.5in;
       mso-level-number-position:left;
       text-indent:-.25in;
       mso-ansi-font-size:10.0pt;
```

```
font-family:Wingdings;}
@list I1
       {mso-list-id:465050796;
       mso-list-template-ids:1859260008;}
@list I1:level1
       {mso-level-number-format:bullet;
       mso-level-text: ≤;
       mso-level-tab-stop:.5in;
       mso-level-number-position:left;
       text-indent:-.25in;
       mso-ansi-font-size:10.0pt;
       font-family:Symbol;}
@list I1:level2
       {mso-level-number-format:bullet;
       mso-level-text:o;
       mso-level-tab-stop:1.0in;
       mso-level-number-position:left;
       text-indent:-.25in;
       mso-ansi-font-size:10.0pt;
       font-family: "Courier New";
       mso-bidi-font-family:"Times New Roman";}
@list I1:level3
       {mso-level-number-format:bullet;
       mso-level-text: ==;
       mso-level-tab-stop:1.5in;
       mso-level-number-position:left;
       text-indent:-.25in;
       mso-ansi-font-size:10.0pt;
       font-family:Wingdings;}
@list I1:level4
       {mso-level-number-format:bullet;
       mso-level-text: ==;
       mso-level-tab-stop:2.0in;
       mso-level-number-position:left;
       text-indent:-.25in;
       mso-ansi-font-size:10.0pt;
       font-family:Wingdings;}
@list I1:level5
       {mso-level-number-format:bullet;
       mso-level-text: ==;
       mso-level-tab-stop:2.5in;
       mso-level-number-position:left;
       text-indent:-.25in;
```

```
mso-ansi-font-size:10.0pt;
       font-family:Wingdings;}
@list I1:level6
       {mso-level-number-format:bullet;
       mso-level-text: ==;
       mso-level-tab-stop:3.0in;
       mso-level-number-position:left;
       text-indent:-.25in;
       mso-ansi-font-size:10.0pt;
       font-family:Wingdings;}
@list I1:level7
       {mso-level-number-format:bullet;
       mso-level-text: ==;
       mso-level-tab-stop:3.5in;
       mso-level-number-position:left;
       text-indent:-.25in;
       mso-ansi-font-size:10.0pt;
       font-family:Wingdings;}
@list I1:level8
       {mso-level-number-format:bullet;
       mso-level-text: ==;
       mso-level-tab-stop:4.0in;
       mso-level-number-position:left;
       text-indent:-.25in;
       mso-ansi-font-size:10.0pt;
       font-family:Wingdings;}
@list I1:level9
       {mso-level-number-format:bullet;
       mso-level-text: ==;
       mso-level-tab-stop:4.5in;
       mso-level-number-position:left;
       text-indent:-.25in;
       mso-ansi-font-size:10.0pt;
       font-family:Wingdings;}
@list |2
       {mso-list-id:840698945;
       mso-list-template-ids:-1355393474;}
@list I2:level1
       {mso-level-number-format:bullet;
       mso-level-text: :;
       mso-level-tab-stop:.5in;
       mso-level-number-position:left;
       text-indent:-.25in;
```

```
mso-ansi-font-size:10.0pt;
       font-family:Symbol;}
@list I2:level2
       {mso-level-number-format:bullet;
       mso-level-text:o;
       mso-level-tab-stop:1.0in;
       mso-level-number-position:left;
       text-indent:-.25in;
       mso-ansi-font-size:10.0pt;
       font-family: "Courier New";
       mso-bidi-font-family:"Times New Roman";}
@list I2:level3
       {mso-level-number-format:bullet;
       mso-level-text: ==;
       mso-level-tab-stop:1.5in;
       mso-level-number-position:left;
       text-indent:-.25in;
       mso-ansi-font-size:10.0pt;
       font-family:Wingdings;}
@list I2:level4
       {mso-level-number-format:bullet;
       mso-level-text: ==;
       mso-level-tab-stop:2.0in;
       mso-level-number-position:left;
       text-indent:-.25in;
       mso-ansi-font-size:10.0pt;
       font-family:Wingdings;}
@list I2:level5
       {mso-level-number-format:bullet;
       mso-level-text: ==;
       mso-level-tab-stop:2.5in;
       mso-level-number-position:left;
       text-indent:-.25in;
       mso-ansi-font-size:10.0pt;
       font-family:Wingdings;}
@list I2:level6
       {mso-level-number-format:bullet;
       mso-level-text: ==;
       mso-level-tab-stop:3.0in;
       mso-level-number-position:left;
       text-indent:-.25in;
       mso-ansi-font-size:10.0pt;
       font-family:Wingdings;}
```

```
@list I2:level7
       {mso-level-number-format:bullet;
       mso-level-text: ==;
       mso-level-tab-stop:3.5in;
       mso-level-number-position:left;
       text-indent:-.25in;
       mso-ansi-font-size:10.0pt;
       font-family:Wingdings;}
@list I2:level8
       {mso-level-number-format:bullet;
       mso-level-text: ==;
       mso-level-tab-stop:4.0in;
       mso-level-number-position:left;
       text-indent:-.25in;
       mso-ansi-font-size:10.0pt;
       font-family:Wingdings;}
@list I2:level9
       {mso-level-number-format:bullet;
       mso-level-text: ==;
       mso-level-tab-stop:4.5in;
       mso-level-number-position:left;
       text-indent:-.25in;
       mso-ansi-font-size:10.0pt;
       font-family:Wingdings;}
@list I3
       {mso-list-id:1120301126;
       mso-list-template-ids:-206006422;}
@list I3:level1
       {mso-level-number-format:bullet;
       mso-level-text: :;
       mso-level-tab-stop:.5in;
       mso-level-number-position:left;
       text-indent:-.25in;
       mso-ansi-font-size:10.0pt;
       font-family:Symbol;}
@list I3:level2
       {mso-level-number-format:bullet;
       mso-level-text:o;
       mso-level-tab-stop:1.0in;
       mso-level-number-position:left;
       text-indent:-.25in;
       mso-ansi-font-size:10.0pt;
       font-family: "Courier New";
```

```
mso-bidi-font-family:"Times New Roman";}
@list I3:level3
       {mso-level-number-format:bullet;
       mso-level-text: ==;
       mso-level-tab-stop:1.5in;
       mso-level-number-position:left;
       text-indent:-.25in;
       mso-ansi-font-size:10.0pt;
       font-family:Wingdings;}
@list I3:level4
       {mso-level-number-format:bullet;
       mso-level-text: ==;
       mso-level-tab-stop:2.0in;
       mso-level-number-position:left;
       text-indent:-.25in;
       mso-ansi-font-size:10.0pt;
       font-family:Wingdings;}
@list I3:level5
       {mso-level-number-format:bullet;
       mso-level-text: ==;
       mso-level-tab-stop:2.5in;
       mso-level-number-position:left;
       text-indent:-.25in;
       mso-ansi-font-size:10.0pt;
       font-family:Wingdings;}
@list I3:level6
       {mso-level-number-format:bullet;
       mso-level-text: ==;
       mso-level-tab-stop:3.0in;
       mso-level-number-position:left;
       text-indent:-.25in;
       mso-ansi-font-size:10.0pt;
       font-family:Wingdings;}
@list I3:level7
       {mso-level-number-format:bullet;
       mso-level-text: ==;
       mso-level-tab-stop:3.5in;
       mso-level-number-position:left;
       text-indent:-.25in;
       mso-ansi-font-size:10.0pt;
       font-family:Wingdings;}
@list I3:level8
       {mso-level-number-format:bullet;
```

```
mso-level-text: ==;
       mso-level-tab-stop:4.0in;
       mso-level-number-position:left;
       text-indent:-.25in;
       mso-ansi-font-size:10.0pt;
       font-family:Wingdings;}
@list I3:level9
       {mso-level-number-format:bullet;
       mso-level-text: ==;
       mso-level-tab-stop:4.5in;
       mso-level-number-position:left;
       text-indent:-.25in;
       mso-ansi-font-size:10.0pt;
       font-family:Wingdings;}
@list I4
       {mso-list-id:1961842256;
       mso-list-template-ids:-219119422;}
@list I4:level1
       {mso-level-number-format:bullet;
       mso-level-text: :: ;
       mso-level-tab-stop:.5in;
       mso-level-number-position:left;
       text-indent:-.25in;
       mso-ansi-font-size:10.0pt;
       font-family:Symbol;}
@list I4:level2
       {mso-level-number-format:bullet;
       mso-level-text:o;
       mso-level-tab-stop:1.0in;
       mso-level-number-position:left;
       text-indent:-.25in;
       mso-ansi-font-size:10.0pt;
       font-family: "Courier New";
       mso-bidi-font-family:"Times New Roman";}
@list I4:level3
       {mso-level-number-format:bullet;
       mso-level-text: ==;
       mso-level-tab-stop:1.5in;
       mso-level-number-position:left;
       text-indent:-.25in;
       mso-ansi-font-size:10.0pt;
       font-family:Wingdings;}
@list I4:level4
```

```
{mso-level-number-format:bullet;
       mso-level-text: ==;
       mso-level-tab-stop:2.0in;
       mso-level-number-position:left;
       text-indent:-.25in;
       mso-ansi-font-size:10.0pt;
       font-family:Wingdings;}
@list I4:level5
       {mso-level-number-format:bullet;
       mso-level-text: ==;
       mso-level-tab-stop:2.5in;
       mso-level-number-position:left;
       text-indent:-.25in;
       mso-ansi-font-size:10.0pt;
       font-family:Wingdings;}
@list I4:level6
       {mso-level-number-format:bullet;
       mso-level-text:⊕;
       mso-level-tab-stop:3.0in;
       mso-level-number-position:left;
       text-indent:-.25in;
       mso-ansi-font-size:10.0pt;
       font-family:Wingdings;}
@list I4:level7
       {mso-level-number-format:bullet;
       mso-level-text: ==;
       mso-level-tab-stop:3.5in;
       mso-level-number-position:left;
       text-indent:-.25in;
       mso-ansi-font-size:10.0pt;
       font-family:Wingdings;}
@list I4:level8
       {mso-level-number-format:bullet;
       mso-level-text: ==;
       mso-level-tab-stop:4.0in;
       mso-level-number-position:left;
       text-indent:-.25in;
       mso-ansi-font-size:10.0pt;
       font-family:Wingdings;}
@list I4:level9
       {mso-level-number-format:bullet;
       mso-level-text: ==;
       mso-level-tab-stop:4.5in;
```

```
mso-level-number-position:left;
       text-indent:-.25in;
       mso-ansi-font-size:10.0pt;
       font-family:Wingdings;}
@list 15
       {mso-list-id:2093120185;
       mso-list-template-ids:-1667846378;}
@list I5:level1
       {mso-level-number-format:bullet;
       mso-level-text: =;
       mso-level-tab-stop:.5in;
       mso-level-number-position:left;
       text-indent:-.25in;
       mso-ansi-font-size:10.0pt;
       font-family:Symbol;}
@list I5:level2
       {mso-level-number-format:bullet;
       mso-level-text:o;
       mso-level-tab-stop:1.0in;
       mso-level-number-position:left;
       text-indent:-.25in;
       mso-ansi-font-size:10.0pt;
       font-family: "Courier New";
       mso-bidi-font-family:"Times New Roman";}
@list I5:level3
       {mso-level-number-format:bullet;
       mso-level-text: ==;
       mso-level-tab-stop:1.5in;
       mso-level-number-position:left;
       text-indent:-.25in;
       mso-ansi-font-size:10.0pt;
       font-family:Wingdings;}
@list I5:level4
       {mso-level-number-format:bullet;
       mso-level-text: ==;
       mso-level-tab-stop:2.0in;
       mso-level-number-position:left;
       text-indent:-.25in;
       mso-ansi-font-size:10.0pt;
       font-family:Wingdings;}
@list I5:level5
       {mso-level-number-format:bullet;
       mso-level-text: ==;
```

```
mso-level-tab-stop:2.5in;
       mso-level-number-position:left;
       text-indent:-.25in;
       mso-ansi-font-size:10.0pt;
       font-family:Wingdings;}
@list I5:level6
       {mso-level-number-format:bullet;
       mso-level-text: ==;
       mso-level-tab-stop:3.0in;
       mso-level-number-position:left;
       text-indent:-.25in;
       mso-ansi-font-size:10.0pt;
       font-family:Wingdings;}
@list I5:level7
       {mso-level-number-format:bullet;
       mso-level-text: ==;
       mso-level-tab-stop:3.5in;
       mso-level-number-position:left;
       text-indent:-.25in;
       mso-ansi-font-size:10.0pt;
       font-family:Wingdings;}
@list I5:level8
       {mso-level-number-format:bullet;
       mso-level-text: ==;
       mso-level-tab-stop:4.0in;
       mso-level-number-position:left;
       text-indent:-.25in;
       mso-ansi-font-size:10.0pt;
       font-family:Wingdings;}
@list I5:level9
       {mso-level-number-format:bullet;
       mso-level-text: ==;
       mso-level-tab-stop:4.5in;
       mso-level-number-position:left;
       text-indent:-.25in;
       mso-ansi-font-size:10.0pt;
       font-family:Wingdings;}
@list 16
       {mso-list-id:2124180037;
       mso-list-template-ids:1839650842;}
@list l6:level1
       {mso-level-number-format:bullet;
       mso-level-text: €;
```

```
mso-level-tab-stop:.5in;
       mso-level-number-position:left;
       text-indent:-.25in;
       mso-ansi-font-size:10.0pt;
       font-family:Symbol;}
@list l6:level2
       {mso-level-number-format:bullet;
       mso-level-text:o;
       mso-level-tab-stop:1.0in;
       mso-level-number-position:left;
       text-indent:-.25in;
       mso-ansi-font-size:10.0pt;
       font-family: "Courier New";
       mso-bidi-font-family:"Times New Roman";}
@list l6:level3
       {mso-level-number-format:bullet;
       mso-level-text: ==;
       mso-level-tab-stop:1.5in;
       mso-level-number-position:left;
       text-indent:-.25in;
       mso-ansi-font-size:10.0pt;
       font-family:Wingdings;}
@list l6:level4
       {mso-level-number-format:bullet;
       mso-level-text:⊕;
       mso-level-tab-stop:2.0in;
       mso-level-number-position:left;
       text-indent:-.25in;
       mso-ansi-font-size:10.0pt;
       font-family:Wingdings;}
@list l6:level5
       {mso-level-number-format:bullet;
       mso-level-text: ==;
       mso-level-tab-stop:2.5in;
       mso-level-number-position:left;
       text-indent:-.25in;
       mso-ansi-font-size:10.0pt;
       font-family:Wingdings;}
@list I6:level6
       {mso-level-number-format:bullet;
       mso-level-text: ==;
       mso-level-tab-stop:3.0in;
       mso-level-number-position:left;
```

```
text-indent:-.25in;
       mso-ansi-font-size:10.0pt;
       font-family:Wingdings;}
@list I6:level7
       {mso-level-number-format:bullet;
       mso-level-text: ==;
       mso-level-tab-stop:3.5in;
       mso-level-number-position:left;
       text-indent:-.25in;
       mso-ansi-font-size:10.0pt;
       font-family:Wingdings;}
@list l6:level8
       {mso-level-number-format:bullet;
       mso-level-text: ==;
       mso-level-tab-stop:4.0in;
       mso-level-number-position:left;
       text-indent:-.25in;
       mso-ansi-font-size:10.0pt;
       font-family:Wingdings;}
@list l6:level9
       {mso-level-number-format:bullet;
       mso-level-text: ==;
       mso-level-tab-stop:4.5in;
       mso-level-number-position:left;
       text-indent:-.25in;
       mso-ansi-font-size:10.0pt;
       font-family:Wingdings;}
ol
       {margin-bottom:0in;}
ul
       {margin-bottom:0in;}
-->
</style>
<!--[if gte mso 10]>
<style>
/* Style Definitions */
table.MsoNormalTable
       {mso-style-name:"Table Normal";
       mso-tstyle-rowband-size:0;
       mso-tstyle-colband-size:0;
       mso-style-noshow:yes;
       mso-style-priority:99;
       mso-style-parent:"";
```

```
mso-padding-alt:0in 5.4pt 0in 5.4pt;
       mso-para-margin:0in;
       mso-para-margin-bottom:.0001pt;
       mso-pagination:widow-orphan;
       font-size:10.0pt;
       font-family:"Times New Roman","serif";}
</style>
<![endif]-->
<meta charset=utf-8>
<!--[if gte mso 9]><xml>
<o:shapedefaults v:ext="edit" spidmax="1026"/>
</xml><![endif]--><!--[if gte mso 9]><xml>
<o:shapelayout v:ext="edit">
 <o:idmap v:ext="edit" data="1"/>
</o:shapelayout></xml><![endif]-->
</head>
<body lang=EN-US style='tab-interval:.5in'>
<div class=WordSection1>
<strong>Business Pitch Deck</strong>
<div class=MsoNormal align=center style='text-align:center'><span</pre>
style='mso-fareast-font-family:"Times New Roman"'>
<hr size=2 width="100%" align=center>
</span></div>
<h3><span style='mso-fareast-font-family:"Times New Roman"'>1.
Introduction<o:p></o:p></span></h3>
<strong>Who We Are<span class=GramE>:</span></strong><br>
A professional web developer specializing in designing websites using
<strong>Next.js</strong>.
Our approach ensures seamless website performance, enhanced user experience,
and built-in SEO capabilities, eliminating the need for extensive SEO efforts.
<strong>Why Next.js is Unique for Clients:</strong>
ul type=disc>
class=MsoNormal style='mso-margin-top-alt:auto;mso-margin-bottom-alt:auto;
```

```
mso-list:13 level1 lfo1;tab-stops:list .5in'><span style='mso-fareast-font-family:
      "Times New Roman"'>Built-in SEO optimization.<o:p></o:p></span>
 class=MsoNormal style='mso-margin-top-alt:auto;mso-margin-bottom-alt:auto;
      mso-list:13 level1 lfo1;tab-stops:list .5in'><span style='mso-fareast-font-family:
      "Times New Roman"'>Faster page loading and performance.<o:p></o:p></span>
 class=MsoNormal style='mso-margin-top-alt:auto;mso-margin-bottom-alt:auto;
      mso-list:13 level1 lfo1;tab-stops:list .5in'><span style='mso-fareast-font-family:
      "Times New Roman"'>Scalable and robust websites, ideal for businesses
      aiming to grow.<o:p></o:p></span>
<div class=MsoNormal align=center style='text-align:center'><span</pre>
style='mso-fareast-font-family:"Times New Roman"'>
<hr size=2 width="100%" align=center>
</span></div>
<h3><span style='mso-fareast-font-family:"Times New Roman">2. Target
Market<o:p></o:p></span></h3>
<strong>Global Reach with Local Roots<span class=GramE>:</span></strong><br>
Our primary focus is on bringing the richness of <strong>Pakistani variety</strong>
(fashion, culture, or any niche) to the global market. By targeting
international audiences, we aim to establish a strong connection between local
businesses and global customers.
<div class=MsoNormal align=center style='text-align:center'><span</pre>
style='mso-fareast-font-family:"Times New Roman"'>
<hr size=2 width="100%" align=center>
</span></div>
<a>h3><span style='mso-fareast-font-family:"Times New Roman"">3. Problem & Description of the control of the co
Solution<o:p></o:p></span></h3>
<strong>The Problem:</strong>
ul type=disc>
 class=MsoNormal style='mso-margin-top-alt:auto;mso-margin-bottom-alt:auto;
      mso-list:11 level1 lfo2;tab-stops:list .5in'><span style='mso-fareast-font-family:
      "Times New Roman"'>Complex and costly global order deliveries.<o:p></o:p></span>
```

```
class=MsoNormal style='mso-margin-top-alt:auto;mso-margin-bottom-alt:auto;
   mso-list:11 level1 lfo2;tab-stops:list .5in'><span style='mso-fareast-font-family:
   "Times New Roman">Issues with customs payments and international
  logistics.<o:p></o:p></span>
<strong>Our Solution:</strong>
ul type=disc>
class=MsoNormal style='mso-margin-top-alt:auto;mso-margin-bottom-alt:auto;
   mso-list:15 level1 lfo3;tab-stops:list .5in'><span style='mso-fareast-font-family:
   "Times New Roman"'>Simplify global shipping processes.<o:p></o:p></span>
class=MsoNormal style='mso-margin-top-alt:auto;mso-margin-bottom-alt:auto;
   mso-list:15 level1 lfo3;tab-stops:list .5in'><span style='mso-fareast-font-family:
   "Times New Roman"">Streamline customs payment methods.<o:p></o:p></span>
class=MsoNormal style='mso-margin-top-alt:auto;mso-margin-bottom-alt:auto;
   mso-list:15 level1 lfo3;tab-stops:list .5in'><span style='mso-fareast-font-family:
  "Times New Roman" > Ensure efficient and timely delivery
worldwide.<o:p></o:p></span>
<div class=MsoNormal align=center style='text-align:center'><span</pre>
style='mso-fareast-font-family:"Times New Roman"'>
<hr size=2 width="100%" align=center>
</span></div>
<h3><span style='mso-fareast-font-family:"Times New Roman"">4. Competitive
Advantage<o:p></o:p></span></h3>
<strong>Competing Against Market Leaders<span class=GramE>:</span></strong><br>
Our primary competitor, <strong>Comics (or similar apps/websites)</strong>,
lacks our vision of merging unique local offerings with seamless global
delivery. We aim to outpace them by:
ul type=disc>
class=MsoNormal style='mso-margin-top-alt:auto;mso-margin-bottom-alt:auto;
   mso-list:12 level1 lfo4;tab-stops:list .5in'><span style='mso-fareast-font-family:
   "Times New Roman"'>Offering superior website design and user
experience.<o:p></o:p></span>
class=MsoNormal style='mso-margin-top-alt:auto;mso-margin-bottom-alt:auto;
   mso-list:12 level1 lfo4;tab-stops:list .5in'><span style='mso-fareast-font-family:
```

```
"Times New Roman"'>Providing tailored solutions for global logistics
  challenges.<o:p></o:p></span>
class=MsoNormal style='mso-margin-top-alt:auto;mso-margin-bottom-alt:auto;
   mso-list:12 level1 lfo4;tab-stops:list .5in'><span style='mso-fareast-font-family:
  "Times New Roman"'>Ensuring affordability and accessibility for
clients.<o:p></o:p></span>
<div class=MsoNormal align=center style='text-align:center'><span</pre>
style='mso-fareast-font-family:"Times New Roman"'>
<hr size=2 width="100%" align=center>
</span></div>
<h3><span style='mso-fareast-font-family:"Times New Roman"'>5. Revenue
Model<o:p></o:p></span></h3>
<strong>How We Make Money:</strong>
ul type=disc>
mso-list:16 level1 lfo5;tab-stops:list .5in'><span style='mso-fareast-font-family:
  "Times New Roman"'>Offering premium web development services.<o:p></o:p></span>
class=MsoNormal style='mso-margin-top-alt:auto;mso-margin-bottom-alt:auto;
   mso-list:16 level1 lfo5;tab-stops:list .5in'><span style='mso-fareast-font-family:
  "Times New Roman"'>Partnering with global logistics providers to earn
  commission.<o:p></o:p></span>
class=MsoNormal style='mso-margin-top-alt:auto;mso-margin-bottom-alt:auto;
  mso-list:16 level1 lfo5;tab-stops:list .5in'><span style='mso-fareast-font-family:
  "Times New Roman">Upselling advanced website features and tools for
  international businesses.<o:p></o:p></span>
<div class=MsoNormal align=center style='text-align:center'><span</pre>
style='mso-fareast-font-family:"Times New Roman"'>
<hr size=2 width="100%" align=center>
</span></div>
<h3><span style='mso-fareast-font-family:"Times New Roman">6. Future
Goals<0:p></o:p></span></h3>
```

```
<strong>Our Vision:</strong>
ul type=disc>
class=MsoNormal style='mso-margin-top-alt:auto;mso-margin-bottom-alt:auto;
   mso-list:14 level1 lfo6;tab-stops:list .5in'><span style='mso-fareast-font-family:
   "Times New Roman"'>Launch a groundbreaking web application that represents
   excellence not only in Pakistan but globally.<o:p></o:p></span>
class=MsoNormal style='mso-margin-top-alt:auto;mso-margin-bottom-alt:auto;
   mso-list:14 level1 lfo6;tab-stops:list .5in'><span style='mso-fareast-font-family:
  "Times New Roman"'>Establish ourselves as a trusted name in the global
  marketplace.<o:p></o:p></span>
<strong>Long-Term Plan:</strong>
ul type=disc>
class=MsoNormal style='mso-margin-top-alt:auto;mso-margin-bottom-alt:auto;
   mso-list:10 level1 lfo7;tab-stops:list .5in'><span style='mso-fareast-font-family:
   "Times New Roman"'>Expand our offerings to include mobile applications and
  Al-driven solutions.<o:p></o:p></span>
class=MsoNormal style='mso-margin-top-alt:auto;mso-margin-bottom-alt:auto;
   mso-list:10 level1 lfo7;tab-stops:list .5in'><span style='mso-fareast-font-family:
   "Times New Roman"'>Build a platform that simplifies e-commerce for global
  users.<o:p></o:p></span>
<div class=MsoNormal align=center style='text-align:center'><span</pre>
style='mso-fareast-font-family:"Times New Roman"'>
<hr size=2 width="100%" align=center>
</span></div>
<h3><span style='mso-fareast-font-family:"Times New
Roman"'>Conclusion<o:p></o:p></span></h3>
With a clear vision, unique skill set, and a drive to make an impact
globally, we are confident in our ability to transform the global marketplace
for Pakistani businesses. Let's build the future <span class=GramE>together</span>!
</div>
```

</body>

</html>