Reducing Memory Access Latencies using Data Compression in Sparse, Iterative Linear Solvers

All-College Thesis Defense

Neil Lindquist

April 16th, 2019

Motivation

- Sparse systems of linear equations used in many computations
- Iterative solvers are used
- Spend most of the time fetching data

Mathematics of Conjugate Gradient

- Solving $\mathbf{A}\vec{x} = \vec{b}$

Mathematics of Conjugate Gradient

- Solving $\mathbf{A}\vec{x} = \vec{b}$
- Minimizing $f(\vec{x}) = \frac{1}{2}\vec{x}^T\mathbf{A}\vec{x} - \vec{b} \cdot \vec{x}$

Mathematics of Conjugate Gradient

- Solving $\mathbf{A}\vec{x} = \vec{b}$
- Minimizing $f(\vec{x}) = \frac{1}{2}\vec{x}^T\mathbf{A}\vec{x} - \vec{b} \cdot \vec{x}$
- If $\mathbf{A}$ is symmetric, then $\nabla f(\vec{x}) = \mathbf{A}\vec{x} - \vec{b}$

Mathematics of Conjugate Gradient

- Solving $\mathbf{A}\vec{x} = \vec{b}$
- Minimizing $f(\vec{x}) = \frac{1}{2}\vec{x}^T\mathbf{A}\vec{x} - \vec{b}\cdot\vec{x}$
- If $\mathbf{A}$ is symmetric, then $\nabla f(\vec{x}) = \mathbf{A}\vec{x} - \vec{b}$
- $-\nabla f(\vec{x})$ is in direction of maximal decrease

Mathematics of Conjugate Gradient



Mathematics of Conjugate Gradient



Solver Description

- Approximating the steady state heat equation in 3 dimensions
  - Discretized with a 27-point stencil

Solver Description

- Approximating the steady state heat equation in 3 dimensions
  - Discretized with a 27-point stencil
- Preconditioned Conjugate Gradient was used
  - 3-level multigrid preconditioner with Symmetric Gauss-Seidel smoother

Solver Description

- Approximating the steady state heat equation in 3 dimensions
  - Discretized with a 27-point stencil
- Preconditioned Conjugate Gradient was used
  - 3-level multigrid preconditioner with Symmetric Gauss-Seidel smoother
- Matrix store in CSR format
  - Stores the column index and value for each nonzero entry

Solver Description

- Approximating the steady state heat equation in 3 dimensions
  - Discretized with a 27-point stencil
- Preconditioned Conjugate Gradient was used
  - 3-level multigrid preconditioner with Symmetric Gauss-Seidel smoother
- Matrix store in CSR format
  - Stores the column index and value for each nonzero entry
- 3 compressible data structures
  - Vector Values
  - Matrix Indices
  - Matrix Values

Compression Methods

- Mixed Floating Point Precision
- SZ Compression
- Elias Gamma and Delta Codings
- ZFP Compression
- Huffman Coding
- Op Code Compression

Compression Methods

- Mixed Floating Point Precision
- SZ Compression
- Elias Gamma and Delta Codings
- ZFP Compression
- Huffman Coding
- Op Code Compression

Mixed Floating Point Precision

- Trade off between storage and precision
- Certain vectors can be lower precision without slowing convergence
  - Retains result accuracy

Squeeze “SZ” Compression

- Predicts each value from the previous few
- Enforces minimum accuracy

Squeeze “SZ” Compression

- Predicts each value from the previous few
- Enforces minimum accuracy
- Available prediction functions are based on the data

Squeeze "SZ" Compression

- Predicts each value from the previous few
- Enforces minimum accuracy
- Available prediction functions are based on the data
- Compression rate is highly dependent on local patterns in the data

Elias Gamma Coding

- Positive integers
- For each value, stores the size then the data
  - Very effective for small integers
  - Storing the difference from the previous index reduces the size of values

Elias Gamma Coding

- Positive integers
- For each value, stores the size then the data
  - Very effective for small integers
  - Storing the difference from the previous index reduces the size of values
- Elias Delta Coding is similar, but uses Gamma coding for the length

Elias Gamma Coding

- Positive integers
- For each value, stores the size then the data
  - Very effective for small integers
  - Storing the difference from the previous index reduces the size of values
- Elias Delta Coding is similar, but uses Gamma coding for the length
- Compression rate is only dependent on the magnitude of the values

Timing Results

- 60 processes with 96^3 rows each
  - 53,084,160 total rows
- A 20-core, 2.2GHz, Intel Broadwell head node
- Plus five 8-core, 1.7GHz Intel Broadwell nodes

Vector Compression



Matrix Value Compression



Matrix Index Compression



Matrix Value and Index Compression



Vector and Matrix Compression



Conclusion

- Iterative, sparse linear solvers are memory access bound
- Compressing key data structures provided an 84% increase in performance

Sources

Github.com/Collegeville/HPCG-ZFP