# Reducing Memory Access Latencies using Data Compression in Sparse, Iterative Linear Solvers Thesis Proposal

College of Saint Benedict/Saint John's University

Neil Lindquist

October 2018

# Reducing Memory Access Latencies using Data Compression in Sparse, Iterative Linear Solvers Neil Lindquist

#### Approved By:

 $\begin{array}{c} \text{Mike Heroux} \\ \text{Thesis Advisor} \\ \text{Scientist in Residence} \end{array}$ 

 $Faculty\ Reader$   $Assistant\ Professor\ of\ Computer\ Science$ 

 $\begin{array}{c} {\rm Bret\ Benesh} \\ {\it Chair,\ Department\ of\ Mathematics} \end{array}$ 

Imad Rahal Chair, Department of Computer Science

#### 1 Proposal Summary

Some scientific and engineering computations require solving sparse, linear systems of equations. However, these solver routines often spend much of their time fetching data from main memory, while the processors are idle [14]. So, this project will attempt to improve the performance of these solvers by using data compression. Specifically, various compression techniques will be applied to certain arrays in the main data structures of the conjugate gradient implementation present in the High Performance Conjugate Gradient Benchmark [10].

### 2 Statement of Purpose

The goal of this project is to improve the performance of certain codes used in some scientific and engineering computations. These calculations include problems such as modeling fluid flow, chemical processes and electromagnetism. The specific parts being optimized are iterative solvers for sparse, linear equations. The majority of the time spent in these types of solvers is spent moving data from main memory to the processor where the actual arithmetic is done [22]. So, by compressing the largest pieces of this data, this project will try to reduce the time spent waiting and thus improve the overall performance of the computation. The reduction in time spent on the calculations can allow computations to be run more frequently and with higher detail on a given computer system.

A basic description of sparse, iterative linear solvers follows to provide a more detailed description of the computations being improved. The specific problem under consideration is solving systems of linear equations. A simple example of a system of linear equations is finding values for x and y such that

$$5x + 3y = 10$$
$$3x + 3y = 6$$

are both true. Some of the linear system used in real-world problems, such as representing a set of physics equations, can become very large, with possibly hundreds of millions of equations [7]. Not only does this large size result in long times to solve the problem, it means that the problem has to be stored in the slow-to-access main memory instead of the quick-to-access caches. Accessing main memory can take over 100 times as long as a single arithmetic operation [14]. So, reductions in the amount of memory used to store key components of the problem have the opportunity to provide significant improvements in performance. Specifically, data compression schemes with very simple decoding algorithms are being experimented with to find the most effective way to store the key data structures of the solvers.

The High Performance Conjugate Gradient Benchmark is being used as the codebase for testing compression methods [10]. This code is modified to utilize different compression methods, then is used to test the compression's performance. It provides both a base implementation of a sparse, iterative linear solver (specificly Conjugate Gradient) and measures of performance for both

the overall solver as well as the major components. Compression techniques being used include single precision floats, SZ compression and ZFP compression for floating point data and Elias Gamma coding, Elias Delta coding, SZ compression and Huffman coding for integers [9, 24, 11, 17].

#### 3 Preliminary Outline

The thesis will have three main sections: background information, test results and conclusions. The first section will cover a number of relevant topics needed to understand the goals, test problem, compression methods and the interactions of these parts of the project. First, the relevance and goals of this work will be presented. Next, the current state of the art for this type of computations will be described, including both the computational aspects and the underlying mathematics. After that will be a description of the code base used to create the test results. Then, a short discussion of data access patterns and restrictions to the compressions will be provided. Finally, there will be descriptions of the various compression methods used. The Test Result and Conclusions sections will be more straight forward. The test results will largely contain tables of times and other metrics, but will also contain analysis of the results and information to reproduce the results. The concluding section will summarize the results and conclusions of the work as well as ways the work can be built on in the future.

## 4 Preliminary References

- [1] Hartwig Anzt, Björn Rocker, and Vincent Heuveline. Energy efficiency of mixed precision iterative refinement methods using hybrid hardware platforms. Computer Science Research and Development, 25(3):141–148, 2010.
- [2] Marc Baboulin, Alfredo Buttari, Jack Dongarra, Jakub Kurzak, Julie Langou, Julien Langou, Piotr Luszczek, and Stanimire Tomov. Accelerating scientific computations with mixed precision algorithms. CoRR, abs/0808.2794, 2008.
- [3] Alfredo Buttari, Jack Dongarra, Jakub Kurzak, Piotr Luszczek, and Stanimir Tomov. Using mixed precision for sparse matrix computations to enhance the performance while achieving 64-bit accuracy. *ACM Trans. Math. Softw.*, 34(4):17:1–17:22, July 2008.
- [4] Alfredo Buttari, Jack Dongarra, Julie Langou, Julien Langou, Piotr Luszczek, and Jakub Kurzak. Exploiting the performance of 32 bit floating point arithmetic in obtaining 64 bit accuracy (revisiting iterative refinement for linear systems). In Proceedings of the 2006 ACM/IEEE Conference on Supercomputing, SC '06, New York, NY, USA, 2006. ACM.

- [5] Alfredo Buttari, Jack Dongarra, Julie Langou, Julien Langou, Piotr Luszczek, and Jakub Kurzak. Mixed precision iterative refinement techniques for the solution of dense linear systems. *Int. J. High Perform. Com*put. Appl., 21(4):457–466, November 2007.
- [6] Wei-Fan Chiang, Mark Baranowski, Ian Briggs, Alexey Solovyev, Ganesh Gopalakrishnan, and Zvonimir Rakamarić. Rigorous floating-point mixedprecision tuning. SIGPLAN Not., 52(1):300–315, January 2017.
- [7] Timothy A. Davis and Yifan Hu. The university of florida sparse matrix collection. *ACM Trans. Math. Softw.*, 38(1):1:1–1:25, December 2011.
- [8] James Demmel, Yozo Hida, William Kahan, Xiaoye S. Li, Sonil Mukherjee, and E. Jason Riedy. Error bounds from extra-precise iterative refinement. *ACM Trans. Math. Softw.*, 32(2):325–351, June 2006.
- [9] S. Di and F. Cappello. Fast error-bounded lossy hpc data compression with sz. In 2016 IEEE International Parallel and Distributed Processing Symposium, pages 730–739, May 2016.
- [10] Jack Dongarra, Michael Heroux, and Piotr Luszczek. Hpcg benchmark: a new metric for ranking high performance computing systems. Technical Report UT-EECS-15-736, Electrical Engineering and Computer Sciente Department, Knoxville, Tennessee, November 2015.
- [11] P. Elias. Universal codeword sets and representations of the integers. *IEEE Transactions on Information Theory*, 21(2):194–203, March 1975.
- [12] Samuel A. Figueroa. When is double rounding innocuous? SIGNUM Newsl., 30(3):21–26, July 1995.
- [13] Dominik Göddeke, Robert Strzodka, and Stefan Turek. Performance and accuracy of hardware-oriented native-, emulated-and mixed-precision solvers in fem simulations. *Int. J. Parallel Emerg. Distrib. Syst.*, 22(4):221–256, January 2007.
- [14] Georgios Goumas, Kornilios Kourtis, Nikos Anastopoulos, Vasileios Karakasis, and Nectarios Koziris. Performance evaluation of the sparse matrix-vector multiplication on modern architectures. The Journal of Supercomputing, 50(1):36–77, Oct 2009.
- [15] Nicholas J. Higham. Accuracy and Stability of Numerical Algorithms. Society for Industrial and Applied Mathematics, Philadelphia, PA, USA, 1996.
- [16] J. D. Hogg and J. A. Scott. A fast and robust mixed-precision solver for the solution of sparse symmetric linear systems. ACM Trans. Math. Softw., 37(2):17:1–17:24, April 2010.
- [17] David A. Huffman. A method for the construction of minimum-redundancy codes. *Proceedings of the Institute of Radio Engineers*, 40(9):1098–1101, September 1952.

- [18] Claude-Pierre Jeannerod and Siegfried M. Rump. Improved error bounds for inner products in floating-point arithmetic. SIAM Journal on Matrix Analysis and Applications, 34(2):338–344, 2013.
- [19] John Jenkins, Eric R. Schendel, Sriram Lakshminarasimhan, David A. Boyuka, II, Terry Rogers, Stephane Ethier, Robert Ross, Scott Klasky, and Nagiza F. Samatova. Byte-precision level of detail processing for variable precision analytics. In Proceedings of the International Conference on High Performance Computing, Networking, Storage and Analysis, SC '12, pages 48:1–48:11, Los Alamitos, CA, USA, 2012. IEEE Computer Society Press.
- [20] Toyohisa Kaneko and Bede Liu. On local roundoff errors in floating-point arithmetic. *J. ACM*, 20(3):391–398, July 1973.
- [21] David R. Kincaid and E. Ward Cheney. *Numerical Analysis: Mathematics of Scientific Computing*. Pure and applied undergraduate texts. American Mathematical Society, 2002.
- [22] Orion Sky Lawlor. In-memory data compression for sparse matrices. In *Proceedings of the 3rd Workshop on Irregular Applications: Architectures and Algorithms*, IA3 '13, pages 6:1–6:6, New York, NY, USA, 2013. ACM.
- [23] Xiaoye S. Li, James W. Demmel, David H. Bailey, Greg Henry, Yozo Hida, Jimmy Iskandar, William Kahan, Suh Y. Kang, Anil Kapur, Michael C. Martin, Brandon J. Thompson, Teresa Tung, and Daniel J. Yoo. Design, implementation and testing of extended and mixed precision blas. ACM Trans. Math. Softw., 28(2):152–205, June 2002.
- [24] P. Lindstrom. Fixed-rate compressed floating-point arrays. IEEE Transactions on Visualization and Computer Graphics, 20(12):2674–2683, Dec 2014.
- [25] Y. Saad. *Iterative Methods for Sparse Linear Systems*. Society for Industrial and Applied Mathematics, Philadelphia, PA, USA, 2nd edition, 2003.
- [26] Jonathan R Shewchuk. An introduction to the conjugate gradient method without the agonizing pain. Technical report, Carnegie Mellon University, Pittsburgh, PA, USA, 1994.
- [27] Tran-Thong and Bede Liu. Floating point fast fourier transform computation using double precision floating point accumulators. *ACM Trans. Math. Softw.*, 3(1):54–59, March 1977.
- [28] Eiji Tsuchida and Yoong-Kee Choe. Iterative diagonalization of symmetric matrices in mixed precision and its application to electronic structure calculations. *Computer Physics Communications*, 183(4):980–985, apr 2012.