# Reducing Memory Access Latencies using Data Compression in Sparse, Iterative Linear Solvers All-College Thesis Defense

**Neil Lindquist** 

April 16th, 2019

#### Motivation


- Solving sparse linear systems used in many computations
- Billions of variables or more
- Spend most of the time fetching data from memory


• Solving  $\mathbf{A}\vec{x} = \vec{b}$ 

- Solving  $\mathbf{A}\vec{x} = \vec{b}$
- Minimizing  $f(\vec{x}) = \frac{1}{2}\vec{x}^T \mathbf{A}\vec{x} \vec{b} \cdot \vec{x}$

- Solving  $\mathbf{A}\vec{x} = \vec{b}$
- Minimizing  $f(\vec{x}) = \frac{1}{2}\vec{x}^T \mathbf{A} \vec{x} \vec{b} \cdot \vec{x}$
- If **A** is symmetric, then  $\nabla f(\vec{x}) = \mathbf{A}\vec{x} \vec{b}$

- Solving  $\mathbf{A}\vec{x} = \vec{b}$
- Minimizing  $f(\vec{x}) = \frac{1}{2}\vec{x}^T \mathbf{A}\vec{x} \vec{b} \cdot \vec{x}$
- If **A** is symmetric, then  $\nabla f(\vec{x}) = \mathbf{A}\vec{x} \vec{b}$
- $-\nabla f(\vec{x})$  is in direction of maximal decrease





- Approximating the steady state heat equation in 3 dimensions
  - Discretized with a 27-point stencil

- Approximating the steady state heat equation in 3 dimensions
  - Discretized with a 27-point stencil
- Preconditioned Conjugate Gradient was used
  - 3-level multigrid preconditioner with Symmetric Gauss-Seidel smoother

- Approximating the steady state heat equation in 3 dimensions
  - Discretized with a 27-point stencil
- Preconditioned Conjugate Gradient was used
  - 3-level multigrid preconditioner with Symmetric Gauss-Seidel smoother
- Matrix store in CSR format
  - Stores the column index and value for each nonzero entry

- Approximating the steady state heat equation in 3 dimensions
  - Discretized with a 27-point stencil
- Preconditioned Conjugate Gradient was used
  - 3-level multigrid preconditioner with Symmetric Gauss-Seidel smoother
- Matrix store in CSR format
  - Stores the column index and value for each nonzero entry
- 3 compressible data structures
  - Vector Values
  - Matrix Indices
  - Matrix Values

#### Main Data Access Pattern

```
for row in rows do
for nonzero entry in row do
LOAD entry's value
LOAD entry's column index
LOAD vector value for column index
end for
WRITE vector value for row
end for
```

#### Main Data Access Pattern

```
for row in rows do
for nonzero entry in row do
LOAD entry's value
LOAD entry's column index
LOAD vector value for column index
end for
WRITE vector value for row
end for
```

- need random vector reads
- need vector writes
- need both forward and backward iteration of matrix rows

## Compression Methods

- Mixed Floating Point Precision
- SZ Compression
- Elias Gamma and Delta Codings
- ZFP Compression
- Huffman Coding
- Op Code Compression

### Compression Methods

- Mixed Floating Point Precision
- SZ Compression
- Elias Gamma and Delta Codings
- ZFP Compression
- Huffman Coding
- Op Code Compression

## Mixed Floating Point Precision

- Single Precision takes half the storage space
- But drops from 15-17 significant digits to 6-9 digits
- Certain vectors can be lower precision without slowing convergence
  - $\vec{b}, \vec{x}, \mathbf{A}\vec{d}$

## Squeeze "SZ" Compression

- Tries to predict each value from the previous few
- Enforces a minimum accuracy

## Squeeze "SZ" Compression

- Tries to predict each value from the previous few
- Enforces a minimum accuracy
- Available prediction functions are chosen based on the type of data

## Squeeze "SZ" Compression

- Tries to predict each value from the previous few
- Enforces a minimum accuracy
- Available prediction functions are chosen based on the type of data
- Compression rate is highly dependent on local patterns in the data

## Elias Gamma Coding

- Positive integers
- For each value, stores the number of bits needed then the data
  - Very effective for small integers
  - Storing the difference from the previous index reduces the size of values

## Elias Gamma Coding

- Positive integers
- For each value, stores the number of bits needed then the data
  - Very effective for small integers
  - Storing the difference from the previous index reduces the size of values
- Elias Delta Coding is similar, but uses Gamma coding for the length


## Elias Gamma Coding


- Positive integers
- For each value, stores the number of bits needed then the data
  - Very effective for small integers
  - Storing the difference from the previous index reduces the size of values
- Elias Delta Coding is similar, but uses Gamma coding for the length
- Compression rate is only dependent on the magnitude of the values

### Timing Results


- 60 processes with 96<sup>3</sup> rows each
  - 53,084,160 total rows
- A 20-core, 2.2GHz, Intel Broadwell head node
- Plus five 8-core, 1.7GHz Intel Broadwell nodes
- MPI communication









### Matrix Index Compression



# Matrix Value and Index Compression



### Vector and Matrix Compression



#### Conclusion

- Iterative linear solvers are memory access bound
- Compressing key data structures provided an 84% increase in performance