

National Direct Preferred Drug List

Drug list — Three Tier Drug Plan

Your prescription benefit comes with a drug list, which is also called a formulary. This list is made up of brand-name

and generic prescription drugs approved by the U.S. Food & Drug Administration (FDA).

Here are a few things to remember about the list:

- o You and your doctor can use it as a guide to choose drugs that are best for you. Drugs that aren't on this list may not be covered by your plan and may cost you more out of pocket.
- Your coverage has limitations and exclusions, which means there are certain rules about what's covered by your plan and what isn't. To find out more, view your Certificate/Evidence of Coverage or your Summary Plan Description by logging in at anthem.com and go to My Plan ->Benefits-> Plan Documents.
- o To help you see how the drug list works with your drug benefit, we've included some frequently asked questions (FAQ) about how the list is set up and what to do if a drug you take isn't on it.
- o This booklet is updated on a quarterly basis. To view the most up-to-date list of drugs for your plan including drugs that have been added, generic drugs and more log in at anthem.com/pharmacyinformation.

If you have questions about your pharmacy benefits, we're here to help. Just call us at the Pharmacy Member Services number on your ID card.



A03100MUMENABS

National Direct Preferred Drug List

What is a drug list?

The drug list, also called a formulary, is a list of prescription medicines your plan covers. It includes hundreds of brand-name and generic drugs approved by the U.S. Food & Drug Administration (FDA).

Is this a complete listing of all covered drugs?

Yes, this is a complete listing of all the drugs on the drug list. But, it's possible a drug(s) on this list may not be covered, depending on your plan's design. Your coverage has limitations and exclusions, which means there are certain conditions that determine what's covered by your plan and what isn't. To find out more, read your Certificate/Evidence of Coverage or your Summary Plan Description, which you got when you signed up for your plan.

How can I find a drug on the list?

The drugs are listed in alphabetical order based on the name of their drug class, also called therapeutic class. You can search the PDF drug list by:

- o Drug name, using Ctrl + F on your keyboard, then type in the name of the drug you're looking for
- o Drug class, using the categories listed in alphabetical order.

The Notes column will tell you if you need preapproval before you can take the drug (called prior authorization or PA), or if you need to try other drugs first for your treatment (called step therapy or ST).

When I search the list, I see that each drug is on a tier. What are the tiers for?

The drug list is set up in tiers or levels. We place drugs on different tiers based on how well they work to improve health, whether there are over-the-counter (OTC) options and their costs compared to other drugs used for the same type of treatment. Your share of the drug cost will depend on what tier a drug is on. The lower the tier, the lower your share of the cost. Here's a breakdown of the tiers in your plan:

- o Tier 1 drugs have the lowest cost share for you. These are usually generic drugs that offer the best value compared to other drugs that treat the same conditions. Some plans split Tier 1 into Tier 1a and Tier 1b:
 - Tier 1a drugs have the lowest cost share. These are often generic drugs that offer the greatest value compared to others that treat the same conditions.
 - Tier 1b drugs have a low-cost share. These are typically generic drugs that offer the greatest value compared to others that treat the same conditions.
- o Tier 2 drugs have a higher cost share than Tier 1. They may be preferred brand drugs, based on how well they work, and their cost compared to other drugs used for the same type of treatment. Some are generic drugs that may cost more because they're newer to the market.
- o Tier 3 drugs have the highest cost share. They often include non-preferred brand and generic drugs. They may cost more than drugs on lower tiers that are used to treat the same condition. Tier 3 may also include drugs that were recently approved by the FDA or specialty drugs that are used to treat serious, long-term health conditions and that may need special handling.



How will I know if my drug is covered and how much will it cost?

You can go online and with the <u>Price a Medication</u> tool, get pharmacy-specific drug coverage details and pricing from a number of local retail pharmacies in your zip code.

If my medicine isn't on the drug list, what are my options?

Here are a few things to think about:

- o If you want to take a drug that's not on the drug list, you may have to pay the full cost for it.
- O You can also talk to your doctor or pharmacist to see if there's another drug covered by your plan that will work just as well, or if generic or OTC drugs are an option. Only you and your doctor can decide what drugs are right for you.
- o You can search for generic drugs at anthem.com. OTC drugs aren't shown on the list.
- o If a drug you're taking isn't covered, your doctor can ask us to review the coverage. This process is called preapproval or prior authorization. Your doctor can get the process started by calling the Member Services number on the back of your member ID card or by downloading a prior authorization form from our website and submitting it. If your request is approved, the amount you pay for the drug will depend on your plan's benefit.
- o If the contraceptive you are taking is not on the formulary, your doctor can contact us if it is medically necessary because the preferred contraceptives are inappropriate for you, and we will waive your cost share.

Who decides what drugs are on the list?

The drugs on the list are reviewed through our Pharmacy and Therapeutics (P&T) process. In this process, a group of independent doctors, pharmacists and other health care professionals decides which drugs we include on our lists. This group meets regularly to look at new and existing drugs and recommends drugs based on how safe they are, how well they work and the value they offer our members.

What's the difference between brand-name and generic drugs?

A brand-name drug is FDA-approved and usually available from only one manufacturer. It may be protected by a patent, which means it can only be made or sold by the company that has the patent.

A generic drug is also FDA-approved and has the same active ingredients as the brandname drug. But a generic drug is usually available only after the patent on the brand-name drug ends. It may look different, but a generic drug works the same as the brand-name drug.

Does the drug list change, and how will I know if it does?

Drugs on our list are reviewed on a regular basis. Sometimes, drugs are added, removed or moved to a different tier. We'll let you know if a drug you take is taken off the list and, in some cases, if a drug you take is moved to a higher tier.

You can always check the drug list to make sure medicines you take are still on it. You'll find the most up-to-date drug list when you log in at anthem.com.

Does my plan cover preventive drugs?

We cover preventive care drugs with zero cost share in compliance with the Affordable Care Act (ACA).



Key terms

Here are some terms and notes you'll find on the drug list.

Brand name drugs are in UPPER CASE, bold type.

Generic drugs are in lower case, plain type.

\$0 = preventive drugs. For some members, this product may be covered at 100% with \$0 cost share with a

prescription from your provider if specified criteria are met.

AL = age limits. Some drugs require a prior authorization if your age does not meet drug manufacturer, Food and Drug Administration (FDA), or clinical recommendations.

BE = benefit exclusion. This drug may not be covered depending on your plans design. To find out if your drug is covered, log into your member portal or use the Sydney app to Price a Medication and refer to your plan documents.

DO = dose optimization. Usually, this means you may have to switch from taking a drug twice a day to taking it once a day at a higher strength.

LD = limited distribution. These drugs are available only through certain pharmacies or wholesalers, depending on what the manufacturer decides.

PA = prior authorization. You may need to get benefits approved before certain prescriptions can be filled.

QL = quantity limits. There are limits on the amount of medicine covered within a certain amount of time.

SP = specialty drugs. Specialty drugs are used to treat difficult, long-term conditions. You may need to get this drug through a specialty pharmacy.

ST = step therapy. You may need to use another recommended drug first before a prescribed drug is covered.

Online Pharmacy Resources

Find your closest network pharmacy, get the most up-to-date coverage information on your drug list including details about pricing your medication, brands and generics, dosage/strength options, and much more — when you log in at anthem.com.



Drug(s) may be excluded from the list based on your plan's benefit design.

Anthem Blue Cross and Blue Shield is the trade name of Anthem Health Plans, Inc. Independent licensee of the Blue Cross and Blue Shield Association. Anthem is a registered trademark of Anthem Insurance Companies, Inc.

A03100MUMENABS

Table of Contents

| *Adhd/Anti-Narcolepsy/Anti-Obesity/Anorexiants* | |
|---|-----|
| *Allergenic Extracts/Biologicals Misc* | |
| *Amebicides* | |
| *Aminoglycosides* | 10 |
| *Analgesics - Anti-Inflammatory* | |
| *Analgesics - Nonnarcotic* | |
| *Analgesics - Opioid* | |
| *Androgens-Anabolic* | |
| *Anorectal And Related Products* | 15 |
| *Anthelmintics* | 16 |
| *Antianginal Agents* | 16 |
| *Antianxiety Agents* | 16 |
| *Antiarrhythmics* | |
| *Antiasthmatic And Bronchodilator Agents* | |
| *Anticoagulants* | |
| *Anticonvulsants* | |
| *Antidepressants* | |
| *Antidiabetics* | |
| *Antidiarrheal/Probiotic Agents* | |
| *Antidotes And Specific Antagonists* | |
| *Antiemetics* | |
| *Antifungals* | |
| *Antihistamines* | |
| *Antihyperlipidemics* | |
| *Antihypertensives* | |
| | |
| *Anti-Infective Agents - Misc.* | |
| *Antimalarials* | |
| *Antimyasthenic/Cholinergic Agents* | 3/ |
| *Antimycobacterial Agents* | |
| *Antineoplastics And Adjunctive Therapies* | |
| *Antiparkinson And Related Therapy Agents* | |
| *Antipsychotics/Antimanic Agents* | 52 |
| *Antiseptics & Disinfectants* | |
| *Antivirals* | |
| *Beta Blockers* | |
| *Calcium Channel Blockers* | |
| *Cardiotonics* | |
| *Cardiovascular Agents - Misc.* | |
| *Cephalosporins* | |
| *Contraceptives* | 64 |
| *Corticosteroids* | 67 |
| *Cough/Cold/Allergy* | 69 |
| *Dermatologicals* | 69 |
| *Digestive Aids* | 76 |
| *Diuretics* | 76 |
| *Endocrine And Metabolic Agents - Misc.* | |
| *Estrogens* | |
| *Fluoroquinolones* | |
| *Gastrointestinal Agents - Misc.* | |
| *General Anesthetics* | |
| *Genitourinary Agents - Miscellaneous* | |
| *Gout Agents* | |
| *Hematological Agents - Misc.* | |
| *Hematopoietic Agents* | |
| *Hemostatics* | |
| *Hypnotics/Sedatives/Sleep Disorder Agents* | |
| *Laxatives* | |
| *Laxauves* *Local Anesthetics-Parenteral* | |
| | |
| *Macrolides** Medical Devices And Supplies* | |
| | u / |

| *Migraine Products* | 99 |
|---|-----|
| *Minerals & Electrolytes* | 100 |
| *Miscellaneous Therapeutic Classes* | 102 |
| *Mouth/Throat/Dental Agents* | 105 |
| *Multivitamins* | 105 |
| *Musculoskeletal Therapy Agents* | 108 |
| *Nasal Agents - Systemic And Topical* | 109 |
| *Neuromuscular Agents* | 109 |
| *Nutrients* | 110 |
| *Ophthalmic Agents* | 111 |
| *Otic Agents* | 117 |
| *Oxytocics* | 117 |
| *Passive Immunizing And Treatment Agents* | 117 |
| *Penicillins* | |
| *Progestins* | 120 |
| *Psychotherapeutic And Neurological Agents - Misc.* | 120 |
| *Respiratory Agents - Misc.* | 123 |
| *Sulfonamides* | 124 |
| *Tetracyclines* | 124 |
| *Thyroid Agents* | 124 |
| *Toxoids* | 125 |
| *Ulcer Drugs/Antispasmodics/Anticholinergics* | 125 |
| *Urinary Antispasmodics* | |
| *Vaccines* | 127 |
| *Vaginal And Related Products* | |
| *Vasopressors* | 130 |
| *Vitamins* | 131 |

CURRENT AS OF 9/1/2025

| Drug Name | Tier | Notes |
|--|----------|--------|
| *Adhd/Anti- Narcolepsy/Anti- Obesity/Anorexiants* | | |
| *Adhd Agent - Selective Alpha Adrenergic Agonists*** | | |
| clonidine hcl er oral tablet extended release 12 hour | 1 or 1b* | PA |
| guanfacine hcl er oral tablet extended release 24 hour | 1 or 1b* | PA |
| *Adhd Agent - Selective Norepinephrine Reuptake Inhibitor*** | | |
| atomoxetine hcl oral capsule | 1 or 1b* | PA |
| *Amphetamine Mixtures*** | | |
| amphetamine-dextroamphet er oral capsule extended release 24 hour 10 mg, 15 mg, 5 mg | 1 or 1b* | PA; DO |
| amphetamine-dextroamphet er oral capsule extended release 24 hour 20 mg, 25 mg, 30 mg | 1 or 1b* | PA; QL |
| amphetamine- dextroamphetamine oral tablet 10 mg, 12.5 mg, 15 mg, 5 mg, 7.5 mg | 1 or 1b* | PA; DO |
| amphetamine- dextroamphetamine oral tablet 20 mg, 30 mg | 1 or 1b* | PA; QL |
| amphet-dextroamphet 3-bead er oral capsule extended release 24 hour | 1 or 1b* | PA; QL |
| *Amphetamines*** | | |
| amphetamine sulfate oral tablet 10 mg | 1 or 1b* | QL |
| amphetamine sulfate oral tablet 5 mg | 1 or 1b* | DO |
| dextroamphetamine sulfate er oral capsule extended release 24 hour 10 mg | 1 or 1b* | PA; QL |
| dextroamphetamine sulfate er oral capsule extended release 24 hour 15 mg | 1 or 1b* | QL |
| dextroamphetamine sulfate er oral capsule extended release 24 hour 5 mg | 1 or 1b* | PA; DO |
| dextroamphetamine sulfate oral solution | 1 or 1b* | PA; QL |

| Drug Name | Tier | Notes |
|--|----------|------------|
| dextroamphetamine sulfate oral tablet 10 mg, 15 mg, 20 mg, 30 mg, 7.5 mg | 1 or 1b* | PA; QL |
| dextroamphetamine sulfate oral tablet 2.5 mg, 5 mg | 1 or 1b* | PA; DO |
| lisdexamfetamine dimesylate oral capsule 10 mg, 20 mg, 30 mg | 1 or 1b* | PA; DO |
| lisdexamfetamine dimesylate oral capsule 40 mg, 50 mg, 60 mg, 70 mg | 1 or 1b* | PA; QL |
| lisdexamfetamine dimesylate oral tablet chewable 10 mg, 20 mg, 30 mg | 1 or 1b* | PA; DO |
| lisdexamfetamine dimesylate oral tablet chewable 40 mg, 50 mg, 60 mg | 1 or 1b* | PA; QL |
| procentra oral solution | 1 or 1b* | PA; QL |
| zenzedi oral tablet 10 mg, 15 mg, 20 mg, 30 mg, 7.5 mg | 1 or 1b* | PA; QL |
| zenzedi oral tablet 2.5 mg, 5 mg | 1 or 1b* | PA; DO |
| *Analeptics*** | | |
| caffeine citrate intravenous solution | 3 | |
| caffeine citrate oral solution | 1 or 1b* | |
| DOPRAM INTRAVENOUS SOLUTION | 3 | |
| *Anorexiants Non- Amphetamine*** | | |
| ADIPEX-P ORAL TABLET | 3 | PA; QL; BE |
| benzphetamine hcl oral tablet 50 mg | 1 or 1b* | PA; QL; BE |
| diethylpropion hcl er oral tablet extended release 24 hour | 1 or 1b* | PA; QL; BE |
| diethylpropion hcl oral tablet | 1 or 1b* | PA; QL; BE |
| LOMAIRA ORAL TABLET | 3 | PA; QL; BE |
| PHENDIMETRAZINE TARTRATE ER ORAL CAPSULE EXTENDED RELEASE 24 HOUR | 3 | PA; QL; BE |
| phendimetrazine tartrate oral tablet | 1 or 1b* | PA; QL; BE |
| phentermine hcl oral capsule | 1 or 1b* | PA; QL; BE |
| phentermine hcl oral tablet | 1 or 1b* | PA; QL; BE |

| Drug Name | Tier | Notes |
|--|----------|----------------|
| *Anti-Obesity - Gip & Glp- 1 Receptor Agonists*** | | |
| ZEPBOUND SUBCUTANEOUS SOLUTION AUTO- INJECTOR | 2 | PA; QL; BE |
| *Anti-Obesity - Glp-1 Receptor Agonists*** | | |
| SAXENDA SUBCUTANEOUS SOLUTION PEN- INJECTOR | 3 | PA; QL; BE |
| WEGOVY SUBCUTANEOUS SOLUTION AUTO- INJECTOR | 2 | PA; QL; BE |
| *Dopamine And Norepinephrine Reuptake Inhibitors (Dnris)*** | | |
| SUNOSI ORAL TABLET 150 MG | 3 | PA; QL |
| SUNOSI ORAL TABLET 75 MG | 3 | PA; DO |
| *Histamine H3-Receptor Antagonist/Inverse Agonists*** | | |
| WAKIX ORAL TABLET 17.8 MG | 3 | PA; QL; LD; SP |
| WAKIX ORAL TABLET 4.45 MG | 3 | PA; DO; LD; SP |
| *Lipase Inhibitors*** | | |
| orlistat oral capsule | 1 or 1b* | PA; QL; BE |
| *Melanocortin 4 (Mc4) Receptor Agonists*** | | |
| IMCIVREE SUBCUTANEOUS SOLUTION | 3 | PA; QL; LD; BE |
| *Stimulant Combinations*** | | |
| AZSTARYS ORAL CAPSULE | 3 | PA; QL |
| *Stimulants - Misc.*** | | |
| armodafinil oral tablet | 1 or 1b* | PA; QL |
| dexmethylphenidate hcl er oral capsule extended release 24 hour 10 mg, 15 mg, 20 mg | 1 or 1b* | ST; DO |
| dexmethylphenidate hcl er oral capsule extended release 24 hour 25 mg | 1 or 1b* | ST; QL |

| Drug Name | Tier | Notes |
|---|----------|--------|
| dexmethylphenidate hcl er oral capsule extended release 24 hour 30 mg, 35 mg, 40 mg | 1 or 1b* | PA; QL |
| dexmethylphenidate hcl er oral capsule extended release 24 hour 5 mg | 1 or 1b* | PA; DO |
| dexmethylphenidate hcl oral tablet 10 mg | 1 or 1b* | PA; QL |
| dexmethylphenidate hcl oral tablet 2.5 mg, 5 mg | 1 or 1b* | PA; DO |
| methylphenidate hcl er (cd) oral capsule extended release 10 mg, 20 mg, 30 mg | 1 or 1b* | PA; DO |
| methylphenidate hcl er (cd) oral capsule extended release 40 mg, 50 mg, 60 mg | 1 or 1b* | PA; QL |
| methylphenidate hcl er (la) oral capsule extended release 24 hour 10 mg, 20 mg | 1 or 1b* | PA; DO |
| methylphenidate hcl er (la) oral capsule extended release 24 hour 30 mg, 40 mg, 60 mg | 1 or 1b* | PA; QL |
| methylphenidate hcl er (osm) oral tablet extended release 18 mg, 27 mg | 1 or 1b* | PA; DO |
| methylphenidate hcl er (osm) oral tablet extended release 36 mg, 45 mg, 54 mg, 63 mg | 1 or 1b* | PA; QL |
| METHYLPHENIDATE HCL ER (OSM) ORAL TABLET EXTENDED RELEASE 72 MG | 1 or 1b* | PA; QL |
| methylphenidate hcl er (xr) oral capsule extended release 24 hour 10 mg, 15 mg, 20 mg, 30 mg | 1 or 1b* | PA; DO |
| methylphenidate hcl er (xr) oral capsule extended release 24 hour 40 mg, 50 mg, 60 mg | 1 or 1b* | PA; QL |
| methylphenidate hcl er oral tablet extended release 10 mg | 1 or 1b* | PA; DO |
| methylphenidate hcl er oral tablet extended release 20 mg | 1 or 1b* | PA; QL |
| methylphenidate hcl er oral tablet extended release 24 hour | 1 or 1b* | PA; DO |
| methylphenidate hcl oral solution | 1 or 1b* | PA; QL |
| methylphenidate hcl oral tablet 10 mg, 5 mg | 1 or 1b* | PA; DO |

| Drug Name | Tier | Notes |
|---|----------|------------|
| methylphenidate hcl oral tablet 20 mg | 1 or 1b* | PA; QL |
| methylphenidate hcl oral tablet chewable 10 mg | 1 or 1b* | PA; QL |
| methylphenidate hcl oral tablet chewable 2.5 mg | 1 or 1b* | ST; DO |
| methylphenidate hcl oral tablet chewable 5 mg | 1 or 1b* | PA; DO |
| methylphenidate transdermal patch 10 mg/9hr, 15 mg/9hr | 1 or 1b* | ST; DO |
| methylphenidate transdermal patch 20 mg/9hr, 30 mg/9hr | 1 or 1b* | ST; QL |
| modafinil oral tablet 100 mg | 1 or 1b* | PA; DO |
| modafinil oral tablet 200 mg | 1 or 1b* | PA; QL |
| *Allergenic | | |
| Extracts/Biologicals Misc* | | |
| *Allergenic Extracts*** | | |
| GRASTEK SUBLINGUAL TABLET SUBLINGUAL | 3 | PA; QL |
| PALFORZIA (1 MG DAILY DOSE) ORAL | 3 | PA; QL; LD |
| PALFORZIA (12 MG DAILY DOSE) ORAL | 3 | PA; QL; LD |
| PALFORZIA (120 MG DAILY DOSE) ORAL | 3 | PA; QL; LD |
| PALFORZIA (160 MG DAILY DOSE) ORAL | 3 | PA; QL; LD |
| PALFORZIA (20 MG DAILY DOSE) ORAL | 3 | PA; QL; LD |
| PALFORZIA (200 MG DAILY DOSE) ORAL | 3 | PA; QL; LD |
| PALFORZIA (240 MG DAILY DOSE) ORAL | 3 | PA; QL; LD |
| PALFORZIA (3 MG DAILY DOSE) ORAL | 3 | PA; QL; LD |
| PALFORZIA (300 MG MAINTENANCE) ORAL PACKET | 3 | PA; QL; LD |
| PALFORZIA (300 MG TITRATION) ORAL PACKET | 3 | PA; QL; LD |
| PALFORZIA (40 MG DAILY DOSE) ORAL | 3 | PA; QL; LD |
| PALFORZIA (6 MG DAILY DOSE) ORAL | 3 | PA; QL; LD |
| PALFORZIA (80 MG DAILY DOSE) ORAL | 3 | PA; QL; LD |
| PALFORZIA INITIAL DOSE 1-3YRS ORAL | 3 | PA; QL; LD |
| PALFORZIA INITIAL DOSE 4-17YRS ORAL | 3 | PA; QL; LD |

| Drug Name | Tier | Notes |
|---|----------|------------|
| PALFORZIA INITIAL ESCALATION ORAL | 3 | PA; QL; LD |
| RAGWITEK SUBLINGUAL TABLET SUBLINGUAL | 3 | PA; QL |
| *Mixed Allergenic Extracts*** | | |
| ODACTRA SUBLINGUAL TABLET SUBLINGUAL | 3 | PA; QL |
| ORALAIR SUBLINGUAL TABLET SUBLINGUAL | 3 | PA; QL; LD |
| *Amebicides* | | |
| *Amebicides*** | | |
| SOLOSEC ORAL PACKET | 3 | PA; QL |
| *Aminoglycosides* | | |
| *Aminoglycosides*** | | |
| amikacin sulfate injection solution 1 gm/4ml, 500 mg/2ml | 1 or 1b* | |
| ARIKAYCE INHALATION SUSPENSION | 3 | PA; QL; LD |
| BETHKIS INHALATION NEBULIZATION SOLUTION | 3 | QL; LD; SP |
| gentamicin in saline intravenous solution 0.8-0.9 mg/ml-%, 1-0.9 mg/ml-%, 1.2-0.9 mg/ml-%, 1.6-0.9 mg/ml-%, 2-0.9 mg/ml-% | 1 or 1b* | |
| gentamicin sulfate injection solution | 1 or 1b* | |
| HUMATIN ORAL CAPSULE | 3 | PA |
| neomycin sulfate oral tablet | 1 or 1a* | |
| streptomycin sulfate intramuscular solution reconstituted | 1 or 1b* | |
| TOBI PODHALER INHALATION CAPSULE | 3 | QL; LD; SP |
| tobramycin inhalation nebulization solution | 3 | QL; SP |
| tobramycin sulfate injection solution | 1 or 1b* | QL |
| tobramycin sulfate injection solution reconstituted | 1 or 1b* | QL |
| ZEMDRI INTRAVENOUS SOLUTION | 3 | |

| Drug Name | Tier | Notes |
|--|----------|------------|
| *Analgesics - Anti- Inflammatory* | | |
| *Antirheumatic - Janus | | |
| Kinase (Jak) Inhibitors*** | | |
| RINVOQ LQ ORAL SOLUTION | 3 | PA; QL; SP |
| RINVOQ ORAL TABLET EXTENDED RELEASE 24 HOUR | 3 | PA; QL; SP |
| XELJANZ ORAL SOLUTION | 3 | PA; QL; SP |
| XELJANZ ORAL TABLET | 3 | PA; QL; SP |
| XELJANZ XR ORAL TABLET EXTENDED RELEASE 24 HOUR | 3 | PA; QL; SP |
| *Antirheumatic Antimetabolites*** | | |
| RASUVO SUBCUTANEOUS SOLUTION AUTO- INJECTOR 10 MG/0.2ML, 12.5 MG/0.25ML, 15 MG/0.3ML, 17.5 MG/0.35ML, 20 MG/0.4ML, 22.5 MG/0.45ML, 25 MG/0.5ML, 30 MG/0.6ML, 7.5 MG/0.15ML | 3 | PA; QL; SP |
| *Anti-Tnf-Alpha - Monoclonal Antibodies*** | | |
| SIMLANDI (1 PEN) SUBCUTANEOUS AUTO- INJECTOR KIT | 3 | PA; QL; SP |
| SIMLANDI (1 SYRINGE) SUBCUTANEOUS PREFILLED SYRINGE KIT | 3 | PA; QL; SP |
| SIMLANDI (2 PEN) SUBCUTANEOUS AUTO- INJECTOR KIT | 3 | PA; QL; SP |
| SIMLANDI (2 SYRINGE) SUBCUTANEOUS PREFILLED SYRINGE KIT | 3 | PA; QL; SP |
| SIMPONI ARIA INTRAVENOUS SOLUTION | 3 | PA; SP |
| *Cyclooxygenase 2 (Cox-2) Inhibitors*** | | |
| celecoxib oral capsule | 1 or 1b* | QL |
| *Gold Compounds*** | | |
| RIDAURA ORAL CAPSULE | 2 | QL |

| Drug Name | Tier | Notes |
|---|----------|----------------|
| *Interleukin-1 Blockers*** | | |
| ARCALYST SUBCUTANEOUS SOLUTION RECONSTITUTED | 3 | PA; QL; LD; SP |
| *Interleukin-1Beta Blockers*** | | |
| ILARIS SUBCUTANEOUS SOLUTION | 3 | PA; QL; LD; SP |
| *Nonsteroidal Anti- Inflammatory Agent Combinations*** | | |
| COMBOGESIC INTRAVENOUS SOLUTION | 3 | |
| diclofenac-misoprostol oral tablet delayed release | 1 or 1b* | QL |
| *Nonsteroidal Anti- Inflammatory Agents (Nsaids)*** | | |
| ANAPROX DS ORAL TABLET | 3 | QL |
| CALDOLOR INTRAVENOUS SOLUTION 800 MG/200ML, 800 MG/8ML | 3 | |
| diclofenac potassium oral tablet 50 mg | 1 or 1b* | QL |
| diclofenac sodium er oral tablet extended release 24 hour | 1 or 1b* | QL |
| diclofenac sodium oral tablet delayed release | 1 or 1b* | QL |
| ec-naproxen oral tablet delayed release | 1 or 1b* | |
| etodolac er oral tablet extended release 24 hour | 1 or 1b* | QL |
| etodolac oral capsule | 1 or 1b* | QL |
| etodolac oral tablet | 1 or 1b* | QL |
| flurbiprofen oral tablet | 1 or 1b* | QL |
| ibu oral tablet | 1 or 1a* | QL |
| ibuprofen lysine intravenous solution | 1 or 1b* | |
| ibuprofen oral suspension | 1 or 1a* | QL |
| ibuprofen oral tablet 400 mg, 600 mg, 800 mg | 1 or 1a* | QL |
| indomethacin er oral capsule extended release | 1 or 1b* | QL |
| indomethacin oral capsule 25 mg, 50 mg | 1 or 1b* | QL |

| Drug Name | Tier | Notes |
|---|----------|------------|
| indomethacin sodium intravenous solution reconstituted | 3 | |
| ketoprofen er oral capsule extended release 24 hour | 1 or 1b* | QL |
| ketorolac tromethamine injection solution 15 mg/ml | 1 or 1b* | QL |
| KETOROLAC TROMETHAMINE INJECTION SOLUTION 30 MG/ML | 1 or 1b* | QL |
| ketorolac tromethamine intramuscular solution 60 mg/2ml | 1 or 1b* | QL |
| ketorolac tromethamine oral tablet | 1 or 1a* | QL |
| LODINE ORAL TABLET | 3 | QL |
| meclofenamate sodium oral capsule | 1 or 1b* | QL |
| mefenamic acid oral capsule | 1 or 1b* | QL |
| meloxicam oral tablet | 1 or 1b* | QL |
| nabumetone oral tablet | 1 or 1b* | QL |
| naproxen dr oral tablet delayed release 500 mg | 1 or 1b* | |
| naproxen oral tablet | 1 or 1b* | QL |
| naproxen oral tablet delayed release | 1 or 1b* | |
| naproxen sodium oral tablet 275 mg, 550 mg | 1 or 1b* | QL |
| NEOPROFEN INTRAVENOUS SOLUTION | 3 | |
| oxaprozin oral tablet | 1 or 1b* | QL |
| piroxicam oral capsule | 1 or 1b* | QL |
| sulindac oral tablet | 1 or 1b* | QL |
| tolmetin sodium oral capsule | 1 or 1b* | QL |
| *Phosphodiesterase 4 (Pde4) Inhibitors*** | | |
| OTEZLA ORAL TABLET | 3 | PA; QL; SP |
| OTEZLA ORAL TABLET THERAPY PACK | 3 | PA; QL; SP |
| *Pyrimidine Synthesis Inhibitors*** | | |
| ARAVA ORAL TABLET | 3 | QL |
| | | |

| Drug Name | Tier | Notes |
|---|--|----------------------|
| *Selective Costimulation Modulators*** | | 1 |
| ORENCIA CLICKJECT SUBCUTANEOUS SOLUTION AUTO- INJECTOR | 3 | PA; QL; SP |
| ORENCIA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE | 3 | PA; QL; SP |
| *Soluble Tumor Necrosis Factor Receptor Agents*** | | |
| ENBREL MINI SUBCUTANEOUS SOLUTION CARTRIDGE | 3 | PA; QL; SP |
| ENBREL SUBCUTANEOUS SOLUTION 25 MG/0.5ML | 3 | PA; QL; SP |
| ENBREL SUBCUTANEOUS SOLUTION PREFILLED SYRINGE | 3 | PA; QL; SP |
| ENBREL SURECLICK SUBCUTANEOUS SOLUTION AUTO- INJECTOR | 3 | PA; QL; SP |
| *Analgesics - Nonnarcotic* | | |
| *Analgesics - Selective | | |
| *Analgesics - Selective Nav1.8 Sodium Channel Inhibitors*** | | |
| Nav1.8 Sodium Channel | 3 | QL |
| Nav1.8 Sodium Channel Inhibitors*** JOURNAVX ORAL | 3 | QL |
| Nav1.8 Sodium Channel Inhibitors*** JOURNAVX ORAL TABLET | 3 1 or 1b* | QL |
| Nav1.8 Sodium Channel Inhibitors*** JOURNAVX ORAL TABLET *Analgesics Other*** acetaminophen intravenous | | QL |
| Nav1.8 Sodium Channel Inhibitors*** JOURNAVX ORAL TABLET *Analgesics Other*** acetaminophen intravenous solution | | QL QL |
| Nav1.8 Sodium Channel Inhibitors*** JOURNAVX ORAL TABLET *Analgesics Other*** acetaminophen intravenous solution *Analgesics-Sedatives*** BAC (BUTALBITAL- ACETAMIN-CAFF) | 1 or 1b* | |
| Nav1.8 Sodium Channel Inhibitors*** JOURNAVX ORAL TABLET *Analgesics Other*** acetaminophen intravenous solution *Analgesics-Sedatives*** BAC (BUTALBITAL- ACETAMIN-CAFF) ORAL TABLET butalbital-acetaminophen | 1 or 1b* | QL |
| Nav1.8 Sodium Channel Inhibitors*** JOURNAVX ORAL TABLET *Analgesics Other*** acetaminophen intravenous solution *Analgesics-Sedatives*** BAC (BUTALBITAL- ACETAMIN-CAFF) ORAL TABLET butalbital-acetaminophen oral capsule butalbital-acetaminophen | 1 or 1b* 1 or 1b* 1 or 1b* | QL QL |
| Nav1.8 Sodium Channel Inhibitors*** JOURNAVX ORAL TABLET *Analgesics Other*** acetaminophen intravenous solution *Analgesics-Sedatives*** BAC (BUTALBITAL- ACETAMIN-CAFF) ORAL TABLET butalbital-acetaminophen oral capsule butalbital-acetaminophen oral tablet 50-325 mg butalbital-apap-caffeine oral | 1 or 1b* 1 or 1b* 1 or 1b* 1 or 1b* | QL QL QL |
| Nav1.8 Sodium Channel Inhibitors*** JOURNAVX ORAL TABLET *Analgesics Other*** acetaminophen intravenous solution *Analgesics-Sedatives*** BAC (BUTALBITAL- ACETAMIN-CAFF) ORAL TABLET butalbital-acetaminophen oral capsule butalbital-acetaminophen oral tablet 50-325 mg butalbital-apap-caffeine oral capsule 50-300-40 mg butalbital-apap-caffeine oral | 1 or 1b* | QL QL QL QL |
| Nav1.8 Sodium Channel Inhibitors*** JOURNAVX ORAL TABLET *Analgesics Other*** acetaminophen intravenous solution *Analgesics-Sedatives*** BAC (BUTALBITAL- ACETAMIN-CAFF) ORAL TABLET butalbital-acetaminophen oral capsule butalbital-acetaminophen oral tablet 50-325 mg butalbital-apap-caffeine oral capsule 50-300-40 mg butalbital-apap-caffeine oral tablet 50-325-40 mg butalbital-aspirin-caffeine | 1 or 1b* | QL QL QL QL QL |
| Nav1.8 Sodium Channel Inhibitors*** JOURNAVX ORAL TABLET *Analgesics Other*** acetaminophen intravenous solution *Analgesics-Sedatives*** BAC (BUTALBITAL- ACETAMIN-CAFF) ORAL TABLET butalbital-acetaminophen oral capsule butalbital-acetaminophen oral tablet 50-325 mg butalbital-apap-caffeine oral capsule 50-300-40 mg butalbital-apap-caffeine oral tablet 50-325-40 mg butalbital-aspirin-caffeine oral capsule | 1 or 1b* 1 or 1b* | QL QL QL QL QL |

| Drug Name | Tier | Notes |
|---|----------|--------|
| *Analgesics - Opioid* | | |
| *Codeine Combinations*** | | |
| acetaminophen-codeine oral solution | 1 or 1a* | QL; AL |
| acetaminophen-codeine oral tablet | 1 or 1a* | QL; AL |
| ascomp-codeine oral capsule | 1 or 1b* | QL; AL |
| butalbital-apap-caff-cod oral capsule | 1 or 1b* | QL; AL |
| butalbital-asa-caff-codeine oral capsule | 1 or 1b* | QL; AL |
| *Dihydrocodeine Combinations*** | | |
| apap-caff-dihydrocodeine oral capsule | 1 or 1b* | QL |
| trezix oral capsule 320.5-30- 16 mg | 1 or 1b* | QL |
| *Hydrocodone Combinations*** | | |
| hydrocodone-acetaminophen oral solution 10-325 mg/15ml, 2.5-108 mg/5ml, 5- 217 mg/10ml, 7.5-325 mg/15ml | 1 or 1b* | QL |
| hydrocodone-acetaminophen oral tablet 10-300 mg, 10- 325 mg, 2.5-325 mg, 5-300 mg, 5-325 mg, 7.5-300 mg, 7.5-325 mg | 1 or 1b* | QL |
| hydrocodone-ibuprofen oral tablet 10-200 mg, 5-200 mg, 7.5-200 mg | 1 or 1b* | QL |
| *Opioid Agonists*** | | |
| CODEINE SULFATE ORAL TABLET 15 MG, 60 MG | 3 | QL; AL |
| codeine sulfate oral tablet 30 mg | 1 or 1b* | QL; AL |
| DEMEROL INJECTION SOLUTION 100 MG/ML, 25 MG/ML, 50 MG/ML, 75 MG/ML | 3 | |
| DILAUDID INJECTION SOLUTION 0.2 MG/ML, 1 MG/ML, 2 MG/ML | 3 | |
| DILAUDID ORAL LIQUID | 3 | QL |
| DILAUDID ORAL TABLET | 3 | QL |
| DSUVIA SUBLINGUAL TABLET SUBLINGUAL | 3 | |
| duramorph injection solution | 3 | |

| Drug Name | Tier | Notes |
|--|----------|--------|
| FENTANYL CITRATE (PF) INJECTION SOLUTION 100 MCG/2ML, 250 MCG/5ML | 1 or 1b* | |
| fentanyl citrate (pf) injection solution 1000 mcg/20ml, 2500 mcg/50ml, 500 mcg/10ml | 1 or 1b* | |
| FENTANYL CITRATE (PF) INJECTION SOLUTION 50 MCG/ML | 3 | |
| fentanyl citrate pf injection solution prefilled syringe 25 mcg/0.5ml | 3 | |
| FENTANYL CITRATE PF INJECTION SOLUTION PREFILLED SYRINGE 50 MCG/ML | 3 | |
| fentanyl transdermal patch 72 hour | 1 or 1b* | PA; QL |
| hydrocodone bitartrate er oral tablet er 24 hour abuse- deterrent | 1 or 1b* | PA; QL |
| hydromorphone hcl er oral tablet extended release 24 hour | 1 or 1b* | PA; QL |
| hydromorphone hcl injection solution 0.25 mg/0.5ml | 3 | |
| hydromorphone hcl injection solution 4 mg/ml | 1 or 1b* | |
| hydromorphone hcl oral liquid | 1 or 1b* | QL |
| hydromorphone hcl oral tablet | 1 or 1b* | QL |
| HYDROMORPHONE HCL PF INJECTION SOLUTION 1 MG/ML, 10 MG/ML, 2 MG/ML, 4 MG/ML | 3 | |
| hydromorphone hcl pf injection solution 50 mg/5ml, 500 mg/50ml | 1 or 1b* | |
| INFUMORPH 200 INJECTION SOLUTION | 3 | |
| INFUMORPH 500 INJECTION SOLUTION | 3 | |
| levorphanol tartrate oral tablet 3 mg | 1 or 1b* | PA; QL |
| meperidine hcl injection solution 100 mg/ml, 25 mg/ml, 50 mg/ml | 1 or 1b* | |
| meperidine hcl oral solution | 1 or 1b* | QL |

| Drug Name | Tier | Notes |
|---|----------|--------|
| meperidine hcl oral tablet 50 mg | 1 or 1b* | QL |
| METHADONE HCL INJECTION SOLUTION | 3 | PA; QL |
| methadone hcl intensol oral concentrate | 1 or 1b* | PA; QL |
| methadone hcl oral concentrate | 1 or 1b* | PA; QL |
| methadone hcl oral solution | 1 or 1b* | PA; QL |
| methadone hcl oral tablet | 1 or 1b* | PA; QL |
| methadone hcl oral tablet soluble | 1 or 1b* | PA; QL |
| METHADOSE ORAL CONCENTRATE 10 MG/ML | 3 | PA; QL |
| methadose oral tablet soluble | 1 or 1b* | PA; QL |
| METHADOSE SUGAR- FREE ORAL CONCENTRATE | 3 | PA; QL |
| mitigo injection solution | 1 or 1b* | |
| morphine sulfate (concentrate) oral solution 100 mg/5ml | 1 or 1b* | |
| morphine sulfate (pf) injection solution 0.5 mg/ml, 1 mg/ml | 1 or 1b* | |
| MORPHINE SULFATE (PF) INJECTION SOLUTION 10 MG/ML, 2 MG/ML, 4 MG/ML | 3 | |
| MORPHINE SULFATE (PF) INTRAVENOUS SOLUTION 1 MG/ML, 10 MG/ML, 2 MG/ML, 4 MG/ML | 3 | |
| morphine sulfate er beads oral capsule extended release 24 hour | 1 or 1b* | PA; QL |
| morphine sulfate er oral capsule extended release 24 hour 10 mg, 100 mg, 20 mg, 30 mg, 50 mg, 60 mg, 80 mg | 1 or 1b* | PA; QL |
| morphine sulfate er oral tablet extended release | 1 or 1b* | PA; QL |
| MORPHINE SULFATE INJECTION SOLUTION 2 MG/ML, 4 MG/ML | 3 | |
| morphine sulfate intravenous solution 10 mg/ml, 2 mg/ml, 4 mg/ml, 8 mg/ml | 1 or 1b* | |
| morphine sulfate intravenous solution 50 mg/ml | 3 | |

| Drug Name | Tier | Notes |
|--|----------|--------|
| morphine sulfate oral solution | 1 or 1b* | QL |
| morphine sulfate oral tablet | 1 or 1b* | QL |
| NUCYNTA ORAL TABLET | 3 | QL |
| OLINVYK INTRAVENOUS SOLUTION 1 MG/ML, 2 MG/2ML | 3 | |
| oxycodone hcl oral capsule | 1 or 1b* | QL |
| oxycodone hcl oral concentrate 100 mg/5ml | 1 or 1b* | QL |
| oxycodone hcl oral solution | 1 or 1b* | QL |
| oxycodone hcl oral tablet | 1 or 1b* | QL |
| oxycodone hcl oral tablet abuse-deterrent | 3 | PA; QL |
| oxymorphone hcl er oral tablet extended release 12 hour | 1 or 1b* | PA; QL |
| oxymorphone hcl oral tablet | 1 or 1b* | QL |
| remifentanil hcl intravenous solution reconstituted | 1 or 1b* | |
| ROXICODONE ORAL TABLET 15 MG, 30 MG | 3 | QL |
| ROXYBOND ORAL TABLET ABUSE- DETERRENT | 3 | PA; QL |
| SUFENTANIL CITRATE INTRAVENOUS SOLUTION | 1 or 1b* | |
| tramadol hcl (er biphasic) oral capsule extended release 24 hour 100 mg, 200 mg, 300 mg | 1 or 1b* | PA; QL |
| tramadol hcl (er biphasic) oral tablet extended release 24 hour | 1 or 1b* | PA; QL |
| tramadol hcl er oral tablet extended release 24 hour | 1 or 1b* | PA; QL |
| TRAMADOL HCL ORAL SOLUTION | 3 | QL; AL |
| tramadol hcl oral tablet 100 mg, 50 mg | 1 or 1b* | QL; AL |
| tramadol hcl oral tablet 25 mg | 1 or 1b* | PA; QL |
| ULTIVA INTRAVENOUS SOLUTION RECONSTITUTED | 3 | |
| *Opioid Combinations*** | | |
| APADAZ ORAL TABLET | 3 | QL |

| Drug Name | Tier | Notes |
|---|----------|--------|
| BENZHYDROCODONE- ACETAMINOPHEN ORAL TABLET | 3 | QL |
| endocet oral tablet 10-325 mg, 2.5-325 mg, 5-325 mg, 7.5-325 mg | 1 or 1b* | QL |
| OXYCODONE- ACETAMINOPHEN ORAL SOLUTION 5-325 MG/5ML | 1 or 1b* | QL |
| oxycodone-acetaminophen oral tablet 10-325 mg, 2.5- 325 mg, 5-325 mg, 7.5-325 mg | 1 or 1b* | QL |
| *Opioid Partial Agonists*** | | |
| BELBUCA BUCCAL FILM | 3 | PA; QL |
| BRIXADI (WEEKLY) SUBCUTANEOUS SOLUTION PREFILLED SYRINGE | 3 | QL; LD |
| BRIXADI SUBCUTANEOUS SOLUTION PREFILLED SYRINGE | 3 | QL; LD |
| buprenorphine hcl injection solution 0.3 mg/ml | 1 or 1b* | |
| buprenorphine hcl sublingual tablet sublingual | 1 or 1b* | QL |
| buprenorphine hcl-naloxone hcl sublingual film | 1 or 1b* | QL |
| buprenorphine hcl-naloxone hcl sublingual tablet sublingual | 1 or 1b* | QL |
| buprenorphine transdermal patch weekly | 1 or 1b* | PA; QL |
| butorphanol tartrate injection solution | 1 or 1b* | |
| butorphanol tartrate nasal solution | 1 or 1b* | QL |
| nalbuphine hcl injection solution | 1 or 1b* | QL |
| pentazocine-naloxone hcl oral tablet | 1 or 1b* | QL |
| SUBLOCADE SUBCUTANEOUS SOLUTION PREFILLED SYRINGE | 3 | QL; LD |
| ZUBSOLV SUBLINGUAL TABLET SUBLINGUAL | 2 | QL |

| Drug Name | Tier | Notes |
|---|----------|--------|
| *Tramadol | | |
| Combinations*** | | |
| tramadol-acetaminophen oral tablet | 1 or 1b* | QL; AL |
| *Androgens-Anabolic* | | |
| *Androgens*** | | |
| danazol oral capsule | 1 or 1b* | QL |
| DEPO-TESTOSTERONE INTRAMUSCULAR SOLUTION | 1 or 1b* | PA |
| JATENZO ORAL CAPSULE | 3 | PA; QL |
| NATESTO NASAL GEL | 3 | PA; QL |
| TESTOPEL IMPLANT PELLET | 3 | PA; LD |
| testosterone cypionate intramuscular solution 100 mg/ml, 200 mg/ml | 1 or 1b* | PA |
| testosterone enanthate intramuscular solution | 1 or 1b* | PA |
| testosterone transdermal gel 1.62 %, 10 mg/act (2%), 12.5 mg/act (1%), 20.25 mg/1.25gm (1.62%), 20.25 mg/act (1.62%), 25 mg/2.5gm (1%), 40.5 mg/2.5gm (1.62%), 50 mg/5gm (1%) | 1 or 1b* | PA; QL |
| testosterone transdermal solution | 1 or 1b* | PA; QL |
| XYOSTED SUBCUTANEOUS SOLUTION AUTO- INJECTOR | 3 | PA |
| *Anorectal And Related Products* | | |
| *Intrarectal Steroids*** | | |
| budesonide rectal foam | 1 or 1b* | QL |
| CORTENEMA RECTAL ENEMA | 3 | |
| CORTIFOAM EXTERNAL FOAM | 3 | QL |
| hydrocortisone rectal enema | 1 or 1b* | |
| *Nitrate Vasodilating Agents*** | | |
| nitroglycerin rectal ointment | 1 or 1b* | QL |
| RECTIV RECTAL OINTMENT | 3 | QL |

| Drug Name | Tier | Notes |
|--|-----------|--------|
| *Rectal Anesthetic/Steroids*** | | |
| | | |
| ANALPRAM-HC EXTERNAL CREAM | 3 | |
| hydrocortisone ace- | 1 or 1b* | |
| pramoxine external cream 1- 1 % | 1 01 10** | |
| PROCTOFOAM HC EXTERNAL FOAM | 3 | |
| *Rectal Steroids*** | | |
| ANUSOL-HC EXTERNAL CREAM | 3 | |
| hydrocortisone (perianal) external cream | 1 or 1b* | |
| PROCTOCORT EXTERNAL CREAM | 1 or 1b* | |
| procto-med hc external cream | 1 or 1b* | |
| proctosol hc external cream | 1 or 1b* | |
| proctozone-hc external cream | 1 or 1b* | |
| *Anthelmintics* | | |
| *Anthelmintics*** | | |
| albendazole oral tablet | 1 or 1b* | PA; QL |
| BENZNIDAZOLE ORAL TABLET | 3 | |
| BILTRICIDE ORAL TABLET | 3 | |
| EMVERM ORAL TABLET CHEWABLE | 3 | |
| ivermectin oral tablet | 1 or 1b* | QL |
| praziquantel oral tablet | 1 or 1b* | |
| STROMECTOL ORAL TABLET | 3 | QL |
| *Antianginal Agents* | | |
| *Antianginals-Other*** | | |
| ASPRUZYO SPRINKLE ORAL PACKET 1000 MG | 3 | PA; QL |
| ranolazine er oral tablet extended release 12 hour | 1 or 1b* | QL |
| *Nitrates*** | | |
| ISORDIL TITRADOSE ORAL TABLET | 3 | |
| isosorbide dinitrate oral tablet | 1 or 1b* | |
| isosorbide mononitrate er oral tablet extended release 24 hour | 1 or 1b* | |
| isosorbide mononitrate oral tablet | 3 | |

| Drug Name | Tier | Notes |
|--|----------|-------|
| NITRO-BID TRANSDERMAL OINTMENT | 3 | |
| NITRO-DUR TRANSDERMAL PATCH 24 HOUR 0.1 MG/HR, 0.2 MG/HR, 0.4 MG/HR, 0.6 MG/HR | 3 | |
| NITRO-DUR TRANSDERMAL PATCH 24 HOUR 0.3 MG/HR, 0.8 MG/HR | 2 | |
| nitroglycerin in d5w intravenous solution | 1 or 1b* | |
| NITROGLYCERIN INTRAVENOUS SOLUTION | 3 | |
| nitroglycerin sublingual tablet sublingual | 1 or 1b* | |
| nitroglycerin transdermal patch 24 hour | 1 or 1b* | |
| nitroglycerin translingual solution | 1 or 1b* | |
| NITROLINGUAL TRANSLINGUAL SOLUTION | 3 | |
| NITROSTAT SUBLINGUAL TABLET SUBLINGUAL | 3 | |
| *Antianxiety Agents* | | |
| *Antianxiety Agents - Misc.*** | | |
| buspirone hel oral tablet | 1 or 1b* | |
| droperidol injection solution | 1 or 1b* | |
| hydroxyzine hcl intramuscular solution | 1 or 1b* | |
| hydroxyzine hcl oral syrup | 1 or 1b* | |
| hydroxyzine hcl oral tablet | 1 or 1b* | |
| hydroxyzine pamoate oral capsule | 1 or 1a* | |
| meprobamate oral tablet | 3 | |
| *Benzodiazepines*** | | |
| alprazolam er oral tablet extended release 24 hour | 1 or 1b* | QL |
| ALPRAZOLAM INTENSOL ORAL CONCENTRATE | 3 | QL |
| alprazolam oral tablet | 1 or 1b* | QL |
| alprazolam oral tablet dispersible | 1 or 1b* | QL |

| Drug Name | Tier | Notes |
|--|----------|-------|
| alprazolam xr oral tablet extended release 24 hour | 1 or 1b* | QL |
| chlordiazepoxide hcl oral capsule | 1 or 1b* | QL |
| clorazepate dipotassium oral tablet | 1 or 1b* | QL |
| diazepam injection solution 10 mg/2ml | 1 or 1a* | |
| diazepam intensol oral concentrate | 1 or 1a* | QL |
| diazepam oral concentrate | 1 or 1a* | QL |
| diazepam oral solution 5 mg/5ml | 1 or 1a* | |
| diazepam oral tablet | 1 or 1a* | QL |
| lorazepam injection solution | 1 or 1b* | |
| lorazepam intensol oral concentrate | 1 or 1b* | QL |
| lorazepam oral concentrate 2 mg/ml | 1 or 1b* | QL |
| lorazepam oral tablet | 1 or 1b* | QL |
| oxazepam oral capsule | 1 or 1b* | QL |
| *Antiarrhythmics* | | |
| *Antiarrhythmics - Misc.*** | | |
| adenosine intravenous solution 12 mg/4ml, 6 mg/2ml | 1 or 1b* | |
| *Antiarrhythmics Type I- A*** | | |
| disopyramide phosphate oral capsule | 1 or 1b* | |
| NORPACE CR ORAL CAPSULE EXTENDED RELEASE 12 HOUR | 2 | |
| NORPACE ORAL CAPSULE | 3 | |
| procainamide hcl injection solution | 1 or 1b* | |
| quinidine gluconate er oral tablet extended release | 1 or 1b* | |
| quinidine sulfate oral tablet | 1 or 1a* | |
| *Antiarrhythmics Type I-B*** | | |
| lidocaine hcl (cardiac) intravenous solution prefilled syringe 50 mg/5ml | 1 or 1b* | |
| LIDOCAINE HCL (CARDIAC) PF INTRAVENOUS SOLUTION | 3 | |

| Drug Name | Tier | Notes |
|---|----------|-------|
| lidocaine hcl (cardiac) pf intravenous solution prefilled syringe | 1 or 1b* | |
| lidocaine in d5w intravenous solution 4-5 mg/ml-%, 8-5 mg/ml-% | 1 or 1b* | |
| mexiletine hcl oral capsule | 1 or 1b* | |
| *Antiarrhythmics Type I- C*** | | |
| flecainide acetate oral tablet | 1 or 1b* | QL |
| propafenone hcl er oral capsule extended release 12 hour | 1 or 1b* | |
| propafenone hcl oral tablet | 1 or 1b* | |
| *Antiarrhythmics Type Iii*** | | |
| amiodarone hcl intravenous solution | 1 or 1b* | |
| amiodarone hcl oral tablet 100 mg, 400 mg | 1 or 1b* | |
| amiodarone hcl oral tablet 200 mg | 1 or 1b* | QL |
| CORVERT INTRAVENOUS SOLUTION | 3 | |
| dofetilide oral capsule | 1 or 1b* | |
| ibutilide fumarate intravenous solution | 1 or 1b* | |
| MULTAQ ORAL TABLET | 3 | QL |
| NEXTERONE INTRAVENOUS SOLUTION | 3 | |
| pacerone oral tablet 100 mg | 1 or 1b* | |
| pacerone oral tablet 200 mg | 1 or 1b* | QL |
| *Antiasthmatic And Bronchodilator Agents* | | |
| *Adrenergic Combinations*** | | |
| AIRSUPRA INHALATION AEROSOL | 2 | QL |
| BREO ELLIPTA INHALATION AEROSOL POWDER BREATH ACTIVATED 100-25 MCG/ACT, 200-25 MCG/ACT | 1 or 1b* | QL |
| BREO ELLIPTA INHALATION AEROSOL POWDER BREATH ACTIVATED 50-25 MCG/INH | 2 | QL |

| Drug Name | Tier | Notes |
|--|----------|----------------|
| BREYNA INHALATION AEROSOL | 1 or 1b* | QL |
| BREZTRI AEROSPHERE INHALATION AEROSOL | 2 | QL |
| budesonide-formoterol fumarate inhalation aerosol | 1 or 1b* | QL |
| COMBIVENT RESPIMAT INHALATION AEROSOL SOLUTION | 2 | QL |
| fluticasone-salmeterol inhalation aerosol | 1 or 1b* | QL |
| fluticasone-salmeterol inhalation aerosol powder breath activated 100-50 mcg/act, 250-50 mcg/act, 500-50 mcg/act | 1 or 1b* | QL |
| ipratropium-albuterol inhalation solution 0.5-2.5 (3) mg/3ml | 1 or 1b* | QL |
| STIOLTO RESPIMAT INHALATION AEROSOL SOLUTION 2.5-2.5 MCG/ACT | 2 | QL |
| TRELEGY ELLIPTA INHALATION AEROSOL POWDER BREATH ACTIVATED 100-62.5-25 MCG/ACT, 200-62.5-25 MCG/ACT | 2 | QL |
| umeclidinium-vilanterol inhalation aerosol powder breath activated | 1 or 1b* | QL |
| wixela inhub inhalation aerosol powder breath activated 100-50 mcg/act, 250-50 mcg/act, 500-50 mcg/act | 1 or 1b* | QL |
| *Anti-Ige Monoclonal Antibodies*** | | |
| XOLAIR SUBCUTANEOUS SOLUTION AUTO- INJECTOR | 3 | PA; QL; LD; SP |
| XOLAIR SUBCUTANEOUS SOLUTION PREFILLED SYRINGE | 3 | PA; QL; LD; SP |
| XOLAIR SUBCUTANEOUS SOLUTION RECONSTITUTED | 3 | PA; QL; LD; SP |
| *Anti-Inflammatory Agents*** | | |
| cromolyn sodium inhalation nebulization solution | 1 or 1b* | |

| Drug Name | Tier | Notes |
|--|----------|--------|
| *Beta Adrenergics*** | | |
| albuterol sulfate hfa inhalation aerosol solution 108 (90 base) mcg/act | 1 or 1b* | QL |
| albuterol sulfate inhalation nebulization solution (2.5 mg/3ml) 0.083%, 0.63 mg/3ml, 1.25 mg/3ml, 2.5 mg/0.5ml | 1 or 1b* | QL |
| ALBUTEROL SULFATE INHALATION NEBULIZATION SOLUTION (5 MG/ML) 0.5% | 1 or 1b* | QL |
| albuterol sulfate oral syrup | 1 or 1b* | |
| albuterol sulfate oral tablet | 1 or 1b* | |
| arformoterol tartrate inhalation nebulization solution | 1 or 1b* | QL |
| BROVANA INHALATION NEBULIZATION SOLUTION | 3 | QL |
| formoterol fumarate inhalation nebulization solution | 1 or 1b* | QL |
| isoproterenol hcl injection solution | 1 or 1b* | |
| levalbuterol hcl inhalation nebulization solution 0.31 mg/3ml, 0.63 mg/3ml, 1.25 mg/0.5ml, 1.25 mg/3ml | 1 or 1b* | QL |
| levalbuterol tartrate inhalation aerosol | 1 or 1b* | ST; QL |
| PERFOROMIST INHALATION NEBULIZATION SOLUTION | 3 | QL |
| PROAIR RESPICLICK INHALATION AEROSOL POWDER BREATH ACTIVATED | 2 | QL |
| SEREVENT DISKUS INHALATION AEROSOL POWDER BREATH ACTIVATED 50 MCG/ACT | 2 | QL |
| STRIVERDI RESPIMAT INHALATION AEROSOL SOLUTION | 3 | QL |
| terbutaline sulfate injection solution | 1 or 1b* | |
| terbutaline sulfate oral tablet | 1 or 1b* | |

| Drug Name | Tier | Notes |
|---|----------|----------------|
| *Bronchodilators - Anticholinergics*** | | |
| ATROVENT HFA INHALATION AEROSOL SOLUTION | 2 | QL |
| ipratropium bromide inhalation solution | 1 or 1b* | QL |
| SPIRIVA HANDIHALER INHALATION CAPSULE | 1 or 1b* | ST; QL |
| SPIRIVA RESPIMAT INHALATION AEROSOL SOLUTION 1.25 MCG/ACT, 2.5 MCG/ACT | 2 | QL |
| YUPELRI INHALATION SOLUTION | 3 | ST; QL |
| *Interleukin-5 Antagonists (Igg1 Kappa)*** | | |
| FASENRA PEN SUBCUTANEOUS SOLUTION AUTO- INJECTOR | 3 | PA; QL; LD; SP |
| FASENRA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE | 3 | PA; QL; LD; SP |
| NUCALA SUBCUTANEOUS SOLUTION AUTO- INJECTOR | 3 | PA; QL; LD; SP |
| NUCALA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE | 3 | PA; QL; LD; SP |
| NUCALA SUBCUTANEOUS SOLUTION RECONSTITUTED | 3 | PA; QL; LD; SP |
| *Interleukin-5 Antagonists (Igg4 Kappa)*** | | |
| CINQAIR INTRAVENOUS SOLUTION | 3 | PA; LD; SP |
| *Leukotriene Receptor Antagonists*** | | |
| ACCOLATE ORAL TABLET | 3 | QL |
| montelukast sodium oral packet | 1 or 1b* | QL |
| montelukast sodium oral tablet | 1 or 1b* | QL |
| montelukast sodium oral tablet chewable | 1 or 1b* | QL |
| zafirlukast oral tablet | 1 or 1b* | QL |

| Drug Name | Tier | Notes |
|--|----------|----------------|
| *Phosphodiesterase 3 & 4 (Pde3 & Pde4) Inhibitors*** | | |
| OHTUVAYRE INHALATION SUSPENSION | 3 | PA; QL; LD; SP |
| *Selective Phosphodiesterase 4 (Pde4) Inhibitors*** | | |
| roflumilast oral tablet | 1 or 1b* | QL |
| *Steroid Inhalants*** | | |
| budesonide inhalation suspension | 1 or 1b* | QL |
| fluticasone furoate ellipta inhalation aerosol powder breath activated | 1 or 1b* | QL |
| fluticasone propionate diskus inhalation aerosol powder breath activated | 2 | QL |
| fluticasone propionate hfa inhalation aerosol | 2 | QL |
| PULMICORT FLEXHALER INHALATION AEROSOL POWDER BREATH ACTIVATED | 2 | QL |
| QVAR REDIHALER INHALATION AEROSOL BREATH ACTIVATED | 2 | QL |
| *Thymic Stromal Lymphopoietin (Tslp) Antagonists*** | | |
| TEZSPIRE SUBCUTANEOUS SOLUTION AUTO- INJECTOR | 3 | PA; QL; LD; SP |
| TEZSPIRE SUBCUTANEOUS SOLUTION PREFILLED SYRINGE | 3 | PA; QL; LD; SP |
| *Xanthines*** | | 1 |
| aminophylline intravenous solution | 1 or 1b* | |
| ELIXOPHYLLIN ORAL ELIXIR | 1 or 1b* | QL |
| THEO-24 ORAL CAPSULE EXTENDED RELEASE 24 HOUR | 2 | QL |
| theophylline er oral tablet extended release 12 hour 300 mg, 450 mg | 1 or 1b* | QL |
| theophylline er oral tablet extended release 24 hour | 1 or 1b* | QL |

| Drug Name | Tier | Notes |
|---|----------|-------|
| theophylline oral elixir | 1 or 1b* | QL |
| theophylline oral solution | 1 or 1b* | QL |
| *Anticoagulants* | | |
| *Coumarin Anticoagulants*** | | |
| jantoven oral tablet | 1 or 1a* | |
| warfarin sodium oral tablet | 1 or 1a* | |
| *Direct Factor Xa Inhibitors*** | | |
| ELIQUIS DVT/PE STARTER PACK ORAL TABLET THERAPY PACK | 2 | QL |
| ELIQUIS ORAL TABLET | 2 | QL |
| rivaroxaban oral suspension reconstituted | 1 or 1b* | QL |
| rivaroxaban oral tablet | 1 or 1b* | QL |
| XARELTO ORAL SUSPENSION RECONSTITUTED | 2 | QL |
| XARELTO ORAL TABLET | 2 | QL |
| XARELTO STARTER PACK ORAL TABLET THERAPY PACK | 2 | QL |
| *Heparins And Heparinoid-Like Agents*** | | |
| bd heparin posiflush intravenous solution | 1 or 1b* | |
| heparin (porcine) in nacl intravenous solution 1000- 0.9 ut/500ml-%, 2000-0.9 unit/l-% | 1 or 1b* | |
| HEPARIN (PORCINE) IN NACL INTRAVENOUS SOLUTION 12500-0.45 UT/250ML-%, 25000-0.45 UT/250ML-%, 25000-0.45 UT/500ML-% | 3 | |
| heparin na (pork) lock flsh pf intravenous solution | 1 or 1b* | |
| HEPARIN SOD (PORCINE) IN D5W INTRAVENOUS SOLUTION 100 UNIT/ML, 25000-5 UT/500ML-% | 3 | |
| heparin sod (porcine) in d5w intravenous solution 40-5 unit/ml-% | 1 or 1b* | |
| heparin sod (pork) lock flush intravenous solution 10 unit/ml, 100 unit/ml | 1 or 1b* | |

| Drug Name | Tier | Notes |
|---|----------|-------|
| heparin sodium (porcine) injection solution 1000 unit/ml, 10000 unit/ml, 20000 unit/ml, 5000 unit/ml | 1 or 1b* | |
| HEPARIN SODIUM (PORCINE) INJECTION SOLUTION PREFILLED SYRINGE | 3 | |
| heparin sodium (porcine) pf injection solution 1000 unit/ml, 5000 unit/0.5ml | 1 or 1b* | |
| HEPARIN SODIUM (PORCINE) PF INJECTION SOLUTION 5000 UNIT/ML | 3 | |
| *Low Molecular Weight Heparins*** | | |
| enoxaparin sodium injection solution 300 mg/3ml | 1 or 1b* | QL |
| enoxaparin sodium injection solution prefilled syringe | 1 or 1b* | QL |
| FRAGMIN SUBCUTANEOUS SOLUTION 10000 UNIT/4ML, 95000 UNIT/3.8ML | 3 | QL |
| FRAGMIN SUBCUTANEOUS SOLUTION PREFILLED SYRINGE | 3 | QL |
| *Synthetic Heparinoid- Like Agents*** | | |
| ARIXTRA SUBCUTANEOUS SOLUTION | 3 | QL |
| fondaparinux sodium subcutaneous solution | 1 or 1b* | QL |
| *Thrombin Inhibitors - Hirudin Type*** | | |
| bivalirudin trifluoroacetate intravenous solution | 1 or 1b* | |
| bivalirudin trifluoroacetate intravenous solution reconstituted | 1 or 1b* | |
| *Thrombin Inhibitors - Selective Direct & Reversible*** | | |
| ARGATROBAN IN SODIUM CHLORIDE INTRAVENOUS SOLUTION 50-0.9 MG/50ML-% | 3 | |

| Drug Name | Tier | Notes |
|--|----------|------------|
| ARGATROBAN INTRAVENOUS SOLUTION 250 MG/2.5ML, 50 MG/50ML *Anticonvulsants* | 3 | |
| *Ampa Glutamate Receptor Antagonists*** | | |
| FYCOMPA ORAL SUSPENSION | 3 | QL |
| perampanel oral tablet | 1 or 1b* | QL |
| *Anticonvulsants - Benzodiazepines*** | | |
| clobazam oral suspension 2.5 mg/ml | 1 or 1b* | QL |
| clobazam oral tablet | 1 or 1b* | QL |
| clonazepam oral tablet | 1 or 1b* | QL |
| clonazepam oral tablet dispersible | 1 or 1b* | QL |
| diazepam rectal gel | 1 or 1b* | QL |
| SYMPAZAN ORAL FILM | 3 | QL |
| *Anticonvulsants - Misc.*** | | |
| BANZEL ORAL SUSPENSION | 3 | QL |
| BANZEL ORAL TABLET 200 MG | 3 | DO |
| BANZEL ORAL TABLET 400 MG | 3 | QL |
| BRIVIACT INTRAVENOUS SOLUTION | 3 | |
| BRIVIACT ORAL SOLUTION | 3 | QL |
| BRIVIACT ORAL TABLET | 3 | QL |
| carbamazepine er oral capsule extended release 12 hour | 1 or 1b* | QL |
| carbamazepine er oral tablet extended release 12 hour | 1 or 1b* | QL |
| carbamazepine oral suspension | 1 or 1b* | QL |
| carbamazepine oral tablet | 1 or 1b* | QL |
| carbamazepine oral tablet chewable | 1 or 1b* | QL |
| DIACOMIT ORAL CAPSULE 250 MG | 3 | PA; DO; LD |
| DIACOMIT ORAL CAPSULE 500 MG | 3 | PA; QL; LD |
| DIACOMIT ORAL PACKET 250 MG | 3 | PA; DO; LD |

| Drug Name | Tier | Notes |
|---|----------|------------|
| DIACOMIT ORAL PACKET 500 MG | 3 | PA; QL; LD |
| ELEPSIA XR ORAL TABLET EXTENDED RELEASE 24 HOUR | 3 | QL |
| EPIDIOLEX ORAL SOLUTION | 3 | PA; LD; SP |
| epitol oral tablet | 1 or 1b* | QL |
| eslicarbazepine acetate oral tablet 200 mg, 400 mg | 1 or 1b* | DO |
| eslicarbazepine acetate oral tablet 600 mg, 800 mg | 1 or 1b* | QL |
| FINTEPLA ORAL SOLUTION | 3 | PA; QL; LD |
| gabapentin oral capsule | 1 or 1b* | DO |
| gabapentin oral solution | 1 or 1b* | QL |
| gabapentin oral tablet 600 mg, 800 mg | 1 or 1b* | QL |
| lacosamide intravenous solution | 1 or 1b* | |
| lacosamide oral solution | 1 or 1b* | QL |
| lacosamide oral tablet | 1 or 1b* | QL |
| lamotrigine er oral tablet extended release 24 hour 100 mg, 25 mg, 50 mg | 1 or 1b* | DO |
| lamotrigine er oral tablet extended release 24 hour 200 mg, 250 mg, 300 mg | 1 or 1b* | QL |
| lamotrigine oral kit 21 x 25 mg & 7 x 50 mg, 25 & 50 & 100 mg, 42 x 50 mg & 14x100 mg | 1 or 1b* | QL |
| lamotrigine oral tablet | 1 or 1b* | DO |
| lamotrigine oral tablet chewable | 1 or 1b* | QL |
| lamotrigine oral tablet dispersible 100 mg, 200 mg, 25 mg | 1 or 1b* | QL |
| lamotrigine oral tablet dispersible 50 mg | 1 or 1b* | DO |
| lamotrigine starter kit-blue oral kit | 1 or 1b* | QL |
| lamotrigine starter kit-green oral kit | 1 or 1b* | QL |
| lamotrigine starter kit-orange oral kit | 1 or 1b* | QL |
| levetiracetam er oral tablet extended release 24 hour | 1 or 1b* | QL |

| Drug Name | Tier | Notes |
|--|----------|-------|
| LEVETIRACETAM IN NACL INTRAVENOUS SOLUTION 1000 MG/100ML, 1500 MG/100ML, 500 MG/100ML | 3 | |
| levetiracetam intravenous solution | 1 or 1b* | |
| levetiracetam oral solution | 1 or 1b* | QL |
| levetiracetam oral tablet 1000 mg | 1 or 1b* | QL |
| levetiracetam oral tablet 250 mg, 500 mg, 750 mg | 1 or 1b* | DO |
| levetiracetam oral tablet disintegrating soluble | 3 | QL |
| oxcarbazepine er oral tablet extended release 24 hour 150 mg, 300 mg | 1 or 1b* | DO |
| oxcarbazepine er oral tablet extended release 24 hour 600 mg | 1 or 1b* | QL |
| oxcarbazepine oral suspension | 1 or 1b* | QL |
| oxcarbazepine oral tablet | 1 or 1b* | QL |
| pregabalin oral capsule | 1 or 1b* | QL |
| pregabalin oral solution | 1 or 1b* | QL |
| primidone oral tablet | 1 or 1b* | QL |
| roweepra oral tablet 500 mg | 1 or 1b* | DO |
| rufinamide oral suspension | 1 or 1b* | QL |
| rufinamide oral tablet 200 mg | 1 or 1b* | DO |
| rufinamide oral tablet 400 mg | 1 or 1b* | QL |
| SPRITAM ORAL TABLET DISINTEGRATING SOLUBLE 250 MG, 500 MG | 3 | QL |
| subvenite oral tablet | 1 or 1b* | DO |
| subvenite starter kit-blue oral kit | 1 or 1b* | QL |
| subvenite starter kit-green oral kit | 1 or 1b* | QL |
| subvenite starter kit-orange oral kit | 1 or 1b* | QL |
| topiramate er oral capsule er 24 hour sprinkle 100 mg, 150 mg, 200 mg, 50 mg | 1 or 1b* | QL |
| topiramate er oral capsule er 24 hour sprinkle 25 mg | 1 or 1b* | DO |

| Drug Name | Tier | Notes |
|---|----------|------------|
| topiramate er oral capsule extended release 24 hour 100 mg, 200 mg, 50 mg | 1 or 1b* | QL |
| topiramate er oral capsule extended release 24 hour 25 mg | 1 or 1b* | DO |
| topiramate oral capsule sprinkle 15 mg, 25 mg | 1 or 1b* | QL |
| topiramate oral tablet 100 mg, 25 mg, 50 mg | 1 or 1b* | DO |
| topiramate oral tablet 200 mg | 1 or 1b* | QL |
| zonisamide oral capsule | 1 or 1b* | QL |
| ZTALMY ORAL SUSPENSION | 3 | QL; LD |
| *Carbamates*** | | |
| felbamate oral suspension | 1 or 1b* | QL |
| felbamate oral tablet | 1 or 1b* | QL |
| XCOPRI (250 MG DAILY DOSE) ORAL TABLET THERAPY PACK 100 & 150 MG | 3 | QL |
| XCOPRI (350 MG DAILY DOSE) ORAL TABLET THERAPY PACK | 3 | QL |
| XCOPRI ORAL TABLET | 3 | QL |
| XCOPRI ORAL TABLET THERAPY PACK | 3 | QL |
| *Gaba Modulators*** | | |
| tiagabine hcl oral tablet | 1 or 1b* | QL |
| vigabatrin oral packet | 1 or 1b* | QL; SP |
| vigabatrin oral tablet | 1 or 1b* | QL; LD; SP |
| vigadrone oral packet | 1 or 1b* | QL; LD |
| VIGADRONE ORAL TABLET | 1 or 1b* | QL; LD; SP |
| VIGAFYDE ORAL SOLUTION | 3 | QL; LD |
| *Hydantoins*** | | |
| CEREBYX INJECTION SOLUTION | 3 | |
| DILANTIN INFATABS ORAL TABLET CHEWABLE | 3 | |
| DILANTIN ORAL CAPSULE 100 MG | 3 | |
| DILANTIN ORAL CAPSULE 30 MG | 2 | |
| DILANTIN-125 ORAL SUSPENSION | 3 | |
| fosphenytoin sodium injection solution | 1 or 1b* | |

| Drug Name | Tier | Notes |
|---|----------|--------|
| PHENYTEK ORAL CAPSULE | 1 or 1b* | |
| phenytoin infatabs oral tablet chewable | 1 or 1b* | |
| phenytoin oral suspension 125 mg/5ml | 1 or 1b* | |
| phenytoin oral tablet chewable | 1 or 1b* | |
| phenytoin sodium extended oral capsule | 1 or 1b* | |
| phenytoin sodium injection solution | 1 or 1b* | |
| *Succinimides*** | | |
| CELONTIN ORAL CAPSULE | 3 | QL |
| ethosuximide oral capsule | 1 or 1b* | QL |
| ethosuximide oral solution | 1 or 1b* | QL |
| methsuximide oral capsule | 1 or 1b* | QL |
| *Valproic Acid*** | | |
| divalproex sodium er oral tablet extended release 24 hour | 1 or 1b* | QL |
| divalproex sodium oral capsule delayed release sprinkle | 1 or 1b* | QL |
| divalproex sodium oral tablet delayed release | 1 or 1b* | QL |
| valproate sodium intravenous solution 100 mg/ml, 500 mg/5ml | 1 or 1b* | |
| valproic acid oral capsule | 1 or 1b* | QL |
| valproic acid oral solution | 1 or 1b* | |
| *Antidepressants* | | |
| *Alpha-2 Receptor Antagonists (Tetracyclics)*** | | |
| mirtazapine oral tablet | 1 or 1b* | |
| mirtazapine oral tablet dispersible | 1 or 1b* | |
| REMERON ORAL TABLET 15 MG, 30 MG | 3 | |
| REMERON SOLTAB ORAL TABLET DISPERSIBLE | 3 | |
| *Antidepressants - Misc.*** | | |
| APLENZIN ORAL TABLET EXTENDED RELEASE 24 HOUR 174 MG | 3 | ST; DO |

| Drug Name | Tier | Notes |
|---|----------|------------|
| APLENZIN ORAL TABLET EXTENDED RELEASE 24 HOUR 348 MG, 522 MG | 3 | ST; QL |
| bupropion hcl er (sr) oral tablet extended release 12 hour 100 mg | 1 or 1b* | DO |
| bupropion hcl er (sr) oral tablet extended release 12 hour 150 mg, 200 mg | 1 or 1b* | QL |
| bupropion hcl er (xl) oral tablet extended release 24 hour | 1 or 1b* | QL |
| bupropion hcl oral tablet 100 mg | 1 or 1b* | QL |
| bupropion hcl oral tablet 75 mg | 1 or 1b* | DO |
| WELLBUTRIN XL ORAL TABLET EXTENDED RELEASE 24 HOUR | 3 | QL |
| *Gaba Receptor Modulator - Neuroactive Steroid*** | | |
| ZURZUVAE ORAL CAPSULE | 3 | PA; QL; LD |
| *Monoamine Oxidase Inhibitors (Maois)*** | | |
| EMSAM TRANSDERMAL PATCH 24 HOUR 12 MG/24HR, 9 MG/24HR | 3 | QL |
| EMSAM TRANSDERMAL PATCH 24 HOUR 6 MG/24HR | 3 | DO |
| MARPLAN ORAL TABLET | 3 | QL |
| NARDIL ORAL TABLET | 3 | QL |
| PARNATE ORAL TABLET | 3 | QL |
| phenelzine sulfate oral tablet | 1 or 1b* | QL |
| tranylcypromine sulfate oral tablet | 1 or 1b* | QL |
| *N-Methyl-D-Aspartic Acid (Nmda) Receptor Antagonists*** | | |
| SPRAVATO (56 MG DOSE) NASAL SOLUTION THERAPY PACK | 3 | PA; QL; LD |
| SPRAVATO (84 MG DOSE) NASAL SOLUTION THERAPY PACK | 3 | PA; QL; LD |

| Drug Name | Tier | Notes |
|--|----------|-------|
| *Selective Serotonin Reuptake Inhibitors (Ssris)*** | | |
| citalopram hydrobromide oral solution | 1 or 1b* | |
| citalopram hydrobromide oral tablet | 1 or 1b* | |
| escitalopram oxalate oral solution | 1 or 1b* | |
| escitalopram oxalate oral tablet | 1 or 1b* | |
| fluoxetine hcl oral capsule | 1 or 1b* | |
| fluoxetine hcl oral capsule delayed release | 1 or 1b* | |
| fluoxetine hcl oral solution | 1 or 1b* | |
| fluoxetine hcl oral tablet 10 mg, 20 mg | 1 or 1b* | |
| FLUOXETINE HCL ORAL TABLET 60 MG | 3 | |
| fluvoxamine maleate er oral capsule extended release 24 hour | 1 or 1b* | |
| fluvoxamine maleate oral tablet | 1 or 1b* | |
| paroxetine hcl er oral tablet extended release 24 hour | 1 or 1b* | |
| paroxetine hcl oral suspension | 1 or 1b* | |
| paroxetine hcl oral tablet | 1 or 1b* | |
| sertraline hcl oral concentrate | 1 or 1b* | |
| sertraline hcl oral tablet | 1 or 1b* | |
| *Serotonin Modulators*** | | |
| nefazodone hcl oral tablet 100 mg, 50 mg | 1 or 1b* | DO |
| nefazodone hcl oral tablet 150 mg, 200 mg, 250 mg | 1 or 1b* | QL |
| trazodone hcl oral tablet 100 mg, 150 mg, 50 mg | 1 or 1a* | DO |
| trazodone hcl oral tablet 300 mg | 1 or 1a* | QL |
| TRINTELLIX ORAL TABLET 10 MG, 5 MG | 2 | DO |
| TRINTELLIX ORAL TABLET 20 MG | 2 | QL |
| vilazodone hcl oral tablet 10 mg, 20 mg | 1 or 1b* | DO |
| vilazodone hcl oral tablet 40 mg | 1 or 1b* | QL |

| Drug Name | Tier | Notes |
|---|----------|-------|
| *Serotonin-Norepinephrine Reuptake Inhibitors (Snris)*** | | |
| desvenlafaxine succinate er oral tablet extended release 24 hour 100 mg | 1 or 1b* | QL |
| desvenlafaxine succinate er oral tablet extended release 24 hour 25 mg, 50 mg | 1 or 1b* | DO |
| duloxetine hcl oral capsule delayed release particles | 1 or 1b* | QL |
| venlafaxine hcl er oral capsule extended release 24 hour | 1 or 1b* | QL |
| venlafaxine hcl er oral tablet extended release 24 hour 225 mg | 1 or 1b* | QL |
| venlafaxine hcl oral tablet | 1 or 1b* | QL |
| *Tricyclic Agents*** | | |
| amitriptyline hcl oral tablet 10 mg, 25 mg, 50 mg, 75 mg | 1 or 1a* | DO |
| amitriptyline hcl oral tablet 100 mg, 150 mg | 1 or 1a* | QL |
| amoxapine oral tablet 100 mg, 150 mg | 1 or 1b* | QL |
| amoxapine oral tablet 25 mg, 50 mg | 1 or 1b* | DO |
| clomipramine hcl oral capsule 25 mg | 1 or 1b* | DO |
| clomipramine hcl oral capsule 50 mg, 75 mg | 1 or 1b* | QL |
| desipramine hcl oral tablet 10 mg, 25 mg, 50 mg, 75 mg | 1 or 1b* | DO |
| desipramine hcl oral tablet 100 mg, 150 mg | 1 or 1b* | QL |
| doxepin hcl oral capsule 10 mg, 25 mg, 50 mg, 75 mg | 1 or 1b* | DO |
| doxepin hcl oral capsule 100 mg, 150 mg | 1 or 1b* | QL |
| doxepin hcl oral concentrate | 1 or 1b* | QL |
| imipramine hcl oral tablet 10 mg, 25 mg | 1 or 1b* | DO |
| imipramine hcl oral tablet 50 mg | 1 or 1b* | QL |
| imipramine pamoate oral capsule 100 mg, 75 mg | 1 or 1b* | DO |
| imipramine pamoate oral capsule 125 mg, 150 mg | 1 or 1b* | QL |
| NORPRAMIN ORAL TABLET 10 MG, 25 MG | 3 | DO |

| Drug Name | Tier | Notes |
|---|----------|---------|
| nortriptyline hcl oral capsule 10 mg, 25 mg | 1 or 1b* | DO |
| nortriptyline hcl oral capsule 50 mg, 75 mg | 1 or 1b* | QL |
| nortriptyline hcl oral solution | 1 or 1b* | QL |
| PAMELOR ORAL CAPSULE 10 MG, 25 MG | 3 | DO |
| PAMELOR ORAL CAPSULE 50 MG, 75 MG | 3 | QL |
| protriptyline hcl oral tablet 10 mg | 1 or 1b* | QL |
| protriptyline hcl oral tablet 5 mg | 1 or 1b* | DO |
| trimipramine maleate oral capsule | 1 or 1b* | QL |
| *Antidiabetics* | | |
| *Alpha-Glucosidase Inhibitors*** | | |
| acarbose oral tablet | 1 or 1b* | QL |
| miglitol oral tablet | 1 or 1b* | QL |
| *Antidiabetic-Anti-Cd3 Antibodies*** | | |
| TZIELD INTRAVENOUS SOLUTION | 3 | PA; LD |
| *Biguanides*** | | |
| metformin hcl er oral tablet extended release 24 hour | 1 or 1b* | QL |
| metformin hcl oral solution | 3 | PA; QL |
| metformin hcl oral tablet 1000 mg, 500 mg | 1 or 1b* | QL |
| metformin hcl oral tablet 850 mg | 1 or 1b* | \$0; QL |
| RIOMET ORAL SOLUTION | 3 | PA; QL |
| *Diabetic Other*** | | |
| BAQSIMI ONE PACK NASAL POWDER | 3 | QL |
| BAQSIMI TWO PACK NASAL POWDER | 3 | QL |
| diazoxide oral suspension | 1 or 1b* | |
| GLUCAGON EMERGENCY INJECTION KIT | 1 or 1b* | QL |
| GLUCAGON EMERGENCY INJECTION SOLUTION RECONSTITUTED | 3 | QL |
| GVOKE HYPOPEN 1- PACK SUBCUTANEOUS SOLUTION AUTO- INJECTOR | 3 | QL |

| Drug Name | Tier | Notes |
|--|----------|--------|
| GVOKE HYPOPEN 2- | | |
| PACK SUBCUTANEOUS SOLUTION AUTO- INJECTOR | 3 | QL |
| GVOKE KIT SUBCUTANEOUS SOLUTION | 3 | QL |
| GVOKE PFS SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 1 MG/0.2ML | 3 | QL |
| PROGLYCEM ORAL SUSPENSION | 3 | |
| ZEGALOGUE SUBCUTANEOUS SOLUTION AUTO- INJECTOR | 3 | QL |
| ZEGALOGUE SUBCUTANEOUS SOLUTION PREFILLED SYRINGE | 3 | QL |
| *Dipeptidyl Peptidase-4 (Dpp-4) Inhibitors*** | | |
| alogliptin benzoate oral tablet | 1 or 1b* | ST; QL |
| JANUVIA ORAL TABLET | 2 | ST; QL |
| *Dipeptidyl Peptidase-4 Inhibitor-Biguanide Combinations*** | | |
| alogliptin-metformin hcl oral tablet | 1 or 1b* | ST; QL |
| JANUMET ORAL TABLET | 2 | ST; QL |
| JANUMET XR ORAL TABLET EXTENDED RELEASE 24 HOUR | 2 | ST; QL |
| *Dopamine Receptor Agonists - Ergot Derivatives*** | | |
| CYCLOSET ORAL TABLET | 3 | |
| *Dpp-4 Inhibitor- Thiazolidinedione Combinations*** | | |
| alogliptin-pioglitazone oral tablet 12.5-30 mg, 25-15 mg, 25-30 mg, 25-45 mg | 1 or 1b* | ST; QL |
| *Human Insulin*** | | |
| BASAGLAR KWIKPEN SUBCUTANEOUS SOLUTION PEN- INJECTOR | 2 | QL |

| Drug Name | Tier | Notes |
|--|------|--------|
| HUMALOG INJECTION SOLUTION | 2 | QL |
| HUMALOG JUNIOR KWIKPEN SUBCUTANEOUS SOLUTION PEN- INJECTOR | 2 | QL |
| HUMALOG KWIKPEN SUBCUTANEOUS SOLUTION PEN- INJECTOR 100 UNIT/ML, 200 UNIT/ML | 2 | QL |
| HUMALOG MIX 50/50 KWIKPEN SUBCUTANEOUS SUSPENSION PEN- INJECTOR | 2 | QL |
| HUMALOG MIX 75/25 KWIKPEN SUBCUTANEOUS SUSPENSION PEN- INJECTOR | 2 | QL |
| HUMALOG MIX 75/25 SUBCUTANEOUS SUSPENSION | 2 | QL |
| HUMALOG SUBCUTANEOUS SOLUTION CARTRIDGE | 2 | QL |
| HUMULIN R U-500 (CONCENTRATED) SUBCUTANEOUS SOLUTION | 2 | PA; QL |
| HUMULIN R U-500 KWIKPEN SUBCUTANEOUS SOLUTION PEN- INJECTOR | 2 | PA; QL |
| INSULIN LISPRO (1 UNIT DIAL) SUBCUTANEOUS SOLUTION PEN- INJECTOR | 2 | QL |
| INSULIN LISPRO INJECTION SOLUTION | 2 | QL |
| INSULIN LISPRO JUNIOR KWIKPEN SUBCUTANEOUS SOLUTION PEN- INJECTOR | 2 | QL |
| INSULIN LISPRO PROT & LISPRO SUBCUTANEOUS SUSPENSION PEN- INJECTOR | 2 | QL |

| - | | |
|--|----------|--------|
| Drug Name | Tier | Notes |
| LANTUS SOLOSTAR SUBCUTANEOUS SOLUTION PEN- INJECTOR | 2 | QL |
| LANTUS SUBCUTANEOUS SOLUTION | 2 | QL |
| LYUMJEV INJECTION SOLUTION | 2 | QL |
| LYUMJEV KWIKPEN SUBCUTANEOUS SOLUTION PEN- INJECTOR | 2 | QL |
| MYXREDLIN INTRAVENOUS SOLUTION | 3 | |
| TOUJEO MAX SOLOSTAR SUBCUTANEOUS SOLUTION PEN- INJECTOR | 2 | QL |
| TOUJEO SOLOSTAR SUBCUTANEOUS SOLUTION PEN- INJECTOR | 2 | QL |
| TRESIBA FLEXTOUCH SUBCUTANEOUS SOLUTION PEN- INJECTOR | 2 | QL |
| TRESIBA SUBCUTANEOUS SOLUTION | 2 | QL |
| *Incretin Mimetic Agents (Gip & Glp-1 Receptor Agonists)*** | | |
| MOUNJARO SUBCUTANEOUS SOLUTION AUTO- INJECTOR | 2 | PA; QL |
| *Incretin Mimetic Agents (Glp-1 Receptor Agonists)*** | | |
| liraglutide subcutaneous solution pen-injector | 1 or 1b* | PA; QL |
| OZEMPIC (0.25 OR 0.5 MG/DOSE) SUBCUTANEOUS SOLUTION PEN- INJECTOR 2 MG/3ML | 2 | PA; QL |
| OZEMPIC (1 MG/DOSE) SUBCUTANEOUS SOLUTION PEN- INJECTOR 4 MG/3ML | 2 | PA; QL |

| Drug Name | Tier | Notes |
|--|----------|------------|
| OZEMPIC (2 MG/DOSE) | | |
| SUBCUTANEOUS | 2 | PA; QL |
| SOLUTION PEN- INJECTOR | | |
| RYBELSUS ORAL TABLET | 2 | PA; QL |
| TRULICITY SUBCUTANEOUS SOLUTION AUTO- INJECTOR | 2 | PA; QL |
| *Insulin-Incretin Mimetic Combinations*** | | |
| SOLIQUA SUBCUTANEOUS SOLUTION PEN- INJECTOR | 2 | QL |
| XULTOPHY SUBCUTANEOUS SOLUTION PEN- INJECTOR | 2 | QL |
| *Meglitinide Analogues*** | | |
| nateglinide oral tablet | 1 or 1b* | QL |
| repaglinide oral tablet | 1 or 1b* | QL |
| *Progesterone Receptor Antagonists*** | | |
| mifepristone oral tablet 300 mg | 3 | PA; QL; LD |
| *Sglt2 Inhibitor - Dpp-4 Inhibitor - Biguanide Comb*** | | |
| TRIJARDY XR ORAL TABLET EXTENDED RELEASE 24 HOUR | 2 | ST; QL |
| *Sglt2 Inhibitor - Dpp-4 Inhibitor Combinations*** | | |
| GLYXAMBI ORAL TABLET | 2 | ST; QL |
| *Sodium-Glucose Co- Transporter 2 (Sglt2) Inhibitors*** | | |
| FARXIGA ORAL TABLET | 2 | ST; QL |
| JARDIANCE ORAL TABLET | 2 | ST; QL |
| *Sodium-Glucose Co- Transporter 2 Inhibitor- Biguanide Comb*** | | |
| SYNJARDY ORAL TABLET | 2 | ST; QL |
| SYNJARDY XR ORAL TABLET EXTENDED RELEASE 24 HOUR | 2 | ST; QL |

| Drug Name | Tier | Notes |
|--|----------|------------|
| XIGDUO XR ORAL TABLET EXTENDED RELEASE 24 HOUR | 2 | ST; QL |
| *Sulfonylurea-Biguanide Combinations*** | | |
| glipizide-metformin hcl oral tablet | 1 or 1b* | QL |
| glyburide-metformin oral tablet | 1 or 1b* | QL |
| *Sulfonylureas*** | | |
| glimepiride oral tablet 1 mg, 2 mg, 4 mg | 1 or 1b* | QL |
| glipizide er oral tablet extended release 24 hour | 1 or 1a* | QL |
| glipizide oral tablet | 1 or 1a* | QL |
| glyburide micronized oral tablet | 1 or 1b* | QL |
| glyburide oral tablet | 1 or 1b* | QL |
| *Sulfonylurea- Thiazolidinedione Combinations*** | | |
| DUETACT ORAL TABLET | 3 | ST; QL |
| pioglitazone hcl-glimepiride oral tablet | 1 or 1b* | ST; QL |
| *Thiazolidinedione- Biguanide Combinations*** | | |
| pioglitazone hcl-metformin hcl oral tablet | 1 or 1b* | ST; QL |
| *Thiazolidinediones*** | | |
| pioglitazone hcl oral tablet | 1 or 1b* | QL |
| *Antidiarrheal/Probiotic Agents* | | |
| *Antidiarrheal - Chloride Channel Antagonists*** | | |
| MYTESI ORAL TABLET DELAYED RELEASE | 3 | PA; QL; LD |
| *Antidiarrheal/Probiotic Agents - Misc.*** | | |
| BACILLEX ORAL CAPSULE | 3 | |
| *Antiperistaltic Agents*** | | |
| diphenoxylate-atropine oral liquid | 1 or 1b* | |
| diphenoxylate-atropine oral tablet 2.5-0.025 mg | 1 or 1b* | |
| LOMOTIL ORAL TABLET | 3 | |
| loperamide hcl oral capsule | 1 or 1b* | QL |

| Drug Name | Tier | Notes |
|---|----------|--------|
| MOTOFEN ORAL | 3 | |
| TABLET | 3 | |
| *Antidotes And Specific Antagonists* | | |
| *Antidote | | |
| Combinations*** | | |
| NITHIODOTE INTRAVENOUS KIT 300MG/10ML&12.5 GM/50ML | 3 | |
| PREVDUO INTRAVENOUS SOLUTION PREFILLED SYRINGE | 3 | |
| *Antidotes - Chelating Agents*** | | |
| CHEMET ORAL CAPSULE | 3 | |
| deferasirox granules oral packet | 3 | PA; SP |
| deferasirox oral packet | 3 | PA; SP |
| deferasirox oral tablet | 3 | PA; SP |
| deferasirox oral tablet soluble | 3 | PA; SP |
| deferiprone oral tablet | 3 | PA; LD |
| FERRIPROX ORAL SOLUTION | 3 | PA; LD |
| FERRIPROX TWICE-A- DAY ORAL TABLET | 3 | PA; LD |
| *Antidotes And Specific Antagonists*** | | |
| ACETADOTE INTRAVENOUS SOLUTION | 3 | |
| acetylcysteine intravenous solution | 1 or 1b* | |
| ANDEXXA INTRAVENOUS SOLUTION RECONSTITUTED 200 MG | 3 | |
| BRIDION INTRAVENOUS SOLUTION | 3 | |
| CYANOKIT INTRAVENOUS SOLUTION RECONSTITUTED 5 GM | 3 | |
| deferoxamine mesylate injection solution reconstituted | 3 | SP |

| Drug Name | Tier | Notes |
|---|----------|--------|
| DESFERAL INJECTION SOLUTION RECONSTITUTED 500 MG | 3 | SP |
| DIGIFAB INTRAVENOUS SOLUTION RECONSTITUTED | 3 | |
| edetate calcium disodium injection solution | 3 | |
| fomepizole intravenous solution 1.5 gm/1.5ml | 1 or 1b* | |
| methylene blue (antidote) intravenous solution | 3 | |
| methylene blue intravenous solution 50 mg/10ml | 1 or 1b* | |
| PRAXBIND INTRAVENOUS SOLUTION | 3 | |
| PROTOPAM CHLORIDE INTRAVENOUS SOLUTION RECONSTITUTED | 3 | |
| PROVAYBLUE INTRAVENOUS SOLUTION | 3 | |
| RADIOGARDASE ORAL CAPSULE | 3 | |
| SODIUM NITRITE INTRAVENOUS SOLUTION | 3 | |
| SODIUM THIOSULFATE INTRAVENOUS SOLUTION 250 MG/ML | 1 or 1b* | |
| VISTOGARD ORAL PACKET | 3 | QL; LD |
| *Benzodiazepine Antagonists*** | | |
| flumazenil intravenous solution | 1 or 1b* | |
| *Opioid Antagonists*** | | |
| KLOXXADO NASAL LIQUID | 2 | QL |
| nalmefene hcl injection solution | 3 | QL |
| naloxone hcl injection solution 0.4 mg/ml, 4 mg/10ml | 1 or 1a* | QL |
| naloxone hcl injection solution cartridge | 1 or 1a* | QL |
| naloxone hcl injection solution prefilled syringe | 1 or 1a* | QL |
| naloxone hcl nasal liquid | 1 or 1b* | QL |

| Drug Name | Tier | Notes |
|---|----------|------------|
| naltrexone hcl oral tablet | 1 or 1b* | |
| OPVEE NASAL SOLUTION | 2 | QL |
| REXTOVY NASAL LIQUID | 2 | QL |
| VIVITROL INTRAMUSCULAR SUSPENSION RECONSTITUTED | 3 | QL |
| ZIMHI INJECTION SOLUTION PREFILLED SYRINGE | 2 | QL |
| *Antiemetics* | | |
| *5-Ht3 Receptor Antagonists*** | | |
| ANZEMET ORAL | | |
| TABLET 50 MG | 3 | QL |
| granisetron hcl intravenous solution 1 mg/ml, 4 mg/4ml | 1 or 1b* | |
| granisetron hcl oral tablet | 1 or 1b* | QL |
| ondansetron hcl +rfid injection solution | 1 or 1b* | |
| ondansetron hcl injection solution 4 mg/2ml, 40 mg/20ml | 1 or 1b* | |
| ondansetron hcl injection solution prefilled syringe | 1 or 1b* | |
| ondansetron hcl oral solution | 1 or 1b* | QL |
| ondansetron hcl oral tablet | 1 or 1b* | QL |
| ondansetron oral tablet dispersible | 1 or 1b* | QL |
| PALONOSETRON HCL INTRAVENOUS SOLUTION 0.25 MG/2ML | 3 | |
| palonosetron hcl intravenous solution 0.25 mg/5ml | 1 or 1b* | |
| palonosetron hcl intravenous solution prefilled syringe | 1 or 1b* | |
| POSFREA INTRAVENOUS SOLUTION | 3 | |
| SANCUSO TRANSDERMAL PATCH | 3 | QL |
| SUSTOL SUBCUTANEOUS PREFILLED SYRINGE | 3 | |
| *Antiemetic Combinations*** | | |
| AKYNZEO (READY-TO- USE) INTRAVENOUS SOLUTION | 3 | PA; QL; LD |

| Drug Name | Tier | Notes |
|---|----------|------------|
| AKYNZEO (TO-BE- DILUTED) INTRAVENOUS SOLUTION | 3 | PA; QL; LD |
| AKYNZEO INTRAVENOUS SOLUTION RECONSTITUTED | 3 | PA; QL; LD |
| AKYNZEO ORAL CAPSULE | 3 | QL |
| BONJESTA ORAL TABLET EXTENDED RELEASE | 3 | PA; QL |
| doxylamine-pyridoxine oral tablet delayed release | 1 or 1b* | PA; QL |
| *Antiemetics - Anticholinergic*** | | |
| DIMENHYDRINATE INJECTION SOLUTION | 3 | |
| meclizine hcl oral tablet 25 mg | 1 or 1a* | |
| meclizine hcl oral tablet 50 mg | 1 or 1b* | |
| scopolamine transdermal patch 72 hour | 1 or 1b* | |
| TIGAN INTRAMUSCULAR SOLUTION | 3 | |
| trimethobenzamide hcl oral capsule | 1 or 1b* | |
| *Antiemetics - Antidopaminergic*** | | |
| BARHEMSYS INTRAVENOUS SOLUTION | 3 | |
| *Antiemetics - Miscellaneous*** | | |
| dronabinol oral capsule | 1 or 1b* | QL |
| MARINOL ORAL CAPSULE 2.5 MG | 3 | QL |
| SYNDROS ORAL SOLUTION | 3 | QL |
| *Substance P/Neurokinin 1 (Nk1) Receptor Antagonists*** | | |
| APONVIE INTRAVENOUS EMULSION | 3 | |
| aprepitant oral | 1 or 1b* | QL |
| aprepitant oral capsule | 1 or 1b* | QL |

| Drug Name | Tier | Notes |
|--|----------|--------|
| CINVANTI INTRAVENOUS EMULSION | 3 | QL |
| EMEND ORAL SUSPENSION RECONSTITUTED | 3 | QL |
| focinvez intravenous solution | 3 | QL |
| fosaprepitant dimeglumine intravenous solution reconstituted | 1 or 1b* | QL |
| VARUBI (180 MG DOSE) ORAL TABLET THERAPY PACK | 3 | QL; LD |
| *Antifungals* | | |
| *Antifungal - Glucan Synthesis Inhibitors (Echinocandins)*** | | |
| CANCIDAS INTRAVENOUS SOLUTION RECONSTITUTED 70 MG | 3 | QL |
| CASPOFUNGIN ACETATE INTRAVENOUS SOLUTION RECONSTITUTED | 3 | QL |
| ERAXIS INTRAVENOUS SOLUTION RECONSTITUTED | 3 | |
| MICAFUNGIN SODIUM INTRAVENOUS SOLUTION RECONSTITUTED | 3 | |
| micafungin sodium-nacl intravenous solution | 3 | |
| MYCAMINE INTRAVENOUS SOLUTION RECONSTITUTED | 3 | |
| REZZAYO INTRAVENOUS SOLUTION RECONSTITUTED | 3 | |
| *Antifungal - Glucan Synthesis Inhibitors (Triterpenoids)*** | | |
| BREXAFEMME ORAL TABLET | 3 | PA; QL |
| *Antifungals*** | | |
| ABELCET INTRAVENOUS SUSPENSION | 3 | |

| Drug Name | Tier | Notes |
|--|----------|------------|
| AMBISOME INTRAVENOUS SUSPENSION RECONSTITUTED | 3 | |
| amphotericin b intravenous solution reconstituted | 1 or 1b* | |
| amphotericin b liposome intravenous suspension reconstituted | 1 or 1b* | |
| ANCOBON ORAL CAPSULE | 3 | PA |
| flucytosine oral capsule | 1 or 1b* | PA |
| griseofulvin microsize oral suspension | 1 or 1b* | |
| griseofulvin microsize oral tablet | 1 or 1b* | |
| griseofulvin ultramicrosize oral tablet 125 mg, 250 mg | 1 or 1b* | |
| nystatin oral tablet | 1 or 1b* | |
| terbinafine hcl oral tablet | 1 or 1b* | |
| *Imidazoles*** | | |
| ketoconazole oral tablet | 1 or 1b* | QL |
| *Tetrazoles*** | | |
| VIVJOA ORAL CAPSULE THERAPY PACK | 3 | PA; QL; LD |
| *Triazoles*** | | |
| CRESEMBA INTRAVENOUS SOLUTION RECONSTITUTED | 3 | PA; QL |
| CRESEMBA ORAL CAPSULE | 3 | PA; QL |
| DIFLUCAN ORAL SUSPENSION RECONSTITUTED 40 MG/ML | 3 | QL |
| FLUCONAZOLE IN SODIUM CHLORIDE INTRAVENOUS SOLUTION 100-0.9 MG/50ML-% | 3 | |
| fluconazole in sodium chloride intravenous solution 200-0.9 mg/100ml-%, 400- 0.9 mg/200ml-% | 1 or 1b* | |
| fluconazole oral suspension reconstituted | 1 or 1b* | QL |
| fluconazole oral tablet | 1 or 1b* | QL |
| itraconazole oral capsule | 1 or 1b* | PA; QL |
| | 1 or 1b* | PA; QL |

| Drug Name | Tier | Notes |
|---|----------|--------|
| NOXAFIL ORAL PACKET | 3 | PA; QL |
| posaconazole intravenous solution | 1 or 1b* | |
| posaconazole oral suspension | 1 or 1b* | PA; QL |
| posaconazole oral tablet delayed release | 1 or 1b* | PA; QL |
| SPORANOX ORAL CAPSULE | 3 | PA; QL |
| TOLSURA ORAL CAPSULE | 3 | PA; QL |
| VFEND ORAL SUSPENSION RECONSTITUTED | 3 | PA; QL |
| voriconazole oral suspension reconstituted | 1 or 1b* | PA; QL |
| voriconazole oral tablet | 1 or 1b* | PA; QL |
| *Antihistamines* | | |
| *Antihistamines - Ethanolamines*** | | |
| carbinoxamine maleate er oral suspension extended release | 1 or 1b* | ST; QL |
| carbinoxamine maleate oral solution | 1 or 1b* | ST; QL |
| carbinoxamine maleate oral tablet 4 mg | 1 or 1b* | ST; QL |
| carbzah oral solution | 1 or 1b* | ST; QL |
| CLEMASTINE FUMARATE ORAL SYRUP | 3 | ST; QL |
| clemastine fumarate oral tablet 2.68 mg | 1 or 1b* | ST; QL |
| diphenhydramine hcl injection solution | 1 or 1b* | |
| diphenhydramine hcl oral elixir | 1 or 1a* | QL |
| *Antihistamines - Non- Sedating*** | | |
| cetirizine hcl oral solution | 1 or 1b* | QL; BE |
| CLARINEX ORAL TABLET | 3 | ST; QL |
| desloratadine oral tablet | 1 or 1b* | QL |
| desloratadine oral tablet dispersible | 1 or 1b* | QL |
| levocetirizine dihydrochloride oral solution | 1 or 1b* | QL; BE |
| levocetirizine dihydrochloride oral tablet | 1 or 1b* | QL; BE |

| Drug Name | Tier | Notes |
|--|----------|------------------|
| QUZYTTIR INTRAVENOUS SOLUTION | 3 | |
| *Antihistamines - Phenothiazines*** | | |
| PHENERGAN INJECTION SOLUTION | 3 | |
| promethazine hcl injection solution | 1 or 1a* | |
| promethazine hcl oral solution | 1 or 1a* | QL |
| promethazine hcl oral syrup | 3 | QL |
| promethazine hcl oral tablet | 1 or 1a* | QL |
| promethazine hcl rectal suppository 12.5 mg, 25 mg | 1 or 1b* | QL |
| promethegan rectal suppository | 1 or 1b* | QL |
| *Antihistamines - Piperidines*** | | |
| cyproheptadine hcl oral syrup | 1 or 1b* | |
| cyproheptadine hcl oral tablet | 1 or 1b* | |
| *Antihyperlipidemics* | | |
| *Acl Inhib-Intestinal Cholesterol Absorption Inhib Comb*** | | |
| NEXLIZET ORAL TABLET | 3 | PA; QL |
| *Adenosine Triphosphate- Citrate Lyase (Acl) Inhibitors*** | | |
| NEXLETOL ORAL TABLET | 3 | PA; QL |
| *Angiopoietin-Like Protein 3 (Angptl3) Inhibitors*** | | |
| EVKEEZA INTRAVENOUS | 2 | D. 1.D. |
| SOLUTION | 3 | PA; LD |
| | 3 | PA; LD |
| SOLUTION *Antihyperlipidemics - | 1 or 1b* | PA; LD |
| *Antihyperlipidemics - Misc.*** omega-3-acid ethyl esters | | |
| *Antihyperlipidemics - Misc.*** omega-3-acid ethyl esters oral capsule VASCEPA ORAL | 1 or 1b* | PA; QL |
| *Antihyperlipidemics - Misc.*** omega-3-acid ethyl esters oral capsule VASCEPA ORAL CAPSULE | 1 or 1b* | PA; QL |
| *Antihyperlipidemics - Misc.*** omega-3-acid ethyl esters oral capsule VASCEPA ORAL CAPSULE *Bile Acid Sequestrants*** cholestyramine light oral | 1 or 1b* | PA; QL PA; QL |

| Drug Name | Tier | Notes |
|--|----------|---------|
| cholestyramine oral powder | 1 or 1b* | QL |
| colesevelam hcl oral packet | 3 | QL |
| colesevelam hcl oral tablet | 1 or 1b* | QL |
| COLESTID ORAL GRANULES | 3 | QL |
| COLESTID ORAL TABLET | 3 | QL |
| colestipol hcl oral granules | 1 or 1b* | QL |
| colestipol hcl oral packet | 1 or 1b* | QL |
| colestipol hel oral tablet | 1 or 1b* | QL |
| prevalite oral packet | 1 or 1b* | QL |
| prevalite oral powder | 1 or 1b* | QL |
| QUESTRAN LIGHT ORAL POWDER | 3 | QL |
| QUESTRAN ORAL PACKET | 3 | QL |
| QUESTRAN ORAL POWDER | 3 | QL |
| *Fibric Acid Derivatives*** | | |
| fenofibrate micronized oral capsule 130 mg, 134 mg, 200 mg, 43 mg, 67 mg | 1 or 1b* | QL |
| fenofibrate oral capsule | 1 or 1b* | QL |
| fenofibrate oral tablet 120 mg, 40 mg | 3 | ST; QL |
| fenofibrate oral tablet 145 mg, 160 mg, 48 mg, 54 mg | 1 or 1b* | QL |
| fenofibric acid oral capsule delayed release | 1 or 1b* | QL |
| fenofibric acid oral tablet | 1 or 1b* | QL |
| gemfibrozil oral tablet | 1 or 1b* | QL |
| LIPOFEN ORAL CAPSULE | 3 | ST; QL |
| LOPID ORAL TABLET | 3 | ST; QL |
| TRICOR ORAL TABLET | 3 | ST; QL |
| *Hmg Coa Reductase Inhibitors*** | | |
| atorvastatin calcium oral tablet 10 mg, 20 mg | 1 or 1b* | DO; \$0 |
| atorvastatin calcium oral tablet 40 mg | 1 or 1b* | DO |
| atorvastatin calcium oral tablet 80 mg | 1 or 1b* | QL |
| fluvastatin sodium oral capsule | 1 or 1b* | DO; \$0 |
| lovastatin oral tablet 10 mg, 20 mg | 1 or 1b* | DO; \$0 |
| lovastatin oral tablet 40 mg | 1 or 1b* | \$0; QL |

| Drug Name | Tier | Notes |
|--|----------|------------|
| pravastatin sodium oral tablet 10 mg, 20 mg, 40 mg | 1 or 1b* | DO; \$0 |
| pravastatin sodium oral tablet 80 mg | 1 or 1b* | \$0; QL |
| rosuvastatin calcium oral tablet 10 mg, 5 mg | 1 or 1b* | DO; \$0 |
| rosuvastatin calcium oral tablet 20 mg | 1 or 1b* | DO |
| rosuvastatin calcium oral tablet 40 mg | 1 or 1b* | QL |
| simvastatin oral tablet 10 mg, 20 mg, 5 mg | 1 or 1b* | DO; \$0 |
| simvastatin oral tablet 40 mg | 1 or 1b* | \$0; QL |
| simvastatin oral tablet 80 mg | 1 or 1b* | PA; QL |
| *Intest Cholest Absorp Inhib-Hmg Coa Reductase Inhib Comb*** | | |
| ezetimibe-simvastatin oral tablet | 1 or 1b* | ST; QL |
| *Intestinal Cholesterol Absorption Inhibitors*** | | |
| ezetimibe oral tablet | 1 or 1b* | QL |
| *Microsomal Triglyceride Transfer Protein Inhibitors*** | | |
| JUXTAPID ORAL CAPSULE 10 MG, 5 MG | 3 | PA; DO; LD |
| JUXTAPID ORAL CAPSULE 20 MG, 30 MG | 3 | PA; QL; LD |
| *Nicotinic Acid Derivatives*** | | |
| niacin (antihyperlipidemic) oral tablet | 1 or 1b* | ST; QL |
| niacin er (antihyperlipidemic) oral tablet extended release | 1 or 1b* | ST; QL |
| niacor oral tablet | 1 or 1b* | ST; QL |
| *Pcsk9 Inhibitors*** | | |
| REPATHA PUSHTRONEX SYSTEM SUBCUTANEOUS SOLUTION CARTRIDGE | 3 | QL |
| REPATHA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE | 3 | QL |
| REPATHA SURECLICK SUBCUTANEOUS SOLUTION AUTO- INJECTOR | 3 | QL |

| Drug Name | Tier | Notes |
|--|----------|--------|
| *Small Interfering Rna (Sirna) Pcsk9 Inhibitors*** | | |
| LEQVIO SUBCUTANEOUS SOLUTION PREFILLED SYRINGE | 3 | QL; LD |
| *Antihypertensives* | | |
| *Ace Inhibitor & Calcium Channel Blocker Combinations*** | | |
| amlodipine besy-benazepril hcl oral capsule | 1 or 1b* | QL |
| PRESTALIA ORAL TABLET | 3 | QL |
| trandolapril-verapamil hcl er oral tablet extended release | 1 or 1b* | QL |
| *Ace Inhibitors & Thiazide/Thiazide-Like*** | | |
| ACCURETIC ORAL TABLET 10-12.5 MG, 20- 12.5 MG | 3 | QL |
| benazepril- hydrochlorothiazide oral tablet | 1 or 1b* | QL |
| captopril- hydrochlorothiazide oral tablet | 1 or 1b* | QL |
| enalapril-hydrochlorothiazide oral tablet | 1 or 1b* | QL |
| fosinopril sodium-hctz oral tablet | 1 or 1b* | QL |
| lisinopril- hydrochlorothiazide oral tablet | 1 or 1b* | QL |
| LOTENSIN HCT ORAL TABLET 10-12.5 MG, 20- 12.5 MG, 20-25 MG | 3 | QL |
| quinapril- hydrochlorothiazide oral tablet | 1 or 1b* | QL |
| VASERETIC ORAL TABLET | 3 | QL |
| ZESTORETIC ORAL TABLET | 3 | QL |
| *Ace Inhibitors*** | | |
| benazepril hcl oral tablet | 1 or 1a* | QL |
| captopril oral tablet | 1 or 1b* | QL |
| enalapril maleate oral solution | 1 or 1b* | QL |
| enalapril maleate oral tablet | 1 or 1b* | QL |
| enalaprilat intravenous solution | 1 or 1b* | |

| Drug Name | Tier | Notes |
|---|----------|------------|
| EPANED ORAL SOLUTION | 3 | QL |
| fosinopril sodium oral tablet | 1 or 1b* | QL |
| lisinopril oral tablet | 1 or 1a* | QL |
| LOTENSIN ORAL TABLET 10 MG, 20 MG, 40 MG | 3 | QL |
| moexipril hcl oral tablet | 1 or 1b* | QL |
| perindopril erbumine oral tablet | 1 or 1b* | QL |
| QBRELIS ORAL SOLUTION | 3 | QL |
| quinapril hcl oral tablet | 1 or 1b* | QL |
| ramipril oral capsule | 1 or 1b* | QL |
| trandolapril oral tablet | 1 or 1b* | QL |
| *Agents For Pheochromocytoma*** | | |
| DEMSER ORAL CAPSULE | 3 | PA; QL; SP |
| DIBENZYLINE ORAL CAPSULE | 3 | PA; QL |
| metyrosine oral capsule | 1 or 1b* | PA; QL; SP |
| phenoxybenzamine hcl oral capsule | 1 or 1b* | PA; QL |
| phentolamine mesylate injection solution reconstituted | 1 or 1b* | |
| *Angiotensin Ii Receptor Antag & Ca Channel Blocker Comb*** | | |
| amlodipine besylate- valsartan oral tablet | 1 or 1b* | QL |
| amlodipine-olmesartan oral tablet | 1 or 1b* | QL |
| telmisartan-amlodipine oral tablet | 1 or 1b* | QL |
| *Angiotensin Ii Receptor Antag & Thiazide/Thiazide-Like*** | | |
| candesartan cilexetil-hctz oral tablet | 1 or 1b* | QL |
| irbesartan- hydrochlorothiazide oral tablet | 1 or 1b* | QL |
| losartan potassium-hctz oral tablet | 1 or 1b* | QL |
| olmesartan medoxomil-hctz oral tablet | 1 or 1b* | QL |
| telmisartan-hctz oral tablet | 1 or 1b* | QL |

| Drug Name | Tier | Notes |
|---|----------|--------|
| valsartan- hydrochlorothiazide oral tablet | 1 or 1b* | QL |
| *Angiotensin Ii Receptor Antagonists*** | | |
| candesartan cilexetil oral tablet 16 mg, 32 mg | 1 or 1b* | QL |
| candesartan cilexetil oral tablet 4 mg, 8 mg | 1 or 1b* | DO |
| irbesartan oral tablet 150 mg, 75 mg | 1 or 1b* | DO |
| irbesartan oral tablet 300 mg | 1 or 1b* | QL |
| losartan potassium oral tablet 100 mg, 50 mg | 1 or 1b* | QL |
| losartan potassium oral tablet 25 mg | 1 or 1b* | DO |
| olmesartan medoxomil oral tablet 20 mg, 5 mg | 1 or 1b* | DO |
| olmesartan medoxomil oral tablet 40 mg | 1 or 1b* | QL |
| telmisartan oral tablet 20 mg, 40 mg | 1 or 1b* | DO |
| telmisartan oral tablet 80 mg | 1 or 1b* | QL |
| valsartan oral solution | 1 or 1b* | PA; QL |
| valsartan oral tablet 160 mg, 320 mg | 1 or 1b* | QL |
| valsartan oral tablet 40 mg, 80 mg | 1 or 1b* | DO |
| *Angiotensin Ii Receptor Ant-Ca Channel Blocker- Thiazides*** | | |
| amlodipine-valsartan-hctz oral tablet | 1 or 1b* | QL |
| olmesartan-amlodipine-hctz oral tablet | 1 or 1b* | QL |
| *Antiadrenergics - Centrally Acting*** | | |
| CATAPRES-TTS-1 TRANSDERMAL PATCH WEEKLY | 3 | QL |
| CATAPRES-TTS-2 TRANSDERMAL PATCH WEEKLY | 3 | QL |
| CATAPRES-TTS-3 TRANSDERMAL PATCH WEEKLY | 3 | QL |
| clonidine hcl oral tablet | 1 or 1a* | QL |
| clonidine transdermal patch weekly | 1 or 1b* | QL |
| guanfacine hcl oral tablet | 1 or 1b* | |
| methyldopa oral tablet | 1 or 1b* | QL |

| Drug Name | Tier | Notes |
|---|----------|--------|
| *Antiadrenergics - Peripherally Acting*** | | |
| CARDURA ORAL TABLET | 3 | QL |
| doxazosin mesylate oral tablet | 1 or 1b* | QL |
| prazosin hel oral capsule | 1 or 1b* | |
| terazosin hcl oral capsule | 1 or 1b* | QL |
| *Antihypertensives - Misc.*** | | |
| VECAMYL ORAL TABLET | 3 | |
| *Beta Blocker & Diuretic Combinations*** | | |
| atenolol-chlorthalidone oral tablet | 1 or 1b* | QL |
| bisoprolol- hydrochlorothiazide oral tablet | 1 or 1b* | QL |
| metoprolol- hydrochlorothiazide oral tablet | 1 or 1b* | QL |
| TENORETIC 100 ORAL TABLET | 3 | QL |
| TENORETIC 50 ORAL TABLET | 3 | QL |
| *Direct Renin Inhibitors*** | | |
| aliskiren fumarate oral tablet 150 mg | 1 or 1b* | DO |
| aliskiren fumarate oral tablet 300 mg | 1 or 1b* | QL |
| *Endothelin Receptor Antagonists*** | | |
| TRYVIO ORAL TABLET | 3 | PA; QL |
| *Selective Aldosterone Receptor Antagonists (Saras)*** | | |
| eplerenone oral tablet | 1 or 1b* | |
| INSPRA ORAL TABLET | 3 | |
| *Vasodilators*** | | |
| hydralazine hcl injection solution | 1 or 1b* | |
| hydralazine hcl oral tablet | 1 or 1b* | |
| minoxidil oral tablet | 1 or 1b* | |
| NIPRIDE RTU INTRAVENOUS SOLUTION 20-0.9 MG/100ML-%, 50-0.9 MG/100ML-% | 3 | |

| Drug Name | Tier | Notes |
|---|----------|--------|
| nitroprusside sodium intravenous solution | 1 or 1b* | |
| nitroprusside sodium-nacl intravenous solution | 1 or 1b* | |
| sodium nitroprusside intravenous solution | 1 or 1b* | |
| *Anti-Infective Agents - Misc.* | | |
| *Anti-Infective Agents - Misc.*** | | |
| IMPAVIDO ORAL CAPSULE | 3 | PA; QL |
| METRONIDAZOLE INTRAVENOUS SOLUTION 500 MG/100ML | 3 | |
| metronidazole oral capsule | 1 or 1a* | |
| metronidazole oral tablet 250 mg, 500 mg | 1 or 1a* | |
| NEBUPENT INHALATION SOLUTION RECONSTITUTED | 3 | |
| PENTAM INJECTION SOLUTION RECONSTITUTED | 3 | |
| pentamidine isethionate inhalation solution reconstituted | 1 or 1b* | |
| pentamidine isethionate injection solution reconstituted | 3 | |
| tinidazole oral tablet | 1 or 1b* | QL |
| TRIMETHOPRIM ORAL TABLET | 1 or 1a* | |
| XIFAXAN ORAL TABLET | 3 | PA; QL |
| *Anti-Infective Misc Combinations*** | | |
| BACTRIM DS ORAL TABLET | 3 | |
| BACTRIM ORAL TABLET | 3 | |
| sulfamethoxazole- trimethoprim intravenous solution | 1 or 1b* | |
| sulfamethoxazole- trimethoprim oral suspension | 1 or 1a* | |
| sulfamethoxazole- trimethoprim oral tablet | 1 or 1a* | |
| sulfatrim pediatric oral suspension | 1 or 1a* | |

| Drug Name | Tier | Notes |
|--|----------|-------|
| *Antiprotozoal Agents*** | | |
| atovaquone oral suspension | 1 or 1b* | |
| LAMPIT ORAL TABLET | 3 | |
| MEPRON ORAL SUSPENSION | 3 | |
| nitazoxanide oral tablet | 1 or 1b* | QL |
| *Beta-Lactamase Inhibitor - Combinations** | | |
| XACDURO INTRAVENOUS SOLUTION RECONSTITUTED | 3 | |
| *Carbapenem Combinations*** | | |
| imipenem-cilastatin intravenous solution reconstituted | 1 or 1b* | |
| PRIMAXIN IV INTRAVENOUS SOLUTION RECONSTITUTED 500- 500 MG | 3 | |
| RECARBRIO INTRAVENOUS SOLUTION RECONSTITUTED | 3 | |
| VABOMERE INTRAVENOUS SOLUTION RECONSTITUTED | 3 | |
| *Carbapenems*** | | |
| ertapenem sodium injection solution reconstituted | 1 or 1b* | |
| meropenem intravenous solution reconstituted 1 gm, 500 mg | 1 or 1b* | |
| MEROPENEM-SODIUM CHLORIDE INTRAVENOUS SOLUTION RECONSTITUTED 1 GM/50ML, 500 MG/50ML | 3 | |
| *Chloramphenicals*** | | |
| chloramphenicol sod succinate intravenous solution reconstituted | 1 or 1b* | |
| *Cyclic Lipopeptides*** | | |
| DAPTOMYCIN INTRAVENOUS SOLUTION RECONSTITUTED | 3 | |
| daptomycin-sodium chloride intravenous solution | 3 | |

| Drug Name | Tier | Notes |
|--|----------|-------|
| *Glycopeptides*** | | |
| DALVANCE INTRAVENOUS SOLUTION RECONSTITUTED | 3 | |
| FIRVANQ ORAL SOLUTION RECONSTITUTED | 3 | QL |
| KIMYRSA INTRAVENOUS SOLUTION RECONSTITUTED | 3 | |
| ORBACTIV INTRAVENOUS SOLUTION RECONSTITUTED | 3 | |
| VANCOCIN ORAL CAPSULE | 3 | QL |
| vancomycin hcl in dextrose intravenous solution 1.5-5 gm/300ml-% | 3 | QL |
| VANCOMYCIN HCL IN DEXTROSE INTRAVENOUS SOLUTION 1-5 GM/200ML-%, 500-5 MG/100ML-%, 750-5 MG/150ML-% | 3 | QL |
| VANCOMYCIN HCL IN NACL INTRAVENOUS SOLUTION 1-0.9 GM/200ML-%, 500-0.9 MG/100ML-% | 3 | QL |
| VANCOMYCIN HCL INTRAVENOUS SOLUTION 1000 MG/200ML, 1250 MG/250ML, 1500 MG/300ML, 1750 MG/350ML, 2000 MG/400ML, 500 MG/100ML, 750 MG/150ML | 3 | QL |
| vancomycin hcl intravenous solution reconstituted 1 gm, 1.75 gm, 10 gm, 2 gm, 5 gm, 500 mg | 3 | QL |
| VANCOMYCIN HCL INTRAVENOUS SOLUTION RECONSTITUTED 1.25 GM, 1.5 GM | 3 | QL |
| vancomycin hcl intravenous solution reconstituted 100 gm | 1 or 1b* | QL |
| vancomycin hcl oral capsule | 1 or 1b* | QL |

| Drug Name | Tier | Notes |
|--|----------|-------|
| vancomycin hcl oral solution reconstituted 25 mg/ml, 50 mg/ml | 1 or 1b* | QL |
| VANCOMYCIN HCL ORAL SOLUTION RECONSTITUTED 250 MG/5ML | 1 or 1b* | QL |
| VIBATIV INTRAVENOUS SOLUTION RECONSTITUTED 750 MG | 3 | |
| *Leprostatics*** | | |
| dapsone oral tablet | 1 or 1b* | |
| *Lincosamides*** | | |
| CLEOCIN ORAL CAPSULE | 3 | |
| CLEOCIN ORAL SOLUTION RECONSTITUTED | 3 | |
| CLEOCIN PHOSPHATE INJECTION SOLUTION | 3 | |
| clindamycin hcl oral capsule | 1 or 1b* | |
| clindamycin palmitate hcl oral solution reconstituted | 1 or 1b* | |
| clindamycin phosphate in d5w intravenous solution | 1 or 1b* | |
| CLINDAMYCIN PHOSPHATE IN NACL INTRAVENOUS SOLUTION | 3 | |
| clindamycin phosphate injection solution 300 mg/2ml, 600 mg/4ml, 900 mg/6ml | 1 or 1b* | |
| LINCOCIN INJECTION SOLUTION | 3 | |
| lincomycin hel injection solution | 1 or 1b* | |
| *Monobactam Combinations*** | | |
| EMBLAVEO INTRAVENOUS SOLUTION RECONSTITUTED | 3 | |
| *Monobactams*** | | |
| AZACTAM INJECTION SOLUTION RECONSTITUTED | 3 | |
| aztreonam injection solution reconstituted | 1 or 1b* | |

| Drug Name | Tier | Notes |
|--|----------|------------|
| CAYSTON INHALATION SOLUTION RECONSTITUTED | 3 | QL; LD; SP |
| *Oxazolidinones*** | | |
| linezolid in sodium chloride intravenous solution | 3 | |
| linezolid intravenous solution 600 mg/300ml | 1 or 1b* | |
| linezolid oral suspension reconstituted | 1 or 1b* | PA; QL |
| linezolid oral tablet | 1 or 1b* | PA; QL |
| SIVEXTRO INTRAVENOUS SOLUTION RECONSTITUTED | 3 | |
| SIVEXTRO ORAL TABLET | 3 | PA; QL |
| ZYVOX INTRAVENOUS SOLUTION 600 MG/300ML | 3 | |
| ZYVOX ORAL SUSPENSION RECONSTITUTED | 3 | PA; QL |
| ZYVOX ORAL TABLET | 3 | PA; QL |
| *Polymyxins*** | | |
| colistimethate sodium (cba) injection solution reconstituted | 1 or 1b* | |
| COLY-MYCIN M INJECTION SOLUTION RECONSTITUTED | 3 | |
| polymyxin b sulfate injection solution reconstituted | 1 or 1b* | |
| *Urinary Anti- Infectives*** | | |
| fosfomycin tromethamine oral packet | 1 or 1b* | |
| HIPREX ORAL TABLET | 3 | |
| MACROBID ORAL CAPSULE | 3 | |
| MACRODANTIN ORAL CAPSULE | 3 | |
| methenamine hippurate oral tablet | 1 or 1b* | |
| nitrofurantoin macrocrystal oral capsule | 1 or 1b* | |
| nitrofurantoin monohyd macro oral capsule | 1 or 1b* | |
| nitrofurantoin oral suspension 25 mg/5ml, 50 mg/10ml | 1 or 1b* | |

| Drug Name | Tier | Notes |
|---|----------|------------|
| nitrofurantoin oral | 3 | |
| suspension 50 mg/5ml | | |
| *Antimalarials* | | |
| *Antimalarial Combinations*** | | _ |
| atovaquone-proguanil hcl oral tablet | 1 or 1b* | |
| COARTEM ORAL TABLET | 3 | |
| MALARONE ORAL TABLET | 3 | |
| *Antimalarials*** | | |
| ARAKODA ORAL TABLET | 3 | QL |
| ARTESUNATE INTRAVENOUS SOLUTION RECONSTITUTED | 3 | |
| chloroquine phosphate oral tablet | 1 or 1a* | |
| DARAPRIM ORAL TABLET | 3 | PA; QL |
| HYDROXYCHLOROQUI NE SULFATE ORAL TABLET 100 MG, 300 MG, 400 MG | 1 or 1b* | QL |
| hydroxychloroquine sulfate oral tablet 200 mg | 1 or 1b* | QL |
| KRINTAFEL ORAL TABLET | 3 | QL |
| mefloquine hcl oral tablet | 1 or 1b* | QL |
| PRIMAQUINE PHOSPHATE ORAL TABLET 26.3 (15 BASE) MG | 3 | |
| pyrimethamine oral tablet | 1 or 1b* | PA; QL |
| quinine sulfate oral capsule | 1 or 1b* | PA; QL |
| *Antimyasthenic/Cholinerg ic Agents* | | |
| *Antimyasthenic/Cholinerg ic Agents*** | | |
| BLOXIVERZ INTRAVENOUS SOLUTION 10 MG/10ML | 3 | |
| BLOXIVERZ INTRAVENOUS SOLUTION PREFILLED SYRINGE | 3 | |
| FIRDAPSE ORAL TABLET | 3 | PA; QL; LD |
| MESTINON ORAL SOLUTION | 3 | |

| Drug Name | Tier | Notes |
|--|----------|-------|
| MESTINON ORAL TABLET | 3 | |
| MESTINON ORAL TABLET EXTENDED RELEASE | 3 | |
| NEOSTIGMINE METHYLSULFATE INTRAVENOUS SOLUTION 10 MG/10ML, 5 MG/10ML | 3 | |
| neostigmine methylsulfate rfid intravenous solution | 3 | |
| neostigmine methylsulfate rfid intravenous solution prefilled syringe | 3 | |
| pyridostigmine bromide er oral tablet extended release | 1 or 1b* | |
| pyridostigmine bromide oral solution | 1 or 1b* | |
| pyridostigmine bromide oral tablet | 1 or 1b* | |
| REGONOL INTRAVENOUS SOLUTION | 3 | |
| *Antimycobacterial Agents* | | |
| *Antimycobacterial Agents*** | | |
| cycloserine oral capsule | 1 or 1b* | |
| ethambutol hcl oral tablet | 1 or 1b* | |
| isoniazid injection solution | 1 or 1a* | |
| isoniazid oral syrup | 1 or 1a* | |
| isoniazid oral tablet | 1 or 1a* | |
| PRETOMANID ORAL TABLET | 3 | |
| PRIFTIN ORAL TABLET | 2 | |
| pyrazinamide oral tablet | 1 or 1b* | |
| rifabutin oral capsule | 1 or 1b* | |
| RIFADIN INTRAVENOUS SOLUTION RECONSTITUTED | 3 | |
| rifampin intravenous solution reconstituted | 1 or 1b* | |
| rifampin oral capsule | 1 or 1b* | |
| SIRTURO ORAL TABLET | 3 | LD |

| Drug Name | Tier | Notes |
|---|----------|------------|
| *Antineoplastics And | | |
| Adjunctive Therapies* *Alkylating Agents*** | | |
| BELRAPZO INTRAVENOUS SOLUTION | 3 | PA; LD; SP |
| bendamustine hcl intravenous solution | 3 | PA; SP |
| bendamustine hcl intravenous solution reconstituted | 1 or 1b* | PA; SP |
| BENDEKA INTRAVENOUS SOLUTION | 3 | PA; LD; SP |
| busulfan intravenous solution | 1 or 1b* | SP |
| BUSULFEX INTRAVENOUS SOLUTION | 3 | SP |
| carboplatin intravenous solution | 1 or 1b* | SP |
| cisplatin intravenous solution 100 mg/100ml, 200 mg/200ml, 50 mg/50ml | 1 or 1b* | SP |
| CISPLATIN INTRAVENOUS SOLUTION RECONSTITUTED | 3 | SP |
| GRAFAPEX INTRAVENOUS SOLUTION RECONSTITUTED | 3 | PA; LD |
| MYLERAN ORAL TABLET | 2 | |
| oxaliplatin intravenous solution | 1 or 1b* | SP |
| oxaliplatin intravenous solution reconstituted | 1 or 1b* | SP |
| paraplatin intravenous solution 1000 mg/100ml | 1 or 1b* | SP |
| TEPADINA INJECTION SOLUTION RECONSTITUTED | 3 | SP |
| TEPADINA INTRAVENOUS SOLUTION RECONSTITUTED | 3 | |
| tepylute intravenous solution | 3 | LD |
| thiotepa injection solution reconstituted | 1 or 1b* | SP |
| TREANDA INTRAVENOUS SOLUTION RECONSTITUTED | 3 | PA; LD; SP |

| Drug Name | Tier | Notes |
|--|----------|----------------|
| vivimusta intravenous solution | 3 | PA; LD; SP |
| ZEPZELCA INTRAVENOUS SOLUTION RECONSTITUTED | 3 | PA; LD; SP |
| *Androgen Biosynthesis Inhibitors*** | | |
| abiraterone acetate oral tablet | 1 or 1b* | PA; QL; SP |
| ABIRTEGA ORAL TABLET | 1 or 1b* | PA; QL; SP |
| YONSA ORAL TABLET | 2 | PA; QL; LD; SP |
| *Antiadrenals*** | | |
| LYSODREN ORAL TABLET | 2 | QL; LD |
| *Antiandrogens*** | | |
| bicalutamide oral tablet | 1 or 1b* | QL |
| CASODEX ORAL TABLET | 3 | QL |
| ERLEADA ORAL TABLET | 2 | PA; QL; LD; SP |
| EULEXIN ORAL CAPSULE | 3 | |
| nilutamide oral tablet | 1 or 1b* | QL |
| NUBEQA ORAL TABLET | 2 | PA; QL; LD; SP |
| XTANDI ORAL CAPSULE | 2 | PA; QL; LD; SP |
| XTANDI ORAL TABLET | 2 | PA; QL; LD; SP |
| *Antiestrogens*** | | |
| FARESTON ORAL TABLET | 3 | |
| SOLTAMOX ORAL SOLUTION | 2 | \$0 |
| tamoxifen citrate oral tablet | 1 or 1b* | \$0 |
| toremifene citrate oral tablet | 1 or 1b* | |
| *Antimetabolites*** | | |
| ALIMTA INTRAVENOUS SOLUTION RECONSTITUTED | 3 | PA; SP |
| ARRANON INTRAVENOUS SOLUTION | 3 | SP |
| AVGEMSI INTRAVENOUS SOLUTION | 3 | SP |
| AXTLE INTRAVENOUS SOLUTION RECONSTITUTED | 3 | PA; LD |
| azacitidine injection suspension reconstituted | 1 or 1b* | SP |

| Drug Name | Tier | Notes |
|--|----------|----------------|
| capecitabine oral tablet | 1 or 1b* | PA; SP |
| cladribine intravenous solution 10 mg/10ml | 1 or 1b* | SP |
| clofarabine intravenous solution | 1 or 1b* | SP |
| cytarabine (pf) injection solution | 1 or 1b* | SP |
| cytarabine injection solution | 1 or 1b* | SP |
| decitabine intravenous solution reconstituted | 1 or 1b* | SP |
| floxuridine injection solution reconstituted | 1 or 1b* | SP |
| fludarabine phosphate intravenous solution 50 mg/2ml | 1 or 1b* | SP |
| fludarabine phosphate intravenous solution reconstituted | 1 or 1b* | SP |
| fluorouracil intravenous solution | 1 or 1b* | SP |
| FOLOTYN INTRAVENOUS SOLUTION | 3 | SP |
| GEMCITABINE HCL INTRAVENOUS SOLUTION | 3 | SP |
| gemcitabine hcl intravenous solution reconstituted | 1 or 1b* | SP |
| JYLAMVO ORAL SOLUTION | 3 | PA |
| mercaptopurine oral suspension | 1 or 1b* | PA |
| mercaptopurine oral tablet | 1 or 1b* | |
| methotrexate sodium (pf) injection solution 1 gm/40ml, 1000 mg/40ml, 250 mg/10ml, 50 mg/2ml | 1 or 1b* | |
| methotrexate sodium injection solution 250 mg/10ml, 50 mg/2ml | 1 or 1b* | |
| methotrexate sodium injection solution reconstituted | 1 or 1b* | |
| methotrexate sodium oral tablet | 1 or 1b* | |
| nelarabine intravenous solution | 1 or 1b* | SP |
| ONUREG ORAL TABLET | 3 | PA; QL; LD; SP |
| pemetrexed dipotassium intravenous solution reconstituted | 3 | PA; LD |

| Drug Name | Tier | Notes |
|--|----------|----------------|
| pemetrexed disodium intravenous solution 1 gm/40ml, 100 mg/4ml, 500 mg/20ml | 3 | PA; SP |
| pemetrexed disodium intravenous solution reconstituted | 1 or 1b* | PA; SP |
| pemetrexed intravenous solution 1 gm/40ml, 100 mg/4ml | 3 | PA; SP |
| pemetrexed intravenous solution 500 mg/20ml | 3 | PA |
| PEMFEXY INTRAVENOUS SOLUTION | 3 | PA; LD |
| PEMRYDI RTU INTRAVENOUS SOLUTION | 3 | PA; SP |
| TABLOID ORAL TABLET | 2 | |
| TREXALL ORAL TABLET | 2 | ST |
| VIDAZA INJECTION SUSPENSION RECONSTITUTED | 3 | LD; SP |
| XATMEP ORAL SOLUTION | 3 | PA |
| *Antineoplastic - Akt Inhibitors*** | | |
| TRUQAP ORAL TABLET 200 MG | 3 | PA; QL; LD |
| TRUQAP ORAL TABLET THERAPY PACK | 3 | PA; QL; LD |
| *Antineoplastic - Alk Inhibitors*** | | |
| ALECENSA ORAL CAPSULE | 2 | PA; QL; LD; SP |
| ALUNBRIG ORAL TABLET | 2 | PA; QL; LD |
| ALUNBRIG ORAL TABLET THERAPY PACK | 2 | PA; QL; LD |
| LORBRENA ORAL TABLET | 3 | PA; QL; LD; SP |
| XALKORI ORAL CAPSULE | 3 | PA; QL; LD; SP |
| XALKORI ORAL CAPSULE SPRINKLE | 3 | PA; QL; LD; SP |
| ZYKADIA ORAL TABLET | 3 | PA; QL; LD; SP |

| Drug Name | Tier | Notes |
|---|------|------------|
| *Antineoplastic - Antibody Combinations*** | | |
| OPDUALAG INTRAVENOUS SOLUTION | 3 | PA; LD; SP |
| *Antineoplastic - Anti-Ccr4 Antibodies*** | | |
| POTELIGEO INTRAVENOUS SOLUTION | 3 | LD; SP |
| *Antineoplastic - Anti- Cd19 Antibodies*** | | |
| MONJUVI INTRAVENOUS SOLUTION RECONSTITUTED | 3 | PA; LD |
| *Antineoplastic - Anti- Cd19 Antibody-Drug Complex*** | | |
| ZYNLONTA INTRAVENOUS SOLUTION RECONSTITUTED | 3 | PA; LD |
| *Antineoplastic - Anti- Cd20 Antibodies*** | | |
| ARZERRA INTRAVENOUS CONCENTRATE | 3 | PA; LD; SP |
| GAZYVA INTRAVENOUS SOLUTION | 3 | PA; LD; SP |
| RIABNI INTRAVENOUS SOLUTION | 3 | PA; LD; SP |
| RITUXAN INTRAVENOUS SOLUTION 500 MG/50ML | 3 | PA; LD; SP |
| RUXIENCE INTRAVENOUS SOLUTION | 3 | PA; SP |
| TRUXIMA INTRAVENOUS SOLUTION | 3 | PA; SP |
| *Antineoplastic - Anti- Cd22 Antibody-Drug Complex*** | | |
| BESPONSA INTRAVENOUS SOLUTION RECONSTITUTED | 3 | PA; LD; SP |

| Drug Name | Tier | Notes |
|--|------|------------|
| *Antineoplastic - Anti- Cd30 Antibody-Drug Complex*** | | |
| ADCETRIS INTRAVENOUS SOLUTION RECONSTITUTED | 3 | PA; LD; SP |
| *Antineoplastic - Anti- Cd33 Antibody-Drug Complex*** | | |
| MYLOTARG INTRAVENOUS SOLUTION RECONSTITUTED 4.5 MG | 3 | PA; LD; SP |
| *Antineoplastic - Anti- Cd38 Antibodies*** | | |
| DARZALEX INTRAVENOUS SOLUTION | 3 | PA; LD; SP |
| SARCLISA INTRAVENOUS SOLUTION | 3 | PA; LD; SP |
| *Antineoplastic - Anti- Cd79b Antibody-Drug Complex*** | | |
| POLIVY INTRAVENOUS SOLUTION RECONSTITUTED | 3 | PA; LD; SP |
| *Antineoplastic - Anti- Cldn18.2 Antibodies*** | | |
| VYLOY INTRAVENOUS SOLUTION RECONSTITUTED | 3 | PA; LD |
| *Antineoplastic - Anti-C- Met Antibody-Drug Complex*** | | |
| EMRELIS INTRAVENOUS SOLUTION RECONSTITUTED | 3 | PA; LD |
| *Antineoplastic - Anti-Ctla- 4 Antibodies*** | | |
| IMJUDO INTRAVENOUS SOLUTION | 3 | PA; LD; SP |
| YERVOY INTRAVENOUS SOLUTION | 3 | PA; LD; SP |
| *Antineoplastic - Anti-Gd2 Antibodies*** | | |
| DANYELZA INTRAVENOUS SOLUTION | 3 | PA; LD |

| Drug Name | Tier | Notes |
|---|------|------------|
| UNITUXIN INTRAVENOUS SOLUTION | 3 | LD |
| *Antineoplastic - Anti-Her2 Agents*** | | |
| HERCEPTIN INTRAVENOUS SOLUTION RECONSTITUTED 150 MG | 3 | LD; SP |
| HERCESSI INTRAVENOUS SOLUTION RECONSTITUTED | 3 | ST; LD; SP |
| HERZUMA INTRAVENOUS SOLUTION RECONSTITUTED | 3 | ST; SP |
| KANJINTI INTRAVENOUS SOLUTION RECONSTITUTED | 3 | LD; SP |
| MARGENZA INTRAVENOUS SOLUTION | 3 | PA; LD; SP |
| OGIVRI INTRAVENOUS SOLUTION RECONSTITUTED | 3 | ST; LD; SP |
| ONTRUZANT INTRAVENOUS SOLUTION RECONSTITUTED | 3 | ST; LD; SP |
| PERJETA INTRAVENOUS SOLUTION | 3 | PA; LD; SP |
| TRAZIMERA INTRAVENOUS SOLUTION RECONSTITUTED | 3 | ST; SP |
| TUKYSA ORAL TABLET | 3 | PA; QL; LD |
| ZIIHERA INTRAVENOUS SOLUTION RECONSTITUTED | 3 | PA; LD; SP |
| *Antineoplastic - Anti- Nectin-4 Antibody-Drug Complex*** | | |
| PADCEV INTRAVENOUS SOLUTION RECONSTITUTED | 3 | PA; LD; SP |
| *Antineoplastic - Anti-Pd-1 Antibodies*** | | |
| JEMPERLI INTRAVENOUS SOLUTION | 3 | PA; LD; SP |

| Drug Name | Tier | Notes |
|--|----------|----------------|
| KEYTRUDA | | |
| INTRAVENOUS SOLUTION | 3 | PA; LD; SP |
| LIBTAYO INTRAVENOUS SOLUTION | 3 | PA; LD |
| LOQTORZI INTRAVENOUS SOLUTION | 3 | PA; LD; SP |
| OPDIVO INTRAVENOUS SOLUTION | 3 | PA; LD; SP |
| TEVIMBRA INTRAVENOUS SOLUTION | 3 | PA; LD |
| ZYNYZ INTRAVENOUS SOLUTION | 3 | PA; QL; LD; SP |
| *Antineoplastic - Anti-Pd- L1 Antibodies*** | | |
| BAVENCIO INTRAVENOUS SOLUTION | 3 | PA; LD |
| IMFINZI INTRAVENOUS SOLUTION | 3 | PA; LD; SP |
| TECENTRIQ INTRAVENOUS SOLUTION | 3 | PA; LD; SP |
| *Antineoplastic - Anti- Slamf7 Antibodies*** | | |
| EMPLICITI INTRAVENOUS SOLUTION RECONSTITUTED | 3 | PA; LD; SP |
| *Antineoplastic - Anti-Tf Antibody-Drug Complex*** | | |
| TIVDAK INTRAVENOUS SOLUTION RECONSTITUTED | 3 | PA; LD; SP |
| *Antineoplastic - Bcl-2 Inhibitors*** | | |
| VENCLEXTA ORAL TABLET | 3 | PA; QL; LD |
| VENCLEXTA STARTING PACK ORAL TABLET THERAPY PACK | 3 | PA; QL; LD |
| *Antineoplastic - Bcr-Abl Kinase Inhibitors*** | | |
| BOSULIF ORAL CAPSULE | 2 | PA; QL; SP |
| BOSULIF ORAL TABLET | 2 | PA; QL; SP |
| dasatinib oral tablet | 1 or 1b* | PA; QL; SP |
| ICLUSIG ORAL TABLET | 3 | PA; QL; LD |

| Drug Name | Tier | Notes |
|--|----------|----------------|
| imatinib mesylate oral tablet | 1 or 1b* | PA; QL; SP |
| imkeldi oral solution | 3 | PA; QL; LD |
| nilotinib hcl oral capsule | 1 or 1b* | PA; QL; SP |
| SCEMBLIX ORAL TABLET | 3 | PA; QL; LD |
| *Antineoplastic - Bispecific T-Cell Engagers*** | | |
| BLINCYTO INTRAVENOUS SOLUTION RECONSTITUTED | 3 | PA; LD |
| COLUMVI INTRAVENOUS SOLUTION | 3 | PA; LD; SP |
| ELREXFIO SUBCUTANEOUS SOLUTION | 3 | PA; LD |
| EPKINLY SUBCUTANEOUS SOLUTION | 3 | PA; LD |
| IMDELLTRA INTRAVENOUS SOLUTION RECONSTITUTED | 3 | PA; LD; SP |
| KIMMTRAK INTRAVENOUS SOLUTION | 3 | PA; LD |
| LUNSUMIO INTRAVENOUS SOLUTION | 3 | PA; LD; SP |
| LYNOZYFIC INTRAVENOUS SOLUTION | 3 | PA |
| TALVEY SUBCUTANEOUS SOLUTION | 3 | PA; LD |
| TECVAYLI SUBCUTANEOUS SOLUTION | 3 | PA; LD |
| *Antineoplastic - Braf Kinase Inhibitors*** | | |
| BRAFTOVI ORAL CAPSULE 75 MG | 3 | PA; QL; LD; SP |
| OJEMDA ORAL SUSPENSION RECONSTITUTED | 3 | PA; QL; LD |
| OJEMDA ORAL TABLET 100 MG | 3 | PA; QL; LD |
| TAFINLAR ORAL CAPSULE | 3 | PA; QL; LD; SP |
| TAFINLAR ORAL TABLET SOLUBLE | 3 | PA; QL; LD; SP |

| Drug Name | Tier | Notes |
|--|----------|----------------|
| ZELBORAF ORAL TABLET | 2 | PA; QL; LD; SP |
| *Antineoplastic - Btk Inhibitors*** | | |
| BRUKINSA ORAL CAPSULE | 3 | PA; QL; LD |
| CALQUENCE ORAL TABLET | 2 | PA; QL; LD |
| IMBRUVICA ORAL CAPSULE | 2 | PA; QL; LD |
| IMBRUVICA ORAL SUSPENSION | 2 | PA; QL; LD |
| IMBRUVICA ORAL TABLET 140 MG, 280 MG, 420 MG | 2 | PA; QL; LD |
| JAYPIRCA ORAL TABLET | 3 | PA; QL; LD; SP |
| *Antineoplastic - Csf1r Kinase Inhibitors*** | | |
| ROMVIMZA ORAL CAPSULE | 3 | PA; QL; LD |
| *Antineoplastic - Egfr Inhibitors*** | | |
| ERBITUX INTRAVENOUS SOLUTION | 3 | PA; SP |
| erlotinib hcl oral tablet | 1 or 1b* | PA; QL; SP |
| gefitinib oral tablet | 1 or 1b* | PA; QL; SP |
| GILOTRIF ORAL TABLET | 3 | PA; QL; LD |
| IRESSA ORAL TABLET | 3 | PA; QL; LD; SP |
| LAZCLUZE ORAL TABLET | 3 | PA; QL; LD |
| PORTRAZZA INTRAVENOUS SOLUTION | 3 | LD; SP |
| TAGRISSO ORAL TABLET | 3 | PA; QL; LD; SP |
| VECTIBIX INTRAVENOUS SOLUTION 100 MG/5ML, 400 MG/20ML | 3 | PA; LD; SP |
| VIZIMPRO ORAL TABLET | 3 | PA; QL; LD; SP |
| *Antineoplastic - Fgfr Kinase Inhibitors*** | | |
| BALVERSA ORAL TABLET | 3 | PA; QL; LD; SP |
| LYTGOBI (12 MG DAILY DOSE) ORAL TABLET THERAPY PACK | 3 | PA; QL; LD |

| Drug Name | Tier | Notes |
|--|----------|----------------|
| LYTGOBI (16 MG DAILY DOSE) ORAL TABLET THERAPY PACK | 3 | PA; QL; LD |
| LYTGOBI (20 MG DAILY DOSE) ORAL TABLET THERAPY PACK | 3 | PA; QL; LD |
| PEMAZYRE ORAL TABLET | 3 | PA; QL; LD |
| *Antineoplastic - Gamma Secretase Inhibitors*** | | |
| OGSIVEO ORAL TABLET | 3 | PA; QL; LD |
| *Antineoplastic - Hedgehog Pathway Inhibitors*** | | _ |
| DAURISMO ORAL TABLET | 3 | PA; QL; LD; SP |
| ERIVEDGE ORAL CAPSULE | 2 | PA; QL; LD; SP |
| ODOMZO ORAL CAPSULE | 3 | PA; QL; LD; SP |
| *Antineoplastic - Hif-2- Alpha Inhibitors*** | | |
| WELIREG ORAL TABLET | 3 | PA; QL; LD |
| *Antineoplastic - Histone Deacetylase Inhibitors*** | | |
| BELEODAQ INTRAVENOUS SOLUTION RECONSTITUTED | 3 | PA; LD; SP |
| ISTODAX INTRAVENOUS SOLUTION RECONSTITUTED | 3 | PA; LD; SP |
| romidepsin intravenous solution reconstituted | 1 or 1b* | PA; SP |
| ZOLINZA ORAL CAPSULE | 2 | PA; QL; SP |
| *Antineoplastic - Hormonal And Related Agent Combinations*** | | |
| AKEEGA ORAL TABLET | 3 | PA; QL; LD |
| *Antineoplastic - Immunomodulators*** | | |
| POMALYST ORAL CAPSULE | 3 | PA; QL; LD; SP |
| *Antineoplastic - Kras Inhibitors*** | | |
| KRAZATI ORAL TABLET | 3 | PA; QL; LD |
| LUMAKRAS ORAL TABLET | 3 | PA; QL; LD; SP |

| Drug Name | Tier | Notes |
|---|----------|----------------|
| *Antineoplastic - Mek Inhibitors*** | | |
| COTELLIC ORAL TABLET | 3 | PA; QL; LD; SP |
| GOMEKLI ORAL CAPSULE | 3 | QL; LD |
| GOMEKLI ORAL TABLET SOLUBLE | 3 | PA; QL; LD |
| KOSELUGO ORAL CAPSULE | 3 | PA; QL; LD |
| MEKINIST ORAL SOLUTION RECONSTITUTED | 3 | PA; QL; LD; SP |
| MEKINIST ORAL TABLET | 3 | PA; QL; LD; SP |
| MEKTOVI ORAL TABLET | 3 | PA; QL; LD; SP |
| *Antineoplastic - Menin Inhibitors*** | | |
| REVUFORJ ORAL TABLET | 3 | PA; QL; LD |
| *Antineoplastic - Met Inhibitors*** | | |
| TABRECTA ORAL TABLET | 3 | PA; QL; SP |
| TEPMETKO ORAL TABLET | 3 | PA; QL; LD |
| *Antineoplastic - Methyltransferase Inhibitors*** | | |
| TAZVERIK ORAL TABLET | 3 | PA; QL; LD |
| *Antineoplastic - Mtor Kinase Inhibitors*** | | |
| everolimus oral tablet 10 mg, 2.5 mg, 5 mg, 7.5 mg | 1 or 1b* | PA; SP |
| everolimus oral tablet soluble | 1 or 1b* | PA; SP |
| FYARRO INTRAVENOUS SUSPENSION RECONSTITUTED | 3 | PA; LD |
| temsirolimus intravenous solution | 1 or 1b* | PA; SP |
| TORISEL INTRAVENOUS SOLUTION | 3 | PA; SP |
| TORPENZ ORAL TABLET | 1 or 1b* | PA; LD; SP |
| *Antineoplastic - Multikinase Inhibitors*** | | |
| CABOMETYX ORAL TABLET | 2 | PA; QL; LD; SP |

| Drug Name | Tier | Notes |
|---|----------|----------------|
| CAPRELSA ORAL TABLET | 2 | PA; QL; LD |
| COMETRIQ (100 MG DAILY DOSE) ORAL KIT 80 & 20 MG | 3 | PA; QL; LD; SP |
| COMETRIQ (140 MG DAILY DOSE) ORAL KIT 3 X 20 MG & 80 MG | 3 | PA; QL; LD; SP |
| COMETRIQ (60 MG DAILY DOSE) ORAL KIT | 3 | PA; QL; LD; SP |
| ENSACOVE ORAL CAPSULE | 3 | PA; QL; LD |
| FOTIVDA ORAL CAPSULE | 3 | PA; QL; LD |
| lapatinib ditosylate oral tablet | 1 or 1b* | PA; QL; SP |
| NERLYNX ORAL TABLET | 3 | PA; QL; LD; SP |
| NEXAVAR ORAL TABLET | 3 | PA; QL; LD; SP |
| pazopanib hcl oral tablet | 1 or 1b* | PA; QL; SP |
| QINLOCK ORAL TABLET | 3 | PA; QL; LD |
| RYDAPT ORAL CAPSULE | 3 | PA; QL; SP |
| sorafenib tosylate oral tablet | 1 or 1b* | PA; QL; SP |
| STIVARGA ORAL TABLET | 2 | PA; QL; LD; SP |
| sunitinib malate oral capsule | 1 or 1b* | PA; QL; SP |
| SUTENT ORAL CAPSULE | 3 | PA; QL; LD; SP |
| TURALIO ORAL CAPSULE 125 MG | 3 | PA; QL; LD |
| VANFLYTA ORAL TABLET | 3 | PA; QL; LD |
| XOSPATA ORAL TABLET | 3 | PA; QL; LD; SP |
| *Antineoplastic - Multiple Receptor Antibodies*** | | |
| BIZENGRI (750 MG DOSE) INTRAVENOUS SOLUTION THERAPY PACK | 3 | PA; QL; LD |
| RYBREVANT INTRAVENOUS SOLUTION | 3 | PA; LD; SP |
| *Antineoplastic - Pdgfr- Alpha Inhibitors*** | | |
| AYVAKIT ORAL TABLET | 3 | PA; QL; LD |

| Drug Name | Tier | Notes |
|---|----------|----------------|
| *Antineoplastic - Proteasome Inhibitors*** | | |
| bortezomib injection solution reconstituted 1 mg, 2.5 mg | 3 | SP |
| bortezomib injection solution reconstituted 3.5 mg | 1 or 1b* | SP |
| BORUZU INJECTION SOLUTION | 3 | SP |
| KYPROLIS INTRAVENOUS SOLUTION RECONSTITUTED | 3 | PA; LD; SP |
| NINLARO ORAL CAPSULE | 3 | PA; QL; LD; SP |
| VELCADE INJECTION SOLUTION RECONSTITUTED | 3 | SP |
| *Antineoplastic - Ret Inhibitors*** | | |
| GAVRETO ORAL CAPSULE | 3 | PA; QL; LD |
| RETEVMO ORAL TABLET | 3 | PA; QL; LD; SP |
| *Antineoplastic - Tropomyosin Receptor Kinase Inhibitors*** | | |
| AUGTYRO ORAL CAPSULE 160 MG | 3 | QL; LD; SP |
| AUGTYRO ORAL CAPSULE 40 MG | 3 | PA; QL; LD; SP |
| IBTROZI ORAL CAPSULE | 3 | PA; QL; LD |
| ROZLYTREK ORAL CAPSULE | 2 | PA; QL; LD; SP |
| ROZLYTREK ORAL PACKET | 2 | PA; QL; LD; SP |
| VITRAKVI ORAL CAPSULE | 2 | PA; QL; LD; SP |
| VITRAKVI ORAL SOLUTION | 2 | PA; QL; LD; SP |
| *Antineoplastic - Xpo1 Inhibitors*** | | |
| XPOVIO (100 MG ONCE WEEKLY) ORAL TABLET THERAPY PACK 50 MG | 3 | PA; QL; LD |
| XPOVIO (40 MG ONCE WEEKLY) ORAL TABLET THERAPY PACK 10 MG, 40 MG | 3 | PA; QL; LD |

| Drug Name | Tier | Notes |
|---|----------|------------|
| XPOVIO (40 MG TWICE WEEKLY) ORAL TABLET THERAPY PACK 40 MG | 3 | PA; QL; LD |
| XPOVIO (60 MG ONCE WEEKLY) ORAL TABLET THERAPY PACK 60 MG | 3 | PA; QL; LD |
| XPOVIO (60 MG TWICE WEEKLY) ORAL TABLET THERAPY PACK | 3 | PA; QL; LD |
| XPOVIO (80 MG ONCE WEEKLY) ORAL TABLET THERAPY PACK 40 MG | 3 | PA; QL; LD |
| XPOVIO (80 MG TWICE WEEKLY) ORAL TABLET THERAPY PACK | 3 | PA; QL; LD |
| *Antineoplastic Antibiotics*** | | |
| adriamycin intravenous solution reconstituted 50 mg | 1 or 1b* | SP |
| bleomycin sulfate injection solution reconstituted | 1 or 1b* | SP |
| dactinomycin intravenous solution reconstituted | 1 or 1b* | SP |
| DAUNORUBICIN HCL INTRAVENOUS SOLUTION | 3 | SP |
| DOXIL INTRAVENOUS SUSPENSION | 3 | PA; SP |
| doxorubicin hcl intravenous solution | 3 | SP |
| doxorubicin hcl intravenous solution reconstituted | 1 or 1b* | SP |
| doxorubicin hel liposomal intravenous suspension | 1 or 1b* | PA; SP |
| ELLENCE INTRAVENOUS SOLUTION | 3 | PA; SP |
| IDAMYCIN PFS INTRAVENOUS SOLUTION | 3 | SP |
| idarubicin hcl intravenous solution | 1 or 1b* | SP |
| JELMYTO SOLUTION RECONSTITUTED | 3 | PA; LD |
| mitomycin intravenous solution reconstituted | 1 or 1b* | SP |
| mitomycin intravesical solution prefilled syringe | 3 | |

| Drug Name | Tier | Notes |
|--|----------|----------------|
| mitoxantrone hcl intravenous concentrate | 1 or 1b* | SP |
| mutamycin intravenous solution reconstituted 40 mg, 5 mg | 1 or 1b* | SP |
| valrubicin intravesical solution | 1 or 1b* | SP |
| VALSTAR INTRAVESICAL SOLUTION | 3 | LD; SP |
| ZUSDURI INTRAVESICAL SOLUTION RECONSTITUTED 80 (2 X 40) MG | 3 | PA; LD |
| *Antineoplastic -Antibody For Radiopharmaceutical Therapy*** | | |
| ZEVALIN Y-90 INTRAVENOUS KIT | 3 | PA; LD |
| *Antineoplastic Antibody- Drug Complexes*** | | |
| ELAHERE INTRAVENOUS SOLUTION | 3 | PA; LD |
| ENHERTU INTRAVENOUS SOLUTION RECONSTITUTED | 3 | PA; LD; SP |
| KADCYLA INTRAVENOUS SOLUTION RECONSTITUTED | 3 | PA; LD; SP |
| *Antineoplastic Combinations*** | | |
| AVMAPKI FAKZYNJA CO-PACK ORAL THERAPY PACK | 3 | PA; QL; LD |
| DARZALEX FASPRO SUBCUTANEOUS SOLUTION | 3 | PA; LD; SP |
| HERCEPTIN HYLECTA SUBCUTANEOUS SOLUTION | 3 | LD; SP |
| INQOVI ORAL TABLET | 3 | PA; QL; LD; SP |
| LONSURF ORAL TABLET | 3 | PA; LD; SP |
| OPDIVO QVANTIG SUBCUTANEOUS SOLUTION | 3 | PA; LD; SP |
| PHESGO SUBCUTANEOUS SOLUTION | 3 | PA; LD; SP |

| Drug Name | Tier | Notes |
|--|------|------------|
| RITUXAN HYCELA SUBCUTANEOUS SOLUTION | 3 | LD; SP |
| TECENTRIQ HYBREZA SUBCUTANEOUS SOLUTION | 3 | PA; LD; SP |
| VYXEOS INTRAVENOUS SUSPENSION RECONSTITUTED 44-100 MG | 3 | LD; SP |
| *Antineoplastic Enzymes*** | ı | |
| ASPARLAS INTRAVENOUS SOLUTION | 3 | PA; LD |
| ONCASPAR INJECTION SOLUTION | 3 | PA; LD |
| RYLAZE INTRAMUSCULAR SOLUTION | 3 | PA; LD; SP |
| *Antineoplastic Radiopharmaceuticals*** | | |
| LUTATHERA INTRAVENOUS SOLUTION | 3 | PA; LD |
| PLUVICTO INTRAVENOUS SOLUTION | 3 | PA; LD |
| STRONTIUM CHLORIDE SR-89 INTRAVENOUS SOLUTION | 3 | LD |
| XOFIGO INTRAVENOUS SOLUTION 30 MCCI/ML | 3 | PA; LD |
| *Antineoplastics - Interleukins & Agonists*** | | |
| ANKTIVA INTRAVESICAL SOLUTION | 3 | PA; LD |
| ELZONRIS INTRAVENOUS SOLUTION | 3 | PA; LD |
| PROLEUKIN INTRAVENOUS SOLUTION RECONSTITUTED | 3 | PA; SP |
| *Antineoplastics - Photoactivated Agents*** | | |
| PHOTOFRIN INTRAVENOUS SOLUTION RECONSTITUTED | 3 | |
| UVADEX EXTRACORPOREAL SOLUTION | 3 | |

| Drug Name | Tier | Notes |
|--|----------|------------|
| *Antineoplastics Misc.*** | | |
| ACTIMMUNE SUBCUTANEOUS SOLUTION | 3 | PA; LD; SP |
| arsenic trioxide intravenous solution | 1 or 1b* | SP |
| BESREMI SUBCUTANEOUS SOLUTION PREFILLED SYRINGE | 3 | PA; QL; LD |
| dacarbazine intravenous solution reconstituted | 1 or 1b* | SP |
| HYDREA ORAL CAPSULE | 3 | |
| hydroxyurea oral capsule | 1 or 1b* | |
| MATULANE ORAL CAPSULE | 2 | LD |
| NIPENT INTRAVENOUS SOLUTION RECONSTITUTED | 3 | SP |
| TICE BCG INTRAVESICAL SUSPENSION RECONSTITUTED | 3 | SP |
| TRISENOX INTRAVENOUS SOLUTION 12 MG/6ML | 3 | SP |
| *Aromatase Inhibitors*** | | |
| anastrozole oral tablet | 1 or 1b* | \$0 |
| AROMASIN ORAL TABLET | 3 | |
| exemestane oral tablet | 1 or 1b* | \$0 |
| FEMARA ORAL TABLET | 3 | |
| letrozole oral tablet | 1 or 1b* | \$0 |
| *Carboxypeptidase Enzyme Agents*** | | |
| VORAXAZE INTRAVENOUS SOLUTION RECONSTITUTED | 3 | LD |
| *Cardiac Protective Agents*** | | |
| dexrazoxane hcl intravenous solution reconstituted | 1 or 1b* | SP |
| dexrazoxane intravenous solution reconstituted 250 mg | 1 or 1b* | SP |
| *Chemotherapy Adjuncts - Hyperuricemia Agents*** | | |
| ELITEK INTRAVENOUS SOLUTION RECONSTITUTED | 3 | SP |

| Drug Name | Tier | Notes |
|---|----------|----------------|
| *Chemotherapy Adjuncts - Keratinocyte Growth Factors*** | | |
| KEPIVANCE INTRAVENOUS SOLUTION RECONSTITUTED 5.16 MG | 3 | SP |
| *Cyclin-Dependent Kinases (Cdk) Inhibitors*** | | |
| IBRANCE ORAL CAPSULE | 2 | PA; QL; LD; SP |
| IBRANCE ORAL TABLET | 2 | PA; QL; LD; SP |
| KISQALI (200 MG DOSE) ORAL TABLET THERAPY PACK | 2 | PA; QL; SP |
| KISQALI (400 MG DOSE) ORAL TABLET THERAPY PACK | 2 | PA; QL; SP |
| KISQALI (600 MG DOSE) ORAL TABLET THERAPY PACK | 2 | PA; QL; SP |
| VERZENIO ORAL TABLET | 3 | PA; QL; LD; SP |
| *Estrogen Receptor Antagonist*** | | |
| FASLODEX INTRAMUSCULAR SOLUTION PREFILLED SYRINGE | 3 | PA; SP |
| fulvestrant intramuscular solution prefilled syringe | 1 or 1b* | PA; SP |
| *Folic Acid Antagonists Rescue Agents*** | | |
| KHAPZORY INTRAVENOUS SOLUTION RECONSTITUTED 175 MG | 3 | PA; LD; SP |
| leucovorin calcium injection solution | 1 or 1b* | |
| leucovorin calcium injection solution reconstituted | 1 or 1b* | |
| leucovorin calcium oral tablet | 1 or 1b* | |
| levoleucovorin calcium intravenous solution reconstituted 50 mg | 1 or 1b* | PA |
| levoleucovorin calcium pf intravenous solution | 1 or 1b* | PA |

| Drug Name | Tier | Notes |
|---|----------|----------------|
| *Gonadotropin Releasing | | |
| Hormone (Gnrh) Antagonists*** | | |
| FIRMAGON (240 MG DOSE) SUBCUTANEOUS SOLUTION RECONSTITUTED | 3 | PA; QL; SP |
| FIRMAGON SUBCUTANEOUS SOLUTION RECONSTITUTED 80 MG | 3 | PA; QL; SP |
| ORGOVYX ORAL TABLET | 3 | PA; QL; LD |
| *Imidazotetrazines*** | | |
| TEMODAR INTRAVENOUS SOLUTION RECONSTITUTED | 2 | PA; SP |
| temozolomide oral capsule | 1 or 1b* | PA; QL; SP |
| *Isocitrate Dehydrogenase 1 & 2 (Idh1 & Idh2) Inhibitors*** | | |
| VORANIGO ORAL TABLET | 3 | PA; QL; LD |
| *Isocitrate Dehydrogenase- 1 (Idh1) Inhibitors*** | | |
| REZLIDHIA ORAL CAPSULE | 3 | PA; QL; LD |
| TIBSOVO ORAL TABLET | 3 | PA; QL; LD |
| *Isocitrate Dehydrogenase- 2 (Idh2) Inhibitors*** | | |
| IDHIFA ORAL TABLET | 3 | PA; QL; LD; SP |
| *Janus Associated Kinase (Jak) Inhibitors*** | | |
| INREBIC ORAL CAPSULE | 3 | PA; QL; LD; SP |
| JAKAFI ORAL TABLET | 2 | PA; QL; LD; SP |
| OJJAARA ORAL TABLET | 3 | QL; LD |
| VONJO ORAL CAPSULE | 3 | PA; QL; LD |
| *Lhrh Analogs*** | | |
| CAMCEVI SUBCUTANEOUS PREFILLED SYRINGE | 3 | PA; QL; LD |
| ELIGARD SUBCUTANEOUS KIT | 3 | PA; QL; SP |
| leuprolide acetate injection kit | 1 or 1b* | PA; SP |

| Drug Name | Tier | Notes |
|--|----------|------------|
| LUPRON DEPOT (1- MONTH) INTRAMUSCULAR KIT 3.75 MG | 3 | PA; QL; SP |
| LUPRON DEPOT (1- MONTH) INTRAMUSCULAR KIT 7.5 MG | 2 | QL; SP |
| LUPRON DEPOT (3- MONTH) INTRAMUSCULAR KIT 11.25 MG | 3 | PA; QL; SP |
| LUPRON DEPOT (3- MONTH) INTRAMUSCULAR KIT 22.5 MG | 2 | QL; SP |
| LUPRON DEPOT (4- MONTH) INTRAMUSCULAR KIT | 2 | QL; SP |
| LUPRON DEPOT (6- MONTH) INTRAMUSCULAR KIT | 2 | QL; SP |
| LUTRATE DEPOT INTRAMUSCULAR INJECTABLE | 3 | QL; LD; SP |
| TRELSTAR MIXJECT INTRAMUSCULAR SUSPENSION RECONSTITUTED | 3 | PA; QL; SP |
| ZOLADEX SUBCUTANEOUS IMPLANT | 3 | PA; QL; SP |
| *Mitotic Inhibitors*** | | |
| ABRAXANE INTRAVENOUS SUSPENSION RECONSTITUTED | 3 | PA; LD; SP |
| DOCETAXEL INTRAVENOUS CONCENTRATE 160 MG/8ML, 20 MG/ML, 80 MG/4ML | 3 | SP |
| DOCETAXEL INTRAVENOUS SOLUTION 160 MG/16ML, 20 MG/2ML, 80 MG/8ML | 3 | SP |
| DOCIVYX INTRAVENOUS SOLUTION | 3 | LD; SP |
| eribulin mesylate intravenous solution | 1 or 1b* | PA; SP |

| Drug Name | Tier | Notes |
|--|----------|------------|
| ETOPOPHOS INTRAVENOUS SOLUTION RECONSTITUTED | 3 | SP |
| etoposide intravenous solution 1 gm/50ml, 100 mg/5ml, 500 mg/25ml | 1 or 1b* | SP |
| etoposide oral capsule | 1 or 1b* | SP |
| HALAVEN INTRAVENOUS SOLUTION | 3 | PA; SP |
| IXEMPRA KIT INTRAVENOUS SOLUTION RECONSTITUTED | 3 | PA; SP |
| JEVTANA INTRAVENOUS SOLUTION | 3 | PA; LD; SP |
| paclitaxel intravenous concentrate 100 mg/16.7ml, 150 mg/25ml, 30 mg/5ml, 300 mg/50ml | 1 or 1b* | SP |
| PACLITAXEL PROTEIN- BOUND PART INTRAVENOUS SUSPENSION RECONSTITUTED | 3 | PA; SP |
| vinblastine sulfate intravenous solution | 1 or 1b* | SP |
| vincristine sulfate intravenous solution | 1 or 1b* | SP |
| vinorelbine tartrate intravenous solution | 1 or 1b* | SP |
| *Myeloprotective Agents*** | | |
| COSELA INTRAVENOUS SOLUTION RECONSTITUTED | 3 | PA; LD |
| *Nitrogen Mustards And Related Analogues*** | | |
| cyclophosphamide injection solution reconstituted | 1 or 1b* | SP |
| cyclophosphamide intravenous solution 1 gm/2ml, 2 gm/4ml | 3 | LD; SP |
| CYCLOPHOSPHAMIDE INTRAVENOUS SOLUTION 1 GM/5ML, 500 MG/2.5ML | 3 | SP |
| cyclophosphamide intravenous solution 1000 mg/10ml, 2000 mg/20ml, 500 mg/5ml | 3 | SP |

| Drug Name | Tier | Notes |
|---|----------|--------|
| CYCLOPHOSPHAMIDE INTRAVENOUS SOLUTION 2 GM/10ML | 3 | |
| cyclophosphamide intravenous solution 500 mg/ml | 3 | LD |
| cyclophosphamide oral capsule | 1 or 1b* | SP |
| CYCLOPHOSPHAMIDE ORAL TABLET 50 MG | 3 | |
| EVOMELA INTRAVENOUS SOLUTION RECONSTITUTED | 3 | LD; SP |
| FRINDOVYX INTRAVENOUS SOLUTION 1 GM/2ML, 2 GM/4ML | 3 | LD; SP |
| FRINDOVYX INTRAVENOUS SOLUTION 500 MG/ML | 3 | LD |
| HEPZATO W/50MM CATHETER INTRA- ARTERIAL SOLUTION RECONSTITUTED | 3 | LD |
| HEPZATO W/62MM CATHETER INTRA- ARTERIAL SOLUTION RECONSTITUTED | 3 | LD |
| IFEX INTRAVENOUS SOLUTION RECONSTITUTED | 3 | SP |
| ifosfamide intravenous solution | 1 or 1b* | SP |
| ifosfamide intravenous solution reconstituted 1 gm | 1 or 1b* | SP |
| IFOSFAMIDE INTRAVENOUS SOLUTION RECONSTITUTED 3 GM | 3 | SP |
| ivra intravenous solution | 3 | |
| LEUKERAN ORAL TABLET | 2 | |
| melphalan hcl intravenous solution reconstituted *Nitrosoureas*** | 1 or 1b* | SP |
| carmustine intravenous solution reconstituted 100 mg | 1 or 1b* | SP |
| GLEOSTINE ORAL CAPSULE 10 MG, 100 MG, 40 MG | 3 | PA; SP |

| Drug Name | Tier | Notes |
|--|----------|----------------|
| GLIADEL WAFER IMPLANT WAFER | 3 | |
| *Oligonucleotide Telomerase Inhibitors*** | | |
| RYTELO INTRAVENOUS SOLUTION RECONSTITUTED | 3 | PA; LD |
| *Ornithine Decarboxylase (Odc) Inhibitors*** | | |
| IWILFIN ORAL TABLET | 3 | PA; QL; LD |
| *Otoprotective Agents*** | | |
| PEDMARK INTRAVENOUS SOLUTION | 3 | PA; LD |
| *Phosphatidylinositol 3- Kinase (Pi3k) Inhibitors*** | | _ |
| COPIKTRA ORAL CAPSULE | 3 | PA; QL; LD; SP |
| ITOVEBI ORAL TABLET | 3 | PA; QL; LD; SP |
| PIQRAY (200 MG DAILY DOSE) ORAL TABLET THERAPY PACK | 3 | PA; QL; SP |
| PIQRAY (250 MG DAILY DOSE) ORAL TABLET THERAPY PACK | 3 | PA; QL; SP |
| PIQRAY (300 MG DAILY DOSE) ORAL TABLET THERAPY PACK | 3 | PA; QL; SP |
| ZYDELIG ORAL TABLET | 3 | PA; QL; LD; SP |
| *Poly (Adp-Ribose) Polymerase (Parp) Inhibitors*** | | |
| LYNPARZA ORAL TABLET | 3 | PA; QL; LD; SP |
| RUBRACA ORAL TABLET | 3 | PA; QL; LD; SP |
| TALZENNA ORAL CAPSULE | 3 | PA; QL; LD; SP |
| ZEJULA ORAL TABLET | 3 | PA; QL; LD; SP |
| *Progestins- Antineoplastic*** | | |
| megestrol acetate oral suspension 40 mg/ml, 400 mg/10ml, 800 mg/20ml | 1 or 1b* | |
| megestrol acetate oral tablet | 1 or 1b* | |
| *Retinoids*** | | |
| tretinoin oral capsule | 1 or 1b* | |

| Drug Name | Tier | Notes |
|--|----------|------------|
| *Selective Estrogen Receptor Degraders*** | | |
| ORSERDU ORAL TABLET | 3 | PA; QL; LD |
| *Selective Retinoid X Receptor Agonists*** | ı | |
| bexarotene oral capsule | 1 or 1b* | PA; QL; SP |
| *Tetrahydroisoquinolines* ** | | |
| YONDELIS INTRAVENOUS SOLUTION RECONSTITUTED | 3 | LD; SP |
| *Topoisomerase I Inhibitors - Antibody-Drug Complex*** | | |
| DATROWAY INTRAVENOUS SOLUTION RECONSTITUTED | 3 | PA; LD; SP |
| TRODELVY INTRAVENOUS SOLUTION RECONSTITUTED | 3 | PA; LD |
| *Topoisomerase I Inhibitors*** | | |
| CAMPTOSAR INTRAVENOUS SOLUTION | 3 | SP |
| HYCAMTIN INTRAVENOUS SOLUTION RECONSTITUTED | 3 | SP |
| HYCAMTIN ORAL CAPSULE | 2 | PA; SP |
| irinotecan hcl intravenous solution | 1 or 1b* | SP |
| ONIVYDE INTRAVENOUS INJECTABLE | 3 | LD; SP |
| TOPOTECAN HCL INTRAVENOUS SOLUTION | 3 | SP |
| topotecan hcl intravenous solution reconstituted | 1 or 1b* | SP |
| *Urinary Tract Protective Agents*** | | |
| mesna intravenous solution | 1 or 1b* | PA |
| mesna oral tablet | 1 or 1b* | PA |
| MESNEX INTRAVENOUS SOLUTION | 3 | PA |

| Drug Name | Tier | Notes |
|--|----------|----------------|
| *Vascular Endothelial Growth Factor (Vegf) Inhibitors*** | | |
| AVASTIN INTRAVENOUS SOLUTION | 3 | PA; LD; SP |
| CYRAMZA INTRAVENOUS SOLUTION | 3 | PA; LD; SP |
| FRUZAQLA ORAL CAPSULE | 3 | PA; QL; LD |
| INLYTA ORAL TABLET | 2 | PA; QL; LD; SP |
| LENVIMA (10 MG DAILY DOSE) ORAL CAPSULE THERAPY PACK | 2 | PA; QL; LD; SP |
| LENVIMA (12 MG DAILY DOSE) ORAL CAPSULE THERAPY PACK | 2 | PA; QL; LD; SP |
| LENVIMA (14 MG DAILY DOSE) ORAL CAPSULE THERAPY PACK | 2 | PA; QL; LD; SP |
| LENVIMA (18 MG DAILY DOSE) ORAL CAPSULE THERAPY PACK | 2 | PA; QL; LD; SP |
| LENVIMA (20 MG DAILY DOSE) ORAL CAPSULE THERAPY PACK | 2 | PA; QL; LD; SP |
| LENVIMA (24 MG DAILY DOSE) ORAL CAPSULE THERAPY PACK | 2 | PA; QL; LD; SP |
| LENVIMA (4 MG DAILY DOSE) ORAL CAPSULE THERAPY PACK | 2 | PA; QL; LD; SP |
| LENVIMA (8 MG DAILY DOSE) ORAL CAPSULE THERAPY PACK | 2 | PA; QL; LD; SP |
| MVASI INTRAVENOUS SOLUTION | 3 | PA; LD; SP |
| ZALTRAP INTRAVENOUS SOLUTION | 3 | PA; LD; SP |
| *Antiparkinson And Related Therapy Agents* | | |
| *Adenosine Receptor Antagonist*** | | |
| NOURIANZ ORAL TABLET | 3 | PA; QL; LD; SP |
| *Antiparkinson Anticholinergics*** | | |
| benztropine mesylate injection solution | 1 or 1a* | |
| benztropine mesylate oral tablet | 1 or 1a* | |

| Drug Name | Tier | Notes |
|--|----------|------------|
| trihexyphenidyl hcl oral solution | 1 or 1a* | |
| trihexyphenidyl hcl oral tablet | 1 or 1a* | |
| *Antiparkinson Dopaminergics*** | | |
| amantadine hcl oral capsule | 1 or 1b* | QL |
| amantadine hcl oral solution | 1 or 1b* | QL |
| amantadine hcl oral tablet | 1 or 1b* | QL |
| bromocriptine mesylate oral capsule | 1 or 1b* | |
| bromocriptine mesylate oral tablet | 1 or 1b* | |
| GOCOVRI ORAL CAPSULE EXTENDED RELEASE 24 HOUR 137 MG | 3 | PA; QL; LD |
| GOCOVRI ORAL CAPSULE EXTENDED RELEASE 24 HOUR 68.5 MG | 3 | PA; DO; LD |
| INBRIJA INHALATION CAPSULE | 3 | PA; QL; LD |
| PARLODEL ORAL CAPSULE | 3 | |
| PARLODEL ORAL TABLET | 3 | |
| *Antiparkinson Monoamine Oxidase Inhibitors*** | | |
| AZILECT ORAL TABLET | 3 | QL |
| rasagiline mesylate oral tablet | 1 or 1b* | QL |
| selegiline hcl oral capsule | 1 or 1b* | |
| selegiline hcl oral tablet | 1 or 1b* | |
| XADAGO ORAL TABLET | 3 | PA; QL |
| ZELAPAR ORAL TABLET DISPERSIBLE | 3 | PA; QL |
| *Central/Peripheral Comt Inhibitors*** | | |
| TASMAR ORAL TABLET 100 MG | 3 | PA; QL |
| tolcapone oral tablet | 1 or 1b* | PA; QL |
| *Decarboxylase Inhibitors*** | | |
| carbidopa oral tablet | 1 or 1b* | |
| LODOSYN ORAL TABLET | 3 | |

| Drug Name | Tier | Notes |
|--|----------|----------------|
| *Levodopa Combinations*** | | |
| carbidopa-levodopa er oral tablet extended release 25- 100 mg, 50-200 mg | 1 or 1b* | |
| carbidopa-levodopa oral tablet | 1 or 1b* | |
| carbidopa-levodopa oral tablet dispersible | 1 or 1b* | |
| carbidopa-levodopa- entacapone oral tablet 12.5- 50-200 mg, 18.75-75-200 mg, 25-100-200 mg, 31.25- 125-200 mg, 37.5-150-200 mg, 50-200-200 mg | 1 or 1b* | |
| DHIVY ORAL TABLET 25-100 MG | 3 | |
| DUOPA ENTERAL SUSPENSION | 3 | PA; LD; SP |
| RYTARY ORAL CAPSULE EXTENDED RELEASE | 3 | QL |
| SINEMET ORAL TABLET 10-100 MG, 25- 100 MG | 3 | |
| VYALEV SUBCUTANEOUS SOLUTION 12-240 MG/ML | 3 | PA; QL; LD; SP |
| *Nonergoline Dopamine Receptor Agonists*** | | |
| APOKYN SUBCUTANEOUS SOLUTION CARTRIDGE | 3 | PA; QL; LD; SP |
| apomorphine hcl subcutaneous solution cartridge | 3 | PA; QL; SP |
| NEUPRO TRANSDERMAL PATCH 24 HOUR | 3 | QL |
| pramipexole dihydrochloride er oral tablet extended release 24 hour | 1 or 1b* | QL |
| pramipexole dihydrochloride oral tablet | 1 or 1b* | QL |
| ropinirole hcl er oral tablet extended release 24 hour | 1 or 1b* | |
| ropinirole hcl oral tablet | 1 or 1b* | |
| *Peripheral Comt Inhibitors*** | | |
| entacapone oral tablet | 1 or 1b* | QL |
| ONGENTYS ORAL CAPSULE | 3 | PA; QL |

| Drug Name | Tier | Notes |
|---|----------|----------------|
| *Antipsychotics/Antimanic Agents* | | |
| *Antimanic Agents*** | | |
| lithium carbonate er oral tablet extended release | 1 or 1a* | QL |
| lithium carbonate oral capsule | 1 or 1a* | QL |
| lithium carbonate oral tablet | 1 or 1a* | QL |
| lithium oral solution | 1 or 1b* | |
| *Antipsychotics - Misc.*** | | |
| CAPLYTA ORAL CAPSULE 10.5 MG, 21 MG | 3 | DO; AL |
| CAPLYTA ORAL CAPSULE 42 MG | 3 | QL; AL |
| EQUETRO ORAL CAPSULE EXTENDED RELEASE 12 HOUR | 3 | QL |
| lurasidone hcl oral tablet 120 mg | 1 or 1b* | AL |
| lurasidone hcl oral tablet 20 mg, 40 mg | 1 or 1b* | DO; AL |
| lurasidone hcl oral tablet 60 mg, 80 mg | 1 or 1b* | QL; AL |
| NUPLAZID ORAL CAPSULE | 3 | PA; QL; LD; SP |
| NUPLAZID ORAL TABLET 10 MG | 3 | PA; QL; LD; SP |
| VRAYLAR ORAL CAPSULE 1.5 MG, 3 MG | 2 | DO; AL |
| VRAYLAR ORAL CAPSULE 4.5 MG, 6 MG | 2 | QL; AL |
| ziprasidone hcl oral capsule 20 mg, 40 mg | 1 or 1b* | DO; AL |
| ziprasidone hcl oral capsule 60 mg, 80 mg | 1 or 1b* | QL; AL |
| ziprasidone mesylate intramuscular solution reconstituted | 1 or 1b* | QL; AL |
| *Benzisoxazoles*** | | |
| FANAPT ORAL TABLET 1 MG, 2 MG, 4 MG, 6 MG | 3 | ST; DO |
| FANAPT ORAL TABLET 10 MG, 12 MG, 8 MG | 3 | ST; QL |
| FANAPT TITRATION PACK A ORAL TABLET | 3 | |
| FANAPT TITRATION PACK C ORAL TABLET | 3 | ST; QL |

| Drug Name | Tier | Notes |
|---|----------|--------|
| INVEGA HAFYERA INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE | 3 | QL; AL |
| INVEGA SUSTENNA INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE | 3 | QL; AL |
| INVEGA TRINZA INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 273 MG/0.88ML, 410 MG/1.32ML, 546 MG/1.75ML, 819 MG/2.63ML | 3 | QL; AL |
| paliperidone er oral tablet extended release 24 hour 1.5 mg, 3 mg | 1 or 1b* | DO; AL |
| paliperidone er oral tablet extended release 24 hour 6 mg, 9 mg | 1 or 1b* | QL; AL |
| PERSERIS SUBCUTANEOUS PREFILLED SYRINGE | 3 | QL; AL |
| risperidone microspheres er intramuscular suspension reconstituted er | 1 or 1b* | QL; AL |
| risperidone oral solution | 1 or 1b* | QL; AL |
| risperidone oral tablet 0.25 mg, 0.5 mg, 1 mg, 2 mg | 1 or 1b* | DO; AL |
| risperidone oral tablet 3 mg, 4 mg | 1 or 1b* | QL; AL |
| risperidone oral tablet dispersible 0.25 mg, 0.5 mg, 1 mg, 2 mg | 1 or 1b* | DO; AL |
| risperidone oral tablet dispersible 3 mg, 4 mg | 1 or 1b* | QL; AL |
| *Butyrophenones*** | | |
| haloperidol decanoate intramuscular solution 100 mg/ml, 50 mg/ml | 1 or 1b* | QL; AL |
| haloperidol lactate injection solution 5 mg/ml | 1 or 1b* | AL |
| haloperidol lactate oral concentrate 2 mg/ml | 1 or 1b* | QL; AL |
| haloperidol oral tablet 0.5 mg, 1 mg, 2 mg | 1 or 1b* | DO; AL |
| haloperidol oral tablet 10 mg, 20 mg, 5 mg | 1 or 1b* | QL; AL |
| *Dibenzodiazepines*** | | |
| clozapine oral tablet 100 mg, 200 mg | 1 or 1b* | QL; AL |

| Drug Name | Tier | Notes |
|---|----------|--------|
| clozapine oral tablet 25 mg, 50 mg | 1 or 1b* | DO; AL |
| clozapine oral tablet dispersible 100 mg, 150 mg, 200 mg | 1 or 1b* | QL; AL |
| clozapine oral tablet dispersible 12.5 mg, 25 mg | 1 or 1b* | DO; AL |
| VERSACLOZ ORAL SUSPENSION | 3 | QL; AL |
| *Dibenzo-Oxepino Pyrroles*** | | |
| asenapine maleate sublingual tablet sublingual 10 mg | 1 or 1b* | QL; AL |
| asenapine maleate sublingual tablet sublingual 2.5 mg, 5 mg | 1 or 1b* | DO; AL |
| SECUADO TRANSDERMAL PATCH 24 HOUR | 3 | ST; QL |
| *Dibenzothiazepines*** | | |
| quetiapine fumarate er oral tablet extended release 24 hour 150 mg, 200 mg | 1 or 1b* | DO; AL |
| quetiapine fumarate er oral tablet extended release 24 hour 300 mg, 400 mg, 50 mg | 1 or 1b* | QL; AL |
| quetiapine fumarate oral tablet 100 mg, 200 mg, 25 mg, 50 mg | 1 or 1b* | DO; AL |
| quetiapine fumarate oral tablet 150 mg, 300 mg, 400 mg | 1 or 1b* | QL; AL |
| *Dibenzoxazepines*** | | |
| ADASUVE INHALATION AEROSOL POWDER BREATH ACTIVATED | 3 | AL |
| loxapine succinate oral capsule 10 mg, 25 mg, 5 mg | 1 or 1b* | DO; AL |
| loxapine succinate oral capsule 50 mg | 1 or 1b* | QL; AL |
| *Dihydroindolones*** | | |
| molindone hcl oral tablet 10 mg, 5 mg | 1 or 1b* | DO; AL |
| molindone hcl oral tablet 25 mg | 1 or 1b* | QL; AL |
| *Phenothiazines*** | | |
| chlorpromazine hcl injection solution | 1 or 1b* | AL |
| CHLORPROMAZINE HCL ORAL CONCENTRATE | 1 or 1b* | QL; AL |

| Drug Name | Tier | Notes |
|--|----------|--------|
| chlorpromazine hcl oral tablet 10 mg, 25 mg, 50 mg | 1 or 1b* | DO; AL |
| chlorpromazine hcl oral tablet 100 mg, 200 mg | 1 or 1b* | QL; AL |
| compro rectal suppository | 1 or 1b* | AL |
| fluphenazine decanoate injection solution | 1 or 1b* | AL |
| fluphenazine hcl injection solution | 1 or 1b* | AL |
| fluphenazine hcl oral concentrate | 1 or 1b* | QL; AL |
| fluphenazine hcl oral elixir | 1 or 1b* | QL; AL |
| fluphenazine hcl oral tablet 1 mg, 2.5 mg, 5 mg | 1 or 1b* | DO; AL |
| fluphenazine hcl oral tablet 10 mg | 1 or 1b* | QL; AL |
| perphenazine oral tablet 16 mg, 4 mg, 8 mg | 1 or 1b* | QL; AL |
| perphenazine oral tablet 2 mg | 1 or 1b* | DO; AL |
| prochlorperazine edisylate injection solution 10 mg/2ml | 1 or 1b* | AL |
| prochlorperazine maleate oral tablet | 1 or 1a* | AL |
| prochlorperazine rectal suppository | 1 or 1b* | AL |
| thioridazine hcl oral tablet 10 mg, 25 mg, 50 mg | 1 or 1b* | DO; AL |
| thioridazine hcl oral tablet 100 mg | 1 or 1b* | QL; AL |
| trifluoperazine hcl oral tablet 1 mg, 2 mg | 1 or 1b* | DO; AL |
| trifluoperazine hcl oral tablet 10 mg, 5 mg | 1 or 1b* | QL; AL |
| *Quinolinone Derivatives*** | | |
| ABILIFY MAINTENA INTRAMUSCULAR PREFILLED SYRINGE | 2 | QL; AL |
| ABILIFY MAINTENA INTRAMUSCULAR SUSPENSION RECONSTITUTED ER | 2 | QL; AL |
| ABILIFY MYCITE MAINTENANCE KIT ORAL TABLET THERAPY PACK 10 MG, 15 MG, 2 MG, 5 MG | 3 | ST; DO |
| ABILIFY MYCITE MAINTENANCE KIT ORAL TABLET THERAPY PACK 20 MG, 30 MG | 3 | ST; QL |

| Drug Name | Tier | Notes |
|--|----------|------------|
| ABILIFY MYCITE STARTER KIT ORAL TABLET THERAPY PACK 10 MG, 15 MG, 2 MG, 5 MG | 3 | ST; DO |
| ABILIFY MYCITE STARTER KIT ORAL TABLET THERAPY PACK 20 MG, 30 MG | 3 | ST; QL |
| aripiprazole oral solution | 1 or 1b* | QL; AL |
| aripiprazole oral tablet 10 mg, 15 mg, 2 mg, 5 mg | 1 or 1b* | DO; AL |
| aripiprazole oral tablet 20 mg, 30 mg | 1 or 1b* | QL; AL |
| aripiprazole oral tablet dispersible | 1 or 1b* | QL; AL |
| ARISTADA INITIO INTRAMUSCULAR PREFILLED SYRINGE | 3 | QL; AL |
| ARISTADA INTRAMUSCULAR PREFILLED SYRINGE | 3 | QL; AL |
| REXULTI ORAL TABLET 0.25 MG, 0.5 MG, 1 MG, 2 MG | 3 | DO; AL |
| REXULTI ORAL TABLET 3 MG, 4 MG | 3 | QL; AL |
| *Thienbenzodiazepines*** | | |
| olanzapine intramuscular solution reconstituted | 1 or 1b* | QL; AL |
| olanzapine oral tablet 10 mg, 2.5 mg, 5 mg, 7.5 mg | 1 or 1b* | DO; AL |
| olanzapine oral tablet 15 mg, 20 mg | 1 or 1b* | QL; AL |
| olanzapine oral tablet dispersible 10 mg, 5 mg | 1 or 1b* | DO; AL |
| olanzapine oral tablet dispersible 15 mg, 20 mg | 1 or 1b* | QL; AL |
| *Thioxanthenes*** | | |
| thiothixene oral capsule 1 mg, 2 mg, 5 mg | 1 or 1b* | ST; DO; AL |
| thiothixene oral capsule 10 mg | 1 or 1b* | ST; QL; AL |
| *Antiseptics & Disinfectants* | | |
| *Antiseptics & Disinfectants*** | | |
| formaldehyde external solution 10 % | 1 or 1b* | |

| Drug Name | Tier | Notes |
|--|----------|------------|
| *Chlorine Antiseptics*** | | |
| BENZALKONIUM CHLORIDE EXTERNAL SOLUTION | 3 | |
| *Iodine Antiseptics*** | | |
| LUGOLS STRONG IODINE EXTERNAL SOLUTION | 3 | |
| *Antivirals* | | |
| *Antiretroviral Combinations*** | | |
| abacavir sulfate-lamivudine oral tablet | 1 or 1b* | QL |
| BIKTARVY ORAL TABLET | 2 | QL |
| CABENUVA INTRAMUSCULAR SUSPENSION EXTENDED RELEASE | 3 | PA; QL; LD |
| CIMDUO ORAL TABLET | 3 | QL |
| DELSTRIGO ORAL TABLET | 3 | QL |
| DESCOVY ORAL TABLET 120-15 MG | 2 | QL |
| DESCOVY ORAL TABLET 200-25 MG | 2 | \$0; QL |
| DOVATO ORAL TABLET | 2 | QL |
| efavirenz-emtricitab-tenofo df oral tablet | 1 or 1b* | QL |
| efavirenz-lamivudine- tenofovir oral tablet | 1 or 1b* | QL |
| emtricitabine-tenofovir df oral tablet 100-150 mg, 133- 200 mg, 167-250 mg | 1 or 1b* | QL |
| emtricitabine-tenofovir df oral tablet 200-300 mg | 1 or 1b* | \$0; QL |
| emtricitab-rilpivir-tenofov df oral tablet | 1 or 1b* | PA; QL |
| EVOTAZ ORAL TABLET | 3 | QL |
| GENVOYA ORAL TABLET | 2 | QL |
| JULUCA ORAL TABLET | 3 | PA; QL |
| lamivudine-zidovudine oral tablet | 1 or 1b* | QL |
| lopinavir-ritonavir oral tablet | 1 or 1b* | QL |
| ODEFSEY ORAL TABLET | 2 | QL |
| STRIBILD ORAL TABLET | 2 | QL |
| SYMTUZA ORAL TABLET | 2 | QL |

| Drug Name | Tier | Notes |
|---|----------|-----------------|
| TRIUMEQ ORAL TABLET | 2 | QL |
| TRIUMEQ PD ORAL TABLET SOLUBLE | 2 | QL |
| *Antiretrovirals - Capsid Inhibitors*** | | |
| SUNLENCA ORAL TABLET | 3 | PA; QL; LD |
| SUNLENCA ORAL TABLET THERAPY PACK | 3 | PA; QL; LD |
| SUNLENCA SUBCUTANEOUS SOLUTION | 3 | PA; QL; LD |
| YEZTUGO ORAL TABLET | 3 | PA; \$0; QL; LD |
| YEZTUGO SUBCUTANEOUS SOLUTION | 3 | PA; \$0; QL; LD |
| *Antiretrovirals - Ccr5 Antagonists (Entry Inhibitor)*** | | |
| maraviroc oral tablet | 1 or 1b* | QL |
| SELZENTRY ORAL SOLUTION | 3 | QL |
| *Antiretrovirals - Cd4- Directed Post-Attachment Inhibitor*** | | |
| TROGARZO INTRAVENOUS SOLUTION | 3 | PA; QL; LD |
| *Antiretrovirals - Fusion Inhibitors*** | | |
| FUZEON SUBCUTANEOUS SOLUTION RECONSTITUTED | 2 | PA; QL; LD |
| *Antiretrovirals - Gp120- Directed Attachment Inhibitor*** | | |
| RUKOBIA ORAL TABLET EXTENDED RELEASE 12 HOUR | 3 | PA; QL |
| *Antiretrovirals - Integrase Inhibitors*** | | |
| APRETUDE INTRAMUSCULAR SUSPENSION EXTENDED RELEASE | 3 | \$0; QL; LD |
| ISENTRESS HD ORAL TABLET | 3 | QL |
| ISENTRESS ORAL PACKET | 3 | QL |
| | | |

| Drug Name | Tier | Notes |
|---|----------|--------|
| ISENTRESS ORAL TABLET | 3 | QL |
| ISENTRESS ORAL TABLET CHEWABLE | 3 | QL |
| TIVICAY ORAL TABLET 50 MG | 3 | QL |
| TIVICAY PD ORAL TABLET SOLUBLE | 3 | QL |
| *Antiretrovirals - Protease Inhibitors*** | | |
| APTIVUS ORAL CAPSULE | 2 | PA; QL |
| atazanavir sulfate oral capsule | 1 or 1b* | QL |
| darunavir oral tablet | 1 or 1b* | QL |
| fosamprenavir calcium oral tablet | 1 or 1b* | QL |
| NORVIR ORAL PACKET | 3 | QL |
| PREZISTA ORAL SUSPENSION | 2 | QL |
| PREZISTA ORAL TABLET 150 MG, 75 MG | 2 | QL |
| REYATAZ ORAL PACKET | 2 | QL |
| ritonavir oral tablet | 1 or 1b* | QL |
| VIRACEPT ORAL TABLET | 2 | QL |
| *Antiretrovirals - Rti-Non- Nucleoside Analogues*** | | |
| EDURANT ORAL TABLET | 2 | PA; QL |
| EDURANT PED ORAL TABLET SOLUBLE | 2 | PA; QL |
| efavirenz oral tablet | 1 or 1b* | QL |
| etravirine oral tablet | 1 or 1b* | PA; QL |
| INTELENCE ORAL TABLET 25 MG | 2 | PA; QL |
| nevirapine er oral tablet extended release 24 hour 400 mg | 1 or 1b* | QL |
| nevirapine oral suspension | 1 or 1b* | QL |
| nevirapine oral tablet | 1 or 1b* | QL |
| PIFELTRO ORAL TABLET | 3 | QL |
| *Antiretrovirals - Rti- Nucleoside Analogues- Purines*** | | |
| abacavir sulfate oral solution | 1 or 1b* | QL |
| abacavir sulfate oral tablet | 1 or 1b* | QL |

| Drug Name | Tier | Notes |
|--|----------|---------|
| *Antiretrovirals - Rti- Nucleoside Analogues- Pyrimidines*** | | |
| emtricitabine oral capsule | 1 or 1b* | \$0; QL |
| EMTRIVA ORAL SOLUTION | 2 | QL |
| lamivudine oral solution | 1 or 1b* | QL |
| lamivudine oral tablet 150 mg, 300 mg | 1 or 1b* | PA; QL |
| *Antiretrovirals - Rti- Nucleoside Analogues- Thymidines*** | | |
| RETROVIR INTRAVENOUS SOLUTION | 2 | |
| zidovudine oral capsule | 1 or 1b* | QL |
| zidovudine oral syrup | 1 or 1b* | QL |
| zidovudine oral tablet | 1 or 1b* | QL |
| *Antiretrovirals - Rti- Nucleotide Analogues*** | | |
| tenofovir disoproxil fumarate oral tablet | 1 or 1b* | \$0; QL |
| VIREAD ORAL POWDER | 2 | QL |
| VIREAD ORAL TABLET 150 MG, 200 MG, 250 MG | 2 | QL |
| *Antiretrovirals Adjuvants*** | | |
| TYBOST ORAL TABLET | 3 | QL |
| *Antiviral Combinations*** | | |
| PAXLOVID (150/100) ORAL TABLET THERAPY PACK | 1 or 1b* | QL |
| PAXLOVID (300/100 & 150/100) ORAL TABLET THERAPY PACK | 1 or 1b* | QL |
| PAXLOVID (300/100) ORAL TABLET THERAPY PACK | 1 or 1b* | QL |
| *Cmv Agents*** | | |
| cidofovir intravenous solution | 1 or 1b* | |
| foscarnet sodium intravenous solution 6000 mg/250ml | 1 or 1b* | |
| FOSCAVIR INTRAVENOUS SOLUTION 6000 MG/250ML | 3 | |
| GANCICLOVIR SODIUM INTRAVENOUS SOLUTION | 3 | SP |

| Drug Name | Tier | Notes |
|---|----------|------------|
| ganciclovir sodium intravenous solution reconstituted | 3 | SP |
| LIVTENCITY ORAL TABLET | 3 | PA; QL; LD |
| PREVYMIS INTRAVENOUS SOLUTION | 3 | PA; QL; SP |
| PREVYMIS ORAL PACKET | 3 | PA; QL |
| PREVYMIS ORAL TABLET | 3 | PA; QL; SP |
| VALCYTE ORAL SOLUTION RECONSTITUTED | 3 | |
| VALCYTE ORAL TABLET | 3 | |
| valganciclovir hcl oral solution reconstituted | 1 or 1b* | |
| valganciclovir hcl oral tablet | 1 or 1b* | |
| *Hepatitis B Agents*** | | In. 07 an |
| adefovir dipivoxil oral tablet | 3 | PA; QL; SP |
| BARACLUDE ORAL SOLUTION | 3 | PA; QL |
| entecavir oral tablet | 3 | PA; QL |
| lamivudine oral tablet 100 mg | 1 or 1b* | PA; QL |
| VEMLIDY ORAL TABLET | 3 | PA; QL; SP |
| *Hepatitis C Agent - Combinations*** | | |
| EPCLUSA ORAL PACKET | 3 | PA; QL; SP |
| EPCLUSA ORAL TABLET | 3 | PA; QL; SP |
| HARVONI ORAL PACKET | 3 | PA; QL; SP |
| HARVONI ORAL TABLET | 3 | PA; QL; SP |
| VOSEVI ORAL TABLET | 3 | PA; QL; SP |
| *Hepatitis C Agents*** | | |
| PEGASYS SUBCUTANEOUS SOLUTION 180 MCG/ML | 3 | QL; LD; SP |
| PEGASYS SUBCUTANEOUS SOLUTION PREFILLED SYRINGE | 3 | QL; LD; SP |
| ribavirin oral capsule | 3 | QL; SP |
| ribavirin oral tablet 200 mg | 3 | QL; SP |

| Drug Name | Tier | Notes |
|--|----------|-------|
| *Herpes Agents - Purine Analogues*** | | 1 |
| acyclovir oral capsule | 1 or 1b* | |
| acyclovir oral suspension | 1 or 1b* | |
| acyclovir oral tablet | 1 or 1b* | |
| acyclovir sodium intravenous solution | 1 or 1b* | |
| valacyclovir hcl oral tablet | 1 or 1b* | QL |
| *Herpes Agents - Thymidine Analogues*** | | |
| famciclovir oral tablet | 1 or 1b* | QL |
| *Influenza Agents*** | | |
| rimantadine hcl oral tablet | 1 or 1b* | |
| *Misc. Antivirals*** | | |
| LAGEVRIO ORAL CAPSULE | 3 | QL |
| TEMBEXA ORAL SUSPENSION | 3 | |
| TEMBEXA ORAL TABLET | 3 | |
| TPOXX INTRAVENOUS SOLUTION | 3 | |
| TPOXX ORAL CAPSULE | 3 | |
| *Neuraminidase Inhibitors*** | | |
| oseltamivir phosphate oral capsule | 1 or 1b* | QL |
| oseltamivir phosphate oral suspension reconstituted | 1 or 1b* | QL |
| RAPIVAB INTRAVENOUS SOLUTION | 3 | |
| RELENZA DISKHALER INHALATION AEROSOL POWDER BREATH ACTIVATED 5 MG/ACT | 2 | QL |
| TAMIFLU ORAL CAPSULE | 3 | QL |
| TAMIFLU ORAL SUSPENSION RECONSTITUTED 6 MG/ML | 3 | QL |
| *Pa Endonuclease Inhibitors*** | | |
| XOFLUZA (40 MG DOSE) ORAL TABLET THERAPY PACK 1 X 40 MG | 3 | QL |

| Drug Name | Tier | Notes |
|---|----------|-------|
| XOFLUZA (80 MG DOSE) ORAL TABLET THERAPY PACK 1 X 80 MG | 3 | QL |
| *Rsv Agents - Nucleoside Analogues*** | | |
| ribavirin inhalation solution reconstituted | 1 or 1b* | |
| *Beta Blockers* | | |
| *Alpha-Beta Blockers*** | | |
| carvedilol oral tablet | 1 or 1b* | QL |
| carvedilol phosphate er oral capsule extended release 24 hour | 1 or 1b* | QL |
| labetalol hcl intravenous solution prefilled syringe 10 mg/2ml | 3 | |
| labetalol hcl oral tablet | 1 or 1b* | QL |
| *Beta Blockers Cardio- Selective*** | | |
| acebutolol hcl oral capsule | 1 or 1b* | |
| atenolol oral tablet | 1 or 1a* | |
| betaxolol hcl oral tablet | 1 or 1b* | |
| bisoprolol fumarate oral tablet | 1 or 1b* | |
| BREVIBLOC IN NACL INTRAVENOUS SOLUTION | 3 | |
| BREVIBLOC INTRAVENOUS SOLUTION 100 MG/10ML | 3 | |
| BREVIBLOC PREMIXED DS INTRAVENOUS SOLUTION | 3 | |
| BREVIBLOC PREMIXED INTRAVENOUS SOLUTION | 3 | |
| esmolol hcl intravenous solution 100 mg/10ml | 1 or 1b* | |
| ESMOLOL HCL INTRAVENOUS SOLUTION 2000 MG/100ML, 2500 MG/250ML | 3 | |
| esmolol hcl-sodium chloride intravenous solution | 1 or 1b* | |
| KAPSPARGO SPRINKLE ORAL CAPSULE ER 24 HOUR SPRINKLE | 3 | |
| metoprolol succinate er oral tablet extended release 24 hour | 1 or 1b* | |

| Drug Name | Tier | Notes |
|--|----------|-------|
| metoprolol tartrate intravenous solution 5 mg/5ml | 1 or 1a* | |
| metoprolol tartrate oral tablet | 1 or 1a* | |
| nebivolol hcl oral tablet | 1 or 1b* | |
| RAPIBLYK INTRAVENOUS SOLUTION RECONSTITUTED | 3 | |
| *Beta Blockers Non- Selective*** | | |
| HEMANGEOL ORAL SOLUTION | 3 | LD |
| INDERAL XL ORAL CAPSULE EXTENDED RELEASE 24 HOUR | 3 | QL |
| INNOPRAN XL ORAL CAPSULE EXTENDED RELEASE 24 HOUR | 3 | QL |
| nadolol oral tablet 20 mg, 40 mg, 80 mg | 1 or 1b* | QL |
| pindolol oral tablet | 1 or 1b* | QL |
| propranolol hcl er oral capsule extended release 24 hour | 1 or 1b* | QL |
| propranolol hel intravenous solution | 1 or 1b* | |
| propranolol hel oral solution | 1 or 1b* | QL |
| propranolol hcl oral tablet | 1 or 1b* | QL |
| sotalol hcl (af) oral tablet | 1 or 1b* | QL |
| SOTALOL HCL INTRAVENOUS SOLUTION | 3 | |
| sotalol hcl oral tablet | 1 or 1b* | QL |
| SOTYLIZE ORAL SOLUTION | 3 | |
| timolol maleate oral tablet | 1 or 1b* | QL |
| *Calcium Channel Blockers* | | |
| *Calcium Channel Blockers*** | | |
| amlodipine besylate oral tablet 10 mg, 5 mg | 1 or 1b* | QL |
| amlodipine besylate oral tablet 2.5 mg | 1 or 1b* | DO |
| CARDENE IV INTRAVENOUS SOLUTION 20-0.86 MG/200ML-%, 40-0.83 MG/200ML-% | 3 | |

| Drug Name | Tier | Notes |
|--|----------|--------|
| CARDIZEM ORAL TABLET 120 MG | 3 | QL |
| CARDIZEM ORAL TABLET 30 MG, 60 MG | 3 | DO |
| cartia xt oral capsule extended release 24 hour 120 mg | 1 or 1b* | DO |
| cartia xt oral capsule extended release 24 hour 180 mg, 240 mg, 300 mg | 1 or 1b* | QL |
| CLEVIPREX INTRAVENOUS EMULSION 25 MG/50ML, 50 MG/100ML | 3 | |
| CONJUPRI ORAL TABLET 2.5 MG | 3 | ST; DO |
| CONJUPRI ORAL TABLET 5 MG | 3 | ST; QL |
| diltiazem hcl er beads oral capsule extended release 24 hour 120 mg | 1 or 1b* | DO |
| diltiazem hcl er beads oral capsule extended release 24 hour 180 mg, 240 mg, 300 mg, 360 mg, 420 mg | 1 or 1b* | QL |
| diltiazem hcl er coated beads oral capsule extended release 24 hour 120 mg | 1 or 1b* | DO |
| diltiazem hcl er coated beads oral capsule extended release 24 hour 180 mg, 240 mg, 300 mg, 360 mg | 1 or 1b* | QL |
| diltiazem hcl er oral capsule extended release 12 hour 120 mg, 90 mg | 1 or 1b* | QL |
| diltiazem hcl er oral capsule extended release 12 hour 60 mg | 1 or 1b* | DO |
| diltiazem hcl er oral capsule extended release 24 hour 120 mg | 1 or 1b* | DO |
| diltiazem hcl er oral capsule extended release 24 hour 180 mg, 240 mg | 1 or 1b* | QL |
| diltiazem hcl er oral tablet extended release 24 hour 120 mg | 1 or 1b* | DO |
| diltiazem hcl er oral tablet extended release 24 hour 180 mg, 240 mg, 300 mg, 360 mg, 420 mg | 1 or 1b* | QL |
| diltiazem hcl intravenous solution | 1 or 1b* | |

| Drug Name | Tier | Notes |
|---|----------|--------|
| DILTIAZEM HCL INTRAVENOUS SOLUTION RECONSTITUTED | 3 | |
| diltiazem hcl oral tablet 120 mg, 90 mg | 1 or 1b* | QL |
| diltiazem hcl oral tablet 30 mg, 60 mg | 1 or 1b* | DO |
| diltiazem hcl-sodium chloride intravenous solution 100-0.72 mg/100ml-% | 3 | |
| dilt-xr oral capsule extended release 24 hour 120 mg | 1 or 1b* | DO |
| dilt-xr oral capsule extended release 24 hour 180 mg, 240 mg | 1 or 1b* | QL |
| felodipine er oral tablet extended release 24 hour 10 mg | 1 or 1b* | QL |
| felodipine er oral tablet extended release 24 hour 2.5 mg, 5 mg | 1 or 1b* | DO |
| isradipine oral capsule 2.5 mg | 1 or 1b* | DO |
| isradipine oral capsule 5 mg | 1 or 1b* | QL |
| KATERZIA ORAL SUSPENSION | 3 | PA; QL |
| levamlodipine maleate oral tablet 2.5 mg | 1 or 1b* | ST; DO |
| levamlodipine maleate oral tablet 5 mg | 1 or 1b* | ST; QL |
| matzim la oral tablet extended release 24 hour | 1 or 1b* | QL |
| NICARDIPINE HCL IN NACL INTRAVENOUS SOLUTION 20-0.9 MG/200ML-%, 40-0.9 MG/200ML-% | 3 | |
| nicardipine hel intravenous solution | 3 | |
| nicardipine hcl oral capsule | 1 or 1b* | QL |
| nifedipine er oral tablet extended release 24 hour | 1 or 1b* | QL |
| nifedipine er osmotic release oral tablet extended release 24 hour 30 mg | 1 or 1b* | DO |
| nifedipine er osmotic release oral tablet extended release 24 hour 60 mg, 90 mg | 1 or 1b* | QL |
| nifedipine oral capsule 10 mg | 1 or 1b* | DO |
| nifedipine oral capsule 20 mg | 1 or 1b* | QL |
| nimodipine oral capsule | 1 or 1b* | QL |

| Drug Name | Tier | Notes |
|--|----------|--------|
| nimodipine oral solution | 1 or 1b* | QL |
| nisoldipine er oral tablet extended release 24 hour 17 mg, 20 mg, 8.5 mg | 1 or 1b* | DO |
| nisoldipine er oral tablet extended release 24 hour 25.5 mg, 30 mg, 34 mg, 40 mg | 1 or 1b* | QL |
| NORLIQVA ORAL SOLUTION | 3 | PA; QL |
| NYMALIZE ORAL SOLUTION 6 MG/ML | 3 | QL |
| PROCARDIA XL ORAL TABLET EXTENDED RELEASE 24 HOUR 30 MG | 3 | DO |
| PROCARDIA XL ORAL TABLET EXTENDED RELEASE 24 HOUR 60 MG, 90 MG | 3 | QL |
| SULAR ORAL TABLET EXTENDED RELEASE 24 HOUR 17 MG, 8.5 MG | 3 | DO |
| SULAR ORAL TABLET EXTENDED RELEASE 24 HOUR 34 MG | 3 | QL |
| tiadylt er oral capsule extended release 24 hour 120 mg | 1 or 1b* | DO |
| tiadylt er oral capsule extended release 24 hour 180 mg, 240 mg, 300 mg, 360 mg, 420 mg | 1 or 1b* | QL |
| TIAZAC ORAL CAPSULE EXTENDED RELEASE 24 HOUR 120 MG | 3 | DO |
| TIAZAC ORAL CAPSULE EXTENDED RELEASE 24 HOUR 180 MG, 240 MG, 300 MG, 360 MG, 420 MG | 3 | QL |
| verapamil hcl er oral capsule extended release 24 hour 100 mg | 3 | DO |
| verapamil hcl er oral capsule extended release 24 hour 120 mg, 180 mg | 1 or 1b* | DO |
| verapamil hcl er oral capsule extended release 24 hour 200 mg, 240 mg, 300 mg, 360 mg | 1 or 1b* | QL |
| verapamil hcl er oral tablet extended release 120 mg | 1 or 1b* | DO |

| Drug Name | Tier | Notes |
|---|----------|-------|
| verapamil hcl er oral tablet extended release 180 mg, 240 mg | 1 or 1b* | QL |
| verapamil hcl intravenous solution | 1 or 1b* | |
| verapamil hcl oral tablet 120 mg | 1 or 1b* | QL |
| verapamil hcl oral tablet 40 mg, 80 mg | 1 or 1b* | DO |
| VERELAN ORAL CAPSULE EXTENDED RELEASE 24 HOUR 120 MG, 180 MG | 3 | DO |
| VERELAN ORAL CAPSULE EXTENDED RELEASE 24 HOUR 240 MG, 360 MG | 3 | QL |
| *Cardiotonics* | | |
| *Cardiac Glycosides*** | | |
| digoxin injection solution | 1 or 1b* | |
| digoxin oral solution | 1 or 1b* | QL |
| digoxin oral tablet 125 mcg, 62.5 mcg | 1 or 1b* | DO |
| digoxin oral tablet 250 mcg | 1 or 1b* | QL |
| LANOXIN INJECTION SOLUTION 0.25 MG/ML | 3 | |
| LANOXIN PEDIATRIC INJECTION SOLUTION | 2 | |
| *Inotropes*** | | |
| dobutamine hcl intravenous solution 12.5 mg/ml, 250 mg/20ml | 1 or 1b* | |
| DOBUTAMINE- DEXTROSE INTRAVENOUS SOLUTION | 3 | |
| DOPAMINE HCL INTRAVENOUS SOLUTION 40 MG/ML | 3 | |
| DOPAMINE-DEXTROSE INTRAVENOUS SOLUTION | 3 | |
| milrinone lactate in dextrose intravenous solution | 1 or 1b* | |
| milrinone lactate intravenous solution 10 mg/10ml, 20 mg/20ml, 50 mg/50ml | 1 or 1b* | |

| Drug Name | Tier | Notes |
|---|----------|----------------|
| *Cardiovascular Agents - Misc.* | | |
| *Calcium Channel Blocker & Hmg Coa Reductase | | |
| Inhibit Comb*** | | |
| amlodipine-atorvastatin oral tablet 10-10 mg, 10-20 mg, 10-40 mg, 10-80 mg, 5-80 mg | 1 or 1b* | QL |
| amlodipine-atorvastatin oral tablet 2.5-10 mg, 2.5-20 mg, 2.5-40 mg, 5-10 mg, 5-20 mg, 5-40 mg | 1 or 1b* | DO |
| CADUET ORAL TABLET 10-10 MG, 10-20 MG, 10- 40 MG, 10-80 MG, 5-80 MG | 3 | QL |
| CADUET ORAL TABLET 5-10 MG, 5-20 MG, 5-40 MG | 3 | DO |
| *Cardiac Myosin Inhibitors*** | | |
| CAMZYOS ORAL CAPSULE | 3 | PA; QL; LD; SP |
| *Neprilysin Inhib (Arni)- Angiotensin Ii Recept Antag Comb*** | | |
| ENTRESTO ORAL CAPSULE SPRINKLE | 2 | QL |
| sacubitril-valsartan oral tablet | 1 or 1b* | QL |
| *Nitrate & Vasodilator Combinations*** | | |
| BIDIL ORAL TABLET | 3 | QL |
| isosorb dinitrate-hydralazine oral tablet 20-37.5 mg | 1 or 1b* | QL |
| *Pde Inhibitor-Endothelin Recptor Antagonist Combinations*** | | |
| OPSYNVI ORAL TABLET | 3 | PA; QL; LD; SP |
| *Prostaglandin - Impotence Agents*** | | |
| CAVERJECT IMPULSE INTRACAVERNOSAL KIT | 3 | PA |
| CAVERJECT INTRACAVERNOSAL SOLUTION RECONSTITUTED | 3 | PA |
| EDEX INTRACAVERNOSAL KIT | 3 | PA |

| Drug Name | Tier | Notes |
|---|----------|----------------|
| *Prostaglandin Vasodilators*** | | |
| alprostadil injection solution | 1 or 1b* | |
| AURLUMYN INTRAVENOUS SOLUTION | 3 | LD |
| epoprostenol sodium intravenous solution reconstituted | 3 | PA; SP |
| FLOLAN INTRAVENOUS SOLUTION RECONSTITUTED | 3 | PA; LD; SP |
| ORENITRAM MONTH 1 ORAL TABLET EXTENDED RELEASE THERAPY PACK | 3 | PA; QL; LD; SP |
| ORENITRAM MONTH 2 ORAL TABLET EXTENDED RELEASE THERAPY PACK | 3 | PA; QL; LD; SP |
| ORENITRAM MONTH 3 ORAL TABLET EXTENDED RELEASE THERAPY PACK | 3 | PA; QL; LD; SP |
| ORENITRAM ORAL TABLET EXTENDED RELEASE | 3 | PA; LD; SP |
| PROSTIN VR INJECTION SOLUTION | 3 | |
| REMODULIN INJECTION SOLUTION 100 MG/20ML, 20 MG/20ML, 200 MG/20ML, 50 MG/20ML | 3 | PA; LD; SP |
| treprostinil injection solution | 3 | PA; LD; SP |
| TYVASO DPI INSTITUTIONAL KIT INHALATION POWDER | 3 | PA; QL; LD; SP |
| TYVASO DPI MAINTENANCE KIT INHALATION POWDER 16 MCG, 32 MCG, 48 MCG, 64 MCG | 3 | PA; QL; LD; SP |
| TYVASO DPI TITRATION KIT INHALATION POWDER 16 & 32 & 48 MCG | 3 | PA; QL; LD; SP |
| TYVASO INHALATION SOLUTION | 3 | PA; QL; LD; SP |
| TYVASO REFILL KIT INHALATION SOLUTION | 3 | PA; QL; LD; SP |

| Drug Name | Tier | Notes |
|--|------|----------------|
| TYVASO STARTER KIT | | |
| INHALATION SOLUTION | 3 | PA; QL; LD; SP |
| VELETRI | | |
| INTRAVENOUS SOLUTION RECONSTITUTED | 3 | PA; LD; SP |
| VENTAVIS INHALATION SOLUTION | 3 | PA; QL; LD; SP |
| YUTREPIA INHALATION CAPSULE | 3 | PA; QL; LD; SP |
| *Pulm Hyperten-Soluble Guanylate Cyclase Stimulator (Sgc)*** | | |
| ADEMPAS ORAL TABLET | 3 | PA; QL; LD; SP |
| *Pulmonary Hypertension - Activin Signaling Inhibitor*** | | |
| WINREVAIR SUBCUTANEOUS KIT | 3 | PA; QL; LD; SP |
| *Pulmonary Hypertension - Endothelin Receptor Antagonists*** | | |
| ambrisentan oral tablet | 3 | PA; QL; SP |
| bosentan oral tablet | 3 | PA; QL; LD; SP |
| OPSUMIT ORAL TABLET | 3 | PA; QL; LD; SP |
| TRACLEER ORAL TABLET SOLUBLE | 3 | PA; QL; LD; SP |
| *Pulmonary Hypertension - Phosphodiesterase Inhibitors*** | | |
| alyq oral tablet | 3 | PA; QL; SP |
| sildenafil citrate intravenous solution | 3 | PA; QL; SP |
| sildenafil citrate oral suspension reconstituted | 3 | PA; QL; SP |
| sildenafil citrate oral tablet 20 mg | 3 | PA; QL; SP |
| tadalafil (pah) oral tablet | 3 | PA; QL; SP |
| TADLIQ ORAL SUSPENSION | 3 | PA; QL; SP |
| *Pulmonary Hypertension - Prostacyclin Receptor Agonist*** | | |
| UPTRAVI INTRAVENOUS SOLUTION RECONSTITUTED | 3 | PA; QL; LD |

| Drug Name | Tier | Notes |
|---|----------|----------------|
| UPTRAVI ORAL TABLET | 3 | PA; QL; LD; SP |
| UPTRAVI TITRATION ORAL TABLET THERAPY PACK | 3 | PA; QL; LD; SP |
| *Selective Cgmp Phosphodiesterase Type 5 Inhibitors*** | | |
| sildenafil citrate oral tablet 100 mg, 25 mg, 50 mg | 1 or 1b* | PA |
| tadalafil oral tablet 10 mg, 20 mg | 1 or 1b* | PA |
| tadalafil oral tablet 2.5 mg, 5 mg | 1 or 1b* | PA; QL |
| vardenafil hcl oral tablet dispersible | 1 or 1b* | PA |
| *Septal Agents - Ablation** | | |
| ABLYSINOL INTRA- ARTERIAL SOLUTION | 3 | |
| dehydrated alcohol intra- arterial solution | 1 or 1b* | |
| *Sinus Node Inhibitors** | | |
| CORLANOR ORAL SOLUTION | 3 | PA |
| ivabradine hcl oral tablet | 1 or 1b* | PA |
| *Transthyretin Stabilizers*** | | |
| ATTRUBY ORAL TABLET THERAPY PACK | 3 | PA; QL; LD |
| VYNDAMAX ORAL CAPSULE | 3 | PA; QL; LD; SP |
| VYNDAQEL ORAL CAPSULE | 3 | PA; QL; LD; SP |
| *Vasoactive Soluble Guanylate Cyclase Stimulator (Sgc)*** | | |
| VERQUVO ORAL TABLET | 3 | PA; QL |
| *Cephalosporins* | | |
| *Cephalosporin Combinations*** | | |
| AVYCAZ INTRAVENOUS SOLUTION RECONSTITUTED | 3 | |
| ZERBAXA INTRAVENOUS SOLUTION RECONSTITUTED | 3 | |

| Drug Name | Tier | Notes |
|---|----------|-------|
| *Cephalosporins - 1St Generation*** | | |
| cefadroxil oral capsule | 1 or 1b* | |
| cefadroxil oral suspension reconstituted | 1 or 1b* | |
| cefadroxil oral tablet | 1 or 1b* | |
| cefazolin sodium injection solution reconstituted 1 gm, 10 gm, 2 gm, 3 gm, 500 mg | 1 or 1b* | |
| CEFAZOLIN SODIUM INJECTION SOLUTION RECONSTITUTED 100 GM, 300 GM | 3 | |
| cefazolin sodium intravenous solution reconstituted 1 gm | 1 or 1b* | |
| cefazolin sodium intravenous solution reconstituted 2 gm, 3 gm | 3 | |
| CEFAZOLIN SODIUM- DEXTROSE INTRAVENOUS SOLUTION 1-4 GM/50ML-%, 2-4 GM/100ML-% | 3 | |
| cefazolin sodium-dextrose intravenous solution 3-4 gm/150ml-% | 3 | |
| CEFAZOLIN SODIUM- DEXTROSE INTRAVENOUS SOLUTION RECONSTITUTED 1-4 GM-%(50ML), 2-3 GM- %(50ML) | 3 | |
| cefazolin sodium-dextrose intravenous solution reconstituted 3-2 gm- %(50ml) | 3 | |
| cephalexin oral capsule | 1 or 1a* | |
| cephalexin oral suspension reconstituted | 1 or 1a* | |
| cephalexin oral tablet | 1 or 1a* | |
| *Cephalosporins - 2Nd Generation*** | | |
| CEFACLOR ER ORAL TABLET EXTENDED RELEASE 12 HOUR | 3 | |
| cefaclor oral capsule | 1 or 1b* | |
| cefaclor oral suspension reconstituted 250 mg/5ml | 1 or 1b* | |
| CEFOTAN INJECTION SOLUTION RECONSTITUTED | 3 | |

| Drug Name | Tier | Notes |
|---|----------|-------|
| cefotetan disodium injection solution reconstituted 1 gm, 2 gm | 1 or 1b* | |
| cefoxitin sodium intravenous solution reconstituted | 1 or 1b* | |
| CEFOXITIN SODIUM- DEXTROSE INTRAVENOUS SOLUTION RECONSTITUTED 1-4 GM-%(50ML), 2-2.2 GM- %(50ML) | 3 | |
| cefprozil oral suspension reconstituted | 1 or 1b* | |
| cefprozil oral tablet | 1 or 1b* | |
| cefuroxime axetil oral tablet | 1 or 1b* | |
| cefuroxime sodium injection solution reconstituted 750 mg | 1 or 1b* | |
| cefuroxime sodium intravenous solution reconstituted 1.5 gm | 1 or 1b* | |
| *Cephalosporins - 3Rd Generation*** | | |
| cefdinir oral capsule | 1 or 1b* | |
| cefdinir oral suspension reconstituted | 1 or 1b* | |
| cefixime oral capsule | 1 or 1b* | |
| cefixime oral suspension reconstituted | 1 or 1b* | |
| cefotaxime sodium injection solution reconstituted 1 gm, 2 gm | 3 | |
| cefpodoxime proxetil oral suspension reconstituted | 1 or 1b* | |
| cefpodoxime proxetil oral tablet | 1 or 1b* | |
| ceftazidime injection solution reconstituted 1 gm, 6 gm | 1 or 1b* | |
| ceftazidime intravenous solution reconstituted | 1 or 1b* | |
| ceftriaxone sodium in dextrose intravenous solution | 1 or 1b* | |
| ceftriaxone sodium injection solution reconstituted 1 gm, 2 gm, 250 mg, 500 mg | 1 or 1b* | |
| CEFTRIAXONE SODIUM INJECTION SOLUTION RECONSTITUTED 100 GM | 3 | |
| ceftriaxone sodium intravenous solution reconstituted | 1 or 1b* | |

| Drug Name | Tier | Notes |
|--|----------|-------|
| CEFTRIAXONE SODIUM-DEXTROSE INTRAVENOUS SOLUTION RECONSTITUTED 1-3.74 GM-%(50ML), 2-2.22 GM- %(50ML) | 3 | |
| tazicef injection solution reconstituted 1 gm | 1 or 1b* | |
| TAZICEF INTRAVENOUS SOLUTION | 3 | |
| tazicef intravenous solution reconstituted | 1 or 1b* | |
| *Cephalosporins - 4Th Generation*** | | |
| cefepime hcl injection solution reconstituted 1 gm | 1 or 1b* | |
| CEFEPIME HCL INTRAVENOUS SOLUTION | 3 | |
| CEFEPIME HCL INTRAVENOUS SOLUTION RECONSTITUTED 100 GM | 3 | |
| cefepime hcl intravenous solution reconstituted 2 gm | 1 or 1b* | |
| CEFEPIME-DEXTROSE INTRAVENOUS SOLUTION RECONSTITUTED 1-5 GM-%(50ML), 2-5 GM- %(50ML) | 3 | |
| *Cephalosporins - 5Th Generation*** | | |
| TEFLARO INTRAVENOUS SOLUTION RECONSTITUTED | 3 | |
| ZEVTERA INTRAVENOUS SOLUTION RECONSTITUTED | 3 | |
| *Cephalosporins - Siderophores*** | | |
| FETROJA INTRAVENOUS SOLUTION RECONSTITUTED | 3 | |
| *Contraceptives* *Biphasic Contraceptives - | | |
| Oral*** azurette oral tablet | 1 or 1b* | \$0 |
| | | |

| Drug Name | Tier | Notes |
|--|----------|-------|
| desogestrel-ethinyl estradiol oral tablet 0.15-0.02/0.01 mg (21/5) | 1 or 1b* | \$0 |
| kariva oral tablet | 1 or 1b* | \$0 |
| LO LOESTRIN FE ORAL TABLET | 2 | \$0 |
| pimtrea oral tablet | 1 or 1b* | \$0 |
| simliya oral tablet | 1 or 1b* | \$0 |
| viorele oral tablet | 1 or 1b* | \$0 |
| volnea oral tablet | 1 or 1b* | \$0 |
| *Combination Contraceptives - Oral*** | | |
| afirmelle oral tablet | 1 or 1a* | \$0 |
| altavera oral tablet | 1 or 1a* | \$0 |
| alyacen 1/35 oral tablet | 1 or 1a* | \$0 |
| apri oral tablet | 1 or 1a* | \$0 |
| aubra eq oral tablet | 1 or 1a* | \$0 |
| aurovela 1.5/30 oral tablet | 1 or 1a* | \$0 |
| aurovela 1/20 oral tablet | 1 or 1a* | \$0 |
| aurovela 24 fe oral tablet | 1 or 1a* | \$0 |
| aurovela fe 1.5/30 oral tablet | 1 or 1a* | \$0 |
| aurovela fe 1/20 oral tablet | 1 or 1a* | \$0 |
| AVERI ORAL TABLET | 3 | \$0 |
| aviane oral tablet | 1 or 1a* | \$0 |
| ayuna oral tablet | 1 or 1a* | \$0 |
| balziva oral tablet | 1 or 1a* | \$0 |
| blisovi 24 fe oral tablet | 1 or 1a* | \$0 |
| blisovi fe 1.5/30 oral tablet | 1 or 1a* | \$0 |
| blisovi fe 1/20 oral tablet | 1 or 1a* | \$0 |
| briellyn oral tablet | 1 or 1a* | \$0 |
| charlotte 24 fe oral tablet chewable | 1 or 1a* | \$0 |
| chateal eq oral tablet | 1 or 1a* | \$0 |
| cryselle-28 oral tablet | 1 or 1a* | \$0 |
| cyred eq oral tablet | 1 or 1a* | \$0 |
| dasetta 1/35 (28) oral tablet | 1 or 1a* | \$0 |
| delyla oral tablet | 1 or 1a* | \$0 |
| drospiren-eth estrad- levomefol oral tablet | 1 or 1b* | \$0 |
| drospirenone-ethinyl estradiol oral tablet | 1 or 1b* | \$0 |
| elinest oral tablet | 1 or 1a* | \$0 |
| enskyce oral tablet 0.15-30 mg-mcg | 1 or 1a* | \$0 |
| estarylla oral tablet | 1 or 1a* | \$0 |

| Drug Name | Tier | Notes |
|---|----------|-------|
| ethynodiol diac-eth estradiol oral tablet | 1 or 1a* | \$0 |
| falmina oral tablet | 1 or 1a* | \$0 |
| FEIRZA 1.5/30 ORAL TABLET | 1 or 1a* | \$0 |
| FEIRZA 1/20 ORAL TABLET | 1 or 1a* | \$0 |
| FEMLYV ORAL TABLET DISPERSIBLE | 3 | \$0 |
| FINZALA ORAL TABLET CHEWABLE | 1 or 1a* | \$0 |
| GALBRIELA ORAL TABLET CHEWABLE | 1 or 1b* | \$0 |
| gemmily oral capsule | 1 or 1b* | \$0 |
| hailey 1.5/30 oral tablet | 1 or 1a* | \$0 |
| hailey 24 fe oral tablet | 1 or 1a* | \$0 |
| hailey fe 1.5/30 oral tablet | 1 or 1a* | \$0 |
| hailey fe 1/20 oral tablet | 1 or 1a* | \$0 |
| isibloom oral tablet | 1 or 1a* | \$0 |
| jasmiel oral tablet | 1 or 1b* | \$0 |
| JOYEAUX ORAL TABLET | 1 or 1b* | \$0 |
| juleber oral tablet | 1 or 1a* | \$0 |
| junel 1.5/30 oral tablet | 1 or 1a* | \$0 |
| junel 1/20 oral tablet | 1 or 1a* | \$0 |
| junel fe 1.5/30 oral tablet | 1 or 1a* | \$0 |
| junel fe 1/20 oral tablet | 1 or 1a* | \$0 |
| junel fe 24 oral tablet | 1 or 1a* | \$0 |
| kaitlib fe oral tablet chewable | 1 or 1b* | \$0 |
| kalliga oral tablet | 1 or 1a* | \$0 |
| kelnor 1/35 oral tablet | 1 or 1a* | \$0 |
| kelnor 1/50 oral tablet | 1 or 1a* | \$0 |
| kurvelo oral tablet | 1 or 1a* | \$0 |
| larin 1.5/30 oral tablet | 1 or 1a* | \$0 |
| larin 1/20 oral tablet | 1 or 1a* | \$0 |
| larin 24 fe oral tablet | 1 or 1a* | \$0 |
| larin fe 1.5/30 oral tablet | 1 or 1a* | \$0 |
| larin fe 1/20 oral tablet | 1 or 1a* | \$0 |
| lessina oral tablet | 1 or 1a* | \$0 |
| levonorgest-eth estradiol-iron oral tablet | 1 or 1b* | \$0 |
| levonorgestrel-ethinyl estrad oral tablet 0.1-20 mg-mcg, 0.15-30 mg-mcg | 1 or 1a* | \$0 |
| levora 0.15/30 (28) oral tablet | 1 or 1a* | \$0 |

| Drug Name | Tier | Notes |
|--|----------|-------|
| loestrin 1.5/30 (21) oral tablet | 1 or 1a* | \$0 |
| loestrin 1/20 (21) oral tablet | 1 or 1a* | \$0 |
| loestrin fe 1.5/30 oral tablet | 1 or 1a* | \$0 |
| loestrin fe 1/20 oral tablet | 1 or 1a* | \$0 |
| loryna oral tablet | 1 or 1b* | \$0 |
| low-ogestrel oral tablet | 1 or 1a* | \$0 |
| lo-zumandimine oral tablet | 1 or 1b* | \$0 |
| lutera oral tablet | 1 or 1a* | \$0 |
| marlissa oral tablet | 1 or 1a* | \$0 |
| merzee oral capsule | 1 or 1b* | \$0 |
| MIBELAS 24 FE ORAL TABLET CHEWABLE | 1 or 1a* | \$0 |
| microgestin 1.5/30 oral tablet | 1 or 1a* | \$0 |
| microgestin 1/20 oral tablet | 1 or 1a* | \$0 |
| microgestin fe 1.5/30 oral tablet | 1 or 1a* | \$0 |
| microgestin fe 1/20 oral tablet | 1 or 1a* | \$0 |
| mili oral tablet | 1 or 1a* | \$0 |
| MINZOYA ORAL TABLET | 1 or 1b* | \$0 |
| mono-linyah oral tablet | 1 or 1a* | \$0 |
| necon 0.5/35 (28) oral tablet | 1 or 1a* | \$0 |
| nikki oral tablet | 1 or 1b* | \$0 |
| norethin ace-eth estrad-fe oral capsule | 1 or 1b* | \$0 |
| norethin ace-eth estrad-fe oral tablet 1-20 mg-mcg, 1.5- 30 mg-mcg | 1 or 1a* | \$0 |
| norethin ace-eth estrad-fe oral tablet chewable | 1 or 1a* | \$0 |
| norethindrone acet-ethinyl est oral tablet | 1 or 1a* | \$0 |
| norethin-eth estradiol-fe oral tablet chewable | 1 or 1b* | \$0 |
| norgestimate-eth estradiol oral tablet 0.25-35 mg-mcg | 1 or 1a* | \$0 |
| nortrel 0.5/35 (28) oral tablet | 1 or 1a* | \$0 |
| nortrel 1/35 (21) oral tablet | 1 or 1a* | \$0 |
| nortrel 1/35 (28) oral tablet | 1 or 1a* | \$0 |
| nylia 1/35 oral tablet | 1 or 1a* | \$0 |
| ocella oral tablet | 1 or 1b* | \$0 |
| philith oral tablet | 1 or 1a* | \$0 |
| portia-28 oral tablet | 1 or 1a* | \$0 |
| reclipsen oral tablet | 1 or 1a* | \$0 |
| sprintec 28 oral tablet | 1 or 1a* | \$0 |

| Drug Name | Tier | Notes |
|--|----------|-------|
| sronyx oral tablet | 1 or 1a* | \$0 |
| syeda oral tablet | 1 or 1b* | \$0 |
| tarina 24 fe oral tablet | 1 or 1a* | \$0 |
| tarina fe 1/20 eq oral tablet | 1 or 1a* | \$0 |
| taysofy oral capsule | 1 or 1b* | \$0 |
| TURQOZ ORAL TABLET | 1 or 1a* | \$0 |
| VALTYA 1/50 ORAL TABLET | 1 or 1a* | \$0 |
| vestura oral tablet | 1 or 1b* | \$0 |
| vienva oral tablet | 1 or 1a* | \$0 |
| vyfemla oral tablet | 1 or 1a* | \$0 |
| vylibra oral tablet | 1 or 1a* | \$0 |
| wera oral tablet | 1 or 1a* | \$0 |
| wymzya fe oral tablet chewable | 1 or 1b* | \$0 |
| XELRIA FE ORAL TABLET CHEWABLE | 1 or 1b* | \$0 |
| zovia 1/35 (28) oral tablet | 1 or 1a* | \$0 |
| zumandimine oral tablet | 1 or 1b* | \$0 |
| *Combination Contraceptives - Transdermal*** | | |
| norelgestromin-eth estradiol transdermal patch weekly | 1 or 1b* | \$0 |
| TWIRLA TRANSDERMAL PATCH WEEKLY | 3 | \$0 |
| xulane transdermal patch weekly | 1 or 1b* | \$0 |
| zafemy transdermal patch weekly | 1 or 1b* | \$0 |
| *Combination Contraceptives - Vaginal*** | | |
| ANNOVERA VAGINAL RING | 3 | \$0 |
| eluryng vaginal ring | 1 or 1b* | \$0 |
| ENILLORING VAGINAL RING | 1 or 1b* | \$0 |
| etonogestrel-ethinyl estradiol vaginal ring | 1 or 1b* | \$0 |
| HALOETTE VAGINAL RING | 1 or 1b* | \$0 |
| *Continuous Contraceptives - Oral*** | | |
| amethyst oral tablet | 1 or 1b* | \$0 |
| dolishale oral tablet | 1 or 1b* | \$0 |
| levonorgestrel-ethinyl estrad oral tablet 90-20 mcg | 1 or 1b* | \$0 |

| Tier | Notes | |
|--|--|--|
| *Copper Contraceptives - Iud*** | | |
| 3 | LD; \$0 | |
| 3 | LD; \$0 | |
| | | |
| 3 | \$0 | |
| | | |
| 1 or 1b* | \$0 | |
| *Progestin Contraceptives - Implants*** | | |
| 3 | LD; SP; \$0 | |
| *Progestin Contraceptives - Injectable*** | | |
| 3 | \$0 | |
| 3 | \$0 | |
| | 3 1 or 1b* 3 3 3 | |

| Drug Name | Tier | Notes |
|--|----------|-------------|
| DEPO-SUBQ PROVERA 104 SUBCUTANEOUS SUSPENSION PREFILLED SYRINGE | 3 | \$0 |
| medroxyprogesterone acetate intramuscular suspension | 1 or 1b* | \$0 |
| medroxyprogesterone acetate intramuscular suspension prefilled syringe | 1 or 1b* | \$0 |
| *Progestin Contraceptives - Iud*** | | |
| KYLEENA INTRAUTERINE INTRAUTERINE DEVICE | 3 | LD; SP; \$0 |
| LILETTA (52 MG) INTRAUTERINE INTRAUTERINE DEVICE 20.1 MCG/DAY | 3 | LD; SP; \$0 |
| MIRENA (52 MG) INTRAUTERINE INTRAUTERINE DEVICE 20 MCG/DAY | 3 | LD; SP; \$0 |
| SKYLA INTRAUTERINE INTRAUTERINE DEVICE | 3 | LD; SP; \$0 |
| *Progestin Contraceptives - Oral*** | | |
| camila oral tablet | 1 or 1b* | \$0 |
| deblitane oral tablet | 1 or 1b* | \$0 |
| EMZAHH ORAL TABLET | 1 or 1b* | \$0 |
| errin oral tablet | 1 or 1b* | \$0 |
| heather oral tablet | 1 or 1b* | \$0 |
| incassia oral tablet | 1 or 1b* | \$0 |
| jencycla oral tablet | 1 or 1b* | \$0 |
| lyleq oral tablet | 1 or 1b* | \$0 |
| lyza oral tablet | 1 or 1b* | \$0 |
| MELEYA ORAL TABLET | 1 or 1b* | \$0 |
| nora-be oral tablet | 1 or 1b* | \$0 |
| norethindrone oral tablet | 1 or 1b* | \$0 |
| norlyroc oral tablet | 1 or 1b* | \$0 |
| ORQUIDEA ORAL TABLET | 1 or 1b* | \$0 |
| sharobel oral tablet | 1 or 1b* | \$0 |
| SLYND ORAL TABLET | 3 | \$0 |
| *Triphasic Contraceptives - Oral*** | | |
| alyacen 7/7/7 oral tablet | 1 or 1a* | \$0 |
| | 1 or 1a* | \$0 |

| Drug Name | Tier | Notes |
|--|----------|--------|
| dasetta 7/7/7 oral tablet | 1 or 1a* | \$0 |
| enpresse-28 oral tablet | 1 or 1a* | \$0 |
| leena oral tablet | 1 or 1a* | \$0 |
| levonest oral tablet | 1 or 1a* | \$0 |
| levonorg-eth estrad triphasic oral tablet 50-30/75-40/ 125- 30 mcg | 1 or 1a* | \$0 |
| norethindron-ethinyl estrad- fe oral tablet | 1 or 1b* | \$0 |
| norgestim-eth estrad triphasic oral tablet | 1 or 1b* | \$0 |
| nortrel 7/7/7 oral tablet | 1 or 1a* | \$0 |
| nylia 7/7/7 oral tablet | 1 or 1a* | \$0 |
| tilia fe oral tablet | 1 or 1b* | \$0 |
| tri-estarylla oral tablet | 1 or 1b* | \$0 |
| tri-legest fe oral tablet | 1 or 1b* | \$0 |
| tri-linyah oral tablet | 1 or 1b* | \$0 |
| tri-lo-estarylla oral tablet | 1 or 1b* | \$0 |
| tri-lo-marzia oral tablet | 1 or 1b* | \$0 |
| tri-lo-mili oral tablet | 1 or 1b* | \$0 |
| tri-lo-sprintec oral tablet | 1 or 1b* | \$0 |
| tri-mili oral tablet | 1 or 1b* | \$0 |
| tri-sprintec oral tablet | 1 or 1b* | \$0 |
| tri-vylibra lo oral tablet | 1 or 1b* | \$0 |
| tri-vylibra oral tablet | 1 or 1b* | \$0 |
| velivet oral tablet | 1 or 1a* | \$0 |
| XARAH FE ORAL TABLET | 1 or 1b* | \$0 |
| *Corticosteroids* | | |
| *Glucocorticosteroids*** | | |
| ALKINDI SPRINKLE ORAL CAPSULE SPRINKLE | 3 | PA; LD |
| budesonide er oral tablet extended release 24 hour | 1 or 1b* | QL |
| budesonide oral capsule delayed release particles | 1 or 1b* | QL |
| CORTEF ORAL TABLET | 3 | |
| DEPO-MEDROL INJECTION SUSPENSION | 3 | |
| dexameth sod phos (pf) +rfid injection solution prefilled syringe | 1 or 1b* | |
| DEXAMETHASONE INTENSOL ORAL CONCENTRATE | 2 | |
| dexamethasone oral elixir | 1 or 1a* | |

| Drug Name | Tier | Notes |
|--|----------|--------|
| dexamethasone oral solution | 1 or 1a* | |
| dexamethasone oral tablet | 1 or 1a* | |
| dexamethasone oral tablet therapy pack | 1 or 1b* | |
| dexamethasone sod phos +rfid injection solution prefilled syringe | 1 or 1b* | |
| dexamethasone sod phosphate pf injection solution | 1 or 1b* | |
| DEXAMETHASONE SOD PHOSPHATE PF INJECTION SOLUTION PREFILLED SYRINGE | 1 or 1b* | |
| dexamethasone sodium phosphate injection solution 100 mg/10ml, 120 mg/30ml, 20 mg/5ml | 1 or 1b* | |
| DEXAMETHASONE SODIUM PHOSPHATE INJECTION SOLUTION PREFILLED SYRINGE | 1 or 1b* | |
| HEMADY ORAL TABLET | 3 | PA; QL |
| HEXATRIONE INTRA- ARTICULAR SUSPENSION | 3 | |
| hidex 6-day oral tablet therapy pack | 1 or 1b* | |
| hydrocortisone oral tablet | 1 or 1b* | |
| hydrocortisone sod suc (pf) injection solution reconstituted | 1 or 1b* | |
| KENALOG-10 INJECTION SUSPENSION | 3 | |
| KENALOG-40 INJECTION SUSPENSION | 3 | |
| KENALOG-80 INJECTION SUSPENSION | 3 | |
| MEDROL ORAL TABLET 16 MG, 4 MG, 8 MG | 3 | |
| MEDROL ORAL TABLET 2 MG | 2 | |
| MEDROL ORAL TABLET THERAPY PACK | 3 | |
| methylprednisolone oral tablet | 1 or 1a* | |

| Drug Name | Tier | Notes |
|--|----------|------------|
| methylprednisolone oral tablet therapy pack | 1 or 1a* | |
| methylprednisolone sodium succ injection solution reconstituted 1000 mg, 125 mg, 40 mg, 500 mg | 1 or 1b* | |
| ORAPRED ODT ORAL TABLET DISPERSIBLE | 3 | QL |
| PEDIAPRED ORAL SOLUTION | 3 | |
| prednisolone oral solution | 1 or 1a* | |
| prednisolone oral tablet | 1 or 1b* | |
| prednisolone sodium phosphate oral solution 10 mg/5ml, 15 mg/5ml, 20 mg/5ml, 25 mg/5ml, 5 mg/5ml | 1 or 1a* | |
| prednisolone sodium phosphate oral tablet dispersible | 1 or 1a* | QL |
| PREDNISONE INTENSOL ORAL CONCENTRATE | 3 | |
| prednisone oral solution | 1 or 1a* | |
| prednisone oral tablet | 1 or 1a* | |
| prednisone oral tablet therapy pack | 1 or 1a* | |
| SOLU-CORTEF INJECTION SOLUTION RECONSTITUTED | 3 | |
| SOLU-MEDROL (PF) INJECTION SOLUTION RECONSTITUTED | 3 | |
| SOLU-MEDROL INJECTION SOLUTION RECONSTITUTED 1000 MG, 2 GM, 500 MG | 3 | |
| taperdex 12-day oral tablet therapy pack | 1 or 1b* | |
| taperdex 6-day oral tablet therapy pack | 1 or 1b* | |
| taperdex 7-day oral tablet therapy pack 1.5 mg (27) | 1 or 1b* | |
| TARPEYO ORAL CAPSULE DELAYED RELEASE | 3 | PA; QL; LD |
| UCERIS ORAL TABLET EXTENDED RELEASE 24 HOUR | 3 | QL |
| ZILRETTA INTRA- ARTICULAR SUSPENSION RECONSTITUTED ER | 3 | PA; QL; LD |

| Drug Name | Tier | Notes |
|--|----------|--------|
| *Mineralocorticoids*** | | |
| fludrocortisone acetate oral tablet | 1 or 1b* | |
| *Steroid Combinations*** | | |
| CELESTONE SOLUSPAN INJECTION SUSPENSION | 3 | |
| *Cough/Cold/Allergy* | | |
| *Antitussive - Nonnarcotic*** | | |
| benzonatate oral capsule | 1 or 1b* | |
| *Antitussive - Opioid*** | | |
| HYCODAN ORAL SOLUTION | 3 | QL; AL |
| HYCODAN ORAL TABLET | 3 | PA; QL |
| hydrocodone bit-homatrop mbr oral solution | 1 or 1a* | QL; AL |
| hydrocodone bit-homatrop mbr oral tablet | 1 or 1a* | PA; QL |
| hydromet oral solution | 1 or 1a* | QL; AL |
| *Decongestant & Antihistamine*** | | |
| CLARINEX-D 12 HOUR ORAL TABLET EXTENDED RELEASE 12 HOUR | 3 | ST; QL |
| promethazine-phenylephrine oral syrup | 1 or 1b* | QL |
| *Misc. Respiratory Inhalants*** | | |
| HYPERSAL INHALATION NEBULIZATION SOLUTION 7 % | 3 | |
| NEBUSAL INHALATION NEBULIZATION SOLUTION 3 % | 1 or 1b* | |
| PULMOSAL INHALATION NEBULIZATION SOLUTION | 1 or 1b* | |
| sodium chloride inhalation nebulization solution 0.9 %, 10 %, 3 %, 7 % | 1 or 1b* | |
| *Mucolytics*** | | |
| acetylcysteine inhalation solution | 1 or 1b* | |
| *Non-Narc Antitussive- Antihistamine*** | | |
| promethazine-dm oral syrup | 1 or 1a* | QL |

| Drug Name | Tier | Notes |
|---|----------|--------|
| *Non-Narc Antitussive- | | |
| Decongestant- Antihistamine*** | | |
| bromphen-pseudoeph-dm oral syrup | 1 or 1b* | |
| pseudoeph-bromphen-dm oral syrup 30-2-10 mg/5ml | 1 or 1b* | |
| *Opioid Antitussive- Antihistamine*** | | |
| hydrocod poli-chlorphe poli er oral suspension extended release | 1 or 1b* | QL; AL |
| promethazine-codeine oral solution | 1 or 1a* | QL; AL |
| TUXARIN ER ORAL TABLET EXTENDED RELEASE 12 HOUR | 3 | QL; AL |
| *Dermatologicals* | | |
| *Acne Antibiotics*** | | |
| CLEOCIN-T EXTERNAL LOTION | 3 | ST; QL |
| clindacin etz external swab | 1 or 1b* | QL |
| CLINDACIN EXTERNAL FOAM | 1 or 1b* | QL |
| clindacin-p external swab | 1 or 1b* | QL |
| clindamycin phos (once- daily) external gel | 1 or 1b* | QL |
| clindamycin phos (twice-daily) external gel | 1 or 1b* | QL |
| clindamycin phosphate external foam | 1 or 1b* | QL |
| clindamycin phosphate external lotion | 1 or 1b* | QL |
| clindamycin phosphate external solution | 1 or 1b* | QL |
| clindamycin phosphate external swab | 1 or 1b* | QL |
| dapsone external gel | 3 | ST; QL |
| ery external pad | 1 or 1b* | QL |
| ERYGEL EXTERNAL GEL | 3 | QL |
| erythromycin external gel | 1 or 1b* | QL |
| erythromycin external solution | 1 or 1b* | QL |
| KLARON EXTERNAL LOTION | 3 | |
| sulfacetamide sodium (acne) external lotion | 1 or 1b* | |

| Drug Name | Tier | Notes |
|--|----------|--------|
| *Acne Combinations*** | | |
| adapalene-benzoyl peroxide external gel | 1 or 1b* | PA; QL |
| benzoyl peroxide- erythromycin external gel | 1 or 1b* | QL |
| clindamycin phos-benzoyl perox external gel 1-5 %, 1.2-2.5 %, 1.2-3.75 %, 1.2-5 % | 1 or 1b* | QL |
| clindamycin-tretinoin external gel | 3 | PA; QL |
| neuac external gel | 1 or 1b* | QL |
| *Acne Products*** | | |
| ABSORICA LD ORAL CAPSULE | 3 | PA |
| ABSORICA ORAL CAPSULE | 3 | PA |
| accutane oral capsule | 2 | PA |
| adapalene external cream | 1 or 1b* | PA; QL |
| adapalene external gel | 1 or 1b* | PA; QL |
| adapalene external pad | 1 or 1b* | PA; QL |
| amnesteem oral capsule 10 mg, 20 mg, 40 mg | 2 | PA |
| AMNESTEEM ORAL CAPSULE 30 MG | 2 | PA |
| claravis oral capsule | 2 | PA |
| isotretinoin oral capsule | 2 | PA |
| RETIN-A MICRO EXTERNAL GEL | 3 | PA; QL |
| RETIN-A MICRO PUMP EXTERNAL GEL | 3 | PA; QL |
| tretinoin external cream | 1 or 1b* | PA; QL |
| tretinoin external gel | 1 or 1b* | PA; QL |
| tretinoin microsphere external gel | 1 or 1b* | PA; QL |
| tretinoin microsphere pump external gel 0.04 %, 0.1 % | 1 or 1b* | PA; QL |
| tretinoin microsphere pump external gel 0.08 % | 1 or 1b* | |
| WINLEVI EXTERNAL CREAM | 2 | PA; QL |
| zenatane oral capsule | 2 | PA |
| *Agents For External Genital And Perianal Warts*** | | |
| VEREGEN EXTERNAL OINTMENT | 3 | ST; QL |

| Drug Name | Tier | Notes |
|--|----------|--------|
| *Agents For Facial Wrinkles - Retinoids*** | | 1 |
| RENOVA EXTERNAL CREAM | 3 | PA; QL |
| RENOVA PUMP EXTERNAL CREAM | 3 | PA; QL |
| *Antibiotic Steroid Combinations - Topical*** | | |
| NEO-SYNALAR EXTERNAL CREAM | 3 | |
| *Antibiotics - Topical*** | | |
| gentamicin sulfate external cream | 1 or 1b* | QL |
| gentamicin sulfate external ointment | 1 or 1b* | QL |
| mupirocin external ointment | 1 or 1b* | QL |
| *Antifungals - Topical Combinations*** | | |
| CLOBEZIN EXTERNAL THERAPY PACK | 3 | |
| clotrimazole-betamethasone external cream | 1 or 1b* | QL |
| clotrimazole-betamethasone external lotion | 1 or 1b* | QL |
| FUNGIMEZ EXTERNAL SOLUTION | 3 | |
| miconazole-zinc oxide- petrolat external ointment | 1 or 1b* | QL |
| nystatin-triamcinolone external cream | 1 or 1b* | QL |
| nystatin-triamcinolone external ointment | 1 or 1b* | QL |
| VUSION EXTERNAL OINTMENT | 3 | QL |
| *Antifungals - Topical*** | | |
| ciclodan external solution | 1 or 1b* | QL |
| ciclopirox external gel | 1 or 1b* | QL |
| ciclopirox external shampoo | 1 or 1b* | QL |
| ciclopirox external solution | 1 or 1b* | QL |
| ciclopirox olamine external cream | 1 or 1b* | QL |
| ciclopirox olamine external suspension | 1 or 1b* | QL |
| KLAYESTA EXTERNAL POWDER | 1 or 1b* | QL |
| naftifine hcl external cream | 1 or 1b* | ST; QL |
| naftifine hcl external gel 2 % | 1 or 1b* | ST; QL |
| NAFTIN EXTERNAL GEL 2 % | 3 | ST; QL |

| Drug Name | Tier | Notes |
|---|----------|----------------|
| nyamyc external powder | 1 or 1b* | QL |
| nystatin external cream | 1 or 1b* | QL |
| nystatin external ointment | 1 or 1b* | QL |
| nystatin external powder | 1 or 1b* | QL |
| nystop external powder | 1 or 1b* | QL |
| *Anti-Inflammatory Agents - Topical*** | | |
| diclofenac sodium external gel 1 % | 1 or 1b* | QL; BE |
| *Antineoplastic Alkylating Agents - Topical*** | | |
| VALCHLOR EXTERNAL GEL | 3 | PA; QL; LD |
| *Antineoplastic Antimetabolites - Topical*** | | |
| fluorouracil external cream 0.5 % | 3 | ST; QL |
| fluorouracil external cream 5 % | 1 or 1b* | QL; AL |
| fluorouracil external solution | 1 or 1b* | QL; AL |
| TOLAK EXTERNAL CREAM | 3 | ST; QL |
| *Antineoplastic Or Premalignant Lesions - Topical Nsaid's*** | | |
| diclofenac sodium external gel 3 % | 1 or 1b* | PA; QL |
| *Antineoplastic Retinoids - Topical*** | | |
| PANRETIN EXTERNAL GEL | 3 | SP |
| *Antipruritics - Topical*** | | |
| doxepin hcl external cream | 1 or 1b* | PA; QL |
| *Antipsoriatics - Systemic*** | | |
| acitretin oral capsule | 1 or 1b* | QL |
| COSENTYX (300 MG DOSE) SUBCUTANEOUS SOLUTION PREFILLED SYRINGE | 3 | PA; QL; LD; SP |
| COSENTYX SENSOREADY (300 MG) SUBCUTANEOUS SOLUTION AUTO- INJECTOR | 3 | PA; QL; LD; SP |
| COSENTYX SENSOREADY PEN SUBCUTANEOUS SOLUTION AUTO- INJECTOR 150 MG/ML | 3 | PA; QL; LD; SP |

| Drug Name | Tier | Notes |
|---|----------|----------------|
| COSENTYX SUBCUTANEOUS SOLUTION PREFILLED SYRINGE | 3 | PA; QL; LD; SP |
| COSENTYX UNOREADY SUBCUTANEOUS SOLUTION AUTO- INJECTOR | 3 | PA; QL; LD; SP |
| methoxsalen rapid oral capsule | 1 or 1b* | SP |
| SELARSDI SUBCUTANEOUS SOLUTION PREFILLED SYRINGE | 3 | PA; QL; SP |
| SKYRIZI PEN SUBCUTANEOUS SOLUTION AUTO- INJECTOR | 3 | PA; QL; SP |
| SKYRIZI SUBCUTANEOUS SOLUTION PREFILLED SYRINGE | 3 | PA; QL; SP |
| SPEVIGO INTRAVENOUS SOLUTION | 3 | PA; QL; LD |
| SPEVIGO SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 150 MG/ML | 3 | PA; QL; LD |
| SPEVIGO SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 300 MG/2ML | 3 | PA; QL |
| TREMFYA ONE-PRESS SUBCUTANEOUS SOLUTION AUTO- INJECTOR | 3 | PA; QL; SP |
| TREMFYA PEN SUBCUTANEOUS SOLUTION AUTO- INJECTOR 100 MG/ML | 3 | PA; QL; SP |
| TREMFYA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 100 MG/ML | 3 | PA; QL; SP |
| *Antipsoriatics*** | | |
| calcipotriene external cream | 1 or 1b* | QL |
| calcipotriene external foam | 1 or 1b* | ST; QL |
| calcipotriene external ointment | 1 or 1b* | QL |
| calcipotriene external solution | 1 or 1b* | QL |
| calcitrene external ointment | 1 or 1b* | QL |
| calcitriol external ointment | 1 or 1b* | QL |

| Drug Name | Tier | Notes |
|--|----------|----------------|
| tazarotene external cream | 1 or 1b* | QL |
| tazarotene external gel | 1 or 1b* | QL |
| TAZORAC EXTERNAL GEL | 3 | QL |
| *Antiseborrheic Products*** | | |
| selenium sulfide external lotion | 1 or 1a* | QL |
| *Antiviral Topical Combinations*** | | |
| XERESE EXTERNAL CREAM | 3 | PA; QL |
| *Antivirals - Topical*** | | |
| acyclovir external cream | 1 or 1b* | PA; QL |
| acyclovir external ointment | 1 or 1b* | QL |
| DENAVIR EXTERNAL CREAM | 3 | PA; QL |
| penciclovir external cream | 1 or 1b* | PA; QL |
| ZOVIRAX EXTERNAL OINTMENT | 3 | QL |
| *Atopic Dermatitis - Janus Kinase (Jak) Inhibitors*** | | |
| OPZELURA EXTERNAL CREAM | 3 | PA; QL |
| *Atopic Dermatitis - Monoclonal Antibodies*** | | |
| DUPIXENT SUBCUTANEOUS SOLUTION AUTO- INJECTOR | 3 | PA; SP |
| DUPIXENT SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 200 MG/1.14ML, 300 MG/2ML | 3 | PA; SP |
| EBGLYSS SUBCUTANEOUS SOLUTION AUTO- INJECTOR | 3 | PA; QL; LD; SP |
| EBGLYSS SUBCUTANEOUS SOLUTION PREFILLED SYRINGE | 3 | PA; QL; LD; SP |
| *Burn Products*** | | |
| SILVADENE EXTERNAL CREAM | 3 | |
| silver sulfadiazine external cream | 1 or 1a* | |
| ssd external cream | 1 or 1a* | |
| SULFAMYLON EXTERNAL CREAM | 3 | |

| Drug Name | Tier | Notes |
|--|----------|--------|
| *Corticosteroids - Topical*** | | |
| ala-cort external cream 1 % | 1 or 1a* | QL |
| alclometasone dipropionate external cream | 1 or 1b* | QL |
| alclometasone dipropionate external ointment | 1 or 1b* | QL |
| amcinonide external cream | 3 | QL |
| betamethasone dipropionate aug external cream | 1 or 1b* | QL |
| betamethasone dipropionate aug external gel | 1 or 1b* | QL |
| betamethasone dipropionate aug external lotion | 1 or 1b* | QL |
| betamethasone dipropionate aug external ointment | 1 or 1b* | QL |
| betamethasone dipropionate external cream | 1 or 1b* | QL |
| betamethasone dipropionate external lotion | 1 or 1b* | QL |
| betamethasone dipropionate external ointment | 1 or 1b* | QL |
| betamethasone valerate external cream | 1 or 1b* | QL |
| betamethasone valerate external foam | 3 | ST; QL |
| betamethasone valerate external lotion | 1 or 1b* | QL |
| betamethasone valerate external ointment | 1 or 1b* | QL |
| clobetasol propionate e external cream | 1 or 1b* | QL |
| clobetasol propionate emulsion external foam | 1 or 1b* | QL |
| clobetasol propionate external cream 0.05 % | 1 or 1b* | QL |
| clobetasol propionate external foam | 1 or 1b* | QL |
| clobetasol propionate external gel | 1 or 1b* | QL |
| clobetasol propionate external liquid | 1 or 1b* | QL |
| clobetasol propionate external lotion | 1 or 1b* | QL |
| clobetasol propionate external ointment | 1 or 1b* | QL |
| clobetasol propionate external shampoo | 1 or 1b* | QL |
| clobetasol propionate external solution | 1 or 1b* | QL |

| Drug Name | Tier | Notes |
|---|----------|--------|
| clocortolone pivalate external cream | 3 | ST; QL |
| clodan external shampoo | 1 or 1b* | QL |
| desonide external cream | 1 or 1b* | QL |
| desonide external gel | 1 or 1b* | QL |
| desonide external lotion | 1 or 1b* | QL |
| desonide external ointment | 1 or 1b* | QL |
| desoximetasone external cream | 3 | ST; QL |
| desoximetasone external gel | 3 | ST; QL |
| desoximetasone external liquid | 3 | ST; QL |
| desoximetasone external ointment | 3 | ST; QL |
| diflorasone diacetate external cream | 3 | ST; QL |
| diflorasone diacetate external ointment | 3 | ST; QL |
| fluocinolone acetonide body external oil | 1 or 1b* | QL |
| fluocinolone acetonide external cream | 1 or 1b* | QL |
| fluocinolone acetonide external ointment | 1 or 1b* | QL |
| fluocinolone acetonide external solution | 1 or 1b* | QL |
| fluocinolone acetonide scalp external oil | 1 or 1b* | QL |
| fluocinonide emulsified base external cream | 1 or 1b* | QL |
| fluocinonide external cream | 1 or 1b* | QL |
| fluocinonide external gel | 1 or 1b* | QL |
| fluocinonide external ointment | 1 or 1b* | QL |
| fluocinonide external solution | 1 or 1b* | QL |
| flurandrenolide external lotion | 3 | ST; QL |
| fluticasone propionate external cream | 1 or 1b* | QL |
| fluticasone propionate external lotion | 1 or 1b* | QL |
| fluticasone propionate external ointment | 1 or 1b* | QL |
| halcinonide external cream | 3 | ST; QL |
| halobetasol propionate external cream | 1 or 1b* | QL |
| halobetasol propionate external ointment | 1 or 1b* | QL |

| Drug Name | Tier | Notes |
|---|----------|--------|
| hydrocortisone butyrate external cream | 3 | ST; QL |
| hydrocortisone butyrate external lotion | 3 | ST; QL |
| hydrocortisone butyrate external ointment | 3 | ST; QL |
| hydrocortisone butyrate external solution | 3 | ST; QL |
| hydrocortisone external cream 2.5 % | 1 or 1a* | QL |
| hydrocortisone external lotion 2.5 % | 1 or 1a* | QL |
| hydrocortisone external ointment 2.5 % | 1 or 1a* | QL |
| hydrocortisone valerate external cream | 3 | ST; QL |
| hydrocortisone valerate external ointment | 3 | ST; QL |
| mometasone furoate external cream | 1 or 1b* | QL |
| mometasone furoate external ointment | 1 or 1b* | QL |
| mometasone furoate external solution | 1 or 1b* | QL |
| tovet external foam | 1 or 1b* | QL |
| triamcinolone acetonide external aerosol solution | 3 | ST; QL |
| triamcinolone acetonide external cream | 1 or 1a* | QL |
| triamcinolone acetonide external lotion | 1 or 1a* | QL |
| triamcinolone acetonide external ointment 0.025 %, 0.1 %, 0.5 % | 1 or 1a* | QL |
| triamcinolone acetonide external ointment 0.05 % | 3 | ST; QL |
| triamcinolone in absorbase external ointment | 3 | ST; QL |
| triderm external cream 0.5 % | 1 or 1a* | QL |
| *Depigmenting Combinations*** | | |
| TRI-LUMA EXTERNAL CREAM | 3 | |
| *Enzymes - Topical*** | | |
| NEXOBRID EXTERNAL GEL | 3 | PA; QL |
| SANTYL EXTERNAL OINTMENT | 3 | PA; QL |

| Drug Name | Tier | Notes |
|--|----------|--------|
| *Glabellar Lines (Frown Lines) Agents*** | | |
| BOTOX COSMETIC INTRAMUSCULAR SOLUTION RECONSTITUTED | 3 | PA |
| DAXXIFY INTRAMUSCULAR SOLUTION RECONSTITUTED | 3 | PA; LD |
| JEUVEAU INTRAMUSCULAR SOLUTION RECONSTITUTED | 3 | |
| *Imidazole-Related Antifungals - Topical*** | | |
| clotrimazole external cream | 1 or 1b* | QL |
| econazole nitrate external cream | 1 or 1b* | QL |
| ECOZA EXTERNAL FOAM | 3 | ST; QL |
| ERTACZO EXTERNAL CREAM | 3 | ST; QL |
| EXELDERM EXTERNAL CREAM | 3 | ST; QL |
| EXELDERM EXTERNAL SOLUTION | 3 | ST; QL |
| JUBLIA EXTERNAL SOLUTION | 3 | QL |
| ketoconazole external cream | 1 or 1b* | QL |
| ketoconazole external foam | 3 | QL |
| ketoconazole external shampoo 2 % | 1 or 1b* | QL |
| ketodan external foam | 3 | QL |
| luliconazole external cream | 1 or 1b* | ST; QL |
| LUZU EXTERNAL CREAM | 3 | ST; QL |
| oxiconazole nitrate external cream | 3 | ST; QL |
| OXISTAT EXTERNAL LOTION | 3 | ST; QL |
| sulconazole nitrate external cream | 1 or 1b* | ST; QL |
| sulconazole nitrate external solution | 1 or 1b* | ST; QL |
| *Immunomodulators Imidazoquinolinamines - Topical*** | | |
| imiquimod external cream | 1 or 1b* | QL |
| imiquimod pump external cream | 1 or 1b* | ST; QL |

| Drug Name | Tier | Notes |
|---|----------|------------|
| ZYCLARA EXTERNAL CREAM | 3 | ST; QL |
| ZYCLARA PUMP EXTERNAL CREAM | 3 | ST; QL |
| *Keratolytic/Antimitotic/V esicant Agents*** | | |
| CONDYLOX EXTERNAL GEL | 3 | ST; QL |
| podofilox external gel | 1 or 1b* | QL |
| podofilox external solution | 1 or 1b* | QL |
| YCANTH EXTERNAL SOLUTION | 3 | PA; QL; LD |
| *Liniments*** | | |
| TURPENTINE EXTERNAL SPIRIT | 3 | |
| *Local Anesthetics - Topical*** | | |
| dyclopro external solution | 3 | |
| glydo external prefilled syringe | 1 or 1b* | |
| lidocaine external ointment 5 % | 1 or 1b* | QL |
| lidocaine external patch 5 % | 1 or 1b* | PA; QL |
| lidocaine hcl external solution | 1 or 1b* | QL |
| lidocaine hcl urethral/mucosal external gel | 1 or 1b* | |
| lidocaine hcl urethral/mucosal external prefilled syringe | 1 or 1b* | |
| TRIDACAINE II EXTERNAL PATCH | 1 or 1b* | PA; QL |
| TRIDACAINE III EXTERNAL PATCH | 1 or 1b* | PA; QL |
| ZTLIDO EXTERNAL PATCH | 2 | PA; QL |
| *Macrolide Immunosuppressants - Topical*** | | |
| HYFTOR EXTERNAL GEL | 3 | PA; QL; LD |
| pimecrolimus external cream | 1 or 1b* | ST; QL |
| tacrolimus external ointment | 1 or 1b* | ST; QL |
| *Melanocortin Receptor Agonists (Uv Protective)*** | | |
| SCENESSE SUBCUTANEOUS IMPLANT | 3 | PA; QL; LD |

| Drug Name | Tier | Notes |
|---|----------|--------|
| *Microtubule Inhibitors - Topical*** | | |
| KLISYRI (250 MG) EXTERNAL OINTMENT | 3 | ST; QL |
| KLISYRI (350 MG) EXTERNAL OINTMENT | 3 | ST; QL |
| *Misc. Dermatological Products*** | | |
| ILIDERM EXTERNAL EMULSION | 3 | |
| *Misc. Topical*** | | |
| QBREXZA EXTERNAL PAD | 3 | PA; QL |
| *Oxaborole-Related Antifungals - Topical*** | | |
| tavaborole external solution | 1 or 1b* | ST; QL |
| *Phosphodiesterase 4 (Pde4) Inhibitors - Topical*** | | |
| EUCRISA EXTERNAL OINTMENT | 3 | ST; QL |
| *Photodynamic Therapy Agents - Topical*** | | |
| AMELUZ EXTERNAL GEL | 3 | |
| LEVULAN KERASTICK EXTERNAL SOLUTION RECONSTITUTED | 3 | |
| *Prostaglandins - Topical*** | | |
| bimatoprost external solution | 1 or 1b* | |
| LATISSE EXTERNAL SOLUTION | 3 | |
| *Rosacea Agents*** | | |
| azelaic acid external gel | 1 or 1b* | QL |
| brimonidine tartrate external gel | 1 or 1b* | QL |
| FINACEA EXTERNAL FOAM | 2 | QL |
| ivermectin external cream | 1 or 1b* | QL |
| METROCREAM EXTERNAL CREAM | 3 | ST; QL |
| metronidazole external cream | 1 or 1b* | QL |
| metronidazole external gel | 1 or 1b* | QL |
| metronidazole external lotion | 1 or 1b* | QL |
| MIRVASO EXTERNAL GEL | 3 | QL |
| SOOLANTRA EXTERNAL CREAM | 2 | QL |

| Drug Name | Tier | Notes |
|--|----------|-------|
| ZILXI EXTERNAL FOAM | 2 | QL |
| *Scabicides & Pediculicides*** | | |
| crotan external lotion | 1 or 1b* | QL |
| ELIMITE EXTERNAL CREAM | 3 | QL |
| malathion external lotion | 1 or 1b* | QL |
| NATROBA EXTERNAL SUSPENSION | 3 | QL |
| OVIDE EXTERNAL LOTION | 3 | QL |
| permethrin external cream | 1 or 1b* | QL |
| PRURADIK EXTERNAL LOTION | 1 or 1b* | QL |
| spinosad external suspension | 1 or 1b* | QL |
| *Scar Treatment Products*** | | |
| COPASIL EXTERNAL GEL | 3 | |
| *Seborrheic Keratosis Products** | | |
| ESKATA EXTERNAL SOLUTION | 3 | |
| *Steroid-Local Anesthetic Combinations*** | | |
| EPIFOAM EXTERNAL FOAM | 3 | |
| PRAMOSONE EXTERNAL CREAM 1-1 % | 2 | |
| PRAMOSONE EXTERNAL LOTION | 2 | |
| *Tar Products*** | | |
| coal tar external solution | 1 or 1b* | |
| *Tissue Replacements*** | | |
| AMNIOTEXT EXTERNAL SHEET | 3 | |
| AMPHENOL-40 INJECTION SUSPENSION RECONSTITUTED | 3 | |
| CYGNUS DUAL EXTERNAL SHEET | 3 | |
| KARDIAMEMBRANE EXTERNAL SHEET | 3 | |
| NEOX 100 EXTERNAL SHEET | 3 | |
| NEOX CORD 1K EXTERNAL SHEET | 3 | |

| Drug Name | Tier | Notes |
|---|----------|------------|
| PALINGEN FLOW INJECTION INJECTABLE | 3 | |
| PALINGEN HYDROMEMBRANE EXTERNAL SHEET | 3 | |
| PALINGEN INOVOFLO INJECTION INJECTABLE | 3 | |
| PALINGEN MEMBRANE EXTERNAL SHEET | 3 | |
| PALINGEN XPLUS HYDROMEMBRANE EXTERNAL SHEET | 3 | |
| PALINGEN XPLUS MEMBRANE EXTERNAL SHEET | 3 | |
| VIA MATRIX EXTERNAL SHEET | 3 | |
| *Topical Anesthetic Combinations*** | | |
| lidocaine-prilocaine external cream | 1 or 1b* | QL |
| lidocaine-prilocaine external kit | 1 or 1b* | QL |
| VENIPUNCTURE PX1 PHLEBOTOMY EXTERNAL KIT | 3 | |
| *Topical Selective Retinoid X Receptor Agonists*** | | |
| bexarotene external gel | 1 or 1b* | PA; QL; SP |
| TARGRETIN EXTERNAL GEL | 3 | PA; QL; SP |
| *Topical Steroid Combinations*** | | |
| calcipotriene-betameth diprop external ointment | 2 | ST; QL |
| calcipotriene-betameth diprop external suspension | 2 | ST; QL |
| DUOBRII EXTERNAL LOTION | 3 | PA; QL |
| ENSTILAR EXTERNAL FOAM | 3 | QL |
| TACLONEX EXTERNAL SUSPENSION | 3 | ST; QL |
| *Type Ii 5-Alpha Reductase Inhibitors*** | | |
| finasteride oral tablet 1 mg | 1 or 1b* | |
| PROPECIA ORAL TABLET | 3 | |

| Drug Name | Tier | Notes |
|--|----------|------------|
| *Wound Care - Growth Factor Agents*** | | |
| REGRANEX EXTERNAL GEL | 3 | QL |
| *Wound Dressings*** | | |
| FILSUVEZ EXTERNAL GEL | 3 | PA; QL; LD |
| KENDALL HYDROGEL WOUND DRESS EXTERNAL | 3 | |
| *Digestive Aids* | | |
| *Digestive Enzymes*** | | |
| CREON ORAL CAPSULE DELAYED RELEASE PARTICLES | 2 | QL |
| PANCREAZE ORAL CAPSULE DELAYED RELEASE PARTICLES 10500-35500 UNIT, 16800- 56800 UNIT, 21000-54700 UNIT, 2600-8800 UNIT, 37000-97300 UNIT, 4200- 14200 UNIT | 3 | ST; QL |
| PERTZYE ORAL CAPSULE DELAYED RELEASE PARTICLES | 3 | ST; QL |
| SUCRAID ORAL SOLUTION | 3 | PA; QL; LD |
| VIOKACE ORAL TABLET | 2 | QL |
| ZENPEP ORAL CAPSULE DELAYED RELEASE PARTICLES 10000-32000 UNIT, 15000- 47000 UNIT, 20000-63000 UNIT, 25000-79000 UNIT, 3000-10000 UNIT, 40000- 126000 UNIT, 5000-24000 UNIT, 60000-189600 UNIT | 2 | QL |
| *Diuretics* | | |
| *Carbonic Anhydrase Inhibitors*** | | |
| acetazolamide er oral capsule extended release 12 hour | 1 or 1b* | |
| acetazolamide oral tablet | 1 or 1b* | |
| acetazolamide sodium injection solution reconstituted | 1 or 1b* | |
| dichlorphenamide oral tablet | 3 | PA; QL |
| methazolamide oral tablet | 1 or 1b* | |
| ORMALVI ORAL TABLET | 3 | PA; QL; LD |

| Drug Name | Tier | Notes |
|--|----------|--------|
| *Diuretic Combinations*** | | |
| amiloride- hydrochlorothiazide oral tablet | 1 or 1b* | |
| spironolactone-hctz oral tablet | 1 or 1b* | |
| triamterene-hctz oral capsule 37.5-25 mg | 1 or 1a* | |
| triamterene-hctz oral tablet | 1 or 1a* | |
| *Loop Diuretics*** | | |
| bumetanide injection solution | 1 or 1b* | |
| bumetanide oral tablet | 1 or 1b* | |
| BUMEX ORAL TABLET 0.5 MG | 3 | |
| EDECRIN ORAL TABLET | 3 | |
| ethacrynate sodium intravenous solution reconstituted | 1 or 1b* | |
| ethacrynic acid oral tablet | 1 or 1b* | |
| FUROSCIX SUBCUTANEOUS CARTRIDGE KIT | 3 | PA; QL |
| furosemide oral solution 10 mg/ml, 8 mg/ml | 1 or 1a* | |
| furosemide oral tablet | 1 or 1a* | |
| LASIX ORAL TABLET | 3 | |
| torsemide oral tablet | 1 or 1b* | |
| *Osmotic Diuretics*** | | |
| mannitol intravenous solution 20 %, 25 % | 1 or 1b* | |
| osmitrol intravenous solution 10 %, 20 % | 1 or 1b* | |
| *Potassium Sparing Diuretics*** | | |
| ALDACTONE ORAL TABLET | 3 | |
| amiloride hcl oral tablet | 1 or 1b* | |
| CAROSPIR ORAL SUSPENSION | 3 | |
| spironolactone oral suspension | 1 or 1b* | |
| spironolactone oral tablet | 1 or 1a* | |
| triamterene oral capsule | 1 or 1b* | |
| *Thiazides And Thiazide- Like Diuretics*** | | |
| chlorothiazide sodium intravenous solution reconstituted | 1 or 1b* | |

| Drug Name | Tier | Notes |
|---|----------|------------|
| chlorthalidone oral tablet 25 mg, 50 mg | 1 or 1a* | |
| DIURIL ORAL SUSPENSION | 3 | |
| hydrochlorothiazide oral capsule | 1 or 1a* | |
| hydrochlorothiazide oral tablet | 1 or 1a* | |
| indapamide oral tablet | 1 or 1b* | |
| metolazone oral tablet | 1 or 1b* | |
| THALITONE ORAL TABLET | 3 | |
| *Endocrine And Metabolic Agents - Misc.* | | |
| *Abortifacient - Progesterone Receptor Antagonists*** | | |
| MIFEPREX ORAL TABLET | 3 | |
| mifepristone oral tablet 200 mg | 1 or 1b* | |
| *Acid Sphingomyelinase Deficiency (Asmd) - Agents*** | | |
| XENPOZYME INTRAVENOUS SOLUTION RECONSTITUTED | 3 | PA; LD; SP |
| *Adenosine Deaminase Scid Treatment - Agents*** | | |
| REVCOVI INTRAMUSCULAR SOLUTION | 3 | PA; LD |
| *Alpha-Mannosidosis Treatment - Agents*** | | |
| LAMZEDE INTRAVENOUS SOLUTION RECONSTITUTED | 3 | PA; LD |
| *Atp-Sensitive Potassium Channel Activators*** | | |
| VYKAT XR ORAL TABLET EXTENDED RELEASE 24 HOUR | 3 | PA; QL; LD |
| *Bisphosphonates*** | | |
| ACTONEL ORAL TABLET 150 MG, 35 MG | 3 | QL |
| alendronate sodium oral solution | 1 or 1b* | QL |
| alendronate sodium oral tablet 10 mg, 35 mg, 70 mg | 1 or 1b* | QL |

| Drug Name | Tier | Notes |
|--|----------|------------|
| ATELVIA ORAL TABLET DELAYED RELEASE | 3 | QL |
| BINOSTO ORAL TABLET EFFERVESCENT | 3 | QL |
| FOSAMAX ORAL TABLET 70 MG | 3 | QL |
| FOSAMAX PLUS D ORAL TABLET | 2 | QL |
| ibandronate sodium intravenous solution 3 mg/3ml | 3 | |
| ibandronate sodium oral tablet | 1 or 1b* | QL |
| pamidronate disodium intravenous solution 30 mg/10ml, 90 mg/10ml | 3 | SP |
| PAMIDRONATE DISODIUM INTRAVENOUS SOLUTION 6 MG/ML | 3 | SP |
| RECLAST INTRAVENOUS SOLUTION | 3 | PA; QL; SP |
| risedronate sodium oral tablet 150 mg, 30 mg, 35 mg, 5 mg | 1 or 1b* | QL |
| risedronate sodium oral tablet delayed release | 1 or 1b* | QL |
| zoledronic acid intravenous concentrate | 1 or 1b* | PA; SP |
| ZOLEDRONIC ACID INTRAVENOUS SOLUTION 4 MG/100ML | 3 | PA; SP |
| zoledronic acid intravenous solution 5 mg/100ml | 3 | PA; QL; SP |
| *Calcimimetic Agents*** | | |
| cinacalcet hcl oral tablet | 3 | PA; QL |
| PARSABIV INTRAVENOUS SOLUTION | 3 | PA; LD |
| *Calcitonins*** | | |
| calcitonin (salmon) injection solution | 3 | |
| calcitonin (salmon) nasal solution | 1 or 1b* | QL |
| MIACALCIN INJECTION SOLUTION | 3 | |

| Drug Name | Tier | Notes |
|--|----------|------------|
| *Carnitine Replenisher - Agents*** | | |
| CARNITOR INTRAVENOUS SOLUTION | 3 | |
| CARNITOR ORAL SOLUTION | 3 | |
| CARNITOR ORAL TABLET | 3 | |
| CARNITOR SF ORAL SOLUTION | 3 | |
| levocarnitine intravenous solution | 1 or 1b* | |
| levocarnitine oral solution | 1 or 1b* | |
| levocarnitine oral tablet | 1 or 1b* | |
| levocarnitine sf oral solution | 1 or 1b* | |
| *Ckd Agent- Sodium/Hydrogen Exchanger 3 (Nhe3) Inhibitor*** | | |
| XPHOZAH ORAL TABLET | 3 | PA; QL; LD |
| *Corticotropin*** | | |
| ACTHAR GEL SUBCUTANEOUS PEN- INJECTOR | 3 | PA; LD; SP |
| ACTHAR INJECTION GEL | 3 | PA; LD; SP |
| CORTROPHIN GEL SUBCUTANEOUS PREFILLED SYRINGE | 3 | PA; LD; SP |
| CORTROPHIN INJECTION GEL | 3 | PA; LD; SP |
| *Corticotropin-Releasing Factor (Crf) Receptor Type 1 Antag* | | |
| CRENESSITY ORAL CAPSULE | 3 | PA; QL; LD |
| CRENESSITY ORAL SOLUTION | 3 | PA; QL; LD |
| *Cortisol Synthesis Inhibitors*** | | |
| ISTURISA ORAL TABLET 1 MG, 5 MG | 3 | PA; QL; LD |
| *Dopamine Receptor Agonists*** | | |
| cabergoline oral tablet | 1 or 1b* | QL |
| *Fabry Disease - Agents*** | | |
| ELFABRIO INTRAVENOUS SOLUTION | 3 | PA; LD; SP |

| Drug Name | Tier | Notes |
|--|------|----------------|
| FABRAZYME INTRAVENOUS SOLUTION RECONSTITUTED | 3 | PA; LD; SP |
| GALAFOLD ORAL CAPSULE | 3 | PA; QL; LD |
| *Gaa Deficiency Treatment - Agents*** | | |
| LUMIZYME INTRAVENOUS SOLUTION RECONSTITUTED | 3 | PA; LD; SP |
| NEXVIAZYME INTRAVENOUS SOLUTION RECONSTITUTED | 3 | PA; LD; SP |
| OPFOLDA ORAL CAPSULE | 3 | PA; QL; LD; SP |
| POMBILITI INTRAVENOUS SOLUTION RECONSTITUTED | 3 | PA; LD; SP |
| *Gnrh/Lhrh Antagonists*** | | |
| cetrorelix acetate subcutaneous kit | 3 | PA; SP |
| CETROTIDE SUBCUTANEOUS KIT 0.25 MG | 3 | PA; SP |
| fyremadel subcutaneous solution prefilled syringe | 3 | PA; SP |
| GANIRELIX ACETATE SUBCUTANEOUS SOLUTION PREFILLED SYRINGE | 3 | PA; SP |
| ORILISSA ORAL TABLET | 2 | PA; QL |
| *Growth Hormone Receptor Antagonists*** | | |
| SOMAVERT SUBCUTANEOUS SOLUTION RECONSTITUTED | 3 | PA; QL; LD; SP |
| *Growth Hormone Releasing Hormones (Ghrh)*** | | |
| EGRIFTA SV SUBCUTANEOUS SOLUTION RECONSTITUTED | 3 | PA; QL; LD |

| Drug Name | Tier | Notes |
|---|----------|----------------|
| *Growth Hormones*** | | |
| GENOTROPIN MINIQUICK SUBCUTANEOUS PREFILLED SYRINGE | 3 | PA; QL; SP |
| GENOTROPIN SUBCUTANEOUS CARTRIDGE | 3 | PA; QL; SP |
| HUMATROPE INJECTION CARTRIDGE | 3 | PA; QL; SP |
| SEROSTIM SUBCUTANEOUS SOLUTION RECONSTITUTED 4 MG, 5 MG, 6 MG | 3 | PA; QL; LD |
| SKYTROFA SUBCUTANEOUS CARTRIDGE | 3 | PA; QL; LD; SP |
| *Hereditary Orotic Aciduria Treatment - Agents** | | |
| XURIDEN ORAL PACKET | 3 | PA; QL; LD |
| *Hereditary Tyrosinemia Type 1 (Ht-1) Treatment - Agents*** | | |
| nitisinone oral capsule 10 mg, 2 mg, 5 mg | 3 | PA; SP |
| nitisinone oral capsule 20 mg | 3 | PA |
| NITYR ORAL TABLET | 3 | PA; LD |
| ORFADIN ORAL CAPSULE | 3 | PA; LD |
| ORFADIN ORAL SUSPENSION | 3 | PA; LD |
| *Homocystinuria Treatment - Agents*** | | |
| betaine oral powder | 1 or 1b* | |
| CYSTADANE ORAL POWDER | 3 | LD |
| *Hyperammonemia Treatment - Agents*** | | |
| carglumic acid oral tablet soluble | 3 | PA |
| *Hyperparathyroid Treatment - Vitamin D Analogs*** | | |
| calcitriol intravenous solution 1 mcg/ml | 1 or 1b* | PA |
| calcitriol oral capsule | 1 or 1b* | PA |
| calcitriol oral solution | 1 or 1b* | PA |

| Drug Name | Tier | Notes |
|--|----------|----------------|
| doxercalciferol intravenous solution | 1 or 1b* | PA |
| doxercalciferol oral capsule | 1 or 1b* | PA |
| paricalcitol intravenous solution | 1 or 1b* | PA |
| paricalcitol oral capsule | 1 or 1b* | PA |
| RAYALDEE ORAL CAPSULE EXTENDED RELEASE | 3 | PA; QL |
| ZEMPLAR INTRAVENOUS SOLUTION | 3 | PA |
| ZEMPLAR ORAL CAPSULE 1 MCG, 2 MCG | 3 | PA |
| *Hypoparathyroid Treatment - Parathyroid Hormone Analogs*** | | |
| YORVIPATH SUBCUTANEOUS SOLUTION PEN- INJECTOR | 3 | PA; QL; LD |
| *Hypophosphatasia (Hpp) Agents*** | | |
| STRENSIQ SUBCUTANEOUS SOLUTION | 3 | PA; LD |
| *Insulin-Like Growth Factor-1 Receptor Inhibitors(Igf-1R)*** | | |
| TEPEZZA INTRAVENOUS SOLUTION RECONSTITUTED | 3 | PA; QL; LD |
| *Insulin-Like Growth Factors (Somatomedins)*** | | |
| INCRELEX SUBCUTANEOUS SOLUTION | 3 | PA; LD |
| *Leptin Analogues*** | | |
| MYALEPT SUBCUTANEOUS SOLUTION RECONSTITUTED | 3 | PA; QL; LD |
| *Lhrh/Gnrh Agonist Analog Pituitary Suppressants*** | | |
| FENSOLVI (6 MONTH) SUBCUTANEOUS KIT | 3 | PA; QL; LD; SP |
| LUPRON DEPOT-PED (1- MONTH) INTRAMUSCULAR KIT | 3 | PA; QL; SP |

| Drug Name | Tier | Notes |
|--|------|----------------|
| LUPRON DEPOT-PED (3- | 2101 | _ , , , , , |
| MONTH) | 3 | PA; QL; SP |
| INTRAMUSCULAR KIT | | - |
| LUPRON DEPOT-PED (6-MONTH) | 3 | PA; QL; SP |
| INTRAMUSCULAR KIT | | 111, 22, 51 |
| SUPPRELIN LA SUBCUTANEOUS KIT | 3 | PA; QL; LD; SP |
| SYNAREL NASAL SOLUTION | 3 | PA; QL; SP |
| TRIPTODUR INTRAMUSCULAR SUSPENSION RECONSTITUTED ER | 3 | PA; QL; LD |
| *Lipoprotein Lipase Deficiency (Lpld) Deficiency - Agents*** | | |
| TRYNGOLZA SUBCUTANEOUS SOLUTION AUTO- INJECTOR | 3 | PA; QL; LD |
| *Lysosomal Acid Lipase (Lal) Deficiency - Agents*** | | |
| KANUMA INTRAVENOUS SOLUTION | 3 | PA; LD; SP |
| *Molybdenum Cofactor Deficiency (Mocd) - Agents*** | | |
| NULIBRY INTRAVENOUS SOLUTION RECONSTITUTED | 3 | PA; LD |
| *Mucopolysaccharidosis I (Mps I) - Agents*** | | |
| ALDURAZYME INTRAVENOUS SOLUTION | 3 | PA; LD; SP |
| *Mucopolysaccharidosis Ii (Mps Ii) - Agents*** | | |
| ELAPRASE INTRAVENOUS SOLUTION | 3 | PA; LD; SP |
| *Mucopolysaccharidosis Iv (Mps Iv) - Agents*** | | |
| VIMIZIM INTRAVENOUS SOLUTION | 3 | PA; LD; SP |
| *Mucopolysaccharidosis Vi (Mps Vi) - Agents*** | | |
| NAGLAZYME INTRAVENOUS SOLUTION | 3 | PA; LD; SP |

| Drug Name | Tier | Notes |
|---|------|----------------|
| *Mucopolysaccharidosis Vii (Mps Vii) - Agents*** | | |
| MEPSEVII INTRAVENOUS SOLUTION | 3 | PA; LD |
| *Natriuretic Peptides*** | | |
| VOXZOGO SUBCUTANEOUS SOLUTION RECONSTITUTED | 3 | PA; QL; LD; SP |
| *Neurokinin 3 (Nk3) Receptor Antagonists*** | | |
| VEOZAH ORAL TABLET | 3 | PA; QL |
| *Non-Steroidal Mineralocorticoid Receptor Antagonists*** | | 1 , (|
| KERENDIA ORAL TABLET | 3 | PA; QL |
| *Ovulation Stimulants- Gonadotropins*** | | |
| CHORIONIC GONADOTROPIN INTRAMUSCULAR SOLUTION RECONSTITUTED | 3 | PA; SP |
| GONAL-F INJECTION SOLUTION RECONSTITUTED | 3 | PA; SP |
| GONAL-F RFF REDIJECT SUBCUTANEOUS SOLUTION PEN- INJECTOR 300 UNT/0.48ML, 450 UNT/0.72ML | 3 | PA |
| GONAL-F RFF REDIJECT SUBCUTANEOUS SOLUTION PEN- INJECTOR 900 UNT/1.44ML | 3 | PA; SP |
| GONAL-F RFF SUBCUTANEOUS SOLUTION RECONSTITUTED | 3 | PA; SP |
| MENOPUR SUBCUTANEOUS SOLUTION RECONSTITUTED | 3 | PA; SP |
| NOVAREL INTRAMUSCULAR SOLUTION RECONSTITUTED 5000 UNIT | 3 | PA; SP |

| Drug Name | Tier | Notes |
|--|----------|----------------|
| OVIDREL SUBCUTANEOUS SOLUTION PREFILLED SYRINGE | 3 | PA; SP |
| PREGNYL INTRAMUSCULAR SOLUTION RECONSTITUTED | 3 | PA; SP |
| *Ovulation Stimulants- Synthetic*** | | |
| CLOMID ORAL TABLET | 1 or 1b* | PA |
| clomiphene citrate oral tablet | 1 or 1b* | PA |
| *Phenylketonuria Treatment - Agents*** | | |
| JAVYGTOR ORAL PACKET | 3 | PA; LD |
| JAVYGTOR ORAL TABLET | 3 | PA; LD |
| PALYNZIQ SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 10 MG/0.5ML, 2.5 MG/0.5ML | 3 | PA; LD; SP |
| PALYNZIQ SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 20 MG/ML | 3 | PA; QL; LD; SP |
| sapropterin dihydrochloride oral packet | 3 | PA; SP |
| sapropterin dihydrochloride oral tablet | 3 | PA; SP |
| *Rank Ligand (Rankl) Inhibitors*** | | |
| PROLIA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE | 3 | PA; QL; SP |
| XGEVA SUBCUTANEOUS SOLUTION | 3 | PA; QL; SP |
| *Sclerostin Inhibitors*** | | |
| EVENITY SUBCUTANEOUS SOLUTION PREFILLED SYRINGE | 3 | PA; QL; SP |
| *Selective Estrogen Receptor Modulators (Serms)*** | | |
| EVISTA ORAL TABLET | 3 | \$0; QL |
| OSPHENA ORAL TABLET | 3 | PA; QL |
| raloxifene hcl oral tablet | 1 or 1b* | \$0; QL |

| Drug Name | Tier | Notes |
|---|------|----------------|
| *Selective Vasopressin V2- | | |
| Receptor Antagonists*** | | |
| tolvaptan oral tablet | 3 | PA; QL; LD; SP |
| tolvaptan oral tablet therapy pack | 3 | PA; QL; LD |
| *Somatostatic Agents*** | | |
| LANREOTIDE ACETATE SUBCUTANEOUS SOLUTION | 3 | PA; QL; SP |
| MYCAPSSA ORAL CAPSULE DELAYED RELEASE | 3 | PA; QL; LD |
| octreotide acetate injection solution 100 mcg/ml, 1000 mcg/ml, 200 mcg/ml, 50 mcg/ml, 500 mcg/ml | 3 | PA; SP |
| octreotide acetate intramuscular kit | 3 | PA; QL; SP |
| octreotide acetate subcutaneous solution prefilled syringe | 3 | PA; SP |
| SANDOSTATIN INJECTION SOLUTION 100 MCG/ML, 50 MCG/ML, 500 MCG/ML | 3 | PA; SP |
| SANDOSTATIN LAR DEPOT INTRAMUSCULAR KIT | 3 | PA; QL; SP |
| SIGNIFOR LAR INTRAMUSCULAR SUSPENSION RECONSTITUTED ER | 3 | PA; QL; LD |
| SIGNIFOR SUBCUTANEOUS SOLUTION | 3 | PA; QL; LD |
| SOMATULINE DEPOT SUBCUTANEOUS SOLUTION | 3 | PA; QL; LD; SP |
| *Urea Cycle Disorder - Agents*** | | |
| OLPRUVA (2 GM DOSE) ORAL THERAPY PACK | 3 | PA; QL; LD |
| OLPRUVA (3 GM DOSE) ORAL THERAPY PACK | 3 | PA; QL; LD |
| OLPRUVA (4 GM DOSE) ORAL THERAPY PACK | 3 | PA; QL; LD |
| OLPRUVA (5 GM DOSE) ORAL THERAPY PACK | 3 | PA; QL; LD |
| OLPRUVA (6 GM DOSE) ORAL THERAPY PACK | 3 | PA; QL; LD |
| OLPRUVA (6.67 GM DOSE) ORAL THERAPY PACK | 3 | PA; QL; LD |

| Drug Name | Tier | Notes |
|--|----------|----------------|
| PHEBURANE ORAL PELLET | 3 | PA; QL; LD; SP |
| RAVICTI ORAL LIQUID | 3 | PA; QL; LD; SP |
| sod benz-sod phenylacet intravenous solution | 1 or 1b* | |
| sodium phenylbutyrate oral powder 3 gm/tsp | 1 or 1b* | PA; QL; SP |
| sodium phenylbutyrate oral tablet | 1 or 1b* | PA; QL; SP |
| *Vasopressin*** | | |
| DDAVP INJECTION SOLUTION 4 MCG/ML | 3 | |
| DDAVP ORAL TABLET | 3 | QL |
| DDAVP PF INJECTION SOLUTION | 3 | |
| desmopressin ace spray refrig nasal solution | 1 or 1b* | |
| desmopressin acetate injection solution | 1 or 1b* | |
| desmopressin acetate oral tablet | 1 or 1b* | QL |
| desmopressin acetate pf injection solution | 1 or 1b* | |
| desmopressin acetate spray nasal solution | 1 or 1b* | |
| TERLIVAZ INTRAVENOUS SOLUTION RECONSTITUTED | 3 | |
| vasopressin +rfid intravenous solution | 1 or 1b* | |
| vasopressin intravenous solution | 1 or 1b* | |
| vasopressin-sodium chloride intravenous solution 20-0.9 ut/100ml-%, 40-0.9 ut/100ml-% | 3 | |
| VASOSTRICT INTRAVENOUS SOLUTION 20 UNIT/ML, 20-5 UT/100ML-%, 40-5 UT/100ML-% | 3 | |
| *X-Linked Hypophosphatemia (Xlh) Treatment - Agents*** | | |
| CRYSVITA SUBCUTANEOUS SOLUTION | 3 | PA; QL; LD; SP |
| *Estrogens* | | |
| *Estrogen & Progestin*** | | |
| ABIGALE LO ORAL TABLET | 1 or 1b* | |

| Drug Name | Tier | Notes |
|--|----------|--------|
| ABIGALE ORAL TABLET | 1 or 1b* | |
| ACTIVELLA ORAL TABLET 1-0.5 MG | 3 | |
| ANGELIQ ORAL TABLET | 3 | |
| BIJUVA ORAL CAPSULE | 2 | QL |
| CLIMARA PRO TRANSDERMAL PATCH WEEKLY | 2 | QL |
| COMBIPATCH TRANSDERMAL PATCH TWICE WEEKLY | 2 | QL |
| estradiol-norethindrone acet oral tablet | 1 or 1b* | |
| fyavolv oral tablet | 1 or 1b* | |
| jinteli oral tablet | 1 or 1b* | |
| mimvey oral tablet | 1 or 1b* | |
| norethindrone-eth estradiol oral tablet | 1 or 1b* | |
| PREMPHASE ORAL TABLET | 2 | |
| PREMPRO ORAL TABLET | 2 | |
| *Estrogen-Progestin-Gnrh Antagonist*** | | |
| MYFEMBREE ORAL TABLET | 3 | PA; QL |
| ORIAHNN ORAL CAPSULE THERAPY PACK | 3 | PA; QL |
| *Estrogens*** | | |
| ALORA TRANSDERMAL PATCH TWICE WEEKLY 0.025 MG/24HR, 0.075 MG/24HR, 0.1 MG/24HR | 3 | QL |
| DELESTROGEN INTRAMUSCULAR OIL 10 MG/ML, 20 MG/ML | 3 | |
| DEPO-ESTRADIOL INTRAMUSCULAR OIL | 3 | |
| dotti transdermal patch twice weekly | 1 or 1b* | QL |
| estradiol oral tablet | 1 or 1b* | |
| estradiol transdermal gel | 1 or 1b* | QL |
| estradiol transdermal patch twice weekly | 1 or 1b* | QL |
| estradiol transdermal patch weekly | 1 or 1b* | QL |

| Drug Name | Tier | Notes |
|---|----------|--------|
| estradiol valerate intramuscular oil | 1 or 1b* | |
| EVAMIST TRANSDERMAL SOLUTION | 2 | QL |
| lyllana transdermal patch twice weekly | 1 or 1b* | QL |
| MENEST ORAL TABLET | 2 | |
| MENOSTAR TRANSDERMAL PATCH WEEKLY | 3 | QL |
| PREMARIN INJECTION SOLUTION RECONSTITUTED | 2 | |
| PREMARIN ORAL TABLET | 2 | QL |
| *Estrogen-Selective Estrogen Receptor Modulator Comb*** | | |
| DUAVEE ORAL TABLET | 3 | PA; QL |
| *Fluoroquinolones* | | |
| *Fluoroquinolones*** | | |
| BAXDELA INTRAVENOUS SOLUTION RECONSTITUTED | 3 | |
| BAXDELA ORAL TABLET | 3 | PA |
| CIPRO ORAL SUSPENSION RECONSTITUTED | 3 | |
| CIPRO ORAL TABLET 250 MG, 500 MG | 3 | |
| ciprofloxacin hcl oral tablet 250 mg, 500 mg, 750 mg | 1 or 1b* | |
| ciprofloxacin in d5w intravenous solution | 1 or 1b* | |
| levofloxacin in d5w intravenous solution | 1 or 1b* | |
| levofloxacin intravenous solution | 1 or 1b* | QL |
| levofloxacin oral solution | 1 or 1b* | |
| levofloxacin oral tablet | 1 or 1b* | |
| moxifloxacin hel in nacl intravenous solution | 1 or 1b* | |
| MOXIFLOXACIN HCL INTRAVENOUS SOLUTION | 3 | |
| moxifloxacin hcl oral tablet | 1 or 1b* | |
| ofloxacin oral tablet 300 mg, 400 mg | 1 or 1b* | |

| Drug Name | Tier | Notes |
|---|----------|------------|
| *Gastrointestinal Agents - Misc.* | | |
| *5-Ht4 Receptor | | |
| Agonists*** | | |
| prucalopride succinate oral tablet | 1 or 1b* | QL |
| *Bile Acid Synthesis Disorder Agents*** | | |
| CHOLBAM ORAL CAPSULE | 3 | PA; QL; LD |
| *Cic Agents - Guanylate Cyclase-C (Gc-C) Agonists*** | | |
| TRULANCE ORAL TABLET | 3 | QL |
| *Gallstone Solubilizing Agents*** | | |
| URSO FORTE ORAL TABLET | 3 | |
| ursodiol oral capsule 300 mg | 1 or 1b* | |
| ursodiol oral tablet | 1 or 1b* | |
| *Gastrointestinal Antiallergy Agents*** | | |
| cromolyn sodium oral concentrate | 1 or 1b* | |
| GASTROCROM ORAL CONCENTRATE | 3 | |
| *Gastrointestinal Chloride Channel Activators*** | | |
| lubiprostone oral capsule | 1 or 1b* | QL |
| *Gastrointestinal Stimulants*** | | |
| GIMOTI NASAL SOLUTION | 3 | PA; QL |
| metoclopramide hcl injection solution | 1 or 1a* | |
| metoclopramide hcl oral solution 10 mg/10ml, 5 mg/5ml | 1 or 1a* | QL |
| metoclopramide hcl oral tablet | 1 or 1a* | QL |
| metoclopramide hcl oral tablet dispersible 5 mg | 1 or 1a* | QL |
| REGLAN ORAL TABLET | 3 | QL |
| *Glucagon-Like Peptide-2 (Glp-2) Analogs*** | | |
| GATTEX SUBCUTANEOUS KIT | 3 | PA; LD; SP |

| Drug Name | Tier | Notes |
|--|----------|----------------|
| *Hepatotropics - Thyroid Hormone Receptor-Beta Agonists*** | | |
| REZDIFFRA ORAL TABLET | 3 | PA; QL; LD; SP |
| *Ibs Agent - Guanylate Cyclase-C (Gc-C) Agonists*** | | |
| LINZESS ORAL CAPSULE | 2 | QL |
| *Ibs Agent - Mu-Opioid Receptor Agonists*** | | |
| VIBERZI ORAL TABLET | 3 | QL |
| *Ibs Agent - Selective 5-Ht3 Receptor Antagonists*** | | |
| alosetron hcl oral tablet | 1 or 1b* | PA; QL |
| *Ileal Bile Acid Transporter (Ibat) Inhibitors*** | | |
| BYLVAY (PELLETS) ORAL CAPSULE SPRINKLE | 3 | PA; QL; LD |
| BYLVAY ORAL CAPSULE | 3 | PA; QL; LD |
| LIVMARLI ORAL SOLUTION | 3 | PA; QL; LD |
| LIVMARLI ORAL TABLET | 3 | PA; QL; LD |
| *Inflammatory Bowel Agents*** | | |
| APRISO ORAL CAPSULE EXTENDED RELEASE 24 HOUR | 3 | ST; QL |
| AZULFIDINE EN-TABS ORAL TABLET DELAYED RELEASE | 3 | QL |
| AZULFIDINE ORAL TABLET | 3 | QL |
| balsalazide disodium oral capsule | 1 or 1b* | QL |
| CANASA RECTAL SUPPOSITORY | 3 | QL |
| DIPENTUM ORAL CAPSULE | 3 | ST; QL |
| mesalamine er oral capsule extended release 24 hour | 1 or 1b* | QL |
| mesalamine oral capsule delayed release | 1 or 1b* | QL |
| mesalamine oral tablet delayed release | 1 or 1b* | QL |
| mesalamine rectal enema | 1 or 1b* | QL |

| Drug Name | Tier | Notes |
|---|----------|----------------|
| mesalamine rectal suppository | 1 or 1b* | QL |
| mesalamine-cleanser rectal kit | 1 or 1b* | QL |
| PENTASA ORAL CAPSULE EXTENDED RELEASE | 2 | QL |
| ROWASA RECTAL KIT | 3 | QL |
| SFROWASA RECTAL ENEMA | 3 | QL |
| sulfasalazine oral tablet | 1 or 1b* | QL |
| sulfasalazine oral tablet delayed release | 1 or 1b* | QL |
| *Integrin Receptor Antagonists*** | | |
| ENTYVIO INTRAVENOUS SOLUTION RECONSTITUTED | 3 | PA; QL; LD; SP |
| *Interleukin Antagonists*** | | |
| SELARSDI INTRAVENOUS SOLUTION | 3 | PA; QL; SP |
| SKYRIZI INTRAVENOUS SOLUTION | 3 | PA; QL; SP |
| SKYRIZI SUBCUTANEOUS SOLUTION CARTRIDGE | 3 | PA; QL; SP |
| TREMFYA CROHNS INDUCTION SUBCUTANEOUS SOLUTION AUTO- INJECTOR | 3 | PA; QL; SP |
| TREMFYA INTRAVENOUS SOLUTION | 3 | PA; QL; SP |
| TREMFYA PEN SUBCUTANEOUS SOLUTION AUTO- INJECTOR 200 MG/2ML | 3 | PA; QL; SP |
| TREMFYA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 200 MG/2ML | 3 | PA; QL; SP |
| *Intestinal Acidifiers*** | | |
| enulose oral solution | 1 or 1b* | |
| generlac oral solution | 1 or 1b* | |
| lactulose encephalopathy oral solution 10 gm/15ml | 1 or 1b* | |

| Drug Name | Tier | Notes |
|---|----------|----------------|
| *Live Fecal Microbiota (Human)** | | |
| REBYOTA RECTAL SUSPENSION | 3 | PA; QL; LD |
| VOWST ORAL CAPSULE | 3 | PA; QL; LD |
| *Peripheral Opioid Receptor Antagonists*** | | |
| alvimopan oral capsule | 1 or 1b* | |
| MOVANTIK ORAL TABLET | 2 | QL |
| RELISTOR ORAL TABLET | 3 | ST; QL |
| RELISTOR SUBCUTANEOUS SOLUTION 12 MG/0.6ML, 8 MG/0.4ML | 3 | ST; QL |
| SYMPROIC ORAL TABLET | 3 | ST; QL |
| *Peroxisome Proliferator- Activated Receptor Agonists*** | | |
| IQIRVO ORAL TABLET | 3 | PA; QL; LD; SP |
| *Phosphate Binder Agents*** | | _ |
| calcium acetate (phos binder) oral capsule | 1 or 1b* | QL |
| calcium acetate oral tablet 667 mg | 1 or 1b* | QL |
| ferric citrate oral tablet | 1 or 1b* | QL |
| FOSRENOL ORAL PACKET | 3 | ST; QL |
| lanthanum carbonate oral tablet chewable | 1 or 1b* | QL |
| sevelamer carbonate oral packet | 1 or 1b* | QL |
| sevelamer carbonate oral tablet | 1 or 1b* | QL |
| sevelamer hcl oral tablet | 1 or 1b* | QL |
| VELPHORO ORAL TABLET CHEWABLE | 2 | QL |
| *Tryptophan Hydroxylase Inhibitors*** | | |
| XERMELO ORAL TABLET | 3 | PA; QL; LD |
| *Tumor Necrosis Factor Alpha Blockers*** | | |
| AVSOLA INTRAVENOUS SOLUTION RECONSTITUTED | 3 | PA; LD; SP |

| Drug Name | Tier | Notes |
|---|----------|------------|
| INFLIXIMAB | | |
| INTRAVENOUS SOLUTION | 3 | PA; LD; SP |
| RECONSTITUTED | | |
| REMICADE | | |
| INTRAVENOUS SOLUTION | 3 | PA; SP |
| RECONSTITUTED | | |
| *General Anesthetics* | | |
| *Anesthetics - Misc.*** | | |
| AMIDATE | | |
| INTRAVENOUS SOLUTION | 3 | |
| ANESTHESIA S/I-40A INTRAVENOUS KIT | 3 | |
| ANESTHESIA S/I-40H INTRAVENOUS KIT | 3 | |
| ANESTHESIA S/I-40S INTRAVENOUS KIT | 3 | |
| DIPRIVAN | | |
| INTRAVENOUS | | |
| EMULSION 100 MG/10ML, 1000 | 3 | |
| MG/100ML, 200 | | |
| MG/20ML, 500 MG/50ML | | |
| etomidate intravenous solution | 1 or 1b* | |
| fresenius propoven | | |
| intravenous emulsion 1000 | 1 or 1b* | |
| mg/100ml, 200 mg/20ml, 500 mg/50ml | 1 01 10 | |
| KETALAR INJECTION | 2 | |
| SOLUTION | 3 | |
| ketamine hel injection | 1 or 1b* | |
| solution 50 mg/ml | | |
| ketamine hcl intravenous solution prefilled syringe 300 | 3 | |
| mg/30ml | | |
| propofol intravenous | 1 11 + | |
| emulsion 1000 mg/100ml, 200 mg/20ml, 500 mg/50ml | 1 or 1b* | |
| *Barbiturate | | |
| Anesthetics*** | | |
| BREVITAL SODIUM INJECTION SOLUTION | | |
| RECONSTITUTED 500 | 3 | |
| MG | | |
| methohexital sodium | 1 or 1b* | |
| injection solution reconstituted | 1 01 10" | |
| *Volatile Anesthetics*** | | |
| desflurane inhalation solution | 1 or 1b* | |
| | | |

| Drug Name | Tier | Notes |
|--|----------|------------|
| FORANE INHALATION SOLUTION | 3 | |
| isoflurane inhalation solution | 1 or 1b* | |
| sevoflurane inhalation solution | 1 or 1b* | |
| SUPRANE INHALATION SOLUTION | 3 | |
| terrell inhalation solution | 1 or 1b* | |
| ULTANE INHALATION SOLUTION | 3 | |
| *Genitourinary Agents - Miscellaneous* | | |
| *5-Alpha Reductase Inhibitors*** | | |
| dutasteride oral capsule | 1 or 1b* | QL |
| finasteride oral tablet 5 mg | 1 or 1b* | QL |
| PROSCAR ORAL TABLET | 3 | QL |
| *Alpha 1-Adrenoceptor Antagonists*** | | |
| alfuzosin hcl er oral tablet extended release 24 hour | 1 or 1b* | QL |
| CARDURA XL ORAL TABLET EXTENDED RELEASE 24 HOUR | 3 | QL |
| silodosin oral capsule | 1 or 1b* | QL |
| tamsulosin hcl oral capsule | 1 or 1b* | QL |
| *Anti-Infective Genitourinary Irrigants*** | | |
| neomycin-polymyxin b gu irrigation solution | 1 or 1b* | |
| *Citrates*** | | |
| potassium citrate er oral tablet extended release | 1 or 1b* | |
| UROCIT-K 10 ORAL TABLET EXTENDED RELEASE | 3 | |
| UROCIT-K 15 ORAL TABLET EXTENDED RELEASE | 3 | |
| *Cystinosis Agents*** | | |
| CYSTAGON ORAL CAPSULE | 3 | PA; LD; SP |
| PROCYSBI ORAL CAPSULE DELAYED RELEASE | 3 | PA; LD |
| PROCYSBI ORAL PACKET | 3 | PA; LD |
| | | |

| Drug Name | Tier | Notes |
|--|----------|----------------|
| *Genitourinary Irrigants*** | | |
| acetic acid irrigation solution | 1 or 1b* | |
| argyle sterile saline irrigation solution | 1 or 1b* | |
| curity sterile saline irrigation solution | 1 or 1b* | |
| glycine irrigation solution | 1 or 1b* | |
| glycine urologic irrigation solution | 1 or 1b* | |
| RENACIDIN IRRIGATION SOLUTION | 3 | |
| sodium chloride irrigation solution 0.9 % | 1 or 1b* | |
| SORBITOL IRRIGATION SOLUTION 3 % | 3 | |
| SORBITOL-MANNITOL IRRIGATION SOLUTION | 3 | |
| *Igan Agents - Endothelin & Angiotensin Ii Receptor Antag*** | | |
| FILSPARI ORAL TABLET | 3 | PA; QL; LD; SP |
| *Interstitial Cystitis Agents*** | | |
| ELMIRON ORAL CAPSULE | 3 | QL |
| RIMSO-50 INTRAVESICAL SOLUTION | 3 | |
| *Phosphates*** | | |
| K-PHOS NO 2 ORAL TABLET | 3 | |
| *Prostatic Hypertrophy Agent Combinations*** | | |
| dutasteride-tamsulosin hcl oral capsule | 1 or 1b* | QL |
| JALYN ORAL CAPSULE | 3 | QL |
| *Small Interfering Ribonucleic Acid Agents (Sirna)*** | | |
| OXLUMO SUBCUTANEOUS SOLUTION | 3 | PA; LD |
| RIVFLOZA SUBCUTANEOUS SOLUTION | 3 | PA; QL; LD; SP |
| RIVFLOZA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE | 3 | PA; QL; LD; SP |

| Drug Name | Tier | Notes |
|--|----------|----------------|
| *Urinary Stone Agents*** | | |
| LITHOSTAT ORAL TABLET | 3 | |
| tiopronin oral tablet | 1 or 1b* | PA; QL |
| tiopronin oral tablet delayed release 100 mg | 1 or 1b* | PA; QL |
| tiopronin oral tablet delayed release 300 mg | 1 or 1b* | PA; QL; LD |
| VENXXIVA ORAL TABLET DELAYED RELEASE | 1 or 1b* | PA; QL; LD |
| *Gout Agents* | | |
| *Gout Agent Combinations*** | | |
| colchicine-probenecid oral tablet | 1 or 1b* | |
| *Gout Agents*** | | |
| allopurinol oral tablet 100 mg, 300 mg | 1 or 1a* | QL |
| allopurinol sodium intravenous solution reconstituted | 1 or 1b* | |
| ALOPRIM INTRAVENOUS SOLUTION RECONSTITUTED | 3 | |
| colchicine oral tablet | 1 or 1b* | QL |
| febuxostat oral tablet | 1 or 1b* | ST; QL |
| GLOPERBA ORAL SOLUTION | 3 | ST; QL |
| KRYSTEXXA INTRAVENOUS SOLUTION | 3 | PA; QL; LD; SP |
| *Uricosurics*** | | |
| probenecid oral tablet | 1 or 1b* | |
| *Hematological Agents - Misc.* | | |
| *Agents For Congenital Thrombotic Thrombocytopenic Purpura* | | |
| adzynma intravenous kit | 3 | PA; LD |
| *Aminolevulinate Synthase 1-Directed Sirna*** | | |
| GIVLAARI SUBCUTANEOUS SOLUTION | 3 | PA; LD |
| | | |

| Drug Name | Tier | Notes |
|--|------|------------|
| *Antihemophilic Products - Antithrombin-Directed Sirna*** | | |
| QFITLIA SUBCUTANEOUS SOLUTION | 3 | PA; LD |
| QFITLIA SUBCUTANEOUS SOLUTION AUTO- INJECTOR | 3 | PA; LD |
| *Antihemophilic Products - Monoclonal Antibodies*** | | |
| ALHEMO SUBCUTANEOUS SOLUTION PEN- INJECTOR | 3 | PA; LD; SP |
| HEMLIBRA SUBCUTANEOUS SOLUTION | 3 | PA; LD; SP |
| HYMPAVZI SUBCUTANEOUS SOLUTION AUTO- INJECTOR | 3 | PA; LD; SP |
| *Antihemophilic Products*** | | |
| ADVATE INTRAVENOUS SOLUTION RECONSTITUTED | 3 | PA; LD; SP |
| ADYNOVATE INTRAVENOUS SOLUTION RECONSTITUTED | 3 | PA; LD; SP |
| AFSTYLA INTRAVENOUS KIT | 3 | PA; LD; SP |
| ALPHANATE INTRAVENOUS SOLUTION RECONSTITUTED 1000 UNIT, 1500 UNIT, 2000 UNIT, 250 UNIT, 500 UNIT | 3 | PA; LD; SP |
| ALPHANINE SD INTRAVENOUS SOLUTION RECONSTITUTED | 3 | PA; LD; SP |
| ALPROLIX INTRAVENOUS SOLUTION RECONSTITUTED | 3 | PA; LD; SP |

| Drug Name | Tier | Notes |
|---|------|------------|
| ALTUVIIIO INTRAVENOUS SOLUTION RECONSTITUTED 1000 UNIT, 2000 UNIT, 250 UNIT, 3000 UNIT, 4000 UNIT, 500 UNIT | 3 | PA; LD; SP |
| BALFAXAR INTRAVENOUS SOLUTION RECONSTITUTED | 3 | |
| BENEFIX INTRAVENOUS KIT | 3 | PA; LD; SP |
| COAGADEX INTRAVENOUS SOLUTION RECONSTITUTED | 3 | PA; LD; SP |
| CORIFACT INTRAVENOUS KIT | 3 | PA; LD; SP |
| ELOCTATE INTRAVENOUS SOLUTION RECONSTITUTED | 3 | PA; LD; SP |
| ESPEROCT INTRAVENOUS SOLUTION RECONSTITUTED | 3 | PA; LD; SP |
| FEIBA INTRAVENOUS SOLUTION RECONSTITUTED 1000 UNIT, 2500 UNIT, 500 UNIT | 3 | PA; LD; SP |
| FIBRYGA INTRAVENOUS SOLUTION RECONSTITUTED | 3 | PA; LD; SP |
| HEMOFIL M INTRAVENOUS SOLUTION RECONSTITUTED 1000 UNIT, 1700 UNIT, 250 UNIT, 500 UNIT | 3 | PA; LD; SP |
| HUMATE-P INTRAVENOUS SOLUTION RECONSTITUTED 1000- 2400 UNIT, 250-600 UNIT, 500-1200 UNIT | 3 | PA; LD; SP |
| IDELVION INTRAVENOUS SOLUTION RECONSTITUTED | 3 | PA; LD; SP |
| IXINITY INTRAVENOUS SOLUTION RECONSTITUTED | 3 | PA; LD; SP |

| Drug Name | Tier | Notes |
|--|------|------------|
| JIVI INTRAVENOUS SOLUTION RECONSTITUTED | 3 | PA; LD; SP |
| KCENTRA INTRAVENOUS KIT | 3 | |
| KOATE INTRAVENOUS SOLUTION RECONSTITUTED | 3 | PA; LD; SP |
| KOATE-DVI INTRAVENOUS SOLUTION RECONSTITUTED 1000 UNIT | 3 | PA; LD; SP |
| KOGENATE FS INTRAVENOUS KIT | 3 | PA; LD; SP |
| KOVALTRY INTRAVENOUS SOLUTION RECONSTITUTED | 3 | PA; LD; SP |
| NOVOEIGHT INTRAVENOUS SOLUTION RECONSTITUTED | 3 | LD; SP |
| NOVOSEVEN RT INTRAVENOUS SOLUTION RECONSTITUTED | 3 | PA; LD; SP |
| NUWIQ INTRAVENOUS KIT | 3 | PA; LD; SP |
| NUWIQ INTRAVENOUS SOLUTION RECONSTITUTED | 3 | PA; LD; SP |
| obizur intravenous solution reconstituted | 3 | PA; LD; SP |
| PROFILNINE INTRAVENOUS SOLUTION RECONSTITUTED | 3 | PA; LD; SP |
| REBINYN INTRAVENOUS SOLUTION RECONSTITUTED | 3 | PA; LD; SP |
| RECOMBINATE INTRAVENOUS SOLUTION RECONSTITUTED | 3 | PA; LD; SP |
| RIASTAP INTRAVENOUS SOLUTION RECONSTITUTED | 3 | PA; LD; SP |
| RIXUBIS INTRAVENOUS SOLUTION RECONSTITUTED | 3 | PA; LD; SP |

| Tier | Notes |
|------|---------------------|
| 1101 | Tiotes |
| 3 | PA; LD; SP |
| | |
| 3 | PA; LD |
| | |
| 3 | PA; QL; SP |
| 3 | PA; QL; LD |
| | |
| 3 | PA; QL; LD; SP |
| | |
| 3 | PA; QL; LD; SP |
| | 3 3 3 3 3 3 3 3 3 3 |

| Drug Name | Tier | Notes |
|--|----------|----------------|
| *Complement C3 Inhibitors*** | | |
| EMPAVELI SUBCUTANEOUS SOLUTION | 3 | PA; QL; LD |
| *Complement C5 Inhibitors*** | | |
| PIASKY INJECTION SOLUTION | 3 | PA; QL; LD; SP |
| SOLIRIS INTRAVENOUS SOLUTION 300 MG/30ML | 3 | PA; QL; LD; SP |
| ULTOMIRIS INTRAVENOUS SOLUTION 1100 MG/11ML, 300 MG/3ML | 3 | PA; QL; LD; SP |
| VEOPOZ INJECTION SOLUTION | 3 | PA; QL; LD |
| ZILBRYSQ SUBCUTANEOUS SOLUTION PREFILLED SYRINGE | 3 | PA; QL; LD |
| *Complement C5a Inhibitors*** | | |
| gohibic intravenous solution | 3 | |
| *Complement C5a Receptor Inhibitors*** | | |
| TAVNEOS ORAL CAPSULE | 3 | PA; QL; LD |
| *Complement Factor B Inhibitors*** | | |
| FABHALTA ORAL CAPSULE | 3 | PA; QL; LD |
| *Complement Factor D Inhibitors*** | | |
| VOYDEYA ORAL TABLET | 3 | PA; QL; LD |
| VOYDEYA ORAL TABLET THERAPY PACK | 3 | PA; QL; LD |
| *Direct-Acting P2y12 Inhibitors*** | | |
| BRILINTA ORAL TABLET | 2 | QL |
| KENGREAL INTRAVENOUS SOLUTION RECONSTITUTED | 3 | |
| ticagrelor oral tablet | 1 or 1b* | QL |

| Drug Name | Tier | Notes |
|--|----------|----------------|
| *Glycoprotein Iib/Iiia | | |
| Receptor Inhibitors*** AGGRASTAT | | |
| INTRAVENOUS CONCENTRATE | 3 | |
| AGGRASTAT INTRAVENOUS SOLUTION 12.5-0.9 MG/250ML-%, 5-0.9 MG/100ML-% | 3 | |
| eptifibatide intravenous solution 20 mg/10ml, 200 mg/100ml, 75 mg/100ml | 1 or 1b* | |
| tirofiban hel in nacl intravenous solution | 1 or 1b* | |
| *Hematorheologic Agents*** | | |
| pentoxifylline er oral tablet extended release | 1 or 1b* | |
| *Hemin*** | | |
| PANHEMATIN INTRAVENOUS SOLUTION RECONSTITUTED 350 MG | 3 | |
| *Human Protein C*** | | |
| CEPROTIN INTRAVENOUS SOLUTION RECONSTITUTED | 3 | LD; SP |
| *Phosphodiesterase Iii Inhibitors*** | | , |
| cilostazol oral tablet | 1 or 1b* | |
| *Plasma Expanders*** | | |
| hetastarch-nacl intravenous solution | 1 or 1b* | |
| HEXTEND INTRAVENOUS SOLUTION | 3 | |
| lmd in d5w intravenous solution | 1 or 1b* | |
| lmd in nacl intravenous solution | 1 or 1b* | |
| *Plasma Kallikrein Inhibitors - Monoclonal Antibodies*** | | |
| TAKHZYRO SUBCUTANEOUS SOLUTION | 3 | PA; QL; LD; SP |
| TAKHZYRO SUBCUTANEOUS SOLUTION PREFILLED SYRINGE | 3 | PA; QL; LD; SP |

| Drug Name | Tier | Notes |
|---|------|----------------|
| *Plasma Kallikrein Inhibitors*** | | |
| KALBITOR SUBCUTANEOUS SOLUTION | 3 | PA; QL; LD; SP |
| ORLADEYO ORAL CAPSULE | 3 | PA; QL; LD |
| *Plasma Proteins*** | | |
| ALBUKED 25 INTRAVENOUS SOLUTION | 3 | |
| ALBUKED 5 INTRAVENOUS SOLUTION | 3 | |
| ALBUMIN HUMAN INTRAVENOUS SOLUTION | 3 | |
| ALBUMINEX INTRAVENOUS SOLUTION | 3 | |
| ALBUMIN-ZLB INTRAVENOUS SOLUTION | 3 | |
| ALBURX INTRAVENOUS SOLUTION | 3 | |
| ALBUTEIN INTRAVENOUS SOLUTION | 3 | |
| FLEXBUMIN INTRAVENOUS SOLUTION | 3 | |
| KEDBUMIN INTRAVENOUS SOLUTION | 3 | |
| OCTAPLAS BLOOD GROUP A INTRAVENOUS SOLUTION | 3 | |
| OCTAPLAS BLOOD GROUP AB INTRAVENOUS SOLUTION | 3 | |
| OCTAPLAS BLOOD GROUP B INTRAVENOUS SOLUTION | 3 | |
| OCTAPLAS BLOOD GROUP O INTRAVENOUS SOLUTION | 3 | |
| RYPLAZIM INTRAVENOUS SOLUTION RECONSTITUTED | 3 | PA; LD; SP |

| Drug Name | Tier | Notes |
|---|----------|------------|
| THROMBATE III INTRAVENOUS SOLUTION RECONSTITUTED 500 UNIT | 3 | |
| *Platelet Aggregation Inhibitor Combinations*** | | |
| aspirin-dipyridamole er oral capsule extended release 12 hour | 1 or 1b* | QL |
| YOSPRALA ORAL TABLET DELAYED RELEASE | 3 | PA; QL |
| *Platelet Aggregation Inhibitors*** | | |
| dipyridamole oral tablet | 1 or 1b* | |
| *Protamine*** | | |
| protamine sulfate intravenous solution | 1 or 1b* | |
| *Protease-Activated Receptor-1 (Par-1) Antagonists*** | | |
| ZONTIVITY ORAL TABLET | 3 | PA; QL |
| *Pyruvate Kinase Activators*** | | |
| PYRUKYND ORAL TABLET | 3 | PA; QL; LD |
| PYRUKYND TAPER PACK ORAL TABLET THERAPY PACK | 3 | PA; QL; LD |
| *Quinazoline Agents*** | | |
| AGRYLIN ORAL CAPSULE | 3 | QL |
| anagrelide hcl oral capsule | 1 or 1b* | QL |
| *Spleen Tyrosine Kinase (Syk) Inhibitors*** | | |
| TAVALISSE ORAL TABLET | 3 | PA; QL; LD |
| *Thienopyridine Derivatives*** | | |
| clopidogrel bisulfate oral tablet | 1 or 1b* | QL |
| prasugrel hcl oral tablet | 1 or 1b* | QL |
| *Thrombolytic Agent - Misc*** | | |
| DEFITELIO INTRAVENOUS SOLUTION | 3 | LD |

| *Tissue Plasminogen Activators*** ACTIVASE INTRAVENOUS SOLUTION RECONSTITUTED CATHFLO ACTIVASE INJECTION SOLUTION RECONSTITUTED TNKASE INTRAVENOUS KIT 50 MG *Hematopoietic Agents* *Agents For Gaucher Disease*** CERDELGA ORAL CAPSULE CEREZYME INTRAVENOUS SOLUTION RECONSTITUTED 400 UNIT ELELYSO INTRAVENOUS SOLUTION RECONSTITUTED miglustat oral capsule VPRIV INTRAVENOUS SOLUTION RECONSTITUTED miglustat oral capsule VPRIV INTRAVENOUS SOLUTION RECONSTITUTED YARGESA ORAL CAPSULE *Amino Acids*** l-glutamine oral packet *Amino Acids*** l-glutamine oral packet 1 or 1a* *Cobalamins*** cyanocobalamin injection solution 1000 meg/ml hydroxocobalamin acetate intramuscular solution *Cxcr4 Receptor Antagonist*** APHEXDA SUBCUTANEOUS SOLUTION RECONSTITUTED MOZOBIL SUBCUTANEOUS SOLUTION RECONSTITUTED MOZOBIL SUBCUTANEOUS SOLUTION Plerixafor subcutaneous solution PA; LD; SP | Drug Name | Tier | Notes |
|---|------------------------|----------|-------------------|
| ACTIVASE INTRAVENOUS SOLUTION RECONSTITUTED CATHFLO ACTIVASE INJECTION SOLUTION RECONSTITUTED TNKASE INTRAVENOUS KIT 50 MG *Hematopoietic Agents* *Agents For Gaucher Disease*** CERDELGA ORAL CAPSULE CEREZYME INTRAVENOUS SOLUTION RECONSTITUTED 400 UNIT ELELYSO INTRAVENOUS SOLUTION RECONSTITUTED 400 UNIT BLELLYSO INTRAVENOUS SOLUTION RECONSTITUTED 400 UNIT WYARGESA ORAL 2 PA; LD; SP VPRIV INTRAVENOUS 3 PA; LD; SP VPRIV INTRAVENOUS 3 PA; LD; SP VPRIV INTRAVENOUS 3 PA; LD; SP *Amino Acids*** l-glutamine oral packet 3 PA; SP *Cobalamins*** cyanocobalamin injection solution 1000 meg/ml hydroxocobalamin acetate intramuscular solution *Capsule *APA; LD; SP *Cocapsule *Cobalamins*** cyanocobalamin acetate intramuscular solution *Capsule *APA; LD; SP *Cobalamins*** cyanocobalamin acetate intramuscular solution *Capsule *APA; LD; SP *CONSTITUTED *APA; LD; SP | | | |
| INTRAVENOUS SOLUTION RECONSTITUTED CATHFLO ACTIVASE INJECTION SOLUTION RECONSTITUTED TNKASE INTRAVENOUS KIT 50 MG *Hematopoietic Agents* *Agents For Gaucher Disease*** CERDELGA ORAL CAPSULE CEREZYME INTRAVENOUS SOLUTION RECONSTITUTED 400 UNIT ELELYSO INTRAVENOUS SOLUTION RECONSTITUTED miglustat oral capsule VPRIV INTRAVENOUS SOLUTION RECONSTITUTED *Amino Acids*** l-glutamine oral packet *Amino Acids*** -l-glutamine oral packet *Amino Acids*** -cyanocobalamin injection solution 1000 mcg/ml hydroxocobalamin acetate intramuscular solution *Cxcr4 Receptor Antagonist*** APHEXDA SUBCUTANEOUS SOLUTION RECONSTITUTED MOZOBIL SUBCUTANEOUS SOLUTION RECONSTITUTED MOZOBIL SUBCUTANEOUS SOLUTION RECONSTITUTED MOZOBIL SUBCUTANEOUS SOLUTION Plerixafor subcutaneous 2 PA; LD; SP | | | |
| SOLUTION RECONSTITUTED CATHFLO ACTIVASE INJECTION SOLUTION RECONSTITUTED TNKASE INTRAVENOUS KIT 50 MG *Hematopoictic Agents* *Agents For Gaucher Disease*** CERDELGA ORAL CAPSULE CEREZYME INTRAVENOUS SOLUTION RECONSTITUTED 400 UNIT ELELYSO INTRAVENOUS SOLUTION RECONSTITUTED miglustat oral capsule VPRIV INTRAVENOUS SOLUTION RECONSTITUTED *Amino Acids*** l-glutamine oral packet *Amino Acids*** | _ : := | | |
| CATHFLO ACTIVASE INJECTION SOLUTION RECONSTITUTED TNKASE INTRAVENOUS KIT 50 MG *Hematopoietic Agents* *Agents For Gaucher Disease*** CERDELGA ORAL CAPSULE CEREZYME INTRAVENOUS SOLUTION RECONSTITUTED 400 UNIT ELELYSO INTRAVENOUS SOLUTION RECONSTITUTED miglustat oral capsule VPRIV INTRAVENOUS SOLUTION RECONSTITUTED YARGESA ORAL CAPSULE *Amino Acids*** l-glutamine oral packet *Amino Acids*** | | 3 | |
| INJECTION SOLUTION RECONSTITUTED TNKASE INTRAVENOUS KIT 50 MG *Hematopoietic Agents* *Agents For Gaucher Disease*** CERDELGA ORAL 2 PA; QL; LD; SP CEREZYME INTRAVENOUS SOLUTION RECONSTITUTED 400 UNIT ELELYSO INTRAVENOUS SOLUTION RECONSTITUTED Miglustat oral capsule 2 PA; LD; SP VPRIV INTRAVENOUS SOLUTION RECONSTITUTED TYARGESA ORAL 2 PA; LD; SP VPRIV INTRAVENOUS SOLUTION RECONSTITUTED YARGESA ORAL 2 PA; QL; LD; SP *Amino Acids*** l-glutamine oral packet 3 PA; SP *Cobalamins*** cyanocobalamin injection solution 1000 mcg/ml hydroxocobalamin acetate intramuscular solution *Cxcr4 Receptor Antagonist*** APHEXDA SUBCUTANEOUS SOLUTION RECONSTITUTED MOZOBIL SUBCUTANEOUS SOLUTION Plerixafor subcutaneous 2 PA; SP | RECONSTITUTED | | |
| RECONSTITUTED TNKASE INTRAVENOUS KIT 50 MG *Hematopoietic Agents* *Agents For Gaucher Disease*** CERDELGA ORAL CAPSULE CEREZYME INTRAVENOUS SOLUTION RECONSTITUTED 400 UNIT ELELYSO INTRAVENOUS SOLUTION RECONSTITUTED ## PA; LD; SP VPRIV INTRAVENOUS SOLUTION RECONSTITUTED miglustat oral capsule 2 PA; LD; SP VPRIV INTRAVENOUS SOLUTION RECONSTITUTED YARGESA ORAL 2 PA; LD; SP *Amino Acids*** l-glutamine oral packet 3 PA; SP *Cobalamins*** cyanocobalamin injection solution 1000 mcg/ml hydroxocobalamin acetate intramuscular solution *CXCr4 Receptor Antagonist** APHEXDA SUBCUTANEOUS SOLUTION RECONSTITUTED MOZOBIL SUBCUTANEOUS SOLUTION Plerixafor subcutaneous 2 PA; LD; SP | | 2 | |
| *Hematopoietic Agents* *Agents For Gaucher Disease*** CERDELGA ORAL 2 PA; QL; LD; SP CEREZYME INTRAVENOUS SOLUTION RECONSTITUTED 400 UNIT ELELYSO INTRAVENOUS SOLUTION RECONSTITUTED ### PA; LD; SP VPRIV INTRAVENOUS SOLUTION RECONSTITUTED miglustat oral capsule PA; QL; SP VPRIV INTRAVENOUS SOLUTION RECONSTITUTED YARGESA ORAL 2 PA; QL; SP *Amino Acids*** I-glutamine oral packet 3 PA; SP *Cobalamins*** cyanocobalamin injection solution 1000 mcg/ml hydroxocobalamin acetate intramuscular solution *Cxcr4 Receptor Antagonist** APHEXDA SUBCUTANEOUS SOLUTION RECONSTITUTED MOZOBIL SUBCUTANEOUS SOLUTION plerixafor subcutaneous 2 PA; CL; LD; SP | | 3 | |
| *Hematopoietic Agents* *Agents For Gaucher Disease*** CERDELGA ORAL CAPSULE CEREZYME INTRAVENOUS SOLUTION RECONSTITUTED 400 UNIT ELELYSO INTRAVENOUS SOLUTION RECONSTITUTED miglustat oral capsule VPRIV INTRAVENOUS SOLUTION RECONSTITUTED *Amino Acids*** l-glutamine oral packet *Cobalamins*** cyanocobalamin injection solution 1000 mcg/ml hydroxocobalamin acetate intramuscular solution *Cxcr4 Receptor Antagonist** APHEXDA SOLUTION RECONSTITUTED MOZOBIL SUBCUTANEOUS SOLUTION Plerixafor subcutaneous PA; LD; SP PA; LD; SP PA; LD; SP PA; CD; SP PA; LD; SP PA; LD; SP PA; LD; SP PA; LD; SP | TNKASE INTRAVENOUS | 2 | |
| *Agents For Gaucher Disease*** CERDELGA ORAL CAPSULE CEREZYME INTRAVENOUS SOLUTION RECONSTITUTED 400 UNIT ELELYSO INTRAVENOUS SOLUTION RECONSTITUTED miglustat oral capsule VPRIV INTRAVENOUS SOLUTION RECONSTITUTED YARGESA ORAL CAPSULE *Amino Acids*** l-glutamine oral packet *Amino Acids*** cyanocobalamin injection solution 1000 mcg/ml hydroxocobalamin acetate intramuscular solution *Cxcr4 Receptor Antagonist*** APHEXDA SUBCUTANEOUS SOLUTION RECONSTITUTED MOZOBIL SUBCUTANEOUS SOLUTION RECONSTITUTED MOZOBIL SUBCUTANEOUS SOLUTION Plerixafor subcutaneous 2 PA; QL; LD; SP PA; LD; SP PA; LD | | 3 | |
| CERDELGA ORAL CAPSULE CEREZYME INTRAVENOUS SOLUTION RECONSTITUTED 400 UNIT ELELYSO INTRAVENOUS SOLUTION RECONSTITUTED miglustat oral capsule VPRIV INTRAVENOUS SOLUTION RECONSTITUTED YARGESA ORAL CAPSULE *Amino Acids*** l-glutamine oral packet *Cobalamins*** cyanocobalamin injection solution 1000 mcg/ml hydroxocobalamin acetate intramuscular solution *Cxcr4 Receptor Antagonist*** APHEXDA SUBCUTANEOUS SOLUTION RECONSTITUTED MOZOBIL SUBCUTANEOUS SOLUTION Plerixafor subcutaneous 2 PA; QL; LD; SP PA; LD; SP PA; LD; SP PA; LD; SP | | | |
| CAPSULE CEREZYME INTRAVENOUS SOLUTION RECONSTITUTED 400 UNIT ELELYSO INTRAVENOUS SOLUTION RECONSTITUTED miglustat oral capsule VPRIV INTRAVENOUS SOLUTION RECONSTITUTED YARGESA ORAL CAPSULE *Amino Acids*** l-glutamine oral packet *Cobalamins*** cyanocobalamin injection solution 1000 mcg/ml hydroxocobalamin acetate intramuscular solution *Cxcr4 Receptor Antagonist*** APHEXDA SUBCUTANEOUS SOLUTION RECONSTITUTED MOZOBIL SUBCUTANEOUS SOLUTION plerixafor subcutaneous 2 PA; LD; SP | | | |
| INTRAVENOUS SOLUTION RECONSTITUTED 400 UNIT ELELYSO INTRAVENOUS SOLUTION RECONSTITUTED miglustat oral capsule VPRIV INTRAVENOUS SOLUTION RECONSTITUTED YARGESA ORAL CAPSULE *Amino Acids*** l-glutamine oral packet *Cobalamins*** cyanocobalamin injection solution 1000 mcg/ml hydroxocobalamin acetate intramuscular solution *Cxcr4 Receptor Antagonist*** APHEXDA SUBCUTANEOUS SOLUTION RECONSTITUTED MOZOBIL SUBCUTANEOUS SOLUTION plerixafor subcutaneous 2 PA; LD; SP | | 2 | PA; QL; LD; SP |
| SOLUTION RECONSTITUTED 400 UNIT ELELYSO INTRAVENOUS SOLUTION RECONSTITUTED miglustat oral capsule VPRIV INTRAVENOUS SOLUTION RECONSTITUTED YARGESA ORAL CAPSULE *Amino Acids*** l-glutamine oral packet *Cobalamins*** cyanocobalamin injection solution 1000 mcg/ml hydroxocobalamin acetate intramuscular solution *Cxcr4 Receptor Antagonist*** APHEXDA SUBCUTANEOUS SOLUTION RECONSTITUTED MOZOBIL SUBCUTANEOUS SOLUTION plerixafor subcutaneous 2 PA; LD; SP PA; LD; SP PA; LD; SP PA; LD; SP | | | |
| UNIT ELELYSO INTRAVENOUS SOLUTION RECONSTITUTED miglustat oral capsule 2 PA; QL; SP VPRIV INTRAVENOUS SOLUTION RECONSTITUTED YARGESA ORAL CAPSULE *Amino Acids*** l-glutamine oral packet *Cobalamins*** cyanocobalamin injection solution 1000 mcg/ml hydroxocobalamin acetate intramuscular solution *Cxcr4 Receptor Antagonist*** APHEXDA SUBCUTANEOUS SOLUTION RECONSTITUTED MOZOBIL SUBCUTANEOUS SOLUTION plerixafor subcutaneous 2 PA; LD; SP PA; LD; SP | SOLUTION | 2 | PA; LD; SP |
| INTRAVENOUS SOLUTION RECONSTITUTED miglustat oral capsule 2 PA; QL; SP VPRIV INTRAVENOUS SOLUTION RECONSTITUTED YARGESA ORAL CAPSULE *Amino Acids*** l-glutamine oral packet *Cobalamins*** cyanocobalamin injection solution 1000 mcg/ml hydroxocobalamin acetate intramuscular solution *Cxcr4 Receptor Antagonist*** APHEXDA SUBCUTANEOUS SOLUTION RECONSTITUTED MOZOBIL SUBCUTANEOUS SOLUTION plerixafor subcutaneous 2 PA; LD; SP PA; LD; SP | | | |
| SOLUTION RECONSTITUTED miglustat oral capsule 2 PA; LD; SP VPRIV INTRAVENOUS SOLUTION RECONSTITUTED YARGESA ORAL CAPSULE *Amino Acids*** l-glutamine oral packet *Cobalamins*** cyanocobalamin injection solution 1000 mcg/ml hydroxocobalamin acetate intramuscular solution *Cxcr4 Receptor Antagonist*** APHEXDA SUBCUTANEOUS SOLUTION RECONSTITUTED MOZOBIL SUBCUTANEOUS SOLUTION plerixafor subcutaneous 2 PA; LD; SP PA; LD; SP | | | |
| miglustat oral capsule 2 PA; QL; SP VPRIV INTRAVENOUS SOLUTION RECONSTITUTED YARGESA ORAL CAPSULE 2 PA; QL; LD; SP *Amino Acids*** l-glutamine oral packet 3 PA; SP *Cobalamins*** cyanocobalamin injection solution 1000 mcg/ml hydroxocobalamin acetate intramuscular solution *Cxcr4 Receptor Antagonist*** APHEXDA SUBCUTANEOUS SOLUTION RECONSTITUTED MOZOBIL SUBCUTANEOUS SOLUTION plerixafor subcutaneous 2 PA; QL; LD; SP PA; LD; SP | | 3 | PA; LD; SP |
| VPRIV INTRAVENOUS SOLUTION RECONSTITUTED YARGESA ORAL CAPSULE *Amino Acids*** l-glutamine oral packet *Cobalamins*** cyanocobalamin injection solution 1000 mcg/ml hydroxocobalamin acetate intramuscular solution *Cxcr4 Receptor Antagonist*** APHEXDA SUBCUTANEOUS SOLUTION RECONSTITUTED MOZOBIL SUBCUTANEOUS SOLUTION plerixafor subcutaneous 2 PA; LD; SP PA; LD; SP | | | |
| SOLUTION RECONSTITUTED YARGESA ORAL CAPSULE *Amino Acids*** l-glutamine oral packet *Cobalamins*** cyanocobalamin injection solution 1000 mcg/ml hydroxocobalamin acetate intramuscular solution *Cxcr4 Receptor Antagonist*** APHEXDA SUBCUTANEOUS SOLUTION RECONSTITUTED MOZOBIL SUBCUTANEOUS SOLUTION plerixafor subcutaneous 2 PA; LD; SP | miglustat oral capsule | 2 | PA; QL; SP |
| RECONSTITUTED YARGESA ORAL CAPSULE *Amino Acids*** l-glutamine oral packet *Cobalamins*** cyanocobalamin injection solution 1000 mcg/ml hydroxocobalamin acetate intramuscular solution *Cxcr4 Receptor Antagonist*** APHEXDA SUBCUTANEOUS SOLUTION RECONSTITUTED MOZOBIL SUBCUTANEOUS SOLUTION Plerixafor subcutaneous 2 PA; CD; SP | | | |
| YARGESA ORAL CAPSULE *Amino Acids*** l-glutamine oral packet *Cobalamins*** cyanocobalamin injection solution 1000 mcg/ml hydroxocobalamin acetate intramuscular solution *Cxcr4 Receptor Antagonist*** APHEXDA SUBCUTANEOUS SOLUTION RECONSTITUTED MOZOBIL SUBCUTANEOUS SOLUTION plerixafor subcutaneous 2 PA; QL; LD; SP PA; SP | | 3 | PA; LD; SP |
| *Amino Acids*** l-glutamine oral packet 3 PA; SP *Cobalamins*** cyanocobalamin injection solution 1000 mcg/ml hydroxocobalamin acetate intramuscular solution *Cxcr4 Receptor Antagonist*** APHEXDA SUBCUTANEOUS SOLUTION RECONSTITUTED MOZOBIL SUBCUTANEOUS SOLUTION plerixafor subcutaneous 2 PA; SP | YARGESA ORAL | 2 | PA · OI · I D· SP |
| 1-glutamine oral packet *Cobalamins*** cyanocobalamin injection solution 1000 mcg/ml hydroxocobalamin acetate intramuscular solution *Cxcr4 Receptor Antagonist*** APHEXDA SUBCUTANEOUS SOLUTION RECONSTITUTED MOZOBIL SUBCUTANEOUS SOLUTION plerixafor subcutaneous 2 PA: SP | | | TA, QL, LD, SI |
| *Cobalamins*** cyanocobalamin injection solution 1000 mcg/ml hydroxocobalamin acetate intramuscular solution *Cxcr4 Receptor Antagonist*** APHEXDA SUBCUTANEOUS SOLUTION RECONSTITUTED MOZOBIL SUBCUTANEOUS SOLUTION plerixafor subcutaneous 2 PA: SP | | | |
| cyanocobalamin injection solution 1000 mcg/ml hydroxocobalamin acetate intramuscular solution *Cxcr4 Receptor Antagonist*** APHEXDA SUBCUTANEOUS SOLUTION RECONSTITUTED MOZOBIL SUBCUTANEOUS SOLUTION plerixafor subcutaneous 1 or 1a* 1 or 1b* PA; LD PA; LD | | 3 | PA; SP |
| solution 1000 mcg/ml hydroxocobalamin acetate intramuscular solution *Cxcr4 Receptor Antagonist*** APHEXDA SUBCUTANEOUS SOLUTION RECONSTITUTED MOZOBIL SUBCUTANEOUS SOLUTION plerixafor subcutaneous 1 or 1b* 1 or 1b* PA; LD PA; LD | | | |
| intramuscular solution *Cxcr4 Receptor Antagonist*** APHEXDA SUBCUTANEOUS SOLUTION RECONSTITUTED MOZOBIL SUBCUTANEOUS SOLUTION plerixafor subcutaneous PA; LD PA; LD; SP | solution 1000 mcg/ml | 1 or 1a* | |
| Antagonist*** APHEXDA SUBCUTANEOUS SOLUTION RECONSTITUTED MOZOBIL SUBCUTANEOUS SOLUTION plerixafor subcutaneous APA; LD PA; LD; SP | | 1 or 1b* | |
| SUBCUTANEOUS SOLUTION RECONSTITUTED MOZOBIL SUBCUTANEOUS SOLUTION plerixafor subcutaneous 3 PA; LD PA; LD; SP | | | |
| SOLUTION RECONSTITUTED MOZOBIL SUBCUTANEOUS SOLUTION plerixafor subcutaneous 3 PA; LD PA; LD; SP | | | |
| RECONSTITUTED MOZOBIL SUBCUTANEOUS SOLUTION plerixafor subcutaneous 2 PA: SP | | 3 | PA; LD |
| SUBCUTANEOUS SOLUTION Plerixafor subcutaneous 2 PA; LD; SP | | | |
| plerixafor subcutaneous 2 DA . SD | | | |
| plerixafor subcutaneous 2 DA . SD | | 3 | PA; LD; SP |
| | | | |
| | solution | 3 | PA; SP |
| XOLREMDI ORAL CAPSULE 3 PA; QL; LD | | 3 | PA; QL; LD |

| Drug Name | Tier | Notes |
|--|----------|------------|
| *Cytotoxic Agents*** | | |
| DROXIA ORAL CAPSULE | 2 | |
| SIKLOS ORAL TABLET | 3 | PA; SP |
| XROMI ORAL SOLUTION | 3 | PA |
| *Erythroid Maturation Agents*** | | |
| REBLOZYL SUBCUTANEOUS SOLUTION RECONSTITUTED | 3 | PA; LD; SP |
| *Erythropoiesis- Stimulating Agents (Esas)*** | | |
| ARANESP (ALBUMIN FREE) INJECTION SOLUTION 100 MCG/ML, 200 MCG/ML, 25 MCG/ML, 40 MCG/ML, 60 MCG/ML | 3 | PA; QL; SP |
| ARANESP (ALBUMIN FREE) INJECTION SOLUTION PREFILLED SYRINGE | 3 | PA; QL; SP |
| EPOGEN INJECTION SOLUTION 10000 UNIT/ML, 2000 UNIT/ML, 20000 UNIT/ML, 3000 UNIT/ML, 4000 UNIT/ML | 3 | PA; QL; SP |
| MIRCERA INJECTION SOLUTION PREFILLED SYRINGE | 3 | PA; QL; LD |
| PROCRIT INJECTION SOLUTION | 3 | PA; QL; SP |
| RETACRIT INJECTION SOLUTION 10000 UNIT/ML, 2000 UNIT/ML, 20000 UNIT/ML, 3000 UNIT/ML, 4000 UNIT/ML, 40000 UNIT/ML | 3 | PA; QL; SP |
| *Folic Acid/Folate Combinations*** | | |
| fola-b complex oral tablet | 3 | |
| *Folic Acid/Folates*** | | |
| folic acid injection solution | 1 or 1a* | |
| folic acid oral tablet 1 mg | 1 or 1a* | |
| *Granulocyte Colony- Stimulating Factors (G- Csf)*** | | |
| GRANIX SUBCUTANEOUS SOLUTION 300 MCG/ML | 3 | PA; SP |

| Drug Name | Tier | Notes |
|--|------|----------------|
| GRANIX SUBCUTANEOUS SOLUTION PREFILLED SYRINGE | 3 | PA; SP |
| NEULASTA ONPRO SUBCUTANEOUS PREFILLED SYRINGE KIT | 3 | PA; QL; SP |
| NEULASTA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE | 3 | PA; QL; SP |
| ROLVEDON SUBCUTANEOUS SOLUTION PREFILLED SYRINGE | 3 | PA; QL; LD; SP |
| UDENYCA ONBODY SUBCUTANEOUS SOLUTION PREFILLED SYRINGE | 3 | PA; QL; SP |
| UDENYCA SUBCUTANEOUS SOLUTION AUTO- INJECTOR | 3 | PA; QL; SP |
| UDENYCA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE | 3 | PA; QL; SP |
| ZARXIO INJECTION SOLUTION PREFILLED SYRINGE | 3 | PA; SP |
| *Granulocyte/Macrophage Colony-Stimulating Factor(Gm-Csf)*** | | |
| LEUKINE INJECTION SOLUTION RECONSTITUTED | 3 | PA; SP |
| *Iron Combinations*** | | |
| NIFEREX ORAL TABLET | 3 | |
| *Iron*** | | |
| FERAHEME INTRAVENOUS SOLUTION | 3 | PA; QL; SP |
| FERRLECIT INTRAVENOUS SOLUTION | 3 | PA; QL; SP |
| ferumoxytol intravenous solution | 3 | PA; QL; SP |
| INFED INJECTION SOLUTION | 3 | PA; SP |
| na ferric gluc cplx in sucrose intravenous solution | 3 | PA; QL; SP |

| Drug Name | Tier | Notes |
|--|----------|----------------|
| VENOFER INTRAVENOUS SOLUTION | 3 | PA; QL; SP |
| *Selectin Blockers*** | | |
| ADAKVEO INTRAVENOUS SOLUTION | 3 | PA; SP |
| *Thrombopoietin (Tpo) Receptor Agonists*** | | |
| DOPTELET ORAL TABLET 20 MG | 3 | PA; QL; LD; SP |
| eltrombopag olamine oral packet 12.5 mg | 3 | PA; DO; SP |
| eltrombopag olamine oral packet 25 mg | 3 | PA; QL; SP |
| eltrombopag olamine oral tablet 12.5 mg, 25 mg | 3 | PA; DO; SP |
| eltrombopag olamine oral tablet 50 mg, 75 mg | 3 | PA; QL; SP |
| MULPLETA ORAL TABLET | 3 | PA; QL; SP |
| NPLATE SUBCUTANEOUS SOLUTION RECONSTITUTED | 3 | PA; SP |
| *Hemostatics* | | |
| *Hemostatic Combinations - Topical*** | | |
| ARTISS EXTERNAL KIT | 3 | |
| ARTISS EXTERNAL SOLUTION | 3 | |
| TISSEEL EXTERNAL KIT | 3 | |
| TISSEEL EXTERNAL SOLUTION | 3 | |
| VISTASEAL EXTERNAL PREFILLED SYRINGE KIT | 3 | |
| *Hemostatics - Systemic*** | | |
| aminocaproic acid intravenous solution | 1 or 1b* | |
| aminocaproic acid oral solution | 1 or 1b* | QL |
| aminocaproic acid oral tablet 1000 mg | 1 or 1b* | |
| aminocaproic acid oral tablet 500 mg | 1 or 1b* | QL |
| CYKLOKAPRON INTRAVENOUS SOLUTION 1000 MG/10ML | 3 | |

| Drug Name | Tier | Notes |
|---|----------|-------|
| tranexamic acid intravenous solution 1000 mg/10ml | 1 or 1b* | |
| tranexamic acid oral tablet | 1 or 1b* | QL |
| TRANEXAMIC ACID- NACL INTRAVENOUS SOLUTION | 3 | |
| *Hemostatics - Topical*** | | |
| ACTIFOAM COLLAGEN SPONGE EXTERNAL | 3 | |
| AVITENE EXTERNAL PAD | 3 | |
| AVITENE FLOUR EXTERNAL POWDER | 3 | |
| ENDO AVITENE EXTERNAL | 3 | |
| GELFILM EXTERNAL FILM | 3 | |
| GEL-FLOW NT EXTERNAL PREFILLED SYRINGE | 3 | |
| GELFOAM COMPRESSED SIZE 100 EXTERNAL | 3 | |
| GELFOAM DENTAL PACK SIZE 4 EXTERNAL | 3 | |
| GELFOAM MOUTH/THROAT POWDER | 3 | |
| GELFOAM SPONGE EXTERNAL | 3 | |
| GELFOAM SPONGE SIZE 100 EXTERNAL | 3 | |
| GELFOAM SPONGE SIZE 200 EXTERNAL | 3 | |
| GELFOAM SPONGE SIZE 50 EXTERNAL | 3 | |
| INSTAT EXTERNAL PAD | 3 | |
| INTERCEED (TC7) EXTERNAL PAD | 3 | |
| INTERCEED EXTERNAL PAD | 3 | |
| RECOTHROM EXTERNAL SOLUTION RECONSTITUTED | 3 | |
| RECOTHROM SPRAY KIT EXTERNAL SOLUTION RECONSTITUTED | 3 | |
| SURGICEL FIBRILLAR EXTERNAL PAD | 3 | |

| Drug Name | Tier | Notes |
|---|----------|-------|
| SURGICEL NU-KNIT EXTERNAL PAD | 3 | |
| SURGICEL SNOW 1"X2" EXTERNAL PAD | 3 | |
| SURGICEL SNOW 2"X4" EXTERNAL PAD | 3 | |
| SURGICEL SNOW 4"X4" EXTERNAL PAD | 3 | |
| SYRINGE AVITENE EXTERNAL | 3 | |
| THROMBIN-JMI EPISTAXIS EXTERNAL KIT | 3 | |
| THROMBIN-JMI EXTERNAL KIT | 3 | |
| THROMBIN-JMI EXTERNAL SOLUTION RECONSTITUTED | 3 | |
| THROMBOGEN EXTERNAL KIT | 3 | |
| THROMBOGEN EXTERNAL SOLUTION RECONSTITUTED | 3 | |
| ULTRAFOAM SPONGE 2X6.25X7CM EXTERNAL | 3 | |
| ULTRAFOAM SPONGE 8X12.5X1CM EXTERNAL | 3 | |
| ULTRAFOAM SPONGE 8X12.5X3CM EXTERNAL | 3 | |
| ULTRAFOAM SPONGE 8X25X1CM EXTERNAL | 3 | |
| ULTRAFOAM SPONGE 8X6.25X1CM EXTERNAL | 3 | |
| *Hypnotics/Sedatives/Sleep Disorder Agents* | | |
| *Barbiturate Hypnotics*** | | |
| pentobarbital sodium injection solution | 1 or 1b* | |
| phenobarbital oral elixir | 1 or 1b* | QL |
| phenobarbital oral tablet 100 mg, 60 mg, 64.8 mg, 97.2 mg | 1 or 1b* | QL |
| phenobarbital oral tablet 15 mg, 16.2 mg, 30 mg, 32.4 mg | 1 or 1b* | DO |
| phenobarbital sodium injection solution | 1 or 1b* | |
| SEZABY INTRAVENOUS SOLUTION RECONSTITUTED | 3 | |

| Drug Name | Tier | Notes |
|---|----------|--------|
| *Benzodiazepine Hypnotics*** | | |
| BYFAVO INTRAVENOUS SOLUTION RECONSTITUTED | 3 | |
| estazolam oral tablet | 1 or 1b* | QL |
| flurazepam hcl oral capsule | 1 or 1b* | QL |
| HALCION ORAL TABLET | 3 | ST; QL |
| midazolam hcl (pf) +rfid injection solution | 1 or 1b* | |
| midazolam hcl (pf) injection solution | 1 or 1b* | |
| midazolam hcl injection solution 10 mg/10ml, 10 mg/2ml, 25 mg/5ml, 5 mg/ml, 50 mg/10ml | 1 or 1b* | |
| midazolam hcl oral syrup | 1 or 1b* | QL |
| midazolam-sodium chloride (pf) intravenous solution 100-0.9 mg/100ml-%, 50-0.9 mg/50ml-% | 1 or 1b* | |
| quazepam oral tablet | 1 or 1b* | QL |
| RESTORIL ORAL CAPSULE | 3 | ST; QL |
| temazepam oral capsule | 1 or 1b* | QL |
| triazolam oral tablet | 1 or 1b* | QL |
| *Hypnotics - Tricyclic Agents*** | | _ |
| doxepin hcl oral tablet | 1 or 1b* | ST; QL |
| *Non-Benzodiazepine - Gaba-Receptor Modulators*** | | |
| EDLUAR SUBLINGUAL TABLET SUBLINGUAL | 3 | ST; QL |
| eszopiclone oral tablet | 1 or 1b* | QL |
| zaleplon oral capsule | 1 or 1b* | QL |
| zolpidem tartrate er oral tablet extended release | 1 or 1b* | QL |
| zolpidem tartrate oral tablet | 1 or 1b* | QL |
| zolpidem tartrate sublingual tablet sublingual | 1 or 1b* | ST; QL |
| *Orexin Receptor Antagonists*** | | |
| QUVIVIQ ORAL TABLET | 3 | ST; QL |

| Drug Name | Tier | Notes |
|--|----------|------------|
| *Selective Alpha2- Adrenoreceptor Agonist Sedatives*** | | |
| dexmedetomidine hcl in nacl intravenous solution 200 mcg/50ml, 400 mcg/100ml, 80 mcg/20ml | 1 or 1b* | |
| DEXMEDETOMIDINE HCL INTRAVENOUS SOLUTION 1000 MCG/10ML, 400 MCG/4ML | 3 | |
| dexmedetomidine hcl intravenous solution 200 mcg/2ml | 1 or 1b* | |
| DEXMEDETOMIDINE HCL-DEXTROSE INTRAVENOUS SOLUTION | 3 | |
| IGALMI SUBLINGUAL FILM | 3 | PA; QL |
| PRECEDEX INTRAVENOUS SOLUTION 1000 MCG/250ML, 200 MCG/2ML, 200 MCG/50ML, 400 MCG/100ML, 80 MCG/20ML | 3 | |
| *Selective Melatonin Receptor Agonists*** | | |
| HETLIOZ LQ ORAL SUSPENSION | 3 | PA; QL; LD |
| ramelteon oral tablet | 1 or 1b* | QL |
| tasimelteon oral capsule | 3 | PA; QL |
| *Laxatives* | | |
| *Bowel Evacuant Combinations*** | | |
| GAVILYTE-C ORAL SOLUTION RECONSTITUTED | 1 or 1a* | \$0; QL |
| gavilyte-g oral solution reconstituted | 1 or 1a* | \$0; QL |
| GAVILYTE-N WITH FLAVOR PACK ORAL SOLUTION RECONSTITUTED | 1 or 1a* | \$0; QL |
| na sulfate-k sulfate-mg sulf oral solution 17.5-3.13-1.6 gm/177ml | 1 or 1b* | \$0; QL |
| peg 3350-kcl-na bicarb-nacl oral solution reconstituted | 1 or 1a* | \$0; QL |
| peg-3350/electrolytes oral solution reconstituted | 1 or 1a* | \$0; QL |

| Drug Name | Tier | Notes |
|--|----------|---------|
| peg- 3350/electrolytes/ascorbat oral solution reconstituted | 1 or 1b* | \$0; QL |
| peg-kcl-nacl-nasulf-na asc-c oral solution reconstituted | 1 or 1b* | \$0; QL |
| PEG-PREP ORAL KIT | 3 | QL |
| *Laxatives - Miscellaneous*** | | |
| constulose oral solution | 1 or 1b* | QL |
| KRISTALOSE ORAL PACKET | 1 or 1b* | ST; QL |
| LACTULOSE ORAL PACKET 10 GM | 1 or 1b* | ST; QL |
| lactulose oral packet 20 gm | 1 or 1b* | ST |
| lactulose oral solution | 1 or 1b* | QL |
| *Lubricant Laxatives*** | | |
| mineral oil heavy oral oil | 1 or 1b* | |
| *Local Anesthetics- Parenteral* | | |
| *Local Anesthetic & Sympathomimetic*** | | |
| articadent dental injection solution cartridge 4 %- 1:100000 | 3 | |
| bupivacaine-epinephrine (pf) injection solution 0.25% - 1:200000, 0.5% -1:200000 | 1 or 1b* | |
| lidocaine-epinephrine (pf) injection solution 1.5 %- 1:200000, 2 %-1:200000 | 1 or 1b* | |
| lidocaine-epinephrine injection solution 0.5 %- 1:200000, 2 %-1:100000 | 1 or 1b* | |
| MARCAINE/EPINEPHRI NE INJECTION SOLUTION 0.25% - 1:200000, 0.25-1:200000 %, 0.5% -1:200000 | 3 | |
| MARCAINE/EPINEPHRI NE PF INJECTION SOLUTION | 3 | |
| ORABLOC INJECTION SOLUTION CARTRIDGE | 3 | |
| sensorcaine/epinephrine injection solution | 1 or 1b* | |
| sensorcaine-mpf/epinephrine injection solution 0.25% - 1:200000 | 1 or 1b* | |
| sensorcaine-mpf/epinephrine injection solution 0.5% - 1:200000 | 3 | |

| Drug Name | Tier | Notes |
|--|----------|-------|
| SENSORCAINE- MPF/EPINEPHRINE INJECTION SOLUTION 0.75-1:200000 % | 3 | |
| XYLOCAINE/EPINEPHR INE INJECTION SOLUTION | 3 | |
| XYLOCAINE- MPF/EPINEPHRINE INJECTION SOLUTION | 3 | |
| *Local Anesthetics - Amides*** | | |
| BUPIVACAINE FISIOPHARMA INJECTION SOLUTION | 3 | |
| bupivacaine hcl (pf) injection solution | 1 or 1b* | |
| lidocaine hcl (pf) injection solution | 1 or 1b* | |
| lidocaine hcl injection solution 0.5 % | 1 or 1b* | |
| MARCAINE INJECTION SOLUTION | 3 | |
| MARCAINE PRESERVATIVE FREE INJECTION SOLUTION | 3 | |
| MONOJECT BONE MARROW BIOPSY INJECTION KIT | 3 | |
| NAROPIN INJECTION SOLUTION | 3 | |
| polocaine injection solution | 1 or 1b* | |
| polocaine-mpf injection solution | 1 or 1b* | |
| POSIMIR INJECTION SOLUTION | 3 | |
| ropivacaine hcl injection solution 10 mg/ml, 5 mg/ml, 7.5 mg/ml | 1 or 1b* | |
| ROPIVACAINE HCL INJECTION SOLUTION 2 MG/ML | 1 or 1b* | |
| sensorcaine injection solution | 1 or 1b* | |
| sensorcaine-mpf injection solution | 1 or 1b* | |
| XARACOLL IMPLANT IMPLANT | 3 | |
| XYLOCAINE INJECTION SOLUTION | 3 | |
| XYLOCAINE MPF +RFID INJECTION SOLUTION | 3 | |

| Drug Name | Tier | Notes |
|---|----------|-------|
| XYLOCAINE-MPF +RFID INJECTION SOLUTION | 3 | |
| XYLOCAINE-MPF INJECTION SOLUTION 0.5 %, 1 %, 1.5 %, 2 % | 3 | |
| *Local Anesthetics - Esters*** | | |
| chloroprocaine hcl (pf) injection solution | 1 or 1b* | |
| NESACAINE INJECTION SOLUTION | 3 | |
| NESACAINE-MPF INJECTION SOLUTION | 3 | |
| *Macrolides* | | |
| *Azithromycin*** | | |
| azithromycin intravenous solution reconstituted 500 mg | 1 or 1b* | |
| azithromycin oral suspension reconstituted | 1 or 1b* | |
| azithromycin oral tablet 250 mg, 500 mg, 600 mg | 1 or 1b* | |
| ZITHROMAX INTRAVENOUS SOLUTION RECONSTITUTED | 3 | |
| ZITHROMAX ORAL SUSPENSION RECONSTITUTED | 3 | |
| ZITHROMAX ORAL TABLET 250 MG, 500 MG | 3 | |
| ZITHROMAX TRI-PAK ORAL TABLET | 3 | |
| ZITHROMAX Z-PAK ORAL TABLET | 3 | |
| *Clarithromycin*** | | |
| clarithromycin er oral tablet extended release 24 hour | 1 or 1b* | |
| clarithromycin oral suspension reconstituted | 1 or 1b* | |
| clarithromycin oral tablet | 1 or 1b* | |
| *Erythromycins*** | | |
| e.e.s. 400 oral tablet | 1 or 1b* | |
| ERYTHROCIN LACTOBIONATE INTRAVENOUS SOLUTION RECONSTITUTED 500 MG | 3 | |
| erythromycin base oral capsule delayed release particles | 1 or 1b* | |

| Drug Name | Tier | Notes |
|--|----------|-------|
| erythromycin base oral tablet | 1 or 1b* | |
| erythromycin base oral tablet delayed release | 1 or 1b* | |
| erythromycin ethylsuccinate oral suspension reconstituted | 1 or 1b* | |
| erythromycin lactobionate intravenous solution reconstituted | 1 or 1b* | |
| erythromycin oral tablet delayed release | 1 or 1b* | |
| *Fidaxomicin*** | | |
| DIFICID ORAL SUSPENSION RECONSTITUTED | 3 | QL |
| fidaxomicin oral tablet | 1 or 1b* | QL |
| *Medical Devices And Supplies* | | |
| *Cervical Caps*** FEMCAP VAGINAL DEVICE | 2 | \$0 |
| *Dental Desensitizing Products*** | | |
| REMESENSE DENTAL | 3 | |
| *Dentifrices*** | | |
| MI PASTE DENTAL PASTE | 3 | |
| MI PASTE PLUS DENTAL PASTE | 3 | |
| *Diaphragms*** | | |
| CAYA VAGINAL DIAPHRAGM | 2 | \$0 |
| OMNIFLEX DIAPHRAGM VAGINAL DIAPHRAGM | 3 | \$0 |
| WIDE-SEAL DIAPHRAGM 60 VAGINAL DIAPHRAGM | 2 | \$0 |
| WIDE-SEAL DIAPHRAGM 65 VAGINAL DIAPHRAGM | 2 | \$0 |
| WIDE-SEAL DIAPHRAGM 70 VAGINAL DIAPHRAGM | 2 | \$0 |
| WIDE-SEAL DIAPHRAGM 75 VAGINAL DIAPHRAGM | 2 | \$0 |
| WIDE-SEAL DIAPHRAGM 80 VAGINAL DIAPHRAGM | 2 | \$0 |

| Drug Name | Tier | Notes |
|--|------|--------|
| WIDE-SEAL DIAPHRAGM 85 VAGINAL DIAPHRAGM | 2 | \$0 |
| WIDE-SEAL DIAPHRAGM 90 VAGINAL DIAPHRAGM | 2 | \$0 |
| WIDE-SEAL DIAPHRAGM 95 VAGINAL DIAPHRAGM | 2 | \$0 |
| *Glucose Monitoring Test Supplies*** | | |
| BD MICROTAINER LANCETS | 2 | QL |
| DEXCOM G6 RECEIVER DEVICE | 2 | PA; QL |
| DEXCOM G6 SENSOR | 2 | PA; QL |
| DEXCOM G6 TRANSMITTER | 2 | PA; QL |
| DEXCOM G7 RECEIVER DEVICE | 2 | PA; QL |
| DEXCOM G7 SENSOR | 2 | PA; QL |
| ENLITE GLUCOSE SENSOR | 3 | PA; QL |
| EVERSENSE 365 SENSOR/HOLDER | 3 | QL |
| EVERSENSE 365 SMART TRANSMIT | 3 | PA; QL |
| EVERSENSE SENSOR/HOLDER | 3 | PA; QL |
| EVERSENSE SMART TRANSMITTER | 3 | PA; QL |
| GUARDIAN 4 GLUCOSE SENSOR | 3 | PA; QL |
| GUARDIAN 4 TRANSMITTER | 3 | PA; QL |
| GUARDIAN LINK 3 TRANSMITTER | 3 | PA; QL |
| GUARDIAN REAL-TIME REPLACE PED DEVICE | 3 | PA; QL |
| GUARDIAN SENSOR (3) | 3 | PA; QL |
| GUARDIAN SENSOR 3 | 3 | PA; QL |
| MINILINK REAL-TIME TRANSMITTER | 3 | PA |
| MINIMED 630G GUARDIAN PRESS | 3 | PA |
| PARADIGM REAL-TIME TRANSMITTER | 3 | PA |
| *Insulin Administration Supplies*** | | |
| OMNIPOD 5 DEXG7G6 INTRO GEN 5 KIT | 2 | PA; QL |

| Drug Name | Tier | Notes |
|---|------|--------|
| OMNIPOD 5 DEXG7G6 PODS GEN 5 | 2 | PA; QL |
| OMNIPOD 5 LIBRE2 G6 INTRO G5 KIT | 2 | PA; QL |
| OMNIPOD 5 LIBRE2 PLUS G6 PODS | 2 | PA; QL |
| OMNIPOD DASH INTRO (GEN 4) KIT | 2 | PA; QL |
| OMNIPOD DASH PDM (GEN 4) KIT | 2 | PA; QL |
| OMNIPOD DASH PODS (GEN 4) | 2 | PA; QL |
| TWIIST REFILL KIT KIT | 2 | PA; QL |
| TWIIST REFILL KIT/INFUSION SET KIT | 2 | PA; QL |
| TWIIST STARTER KIT KIT | 2 | PA; QL |
| *Needles & Syringes*** | | |
| aq insulin syringe | 3 | ST; QL |
| aqinject pen needle | 3 | ST; QL |
| BD INSULIN SYRINGE 29G X 1/2" 0.5 ML, 29G X 1/2" 1 ML | 2 | QL |
| BD INSULIN SYRINGE MICROFINE 28G X 1/2" 1 ML | 2 | QL |
| BD INSULIN SYRINGE U-500 | 2 | QL |
| BD SAFETYGLIDE INSULIN SYRINGE 31G X 15/64" 0.3 ML | 2 | QL |
| DROPSAFE SAFETY SYRINGE/NEEDLE | 3 | ST; QL |
| EMBECTA INSULIN SYRINGE | 2 | QL |
| EMBECTA INSULIN SYRINGE U-500 | 2 | QL |
| insulin syringe-needle u-100 27g x 1/2" 0.5 ml, 27g x 1/2" 1 ml, 28g x 1/2" 0.5 ml, 28g x 1/2" 1 ml, 30g x 1/2" 1 ml | 3 | ST; QL |
| INSULIN SYRINGE- NEEDLE U-100 29G X 1/2" 0.5 ML, 29G X 1/2" 1 ML, 30G X 5/16" 0.5 ML, 31G X 5/16" 0.5 ML, 31G X 5/16" 1 ML | 3 | ST; QL |
| MAGELLAN INSULIN SAFETY SYR | 3 | ST; QL |
| MARATHON MEDICAL PENTIPS | 3 | ST; QL |

| Drug Name | Tier | Notes |
|---|------|--------|
| MONOJECT INSULIN SYRINGE 27G X 1/2" 1 ML, 28G X 1/2" 0.5 ML, 28G X 1/2" 1 ML, 29G X 1/2" 0.3 ML, 29G X 1/2" 0.5 ML, 29G X 1/2" 1 ML, 30G X 5/16" 0.3 ML, 30G X 5/16" 0.5 ML, 30G X 5/16" 1 ML, U-100 1 ML | 3 | ST; QL |
| MONOJECT ULTRA COMFORT SYRINGE 28G X 1/2" 0.5 ML, 28G X 1/2" 1 ML, 30G X 5/16" 0.3 ML, 30G X 5/16" 0.5 ML | 3 | ST; QL |
| PEN NEEDLES 30G X 5 MM , 31G X 5 MM , 31G X 8 MM , 32G X 4 MM | 3 | ST; QL |
| PENTIPS 29G X 12MM , 31G X 5 MM , 31G X 8 MM , 32G X 4 MM | 3 | ST; QL |
| PRO COMFORT PEN NEEDLES 32G X 4 MM , 32G X 5 MM | 3 | ST; QL |
| sure comfort pen needles 31g x 6 mm | 3 | ST; QL |
| SURE COMFORT PEN NEEDLES 32G X 4 MM | 3 | ST; QL |
| ULTICARE INSULIN SAFETY SYR | 3 | ST; QL |
| ULTICARE INSULIN SYRINGE 30G X 5/16" 0.5 ML, 31G X 5/16" 0.3 ML, 31G X 5/16" 0.5 ML | 3 | ST; QL |
| ULTICARE PEN NEEDLES 29G X 12.7MM | 3 | ST; QL |
| ULTICARE SHORT PEN NEEDLES 31G X 8 MM | 3 | ST; QL |
| *Migraine Products* *Calcitonin Gene-Related Peptide Receptor Antag (Cgrp)*** | | |
| NURTEC ORAL TABLET DISPERSIBLE | 2 | QL |
| QULIPTA ORAL TABLET | 2 | QL |
| UBRELVY ORAL TABLET | 2 | QL |
| *Cgrp Receptor Antagonists - Monocolonal Antibodies*** | | |
| AIMOVIG SUBCUTANEOUS SOLUTION AUTO- INJECTOR | 3 | QL |

| Drug Name | Tier | Notes |
|--|----------|--------|
| AJOVY SUBCUTANEOUS SOLUTION AUTO- INJECTOR | 3 | QL |
| AJOVY SUBCUTANEOUS SOLUTION PREFILLED SYRINGE | 3 | QL |
| EMGALITY (300 MG DOSE) SUBCUTANEOUS SOLUTION PREFILLED SYRINGE | 3 | QL |
| EMGALITY SUBCUTANEOUS SOLUTION AUTO- INJECTOR | 3 | QL |
| EMGALITY SUBCUTANEOUS SOLUTION PREFILLED SYRINGE | 3 | QL |
| *Ergot Combinations*** | | |
| ergotamine-caffeine oral tablet | 1 or 1b* | |
| migergot rectal suppository | 1 or 1b* | |
| *Migraine Products*** | | |
| dihydroergotamine mesylate injection solution | 1 or 1b* | PA; QL |
| *Selective Serotonin Agonists 5-Ht(1)*** | | |
| almotriptan malate oral tablet | 1 or 1b* | QL |
| eletriptan hydrobromide oral tablet | 1 or 1b* | QL |
| frovatriptan succinate oral tablet | 1 or 1b* | ST; QL |
| naratriptan hel oral tablet | 1 or 1b* | QL |
| rizatriptan benzoate oral tablet | 1 or 1b* | QL |
| rizatriptan benzoate oral tablet dispersible | 1 or 1b* | QL |
| sumatriptan nasal solution | 1 or 1b* | QL |
| sumatriptan succinate oral tablet | 1 or 1b* | QL |
| sumatriptan succinate refill subcutaneous solution cartridge | 1 or 1b* | QL |
| sumatriptan succinate subcutaneous solution 6 mg/0.5ml | 1 or 1b* | QL |
| sumatriptan succinate subcutaneous solution auto- injector 4 mg/0.5ml, 6 mg/0.5ml | 1 or 1b* | QL |

| Drug Name | Tier | Notes |
|---|----------|--------|
| zolmitriptan nasal solution | 1 or 1b* | ST; QL |
| zolmitriptan oral tablet | 1 or 1b* | QL |
| zolmitriptan oral tablet | 1 01 10 | |
| dispersible | 1 or 1b* | QL |
| *Minerals & Electrolytes* | | |
| *Bicarbonates*** | | |
| SODIUM ACETATE INTRAVENOUS SOLUTION 2 MEQ/ML | 3 | |
| sodium acetate intravenous solution 4 meq/ml | 1 or 1b* | |
| sodium bicarbonate intravenous solution 4.2 %, 7.5 % | 1 or 1b* | |
| THAM INTRAVENOUS SOLUTION | 3 | |
| *Calcium Combinations*** | | |
| CALCIUM GLUCONATE-NACL INTRAVENOUS SOLUTION 1-0.675 GM/50ML-%, 1-0.8 GM/100ML-%, 2-0.675 GM/100ML-% | 3 | |
| *Electrolytes & Dextrose*** | | |
| DEXTROSE 5%/ELECTROLYTE #48 INTRAVENOUS SOLUTION | 3 | |
| dextrose in lactated ringers intravenous solution | 1 or 1b* | |
| dextrose-nacl intravenous solution 5-0.9 % | 3 | |
| DEXTROSE-SODIUM CHLORIDE INTRAVENOUS SOLUTION 10-0.2 %, 5- 0.225 %, 5-0.3 % | 3 | |
| dextrose-sodium chloride intravenous solution 10-0.45 %, 5-0.2 %, 5-0.33 %, 5-0.45 %, 5-0.9 % | 1 or 1b* | |
| dextrose-sodium chloride intravenous solution 2.5-0.45 % | 3 | |
| IONOSOL-MB IN D5W INTRAVENOUS SOLUTION | 3 | |
| ISOLYTE-P IN D5W INTRAVENOUS SOLUTION | 3 | |

| Drug Name | Tier | Notes |
|--|----------|-------|
| kcl in dextrose-nacl intravenous solution 10-5-0.45 meq/l-%-%, 20-5-0.2 meq/l-%-%, 20-5-0.45 meq/l-%-%, 20-5-0.9 meq/l-%-%, 30-5-0.45 meq/l-%-%, 40-5-0.45 meq/l-%-% | 1 or 1b* | |
| KCL IN DEXTROSE- NACL INTRAVENOUS SOLUTION 20-5-0.225 MEQ/L-%-%, 40-5-0.9 MEQ/L-%-% | 3 | |
| KCL-LACTATED RINGERS-D5W INTRAVENOUS SOLUTION | 3 | |
| NORMOSOL-M IN D5W INTRAVENOUS SOLUTION | 3 | |
| NORMOSOL-R IN D5W INTRAVENOUS SOLUTION | 3 | |
| potassium cl in dextrose 5% intravenous solution 10 meq/l, 20 meq/l | 1 or 1b* | |
| *Electrolytes Parenteral*** | | |
| ISOLYTE-S INTRAVENOUS SOLUTION | 3 | |
| ISOLYTE-S PH 7.4 INTRAVENOUS SOLUTION | 3 | |
| kcl (0.149%) in nacl intravenous solution | 1 or 1b* | |
| kcl (0.298%) in nacl intravenous solution | 1 or 1b* | |
| lactated ringers intravenous solution | 1 or 1b* | |
| multiple electro type 1 ph 5.5 intravenous solution | 1 or 1b* | |
| multiple electro type 1 ph 7.4 intravenous solution | 1 or 1b* | |
| NORMOSOL-R INTRAVENOUS SOLUTION | 3 | |
| NORMOSOL-R PH 7.4 INTRAVENOUS SOLUTION | 3 | |
| PLASMA-LYTE 148 INTRAVENOUS SOLUTION | 3 | |
| PLASMA-LYTE A INTRAVENOUS SOLUTION | 3 | |

| Drug Name | Tier | Notes |
|---|----------|-------|
| POTASSIUM CHLORIDE IN NACL INTRAVENOUS SOLUTION 20-0.45 MEQ/L-%, 40-0.9 MEQ/L-% | 3 | |
| potassium chloride in nacl intravenous solution 20-0.9 meq/l-% | 3 | |
| ringers intravenous solution | 1 or 1b* | |
| TPN ELECTROLYTES INTRAVENOUS CONCENTRATE | 3 | |
| *Fluoride Combinations*** | | |
| FLORIVA ORAL LIQUID | 3 | ST |
| *Fluoride*** | | |
| sodium fluoride oral solution 1.1 (0.5 f) mg/ml | 1 or 1a* | \$0 |
| sodium fluoride oral tablet | 1 or 1a* | \$0 |
| sodium fluoride oral tablet chewable | 1 or 1a* | \$0 |
| *Magnesium*** | | |
| MAGNESIUM SULFATE IN D5W INTRAVENOUS SOLUTION 1-5 GM/100ML-% | 3 | |
| MAGNESIUM SULFATE INJECTION SOLUTION 50 % | 1 or 1b* | |
| MAGNESIUM SULFATE INTRAVENOUS SOLUTION 2 GM/50ML, 20 GM/500ML, 4 GM/100ML, 4 GM/50ML, 40 GM/1000ML | 3 | |
| *Manganese*** | | |
| manganese chloride intravenous solution | 1 or 1b* | |
| *Phosphate*** | | |
| GLYCOPHOS INTRAVENOUS SOLUTION | 3 | |
| K-PHOS ORAL TABLET | 2 | |
| K-PHOS-NEUTRAL ORAL TABLET | 3 | |
| phospha 250 neutral oral tablet | 1 or 1b* | |
| phosphorous oral tablet | 1 or 1b* | |
| phospho-trin 250 neutral oral tablet | 1 or 1b* | |
| phospho-trin k500 oral tablet | 1 or 1b* | |

| Drug Name | Tier | Notes |
|---|----------|-------|
| POTASSIUM PHOSPHATES INTRAVENOUS SOLUTION 15 MMOLE/5ML, 150 MMOLE/50ML | 3 | |
| potassium phosphates intravenous solution 45 mmole/15ml | 1 or 1b* | |
| potassium phosphates(66 meq k) intravenous solution | 3 | |
| POTASSIUM PHOSPHATES(71 MEQ K) INTRAVENOUS SOLUTION | 3 | |
| potassium phosphates-nacl intravenous solution 15 mmol/100ml, 30 mmol/500ml | 3 | |
| sodium phosphates intravenous solution | 1 or 1b* | |
| wes-phos 250 neutral oral tablet | 1 or 1b* | |
| *Potassium*** | | |
| klor-con 10 oral tablet extended release | 1 or 1b* | |
| klor-con m10 oral tablet extended release | 1 or 1a* | |
| klor-con m15 oral tablet extended release | 1 or 1a* | |
| klor-con m20 oral tablet extended release | 1 or 1a* | |
| klor-con oral packet 20 meq | 1 or 1b* | |
| klor-con oral tablet extended release | 1 or 1b* | |
| POTASSIUM ACETATE INTRAVENOUS SOLUTION 2 MEQ/ML | 3 | |
| potassium chloride crys er oral tablet extended release | 1 or 1a* | |
| potassium chloride er oral capsule extended release | 1 or 1b* | |
| potassium chloride er oral tablet extended release | 1 or 1b* | |
| POTASSIUM CHLORIDE INTRAVENOUS SOLUTION 10 MEQ/100ML, 10 MEQ/50ML, 20 MEQ/100ML, 20 MEQ/50ML, 40 MEQ/100ML | 3 | |

| Drug Name | Tier | Notes |
|---|----------|-------|
| potassium chloride intravenous solution 2 meq/ml | 1 or 1b* | |
| potassium chloride oral packet | 1 or 1b* | |
| potassium chloride oral solution 10 %, 20 meq/15ml (10%), 40 meq/15ml (20%) | 1 or 1b* | |
| *Sodium*** | | |
| aquastat intravenous solution | 1 or 1b* | |
| AQUASTAT SFR INTRAVENOUS SOLUTION | 1 or 1b* | |
| bd posiflush intravenous solution | 1 or 1b* | |
| BD POSIFLUSH SAFESCRUB INTRAVENOUS SOLUTION | 1 or 1b* | |
| monoject flush syringe intravenous solution | 1 or 1b* | |
| monoject sodium chloride flush intravenous solution | 1 or 1b* | |
| normal saline flush intravenous solution | 1 or 1b* | |
| saline flush intravenous solution | 1 or 1b* | |
| sodium chloride (pf) injection solution | 1 or 1b* | |
| sodium chloride injection solution 2.5 meq/ml | 1 or 1b* | |
| sodium chloride intravenous solution 0.45 %, 3 %, 5 % | 1 or 1b* | |
| *Trace Mineral Combinations*** | | |
| MULTRYS INTRAVENOUS SOLUTION | 3 | |
| THE LIQUILIFT TRACE INTRAVENOUS KIT | 3 | |
| TRALEMENT INTRAVENOUS SOLUTION | 3 | |
| *Trace Minerals*** | | |
| chromic chloride intravenous solution | 3 | |
| cupric chloride intravenous solution | 3 | |
| SELENIOUS ACID INTRAVENOUS SOLUTION 12 MCG/2ML, 60 MCG/ML | 3 | |

| Drug Name | Tier | Notes |
|--|----------|----------------|
| SELENIOUS ACID | 1 11 4 | |
| INTRAVENOUS SOLUTION 40 MCG/ML | 1 or 1b* | |
| *Zinc*** | | |
| GALZIN ORAL CAPSULE | 3 | |
| zinc chloride intravenous solution | 3 | |
| zinc sulfate intravenous solution | 1 or 1b* | |
| *Miscellaneous Therapeutic Classes* | | |
| *Activated Phosphoinositide 3-Kinase Delta Syndrome Agent*** | | |
| JOENJA ORAL TABLET | 3 | PA; QL; LD |
| *Antileprotics*** | | |
| THALOMID ORAL CAPSULE 100 MG, 50 MG | 2 | PA; QL; LD; SP |
| *B-Lymphocyte Stimulator (Blys)-Specific Inhibitors*** | | |
| BENLYSTA INTRAVENOUS SOLUTION RECONSTITUTED | 3 | PA; LD; SP |
| BENLYSTA SUBCUTANEOUS SOLUTION AUTO- INJECTOR | 3 | PA; QL; LD; SP |
| BENLYSTA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE | 3 | PA; QL; LD; SP |
| *Chelating Agents*** | | |
| DEPEN TITRATABS ORAL TABLET | 3 | PA; QL; SP |
| penicillamine oral tablet | 1 or 1b* | PA; QL; SP |
| trientine hcl oral capsule 250 mg | 1 or 1b* | PA; QL; SP |
| *Colony Stimulating Factor-1 Receptor (Csf-1R) Antibodies** | | |
| NIKTIMVO INTRAVENOUS SOLUTION | 3 | PA; LD |
| *Continuous Renal Replacement Therapy (Crrt) Solutions*** | | |
| PHOXILLUM B22K4/0 EXTRACORPOREAL SOLUTION | 3 | |

| Drug Name | Tier | Notes |
|---|----------|------------|
| PHOXILLUM BK4/2.5 EXTRACORPOREAL SOLUTION | 3 | |
| PRISMASOL B22GK 4/0 EXTRACORPOREAL SOLUTION | 3 | |
| PRISMASOL BGK 0/2.5 EXTRACORPOREAL SOLUTION | 3 | |
| PRISMASOL BGK 2/0 EXTRACORPOREAL SOLUTION | 3 | |
| PRISMASOL BGK 2/3.5 EXTRACORPOREAL SOLUTION | 3 | |
| PRISMASOL BGK 4/0/1.2 EXTRACORPOREAL SOLUTION | 3 | |
| PRISMASOL BGK 4/2.5 EXTRACORPOREAL SOLUTION | 3 | |
| PRISMASOL BK 0/0/1.2 EXTRACORPOREAL SOLUTION | 3 | |
| *Cyclosporine Analogs*** | | |
| cyclosporine modified oral capsule | 1 or 1b* | |
| cyclosporine modified oral solution | 1 or 1b* | |
| cyclosporine oral capsule | 1 or 1b* | |
| gengraf oral capsule 100 mg, 25 mg | 1 or 1b* | |
| gengraf oral solution | 1 or 1b* | |
| LUPKYNIS ORAL CAPSULE | 3 | PA; QL; LD |
| *Enzymes*** | | |
| AMPHADASE INJECTION SOLUTION | 3 | |
| HYLENEX INJECTION SOLUTION | 3 | |
| XIAFLEX INJECTION SOLUTION RECONSTITUTED | 3 | PA; LD; SP |
| *Farnesyltransferase Inhibitors*** | | |
| ZOKINVY ORAL CAPSULE | 3 | PA; QL |
| *Immune Globulin Immunosuppressants*** | | |
| ATGAM INTRAVENOUS SOLUTION | 3 | SP |

| Drug Name | Tier | Notes |
|--|----------|----------------|
| THYMOGLOBULIN INTRAVENOUS SOLUTION RECONSTITUTED | 3 | SP |
| *Immunomodulators - Combinations*** | | |
| VYVGART HYTRULO SUBCUTANEOUS SOLUTION | 3 | PA; QL; LD; SP |
| VYVGART HYTRULO SUBCUTANEOUS SOLUTION PREFILLED SYRINGE | 3 | PA; QL; LD; SP |
| *Immunomodulators For Myelodysplastic Syndromes*** | | |
| lenalidomide oral capsule | 1 or 1b* | PA; QL; LD; SP |
| REVLIMID ORAL CAPSULE | 2 | PA; QL; LD; SP |
| *Inosine Monophosphate Dehydrogenase Inhibitors*** | | |
| CELLCEPT INTRAVENOUS INTRAVENOUS SOLUTION RECONSTITUTED | 3 | SP |
| CELLCEPT ORAL CAPSULE | 3 | ST |
| CELLCEPT ORAL SUSPENSION RECONSTITUTED | 3 | ST |
| CELLCEPT ORAL TABLET | 3 | ST |
| mycophenolate mofetil hcl intravenous solution reconstituted | 1 or 1b* | SP |
| mycophenolate mofetil intravenous solution reconstituted | 1 or 1b* | SP |
| mycophenolate mofetil oral capsule | 1 or 1b* | |
| mycophenolate mofetil oral suspension reconstituted | 1 or 1b* | |
| mycophenolate mofetil oral tablet | 1 or 1b* | |
| mycophenolate sodium oral tablet delayed release | 1 or 1b* | |
| mycophenolic acid oral tablet delayed release 180 mg, 360 mg | 1 or 1b* | |
| MYHIBBIN ORAL SUSPENSION | 3 | ST |

| Drug Name | Tier | Notes |
|---|----------|----------------|
| *Interleukin-6 (II-6) Antagonists*** | | |
| SYLVANT INTRAVENOUS SOLUTION RECONSTITUTED | 3 | PA; LD; SP |
| *Irrigation Solutions*** | | |
| argyle sterile water irrigation solution | 1 or 1b* | |
| lactated ringers irrigation solution | 1 or 1b* | |
| physiolyte irrigation solution | 1 or 1b* | |
| physiosol irrigation irrigation solution | 1 or 1b* | |
| ringers irrigation irrigation solution | 3 | |
| sterile water for irrigation irrigation solution | 1 or 1b* | |
| water for irrigation, sterile irrigation solution | 1 or 1b* | |
| *Macrolide Immunosuppressants*** | | |
| ASTAGRAF XL ORAL CAPSULE EXTENDED RELEASE 24 HOUR | 3 | |
| ENVARSUS XR ORAL TABLET EXTENDED RELEASE 24 HOUR | 3 | |
| everolimus oral tablet 0.25 mg, 0.5 mg, 0.75 mg, 1 mg | 1 or 1b* | |
| PROGRAF INTRAVENOUS SOLUTION | 2 | SP |
| PROGRAF ORAL PACKET | 3 | |
| sirolimus oral solution | 1 or 1b* | |
| sirolimus oral tablet | 1 or 1b* | |
| tacrolimus oral capsule | 1 or 1b* | |
| ZORTRESS ORAL TABLET | 3 | |
| *Monoclonal Antibodies*** | | |
| ENSPRYNG SUBCUTANEOUS SOLUTION PREFILLED SYRINGE | 3 | PA; QL; LD; SP |
| GAMIFANT INTRAVENOUS SOLUTION | 3 | PA; LD; SP |

| Drug Name | Tier | Notes |
|--|----------|----------------|
| SIMULECT INTRAVENOUS SOLUTION RECONSTITUTED | 3 | |
| UPLIZNA INTRAVENOUS SOLUTION | 3 | PA; QL; LD |
| *Neonatal Fc Receptor (Fcrn) Antagonists*** | | |
| RYSTIGGO SUBCUTANEOUS SOLUTION | 3 | PA; QL; LD; SP |
| VYVGART INTRAVENOUS SOLUTION | 3 | PA; QL; LD; SP |
| *Pik3ca-Related Overgrowth Spectrum Agents - Pi3k Inhib*** | | |
| VIJOICE ORAL PACKET | 3 | PA; QL; LD; SP |
| VIJOICE ORAL TABLET THERAPY PACK | 3 | PA; QL; LD; SP |
| *Potassium Removing Agents*** | | |
| LOKELMA ORAL PACKET | 3 | QL |
| sodium polystyrene sulfonate oral powder | 1 or 1b* | |
| sps (sodium polystyrene sulf) rectal suspension | 1 or 1b* | |
| VELTASSA ORAL PACKET | 3 | QL |
| *Purine Analogs*** | | |
| azasan oral tablet | 1 or 1b* | |
| azathioprine oral tablet | 1 or 1b* | |
| AZATHIOPRINE SODIUM INJECTION SOLUTION RECONSTITUTED | 3 | |
| IMURAN ORAL TABLET | 3 | |
| *Rock Inhibitors*** | | |
| REZUROCK ORAL TABLET | 3 | PA; QL; LD |
| *Sclerosing Agents*** | | |
| ASCLERA INTRAVENOUS SOLUTION | 3 | |
| ETHAMOLIN INTRAVENOUS SOLUTION | 3 | |
| sodium tetradecyl sulfate intravenous solution | 1 or 1b* | |

| Drug Name | Tier | Notes |
|---|----------|----------------|
| SOTRADECOL INTRAVENOUS SOLUTION 1 % | 1 or 1b* | |
| sotradecol intravenous solution 3 % | 1 or 1b* | |
| VARITHENA INTRAVENOUS FOAM | 3 | LD |
| *Selective T-Cell Costimulation Blockers*** | | |
| NULOJIX INTRAVENOUS SOLUTION RECONSTITUTED | 3 | PA |
| *Type I Interferon (Ifn) Receptor Antagonists*** | | |
| SAPHNELO INTRAVENOUS SOLUTION | 3 | PA; QL; LD; SP |
| *Uremic Pruritus Agents*** | | |
| KORSUVA INTRAVENOUS SOLUTION | 3 | PA |
| *Mouth/Throat/Dental Agents* | | |
| *Anesthetics Topical Oral*** | | |
| lidocaine hcl mouth/throat solution | 1 or 1a* | QL |
| lidocaine viscous hcl mouth/throat solution | 1 or 1a* | QL |
| *Anti-Infectives - Throat*** | | |
| clotrimazole mouth/throat troche | 1 or 1b* | QL |
| nystatin mouth/throat suspension | 3 | QL |
| ORAVIG BUCCAL TABLET | 3 | |
| *Antiseptics - Mouth/Throat*** | | |
| chlorhexidine gluconate mouth/throat solution | 1 or 1a* | QL |
| PERIDEX MOUTH/THROAT SOLUTION | 3 | QL |
| periogard mouth/throat solution | 1 or 1a* | QL |
| *Dental Products - Combinations*** | | |
| sodium fluoride 5000 enamel dental gel | 1 or 1b* | |

| Drug Name | Tier | Notes |
|---|----------|-------|
| sodium fluoride 5000 sensitive dental gel | 1 or 1b* | |
| *Fluoride Dental Products*** | | |
| clinpro 5000 dental paste | 1 or 1b* | QL |
| denta 5000 plus dental cream | 1 or 1b* | QL |
| dentagel dental gel | 1 or 1a* | QL |
| easygel dental gel | 1 or 1b* | |
| fluoridex daily renewal mouth/throat concentrate | 1 or 1b* | |
| fluoridex dental paste | 1 or 1b* | QL |
| fluoridex enhanced whitening dental paste | 1 or 1b* | QL |
| fluorimax 5000 dental paste | 1 or 1b* | |
| fraiche 5000 dental dental gel | 1 or 1b* | QL |
| just right 5000 dental paste | 1 or 1b* | |
| sf 5000 plus dental cream | 1 or 1b* | QL |
| sf dental gel | 1 or 1a* | QL |
| sodium fluoride 5000 plus dental cream | 1 or 1b* | QL |
| sodium fluoride 5000 ppm dental cream | 1 or 1b* | QL |
| sodium fluoride 5000 ppm dental gel | 1 or 1b* | QL |
| sodium fluoride 5000 ppm dental paste | 1 or 1b* | QL |
| sodium fluoride dental cream | 1 or 1b* | QL |
| sodium fluoride mouth/throat solution | 1 or 1a* | |
| *Saliva Stimulants*** | | |
| cevimeline hcl oral capsule | 1 or 1b* | |
| EVOXAC ORAL CAPSULE | 3 | |
| pilocarpine hcl oral tablet | 1 or 1b* | QL |
| SALAGEN ORAL TABLET | 3 | QL |
| *Steroids - Mouth/Throat/Dental*** | | |
| KOURZEQ MOUTH/THROAT PASTE | 1 or 1b* | |
| oralone mouth/throat paste | 1 or 1b* | |
| triamcinolone acetonide mouth/throat paste | 1 or 1b* | |
| *Multivitamins* | | |
| *B-Complex W/ C & Folic Acid*** | | |
| b-plex oral tablet | 1 or 1b* | \$0 |

| Drug Name | Tier | Notes |
|---|----------|-------|
| *Multiple Vitamins W/ Minerals & Calcium-Folic Acid*** | | |
| FOLGARD OS ORAL TABLET | 3 | |
| *Multiple Vitamins W/ Minerals & Fluoride-Iron- Folic Acid*** | | |
| QUFLORA FE ORAL TABLET CHEWABLE | 3 | ST |
| *Multiple Vitamins W/ Minerals*** | | |
| FLORRAXYL ORAL TABLET | 3 | |
| *Multivitamins*** | | |
| INFUVITE ADULT INTRAVENOUS SOLUTION | 3 | |
| mincora oral tablet | 3 | |
| novite oral capsule | 1 or 1b* | |
| VITLIPID N ADULT INTRAVENOUS EMULSION | 3 | |
| *Ped Multi Vitamins W/Fl & Fe*** | | |
| multi-vitamin/fluoride/iron oral solution | 1 or 1b* | |
| POLY-VI-FLOR/IRON ORAL TABLET CHEWABLE | 3 | ST |
| QUFLORA FE PEDIATRIC ORAL LIQUID | 3 | ST |
| *Ped Mv W/ Fluoride*** | | |
| DAVIMET-FLUORIDE ORAL TABLET CHEWABLE | 3 | ST |
| FLORIVA PLUS ORAL SOLUTION | 3 | ST |
| FLOTREX ORAL TABLET CHEWABLE | 3 | ST |
| multivitamin w/fluoride oral tablet chewable | 1 or 1b* | \$0 |
| multi-vitamin/fluoride oral solution | 1 or 1b* | \$0 |
| multivitamin/fluoride oral suspension | 3 | ST |
| multivitamin/fluoride oral tablet chewable 0.25 mg, 1 mg | 2 | \$0 |
| multivitamin/fluoride oral tablet chewable 0.5 mg | 2 | |

| Drug Name | Tier | Notes |
|--|----------|--------|
| MULTI-VIT-FLOR ORAL TABLET CHEWABLE | 3 | ST |
| POLY-VI-FLOR ORAL SUSPENSION | 3 | ST |
| POLY-VI-FLOR ORAL TABLET CHEWABLE | 3 | ST |
| QUFLORA PEDIATRIC ORAL SOLUTION | 3 | ST |
| QUFLORA PEDIATRIC ORAL TABLET CHEWABLE | 3 | ST |
| TRI-VI-FLOR ORAL SUSPENSION 0.25 MG/ML | 3 | ST |
| tri-vitamin with fluoride oral suspension | 3 | ST |
| *Ped Vitamins Acd & Fa W/ Fluoride*** | | |
| TRI-VI-FLORO ORAL SUSPENSION | 3 | ST |
| *Ped Vitamins Acd W/ Fluoride*** | | |
| tri-vite/fluoride oral solution | 1 or 1b* | \$0 |
| *Pediatric Multiple Vitamins & Minerals W/ Fluoride*** | | |
| FLORIVA ORAL TABLET CHEWABLE | 3 | ST |
| *Pediatric Multiple Vitamins*** | | |
| INFUVITE PEDIATRIC INTRAVENOUS SOLUTION | 3 | |
| VITALIPID N INFANT INTRAVENOUS EMULSION | 3 | |
| VITLIPID N INFANT INTRAVENOUS EMULSION | 3 | |
| *Prenatal Mv & Min W/Fe-Fa*** | | |
| ATABEX EC ORAL TABLET DELAYED RELEASE | 2 | QL |
| ATABEX OB ORAL TABLET | 2 | QL |
| AZESCO ORAL TABLET | 3 | ST; QL |
| C-NATE DHA ORAL CAPSULE | 2 | QL |
| COMPLETENATE ORAL TABLET CHEWABLE | 2 | QL |

| Drug Name | Tier | Notes |
|---|----------|--------|
| CO-NATAL FA ORAL TABLET | 2 | QL |
| CONCEPT DHA ORAL CAPSULE | 2 | QL |
| CONCEPT OB ORAL CAPSULE | 2 | QL |
| DERMACINRX PRETRATE ORAL TABLET | 3 | |
| elite-ob oral tablet | 1 or 1b* | QL |
| ENBRACE HR ORAL CAPSULE | 3 | ST; QL |
| FOLIVANE-OB ORAL CAPSULE 85-1 MG | 2 | QL |
| inatal gt oral tablet | 1 or 1b* | QL |
| JENLIVA PRENATAL/POSTNATAL ORAL CAPSULE | 3 | ST; QL |
| KOSHER PRENATAL PLUS IRON ORAL TABLET | 3 | ST; QL |
| MATERNACEL ORAL TABLET | 3 | ST; QL |
| M-NATAL PLUS ORAL TABLET | 2 | QL |
| natal pnv oral tablet | 3 | ST; QL |
| NEEVO DHA ORAL CAPSULE 27-1.13 MG | 3 | ST; QL |
| neomaterna oral tablet | 3 | ST; QL |
| NEONATAL COMPLETE ORAL TABLET 27-1 MG | 3 | ST; QL |
| NEONATAL PLUS ORAL TABLET | 3 | QL |
| NESTABS DHA ORAL | 3 | ST; QL |
| NESTABS ORAL TABLET | 3 | ST; QL |
| NIVA-PLUS ORAL TABLET | 2 | QL |
| OB COMPLETE ONE ORAL CAPSULE | 3 | ST; QL |
| OB COMPLETE ORAL TABLET | 3 | ST; QL |
| OB COMPLETE PETITE ORAL CAPSULE | 3 | ST; QL |
| OB COMPLETE PREMIER ORAL TABLET | 3 | ST; QL |
| OB COMPLETE/DHA ORAL CAPSULE | 3 | ST; QL |
| ONE VITE WOMENS PLUS ORAL TABLET | 2 | QL |

| Drug Name | Tier | Notes |
|---|----------|-------------|
| pnv 27-ca/fe/fa oral tablet | 2 | ST; QL |
| pnv prenatal plus multivit+dha oral | 2 | QL |
| PNV TABS 20-1 ORAL TABLET | 3 | ST; QL |
| PNV-OMEGA ORAL CAPSULE | 3 | ST; QL |
| pnv-select oral tablet | 1 or 1b* | ST; QL |
| PREGENNA ORAL TABLET | 3 | ST; QL |
| PRENA1 PEARL ORAL CAPSULE EXTENDED RELEASE | 3 | ST; QL |
| PRENATAL 19 ORAL TABLET 29-1 MG | 2 | QL |
| prenatal 19 oral tablet chewable | 1 or 1a* | QL |
| PRENATAL 19 ORAL TABLET CHEWABLE 29- 1 MG | 2 | QL |
| PRENATAL ORAL TABLET 27-0.8 MG | 2 | ST; \$0; QL |
| PRENATAL ORAL TABLET 27-1 MG | 2 | QL |
| PRENATAL PLUS ORAL TABLET | 2 | QL |
| PRENATAL PLUS VITAMIN/MINERAL ORAL TABLET | 2 | QL |
| PRENATAL-U ORAL CAPSULE | 2 | QL |
| PRENATE ELITE ORAL TABLET 20-0.6-0.4 MG | 3 | ST; QL |
| PRENATRIX ORAL TABLET | 3 | ST; QL |
| PRENATRYL ORAL TABLET | 3 | ST; QL |
| PROVIDA OB ORAL CAPSULE | 2 | QL |
| RELNATE DHA ORAL CAPSULE | 3 | ST; QL |
| SELECT-OB ORAL TABLET CHEWABLE 29- 0.6-0.4 MG | 3 | ST; QL |
| SELECT-OB ORAL TABLET CHEWABLE 29- 1 MG | 2 | QL |
| SE-NATAL 19 ORAL TABLET | 2 | QL |
| SE-NATAL 19 ORAL TABLET CHEWABLE | 2 | QL |

| Drug Name | Tier | Notes |
|--|----------|--------|
| TARON-C DHA ORAL CAPSULE 35-1 MG | 2 | QL |
| THRIVITE RX ORAL TABLET | 2 | ST; QL |
| TRINATAL RX 1 ORAL TABLET | 2 | QL |
| trinate oral tablet | 1 or 1a* | QL |
| VINATE DHA RF ORAL CAPSULE | 3 | ST; QL |
| VITAFOL GUMMIES ORAL TABLET CHEWABLE | 2 | QL |
| VITAFOL-OB ORAL TABLET | 3 | ST; QL |
| vitalara oral tablet | 3 | ST; QL |
| VITATHELY WITH GINGER ORAL TABLET | 3 | ST; QL |
| VIVA DHA ORAL CAPSULE | 3 | ST; QL |
| WESTAB PLUS ORAL TABLET | 2 | QL |
| ZALVIT ORAL TABLET | 3 | ST; QL |
| ZIPHEX ORAL TABLET | 3 | ST; QL |
| *Prenatal Mv & Min W/Fe- Fa-Ca-Omega 3 Fish Oil*** | | |
| COMPLETE NATAL DHA ORAL 29-1-200 & 200 MG | 2 | QL |
| wesnatal dha complete oral | 2 | QL |
| *Prenatal Mv & Min W/Fe-Fa-Dha*** | | |
| CITRANATAL 90 DHA ORAL 90-1 & 300 MG | 3 | ST; QL |
| CITRANATAL ASSURE ORAL 35-1 & 300 MG | 3 | ST; QL |
| CITRANATAL HARMONY ORAL CAPSULE 27-1-260 MG | 3 | ST; QL |
| CITRANATAL MEDLEY ORAL CAPSULE | 3 | ST; QL |
| NESTABS ONE ORAL CAPSULE | 3 | ST; QL |
| pnv-dha oral capsule | 1 or 1b* | QL |
| PNV-DHA+DOCUSATE ORAL CAPSULE | 3 | ST; QL |
| PREGEN DHA ORAL CAPSULE | 3 | ST; QL |
| prena 1 true oral | 2 | |

| Drug Name | Tier | Notes |
|---|----------|--------|
| PRENATE DHA ORAL CAPSULE 18-0.6-0.4-300 | 3 | CT. OI |
| MG | 3 | ST; QL |
| PRENATE ENHANCE ORAL CAPSULE | 3 | ST; QL |
| PRENATE ESSENTIAL ORAL CAPSULE 18-0.6- 0.4-300 MG | 3 | ST; QL |
| PRENATE MINI ORAL CAPSULE 18-0.6-0.4-350 MG | 3 | ST; QL |
| PRENATE PIXIE ORAL CAPSULE | 3 | ST; QL |
| PRENATE RESTORE ORAL CAPSULE | 3 | ST; QL |
| SELECT-OB+DHA ORAL | 3 | ST; QL |
| TRISTART DHA ORAL CAPSULE | 3 | ST; QL |
| VITAFOL FE+ ORAL CAPSULE | 3 | ST; QL |
| VITAFOL ULTRA ORAL CAPSULE | 3 | ST; QL |
| VITAFOL-OB+DHA ORAL | 3 | ST; QL |
| VITAFOL-ONE ORAL CAPSULE | 3 | ST; QL |
| WESTGEL DHA ORAL CAPSULE | 3 | ST; QL |
| *Prenatal Mv & Minerals W/Fa Without Iron*** | | |
| PRENATE ORAL TABLET CHEWABLE | 3 | ST; QL |
| *Prenatal Vitamins*** | | |
| PREMESISRX ORAL TABLET | 3 | ST; QL |
| prena1 oral tablet chewable | 3 | |
| PRENATE AM ORAL TABLET | 3 | ST; QL |
| *Musculoskeletal Therapy Agents* | | |
| *Central Muscle Relaxants*** | | |
| baclofen oral tablet 10 mg, 20 mg, 5 mg | 1 or 1b* | QL |
| carisoprodol oral tablet | 1 or 1b* | QL |
| chlorzoxazone oral tablet 375 mg, 750 mg | 1 or 1b* | ST; QL |
| chlorzoxazone oral tablet 500 mg | 1 or 1b* | QL |
| cyclobenzaprine hcl oral tablet 10 mg, 5 mg | 1 or 1b* | QL |

| Drug Name | Tier | Notes |
|--|----------|----------------|
| methocarbamol injection solution 1000 mg/10ml | 1 or 1b* | |
| methocarbamol oral tablet 500 mg, 750 mg | 1 or 1b* | QL |
| orphenadrine citrate er oral tablet extended release 12 hour | 1 or 1b* | QL |
| orphenadrine citrate injection solution | 1 or 1b* | |
| ROBAXIN INJECTION SOLUTION 1000 MG/10ML | 3 | |
| tizanidine hcl oral capsule 6 mg | 1 or 1b* | QL |
| tizanidine hcl oral tablet | 1 or 1b* | QL |
| ZANAFLEX ORAL TABLET | 3 | ST; QL |
| *Direct Muscle Relaxants*** | | |
| DANTRIUM INTRAVENOUS SOLUTION RECONSTITUTED | 3 | |
| DANTRIUM ORAL CAPSULE 25 MG | 3 | |
| dantrolene sodium intravenous solution reconstituted | 1 or 1b* | |
| dantrolene sodium oral capsule | 1 or 1b* | |
| revonto intravenous solution reconstituted | 1 or 1b* | |
| RYANODEX INTRAVENOUS SUSPENSION RECONSTITUTED | 3 | |
| *Muscle Relaxant Combinations*** | | |
| NORGESIC FORTE ORAL TABLET | 1 or 1b* | |
| norgesic oral tablet | 1 or 1b* | ST; QL |
| ORPHENADRINE- ASPIRIN-CAFFEINE ORAL TABLET 25-385-30 MG | 1 or 1b* | ST; QL |
| orphengesic forte oral tablet 50-770-60 mg | 1 or 1b* | ST; QL |
| *Retinoic Acid Receptor Gamma Selective Agonists*** | | |
| SOHONOS ORAL CAPSULE | 3 | PA; QL; LD; SP |

| Drug Name | Tier | Notes |
|--|----------|----------------|
| *Nasal Agents - Systemic | | |
| And Topical* *Antihistamine-Steroid*** | | |
| azelastine-fluticasone nasal | | |
| suspension | 3 | QL |
| *Nasal Anesthetics*** | | |
| COCAINE HCL NASAL SOLUTION | 3 | |
| NUMBRINO NASAL SOLUTION | 3 | |
| *Nasal Anticholinergics*** | | |
| ipratropium bromide nasal solution | 1 or 1b* | QL |
| *Nasal Antihistamines*** | | |
| azelastine hcl nasal solution 0.1 %, 137 mcg/spray | 1 or 1b* | QL |
| olopatadine hcl nasal solution | 1 or 1b* | QL |
| *Nasal Steroids*** | | |
| flunisolide nasal solution 25 mcg/act (0.025%) | 3 | ST; QL |
| fluticasone propionate nasal suspension | 1 or 1a* | QL; BE |
| mometasone furoate nasal suspension | 3 | ST; QL; BE |
| PROPEL CONTOUR NASAL IMPLANT | 3 | |
| PROPEL MINI NASAL IMPLANT | 3 | |
| PROPEL MINI SDS NASAL IMPLANT | 3 | |
| PROPEL NASAL IMPLANT | 3 | |
| XHANCE NASAL EXHALER SUSPENSION | 3 | PA; QL |
| *Neuromuscular Agents* | | |
| *Als Agents - Miscellaneous*** | | |
| RADICAVA ORS ORAL SUSPENSION | 3 | PA; QL; LD; SP |
| RADICAVA ORS STARTER KIT ORAL SUSPENSION | 3 | PA; QL; LD; SP |
| *Benzathiazoles*** | | |
| riluzole oral tablet | 3 | PA; QL; SP |
| TEGLUTIK ORAL SUSPENSION | 3 | PA; QL; LD |
| TIGLUTIK ORAL SUSPENSION | 3 | PA; QL; LD |

| Drug Name | Tier | Notes |
|---|------|------------|
| *Depolarizing Muscle Relaxants*** | | |
| ANECTINE INJECTION SOLUTION | 3 | |
| QUELICIN INJECTION SOLUTION | 3 | |
| succinylcholine cl +rfid injection solution prefilled syringe | 3 | |
| *Friedrich's Ataxia Agents - Nrf2 Pathway Activators*** | | |
| SKYCLARYS ORAL CAPSULE | 3 | PA; QL; LD |
| *Muscular Dystrophy - Gene Therapy Agents*** | | |
| AMONDYS 45 INTRAVENOUS SOLUTION | 3 | PA; LD |
| EXONDYS 51 INTRAVENOUS SOLUTION | 3 | PA; LD |
| VILTEPSO INTRAVENOUS SOLUTION | 3 | PA; LD |
| VYONDYS 53 INTRAVENOUS SOLUTION | 3 | PA; LD |
| *Muscular Dystrophy - Histone Deacetylase Inhibitors** | | |
| DUVYZAT ORAL SUSPENSION | 3 | PA; QL; LD |
| *Neuromuscular Blocking Agent - Neurotoxins*** | | |
| BOTOX INJECTION SOLUTION RECONSTITUTED | 3 | PA |
| DYSPORT INTRAMUSCULAR SOLUTION RECONSTITUTED | 3 | PA; SP |
| MYOBLOC INTRAMUSCULAR SOLUTION | 3 | PA; SP |
| XEOMIN INTRAMUSCULAR SOLUTION RECONSTITUTED | 3 | PA; LD; SP |

| Drug Name | Tier | Notes |
|---|----------|------------|
| *Nondepolarizing Muscle Relaxants*** | | |
| atracurium besylate intravenous solution 100 mg/10ml, 50 mg/5ml | 1 or 1b* | |
| cisatracurium besylate (pf) intravenous solution | 1 or 1b* | |
| cisatracurium besylate intravenous solution 20 mg/10ml | 1 or 1b* | |
| rocuronium bromide intravenous solution | 1 or 1b* | |
| vecuronium bromide intravenous solution reconstituted | 1 or 1b* | |
| *Rett Syndrome Agents - Glycine-Proline-Glutamate Analogs*** | | |
| DAYBUE ORAL SOLUTION | 3 | PA; QL; LD |
| *Spinal Muscular Atrophy- Smn2 Splicing Modifiers*** | | |
| EVRYSDI ORAL SOLUTION RECONSTITUTED | 3 | PA; QL; LD |
| EVRYSDI ORAL TABLET | 3 | PA; QL; LD |
| *Nutrients* | | |
| *Amino Acid Mixtures*** | Г | T |
| AMINOSYN II INTRAVENOUS SOLUTION 10 % | 3 | |
| aminosyn ii intravenous solution 15 % | 1 or 1b* | |
| AMINOSYN-PF 7% INTRAVENOUS SOLUTION | 3 | |
| AMINOSYN-PF INTRAVENOUS SOLUTION 10 % | 3 | |
| CLINIMIX E/DEXTROSE (2.75/5) INTRAVENOUS SOLUTION | 3 | |
| CLINIMIX E/DEXTROSE (4.25/10) INTRAVENOUS SOLUTION | 3 | |
| CLINIMIX E/DEXTROSE (4.25/5) INTRAVENOUS SOLUTION | 3 | |
| CLINIMIX E/DEXTROSE (5/15) INTRAVENOUS SOLUTION | 3 | |

| Drug Name | Tier | Notes |
|--|----------|-------|
| CLINIMIX E/DEXTROSE (5/20) INTRAVENOUS SOLUTION | 3 | |
| CLINIMIX E/DEXTROSE (8/10) INTRAVENOUS SOLUTION | 3 | |
| CLINIMIX E/DEXTROSE (8/14) INTRAVENOUS SOLUTION | 3 | |
| CLINIMIX/DEXTROSE (4.25/10) INTRAVENOUS SOLUTION | 3 | |
| CLINIMIX/DEXTROSE (4.25/5) INTRAVENOUS SOLUTION | 3 | |
| CLINIMIX/DEXTROSE (5/15) INTRAVENOUS SOLUTION | 3 | |
| CLINIMIX/DEXTROSE (5/20) INTRAVENOUS SOLUTION | 3 | |
| CLINIMIX/DEXTROSE (6/5) INTRAVENOUS SOLUTION | 3 | |
| CLINIMIX/DEXTROSE (8/10) INTRAVENOUS SOLUTION | 3 | |
| CLINIMIX/DEXTROSE (8/14) INTRAVENOUS SOLUTION | 3 | |
| clinisol sf intravenous solution | 1 or 1b* | |
| plenamine intravenous solution | 1 or 1b* | |
| PREMASOL INTRAVENOUS SOLUTION 10 % | 3 | |
| PROSOL INTRAVENOUS SOLUTION | 3 | |
| TRAVASOL INTRAVENOUS SOLUTION | 3 | |
| TROPHAMINE INTRAVENOUS SOLUTION 10 % | 3 | |
| *Amino Acids-Single*** | | |
| ELCYS INTRAVENOUS SOLUTION | 3 | |
| *Carbohydrates*** | | |
| dextrose intravenous solution 10 % | 1 or 1b* | |

| Drug Name | Tier | Notes |
|---|----------|----------------|
| DEXTROSE INTRAVENOUS SOLUTION 20 %, 30 %, 40 % | 3 | |
| dextrose intravenous solution 5 % | 3 | |
| glucose (dextrose) intravenous solution 50 % | 3 | |
| *Lipids*** | | |
| CLINOLIPID INTRAVENOUS EMULSION | 3 | |
| DOJOLVI ORAL LIQUID | 3 | PA; QL; LD; SP |
| INTRALIPID INTRAVENOUS EMULSION | 3 | |
| NUTRILIPID INTRAVENOUS EMULSION 20 % | 3 | |
| OMEGAVEN INTRAVENOUS EMULSION | 3 | |
| SMOFLIPID INTRAVENOUS EMULSION | 3 | |
| *Protein-Carbohydrate- Lipid With Electrolyte Combinations*** | | |
| KABIVEN INTRAVENOUS EMULSION 3.3-10.8-3.9 % | 3 | |
| PERIKABIVEN INTRAVENOUS EMULSION | 3 | |
| *Ophthalmic Agents* | | |
| *Alpha Adrenergic Agonist & Carbonic Anhydrase Inhib Comb*** | | |
| SIMBRINZA OPHTHALMIC SUSPENSION | 2 | QL |
| *Beta-Blockers - Ophthalmic Combinations*** | | |
| brimonidine tartrate-timolol ophthalmic solution | 1 or 1b* | QL |
| dorzolamide hcl-timolol mal ophthalmic solution | 1 or 1b* | QL |
| dorzolamide hcl-timolol mal pf ophthalmic solution 2-0.5 % | 1 or 1b* | QL |

| Drug Name | Tier | Notes |
|--|----------|-------|
| *Beta-Blockers - Ophthalmic*** | | |
| betaxolol hcl ophthalmic solution | 1 or 1b* | QL |
| BETOPTIC-S OPHTHALMIC SUSPENSION | 2 | QL |
| carteolol hcl ophthalmic solution | 1 or 1a* | |
| levobunolol hcl ophthalmic solution 0.5 % | 1 or 1b* | |
| timolol maleate (once-daily) ophthalmic solution | 1 or 1b* | QL |
| timolol maleate ocudose ophthalmic solution | 1 or 1b* | QL |
| timolol maleate ophthalmic gel forming solution | 1 or 1b* | QL |
| timolol maleate ophthalmic solution | 1 or 1b* | QL |
| timolol maleate pf ophthalmic solution | 1 or 1b* | QL |
| TIMOPTIC OCUDOSE OPHTHALMIC SOLUTION | 3 | QL |
| *Cycloplegic Mydriatic Combinations*** | | |
| CYCLOMYDRIL OPHTHALMIC SOLUTION | 3 | |
| MYDCOMBI OPHTHALMIC SOLUTION CARTRIDGE | 3 | |
| *Cycloplegic Mydriatics*** | | |
| ATROPINE SULFATE OPHTHALMIC SOLUTION 1 % | 3 | |
| CYCLOGYL OPHTHALMIC SOLUTION 0.5 %, 2 % | 3 | |
| CYCLOGYL OPHTHALMIC SOLUTION 1 % | 3 | QL |
| cyclopentolate hcl ophthalmic solution 1 % | 1 or 1b* | QL |
| MYDRIACYL OPHTHALMIC SOLUTION | 3 | |
| phenylephrine hcl ophthalmic solution 10 % | 1 or 1b* | |
| phenylephrine hcl ophthalmic solution 2.5 % | 3 | |

| Drug Name | Tier | Notes |
|--|----------|------------|
| tropicamide ophthalmic solution | 1 or 1b* | |
| *Lymphocyte Function- Associated Antigen-1 (Lfa- 1) Antag*** | | |
| XIIDRA OPHTHALMIC SOLUTION | 2 | QL |
| *Miotics - Cholinesterase Inhibitors*** | | |
| PHOSPHOLINE IODIDE OPHTHALMIC SOLUTION RECONSTITUTED | 3 | QL; LD |
| *Miotics - Direct Acting*** | | |
| MIOCHOL-E INTRAOCULAR SOLUTION RECONSTITUTED | 3 | |
| MIOSTAT INTRAOCULAR SOLUTION | 3 | |
| pilocarpine hcl ophthalmic solution 1 %, 2 %, 4 % | 1 or 1b* | |
| *Ophthalmic - Multiple Receptor Angiogenesis Inhibitors*** | | |
| VABYSMO INTRAVITREAL SOLUTION | 3 | PA; LD; SP |
| VABYSMO INTRAVITREAL SOLUTION PREFILLED SYRINGE | 3 | PA; LD; SP |
| *Ophthalmic Antiallergic*** | | |
| azelastine hcl ophthalmic solution | 1 or 1b* | QL |
| cromolyn sodium ophthalmic solution | 1 or 1a* | QL |
| epinastine hcl ophthalmic solution | 1 or 1b* | QL |
| olopatadine hcl ophthalmic solution 0.1 % | 1 or 1b* | ST; QL |
| *Ophthalmic Antibiotics*** | | |
| AZASITE OPHTHALMIC SOLUTION | 3 | QL |
| bacitracin ophthalmic ointment | 1 or 1b* | QL |
| BESIVANCE OPHTHALMIC SUSPENSION | 3 | QL |

| Drug Name | Tier | Notes |
|--|----------|-------|
| CILOXAN OPHTHALMIC OINTMENT | 3 | QL |
| ciprofloxacin hel ophthalmic solution | 1 or 1a* | QL |
| erythromycin ophthalmic ointment | 3 | QL |
| gatifloxacin ophthalmic solution | 1 or 1b* | QL |
| gentamicin sulfate ophthalmic solution | 1 or 1a* | QL |
| levofloxacin ophthalmic solution | 1 or 1b* | QL |
| mitomycin intraocular solution prefilled syringe 0.02 %, 0.04 % | 3 | |
| MITOSOL OPHTHALMIC KIT | 3 | |
| moxifloxacin hel (2x day) ophthalmic solution | 1 or 1b* | QL |
| moxifloxacin hel ophthalmic solution | 1 or 1b* | QL |
| OCUFLOX OPHTHALMIC SOLUTION | 3 | QL |
| ofloxacin ophthalmic solution | 1 or 1a* | QL |
| tobramycin ophthalmic solution | 1 or 1a* | QL |
| TOBREX OPHTHALMIC OINTMENT | 3 | QL |
| VIGAMOX OPHTHALMIC SOLUTION | 3 | QL |
| *Ophthalmic Antifungal*** | | |
| NATACYN OPHTHALMIC SUSPENSION | 3 | QL |
| *Ophthalmic Anti-Infective Combinations*** | | |
| bacitracin-polymyxin b ophthalmic ointment 500- 10000 unit/gm | 1 or 1a* | QL |
| neomycin-bacitracin zn- polymyx ophthalmic ointment | 1 or 1b* | QL |
| neomycin-polymyxin- gramicidin ophthalmic solution 1.75-10000025 | 1 or 1b* | QL |
| neo-polycin ophthalmic ointment | 1 or 1b* | QL |

| Drug Name | Tier | Notes |
|--|----------|------------|
| polycin ophthalmic ointment | 1 or 1a* | QL |
| polymyxin b-trimethoprim ophthalmic solution | 1 or 1a* | QL |
| *Ophthalmic Antiseptics*** | | |
| BETADINE OPHTHALMIC PREP OPHTHALMIC SOLUTION | 3 | |
| *Ophthalmic Antivirals*** | | |
| trifluridine ophthalmic solution | 1 or 1b* | QL |
| ZIRGAN OPHTHALMIC GEL | 3 | QL |
| *Ophthalmic Carbonic Anhydrase Inhibitors*** | | |
| brinzolamide ophthalmic suspension | 1 or 1b* | QL |
| dorzolamide hcl ophthalmic solution | 1 or 1b* | QL |
| *Ophthalmic Complement C3 Inhibitors*** | | |
| SYFOVRE INTRAVITREAL SOLUTION | 3 | PA; LD |
| *Ophthalmic Complement C5 Inhibitors*** | | |
| IZERVAY INTRAVITREAL SOLUTION | 3 | PA; LD; SP |
| *Ophthalmic Diagnostic Products*** | | |
| ak-fluor intravenous solution 10 % | 1 or 1b* | |
| altafluor benox ophthalmic solution | 1 or 1b* | |
| fluorescein intravenous solution | 1 or 1b* | |
| fluorescein sodium intravenous solution | 1 or 1b* | |
| FLUORESCEIN SODIUM/BENOXINATE OPHTHALMIC SOLUTION | 3 | |
| fluorescein-benoxinate ophthalmic solution | 1 or 1b* | |
| FLUORESCITE INTRAVENOUS SOLUTION | 3 | |
| FLURA-SAFE OPHTHALMIC SOLUTION | 3 | |

| Drug Name | Tier | Notes |
|--|----------|------------|
| *Ophthalmic Ectoparasiticide** | | |
| XDEMVY OPHTHALMIC SOLUTION | 3 | PA; QL; LD |
| *Ophthalmic Immunomodulators*** | | |
| RESTASIS MULTIDOSE OPHTHALMIC EMULSION 0.05 % | 2 | QL |
| RESTASIS OPHTHALMIC EMULSION | 1 or 1b* | QL |
| VERKAZIA OPHTHALMIC EMULSION | 3 | PA; QL |
| *Ophthalmic Irrigation Solutions*** | | |
| BSS INTRAOCULAR SOLUTION | 3 | |
| BSS PLUS INTRAOCULAR SOLUTION | 3 | |
| *Ophthalmic Kinase Inhibitors - Combinations*** | | |
| ROCKLATAN OPHTHALMIC SOLUTION | 3 | QL |
| *Ophthalmic Local Anesthetics*** | | |
| AKTEN OPHTHALMIC GEL | 3 | |
| ALCAINE OPHTHALMIC SOLUTION | 3 | |
| IHEEZO OPHTHALMIC GEL | 3 | |
| proparacaine hel ophthalmic solution | 1 or 1b* | |
| tetracaine hel ophthalmic solution | 1 or 1b* | |
| *Ophthalmic Nerve Growth Factors*** | | |
| OXERVATE OPHTHALMIC SOLUTION | 3 | PA; QL; LD |
| *Ophthalmic Nonsteroidal Anti-Inflammatory Agents*** | | |
| ACULAR LS OPHTHALMIC SOLUTION | 3 | QL |

| Drug Name | Tier | Notes |
|---|----------|------------|
| ACULAR OPHTHALMIC SOLUTION | 3 | QL |
| ACUVAIL OPHTHALMIC SOLUTION | 3 | QL |
| bromfenac sodium (once- daily) ophthalmic solution | 1 or 1b* | QL |
| bromfenac sodium ophthalmic solution 0.07 %, 0.075 % | 1 or 1b* | QL |
| BROMSITE OPHTHALMIC SOLUTION | 3 | QL |
| diclofenac sodium ophthalmic solution | 1 or 1b* | QL |
| flurbiprofen sodium ophthalmic solution | 1 or 1b* | QL |
| ILEVRO OPHTHALMIC SUSPENSION | 2 | QL |
| ketorolac tromethamine ophthalmic solution | 1 or 1b* | QL |
| NEVANAC OPHTHALMIC SUSPENSION | 3 | QL |
| *Ophthalmic Photodynamic Therapy Agents*** | | |
| VISUDYNE INTRAVENOUS SOLUTION RECONSTITUTED | 3 | QL; LD; SP |
| *Ophthalmic Photoenhancer Combinations*** | | |
| PHOTREXA-PHOTREXA VISCOUS KIT OPHTHALMIC SOLUTION PREFILLED SYRINGE | 3 | LD |
| *Ophthalmic Rho Kinase Inhibitors*** | | |
| RHOPRESSA OPHTHALMIC SOLUTION | 3 | QL |
| *Ophthalmic Selective Alpha Adrenergic Agonists*** | | |
| apraclonidine hel ophthalmic solution | 1 or 1b* | |
| brimonidine tartrate ophthalmic solution | 1 or 1b* | QL |

| Drug Name | Tier | Notes |
|--|----------|-------|
| IOPIDINE OPHTHALMIC SOLUTION 1 % | 3 | |
| *Ophthalmic Steroid Combinations*** | | |
| bacitra-neomycin- polymyxin-hc ophthalmic ointment | 1 or 1b* | QL |
| MAXITROL OPHTHALMIC OINTMENT | 3 | QL |
| MAXITROL OPHTHALMIC SUSPENSION 0.1 % | 3 | QL |
| neomycin-polymyxin- dexameth ophthalmic ointment | 1 or 1a* | QL |
| neomycin-polymyxin- dexameth ophthalmic suspension | 1 or 1a* | QL |
| neomycin-polymyxin-hc ophthalmic suspension 3.5- 10000-1 | 1 or 1b* | |
| neo-polycin he ophthalmic ointment | 1 or 1b* | QL |
| sulfacetamide-prednisolone ophthalmic solution | 1 or 1a* | QL |
| TOBRADEX OPHTHALMIC OINTMENT | 2 | |
| tobramycin-dexamethasone ophthalmic suspension | 1 or 1b* | QL |
| ZYLET OPHTHALMIC SUSPENSION | 2 | QL |
| *Ophthalmic Steroids*** | | |
| dexamethasone sodium phosphate ophthalmic solution | 1 or 1b* | |
| DEXTENZA OPHTHALMIC INSERT | 3 | |
| DEXYCU INTRAOCULAR SUSPENSION | 3 | |
| difluprednate ophthalmic emulsion | 1 or 1b* | QL |
| DUREZOL OPHTHALMIC EMULSION | 3 | QL |
| FLAREX OPHTHALMIC SUSPENSION | 3 | |
| fluorometholone ophthalmic suspension | 1 or 1b* | |

| Drug Name | Tier | Notes |
|--|----------|------------|
| FML FORTE OPHTHALMIC SUSPENSION | 3 | |
| FML LIQUIFILM OPHTHALMIC SUSPENSION | 3 | |
| ILUVIEN INTRAVITREAL IMPLANT | 3 | PA; LD; SP |
| INVELTYS OPHTHALMIC SUSPENSION | 3 | QL |
| LOTEMAX OPHTHALMIC GEL | 3 | QL |
| LOTEMAX OPHTHALMIC OINTMENT | 3 | QL |
| LOTEMAX OPHTHALMIC SUSPENSION | 3 | QL |
| LOTEMAX SM OPHTHALMIC GEL | 3 | QL |
| loteprednol etabonate ophthalmic gel | 1 or 1b* | QL |
| loteprednol etabonate ophthalmic suspension 0.5 % | 1 or 1b* | QL |
| MAXIDEX OPHTHALMIC SUSPENSION | 3 | |
| OZURDEX INTRAVITREAL IMPLANT | 3 | PA; LD; SP |
| PRED MILD OPHTHALMIC SUSPENSION | 3 | |
| prednisolone acetate ophthalmic suspension | 1 or 1b* | QL |
| PREDNISOLONE SODIUM PHOSPHATE OPHTHALMIC SOLUTION | 3 | QL |
| RETISERT INTRAVITREAL IMPLANT | 3 | PA; LD; SP |
| TRIESENCE INTRAOCULAR SUSPENSION | 3 | |
| XIPERE INTRAOCULAR SUSPENSION | 3 | PA; LD |
| YUTIQ INTRAVITREAL IMPLANT | 3 | PA; LD; SP |

| Drug Name | Tier | Notes |
|---|----------|-------|
| *Ophthalmic Sulfonamides*** | | |
| sulfacetamide sodium ophthalmic ointment | 1 or 1b* | QL |
| sulfacetamide sodium ophthalmic solution | 1 or 1b* | QL |
| *Ophthalmic Surgical Aids - Combinations*** | | |
| DISCOVISC INTRAOCULAR SOLUTION | 3 | |
| DUOVISC INTRAOCULAR KIT 0.4- 0.35 ML, 0.55-0.5 ML | 3 | |
| OMIDRIA INTRAOCULAR SOLUTION | 3 | |
| VISCOAT INTRAOCULAR SOLUTION PREFILLED SYRINGE | 3 | |
| *Ophthalmic Surgical Aids*** | | |
| AMVISC INTRAOCULAR SOLUTION PREFILLED SYRINGE | 3 | |
| AMVISC PLUS INTRAOCULAR SOLUTION PREFILLED SYRINGE | 3 | |
| CELLUGEL INTRAOCULAR SOLUTION | 3 | |
| HEALON DUET PRO INTRAOCULAR SOLUTION PREFILLED SYRINGE | 3 | |
| HEALON GV PRO INTRAOCULAR SOLUTION PREFILLED SYRINGE | 3 | |
| HEALON PRO INTRAOCULAR SOLUTION PREFILLED SYRINGE | 3 | |
| HEALON5 PRO INTRAOCULAR SOLUTION PREFILLED SYRINGE | 3 | |
| PROVISC INTRAOCULAR SOLUTION PREFILLED SYRINGE | 3 | |

| Drug Name | Tier | Notes |
|---|----------|----------------|
| TISSUEBLUE INTRAOCULAR SOLUTION PREFILLED SYRINGE | 3 | |
| TOTALVISC INTRAOCULAR SOLUTION PREFILLED SYRINGE | 3 | |
| VISIONBLUE INTRAOCULAR SOLUTION PREFILLED SYRINGE | 3 | |
| *Ophthalmics - Blepharoptosis Agents** | | |
| UPNEEQ OPHTHALMIC SOLUTION | 3 | PA; QL |
| *Ophthalmics - Cystinosis Agents** | | |
| CYSTADROPS OPHTHALMIC SOLUTION | 3 | PA; QL; LD |
| CYSTARAN OPHTHALMIC SOLUTION | 3 | PA; QL; LD |
| *Ophthalmics Misc Other*** | | |
| MIEBO OPHTHALMIC SOLUTION | 2 | QL |
| *Prostaglandins - Ophthalmic*** | | |
| bimatoprost ophthalmic solution | 1 or 1b* | |
| DURYSTA INTRAOCULAR IMPLANT | 3 | PA; QL; LD; SP |
| latanoprost ophthalmic solution | 1 or 1b* | QL |
| LUMIGAN OPHTHALMIC SOLUTION 0.01 % | 2 | QL |
| tafluprost (pf) ophthalmic solution | 1 or 1b* | QL |
| travoprost (bak free) ophthalmic solution | 1 or 1b* | QL |
| ZIOPTAN OPHTHALMIC SOLUTION 0.0015 % | 3 | QL |
| *Vascular Endothelial Growth Factor (Vegf) Antagonists*** | | |
| BEOVU INTRAVITREAL SOLUTION PREFILLED SYRINGE | 3 | PA; LD; SP |

| Drug Name | Tier | Notes |
|--|----------|-------------|
| BYOOVIZ | | |
| INTRAVITREAL | 3 | PA; LD; SP |
| SOLUTION CIMERLI | | |
| INTRAVITREAL | 3 | PA; LD; SP |
| SOLUTION | | |
| EYLEA HD INTRAVITREAL | 3 | PA; LD; SP |
| SOLUTION | 3 | FA, LD, SF |
| EYLEA INTRAVITREAL | 3 | PA; LD; SP |
| SOLUTION | 3 | TA, LD, SI |
| EYLEA INTRAVITREAL SOLUTION PREFILLED | 3 | PA; LD; SP |
| SYRINGE | 3 | 171, LD, 51 |
| LUCENTIS | | |
| INTRAVITREAL SOLUTION PREFILLED | 3 | PA; LD; SP |
| SYRINGE | | |
| PAVBLU | | |
| INTRAVITREAL SOLUTION | 3 | PA |
| PAVBLU | | |
| INTRAVITREAL | 3 | PA |
| SOLUTION PREFILLED SYRINGE | | |
| SUSVIMO (IMPLANT | | |
| 1ST FILL) | 3 | LD; SP |
| INTRAVITREAL SOLUTION | | |
| SUSVIMO (IMPLANT | | |
| REFILL) | 3 | LD; SP |
| INTRAVITREAL SOLUTION | | |
| *Otic Agents* | | |
| *Otic Agents - | | |
| Miscellaneous*** | | |
| acetic acid otic solution | 1 or 1b* | |
| *Otic Analgesic Combinations*** | | |
| PRAMOTIC OTIC LIQUID | 3 | |
| *Otic Anti-Infectives*** | | |
| CETRAXAL OTIC SOLUTION | 3 | QL |
| ciprofloxacin hel otic solution | 1 or 1b* | QL |
| ofloxacin otic solution | 1 or 1b* | QL |
| *Otic Steroid-Anti- Infective Combinations*** | | |
| ciprofloxacin-dexamethasone otic suspension | 1 or 1b* | QL |
| ciprofloxacin-fluocinolone pf otic solution | 1 or 1b* | QL |

| Drug Name | Tier | Notes |
|--|----------|-------|
| CORTISPORIN-TC OTIC SUSPENSION | 3 | |
| neomycin-polymyxin-hc otic solution | 1 or 1b* | |
| neomycin-polymyxin-hc otic suspension | 1 or 1b* | QL |
| OTOVEL OTIC SOLUTION | 3 | QL |
| *Otic Steroids*** | | |
| DERMOTIC OTIC OIL | 3 | |
| fluocinolone acetonide otic oil | 1 or 1b* | |
| hydrocortisone-acetic acid otic solution | 1 or 1b* | QL |
| *Oxytocics* | | |
| *Abortifacients/Cervical Ripening - Prostaglandins*** | | |
| carboprost tromethamine intramuscular solution | 1 or 1b* | |
| carboprost tromethamine intramuscular solution prefilled syringe | 3 | |
| CERVIDIL VAGINAL INSERT | 3 | |
| HEMABATE INTRAMUSCULAR SOLUTION | 3 | |
| PREPIDIL VAGINAL GEL | 3 | |
| *Oxytocics*** | | |
| methergine oral tablet | 1 or 1b* | |
| methylergonovine maleate injection solution | 1 or 1b* | |
| methylergonovine maleate oral tablet | 1 or 1b* | |
| oxytocin injection solution | 1 or 1b* | |
| PITOCIN INJECTION SOLUTION | 3 | |
| *Passive Immunizing And Treatment Agents* | | |
| *Antitoxins-Antivenins*** | | |
| ANASCORP INTRAVENOUS SOLUTION RECONSTITUTED | 3 | |
| ANAVIP INTRAVENOUS SOLUTION RECONSTITUTED | 3 | |

| Drug Name | Tier | Notes |
|---|------|-------------|
| ANTIVENIN LATRODECTUS MACTANS INJECTION KIT | 3 | |
| ANTIVENIN MICRURUS FULVIUS INTRAVENOUS SOLUTION RECONSTITUTED | 3 | |
| CROFAB INTRAVENOUS SOLUTION RECONSTITUTED | 3 | |
| *Antiviral Monoclonal Antibodies*** | | |
| BEYFORTUS INTRAMUSCULAR SOLUTION PREFILLED SYRINGE | 3 | PA; \$0; QL |
| PEMGARDA INTRAVENOUS SOLUTION | 3 | |
| SYNAGIS INTRAMUSCULAR SOLUTION | 3 | PA; LD; SP |
| *Bacterial Monoclonal Antibodies*** | | |
| ZINPLAVA INTRAVENOUS SOLUTION | 3 | PA |
| *Immune Serums*** | | |
| BABYBIG INTRAVENOUS SOLUTION RECONSTITUTED | 3 | |
| CNJ-016 INTRAVENOUS SOLUTION 50000 UNIT/VIAL | 3 | |
| CUTAQUIG SUBCUTANEOUS SOLUTION | 3 | PA; LD; SP |
| CYTOGAM INTRAVENOUS SOLUTION | 3 | SP |
| GAMASTAN INTRAMUSCULAR INJECTABLE | 3 | PA; LD; SP |
| GAMUNEX-C INJECTION SOLUTION | 3 | PA; LD; SP |
| HEPAGAM B INJECTION SOLUTION 312 UNIT/ML | 3 | SP |

| Drug Name | Tier | Notes |
|---|------|------------|
| HIZENTRA SUBCUTANEOUS SOLUTION 1 GM/5ML, 10 GM/50ML, 2 GM/10ML, 4 GM/20ML | 3 | PA; LD; SP |
| HIZENTRA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE | 3 | PA; LD; SP |
| HYPERHEP B INTRAMUSCULAR SOLUTION 220 UNIT/ML | 3 | LD; SP |
| HYPERHEP B INTRAMUSCULAR SOLUTION PREFILLED SYRINGE 110 UNIT/0.5ML | 3 | LD; SP |
| HYPERRAB INJECTION SOLUTION | 3 | SP |
| HYPERRHO S/D INTRAMUSCULAR SOLUTION PREFILLED SYRINGE | 3 | QL; LD; SP |
| HYPERTET INTRAMUSCULAR SOLUTION PREFILLED SYRINGE | 3 | |
| IMOGAM RABIES-HT INJECTION SOLUTION 300 UNIT/2ML | 3 | SP |
| KEDRAB INJECTION SOLUTION | 3 | SP |
| NABI-HB INTRAMUSCULAR SOLUTION 312 UNIT/ML | 3 | LD; SP |
| OCTAGAM INTRAVENOUS SOLUTION 1 GM/20ML, 10 GM/100ML, 10 GM/200ML, 2 GM/20ML, 2.5 GM/50ML, 20 GM/200ML, 30 GM/300ML, 5 GM/100ML, 5 GM/50ML | 3 | PA; LD; SP |
| RHOGAM ULTRA- FILTERED PLUS INTRAMUSCULAR SOLUTION PREFILLED SYRINGE | 3 | QL; SP |
| RHOPHYLAC INJECTION SOLUTION PREFILLED SYRINGE | 3 | QL; LD; SP |
| VARIZIG INTRAMUSCULAR SOLUTION | 3 | |

| Drug Name | Tier | Notes |
|---|-------------------|------------|
| WINRHO SDF INJECTION SOLUTION | 3 | QL; SP |
| XEMBIFY SUBCUTANEOUS SOLUTION | 3 | PA; LD; SP |
| *Penicillins* | | |
| *Aminopenicillins*** | 1 1-* | |
| amoxicillin oral capsule amoxicillin oral suspension reconstituted | 1 or 1a* 1 or 1a* | |
| amoxicillin oral tablet | 1 or 1a* | |
| amoxicillin oral tablet chewable 125 mg, 250 mg | 1 or 1a* | |
| ampicillin oral capsule 500 mg | 1 or 1a* | |
| ampicillin sodium injection solution reconstituted 1 gm, 2 gm, 250 mg, 500 mg | 1 or 1b* | |
| ampicillin sodium intravenous solution reconstituted | 1 or 1b* | |
| *Natural Penicillins*** | | |
| BICILLIN L-A INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE | 3 | |
| EXTENCILLINE INTRAMUSCULAR SUSPENSION RECONSTITUTED | 3 | |
| LENTOCILIN INTRAMUSCULAR SUSPENSION RECONSTITUTED | 3 | |
| PENICILLIN G POT IN DEXTROSE INTRAVENOUS SOLUTION 40000 UNIT/ML, 60000 UNIT/ML | 3 | |
| penicillin g potassium injection solution reconstituted | 1 or 1b* | |
| penicillin g sodium injection solution reconstituted | 1 or 1b* | |
| penicillin v potassium oral solution reconstituted | 1 or 1b* | |
| penicillin v potassium oral tablet | 1 or 1b* | |
| pfizerpen injection solution reconstituted | 1 or 1b* | |

| Drug Name | Tier | Notes |
|--|----------|-------|
| *Penicillin Combinations*** | | |
| amoxicillin-pot clavulanate er oral tablet extended release 12 hour | 1 or 1b* | |
| amoxicillin-pot clavulanate oral suspension reconstituted | 1 or 1b* | |
| amoxicillin-pot clavulanate oral tablet | 1 or 1b* | |
| ampicillin-sulbactam sodium injection solution reconstituted 1.5 (1-0.5) gm, 3 (2-1) gm | 1 or 1b* | |
| ampicillin-sulbactam sodium intravenous solution reconstituted | 1 or 1b* | |
| AUGMENTIN ES-600 ORAL SUSPENSION RECONSTITUTED | 3 | |
| AUGMENTIN ORAL SUSPENSION RECONSTITUTED 125- 31.25 MG/5ML | 2 | |
| BICILLIN C-R 900/300 INTRAMUSCULAR SUSPENSION | 3 | |
| BICILLIN C-R INTRAMUSCULAR SUSPENSION | 3 | |
| piperacillin sod-tazobactam so intravenous solution reconstituted 13.5 (12-1.5) gm, 2.25 (2-0.25) gm, 3- 0.375 gm, 3.375 (3-0.375) gm, 4.5 (4-0.5) gm, 40.5 (36- 4.5) gm | 1 or 1b* | |
| UNASYN INJECTION SOLUTION RECONSTITUTED 1.5 (1- 0.5) GM, 3 (2-1) GM | 3 | |
| UNASYN INTRAVENOUS SOLUTION RECONSTITUTED 15 (10- 5) GM | 3 | |
| ZOSYN INTRAVENOUS SOLUTION | 3 | |
| *Penicillinase-Resistant Penicillins*** | | |
| dicloxacillin sodium oral capsule | 1 or 1b* | |
| NAFCILLIN SODIUM IN DEXTROSE INTRAVENOUS SOLUTION 2 GM/100ML | 3 | |

| Drug Name | Tier | Notes |
|---|----------|------------|
| nafcillin sodium injection solution reconstituted 1 gm, 2 gm | 1 or 1b* | |
| nafcillin sodium intravenous solution reconstituted 10 gm | 1 or 1b* | |
| OXACILLIN SODIUM IN DEXTROSE INTRAVENOUS SOLUTION 2 GM/50ML | 3 | |
| oxacillin sodium injection solution reconstituted 1 gm, 2 gm | 1 or 1b* | |
| oxacillin sodium intravenous solution reconstituted | 1 or 1b* | |
| *Progestins* | | |
| *Progestins*** | | |
| GALLIFREY ORAL TABLET | 1 or 1b* | |
| medroxyprogesterone acetate oral tablet | 1 or 1a* | |
| megestrol acetate oral suspension 625 mg/5ml | 1 or 1b* | |
| norethindrone acetate oral tablet | 1 or 1b* | |
| progesterone intramuscular oil | 1 or 1b* | |
| progesterone oral capsule | 1 or 1b* | |
| PROVERA ORAL TABLET | 3 | |
| *Psychotherapeutic And Neurological Agents - Misc.* | | |
| *Agents For Opioid Withdrawal*** | | |
| lofexidine hcl oral tablet | 1 or 1b* | QL |
| *Alcohol Deterrents*** | | |
| acamprosate calcium oral tablet delayed release | 1 or 1b* | QL |
| disulfiram oral tablet | 1 or 1b* | |
| *Anti-Cataplectic Agents*** | | |
| sodium oxybate oral solution | 3 | PA; QL; LD |
| *Anti-Cataplectic Combinations*** | | |
| XYWAV ORAL SOLUTION | 3 | PA; QL; LD |
| *Antidementia Agent Combinations*** | | |
| memantine hcl-donepezil hcl oral capsule extended release 24 hour | 1 or 1b* | QL |

| Drug Name | Tier | Notes |
|--|----------|------------|
| NAMZARIC ORAL CAPSULE EXTENDED RELEASE 24 HOUR 7-10 MG | 2 | QL |
| *Antisense Oligonucleotide (Aso) Inhibitor Agents*** | | |
| WAINUA SUBCUTANEOUS SOLUTION AUTO- INJECTOR | 3 | PA; QL; LD |
| *Benzodiazepines & Tricyclic Agents*** | | |
| chlordiazepoxide- amitriptyline oral tablet | 1 or 1b* | |
| *Cholinomimetics - Ache Inhibitors*** | | |
| ARICEPT ORAL TABLET 10 MG, 23 MG | 3 | QL |
| ARICEPT ORAL TABLET 5 MG | 3 | DO |
| donepezil hcl oral tablet 10 mg, 23 mg | 1 or 1b* | QL |
| donepezil hcl oral tablet 5 mg | 1 or 1b* | DO |
| donepezil hcl oral tablet dispersible | 1 or 1b* | QL |
| EXELON TRANSDERMAL PATCH 24 HOUR | 3 | ST; QL |
| galantamine hydrobromide er oral capsule extended release 24 hour 16 mg, 24 mg | 1 or 1b* | QL |
| galantamine hydrobromide er oral capsule extended release 24 hour 8 mg | 1 or 1b* | DO |
| galantamine hydrobromide oral solution | 1 or 1b* | QL |
| galantamine hydrobromide oral tablet 12 mg, 8 mg | 1 or 1b* | QL |
| galantamine hydrobromide oral tablet 4 mg | 1 or 1b* | DO |
| rivastigmine tartrate oral capsule 1.5 mg, 3 mg | 1 or 1b* | DO |
| rivastigmine tartrate oral capsule 4.5 mg, 6 mg | 1 or 1b* | QL |
| rivastigmine transdermal patch 24 hour | 1 or 1b* | QL |
| *Fibromyalgia Agent - Snris*** | | |
| SAVELLA ORAL TABLET | 2 | QL |

| Drug Name | Tier | Notes |
|--|----------|----------------|
| SAVELLA TITRATION PACK ORAL | 2 | QL |
| *Melanocortin Receptor Agonists*** | | |
| VYLEESI SUBCUTANEOUS SOLUTION AUTO- INJECTOR | 3 | PA; QL; LD |
| *Movement Disorder Drug Therapy*** | | |
| AUSTEDO ORAL TABLET 12 MG, 9 MG | 3 | PA; QL; SP |
| AUSTEDO ORAL TABLET 6 MG | 3 | PA; DO; SP |
| AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HOUR | 3 | PA; QL; SP |
| AUSTEDO XR PATIENT TITRATION ORAL TABLET EXTENDED RELEASE THERAPY PACK 12 & 18 & 24 & 30 MG | 3 | PA; QL; SP |
| INGREZZA ORAL CAPSULE 40 MG | 3 | PA; DO; LD; SP |
| INGREZZA ORAL CAPSULE 60 MG, 80 MG | 3 | PA; QL; LD; SP |
| INGREZZA ORAL CAPSULE SPRINKLE 40 MG | 3 | PA; DO; LD; SP |
| INGREZZA ORAL CAPSULE SPRINKLE 60 MG, 80 MG | 3 | PA; QL; LD; SP |
| INGREZZA ORAL CAPSULE THERAPY PACK | 3 | PA; QL; LD; SP |
| tetrabenazine oral tablet | 1 or 1b* | PA; QL; SP |
| *Ms Agents - Pyrimidine Synthesis Inhibitors*** | | |
| teriflunomide oral tablet | 3 | PA; QL; SP |
| *Multiple Sclerosis Agents - Antimetabolites*** | | |
| MAVENCLAD (10 TABS) ORAL TABLET THERAPY PACK | 3 | PA; QL; LD; SP |
| MAVENCLAD (4 TABS) ORAL TABLET THERAPY PACK | 3 | PA; QL; LD; SP |
| MAVENCLAD (5 TABS) ORAL TABLET THERAPY PACK | 3 | PA; QL; LD; SP |

| Drug Name | Tier | Notes |
|--|------|----------------|
| MAVENCLAD (6 TABS) ORAL TABLET THERAPY PACK | 3 | PA; QL; LD; SP |
| MAVENCLAD (7 TABS) ORAL TABLET THERAPY PACK | 3 | PA; QL; LD; SP |
| MAVENCLAD (8 TABS) ORAL TABLET THERAPY PACK | 3 | PA; QL; LD; SP |
| MAVENCLAD (9 TABS) ORAL TABLET THERAPY PACK | 3 | PA; QL; LD; SP |
| *Multiple Sclerosis Agents - Interferons*** | | |
| AVONEX PEN INTRAMUSCULAR AUTO-INJECTOR KIT | 3 | PA; QL; SP |
| AVONEX PREFILLED INTRAMUSCULAR PREFILLED SYRINGE KIT | 3 | PA; QL; SP |
| BETASERON SUBCUTANEOUS KIT | 3 | PA; QL; SP |
| PLEGRIDY INTRAMUSCULAR SOLUTION PREFILLED SYRINGE | 3 | PA; QL; LD; SP |
| PLEGRIDY STARTER PACK SUBCUTANEOUS SOLUTION AUTO- INJECTOR | 3 | PA; QL; LD; SP |
| PLEGRIDY STARTER PACK SUBCUTANEOUS SOLUTION PREFILLED SYRINGE | 3 | PA; QL; LD; SP |
| PLEGRIDY SUBCUTANEOUS SOLUTION AUTO- INJECTOR | 3 | PA; QL; LD; SP |
| PLEGRIDY SUBCUTANEOUS SOLUTION PREFILLED SYRINGE | 3 | PA; QL; LD; SP |
| REBIF REBIDOSE SUBCUTANEOUS SOLUTION AUTO- INJECTOR | 3 | PA; QL; SP |
| REBIF REBIDOSE TITRATION PACK SUBCUTANEOUS SOLUTION AUTO- INJECTOR | 3 | PA; QL; SP |
| REBIF SUBCUTANEOUS SOLUTION PREFILLED SYRINGE | 3 | PA; QL; SP |

| Drug Name | Tier | Notes |
|--|----------|----------------|
| REBIF TITRATION PACK SUBCUTANEOUS SOLUTION PREFILLED SYRINGE | 3 | PA; QL; SP |
| *Multiple Sclerosis Agents - Monoclonal Antibodies*** | | |
| KESIMPTA SUBCUTANEOUS SOLUTION AUTO- INJECTOR | 3 | PA; QL; LD; SP |
| LEMTRADA INTRAVENOUS SOLUTION | 3 | PA; QL; LD; SP |
| TYSABRI INTRAVENOUS CONCENTRATE | 3 | PA; QL; LD; SP |
| *Multiple Sclerosis Agents - Nrf2 Pathway Activators*** | | |
| dimethyl fumarate oral capsule delayed release | 1 or 1b* | PA; QL; SP |
| dimethyl fumarate starter pack oral capsule delayed release therapy pack | 1 or 1b* | PA; QL; SP |
| VUMERITY ORAL CAPSULE DELAYED RELEASE | 3 | PA; QL; LD; SP |
| *Multiple Sclerosis Agents - Potassium Channel Blockers*** | | |
| AMPYRA ORAL TABLET EXTENDED RELEASE 12 HOUR | 3 | PA; QL; LD; SP |
| dalfampridine er oral tablet extended release 12 hour | 3 | PA; QL; SP |
| *Multiple Sclerosis Agents*** | | |
| COPAXONE SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 40 MG/ML | 3 | PA; QL; SP |
| glatiramer acetate subcutaneous solution prefilled syringe 20 mg/ml | 3 | PA; QL; SP |
| glatopa subcutaneous solution prefilled syringe 20 mg/ml | 3 | PA; QL; SP |
| *N-Methyl-D-Aspartate (Nmda) Receptor Antagonists*** | | |
| memantine hcl er oral capsule extended release 24 hour 14 mg, 7 mg | 1 or 1b* | DO |

| Drug Name | Tier | Notes |
|---|----------|------------|
| memantine hcl er oral capsule extended release 24 hour 21 mg, 28 mg | 1 or 1b* | QL |
| memantine hcl oral solution | 1 or 1b* | QL |
| memantine hcl oral tablet 10 mg, 28 x 5 mg & 21 x 10 mg | 1 or 1b* | QL |
| memantine hcl oral tablet 5 mg | 1 or 1b* | DO |
| NAMENDA TITRATION PAK ORAL TABLET | 3 | QL |
| *Phenothiazines & Tricyclic Agents*** | | |
| perphenazine-amitriptyline oral tablet | 1 or 1b* | AL |
| *Postherpetic Neuralgia (Phn)/Neuropathic Pain Agents*** | | |
| gabapentin (once-daily) oral tablet | 1 or 1b* | PA; DO |
| GRALISE ORAL TABLET 300 MG | 3 | PA; DO |
| GRALISE ORAL TABLET 450 MG | 2 | PA; DO |
| GRALISE ORAL TABLET 600 MG | 3 | PA; QL |
| GRALISE ORAL TABLET 750 MG, 900 MG | 2 | PA; QL |
| pregabalin er oral tablet extended release 24 hour 165 mg, 82.5 mg | 1 or 1b* | PA; DO |
| pregabalin er oral tablet extended release 24 hour 330 mg | 1 or 1b* | PA; QL |
| *Premenstrual Dysphoric Disorder (Pmdd) Agents - Ssris*** | | |
| fluoxetine hcl (pmdd) oral tablet 10 mg | 1 or 1b* | DO |
| fluoxetine hcl (pmdd) oral tablet 20 mg | 1 or 1b* | QL |
| *Pseudobulbar Affect Agent Combinations*** | | |
| NUEDEXTA ORAL CAPSULE | 3 | QL |
| *Psychotherapeutic And Neurological Agents - Misc.*** | | |
| AQNEURSA ORAL PACKET | 3 | PA; QL; LD |
| MIPLYFFA ORAL CAPSULE | 3 | PA; QL; LD |
| pimozide oral tablet | 1 or 1b* | QL; AL |

| Drug Name | Tier | Notes |
|---|----------|----------------|
| *Serotonin 1A Recept Agonist/Serotonin 2A Recept Antag*** | | |
| ADDYI ORAL TABLET | 3 | PA; QL |
| *Small Interfering Ribonucleic Acid (Sirna) Agents*** | | |
| AMVUTTRA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE | 3 | PA; QL; LD; SP |
| ONPATTRO INTRAVENOUS SOLUTION | 3 | PA; QL; LD; SP |
| *Smoking Deterrents*** | | |
| bupropion hcl er (smoking det) oral tablet extended release 12 hour | 1 or 1b* | \$0; QL |
| NICOTROL INHALATION INHALER | 3 | \$0; QL |
| NICOTROL NS NASAL SOLUTION | 3 | \$0; QL |
| varenicline tartrate (starter) oral tablet therapy pack | 1 or 1b* | \$0; QL |
| varenicline tartrate oral tablet 0.5 mg, 1 mg | 1 or 1b* | \$0; QL |
| varenicline tartrate(continue) oral tablet | 1 or 1b* | \$0; QL |
| *Sphingosine 1-Phosphate (S1p) Receptor Modulators*** | | |
| fingolimod hcl oral capsule | 3 | PA; QL; SP |
| GILENYA ORAL CAPSULE 0.25 MG | 3 | PA; QL; SP |
| MAYZENT ORAL TABLET | 3 | PA; QL; LD; SP |
| MAYZENT STARTER PACK ORAL TABLET THERAPY PACK | 3 | PA; QL; LD; SP |
| PONVORY ORAL TABLET | 3 | PA; QL; LD; SP |
| PONVORY STARTER PACK ORAL TABLET THERAPY PACK | 3 | PA; QL; LD; SP |
| ZEPOSIA 7-DAY STARTER PACK ORAL CAPSULE THERAPY PACK | 3 | PA; QL; LD; SP |
| ZEPOSIA ORAL CAPSULE | 3 | PA; QL; LD; SP |

| Drug Name | Tier | Notes |
|--|----------|----------------|
| ZEPOSIA STARTER KIT ORAL CAPSULE THERAPY PACK 0.23MG &0.46MG 0.92MG(21) | 3 | PA; QL; LD; SP |
| *Thienbenzodiazepines & Opioid Antagonists*** | | |
| LYBALVI ORAL TABLET | 3 | ST; QL |
| *Thienbenzodiazepines & Ssris*** | | |
| olanzapine-fluoxetine hcl oral capsule 12-25 mg, 12-50 mg, 6-50 mg | 1 or 1b* | QL; AL |
| olanzapine-fluoxetine hcl oral capsule 3-25 mg, 6-25 mg | 1 or 1b* | DO; AL |
| SYMBYAX ORAL CAPSULE 3-25 MG, 6-25 MG | 3 | ST; DO |
| *Vasomotor Symptom Agents - Ssris*** | | |
| paroxetine mesylate oral capsule | 1 or 1b* | |
| *Respiratory Agents - Misc.* | | |
| *Alpha-Proteinase Inhibitor (Human)*** | | |
| ARALAST NP INTRAVENOUS SOLUTION RECONSTITUTED 1000 MG, 500 MG | 3 | PA; LD; SP |
| GLASSIA INTRAVENOUS SOLUTION | 3 | PA; LD; SP |
| PROLASTIN-C INTRAVENOUS SOLUTION | 3 | PA; LD |
| ZEMAIRA INTRAVENOUS SOLUTION RECONSTITUTED | 3 | PA; LD; SP |
| *Cftr Potentiators*** | | |
| KALYDECO ORAL PACKET | 3 | PA; QL; LD; SP |
| KALYDECO ORAL TABLET | 3 | PA; QL; LD; SP |
| *Cystic Fibrosis Agent - Combinations*** | | |
| ALYFTREK ORAL TABLET | 3 | PA; QL; LD |
| ORKAMBI ORAL PACKET | 3 | PA; QL; LD; SP |

| Drug Name | Tier | Notes |
|--|----------|----------------|
| ORKAMBI ORAL TABLET | 3 | PA; QL; LD; SP |
| SYMDEKO ORAL TABLET THERAPY PACK | 3 | PA; QL; LD; SP |
| TRIKAFTA ORAL TABLET THERAPY PACK | 3 | PA; QL; LD; SP |
| TRIKAFTA ORAL THERAPY PACK | 3 | PA; QL; LD; SP |
| *Cystic Fibrosis Agents - Miscellaneous*** | | |
| BRONCHITOL INHALATION CAPSULE | 3 | PA; QL; LD; SP |
| BRONCHITOL TOLERANCE TEST INHALATION CAPSULE | 3 | PA; QL; LD; SP |
| *Hydrolytic Enzymes*** | | |
| PULMOZYME INHALATION SOLUTION 2.5 MG/2.5ML | 3 | PA; QL; LD; SP |
| *Pulmonary Fibrosis | | |
| Agents - Kinase Inhibitors*** | | |
| OFEV ORAL CAPSULE | 3 | PA; QL; LD; SP |
| *Pulmonary Fibrosis Agents*** | | |
| pirfenidone oral capsule | 3 | PA; QL; SP |
| pirfenidone oral tablet 267 mg, 801 mg | 3 | PA; QL; SP |
| pirfenidone oral tablet 534 mg | 3 | PA; QL |
| *Sulfonamides* *Sulfonamides*** | | |
| sulfadiazine oral tablet | 1 or 1b* | |
| *Tetracyclines* | | |
| *Aminomethylcyclines*** | | |
| NUZYRA INTRAVENOUS SOLUTION RECONSTITUTED | 3 | LD |
| NUZYRA ORAL TABLET 150 MG | 3 | PA; QL; LD |
| *Fluorocyclines*** | | |
| XERAVA INTRAVENOUS SOLUTION RECONSTITUTED | 3 | |

| Drug Name | Tier | Notes |
|---|----------|--------|
| *Glycylcyclines*** | | |
| TIGECYCLINE INTRAVENOUS SOLUTION RECONSTITUTED | 3 | |
| TYGACIL INTRAVENOUS SOLUTION RECONSTITUTED | 3 | |
| *Tetracyclines*** | | , |
| demeclocycline hcl oral tablet | 1 or 1b* | |
| doxy 100 intravenous solution reconstituted | 1 or 1b* | QL |
| doxycycline hyclate intravenous solution reconstituted | 1 or 1b* | QL |
| doxycycline hyclate oral capsule | 1 or 1b* | QL |
| doxycycline hyclate oral tablet 100 mg, 20 mg | 1 or 1b* | QL |
| doxycycline monohydrate oral capsule 100 mg, 50 mg, 75 mg | 1 or 1b* | QL |
| doxycycline monohydrate oral capsule 150 mg | 3 | ST; QL |
| doxycycline monohydrate oral suspension reconstituted | 1 or 1b* | QL |
| doxycycline monohydrate oral tablet | 1 or 1b* | QL |
| MINOCIN INTRAVENOUS SOLUTION RECONSTITUTED | 3 | |
| minocycline hcl oral capsule | 1 or 1b* | QL |
| minocycline hcl oral tablet | 1 or 1b* | QL |
| mondoxyne nl oral capsule 100 mg | 1 or 1b* | QL |
| tetracycline hcl oral capsule | 1 or 1b* | QL |
| *Thyroid Agents* | | |
| *Antithyroid Agents - Radiopharmaceuticals*** | | |
| SODIUM IODIDE I-131 ORAL SOLUTION | 3 | |
| *Antithyroid Agents*** | | |
| methimazole oral tablet | 1 or 1a* | |
| propylthiouracil oral tablet | 1 or 1b* | |
| *Thyroid Hormones*** | | |
| levo-t oral tablet | 1 or 1b* | |

| Drug Name | Tier | Notes |
|--|----------|-------|
| LEVOTHYROXINE SODIUM INTRAVENOUS SOLUTION 100 MCG/5ML, 200 MCG/5ML, 500 MCG/5ML | 3 | |
| levothyroxine sodium intravenous solution 100 mcg/ml | 3 | |
| LEVOTHYROXINE SODIUM INTRAVENOUS SOLUTION RECONSTITUTED | 3 | |
| levothyroxine sodium oral capsule | 1 or 1b* | |
| levothyroxine sodium oral tablet | 1 or 1a* | |
| levoxyl oral tablet | 1 or 1a* | |
| liothyronine sodium intravenous solution | 1 or 1b* | |
| liothyronine sodium oral tablet | 1 or 1b* | |
| THYQUIDITY ORAL SOLUTION | 3 | |
| TIROSINT-SOL ORAL SOLUTION | 3 | |
| unithroid oral tablet | 1 or 1a* | |
| *Toxoids* | | |
| *Toxoid Combinations*** | | |
| ADACEL INTRAMUSCULAR SUSPENSION 5-2-15.5 LF- MCG/0.5 | 3 | \$0 |
| BOOSTRIX INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE | 3 | \$0 |
| DAPTACEL INTRAMUSCULAR SUSPENSION 23-15-5 | 3 | \$0 |
| INFANRIX INTRAMUSCULAR SUSPENSION | 3 | \$0 |
| KINRIX INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE | 3 | \$0 |
| PEDIARIX INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE | 3 | \$0 |

| Drug Name | Tier | Notes |
|--|----------|-------|
| PENTACEL INTRAMUSCULAR SUSPENSION RECONSTITUTED | 3 | \$0 |
| QUADRACEL INTRAMUSCULAR SUSPENSION | 3 | \$0 |
| QUADRACEL INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE | 3 | \$0 |
| TENIVAC INTRAMUSCULAR INJECTABLE 5-2 LFU | 3 | \$0 |
| VAXELIS INTRAMUSCULAR SUSPENSION | 3 | |
| VAXELIS INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE | 3 | |
| *Ulcer Drugs/Antispasmodics/Anti cholinergics* | | |
| *Anticholinergic Combinations*** | | |
| chlordiazepoxide-clidinium oral capsule | 1 or 1b* | |
| LIBRAX ORAL CAPSULE | 3 | |
| *Antispasmodics*** | | |
| dicyclomine hcl intramuscular solution | 1 or 1b* | |
| dicyclomine hcl oral capsule | 1 or 1a* | |
| dicyclomine hcl oral solution 10 mg/5ml | 1 or 1a* | |
| dicyclomine hcl oral tablet 20 mg | 1 or 1a* | |
| *Belladonna Alkaloids*** | | |
| ATROPINE SULFATE INJECTION SOLUTION 8 MG/20ML | 3 | |
| ATROPINE SULFATE INJECTION SOLUTION PREFILLED SYRINGE 0.25 MG/5ML, 0.5 MG/5ML, 1 MG/10ML | 3 | |
| ATROPINE SULFATE INTRAVENOUS SOLUTION | 3 | |
| hyoscyamine sulfate sl sublingual tablet sublingual | 1 or 1b* | |

| Drug Name | Tier | Notes |
|--|----------|-------|
| *H-2 Antagonists*** | <u> </u> | |
| cimetidine hcl oral solution 300 mg/5ml | 1 or 1b* | |
| cimetidine oral tablet 300 mg, 400 mg, 800 mg | 1 or 1b* | |
| famotidine (pf) intravenous solution | 1 or 1b* | |
| famotidine intravenous solution 200 mg/20ml, 40 mg/4ml | 1 or 1b* | |
| famotidine oral suspension reconstituted | 1 or 1b* | |
| famotidine oral tablet 40 mg | 1 or 1b* | |
| famotidine premixed intravenous solution | 1 or 1b* | |
| nizatidine oral capsule | 1 or 1b* | |
| PEPCID ORAL TABLET | 3 | |
| *Misc. Anti-Ulcer*** | | |
| CARAFATE ORAL SUSPENSION | 3 | |
| CARAFATE ORAL TABLET | 3 | |
| sucralfate oral suspension | 1 or 1b* | |
| sucralfate oral tablet | 1 or 1b* | |
| *Proton Pump Inhibitors*** | | |
| esomeprazole magnesium oral capsule delayed release | 1 or 1b* | |
| esomeprazole magnesium oral packet | 1 or 1b* | |
| esomeprazole sodium intravenous solution reconstituted 40 mg | 1 or 1b* | |
| lansoprazole oral capsule delayed release 15 mg | 1 or 1b* | BE |
| lansoprazole oral capsule delayed release 30 mg | 1 or 1b* | |
| omeprazole oral capsule delayed release | 1 or 1b* | |
| pantoprazole sodium intravenous solution reconstituted | 1 or 1b* | |
| pantoprazole sodium oral tablet delayed release | 1 or 1b* | |
| pantoprazole sodium-nacl intravenous solution | 3 | |
| PROTONIX INTRAVENOUS SOLUTION RECONSTITUTED | 3 | |

| Drug Name | Tier | Notes |
|---|----------|--------|
| rabeprazole sodium oral tablet delayed release | 1 or 1b* | |
| *Quaternary Anticholinergics*** | | |
| CUVPOSA ORAL SOLUTION | 3 | |
| GLYCATE ORAL TABLET | 3 | PA |
| glycopyrrolate injection solution | 1 or 1b* | |
| glycopyrrolate oral solution | 1 or 1b* | |
| glycopyrrolate oral tablet 1 mg, 2 mg | 1 or 1b* | |
| GLYCOPYRROLATE ORAL TABLET 1.5 MG | 3 | PA |
| glycopyrrolate pf +rfid injection solution prefilled syringe | 1 or 1b* | |
| GLYCOPYRROLATE PF INJECTION SOLUTION PREFILLED SYRINGE 0.2 MG/ML, 0.4 MG/2ML | 1 or 1b* | |
| glycopyrrolate pf injection solution prefilled syringe 0.6 mg/3ml | 3 | |
| GLYRX-PF INJECTION SOLUTION | 3 | |
| GLYRX-PF INJECTION SOLUTION PREFILLED SYRINGE 1 MG/5ML | 3 | |
| methscopolamine bromide oral tablet | 1 or 1b* | |
| *Ulcer Anti-Infective W/ Bismuth Combinations*** | | |
| bis subcit-metronid-tetracyc oral capsule | 1 or 1b* | ST; QL |
| bismuth/metronidaz/tetracycl in oral capsule | 1 or 1b* | ST; QL |
| PYLERA ORAL CAPSULE | 3 | ST; QL |
| *Ulcer Anti-Infective W/ Proton Pump Inhibitors*** | | |
| amoxicill-clarithro-lansopraz oral therapy pack | 1 or 1b* | ST; QL |
| OMECLAMOX-PAK ORAL | 3 | ST; QL |
| TALICIA ORAL CAPSULE DELAYED RELEASE | 3 | ST; QL |

| Drug Name | Tier | Notes | | |
|--|----------|--------|--|--|
| *Ulcer Drugs - Prostaglandins*** | | | | |
| CYTOTEC ORAL TABLET | 3 | | | |
| misoprostol oral tablet | 1 or 1a* | | | |
| *Urinary Antispasmodics* | | | | |
| *Urinary Antispasmodic - Antimuscarinic (Anticholinergic)*** | | | | |
| darifenacin hydrobromide er oral tablet extended release 24 hour | 1 or 1b* | QL | | |
| fesoterodine fumarate er oral tablet extended release 24 hour | 1 or 1b* | QL | | |
| oxybutynin chloride er oral tablet extended release 24 hour | 1 or 1b* | QL | | |
| oxybutynin chloride oral solution | 1 or 1b* | QL | | |
| oxybutynin chloride oral tablet | 1 or 1b* | QL | | |
| solifenacin succinate oral tablet | 1 or 1b* | QL | | |
| tolterodine tartrate er oral capsule extended release 24 hour | 1 or 1b* | QL | | |
| tolterodine tartrate oral tablet | 1 or 1b* | QL | | |
| trospium chloride er oral capsule extended release 24 hour | 1 or 1b* | QL | | |
| trospium chloride oral tablet | 1 or 1b* | QL | | |
| *Urinary Antispasmodics - Beta-3 Adrenergic Agonists*** | | | | |
| GEMTESA ORAL TABLET | 3 | QL | | |
| mirabegron er oral tablet extended release 24 hour | 1 or 1b* | QL | | |
| MYRBETRIQ ORAL SUSPENSION RECONSTITUTED ER | 3 | PA; QL | | |
| *Urinary Antispasmodics - Cholinergic Agonists*** | | | | |
| bethanechol chloride oral tablet | 1 or 1b* | | | |
| *Urinary Antispasmodics - Direct Muscle Relaxants*** | | | | |
| flavoxate hcl oral tablet | 1 or 1b* | | | |

| Drug Name | Tier | Notes | | | |
|--|------------------------|-------|--|--|--|
| *Vaccines* | | | | | |
| *Bacterial Vaccines*** | *Bacterial Vaccines*** | | | | |
| ACTHIB INTRAMUSCULAR SOLUTION RECONSTITUTED | 3 | \$0 | | | |
| BCG VACCINE INJECTION SOLUTION RECONSTITUTED | 3 | \$0 | | | |
| BEXSERO INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE | 3 | \$0 | | | |
| BIOTHRAX INTRAMUSCULAR SUSPENSION | 3 | | | | |
| CAPVAXIVE INTRAMUSCULAR SOLUTION PREFILLED SYRINGE | 3 | \$0 | | | |
| HIBERIX INJECTION SOLUTION RECONSTITUTED | 3 | \$0 | | | |
| MENQUADFI INTRAMUSCULAR SOLUTION | 3 | \$0 | | | |
| MENVEO INTRAMUSCULAR SOLUTION | 3 | \$0 | | | |
| MENVEO INTRAMUSCULAR SOLUTION RECONSTITUTED | 3 | \$0 | | | |
| PEDVAX HIB INTRAMUSCULAR SUSPENSION | 3 | \$0 | | | |
| PENBRAYA INTRAMUSCULAR SUSPENSION RECONSTITUTED | 3 | \$0 | | | |
| PNEUMOVAX 23 INJECTION SOLUTION PREFILLED SYRINGE | 2 | \$0 | | | |
| PREVNAR 20 INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE | 2 | \$0 | | | |
| TRUMENBA INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE | 3 | \$0 | | | |
| TYPHIM VI INTRAMUSCULAR SOLUTION 25 MCG/0.5ML | 3 | | | | |

| Drug Name | Tier | Notes | |
|--|------|-----------------|--|
| TYPHIM VI INTRAMUSCULAR SOLUTION PREFILLED SYRINGE | 3 | | |
| VAXCHORA ORAL SUSPENSION RECONSTITUTED | 3 | | |
| VAXNEUVANCE INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE | 2 | \$0 | |
| VIVOTIF ORAL CAPSULE DELAYED RELEASE | 2 | | |
| *Viral Vaccine Combinations*** | | | |
| M-M-R II INJECTION SOLUTION RECONSTITUTED | 3 | \$0 | |
| PRIORIX SUBCUTANEOUS SUSPENSION RECONSTITUTED | 3 | \$0 | |
| PROQUAD SUBCUTANEOUS SUSPENSION RECONSTITUTED | 3 | \$0 | |
| TWINRIX INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE | 3 | \$0 | |
| *Viral Vaccines*** | | | |
| ABRYSVO INTRAMUSCULAR SOLUTION RECONSTITUTED | 3 | \$0; QL | |
| ACAM2000 INJECTION SOLUTION RECONSTITUTED | 3 | \$0 | |
| AFLURIA INTRAMUSCULAR SUSPENSION | 2 | \$0; QL | |
| AFLURIA PRESERVATIVE FREE INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE | 2 | \$0; QL | |
| AREXVY INTRAMUSCULAR SUSPENSION RECONSTITUTED | 3 | PA; \$0; QL; AL | |
| AUDENZ INTRAMUSCULAR EMULSION | 2 | \$0 | |

| Drug Name | Tier | Notes |
|---|------|---------|
| AUDENZ INTRAMUSCULAR PREFILLED SYRINGE | 2 | \$0 |
| COMIRNATY INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE | 2 | \$0 |
| DENGVAXIA SUBCUTANEOUS SUSPENSION RECONSTITUTED | 3 | |
| ENGERIX-B INJECTION SUSPENSION 20 MCG/ML | 3 | \$0 |
| ENGERIX-B INJECTION SUSPENSION PREFILLED SYRINGE | 3 | \$0 |
| ERVEBO INTRAMUSCULAR SUSPENSION | 3 | |
| FLUAD INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE | 2 | \$0; QL |
| FLUARIX INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE | 2 | \$0; QL |
| FLUBLOK INTRAMUSCULAR SOLUTION PREFILLED SYRINGE | 2 | \$0; QL |
| FLUCELVAX INTRAMUSCULAR SUSPENSION | 2 | \$0; QL |
| FLUCELVAX INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE | 2 | \$0; QL |
| FLULAVAL INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE | 2 | \$0; QL |
| FLUMIST NASAL LIQUID | 2 | \$0; QL |
| FLUZONE HIGH-DOSE INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE | 2 | \$0; QL |
| FLUZONE INTRAMUSCULAR SUSPENSION | 2 | \$0; QL |

| Drug Name | Tier | Notes |
|--|------|-------------|
| FLUZONE INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE | 2 | \$0; QL |
| GARDASIL 9 INTRAMUSCULAR SUSPENSION | 2 | \$0 |
| GARDASIL 9 INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE | 2 | \$0 |
| HAVRIX INTRAMUSCULAR SUSPENSION 1440 EL U/ML | 3 | \$0 |
| HAVRIX INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE | 3 | \$0 |
| HEPLISAV-B INTRAMUSCULAR SOLUTION PREFILLED SYRINGE | 3 | \$0 |
| IMOVAX RABIES INTRAMUSCULAR SUSPENSION RECONSTITUTED | 3 | |
| IPOL INJECTION INJECTABLE | 3 | \$0 |
| IXCHIQ INTRAMUSCULAR SOLUTION RECONSTITUTED | 3 | |
| IXIARO INTRAMUSCULAR SUSPENSION | 3 | |
| JYNNEOS SUBCUTANEOUS SUSPENSION | 3 | \$0 |
| MODERNA COVID-19 VAC 6M-11Y INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE | 2 | \$0 |
| MRESVIA INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE | 3 | \$0; QL; AL |
| novavax covid-19 vaccine intramuscular suspension prefilled syringe | 2 | \$0 |

| Drug Name | Tier | Notes |
|---|------|-------|
| PFIZER COVID-19 VAC- TRIS 5-11Y INTRAMUSCULAR SUSPENSION 10 MCG/0.3ML | 2 | \$0 |
| pfizer covid-19 vac-tris 6m- 4y intramuscular suspension 3 mcg/0.3ml | 2 | \$0 |
| RABAVERT INTRAMUSCULAR SUSPENSION RECONSTITUTED | 3 | |
| RECOMBIVAX HB INJECTION SUSPENSION 10 MCG/ML, 40 MCG/ML, 5 MCG/0.5ML | 3 | \$0 |
| RECOMBIVAX HB INJECTION SUSPENSION PREFILLED SYRINGE | 3 | \$0 |
| ROTARIX ORAL SUSPENSION | 3 | \$0 |
| ROTATEQ ORAL SOLUTION | 3 | \$0 |
| SHINGRIX INTRAMUSCULAR SUSPENSION RECONSTITUTED 50 MCG/0.5ML | 3 | \$0 |
| SPIKEVAX INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE | 2 | \$0 |
| STAMARIL INJECTION SUSPENSION RECONSTITUTED | 3 | |
| TICOVAC INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE | 3 | |
| VAQTA INTRAMUSCULAR SUSPENSION 25 UNIT/0.5ML, 50 UNIT/ML | 3 | \$0 |
| VARIVAX INJECTION SUSPENSION RECONSTITUTED | 3 | \$0 |
| VIMKUNYA INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE | 3 | |
| YF-VAX SUBCUTANEOUS INJECTABLE | 3 | |

| Drug Name | Tier | Notes |
|---|----------|------------|
| *Vaginal And Related Products* | | |
| *Imidazole-Related | | |
| Antifungals*** | | |
| GYNAZOLE-1 VAGINAL CREAM | 3 | |
| miconazole 3 vaginal suppository | 1 or 1b* | |
| terconazole vaginal cream | 1 or 1b* | QL |
| terconazole vaginal suppository | 1 or 1b* | QL |
| *Miscellaneous Vaginal Products*** | | |
| INTRAROSA VAGINAL INSERT | 3 | ST; QL |
| *Vaginal Anti- Infectives*** | | |
| CLEOCIN VAGINAL CREAM | 3 | |
| CLEOCIN VAGINAL SUPPOSITORY | 2 | |
| clindamycin phosphate vaginal cream | 1 or 1b* | |
| CLINDESSE VAGINAL CREAM | 3 | |
| metronidazole vaginal gel | 1 or 1b* | |
| NUVESSA VAGINAL GEL | 3 | |
| VANDAZOLE VAGINAL GEL | 1 or 1b* | |
| XACIATO VAGINAL GEL | 3 | PA; QL |
| *Vaginal Contraceptive Ph Modulator - Combinations*** | | |
| PHEXXI VAGINAL GEL | 3 | \$0 |
| *Vaginal Estrogens*** | | |
| estradiol vaginal cream | 1 or 1b* | QL |
| estradiol vaginal tablet | 1 or 1b* | QL |
| PREMARIN VAGINAL CREAM | 2 | QL |
| yuvafem vaginal tablet | 1 or 1b* | QL |
| *Vaginal Progestins*** | | |
| CRINONE VAGINAL GEL 4 % | 3 | SP |
| CRINONE VAGINAL GEL 8 % | 3 | PA; QL; SP |
| ENDOMETRIN VAGINAL INSERT | 3 | PA |

| Drug Name | Tier | Notes |
|---|----------|------------|
| *Vasopressors* | | |
| *Anaphylaxis Therapy Agents*** | | |
| AUVI-Q INJECTION SOLUTION AUTO- INJECTOR | 2 | QL |
| epinephrine (anaphylaxis) injection solution | 1 or 1b* | |
| epinephrine injection solution auto-injector | 1 or 1b* | QL |
| EPINEPHRINESNAP INJECTION KIT | 3 | |
| *Neurogenic Orthostatic Hypotension (Noh) - Agents*** | | |
| droxidopa oral capsule | 1 or 1b* | PA; QL; SP |
| *Vasopressors*** | | |
| ADRENALIN INTRAVENOUS SOLUTION 5-0.9 MG/250ML-%, 8-0.9 MG/250ML-% | 3 | |
| ADRENALIN-NACL INTRAVENOUS SOLUTION | 3 | |
| AKOVAZ INTRAVENOUS SOLUTION | 3 | |
| AKOVAZ INTRAVENOUS SOLUTION PREFILLED SYRINGE | 3 | |
| BIORPHEN INTRAVENOUS SOLUTION | 3 | |
| EMERPHED INTRAVENOUS SOLUTION | 3 | |
| EMERPHED INTRAVENOUS SOLUTION PREFILLED SYRINGE | 3 | |
| EPHEDRINE SULFATE (PRESSORS) INTRAVENOUS SOLUTION | 3 | |
| epinephrine bitartrate-nacl intravenous solution | 3 | |
| epinephrine injection solution 10 mg/10ml | 3 | |

| Drug Name | Tier | Notes |
|--|----------|-------|
| EPINEPHRINE | | |
| INTRAVENOUS | 3 | |
| SOLUTION PREFILLED SYRINGE 1 MG/10ML | | |
| EPINEPHRINE PF INJECTION SOLUTION | 3 | |
| GIAPREZA INTRAVENOUS SOLUTION | 3 | |
| IMMPHENTIV INTRAVENOUS SOLUTION | 3 | |
| LEVOPHED INTRAVENOUS SOLUTION | 3 | |
| midodrine hcl oral tablet | 1 or 1b* | |
| PHENYLEPHRINE HCL (PRESSORS) INTRAVENOUS SOLUTION 10 MG/ML | 3 | |
| REZIPRES INTRAVENOUS SOLUTION 47 MG/10ML | 3 | |
| VAZCULEP INTRAVENOUS SOLUTION | 3 | |
| *Vitamins* | | |
| *Vitamin A*** | | |
| AQUASOL A INTRAMUSCULAR SOLUTION 50000 UNIT/ML | 3 | |
| *Vitamin B-1*** | | |
| thiamine hcl injection solution | 1 or 1b* | |
| *Vitamin C*** | | |
| ASCOR INTRAVENOUS SOLUTION | 3 | |
| *Vitamin D*** | | |
| DRISDOL ORAL CAPSULE | 3 | |
| ergocalciferol oral capsule | 1 or 1a* | |
| vitamin d (ergocalciferol) oral capsule 1.25 mg (50000 ut), 50000 unit | 1 or 1a* | |
| *Vitamin K*** | | |
| phytonadione injection solution 1 mg/0.5ml, 10 mg/ml | 1 or 1b* | |
| phytonadione oral tablet | 1 or 1b* | |
| vitamin k1 injection solution 1 mg/0.5ml, 10 mg/ml | 1 or 1b* | |

Most plans include our convenient home delivery program at no extra cost to you. Find out more at anthem.com or call 833-236-6196.

For information about your pharmacy benefit, log in at anthem.com.

You'll find the most up-to-date drug list and details about your benefits. If you still have questions, we're here. Just call the Pharmacy Member Services number on your ID card.



Anthem Blue Cross and Blue Shield is the trade name of: In Colorado: Rocky Mountain Hospital and Medical Service, Inc. HMO products underwritten by HMO Colorado, Inc. In Connecticut: Anthem Health Plans, Inc. In Georgia: Blue Cross Blue Shield Healthcare Plan of Georgia, Inc. In Indiana: Anthem Insurance Companies, Inc. In Kentucky: Anthem Health Plans of Kentucky, Inc. In Missouri, Inc. In Missouri (excluding 30 counties in the Kansas City area): RightCHOICE® Managed Care, Inc. (RIT), Healthy Alliance® Life Insurance Company (HALIC), and HMO Missouri, Inc. RIT and certain affiliates administer non-HMO benefits underwritten by HALIC and HMO benefits underwritten by HMO Missouri, Inc. RIT and certain affiliates only provide administrative services for self-funded plans and do not underwrite benefits. In Nevada: Rocky Mountain Hospital and Medical Service, Inc. HMO products underwritten by HMO Colorado, Inc., dba HMO Nevada. In New Hampshire: Anthem Health Plans of New Hampshire, Inc. HMO plans are administered by Anthem Health Plans of New Hampshire, Inc. and underwritten by Matthew Thornton Health Plan. Inc. In Ohio: Community Insurance Company. In Virginia: Anthem Health Plans of Virginia, and its service area is all of Virginia except for the City of Fairfax, the Town of Vienna, and the area east of State Route 123. In Wisconsin: Blue Cross Blue Shield of Wisconsin (BCBSWI), underwrites or administers PPO and indemnity policies and underwrites the out of network benefits in POS policies offered by Compcare Health Services Insurance Corporation (Compcare) or Wisconsin Collaborative Insurance Corporation (WCIC). Compcare underwrites or administers HMO or POS policies. Independent licensees of the Blue Cross and Blue Shield Association. Anthem is a registered trademark of Anthem Insurance Companies, Inc.