



Incident 01 – Understand the Incident

Using evidence and logic to assess what happened in PQ-001 before choosing a protection method.

Your initial focus:

Understand the incident from Central Operations / HQ to the Training & Foundations Lab.

--- Your path
Destination



What this incident covers

- Review the PQ-001 evidence
- Separate fact from assumption
- Identify what failed
- Build a defensible assessment

- 1 Reconstruct the incident
- 2 Fact or assumption
- 3 Trace the evidence path
- 4 Identify what failed
- 5 Identity & access
- 6 Trust & verification
- 7 Build the assessment

🕒 INCIDENT 01 — PQ-001 | 🚨 ACTIVE | ❓ CAUSE UNKNOWN



Foundations turns the Prologue evidence into a defensible incident assessment.



Scene 1 — Enter the Training & Foundations Lab

The trainee leaves Central Operations and enters the lab where PQ-001 will be examined.



What this scene establishes

-  Incident 01 begins in the Foundations space
-  The same Headquarters continues from the Prologue
-  PQ-001 remains active and unresolved
-  The learner now enters the investigation phase



PQ-001 STATUS — **ACTIVE**



LOCATION — TRAINING & FOUNDATIONS LAB




The same Headquarters now shifts from operations to structured investigation.



Scene 2 — The Evidence Board Opens

PQ-001 is reopened using the records, files and observations carried over from the Prologue.



What this scene establishes

-  The investigation begins with available evidence
-  Objects from the Prologue are now examined
-  The learner works inside the Foundations Lab
-  No new conclusions are made yet



EVIDENCE REVIEW — ORIGINAL FILE | RECEIVED FILE | ACCOUNT LOG



Incident reasoning starts from what is available, not from what is assumed.



Scene 3 — Reconstruct the Incident

The learner arranges the known PQ-001 events into chronological order before attempting explanation.

RECONSTRUCT PQ-001

Drag events into the timeline below to rebuild the known sequence of events.

EVENT CARDS

Alice provides File 3 09:12	File 3 sent 09:14
Bob reports it missing 09:28	File resent 09:35
Bob receives changed version 09:47	Unknown login discovered 10:02

TRAINING & FOUNDATIONS LAB

EVENT TIMELINE — DRAG & DROP TO ORDER

1 2 3 4 5 6

File 3 sent
09:14

You (Trainee)
Investigation Workstation 02

What this scene establishes

- Chronology comes before accusation
- The learner reconstructs the known events
- Timestamps guide the sequence
- PQ-001 is approached systematically



ACTIVITY STATUS

RECONSTRUCT PQ-001 — TIMELINE ORDERING IN PROGRESS




Before deciding why an incident happened, first establish what happened.



Scene 4 — Fact or Assumption

Sort incident statements into evidence and assumption before drawing conclusions.



SCENE FOCUS



Separate what is observed from what is inferred.



Evidence is based on verifiable observations.



Assumptions require validation, not belief.



Good decisions start with good sorting.



Evidence supports the incident; **assumptions** must be tested.



Scene 5 — Trace the Evidence Path

Follow the relevant PQ-001 records in the correct order to locate usable proof.



SCENE FOCUS



Trace only the relevant PQ-001 records.



Ignore unrelated or dead-end records.



Follow the file's journey from source to receipt.



Reach the result to obtain verifiable proof.



Good investigations follow evidence through the correct path.



Scene 6 — Build the Investigation Algorithm

Turn the evidence route into a repeatable step-by-step process.

TRAINING & FOUNDATIONS LAB

INVESTIGATION ALGORITHM BUILDER

Arrange the steps in the correct order.

1 Start 2 Check source 3 Check transfer 4 Check receiver 5 Compare files 6 Match? 7 Investigate 8 Stop

Start → Check source → Check receiver → Compare files → Match? → Investigate → Check transfer → Stop

Loop detected
A step is out of order

RESET BACK CHECK ORDER

SCENE FOCUS



Build a repeatable investigation method.



Use the right logical order of checks.



Avoid loops and missing steps.



Prepare for reliable, consistent checking.



A clear process helps the learner **investigate consistently**.



Scene 7 — Availability Affected

Use the incident evidence to identify what failed when Bob could not receive the file.



PHANTOM Q
TRAINING & FOUNDATIONS LAB

INCIDENT PQ-001

Review the delivery chain and identify which security property is affected.



```
graph LR; A[Alice has file] --> B[Trainee sends file]; B --> C[Bob did not receive file]
```

Alice has file Trainee sends file Bob did not receive file

Which security property is affected?



Private



Unchanged



Available

SCENE FOCUS



Follow the end-to-end delivery chain.



See where the break in access occurred.



Connect the evidence to a security property.



Identify that availability is affected.



If authorised users cannot access the file when needed, **availability** is affected.



Scene 8 — Integrity & Confidentiality

Compare Alice's original with Bob's received file and decide what can actually be proven.



WHAT THIS SCENE ESTABLISHES



Compare the original and received file.



Integrity was affected.



Confidentiality is still not proven.



Conclusions must stay evidence-based.



ACTIVITY HISTORY

PQ-001



FILE COMPARISON



MISMATCH FOUND




The received file no longer matches the original; **integrity is affected**, while **confidentiality still requires proof**.



Scene 9 — Identity, Authentication & Authorisation

Use the account anomaly to separate who the account represents, how it logs in, and what it may access.



WHAT THIS SCENE ESTABLISHES



Account name identifies a user.



Password authenticates a claim.



Login does not grant every door.



Unknown session remains suspicious.



ACTIVITY HISTORY



PQ-001



ACCOUNT ANOMALY



ACCESS REVIEW




A successful login does not prove the legitimate person acted; authentication is not the same as authorisation.



Scene 10 — Trust & Verification

Do not trust one status indicator when the evidence conflicts.



WHAT THIS SCENE ESTABLISHES



Compare conflicting claims.



Do not close on one status.



Use additional evidence.



Verify before trust.



ACTIVITY HISTORY

PQ-001



STATUS CONFLICT



VERIFY




A status message is **only a claim** until **supporting evidence confirms it**.



Scene 11 — Build the PQ-001 Assessment

Complete the incident board using only what the evidence actually supports.



INCIDENT PQ-001 — ASSESSMENT BOARD		
Availability		Affected
Integrity		Affected
Confidentiality		In Question
Identity Activity		Suspicious
Eve Responsible		Not Confirmed
Root Cause		Unknown

[ACTIVITY HISTORY](#)[PQ-001](#)[INCIDENT BOARD](#)[ASSESSMENT COMPLETE](#)

You've built a **defensible assessment** based on what the evidence supports — **not solved the attacker**.

WHAT THIS SCENE ESTABLISHES



Assess what the evidence actually supports.



Keep unproven claims open.



Root cause remains unknown.



Build a defensible assessment.