

Worked for 1m 12s

A5 — Campaign Routes

Now we take the **exact A4 Headquarters** and run the entire campaign through it.

The purpose is not simply to ask “*Can the player reach every room?*” We are testing whether the movement itself supports the story:

normal work → investigation → specialist capability → operational success → incident escalation → trusted recovery → authorised response → restoration

The key rule for A5 should be:

A new scene does not automatically mean a new room. The player moves only when the operational function changes.

That prevents the back-and-forth problem you are concerned about.

A5.1 — Overall campaign route

With the A4 layout, the entire current campaign becomes:

```
PROLOGUE
ENTRANCE
  ↓
RECEPTION / IDENTITY
  ↓
CENTRAL OPERATIONS

INCIDENT 01
CENTRAL OPERATIONS
  ↓
FOUNDATIONS

INCIDENT 02
FOUNDATIONS
  ↓
CRYPTOGRAPHY
  ↔
COMMUNICATIONS

INCIDENT 03
COMMUNICATIONS
```

↓
CRYPTOGRAPHY
↓
CENTRAL OPERATIONS

INCIDENT 04
CENTRAL OPERATIONS
↓
COMMUNICATIONS
↓
SOC

INCIDENT 05
SOC
↓
CRYPTOGRAPHY
↔
COMMUNICATIONS
↔
SOC
↓
RED TEAM THRESHOLD

INCIDENT 06
RED TEAM
↔
SOC
↔
RED TEAM
↔
SOC
↓
CENTRAL OPERATIONS

There is a very clear spatial story here.

The player starts in Central Operations, gradually spreads into specialist/security areas, and eventually returns to Central Operations after restoring Phantom Q.

That is exactly what we wanted from A1.

A5.2 — Important movement rule

We should divide movement into three categories.

MACRO MOVEMENT

Moving into a different operational function.

Example:

Central Ops → SOC

MICRO MOVEMENT

Moving between two tightly related adjacent departments.

Example:

Crypto ↔ Communications

NO PHYSICAL MOVEMENT

Information comes through the system.

Example:

Bob sends a response remotely.

HQ sends a signed authorisation.

This distinction is extremely important.

We should **not** make the player walk to another department simply because an NPC or system located there is involved.

For example:

Bob responds

does not mean:

Player must walk somewhere to find Bob.

Bob is remote.

Likewise:

HQ signs offensive authorisation

does not mean the Red Team operator needs to walk back to Central Operations merely to receive the signed command.

The command comes through S1.

A5.3 — Prologue route

Scenes 1–5

Entrance → Reception / Identity

```
EXTERIOR
↓
MAIN ENTRANCE
↓
RECEPTION
↓
IDENTITY STATION
↓
TRAINING CREDENTIAL
↓
EVE AUTHORISED CHECK
↓
BASIC CLEARANCE
```

This is one continuous controlled arrival sequence.

The player should physically experience the boundary.

Scene 6

T0 Access Gate → Central Operations

The player approaches:

```
HQ ACCESS CONTROL
```

Credential is accepted.

Door opens.

Then:

```
CENTRAL OPERATIONS
```

is revealed.

This should be one of the major introductory visual moments.

Scenes 6–16

Stay in Central Operations

This is important.

We do **not** move the player around the building during the anomaly.

Everything happens around:

```
WORKSTATION 04  
Alice  
USB  
Bob remote connection  
file-transfer interface  
credential alert  
incident interface
```

Sequence:

```
WS04  
↓  
Alice arrives  
↓  
USB  
↓  
File 1  
↓  
File 2  
↓  
File 3  
↓  
transfer failure  
↓  
retry  
↓  
altered file  
↓  
credential anomaly  
↓  
check Eve-authorised activity  
↓  
PQ-001
```

The Prologue therefore only has one major route:

```
ENTRANCE  
→ RECEPTION  
→ CENTRAL OPS
```

Perfect.

The player learns the building without being overloaded.

A5.4 — Prologue ending

At PQ-001:

SOC
ACTIVE / RESTRICTED

can become visible on the eastern side.

But the player does not enter.

At the same time:

FOUNDATIONS
ACCESS GRANTED

appears on the western side of Central Operations.

This is important environmental progression.

The learner physically sees:

SOMETHING SERIOUS IS HAPPENING
↓
SOC activity

BUT

MY NEXT AUTHORISED STEP
↓
FOUNDATIONS

Excellent handoff into Incident 01.

A5.5 — Incident 01 route

Incident 01 should be spatially simple.

Start

CENTRAL OPERATIONS

↓

FOUNDATIONS

One movement.

Approximately a few seconds.

All seven stages remain inside Foundations

```
01 Reconstruct
02 Fact / Assumption / Unknown
03 Trace Evidence
04 Identify Failure
05 Identity / Access
06 Trust / Verification
07 Assessment
```

Instead of moving the player between rooms, the **room itself contains several activity zones**.

Conceptually:

FOUNDATIONS

```
| Timeline / Reconstruction |
| Fact / Assumption Board  |
| Source-Transfer-Receiver  |
| CIA Assessment           |
| Identity Comparison       |
| Verification Logic        |
| Final Assessment         |
```

This immediately gives Foundations a real purpose instead of making it one desk.

A5.6 — Incident 01 handoff

At completion:

PQ-001 ASSESSMENT COMPLETE

INFORMATION CANNOT CURRENTLY
BE TRUSTED TO MOVE SAFELY

Then:

CRYPTOGRAPHY LAB
ACCESS GRANTED

The player does **not** have to return to Central Operations first.

Because the A4 plan deliberately places:

FOUNDATIONS
↓
short specialist connection
↓
CRYPTO

The physical unlock itself becomes the transition into Incident 02.

That avoids unnecessary walking.

A5.7 — Incident 02 route

Incident 02 has one important conceptual loop:

CRYPTO
↓
COMMUNICATIONS
↓
CRYPTO

This loop is useful rather than annoying because it physically teaches:

PROTECT INFORMATION
↓
TRY TO MOVE IT
↓
DISCOVER KEY PROBLEM
↓
RETURN TO PROTECTION LAB

And Crypto and Communications are directly adjacent.

Scenes 1–6 — Cryptography Lab

```
01 Crypto Lab unlocks
02 inspect plaintext
03 transfer blocked
04 create Key A7
05 build encryption relationship
06 plaintext → ciphertext
```

Stay entirely inside Crypto.

Player physically interacts with:

```
plaintext object
key station
encryption workbench
ciphertext output
```

A5.8 — Incident 02 Scenes 7–12

Crypto → Communications

Once ciphertext exists:

```
CRYPTO
  ↓
protected information created
  ↓
COMMUNICATIONS
```

Scenes:

```
07 send ciphertext
08 Bob receives ciphertext
09 Bob cannot read it
10 Bob requires same A7
11 try normal key transfer
12 normal route exposes / risks secret
```

This is where the player experiences:

Encryption worked. Communication still has a problem.

The player should not run back and forth for every message.

All of these scenes stay in Communications.

A5.9 — Incident 02 Scenes 13–14

Return to Crypto

Now the problem is no longer:

How do we send information?

It is:

How do we safely deal with the shared key?

So:

COMMUNICATIONS

↓

CRYPTO

Scenes:

13 physical token option

14 compare transfer approaches

End:

A7 DELIVERY METHOD

APPROVED

RELEASE

PENDING

The player remains in Crypto.

This is a good end location because Incident 03 begins with the unresolved A7 problem.

A5.10 — Incident 03 route

Incident 03 should have three spatial phases:

COMMUNICATIONS

↓

CRYPTO

↓

CENTRAL OPERATIONS

This represents:

VERIFY RECIPIENT

↓

COMPLETE SECURITY MECHANISM

↓

USE IT IN REAL OPERATIONS

That is a very strong spatial sequence.

A5.11 — Incident 03 Scenes 1–4

Communications

At the start:

Bob

Ciphertext ✓

A7 ✕

Player moves a few metres from Crypto into Communications.

Here:

01 Bob waiting

02 confirm Bob identity

03 authenticate Bob

04 verify authorisation

This belongs in Communications because we are validating the **remote endpoint**.

A5.12 — Incident 03 Scenes 5–12

Cryptography

Once Bob is authorised:

COMMUNICATIONS

↓

CRYPTO

Scenes:

```
05 release A7
06 Bob receives matching A7
07 Bob decrypts
08 verify original file
09 verification/replay
10 wrong B4 fails
11 A7 succeeds
12 rebuild symmetric workflow
```

This is the final laboratory proof.

At Scene 12 the learner has demonstrated:

SYMMETRIC WORKFLOW
WORKS

Now we should leave the laboratory.

A5.13 — Incident 03 Scenes 13–20

Return to Central Operations

Alice's fictional training payment should occur in the **normal operational environment**, not inside the Crypto Lab.

So:

CRYPTO

↓

CENTRAL OPERATIONS

↓

WORKSTATION 04

Scenes:

```
13 Alice requests payment
14 confirm original instruction
15 payment information requires protection
16 build payment workflow
```

```
17 test workflow
18 run R100 instruction
19 Bob decrypts/verifies
20 R100 transaction complete
```

This is important design-wise.

The learner experiences:

I learned something in the lab, and now I can apply it at my normal workstation.

That is much stronger than keeping every lesson in the laboratory.

A5.14 — Incident 04 route

Incident 04 creates the strongest escalation route so far:

```
CENTRAL OPERATIONS
↓
COMMUNICATIONS
↓
SOC
```

This physical movement should mirror the growing seriousness of the incident.

A5.15 — Incident 04 Scenes 1–10

Central Operations

Start exactly where Incident 03 successfully ended.

That's deliberate.

```
R100 SUCCESS
↓
same workstation
↓
new instruction
```

Scenes:

```
01 Alice R100 instruction
02 existing symmetric workflow
03 genuine message sent
04 Bob receives valid-looking R1,000
```

```
05 verification appears valid
06 Bob processes
07 time passes
08 Bob asks Alice
09 compare Alice vs Bob
10 confirm actual R1,000 diversion
```

No attacker visual.

No unnecessary movement.

The failure occurs in the same environment that previously felt safe.

A5.16 — Incident 04 Scenes 11–15

Move to Communications

At Scene 11 the question becomes:

What happened between Alice and Bob?

So now:

```
CENTRAL OPS
↓
COMMUNICATIONS
```

Scenes:

```
11 event timeline
12 potentially observable/interferable path
13 passive observation
14 genuine message blocked/replaced
15 replacement decrypts under A7
```

This belongs here because the learner is analysing the **communication path**.

A5.17 — Incident 04 Scenes 16–22

Escalate into SOC

Now the question changes from:

What happened to the message?

to:

What evidence do we have about the security incident?

So:

COMMUNICATIONS

↓

T1 SOC PORTAL

↓

SOC

This should feel significant.

Scenes:

```
16 suspicious A7 activity
17 shared-secret possession replay
18 claimed Alice ≠ proven Alice
19 incident assessment
20 containment
21 money still gone
22 PQ-004 state
```

This is the first time the learner properly works inside SOC.

The environment itself should communicate escalation.

A5.18 — Incident 04 ending location

Stay in SOC.

End state:

```
R1 000 GONE
A7 RETIRED
172.18.44.7 PRESERVED
ACTOR UNKNOWN
```

Do not send the player back to Central Ops just to close the incident.

Incident 05 starts from this evidence.

A5.19 — Incident 05 route

Incident 05 is the **only part of the campaign where I intentionally want repeated movement between two adjacent rooms:**

CRYPTO
↔
COMMUNICATIONS

Because the incident itself is about the relationship between:

TRUST / KEYS
↔
COMMUNICATION

A4 gave those rooms a direct relationship specifically for this.

So here a micro-loop is meaningful.

A5.20 — Incident 05 Scenes 1–6

SOC

Scenes:

01 Recovery mission opens
02 suspicious session
03 IP concept
04 mark IP as lead
05 Red Team standby
06 A7 cannot be reused

From SOC, the player can see the Red Team transition becoming active:

RED TEAM
STATUS: STANDBY

But entry remains restricted.

Scene 6 concludes:

| We cannot build the recovery operation on A7.

Now we need Crypto.

A5.21 — Incident 05 Scenes 7–14

SOC → Crypto

Route:

```
SOC
↓
COMMUNICATIONS CONNECTION
↓
CRYPTO
```

Scenes:

```
07 asymmetric workbench
08 public component
09 key pair
10 public/private rule
11 Red Team key pair
12 register RT public key
13 recovery brief
14 protect brief for Red Team
```

The Red Team creates its private key **at Red Team**, but the learner does not need to physically enter Red Team yet.

The public-key registration appears through the trusted system.

This preserves the information boundary.

A5.22 — Incident 05 Scenes 15–18

Crypto → Communications

Now the protected brief has to travel.

Move a few metres:

```
CRYPTO
↓
COMMUNICATIONS
```

Scenes:

```
15 send through network
16 network can still see metadata
```

```
17 Red Team decrypts
18 but who sent it?
```

This is a particularly good room transition.

Crypto solved confidentiality.

Communications exposes the remaining trust problem.

A5.23 — Incident 05 Scenes 19–22

Communications → Crypto

The new question:

How does Red Team prove that the command really came from HQ?

So return to Crypto:

```
19 HQ key pair
20 HQ signs
21 Red Team verifies
22 tamper test
```

This is the second half of the asymmetric lesson.

A5.24 — Incident 05 Scenes 23–27

Crypto → Communications

Now apply what was built:

```
23 trusted command flow
24 fresh S1
25 deliver S1
26 operational session
27 secure ≠ invisible
```

These belong primarily in Communications because the cryptographic capability is now being used **operationally over a network**.

A5.25 — Incident 05 Scene 28

Communications → SOC → Red Team threshold

The learner returns through the security-operation side.

Final state:

HQ ↔ RED TEAM

TRUSTED

S1

ACTIVE

RECOVERY OPERATION

READY

At T2:

RED TEAM OPERATIONS

MISSION AUTHORISATION

GRANTED

The door that has been restricted since earlier incidents now opens.

This should be a major progression moment.

Incident 05 therefore ends **at the Red Team threshold** rather than with a generic completion screen.

Very strong handoff.

A5.26 — Incident 06 route

Incident 06 should **not make the player wander throughout Headquarters**.

This is now an operational security mission.

The majority of movement should be:

SOC

↔

RED TEAM

These rooms are directly adjacent for precisely this reason.

Then the campaign closes back at Central Operations.

A5.27 — Incident 06 Scene 1

Red Team Operations

The player enters Red Team for the first time.

Scene:

```
HQ RECOVERY ORDER
↓
VERIFY HQ SIGNATURE
↓
MISSION ACCEPTED
```

That first entry must feel significant.

The learner has gone from:

```
NEW TRAINEE
```

to:

```
AUTHORISED RED TEAM OPERATOR
```

within the same building.

A5.28 — Incident 06 Scenes 2–10

Red Team → SOC

After accepting the mission:

```
RED TEAM
↓
T2
↓
SOC
```

SOC now becomes the investigation centre.

Scenes:

```
02 evidence board
03 trace 172.18.44.7
```

```
04 identify relay
05 follow next connection
06 build timeline
07 compare session evidence
08 inspect candidate
09 identify relevant service
10 build target case
```

Keep this whole block in SOC.

Do **not** move to Red Team simply because the word “target” appears.

SOC is still gathering and validating evidence.

A5.29 — Incident 06 Scenes 11–19

SOC → Red Team

Once the target case exists, the operational function changes:

```
INVESTIGATION
↓
AUTHORISED ACTIVE RESPONSE
```

So:

```
SOC
↓
T2 RED TEAM VESTIBULE
↓
RED TEAM OPERATIONS
```

Scenes:

```
11 request controlled access
12 HQ approval
13 verify authorisation
14 weak point
15 controlled access
16 search system
17 PQ-004 artefact
18 forwarding record
19 preserve/sign evidence
```

This is the major Red Team block.

Everything fits the room's purpose.

A5.30 — Incident 06 Scenes 20–25

Red Team → SOC

The attack produced evidence.

Now the mission shifts into correlation and recovery.

So:

RED TEAM

↓

SOC

Scenes:

```
20 reopen financial trail
21 correlate cyber + financial
22 locate R1,000
23 hold movement
24 request recovery
25 recover R1,000
```

HQ authorisation arrives digitally.

We do **not** make the player run back to Central Operations for Scene 24.

That would undermine the trusted-command architecture we built in Incident 05.

HQ signs remotely.

SOC/training payment systems verify.

A5.31 — Incident 06 Scene 26

SOC / Red Team boundary

Cyber remediation follows financial recovery.

The relevant security systems can be managed through SOC with Red Team results.

Scene:

```
A7 remains retired
suspicious session closed
```

```
legacy path blocked
compromised route removed
```

There is no need for another lengthy trip.

A5.32 — Incident 06 Scenes 27–28

Final return to Central Operations

Now we deliberately create the final physical journey:

```
SOC
↓
CENTRAL OPERATIONS
```

Scene 27:

```
VERIFY PHANTOM Q IS SAFE AGAIN
```

At Central Operations:

```
HQ identity verified
RT identity verified
S1 pass
message integrity pass
A7 inactive
compromised route blocked
```

Then:

SERVICE RESTORED

A5.33 — Why Central Operations must host the ending

Because this is where the player first experienced normal Phantom Q operations.

The campaign began:

```
WORKSTATION 04
NORMAL
```

Then:

WORKSTATION 04
ANOMALY

And eventually:

PHANTOM Q
INCIDENT

Now we return:

CENTRAL OPERATIONS
RESTORED

But the player is completely different.

That is spatial storytelling, not merely navigation.

A5.34 — Scene 28 final environment

Central Operations should visibly reflect what happened.

Main display:

PQ-004

R1 000
RECOVERED ✓

INFRASTRUCTURE
CONTAINED ✓

A7
RETIRED ✓

S1
TRUSTED ✓

PHANTOM Q
RESTORED ✓


ACTOR
UNKNOWN

Then perhaps somewhere much more subtle:

No attacker reveal.

A5.35 — Full campaign route condensed

This is the route I would now consider our **campaign movement backbone**:



A5.36 — Room usage across the campaign

Room	Campaign use	Importance
Reception / Identity	Prologue	Introduction / identity boundary

Room	Campaign use	Importance
Central Operations	Prologue, I03, I04, I06	Narrative and operational anchor
Foundations	I01	Investigation reasoning
Cryptography	I02, I03, I05	Protection/trust laboratory
Communications	I02–I05	Operational bridge
SOC	I04–I06	Escalation/investigation/recovery
Red Team	I05 threshold, I06	Authorised response
Engineering	Not required by current P–06 arc	Future capability
Quantum Wing	Not required by current P–06 arc	Future/QKD capability
Advanced Compute	Not required by current P–06 arc	Future capability
Secure Core	Not entered	Future/high-trust destination

This tells us something important.

A5.37 — A5 has exposed one major campaign/architecture question

The current **Prologue** → **Incident 06 recovery arc** does not physically enter **Engineering** or **Quantum**.

That is not automatically a problem.

It actually proves that the HQ is larger than the immediate story.

The player can see:

ENGINEERING
QUANTUM

without yet having reason or clearance to use them.

That supports future expansion beautifully.

However, because **physical QKD is a major Phantom Q capability**, we must be very deliberate later:

```
IF
physical QKD belongs after the current recovery arc

THEN
Quantum remains a future unlocked branch.

IF
physical QKD must occur inside this exact Release 1 campaign

THEN
the current incident structure needs an explicit Quantum mission placement.
```

We should **not silently force Quantum into Incident 05 or 06 merely because the room exists**. That would damage the story we have just carefully locked.

So A5 has done exactly what the looping method is supposed to do: expose that decision **before Unity construction**.

A5.38 — Movement-frequency check

The busiest relationships are:

```
CRYPTO ↔ COMMUNICATIONS

SOC ↔ RED TEAM

CENTRAL OPS ↔ SOC

CENTRAL OPS ↔ FOUNDATIONS
```

Therefore A4 was correct to make these short.

The most repeated path is:

```
CRYPTO ↔ COMMUNICATIONS
```

particularly Incident 05.

This confirms that their direct connection must stay.

A5.39 — We should NOT force return-to-hub behaviour

One thing I would now explicitly reject is:

```
complete room
↓
return to Central Ops
↓
receive next objective
↓
walk back out
```

for every incident.

That would be repetitive.

Central Operations is an anchor, **not a mission lobby**.

We return there only when narratively meaningful.

For example:

```
Incident 01
Foundations → directly towards Crypto

Incident 04
Communications → directly into SOC

Incident 05
SOC/Crypto/Communications → directly to Red Team

Incident 06
only return to Central Ops for restoration
```

This keeps the Headquarters feeling like a real workplace rather than a level-selection menu.

A5.40 — Room-entry popup rule revealed by the routes

Because Incident 05 will cross Crypto ↔ Communications multiple times, we must avoid showing a huge room title every time.

Later in A8 we should implement:

FIRST ENTRY

PHANTOM Q ENGINEERS

CRYPTOGRAPHY LAB

Protection & Key Management

[full room introduction]

RE-ENTRY

CRYPTOGRAPHY LAB

[small 1-second location indicator]

That prevents route transitions from becoming irritating.

A5.41 — Route behaviour rule

When a destination is within the same operational cluster:

Player walks manually

When starting a scripted sequence:

player approaches interaction

↓

contextual auto-align/path

↓

sequence

We should not teleport the player between ordinary rooms.

This preserves the sense that Headquarters is one physical place.

A5.42 — A4 stress test result

The A4 plan passes the current campaign route test.

There is **no reason yet to move the major rooms**.

The relationships all work:

PROLOGUE

Entry → Ops ✓

I01

Ops → Foundations ✓

I02

Crypto ↔ Communications ✓

I03

Comm → Crypto → Ops ✓

I04

Ops → Comm → SOC ✓

I05

SOC ↔ Crypto/Comm → RT ✓

I06

SOC ↔ Red Team → Ops ✓

The only issue exposed is not architectural; it is a **campaign-scope decision concerning when the Engineering/Quantum branch becomes playable.**

That should remain visible as an intentional unresolved design point rather than being accidentally buried.

A5 — Canonical Route Lock

I would now carry this forward:

CAMPAIGN MOVEMENT PRINCIPLES

Scenes do not dictate room changes.

Room changes happen when
operational purpose changes.

Central Ops is an anchor,
not a mandatory mission lobby.

Crypto ↔ Communications
is an intentional educational micro-loop.

SOC ↔ Red Team
is an intentional operational-response loop.

Remote actors/messages

do not require physical travel.

Future departments remain visible
without artificial use.

The campaign physically begins
and closes in Central Operations.

So A1 → A2 → A3 → A4 → A5 currently holds together without requiring a floor-plan redesign.

The next loop should be **A6 — Character Routes**, because now we stop following only the learner and test the same building against **Alice, Bob's remote presence, Eve, Red Team personnel, HQ staff and later Engineering/Quantum personnel**. That is where we check whether the building feels like an organisation operating around the player, rather than a facility that exists only for the player.