

## OKAN ÜNİVERSİTESİ MÜHENDİSLİK-MİMARLIK FAKÜLTESİ MÜHENDİSLİK TEMEL BİLİMLERİ BÖLÜMÜ

2015.03.25 MAT372 K.T.D.D. - Arasınav N. Course

Adi:	ÖRNEKTİR	Süre: <b>60</b> dk.
Soyadi:	SAMPLE	Sure. 00 dk.
Öğrenci No:		Sınav sorularından 2 tanesini seçerek
İMZA:		cevaplayınız.




Do not open the exam until you are told that you may begin. Sınavın başladığı yüksek sesle söylenene kadar sayfayı çevirmeyin.



- 1. You will have 60 minutes to answer 2 questions from a choice of 3. If you choose to answer more than 2 questions, then only your best 2 answers will be counted.
- 2. The points awarded for each part, of each question, are stated next to it.
- All of the questions are in English. You may answer in English or in Turkish.
- 4. You must show your working for all questions.
- 5. Write your student number on every page.
- 6. This exam contains 8 pages. Check to see if any pages
- 7. If you wish to leave before the end of the exam, give your exam script to an invigilator and leave the room quietly. You may not leave in the first 20 minutes, or in the final 10 minutes, of the exam.
- 8. Calculators, mobile phones and any digital means of communication are forbidden. The sharing of pens, erasers or any other item between students is forbid-
- 9. All bags, coats, books, notes, etc. must be placed away from your desks and away from the seats next to you. You may not access these during the exam. Take out everything that you will need before the exam starts.
- 10. Any student found cheating or attempting to cheat will receive a mark of zero (0), and will be investigated according to the regulations of Yükseköğretim Kurumları Öğrenci Disiplin Yönetmeliği.

- 1. Sınav süresi toplam 60 dakikadır. Sınavda 3 soru sorulmuştur. Bu sorulardan 2 tanesini seçerek cevap-2'den fazla soruyu cevaplarsanız, en yüksek puanı aldığınız 2 sorunun cevapları geçerli olacaktır.
- 2. Soruların her bölümünün kaç puan olduğu yanlarında belirtilmistir.
- Tüm sorular İngilizce'dir. Cevaplarınızı İngilizce yada Türkçe verebilirsiniz.
- Sonuca ulaşmak için yaptığınız işlemleri ayrıntılarıyla gösteriniz.
- Öğrenci numaranızı her sayfaya yazınız.
- 6. Sınav 8 sayfadan oluşmaktadır. Lütfen eksik sayfa olup olmadığını kontrol edin.
- 7. Sinav siiresi sona ermeden sinavinizi teslim edip çıkmak isterseniz, sınav kağıdınızı gözetmenlerden birine veriniz ve sınav salonundan sessizce çıkınız. Sınavın ilk 20 dakikası ve son 10 dakikası içinde sınav salonundan çıkmanız yasaktır.
- Sınav esnasında hesap makinesi, cep telefonu ve dijital bilgi alışverisi vapılan her türlü malzemelerin kullanımı ile diğer silgi, kalem, vb. alışverişlerin yapılması kesinlikle yasaktır.
- 9. Çanta, palto, kitap ve ders notlarınız gibi eşyalarınız sıraların üzerinden ve yanınızdaki sandalyeden kaldırılmalıdır. Sınav süresince bu tür esvaları kullanmanız yasaktır, bu nedenle ihtiyacınız olacak herşeyi sınav başlamadan yanınıza alınız.
- 10. Her türlü sınav, ve diğer çalışmada, kopya çeken veya kopya çekme girişiminde bulunan bir öğrenci, o sınav ya da çalışmadan sıfır (0) not almış sayılır, ve o öğrenci hakkında Yükseköğretim Kurumları Öğrenci Disiplin Yönetmeliği hükümleri uyarınca disiplin kovuşturması vapılır.



Canonical Forms:

$$Au_{xx} + Bu_{xy} + Cu_{yy} + Du_x + Eu_y + Fu = G$$

$$A^* = A\xi_x^2 + B\xi_x\xi_y + C\xi_y^2$$

$$B^* = 2A\xi_x\eta_x + B(\xi_x\eta_y + \xi_y\eta_x) + 2C\xi_y\eta_y$$

$$C^* = A\eta_x^2 + B\eta_x\eta_y + C\eta_y^2$$

$$D^* = A\xi_{xx} + B\xi_{xy} + C\xi_{yy} + D\xi_x + E\xi_y$$

$$E^* = A\eta_{xx} + B\eta_{xy} + C\eta_{yy} + D\eta_x + E\eta_y$$

$$F^* = F$$

$$G^* = G$$

$$H^* = -D^*u_\xi - E^*u_\eta - F^*u + G^*$$

$$\frac{dy}{dx} = \frac{B \pm \sqrt{\Delta}}{2A}$$

Fourier Transforms:

$$F(\omega) = \mathcal{F}[f](\omega) = \frac{1}{2\pi} \int_{-\infty}^{\infty} f(x)e^{-i\omega x} dx$$
$$f(x) = \mathcal{F}^{-1}[F](x) = \int_{-\infty}^{\infty} F(\omega)e^{i\omega x} d\omega$$
$$f(x) \qquad F(\omega)$$
$$u_t(x,t) \qquad U_t(\omega,t)$$

$$u_x(x,t)$$
  $i\omega U(\omega,t)$   $u_{xx}(x,t)$   $-\omega^2 U(\omega,t)$ 

$$\frac{1}{2\pi} \int_{-\infty}^{\infty} f(\xi)g(x-\xi) \ d\xi \quad F(\omega)G(\omega)$$

 $e^{-\alpha x^2}$ 

 $\frac{1}{\sqrt{4\pi\alpha}}e^{-\frac{\omega^2}{4\omega}}$ 

$$\delta(x - x_0) \qquad \qquad \frac{1}{2\pi} e^{-i\omega x_0}$$

$$f(x-\beta) e^{-i\omega\beta}F(\omega)$$

$$xf(x)$$
  $iF_{\omega}(\omega)$ 

$$\frac{2\alpha}{x^2 + \alpha^2} \qquad e^{-|\omega|\alpha}$$

$$f(x) = \begin{cases} 0 & |x| > a \\ 1 & |x| < a \end{cases} \frac{\sin a\omega}{\pi\omega}$$

## Famous PDEs:

$$u_t = ku_{xx}$$
 heat equation 
$$u_{tt} - c^2 u_{xx} = 0$$
 wave equation 
$$\nabla^2 u = 0$$
 Laplace's Equation

Fourier Series:

$$f(x) = \frac{a_0}{2} + \sum_{k=1}^{\infty} a_k \cos \frac{k\pi}{L} x + b_k \sin \frac{k\pi}{L} x$$

$$a_0 = \frac{1}{L} \int_{-L}^{L} f(x) \ dx$$

$$a_k = \frac{1}{L} \int_{-L}^L f(x) \cos \frac{k\pi}{L} x \ dx$$

$$b_k = \frac{1}{L} \int_{-L}^{L} f(x) \sin \frac{k\pi}{L} x \ dx$$

If 
$$f(x) = \sum_{k=1}^{\infty} a_n \cos \frac{n\pi x}{L}$$
 then

$$f'(x) = \sum_{k=1}^{\infty} -\left(\frac{n\pi}{L}\right) a_n \sin\frac{n\pi x}{L}.$$

If 
$$f(x) = \sum_{k=1}^{\infty} b_n \sin \frac{n\pi x}{L}$$
 then

$$f'(x) = \frac{1}{L} \Big[ f(L) - f(0) \Big] + \sum_{k=1}^{\infty} \Big[ \frac{n\pi}{L} b_n + \frac{2}{L} \Big( (-1)^n f(L) - f(0) \Big) \Big] \cos \frac{n\pi x}{L}.$$

## ODEs:

The solution of  $\phi' = \mu \phi$  is

$$\phi(x) = Ae^{\mu x}$$
.

The solution of  $\phi'' = \mu^2 \phi$  is

$$\begin{split} \phi(x) &= A e^{\mu x} + B e^{-\mu x} \\ &= C \cosh \mu x + D \sinh \mu x. \end{split}$$

The solution of  $\phi'' = -\mu^2 \phi$  is

$$\phi(x) = A\cos\mu x + B\sin\mu x.$$

The solution of  $x(x\phi')' - \mu^2 \phi = 0 \ (\mu \neq 0)$  is

$$\phi(x) = Ax^{-\mu} + Bx^{\mu}.$$

The solution of  $x(x\phi')' = 0$  is

$$\phi(x) = A \log x + B.$$

## Soru 1 (Characteristics) Consider the PDE

$$\frac{\partial u}{\partial t} - \frac{u}{4} \frac{\partial u}{\partial x} = 0$$


(1)


with the initial condition

$$u(x,0) = \begin{cases} 4 & x < 4 \\ 3 & x > 4. \end{cases}$$
 (2)

(a) [6p] Replace (1) by a system of 2 ODEs

(b) [12p] Plot the characteristics (t against x) for this problem.





fan-like characteristics

shock wave characteristics

neither

both

(d) [18p] Solve


$$\frac{\partial u}{\partial t} - \frac{u}{4} \frac{\partial u}{\partial x} = 0$$

subject to

$$u(x,0) = \begin{cases} 4 & x < 4 \\ 3 & x > 4. \end{cases}$$

$$u(x,t) = \left\{$$

(e)  $[3 \times 4p]$  Sketch the graph (u against x) of the solution at times t = 0, t = 1 and t = 2.



777	חח	77	777	777	Öğrenci No.	ПП

Soru 2 (Canonical Forms) Consider the partial differential equation

$$2u_{xx} - 4u_{xy} + 2u_{yy} + 3u = \sin(x^2) \tag{3}$$

(where  $u_x$  means  $\frac{\partial u}{\partial x}$  etc).

(a) [1p] Equation (3) is a

	$1^{\rm st}$	order	PDE;
--	--------------	-------	------

	$2^{\mathrm{nd}}$	order	рī	DE	7
	2	order	$\mathbf{P}$	176	1

(b) [1p] Equation (3) is a

		homogeneous	PDE;
--	--	-------------	------

(c) [1p] Equation (3) is

	linear
--	--------

(d) [6p] For each  $(x,y) \in \mathbb{R}^2$ , classify (3) as hyperbolic, parabolic or elliptic.

(e) [8p] Find the characteristic equation of (3).

$$2u_{xx} - 4u_{xy} + 2u_{yy} + 3u = \sin(x^2) \tag{3}$$

(f) [8p] Find the characteristic curve(s) of (3).

(g) [25p] Find a canonical form for (3). [HINT: I don't want to see x or y in your final answer.] Soru 3 (General Solution) Suppose that  $\xi = y - 3x$  and  $\eta = y - \frac{x}{3}$ .

(a) [20p] Use the chain rule (e.g.  $u_x = u_\xi \xi_x + u_\eta \eta_x$ , etc.) to show that

$$9u_{xx} + 30u_{xy} + 9u_{yy} = -64u_{\xi\eta}.$$

Now consider the second order partial differential equation

$$9u_{xx} + 30u_{xy} + 9u_{yy} = -64\sin(2y - 6x). \tag{4}$$

- (b) [5p] Equation (4) is a
  - hyperbolic PDE;

parabolic PDE;

elliptic PDE.

(c) [25p] Find the general solution of (4).

[HINT: I don't want to see  $\xi$  or  $\eta$  in your final answer.]