ANOVA Report Template

First Author Second Author Repeat as needed for each author

1 Executive Summary

2 Introduction

2.1 Background Literature

3 Methods

3.1 Study Design and Data Collection

3.2 Analysis Methods

3.2.1 Inference Decision Rules

4 Exploratory Data Anlysis

5 Results

5.1 Assessing Assumptions

5.2 Omnibus Results

5.3 Post Hoc Results

6 Discussion

6.1 Limitations and Recommendations for Future Work

6.2 Author Contributions

First Author: Role 1, Role 2, Repeat New Lines As Needed. **Second Author:** Role 1, Role 2, Repeat New Lines As Needed. **Repeat as needed for each author:** Role 1, Repeat New Lines As Needed.

7 References

8 Code Appendix

```
# You may use this code block as is PROVIDED you fill in the roles in the YAML
# header for each other. If you leave those out, this will throw errors and
# should be removed.

rawAuthors <- rmarkdown::metadata$authors

authorsList <- list()
for (i in 1:length(rawAuthors)) {
  authorsList[[i]] <- tibble::as.tibble(rawAuthors[[i]]) |>
    dplyr::select(name, role) |>
    dplyr::group_by(name) |>
    dplyr::summarize(
      listRoles = paste(role, collapse = ", ")
    ) |>
    dplyr::ungroup() |>
    dplyr::mutate(
      listRoles = stringr::str_to_title(listRoles)
    )
}

authorsDF <- dplyr::bind_rows(authorsList)

baseText <- "__%s:__ %s."

authorContribText <- sprintf(fmt = baseText, authorsDF$name, authorsDF$listRoles)
```