

NATIONAL STOCK NUMBER	ITEM NAME	REVISION	TECHNICAL CONTACT
1H 6810-00-148-7155 X2	NITRIC ACID	20240830195712	A08NAXXX1A0019
DRAWING PREPARER/MANUFACTURER		MANUFACTURER'S PART NO./DRAWING NO.	RSP
NAVSUP WEAPON SYSTEMS SUPPORT		8722-0095	B

1.0 SCOPE

THIS DOCUMENT PROVIDES THE REQUIREMENTS FOR THE PROCUREMENT OF NITRIC ACID, 1.0N.

THIS IRPOD PROVIDES THE REQUIREMENTS FOR A REPAIR PART CONSISTING OF ONE PIECE.

1.1 THIS IRPOD PROVIDES THE REQUIREMENTS FOR A UNIT REPAIR PART.

2.0 LIST OF APPLICABLE DOCUMENTS

IF A SUPPLIER QUOTES TO A LATER REVISION OF THE DRAWING (OR CATALOG ITEM) THAN SPECIFIED BELOW, SUBMITTAL OF QUOTE SHALL INCLUDE TWO (2) COPIES OF THE REVISED DOCUMENT AND AN EVALUATION OF THE INTERCHANGEABILITY. THE FOLLOWING DOCUMENTS AND CHANGE DATA ARE APPLICABLE TO THE EXTENT SPECIFIED IN THIS IRPOD, THE DRAWINGS, OR OTHER DOCUMENTS INVOKED BY THIS IRPOD. CONTRACTING AGENCY APPROVAL IS REQUIRED TO USE EARLIER SPECIFICATION VERSIONS THAN THOSE LISTED HEREIN, EXCEPT AS IDENTIFIED BELOW. IF NO DOCUMENT VERSION IS LISTED, THEN ANY VERSION OF THE DOCUMENT MAY BE USED.

RAW MATERIAL REQUIRED HEREIN MAY HAVE BEEN PROCESSED OR TESTED (FOR EXAMPLE, HEAT TREATED OR ULTRASONICALLY TESTED) AS REQUIRED BY THE RAW MATERIAL SPECIFICATION PRIOR TO RECEIPT OF THIS ORDER USING PREVIOUS VERSIONS OF PROCESSING OR TESTING SPECIFICATIONS. THIS PROCESSING AND TESTING NEED NOT BE REPEATED IF:

1.IT COMPLIED WITH THE APPLICABLE REQUIREMENTS OF THE PROCESSING/TESTING SPECIFICATION VERSIONS IN EFFECT AT THE TIME OF THE ACTUAL PROCESSING OR TESTING AND;

2.ALL REQUIREMENTS OF THE RAW MATERIAL SPECIFICATION VERSION LISTED HEREIN HAVE BEEN SATISFIED.

SECTION 6.0 IDENTIFIES SPECIAL REQUIREMENTS FOR SUBMITTAL OF THE PROCEDURES USED FOR COMPLETED PROCESSING AND TESTING. ALL PROCESSING AND TESTING PERFORMED AFTER RECEIPT OF THIS ORDER SHALL CONFORM TO THE PROCESSING/TESTING SPECIFICATION VERSIONS LISTED HEREIN.

DOCUMENT NUMBER	VERSION	TITLE
-----------------	---------	-------

FEDERAL SPECIFICATIONS

PPP-C-2020	A, NOTICE 1	CHEMICALS, LIQUID, DRY, AND PASTE, PACKAGING OF
PPP-C-186	C, NOTICE 1	CONTAINERS, PACKAGING AND PACKING FOR DRUGS, CHEMICALS, AND PHARMACEUTICALS

FEDERAL STANDARDS

FED-STD-313	D, NOTICE 1	MATERIAL SAFETY DATA, TRANSPORTATION SAFETY DATA AND DISPOSAL DATA FOR HAZARDOUS MATERIAL FURNISHED TO GOVERNMENT ACTIVITIES
-------------	-------------	--

NATIONAL STOCK NUMBER	ITEM NAME	REVISION	TECHNICAL CONTACT
1H 6810-00-148-7155 X2	NITRIC ACID	20240830195712	A08NAXXX1A0019
DRAWING PREPARER/MANUFACTURER		MANUFACTURER'S PART NO./DRAWING NO.	RSP
NAVSUP WEAPON SYSTEMS SUPPORT		8722-0095	B

MILITARY STANDARDS

+ MIL-STD-129 R W/CHANGE 2 MARKING FOR SHIPMENT AND STORAGE

PUBLICATIONS

+ AOR-00256-BMPC-17 ORIGINAL ADDITIONAL ORDERING REQUIREMENTS FOR X2
CHEMICAL ITEMS (U)

OTHERS

TITLE 29 OCCUPATIONAL SAFETY AND HEALTH
ADMINISTRATION REQUIREMENTS
CODE OF FEDERAL REGULATIONS
CHAPTER XVII

TITLE 49 DEPARTMENT OF TRANSPORTATION CODE OF FEDERAL
REGULATIONS HAZARDOUS MATERIAL REGULATIONS
PARTS 100 - 199

AMERICAN CHEMICAL 11TH EDITION REAGENT CHEMICALS, AMERICAN CHEMICAL SOCIETY
SPECIFICATIONS

SOCIETY (ACS) REAGENT CHEMICALS, AMERICAN CHEMICAL SOCIETY
SPECIFICATIONS

PUBLICATION REAGENT CHEMICALS, AMERICAN CHEMICAL SOCIETY
SPECIFICATIONS

ASTM E 200 1997 STANDARD PRACTICE FOR PREPARATION,
STANDARDIZATION, AND STORAGE OF
STANDARDS AND REAGENT SOLUTIONS FOR
CHEMICAL ANALYSIS

UNIFORM FREIGHT NATIONAL RAILROAD FREIGHT COMMITTEE
CLASSIFICATION

NATIONAL CLASSIFICATION NATIONAL MOTOR FREIGHT CLASSIFICATION
BOARD

+ LATER VERSIONS (IE: REVISIONS, AMENDMENTS, CHANGE NOTICES
AND/OR INTERIM CHANGES) OF DOCUMENTS IDENTIFIED BY THIS SYMBOL
MAY BE USED IN THE PERFORMANCE OF THE CONTRACT. WHICHEVER
VERSION IS USED MUST BE USED IN ITS ENTIRETY. THE LATER
VERSION MAY BE IDENTIFIED AS "MIL-DTL-" OR "MIL-PRF-" AS
APPLICABLE, WHICH IS EQUIVALENT TO "MIL-#-" (WHERE # IS AN
ALPHA CHARACTER).

3.0 TECHNICAL REOUIREMENTS

NITRIC ACID 8722-0095
NON-DEFINITIVE UNIT OF ISSUE
PACKAGE - 32 OUNCE

3.1 MATERIAL REOUIREMENTS

NATIONAL STOCK NUMBER	ITEM NAME	REVISION	TECHNICAL CONTACT
1H 6810-00-148-7155 X2	NITRIC ACID	20240830195712	A08NAXXX1A0019
DRAWING PREPARER/MANUFACTURER		MANUFACTURER'S PART NO./DRAWING NO.	RSP
NAVSUP WEAPON SYSTEMS SUPPORT		8722-0095	B

NITRIC ACID 8722-0095

THE MATERIAL SHALL CONSIST OF ONE PINT OF 1.0 +/-0.01N NITRIC ACID PREPARED BY DILUTING AMERICAN CHEMICAL SOCIETY (ACS) REAGENT GRADE NITRIC ACID WITH ACS REAGENT GRADE WATER. THE MATERIAL SHALL BE CONTAINED IN A ONE-PINT AMBER GLASS BOTTLE AND SHALL TEST NEGATIVE FOR CHLORIDE WHEN TESTED IN ACCORDANCE WITH THE PROCEDURE SPECIFIED IN SECTION 4.6.C OF THIS IRPOD.

SHELF LIFE OF THIS ITEM IS SIXTY MONTHS.

THIS ITEM SHALL BE SUPPLIED WITH AT LEAST 85 PERCENT OF ITS SHELF LIFE REMAINING AT TIME OF SHIPMENT.

3.2 MANUFACTURING AND PROCESS REQUIREMENTS

NITRIC ACID 8722-0095

NATIONAL STOCK NUMBER	ITEM NAME	REVISION	TECHNICAL CONTACT
1H 6810-00-148-7155 X2	NITRIC ACID	20240830195712	A08NAXXX1A0019
DRAWING PREPARER/MANUFACTURER		MANUFACTURER'S PART NO./DRAWING NO.	RSP
NAVSUP WEAPON SYSTEMS SUPPORT		8722-0095	B

A. MERCURY CONTAMINATION

THIS ITEM SHALL NOT CONTAIN AND SHALL NOT BE
CONTAMINATED BY MERCURY OR MERCURY COMPOUNDS. DURING
THE MANUFACTURING PROCESS, TESTS AND INSPECTIONS, THE
PRODUCT SHALL NOT HAVE COME IN DIRECT CONTACT WITH
MERCURY, NOR ANY OF ITS COMPOUNDS, NOR ANY MERCURY
CONTAINING DEVICE EMPLOYING A SINGLE BOUNDARY OF
CONTAINMENT.

B. FOREIGN MATERIAL EXCLUSION

THE NITRIC ACID SOLUTION SHALL BE UNIFORM AND FREE FROM
VISIBLE FOREIGN MATERIAL. EXAMPLES OF VISIBLE FOREIGN MATERIAL
INCLUDE BUT ARE NOT LIMITED TO RUST, GLASS OR DIRT PARTICLES,
PLASTIC, CERAMIC, WOOD OR METAL CHIPS, CARDBOARD FIBERS, CLOTH
FIBERS, BRUSH BRISTLES AND PAINT CHIPS. PRODUCTION OPERATIONS
SHALL BE CONDUCTED SO AS TO ASSURE THE REQUIRED LEVEL OF
CLEANLINESS. SUCH OPERATIONS MAY INCLUDE, BUT ARE NOT LIMITED
TO, THE FOLLOWING PRECAUTIONS: ENSURING THAT THE BOTTLES
ARE FREE FROM FOREIGN MATERIAL PRIOR TO FILL, PROVIDING AN
AREA FOR FILL OPERATIONS WHICH IS FREE OF DIRT AND DEBRIS,
AND MAINTAINING THE FILL EQUIPMENT IN A CLEAN CONDITION.

C. CONTAINER REQUIREMENTS

THE NITRIC ACID SOLUTION SHALL BE CONTAINED IN AN AMBER,
ONE-PINT, GLASS BOTTLE, CONFORMING TO THE GENERAL REQUIREMENTS
OF PPP-C-2020 AND TO THE FOLLOWING CLASSIFICATIONS OF
PPP-C-186:

CLASSIFICATION	DESCRIPTION
GROUP A	BOTTLE, ONE-PINT
CLASS 1	GLASS
TYPE D	COMMERCIAL (NON-USP)
STYLE 1	NARROW-MOUTH

NATIONAL STOCK NUMBER	ITEM NAME	REVISION	TECHNICAL CONTACT
1H 6810-00-148-7155 X2	NITRIC ACID	20240830195712	A08NAXXX1A0019
DRAWING PREPARER/MANUFACTURER		MANUFACTURER'S PART NO./DRAWING NO.	RSP
NAVSUP WEAPON SYSTEMS SUPPORT		8722-0095	B

GRADE 1 LIGHT-RESISTANT (AMBER)

OUTER SEAL A VINYL TAPE

CLOSURE O SPECIAL CLOSURE (SEE BELOW)

THE CLOSURE SHALL BE AN ACID RESISTANT PLASTIC SCREWCAP
CONTAINING A CONICAL POLYETHYLENE LINER WHICH COMPRESSES
AGAINST THE BOTTLE NECK TO PROVIDE A TIGHT SEAL.

D. UNIT OF ISSUE

ONE PACKAGE CONTAINING TWO AMBER ONE-PINT GLASS BOTTLES OF
NITRIC ACID SOLUTION.

E. SHELF LIFE

THE DESIGNATED SHELF LIFE IS SIXTY (60) MONTHS. THIS
ITEM SHALL BE SUPPLIED WITH AT LEAST EIGHTY-FIVE (85)
PERCENT (FIFTY-ONE (51) MONTHS) SHELF LIFE REMAINING
AT TIME OF SHIPMENT.

F. LOT

ALL NITRIC ACID SOLUTION PRODUCED AT ONE TIME, BY ONE
MANUFACTURER, AT ONE PLANT, FROM THE SAME MATERIALS, AND
UNDER ESSENTIALLY THE SAME MANUFACTURING CONDITIONS PROVIDED
THE OPERATION IS CONTINUOUS. IN THE EVENT THE PROCESS
IS A BATCH OPERATION, EACH BATCH (SEE 3.2.G BELOW) SHALL
CONSTITUTE A LOT. EACH LOT SHALL BE LIMITED TO A MAXIMUM OF
FIVE HUNDRED (500) PACKAGES OF NITRIC ACID SOLUTION.

G. BATCH

THAT QUANTITY OF MATERIAL WHICH HAS BEEN MANUFACTURED BY SOME
UNIT CHEMICAL PROCESS, OR SUBJECTED TO SOME PHYSICAL MIXING
OPERATION, INTENDED TO MAKE THE FINAL PRODUCT SUBSTANTIALLY
UNIFORM.

4.0 OUALITY ASSURANCE PROVISIONS
NITRIC ACID 8722-0095

NATIONAL STOCK NUMBER	ITEM NAME	REVISION	TECHNICAL CONTACT
1H 6810-00-148-7155 X2	NITRIC ACID	20240830195712	A08NAXXX1A0019
DRAWING PREPARER/MANUFACTURER		MANUFACTURER'S PART NO./DRAWING NO.	RSP
NAVSUP WEAPON SYSTEMS SUPPORT		8722-0095	B

4.1 CONTRACTOR INSPECTION AND TESTING SYSTEM

THE CONTRACTOR SHALL MAINTAIN COMPLETE RECORDS FOR ALL INSPECTIONS AND TESTS PERFORMED ON THE FINAL BOTTLES AND THEIR CONTENTS. THE RECORDS SHALL BE TRACEABLE BY THE CONTRACTOR'S LOT OR BATCH NUMBER. THE CONTRACTOR SHALL RETAIN THESE RECORDS FOR FIVE (5) YEARS FOLLOWING DELIVERY TO THE GOVERNMENT. THE RECORDS SHALL BE MADE AVAILABLE FOR GOVERNMENT REVIEW UPON WRITTEN REQUEST DURING THIS PERIOD. THESE RECORDS SHALL INDICATE THE NATURE AND NUMBER OF OBSERVATIONS MADE, THE NUMBER AND TYPE OF DEFICIENCIES FOUND, THE QUANTITIES APPROVED AND REJECTED, AND THE SPECIFIC ACTIONS TAKEN TO CORRECT THE DEFICIENCIES.

THE CONTRACTOR'S INSPECTION SYSTEM SHALL BE IN ACCORDANCE WITH THE ADDITIONAL ORDERING REQUIREMENTS CITED IN SECTION 2.0 OF THIS IRPOD.

4.2 TEST EQUIPMENT

ALL GAGES, MEASURING AND TEST EQUIPMENT USED IN THE TESTS, INSPECTION AND PROCESSING OF FILLED BOTTLES UNDER THIS IRPOD SHALL BE CALIBRATED TO CERTIFIED STANDARDS THAT HAVE KNOWN, VALID RELATIONSHIPS TO NATIONALLY ACCEPTED INDUSTRY STANDARDS. THE CALIBRATION FREQUENCY FOR EACH DEVICE SHALL BE BASED ON ITS STABILITY, PURPOSE, AND USAGE. A POSITIVE MEANS (SUCH AS STICKERS) SHALL BE PROVIDED TO IDENTIFY THE CALIBRATION INTERVAL, THE LAST DATE OF CALIBRATION, AND THE DATE CALIBRATION IS DUE FOR EACH DEVICE. COMPLETE WRITTEN RECORDS OF CALIBRATION DATA TRACEABLE TO THE INDIVIDUAL TEST DEVICES SHALL BE AVAILABLE FOR GOVERNMENT REVIEW FOR UP TO FIVE (5) YEARS FOLLOWING DELIVERY OF FILLED BOTTLES TESTED WITH THE CALIBRATED EQUIPMENT.

4.3 RESPONSIBILITIES

THE CONTRACTOR IS RESPONSIBLE FOR THE PERFORMANCE OF ALL INSPECTIONS AND TEST REQUIREMENTS IN SECTIONS 4.4 AND 4.6 OF THIS IRPOD. THE NUMBER OF SAMPLES TO BE TESTED SHALL BE IN ACCORDANCE WITH TABLE 1 OF SECTION 4.4 OF THIS IRPOD. THE CONTRACTOR MAY USE HIS OWN OR ANY OTHER FACILITIES SUITABLE FOR THE PERFORMANCE OF THE REQUIRED INSPECTIONS AND TESTS. THE FINAL PRODUCT SHALL BE MADE AVAILABLE FOR GOVERNMENT TESTING AND INSPECTION. IN ADDITION TO THE SPECIFIED TESTS AND INSPECTIONS IN THIS IRPOD, THE GOVERNMENT RESERVES THE RIGHT TO PERFORM ANY ADDITIONAL INSPECTIONS AND TESTS DEEMED NECESSARY TO ASSURE SUPPLIES AND SERVICES CONFORM TO PRESCRIBED REQUIREMENTS. THE CONTRACTOR SHALL ALSO PROVIDE THE FOLLOWING:

NATIONAL STOCK NUMBER	ITEM NAME	REVISION	TECHNICAL CONTACT
1H 6810-00-148-7155 X2	NITRIC ACID	20240830195712	A08NAXXX1A0019
DRAWING PREPARER/MANUFACTURER		MANUFACTURER'S PART NO./DRAWING NO.	RSP
NAVSUP WEAPON SYSTEMS SUPPORT		8722-0095	B

- A. A WRITTEN CERTIFICATION IN ACCORDANCE WITH THE CONTRACT DELIVERY SCHEDULE THAT EACH MANUFACTURER'S LOT OF NITRIC ACID SOLUTION HAS BEEN PREPARED FROM NITRIC ACID AND WATER THAT MEET ALL THE REQUIREMENTS OF THE AMERICAN CHEMICAL SOCIETY (ACS) SPECIFICATIONS FOR REAGENT CHEMICALS.
- B. CERTIFIED TEST RESULTS IN ACCORDANCE WITH THE CONTRACT DELIVERY SCHEDULE SHOWING THAT THE APPROPRIATE NUMBER OF REPRESENTATIVE SAMPLES OF EACH LOT OF FINISHED PRODUCT WERE SELECTED IN ACCORDANCE WITH SECTION 4.4 OF THIS IRPOD AND WERE TESTED AND FOUND TO MEET THE REQUIREMENTS OF SECTION 4.6 OF THIS IRPOD.
- C. A WRITTEN CERTIFICATION IN ACCORDANCE WITH THE CONTRACT DELIVERY SCHEDULE THAT THE ITEMS ANALYZED AND OFFERED FOR DELIVERY ARE THE SAME, AND THE ITEMS OFFERED FOR DELIVERY MEET ALL THE REQUIREMENTS OF THE IRPOD.

4.4 CONTRACTOR INSPECTION AND TESTING IN PREPARATION FOR DELIVERY

CONTRACTOR SAMPLING FOR INSPECTION AND TESTING OF PREPARATION FOR DELIVERY SHALL BE FROM PACKAGED UNITS OFFERED FOR DELIVERY. SAMPLES SHALL BE CHOSEN RANDOMLY IN ACCORDANCE WITH TABLE 1, WHERE THE LOT SIZE IS BASED ON THE NUMBER OF UNITS BEING OFFERED FOR DELIVERY AND DOES NOT INCLUDE TEST SAMPLE UNITS. FOR EXAMPLE, IF 150 UNITS ARE OFFERED FOR DELIVERY, THREE SAMPLES ARE REQUIRED FOR INDEPENDENT TESTING BY BOTH THE CONTRACTOR AND GOVERNMENT. THIS MAY REQUIRE THE CONTRACTOR TO PRODUCE 156 UNITS TOTAL PER THE CONTRACT, BUT IT WOULD NOT REQUIRE THE CONTRACTOR TO SAMPLE BASED ON A QUANTITY OF 156 UNITS.

=====	
TABLE 1	

SAMPLING FOR INSPECTION AND TESTING	

LOT SIZE	NUMBER OF PACKAGES
-----	-----
< OR = 25	2
26 TO 150	3
151 TO 500	5
=====	

NATIONAL STOCK NUMBER	ITEM NAME	REVISION	TECHNICAL CONTACT
1H 6810-00-148-7155 X2	NITRIC ACID	20240830195712	A08NAXXX1A0019
DRAWING PREPARER/MANUFACTURER		MANUFACTURER'S PART NO./DRAWING NO.	RSP
NAVSUP WEAPON SYSTEMS SUPPORT		8722-0095	B

EACH SELECTED PACKAGE SHALL BE INSPECTED FOR CONFORMANCE WITH THE REQUIREMENTS SPECIFIED IN SECTION 3.2.C, CONTAINER REQUIREMENTS, SECTION 3.2.B, FOREIGN MATERIAL EXCLUSION, AND SECTION 5.0, PREPARATIONS FOR DELIVERY, OF THIS IRPOD. EACH SELECTED BOTTLE SHALL BE TESTED FOR CONFORMANCE WITH THE REQUIREMENTS SPECIFIED IN SECTION 4.6, ACCEPTANCE TESTING, OF THIS IRPOD AND DOCUMENTED IN ACCORDANCE WITH SECTION 4.1. FAILURE OF ANY ONE BOTTLE CONSTITUTES FAILURE OF THE ENTIRE LOT. A REJECTED LOT MAY BE RESUBMITTED FOR INSPECTION PROVIDED THE CONTRACTOR HAS CORRECTED ALL NON-CONFORMING ATTRIBUTES.

4.5 GOVERNMENT INSPECTION AND TESTING

FOLLOWING COMPLETION OF SECTION 4.4, THE COGNIZANT DEFENSE CONTRACT MANAGEMENT COMMAND (DCMC) QUALITY ASSURANCE REPRESENTATIVE (QAR) WILL RANDOMLY SELECT THE REQUIRED NUMBER OF PACKAGES (BOTTLES), AS SPECIFIED IN SECTION 4.4, FOR GOVERNMENT LABORATORY INSPECTION AND TESTING. THE VENDOR SHALL REPACKAGE THE BOTTLES AS A UNIT OF ISSUE FOR DELIVERY IN ACCORDANCE WITH THIS IRPOD, AND SHIP THEM WITH FORM DD-1222, A SAFETY DATA SHEET (SDS), AND A COPY OF THE DATA REQUIRED INSECTION 4.3 TO THE FOLLOWING ADDRESS:

PUGET SOUND NAVAL SHIP YARD & IMF
CODE 134.4, BUILDING 59
1400 FARRAGUT AVENUE
BREMERTON, WA 98314-2025

THE GOVERNMENT INSPECTION AND TESTING MUST DEMONSTRATE CONFORMANCE WITH THE REQUIREMENTS OF THIS IRPOD BEFORE THE LOT OF MATERIAL WILL BE ACCEPTED. PUGET SOUND NAVAL SHIPYARD SHALL PROVIDE NOTIFICATION OF RESULTS TO THE PROCURING CONTRACTING OFFICER WHO WILL NOTIFY THE CONTRACTOR AND THE DCMC QAR.

4.6 ACCEPTANCE TESTING

THE CONTRACTOR MAY USE ALTERNATE TEST METHODS TO ENSURE THAT THE DELIVERED PRODUCT CONFORMS TO THE IRPOD REQUIREMENTS. HOWEVER, IN THE EVENT OF A DISAGREEMENT BETWEEN THE CONTRACTOR AND THE GOVERNMENT, THE TEST METHOD IDENTIFIED HERE SHALL BE USED AS THE REFEREE METHOD. GOVERNMENT TESTING SHALL CONSIST OF THE FOLLOWING:

NATIONAL STOCK NUMBER	ITEM NAME	REVISION	TECHNICAL CONTACT
1H 6810-00-148-7155 X2	NITRIC ACID	20240830195712	A08NAXXX1A0019
DRAWING PREPARER/MANUFACTURER		MANUFACTURER'S PART NO./DRAWING NO.	RSP
NAVSUP WEAPON SYSTEMS SUPPORT		8722-0095	B

A. REAGENTS

1. 0.5N SODIUM HYDROXIDE (ACS REAGENT GRADE) PREPARED AND STANDARDIZED IN ACCORDANCE WITH THE PROCEDURES SPECIFIED IN ASTM E 200. RECORD THE DETERMINED NORMALITY OF THE SODIUM HYDROXIDE SOLUTION AS "NB".
2. PHENOLPHTHALEIN INDICATOR PREPARED BY DISSOLVING 1 GRAM OF ACS REAGENT GRADE PHENOLPHTHLEIN IN 100 ML OF ACS REAGENT GRADE ISOPROPYL ALCOHOL.
3. 0.3N SILVER NITRATE PREPARED IN BY DISSOLVING 5.1 GRAMS OF ACS REAGENT GRADE SILVER NITRATE IN 100 ML OF ACS REAGENT GRADE WATER.

B. NORMALITY TEST

1. PIPETTE 20.0 ML OF NITRIC ACID SOLUTION INTO A 250 ML SUITABLE CONTAINER. ADD 3 DROPS OF PHENOLPHTHLEIN INDICATOR AND THEN TITRATE WITH 0.5N SODIUM HYDROXIDE TO A FAINT PINK END POINT. RECORD THE VOLUME OF 0.5N SODIUM HYDROXIDE USED IN MILLILITERS AS "A".
2. CALCULATE THE NORMALITY OF THE NITRIC ACID SOLUTION AS FOLLOWS:
NORMALITY = (0.05 X A X NB)
WHERE:

A = MILLILITERS OF 0.5N SODIUM HYDROXIDE USED(STEP 4.6.B.1)
NB = THE NORMALITY OF THE SODIUM HYDROXIDE SOLUTION (STEP 4.6.A.1)

IF THE CALCULATED NORMALITY OF THE NITRIC ACID SOLUTION IS LESS THAN 0.99 OR GREATER THAN 1.01, THE SAMPLE SHALL BE REJECTED.

C. CHLORIDE TURBIDITY TEST

1. RINSE TWO, CLEAN, DRY, TEST TUBES APPROXIMATELY 50 ML IN CAPACITY WITH NITRIC ACID SOLUTION FROM THE SAMPLE BOTTLE.

NATIONAL STOCK NUMBER	ITEM NAME	REVISION	TECHNICAL CONTACT
1H 6810-00-148-7155 X2	NITRIC ACID	20240830195712	A08NAXXX1A0019
DRAWING PREPARER/MANUFACTURER		MANUFACTURER'S PART NO./DRAWING NO.	RSP
NAVSUP WEAPON SYSTEMS SUPPORT		8722-0095	B

2. FILL EACH TEST TUBE HALF FULL WITH THE NITRIC ACID SOLUTION FROM THE SAMPLE BOTTLE.
3. ADD 4 DROPS OF 0.3N SILVER NITRATE TO THE CONTENTS OF ONE TEST TUBE AND MIX BY SWIRLING GENTLY.
4. COMPARE THE SILVER NITRATE TREATED SAMPLE SOLUTION TO THE UNTREATED SAMPLE SOLUTION CONTAINING NO SILVER NITRATE FOR ANY VISIBLE TURBIDITY. RECHECK THE SAMPLE FOR TURBIDITY TWO MINUTES AFTER ADDING THE SILVER NITRATE. IF NO VISIBLE TURBIDITY OR MILKINESS IS OBSERVED, THE SAMPLE IS ACCEPTABLE.
5. IF TURBIDITY OR MILKINESS IS VISIBLE, THEN PERFORM STEPS 4.6.C.1 THROUGH 4.6.C.4 BY REPLACING THE NITRIC ACID SOLUTION WITH ACS REAGENT GRADE WATER. IF NO VISIBLE TURBIDITY OR MILKINESS IS OBSERVED, THE STEP 4.6.C.4 SAMPLE SHALL BE REJECTED. IF VISIBLE TURBIDITY OR MILKINESS IS OBSERVED, OBTAIN FRESH 0.3N SILVER NITRATE SOLUTION AND ACS REAGENT GRADE WATER, ENSURING THAT THESE REAGENTS AND THE TEST TUBES ARE FREE OF CHLORIDE CONTAMINATION BEFORE REPEATING STEPS 4.6.C.1 THROUGH 4.6.C.4 TO DETERMINE IF THE NITRIC ACID SOLUTION IS ACCEPTABLE TO THE CRITERIA SPECIFIED IN STEP 4.6.C.4.

5.0 PREPARATION FOR DELIVERY

NITRIC ACID 8722-0095

NATIONAL STOCK NUMBER	ITEM NAME	REVISION	TECHNICAL CONTACT
1H 6810-00-148-7155 X2	NITRIC ACID	20240830195712	A08NAXXX1A0019
DRAWING PREPARER/MANUFACTURER		MANUFACTURER'S PART NO./DRAWING NO.	RSP
NAVSUP WEAPON SYSTEMS SUPPORT		8722-0095	B

5.1 PACKAGING AND PACKING

PACKAGING AND PACKING SHALL CONFORM TO FEDERAL SPECIFICATION PPP-C-2020 AND 49 CFR 100-199. TWO SEALED BOTTLES SHALL BE PACKED IN AN INTERMEDIATE TWO-PART EXPANDED POLYSTYRENE CASE IN ACCORDANCE WITH THE REQUIREMENTS OF ENCLOSURE C OF PPP-C-2020. THE PACKING SHALL BE SUFFICIENT TO PREVENT SHIFTING OF CONTENTS, BREAKAGE, DAMAGE, OR SUBSTANTIAL DISTORTION DURING HANDLING, SHIPMENT, AND INTERMEDIATE STORAGE. CONTAINERS SHALL CONFORM TO THE UNIFORM FREIGHT CLASSIFICATION OR REGULATIONS OF OTHER CARRIERS AS APPLICABLE TO THE MODE OF TRANSPORTATION.

5.2 PRECAUTIONARY LABELS

EACH BOTTLE AND OUTSIDE SHIPPING CONTAINER SHALL BE LABELED "CORROSIVE". THE OUTSIDE SHIPPING CONTAINER SHALL ALSO BE LABELED "NITRIC ACID SOLUTION".

5.3 MARKING

A. MARKING FOR SHIPMENT AND STORAGE

INTERIOR PACKAGES AND EXTERIOR SHIPPING CONTAINERS SHALL BE MARKED IN ACCORDANCE WITH MIL-STD-129, 49 CFR 100-199, AND 29 CFR 1910.1200. BAR CODE MARKING SUITABLE FOR HAND SCANNING IS REQUIRED. THE BAR CODE SHALL CONTAIN THE IRPOD HEADER, MFR/PN, AND THE CONTRACTOR'S CAGE CODE. THE BAR CODE SHALL BE APPLIED ON THE UNIT AND INTERMEDIATE PACK.

B. SPECIAL MARKING

1. IDENTIFICATION LABEL DATA - EACH UNIT, INTERMEDIATE AND EXTERIOR SHIPPING CONTAINER SHALL BE MARKED WITH THE FOLLOWING INFORMATION IN ACCORDANCE WITH MIL-STD-129:

NATIONAL STOCK NUMBER	1H 6810-00-148-7155X2
NOMENCLATURE	NITRIC ACID, 1.0N
NAME OF PRIME CONTRACTOR	_____
NAME OF MANUFACTURER (IF DIFFERENT)	_____
CONTRACT NUMBER	_____
LOT NUMBER	_____
DATE OF MANUFACTURE	_____ (MONTH/YEAR) _____
SHELF LIFE	60 MONTHS
EXPIRATION DATE	_____ (MONTH/YEAR) _____
NET CONTENTS	TWO (16 OZ) BOTTLES

NATIONAL STOCK NUMBER	ITEM NAME	REVISION	TECHNICAL CONTACT
1H 6810-00-148-7155 X2	NITRIC ACID	20240830195712	A08NAXXX1A0019
DRAWING PREPARER/MANUFACTURER		MANUFACTURER'S PART NO./DRAWING NO.	RSP
NAVSUP WEAPON SYSTEMS SUPPORT		8722-0095	B

THE EXPIRATION DATE IS COMPUTED BY ADDING THE SHELF LIFE (60 MONTHS) TO THE DATE OF MANUFACTURE. THE DATE OF MANUFACTURE SHALL BE WHEN THE REAGENTS ARE PLACED IN THEIR END USE CONTAINERS. THIS DATE SHOULD CORRESPOND TO THE TIME AT WHICH THE NITRIC ACID SOLUTION IS TESTED BY THE VENDOR FOR CERTIFICATION IT MEETS PURCHASE SPECIFICATIONS AND THE PROCUREMENT CONTRACT.

- (2) SHIPPING CONTAINERS SHALL BE MARKED WITH TAPE IMPRINTED WITH THE WORDS "X2 CHEMICALS". THE TAPE SHALL BE VISIBLE FROM ALL LATERAL DIRECTIONS OF THE SHIPPING CONTAINERS, IF PRACTICAL. THE TAPE SHALL BE WHITE AND APPROXIMATELY 1.25 INCHES WIDE. THE RED BLOCK PRINTING SHALL BE APPROXIMATELY 0.75 INCH TALL. THE RED BORDER SHALL BE APPROXIMATELY 0.2 INCH WIDE. THE TAPE SHALL NOT COVER ANY OTHER IDENTIFICATION MARKINGS ON THE CONTAINER. WHERE THE EXTERIOR CONTAINER IS A BOX OR CARTON, A STRIP OF TAPE SHALL BE PLACED ON ALL FOUR (4) LATERAL FACES TO ENSURE THAT THE COMPLETE WORDS "X2 CHEMICALS" ARE REPEATED AT LEAST TWICE ON EACH FACE.

NOTE: TAPE MAY BE PURCHASED FROM:

NADCO, INC.
ONE WASHINGTON STREET
DOVER, NH 03820
P/N 145L-P
PHONE (800) 839-9018

5.4 SHIPPING

SPECIAL REQUIREMENTS FOR SHIPMENT OF CHEMICALS

SAFETY DATA SHEETS (SDS) SHALL BE PREPARED IN ACCORDANCE WITH FEDERAL STANDARD 313 AND FURNISHED TO THE CONTRACTING OFFICER AT THE TIME OF THE CONTRACT AWARD. ONE (1) COPY OF THE SDS SHALL BE INCLUDED WITH EACH SHIPPING CONTAINER. THE SHIPPING CONTAINER SHALL BE IDENTIFIED "SAFETY DATA SHEET INSIDE".

IN ADDITION TO THE EXISTING REQUIREMENTS OF MIL-STD-129, THIS PART SHALL CONTAIN BAR CODES THAT IDENTIFY SHELF LIFE INFORMATION (CURE DATE, SHELF LIFE CODE) ON THE UNIT PACKING ONLY.

6.0 CONTRACT DATA REQUIREMENTS

NATIONAL STOCK NUMBER	ITEM NAME	REVISION	TECHNICAL CONTACT
1H 6810-00-148-7155 X2	NITRIC ACID	20240830195712	A08NAXXX1A0019
DRAWING PREPARER/MANUFACTURER		MANUFACTURER'S PART NO./DRAWING NO.	RSP
NAVSUP WEAPON SYSTEMS SUPPORT		8722-0095	B

THE SELLER MUST PROVIDE THE CONTRACTING AGENCY WITH ALL OF THE SUBMITTALS LISTED BELOW. SUBMITTALS WHICH ARE REQUIRED BY A SPECIFICATION, BUT WHICH ARE NOT LISTED BELOW, NEED NOT BE SUBMITTED. ONLY THOSE SUBMITTALS LISTED BELOW ARE REQUIRED.

HOWEVER, IF THE SELLER CONSIDERS A REQUIRED SUBMITTAL INAPPLICABLE TO THIS PROCUREMENT, THE SELLER MUST SUBMIT A STATEMENT JUSTIFYING THE EXCLUSION OF THE REQUIRED SUBMITTAL.

REQUESTS FOR APPROVAL OF PROCEDURES USED PRIOR TO RECEIPT OF THIS ORDER SHALL IDENTIFY THE PROCESSING/TESTING SPECIFICATION VERSION APPLICABLE AND STATE THAT THE PROCESSING AND/OR TESTING WAS PERFORMED PRIOR TO RECEIPT OF THE ORDER. IF THE PROCEDURE THAT WAS USED IS NOT COMPLETE, TEST REPORTS, HEAT TREATMENT RECORDS, OR OTHER DOCUMENTATION SHALL BE SUBMITTED WITH THE PROCEDURES TO SUBSTANTIATE THAT ALL SPECIFICATION REQUIREMENTS WERE MET.

6.1 PROCEDURES AND REPORTS

THE SELLER SHALL PROVIDE THE FOLLOWING PROCEDURE(S) AND REPORT(S) TO THE PROCURING ACTIVITY. CONTRACTOR PROCEDURE SUBMITTALS REQUIRED BY MATERIAL AND PROCESS SPECIFICATIONS NEED NOT BE RESUBMITTED FOR APPROVAL EACH TIME AN ORDER IS PLACED FOR THE SAME IRPOD ITEM TO THE SAME VERSION (I.E., REVISION, AMENDMENT, CHANGE NOTICE OR INTERIM CHANGE) OF THE SPECIFICATION OR STANDARD INVOKED. THE SELLER NEED ONLY SUBMIT PROOF OF THE PRIOR APPROVAL FOR THAT ITEM AND SPECIFICATION REVISION. ACCEPTABLE PROOF OF PRIOR APPROVAL WILL CONSIST OF A COORDINATED PROCEDURE REVIEW SYSTEM (CPRS) APPROVAL LETTER. CPRS APPROVAL DOES NOT RELIEVE THE SELLER OF THE RESPONSIBILITY TO COMPLY WITH ALL REQUIREMENTS IMPOSED ON ANY CURRENT AND FUTURE PURCHASE ORDERS.

IF FIRST-TIER MANUFACTURER RETESTING OF MATERIAL IS NECESSARY, USE OF BUYER APPROVED PROCEDURES APPLICABLE TO THE SAME VERSION OF THE SPECIFICATION OR STANDARD INVOKED ON THE IRPOD IS ACCEPTABLE IN LIEU OF OBTAINING THE RAW MATERIAL MANUFACTURER OR MATERIAL INSPECTION AND TEST PROCEDURES FOR APPROVAL.

WHERE ALTERNATIVE SPECIFICATIONS ARE SHOWN FOR A GIVEN ITEM, ONLY THE DATA FOR THE SPECIFICATION USED IS REQUIRED. THE SELLER SHALL SPECIFY THE FOLLOWING ON PROCEDURE(S)/REPORT(S) REQUIRING SUBMITTAL, AS APPLICABLE, IN ORDER THAT THE PROCEDURE/REPORT CAN BE READILY REVIEWED AGAINST THE APPROPRIATE ACCEPTANCE CRITERIA: SPECIFICATION AND REVISION, INCLUDING AMENDMENTS, NOTICES, ETC., APPLICABLE PARAGRAPH OF THE SPECIFICATION, THE NAME OF THE SUBMITTAL, THE MATERIAL CONDITIONS (I.E., MATERIAL GRADE, CLASS, TYPE, SIZE, COMPOSITION, ETC.).

6.1.3 PER CONTRACT DELIVERY SCHEDULE:

NITRIC ACID 8722-0095

NATIONAL STOCK NUMBER	ITEM NAME	REVISION	TECHNICAL CONTACT
1H 6810-00-148-7155 X2	NITRIC ACID	20240830195712	A08NAXXX1A0019
DRAWING PREPARER/MANUFACTURER		MANUFACTURER'S PART NO./DRAWING NO.	RSP
NAVSUP WEAPON SYSTEMS SUPPORT		8722-0095	B

FOR EACH SHIPMENT, THE SELLER SHALL PROVIDE TO THE GOVERNMENT A REPORT DOCUMENTING THE RESULTS OF QUALITY ASSURANCE TESTING AND INSPECTION SPECIFIED IN SECTION 4.3, AS WELL AS ANY ADDITIONAL WRITTEN CERTIFICATIONS REQUIRED BY SECTION 4.3. THESE REPORTS AND CERTIFICATIONS ARE DELIVERABLE IN ACCORDANCE WITH THE CONTRACT DELIVERY SCHEDULE AND SHALL PROVIDE THE QUANTITATIVE RESULTS (NUMERICAL RESULT OR PASS/FAIL AS APPLICABLE) FOR EACH SAMPLE TESTED.

6.2 OTHER CONTRACT DATA REQUIREMENTS

INTENTIONALLY LEFT BLANK