

**Performance Work Statement
Fluke Electronics
Multi-Year Calibration and/or Repair Services**

1.0 Scope

The purpose of this effort is to provide repair and/or calibrations and non-standard repairs of equipment for the U.S. Army Test Maintenance, Diagnostic Equipment (TMDE) Activity (USATA). This Performance Work Statement (PWS) establishes the U.S. Army (TMDE) (USATA) is interested in creating a multiyear requirements contract for a requirement for one (1) Lot size during a twelve month period of performance to provide commercial repair and calibration of all various Fluke equipment manufactured by Fluke Electronics and Fluke Subsidiaries.

1.1 Background

USATA provides calibration and repair support and ensures measurements made with calibrated TMDE are traceable to national, international, or intrinsic standards of measurement. The USATA organization supports accurate measurements traceable for over 842,000 test instruments for 15,000 customers in 47 support activities located in 23 states and 7 countries. The USATA organization supports the Army Material Command (AMC), Army National Guard (ARNG), and the Component Active Army (COMPO 1). These calibration requirements are sourced to the original equipment manufacturer and its third party service providers (hereafter “3rd Party Provider”).

2.0 Requirements

2.1 Return Material Authorization

The Government must contact Contractor’s customer service department at 1-887-355-3225 to request a Return Material Authorization (“RMA”) before sending any equipment to Contractor for service. Contractor uses the RMA to trace the equipment to its owner and the RMA must accompany the equipment sent to Contractor

2.2 Certificate of Certification

Contractor and its 3rd Party Providers shall provide its Calibration Scope of Competency and have a valid ISO 17025 for those items identified as 17025 or accredited on the Fluke Price Schedule. The contractor and its 3rd Party Providers shall provide the necessary equipment, facilities, resources, management, and labor by qualified personnel to perform the calibrations and repairs to specifications. The contractor shall provide the government with copies of their third party accredited Scope of Competency and Certificate in accordance with ISO 17025.

Contractor shall list the types of calibration service available for each item of equipment and the applicable prices in the Fluke Price Schedule. Contractor

shall provide a calibration certificate applicable for the type of calibration service ordered and performed.

- **Z540-1 Traceable Calibration:** Your instrument is calibrated to manufacturer's specifications using test equipment traceable to the International System of Units (SI) through National Metrological Institutes, ratio metric techniques or natural physical constants. It is processed in accordance with ANSI/NCSL Z540-1 1994*, and returned with a "Report of Calibration" with "as found" and "as left" readings including test uncertainties.
- **Accredited Calibration:** The calibration is done under the guidelines of a national accrediting organization to the ANSI/ISO 17025 standard and will be delivered with documentation according to the accrediting body.
- **Biomedical Products: Z540-1 Traceable Calibration:** Your instrument is calibrated to manufacturer's specifications using test equipment traceable to the International System of Units (SI) through National Metrological Institutes, ratio metric techniques or natural physical constants. It is processed in accordance with ANSI/NCSL Z540-1 1994*, and returned with a "Report of Calibration" with "as found" and "as left" readings including test uncertainties

2.3 Incoming Receipt and Inspection

The contractor shall perform an incoming inspection within 7 days of receipt of the shipping container and document any damage prior to opening the container (i.e., photographic documentation of damage). The contractor shall open the shipping container and perform an inspection of the equipment and document any damage sustained (i.e., photographic documentation of damage). The contractor shall submit this photographic evidence of any shipping damage to the USATA's Contracting Officer Representative (COR).

If the contractor receives equipment which has sustained damage during shipment from the Government to the contractor's facility, the contractor shall evaluate the extent of damage and provide the Government with an estimated repair cost. The contractor shall not attempt to repair the damaged equipment without prior written approval of the Contracting Officer. This approval will be in the form of a modification to the contracting. If the contractor receives equipment that is not identified on the equipment list the contractor shall not perform any service on this equipment. The contractor shall immediately contact the Government Contracting Officer for guidance.

2.4 Calibration and Repairs

Equipment calibrations and repairs must be calibrated to Contractor or 3rd Party Provider standards. The calibration must provide data, uncertainty, and traceability to include the standards used for the calibration; however Z540

calibrated items will not include uncertainty data on biomedical items.

The contract shall perform a commercial calibration and repair to the equipment. The contractor shall replace defective parts, as required. For items serviced by contractor, contractor shall apply applicable factory- proprietary software and firmware updates at intervals required by the original equipment manufacturer (this does not apply to items serviced by 3rd Party Providers). The contractor shall strictly comply with turn- around- time to repair as stated in the RMA.

If during the calibration process, the contractor determines that the equipment is beyond the acceptable measurement parameters and calibration cannot be accomplished without performing repair of the equipment, the contractor shall notify the Contracting Officer Representative and provide an estimated repair plan including cost within 7 days of receipt. The contractor shall not attempt to perform repair without Government authorizing the repair. The Government shall have 30 days to respond if the repair is required.

The contractor shall provide a reference and serial number of each equipment that is to be calibrated and repair under the lot size for a twelve month period of performance. As the contractor, the vendor is required to provide repair to the unit based on the preliminary evaluation. The report shall include, as a minimum, as found data, as left data, calibration standards used, and if applicable the measurement uncertainty.

2.4.1 Preliminary Evaluation Repairs

The contractor shall conduct repairs in accordance with the preliminary evaluation conducted by USATA. If USATA determines a preliminary evaluation cannot determine the full scope of repair for the equipment the contractor shall test equipment and conduct corrective maintenance. Corrective maintenance is the correction of test equipment troubles, including the repair of an item after a complete breakdown, finding of faults during preventive maintenance, or the tuning and adjustment of an item to restore it to operating condition.

Due to funding and other issues the Government may request a 60 day extension for assets to remain at the Contractors facility. This extension will be at no additional cost to the Government. If the Government has not provided funding for the repair of an asset on this extension, the Contractor is to immediately return the asset on the 61st day (91st day from the Contractor receiving the asset).

If a repair is required, the contractor shall notify the Contracting Officer Representative for a authorizing repair. The Contracting Officer will grant or deny permission to proceed with the repair. Granting of repair will be done through issuance of an e-mail.

If by written notice the Government chooses not to have equipment repaired the Contractor shall send the piece of equipment back to the address as stated in the delivery schedule. The Contractor shall invoice for the calibration price as stated in the awarded contract if calibration service is completed. For Fluke Biomedical items, if the equipment sent to Fluke is not repaired or calibrated, then Fluke Biomedical charges an evaluation fee of \$135.00 for the item.

2.4.2 Standard Repairs

Repair price is at a flat rate for standard repairs and is covered under the Repair & Calibration pricing columns in the Fluke Price Schedule. It covers parts, labor and calibration or performance tests necessary to repair the instrument and have it operate within published specifications. It also includes any factory authorized modifications to bring it up to current standards. Repairs requiring replacement of cathode ray tubes, rechargeable battery packs, or mechanical and electromechanical parts also excluded. Any excluded parts required to make the repair will be billed at the current published price (see Non-Standard Repairs). Repair price does not include unrelated multiple assembly failures, workmanship related problems, accessories or evidence of abuse or overload. The contractor shall have an annual firm fixed price for these repairs and pricing shall be contained within the attached Fluke Price Schedule.

2.4.3 Non-Standard Repairs

Some Fluke products are classified as repair by replacement, in which case a replacement unit will be offered at a reduced price. If your unit is replaced instead of repaired, calibration costs may be additional. As noted in the Standard Repairs paragraph, any repairs that do not fall within the limited scope of flat rate repair is considered non-standard repairs. If the contractor evaluates a piece of equipment within this definition the contractor shall evaluate the equipment and provide a firm fixed price quote to USATA.

2.5 Government Furnished Equipment. None.

2.6 Preparation for Shipment

The government shall be responsible for shipment of all units from the USATA facility to the contractor's facility specified in the RMA at government expense.

All completed calibrated and repaired equipment shall be commercially packaged and shipped to the point of contact (POC) and address provided in the DD1149. The contractor shall reference the POC, contract award number, DD1149, and Subject Line Item Number (SLIN) in the packaging details.

2.7 Inspection and Acceptance

The U.S. Army TMDE Activity, Redstone Arsenal, AL (Acceptance DODAAC: W80RA6) shall be responsible for the receiving, inspection and acceptance requirements of DFAS Wide Area Workflow (WAWF) for all units. Each piece of equipment shall be inspected by USATA TMDE Activity. The technical POC for USATA TMDE Activity will inspect both calibrated and repaired equipment. Contractor is authorized to return-ship and invoice individual units in WAWF as completed to decrease turn-around-time for return of the unit to its origin. The inspection shall include:

- Verification of calibration
- Inspection for equipment damage
- Verification of proper packaging

2.8 Inventory Validation

On a regular basis monthly, quarterly, and annually the inventory records shall be reconciled by USATA TMDE Activity with records from the contractor. The purpose of these reviews is to maintain an on-going accounting of the equipment being serviced on this contract.

3.0 Contracting Instructions:

This is a C-Type contract and the Government will exercise the option years for service. Contractor may perform evaluation of the equipment for reporting back to the Government, but Contractor shall not perform repairs and calibrations until it receives the authorization to be performed on the equipment, RMA number(s) for the equipment, correct pricing for the service, and DD1149 attached.

Calibration Only

USATA TMDE Activity receives the asset(s) and sends to contractor for Calibration with RMA(s). A DD1149 form will be generated delineating each piece of equipment by model number and serial number.

2. The contractor will verify receipt of the asset and calibrate the asset(s).
3. The contractor will return the asset(s) to the USATA TMDE Activity.
4. The contractor will invoice for the asset(s). The invoice shall reference the contract number and delineate each asset by model and serial number.
5. The Contracting Officers Representative (COR) will verify the following:
 - The asset(s) has been returned and met acceptance standards outlined in SOW para 2.7

- The invoiced pricing is IAW the equipment list pricing for calibration
6. If there is a discrepancy the contractor will be notified no later than 7 days of the invoice submittal.
 7. If there are no discrepancies the WAWF acceptor will accept the asset(s).

Calibration and Repair (C&Rs):

USATA TMDE Activity receives the asset(s) and sends to contractor for Calibration and /or Repair with RMA(s). A DD1149 form will be generated delineating each piece of equipment by model number and serial number.

8. The contractor will verify receipt of the asset and calibrate the asset(s).
9. The contractor will return the asset(s) to the USATA TMDE Activity.
10. The contractor will invoice for the asset(s). The invoice shall reference the contract number and delineate each asset by model and serial number.
11. The Contracting Officers Representative (COR) will verify the following:
 - The asset(s) has been returned and met acceptance standards outlined in SOW para 2.7
 - The invoiced pricing is IAW the equipment list pricing for calibration
12. If there is a discrepancy the contractor will be notified no later than 7 days of the invoice submittal.
13. If there are no discrepancies the WAWF acceptor will accept the asset(s).

Non-Standard Repair:

1. Repairs can be defined as either Standard or Non Standard as outlined in the SOW para 2.4.2 and 2.4.3.
2. If a repair is found by the contractor during the calibration process, the contractor will follow the procedure in SOW section 2.4 to inform the Government and receive authorization to proceed with the repair through e-mail.
3. If authorization is given, funding will be provided for the repair following the below processes:
4. Standard repair / the contractor will repair the asset(s) and return to the USATA TMDE Activity.
5. The Contracting Officers Representative (COR) will verify the following:
 - The asset(s) has been returned and met acceptance standards outlined in SOW para 2.6
 - The invoiced pricing is IAW the equipment list pricing for standard repair

6. Non-standard repair / the contractor will evaluate the asset(s) and provide the USATA TMDE Activity with a firm fixed price (FFP) quote to repair.

7. Funding will be added via a priced SubCLIN(s).

8. The contractor repairs the asset(s) and return to the USATA TMDE Activity.

9. The Contracting Officers Representative (COR) will verify the following:

- The asset(s) has been returned and met acceptance standards outlined in SOW para 2.7
- The invoiced pricing is IAW the FFP quote as agreed upon and documented in the contract.

10. If there is a discrepancy the contractor will be notified no later than 7 days of the invoice submittal.

11. If there are no discrepancies the WAWF acceptor will accept the asset(s).

4.0 Contractor Manpower Reporting

4.1 Department of the Army requires reporting of all contractor labor hours associated with services, to include calibration and repair, provided to United States Army organizations; therefore,

4.2 The contractor shall report ALL contractor labor hours (including subcontractor labor hours) required for performance of services provided under this contractor for the U.S. Army TMDE Activity via secure data collection site. The contractor is required to completely fill in all required data fields using the following web address: <https://ecmra.mil>, and then click on "Department of the Army CMRA" or the icon of the DOD organization that is receiving or benefiting from the contracted services.

4.3 Reporting inputs will be for the labor executed during the period of performance during each Government fiscal year (FY), which runs October 1 through September 30. While inputs may be reported any time during the FY, all data shall be reported no later than October 31 of each calendar year, beginning with 2024. Contractors may direct questions to the help desk by clicking on "Send an email" which is located under the Help Resources ribbon on the right side of the login page of the applicable Service/Component's CMR website.

5.0 Commercial Warranty

Contractor's commercial warranty for parts, product repairs and services are 90 days.

6.0 Data Deliverables

Data Deliverables shall be submitted to the government in accordance with Contract Data Requirements List (CDRL). An electronic copy of each data deliverable shall be submitted with each shipment.

7.0 Contact and Technical Points of Contact

Robbie Campbell, USATA Contract Analyst, robbie.j.campbell.civ@mail.mil.

