

DEPARTMENT OF VETERANS AFFAIRS

Justification for Single Source Awards IAW [FAR 13.106-1](#)
For Over Micro-Purchase Threshold but Not Exceeding the SAT (\$250K)

Acquisition Plan Action ID: 36C261-25-AP-0189

1. **Contracting Activity:** Department of Veterans Affairs, NCO 21, VA Palo Alto Health Care System, Palo Alto, CA; Purchase request number 640-25-1-5070-0009.
2. **Brief Description of Supplies/ Services required and the intended use/Estimated Amount:**
This is an emergency sewage line repair at the Whistle Stop Daycare center located at VAPAHCS Palo Alto, 3801 Miranda Ave, Palo Alto, CA 94304. The scope of work includes pumping out sewage and surrounding overflowed areas, clear any obstruction to the lines causing obstruction to the line, and inspect sewer lines after pumping out housing for any breaks in the line. [REDACTED]
[REDACTED]
3. **Unique characteristics that limit availability to only one source, with the reason no other supplies or services can be used:**
Engineering received a work order about a foul smell outside the Whistle Stop. While investigating on the same morning, the sewage pump vault outside the building was full of sewage. The size of the utility vault required a vacuum truck to come pump out the vault for a final determination of the cause of the sewage leak. Subsequently it was determined the pumps needed replacement. Paragon Mechanical, Inc was already working at the site and due to the urgency were given a notice to proceed on the repair. There was not time to develop an acquisition package as normal since this was a sanitary emergency.
4. **Description of market research conducted and results or statement why it was not conducted:**
Market Research was done only to the extent of reviewing a previous procurement and acquiring a previously used and known contractor from the area who could commence work immediately.
5. **Contracting Officer's Certification:** *Purchase is approved in accordance with FAR13.106-1(b). I certify that the foregoing justification is accurate and complete to the best of my knowledge and belief. COs are required to make a determination of price reasonableness IAW FAR 13.106-3. See the [S19 Open Market \(FAR13\) Award Documentation Form with Abstract](#) to document price reasonableness.*

JOSE
HERNANDEZ

Digitally signed by JOSE
HERNANDEZ
Date: 2025.02.12 14:05:48
-08'00'

Name Jose Hernandez
Title Contracting Officer

2/12/2025
Date