

STATEMENT OF WORK
SECURITY SYSTEM AND EQUIPMENT MAINTENANCE, REPAIR, AND OR
REPLACEMENT (SERVICE)
FOR
LOWER RIO GRANDE VALLEY (LRGV) FACILITIES-MERCEDES FIELD OFFICE,
ANZALDUAS DAM, AND RETAMAL DAM

1. GENERAL

The United States Section of the International Boundary and Water Commission (USIBWC) has the responsibility for applying the boundary and water treaties between the United States and Mexico and settling differences that may arise in their application. The USIBWC is an international body composed of the United States Section and the Mexican Section, each headed by an Engineer-Commissioner appointed by his/her respective president. Each Section is administered independently of the other. The USIBWC is a federal Government agency and is headquartered in El Paso, Texas. The USIBWC's Mercedes Field Office is located in Mercedes, TX. The Anzalduas Dam is located in Hidalgo County, Texas and Retamal Dam is located 16 miles southeast of McAllen, TX. The purpose of the Anzalduas and Retamal Dams is to divert the U.S. Share of floodwaters to its interior floodway. It also enables the diversion of waters to Mexico's main irrigation canal. The Mercedes Field Office purpose is the operations and maintenance of all levee systems and flood control operations in the Lower Rio Grande Valley, which includes the Anzalduas and Retamal Dams.

2. SCOPE OF WORK

Work shall consist of coordinating with the Security Services Division (SSD) and responding as needed to maintain the equipment listed below. The contractor shall maintain the equipment listed below, all accompanying equipment and materials, and update/upgrade CCURE 9000, and any other security system software as needed. The contractor shall not be responsible for any equipment damaged by means out of their control, such as vandalism or natural disasters but may be called to repair any damaged components.

The contractor shall possess the capability to supply loaner equipment in the case of a failure until a permanent component can be installed. Any replacement components shall be of the same or like item of equipment and meets compatibility requirements of the security system.

Major components include but are not limited to, Physical Access Control Systems (PACS), CCTV, Network Video Recorder (NVR), communication equipment, Intrusion Detection Systems (IDS), CCURE 9000 Security Management System (SMS), and Intrusion Detection System (IDS) monitoring (if monitored at any of the specific sites). The contractor will conduct an annual inspection upon the request of the SSD. An inspection report will be provided at the end of the inspection.

The current security management system used at the facility is CCURE 9000. The Contractor will ensure that the software is updated/upgraded annually at a minimum or more often as

necessary. In addition, any licenses will be updated to ensure that there is no interruption of function or operation.

The Contractor will ensure that they coordinate with the SSD annually to conduct a site survey/inspection visit to identify preventative measures to ensure uninterrupted operation of all components of the security system.

The Contractor will ensure that the alarm monitoring is updated annually with no interruption in services. This shall be included as part of the annual inspection/service.

The Contractor will ensure that any on call repairs are performed within a reasonable amount of time. The Contractor will be able to respond on site within eight (8) hours of notification. Troubleshooting may be conducted over the telephone.

3. PLACE OF PERFORMANCE

Lower Valley Rio Grande Valley (LRGV) Facilities-Security systems to be maintained are located at the following three (3) facilities/locations.

Mercedes Field Office:

325 Golf Course Rd., Mercedes, TX 78570
26 degrees 07' 57.43 N, 97 degrees 56' 13.25" W

Anzalduas Dam:

Anzalduas Dam Road, Mission, TX 78572
26 degrees 08' 16.43" N, 98 degrees 02' 04.03" W

Retamal Dam:

16 Miles Southeast of McAllen, TX
26 degrees 03' 04.77" N, 98 degrees 20' 02.37" W

The hours of operation for the facilities are typically, Monday through Friday from 7:00 AM to 5:00 PM, except on holidays. Retamal Dam is not manned and will require coordination for access.

4. REQUESTING REPAIRS

THE SSD will contact the Contractor when services are required. Services include but are not limited to inspection, troubleshooting, repair, replace, updating/upgrading software and and/or systems and replacing batteries. The Contractor shall be available to respond to service calls 24 hours a day, 7 days a week and due to the potential need for travel, must be able to be on site within eight (8) hours of notification.

5. EQUIPMENT LIST

The following equipment lists are not all-inclusive but list the major components of the security systems at all three locations.

ITEM #	MANUFACTURER	MODEL	COMPONENT
1	SonicWall	01-SSC-0575	FIREWALL APPLIANCE, SERIES TZ300
2	HID	1326LSSMV	PROXCARD II, 125 KHZ, ACCESS CARD
3	DMP	335	INDOOR SIREN
4	Amseco	4150026	SIRENW/BLEU STROBE,15 WATT
5	SDC	423PU	EXIT SWITCH,2 INCH, PUSH TO EXIT BUTTON GRN II
6	Windy City Wire	442360	CABLE,18-20, UNS, PLENUM WHITE , STRD
7	Windy City Wire	444351-03S	22-6C PLENUM,CSPL,STR,SHLD
8	Windy City Wire	444366GW	22-2 UNSHLD,STRD PLENUM, WHT/GRN
9	Windy City Wire	444381	22G-4C PLENUM, STR, NON-SHLD
10	Windy City Wire	446111WBT-S-671	CABLE, COMPOSITE 4 ELEMENT , 23-4P, OAS+2204
11	Assa Abloy	4500C-630	ELECTRIC STRIKE
12	SDC	491	BREAK GLASS STATION, BLUE, EMER. DOOR RELEASE
13	SDC	491-BB	OPTION, SURFACE BOX FOR EMER. DOOR RELEASE
14	SDC	491-GL4	OPTION, 4 EACH REPL. GLASS FOR EMER. DOOR
15	Assa Abloy	70-628	PUSH CVR PLATE, BRUSHED ALUMINUM, 3 X 15
16	Windy City Wire	727310VNIQ	18-04 CABLE, UNSHLD, STRD, VNTC, DIRECT BURIAL
17	Windy City Wire	775600-110DB	CAT6, DIRECT BURIAL
18	Logitech	920-007897	MK270 WIRELESS KEYBOARD AND MOUSE

19	HID	920PHRNEK00004	CARD READER, RP40-H, PIV CLASS
20	Acuity	AC-102	GLASSBREAK SENSOR
21	Altronix	ACM8	ACCESS POWER CONTROLLER, 8 FUSED RELAY OUTPUTS
22	American Dynamics	ADCDMCRNRO	MOUNT, ADAPTER, OUTSIDE CORNER
23	American Dynamics	ADCDMPOLE	MOUNT, ADAPTER, POLE
24	American Dynamics	ADCH10HBMT8	CAM HOUSING, 9.5 MAX CAMERA LENGTH, IN/OUTDOOR
25	American Dynamics	ADSL940A	VARIFOCAL LENS, THEIA 940 SERIES, DAY/NIGHT
26	American Dynamics	ADSPOT-251	POWER SUPPLY FOR OPTIMA/ULTRA DOME
27	American Dynamics	ADVASC01	VICTOR PRO, SINGLE CONCURRENT CLIENT CONN
28	American Dynamics	ADVC-CC9000	UNIFIED CCURE 9000VICTOR LIC. AMER. DYN.
29	American Dynamics	ADVC-DSC	VICTOR INTEGRATION W/ INTRUSION DSC POWER
30	American Dynamics	ADVC-DSC-S	VICTOR INTEGRATION W/ INTRUSION DSC POWER
31	American Dynamics	ADVC-ITV2	VICTOR INTEGRATION W/ DSC NEO ITV2
32	American Dynamics	ADVC-ITV2-S	VICTOR INTEGRATION W / INTRUSION DSC NEO SSA
33	American Dynamics	ADVC-VCHEALTH	SOFTWARE, VICTOR PRO ADD ON CLIENT
34	American Dynamics	ADVC-VCMAP	VICTOR PRO, ADD-ON, VICTOR CLIENT MAPS
35	American Dynamics	ADVC-VCVMK	VICTOR PRO ADD-ON, VIRTUAL CLIENT
36	American Dynamics	ADVCPTZKEY1	AMER. DYN. SURVEILLANCE KEYBOARD
37	American Dynamics	ADVEC01-ICF	FREE LIC. FOR AD CAMERAS
38	American Dynamics	ADVER12R5N2B	VIDEO EDGE 2U NVR, 4 IP CAMERA LIC , 12TB RAID
39	American Dynamics	ADVESSAS	SOFTWARE SUPPORT AGREE, NVR SERVER
40	American Dynamics	ADVS1SSA	SSA VICTOR / CONCURRENT CLIENT LIC.-1YR
41	American Dynamics	ADVSMC01ADD	SOFTWARE, SITE MANAGER, VICTOR 4.2 SERIES (1)

42	DSC	AFT-100	GLASSBREAK SIMULATOR
43	Software House	AS0073-000	I8 EIGHT INPUT RDR BUS MODULE
44	Software House	AS0074-000	R8 EIGHT OUTPUT RDR BUS MODULE
45	Para Systems	BP48RTXL	BATTERY PACK, EXT. FOR ENDEAVOR 1-3KVA
46	DSC	HS2128NKCP01	INTRUSION PANEL
47	DSC	HS2LCDENG	INTRUSION KEYPAD
48	DSC	HSM2108	ZONE EXPANDER
49	DSC	HSM2204	OUTPUT MODULE
50	USP	HUB-2SA	MOMENTARY HOLD UP BUTTON SPDT
51	Illustra	IFS03XNANWTT	BOX CAMERA, 3MP NO LENS
52	Securitron	IMXDA	MAGLOCK, INTEGRATED MOTION, DUAL
53	Illustra	IPL02B1BNWIY	BULLET CAM, 2.8-12MM LENS, IR, WDR, POE, 2MP
54	Illustra	IPLB-MPOLE	POLE MOUNT ADAPTER
55	Illustra	IPS02P6OCWTT	PTZ NETWORK CAMERA, TRUE DAY/NIGHT
56	Kaspersky Lab	KL4863ACPTS	ANTI VIRUS SOFTWARE
57	DSC	LC-100-PI	INDOOR MOTION DETECTOR
58	Startech	M45PATCH5BL	PATCH CABLE, CAT5E,5 FEET , BLUE
59	Altronix	MAXIMAL75E	POWER SUPPLY / CHARGERS(2), 1 IS 12VDC
60	Schlage	ND96PDRHO626C	CYLINDRICAL MECHANICAL LOCK
61	Software House	CC9000-KIT	C-CURE 9000 SOFTWARE, QUICK START DVD
62	Software House	CC9000-SL	C-CURE 9000 SERIES L SYSTEM LIC. ONLY
63	Middle Atlantic Products	CWR-12-32PD	DATA WAL CABINET
64	Bosch	DS160	REQUEST TO EXIT, PIR MOTION SENSOR (REX)
65	Ditek	DTK-MRJPOE	SURGE PROTECTOR, POE
66	Elo Touch	E107766	2201L 22" LED LCD TOUCHSCREEN MONITOR
67	Para Systems	ED1000RTXL2U	MINUTEMAN UPS
68	iSTAR	ESTAR002-POE1	ISTAR EDGE W/ ENCLOSURE AND POE
69	Digi-Key	EZ-RJ45(CAT6)	RJ45 CONNECTOR, 100 PER BAG

70	StarTech	HDMIDVIMM10	10FT HDMI TO DVID CABLE M-M
71	Magnasphere	HS-1270	SPACERS FOR HS-L1.5
72	Magnasphere	HS-1271	OVERHEAD DR RAIL MNT BRKT FOR HS-L1.5
73	Magnasphere	HS-1616	L. BRACKET KIT FOR HS-L1.5
74	Magnasphere	HS-L1.5-111	HIGH SECURITY CONTACT, LEVEL 1
75	DSC	PC4002C	EMPTY CABINET FOR 2 MODULES
76	Altronix	PD16WCB	POWER DISTRIBUTION MODULE ,16 OUTPUT
77	Altronix	PMK1	POLE MOUNT FOR WP2
78	Altronix	R248UL	POWER SUPPLY,24 VAC @3.5 AMP, 8 FUSE
79	RFIDeas	RFID-80081AKU	USB, WEDGE READER
80	Illustra	RHOSW-251	WALL MNT FOR ULTRA AND OPTIMA OUTDOOR
81	Startech	RJ45COUPLER	NETWORK COUPLER
82	Software House	RM-DCM-CAN	ENCLOSURE FOR TWO RM-4E
83	Interlogix	S30-RJ	MINI GBIC RJ-45
84	DSC	SD15W-ULF	15W DUAL TONE SIREN
85	Seneca	SQ305785-CLIENT	CLIENT WORKSTATION, W10, 64 BIT, 8GB, CUSTOM
86	Seneca	SQ305785-SERVER	ACCESS CONTROL SERVER, VICTOR, CUSTOM
87	STI	STI-7081	UNIVERSAL POLE MNT BRKT FOR CC
88	Marray	TEF2+4C US26D	STANDARD HINGE 4.5 X 4.5
89	DSC	TL2803GREUSA	3G WIRELESS COMM.
90	DSC	TL280RE	DSC NEO INTERNET ALARM COMMUNICATOR MODULE.
91	American Dynamics	U2	RACKSHELF, 2 SPACE(3.5")
92	Windy City Wire	VEX-555619	CABLE, CAT5, 24-4P, BLUE
93	Windy City Wire	VEX-556609	CABLE, CAT6, 23-4P, BLUE
94	Anatel	WP2	NEMA 4 ENCLOSURE
95		ND96PDEUREX RHO626 24V IC	
	Schlage		ELECTRIFIED CYL. LOCK, STOREROOM
96	Interlogix	NS3552-8P-2S	SWITCH, MANAGED, 8 PORT, INDUST. GIGABIT
97	Interlogix	NS3702-24P-4S	24 PORT POE SWITCH
98	Altronix	AL1012ULACM	POWER SUPPLY

99	Seco-Larm	SD-969-S18	ARMORED DOOR CORD
100	Power-Sonic	PS-1270-F1	12V 7A BATTERY
101	Assa Abloy	7000C-630	ELECTRIC STRIKE
102		A80PDPLY626 11-	
	Schlage	099CKIT	DOOR LOCK, KEYED, PLYMOUTH KNOB, DEADLATCH
103	Amseco	4190017 (SL-401)	BLUE STROBE
104	interlogix	1078C-N	3/4" WHITE RECESSED DOOR CONTACT
105	DMP	322	16.5VAC TO 56VA TRANSFORMER
106	Assa Abloy	1600-CLB-630	ELECTRIC STRIKE