

Annex A – Summary of Requirements

**Project No. 2021/1CM03056 NSP016765 2019/1CM03035 NSP014645,
2019/1CM03035 NSP014645**

1. Project Objective

The project will provide a secure, easy-to-use, lightweight, responsive deployable C2 communications package able to assure secure classified data, video teleconferencing and voice services to a maximum community of four (4) users in Kosovo Force (KFOR) and nine (9) users per domain in NATO Mission Iraq (NMI), in two (02) Security Domains (xU and xS). The KFOR equipment may be used from a vehicle or deployed into a building of opportunity, the NMI equipment will be used at static locations. The equipment will be known as Theatre Small Team Kits (TSTK).

2. Scope of Work

This project delivers two variants of the TSTK:

- The KFOR TSTK will provide user consumed services simultaneously to ONE (01) user on xU and THREE (03) users on xS in On the Move (OTM), At the Quick Halt (ATQH), On the Pause (OTP) and Building of Opportunities (BOO) use case scenarios;
- NMI TSTK will provide user consumed services simultaneously to NINE (09) users on xU and NINE (09) users on xS in OTP and BOO use case scenarios;
- The TSTK reference system which contains only ONE (01) instance Base Kit.

The project will provide TWO (02) NMI TSTK mobile CIS packages FOUR (04) KFOR TSTK mobile CIS packages and ONE (01) TSTK reference system.

This project will also bring changes to the static infrastructure and Mission Anchor Function (MAF), in order to deliver a security compliant solution that also meets the customer requirements.

The NMI Operational Requirement specifically mentions Skype for Business (SfB) as solution for the Instant Messaging Services. This project will convert the PoC SfB solution into a consolidated service hosted in the NMI MAF to the benefit of TSTK users but migration of existing users from the PoC solution into the consolidated service is not in scope of this project.

The migration of existing NMI DPOPs (CGS, IMCD, etc.) into the new Traffic Optimization solution provided is not in scope of this project.

The migration of existing NMI users (non-TSTK Users) into the new NAC solution is not in scope of this project.

3. Period of Performance

- a. The Period of Performance is anticipated to start in Q4 2025 and end in Q3 2027. It is important to note that this timeline represents the anticipated duration of the Project, and adjustments may be made as per the requirements of the solicitation process and subsequent contractual agreement.

4. Technical Constraints

- a. The Theatre Small Team Kit (TSTK) is a quickly deployable Communication and Information System (CIS) meant to provide network connectivity to a maximum of NINE (09) users on TWO (02) Security Domains (xU and xS).
- b. TSTK Users will remotely consume Business Support (Voice, VTC, Email, etc.) and Functional Application Services (NATO software).
- c. The TSTK is small and portable with its Cases not exceeding the size of briefcases or hand luggage.
- d. The TSTK is a modular kit which allows it rapid extension to more users and to accommodate more Mission specific requirements, resulting in different variants.
- e. As illustrated on Figure A-1, TSTK is composed of THREE (03) kits.




Figure A-1 – TSTK Breakdown

- f. The TSTK Base Kit is identical in all TSTK variants.
- g. As illustrated on Figure A-2, the Base Kit contains all CIS Elements to realize the xU and xS security domains, together with the minimum quantity of End-User Devices (EUD) required to operate as follow:
 1. The Small Team Node (STN) which contains:
 - i. The External Transmission Module (ETM) which is the module to connect to Transmission systems that are not under NATO control;
 - ii. The Core Network Module for Protected Core Networking (CNM-PCN) which is the module providing PCN compliant transport network over Transmission systems under NATO control;

- iii. The Core Network Module for xU and xS Security Domains (CNM-xU and CNM-xS) which provides the Network layer for the Security Domains (also known as Colour Clouds);
- iv. The User Access Module for xU and xS Security Domains (UAM-xU and UAM-xS) which provides End-User Access Connectivity for each of the Security Domain.

2. The End User Devices for xU and xS: Phone, Workstation and their ancillaries.




Figure A-2 – The TSTK Base Kit

- h. As illustrated on Figure A-3, the Extension Kit is a catalogue of standard extension options for more Workstations, Phones, etc.




Figure A-3 – The TSTK Extension Kit

1. For the KFOR TSTK Variant, one Additional Workstations –xS case and one Print and Scan Devices xU case will be provided for each kit to fulfil the operational requirements.
2. For the NMI TSTK Variant, 4 Additional Workstations –xU cases and 4 Additional Workstations –xS cases will be provided for each kit to fulfil the operational requirements.
 - i. The Mission Specific Kit contains all Mission-specific requests such as Commercial SATCOM terminals.
 - j. Figure A-4 illustrates the KFOR TSTK variant and the content of each of its kits.




Figure A-4 – KFOR TSTK variant

- k. Figure A-5 illustrates the NMI TSTK variant and the content of each of its kits.




Figure A-5 – NMI TSTK Variant

- I. The TSTK is compatible with a broad spectrum of Transmission solutions including those under NATO Control (Military SATCOM and Protected Core) and those not under NATO Control (Internet of Opportunity, International Mobile Networks (4G/5G), Commercial SATCOM etc.)
- m. The TSTK supports FOUR (04) different Use Cases scenarios:
 1. On The Move (OTM): User inside Vehicle (Veh), Veh driving;
 2. At The Quick Halt (ATQH): User inside/outside Veh, Veh stopped, no additional hardware deployed;
 3. On The Pause (OTP): User outside of Veh but in close vicinity, Veh stopped, additional hardware deployed; and,
 4. Building Of Opportunity (BOO): User inside of a building of opportunity, away from parked Veh, additional hardware deployed.
- n. Figure A-6 below illustrates the TSTK connectivity concept over the various Transmission options.




Figure A-6 – The TSTK Connectivity concepts

5. Warranty and O&M Support

- h. Following final acceptance, the contract will require warranty for any software delivered.
- i. The contract is expected to include O&M support following final acceptance.