

**Performance Work Statement (PWS) for
National Training Center (NTC)
Training Services Contract (TSC)**

13 March 2025



Vision Statement	9
1 Introduction	9
1.1 Mission	9
1.2 Background	9
1.3 Scope	10
1.4 Applicable Documents	10
2 General Requirements.....	11
2.1 Non-Personal Services	11
2.2 Location and Hours of Work	12
2.2.1 Location of Performance.....	12
2.2.2 Hours of Work.....	12
2.2.3 Recognized Holidays	12
2.3 Business Relations	13
2.5 Contract Administration and Management	13
2.5.1 Financial Management	13
2.5.2 Contract Management	14
2.5.3 Contract Administration.....	15
2.5.4 Personnel Administration	16
2.5.5 Contractor Manpower Reporting	17
2.5.6 Transition Plan.....	17
2.6 Contractor Personnel, Disciplines, and Specialties	19
2.7 Travel / Temporary Duty (TDY).....	19
2.8 The Contractor shall respond to and report accidents, incidents, and disasters.....	20
2.9 Hazardous Materials (HAZMAT) Management.....	22
2.10 Cybersecurity Training/Certification.....	23
2.11 Anti-terrorism/Operations Security (AT/OPSEC)	24

2.11.1 OPSEC SOP	24
2.11.2 AT Level 1 Training.....	24
2.11.3 iWATCH Training.....	24
2.11.4 Army Training Certification Tracking System (ATCTS)	25
2.11.5 Threat Awareness and Reporting Program (TARP).....	25
2.12 Government Furnished Materials	25
2.13 Quality Assurance Surveillance Plan (QASP)	26
3 Performance Requirements	26
3.1 Access Control Operations	28
3.2 After Action Review (AAR) & Take-Home Package (THP) Operations	32
3.3 Live Virtual Constructive (LVC) Simulation Support.....	39
3.4 Professional Civilians on the Battlefield and Social Media Replication.....	45
3.5 Fire Markers and Battlefield Effect Operations	48
3.6 Division Tactical Operations Center & Training Analysis and Feedback Facility Operations	50
3.7 SOC Support for 52nd ID Tactical Network.....	57
3.8 Mission Command Information System Support / Network Operations.....	60
3.9 Distributed Common Ground System-Army (DCGS-A) Integrator Operations.....	64
3.10 Radio Operations / TOCNET Support Operations	69
3.11 Joint Planner Support Operations	71
3.12 Force XXII Battle Command Brigade / Below / Blue Force Tracker / Joint Capabilities Release (FBCB2 / BFT / JCR) Operations	77
3.13 Replication of Human Intelligence (HUMINT) Operations	85
3.14 Interagency (IA) Core Support.....	88
3.15 Leader Training Program (LTP)	94
3.16 Special Operations Forces (SOF) Support.....	118
3.17 Program Management.....	130

3.18 Intelligence and Electronic Warfare Tactical Proficiency Trainer	138
3.19 Intelligence, Surveillance, Reconnaissance (ISR) Capabilities Integrator	142
3.20 Insurgent Communication Network (ICN).....	140
4 Special Requirements.....	144
4.1 Security	145
4.1.1 DD FORM 254.....	145
4.1.2 Visitor Group Security Agreement.....	145
4.1.3 Personnel Security Clearances.....	146
4.1.4 Identification Media.....	147
4.1.5 Classified Hardware.....	147
4.1.6 Computer Hardware Enterprise Software Solutions Program (CHESS).....	147
4.2 Quality.....	148
4.2.1 Quality Control.....	148
4.2.2 Quality Assurance Surveillance Plan (QASP)	148
5 Deliverables.....	149
6 Related Documents	149
6.1 Acronyms and Definitions	150
6.1.1 Acronyms	150
6.1.2 Definitions.....	151

Date	Items Updated	Section	Page

Reviewed by:_____ Date: _____

Approved by:_____ Date: _____

Vision Statement

Provide mission support services that allow for tough, realistic, Unified Land Operation training that can develop the next generation of combat leaders.

1 Introduction

U.S. Army National Training Center (NTC) has a requirement to procure mission support services for training operations. Mission support will consist of advisory services, provision of technical expertise and system operators to ensure all facets of scheduled training are relevant, effective, and efficient. The NTC Mission Support Services (NTCMSS) contract will provide annual training support services (TSS) for up to ten (10) rotational Brigade Combat Team (BCT) training events. Services include audio visual operations for after action review productions, leadership advisory services, secure LAN operators, skilled role players, Blue Force Tracker system managers, battlefield effects, computer training and analytical system operators, and numerous other subject matter experts. This effort will be supported via a non-commercial contract consisting of a 12-month period of performance for services and ancillary material supporting training operations at Fort Irwin, California.

Successful integration of all mission support services is vital to the NTC mission and any unscheduled disruption in execution will have a negative effect on the training environment. Services must be provided on time.

1.1 Mission

To implement the NTCMSS effort, allowing an unfettered training staff to plan and execute the training schedule without unwanted breaks in training.

1.2 Background

The NTC Operations Group provides mission training support for DoD and non-DoD units. The training support services contained in this PWS have been performed on Fort Irwin and continue to change with the global geo-political environment. The

training provided is essential for the visiting U.S. Army BCT's mission success. Effective, realistic and relevant training provided at Fort Irwin can give visiting units experience needed to perform multiple missions and increase overall combat effectiveness.

1.3 Scope

This PWS defines the requirements that will be performed on Fort Irwin, California. The NTCMSS contract "**will not**" cover the maintenance or enhancement of any fielded training device or range. This effort shall solely provide mission support services and associated ancillary materials with the strict purpose of operating training systems, support equipment, devices and providing services in a training environment that directly supports the NTC mission.

Efforts described herein include services required to assist the NTC staff with realistic training for Rotational Training Units (RTU). The NTCMSS contract will provide annual mission support services for up to ten (10) rotational Brigade Combat Team (BCT) training events.

Additional unscheduled training events may be conducted with DoD units, U.S. Agencies, foreign military units and/or other organizations as directed. These other training events are not customary but due to geo-political events the NTC must have the ability to provide mission support services for such events. Events such as an unscheduled Leadership Training Program (LTP) exercises for Saudi Arabia may be required. Unscheduled training events collectively shall have the capacity to execute one full Armor BCT rotation per year.

Ancillary material may be required and procured by any or all listed service categories. Only the Contracting Officer can request additional service categories to be included in Section 3 of this PWS.

1.4 Applicable Documents

The Contractor shall abide by all applicable regulations, publications, manuals, and

local policies and procedures specified within this PWS. Applicable documents are cited throughout this PWS. The following documents are provided only as reference unless otherwise specified. The Contractor can find the most current version of the documents at <http://armypubs.army.mil/>, <http://www.dtic.mil/whs/directives/>, and www.tradoc.army.mil/tpubs/pamndx.htm :

AR 190-13: The Army Physical Security Program

AR 25-2: Information Assurance, Rapid Action Revision

AR 190-51: Security of Unclassified Army Property (Sensitive and Non-Sensitive) AR 380-5: DA Information Security Program

AR 381-12: Threat Awareness and Reporting Program

AR 385-10: The Army Safety Program

AR 530-1: Operations Security (OPSEC)

DOD 5220.22-M: National Industrial Security Program Operating Manual

DOD 8570.01-M: Information Assurance Workforce Improvement Program

DODD 8500.01E: Information Assurance

DODI 8510.01: DOD Information Assurance Certification and Accreditation Process

DTM-09-012: Directive-Type Memorandum 09-012; DTM-09-012

2 General Requirements

This section describes the general requirements that will be performed at the NTC facility.

2.1 Non-Personal Services

The Government shall neither supervise Contractor employees nor control the method by which the Contractor performs the required tasks. Under no circumstances shall the Government assign tasks to, or prepare work schedules for, individual Contractor employees. It shall be the responsibility of the Contractor to manage its employees and to guard against any actions that are of the nature of personal services or give the perception of personal services. If the Contractor believes that any actions constitute, or are perceived to constitute personal services, it shall be the Contractor's responsibility to notify the Procuring Contracting Officer (PCO) immediately.

2.2 Location and Hours of Work

2.2.1 Location of Performance

The Contractor shall perform all services on or within 100 miles of Fort Irwin, California. Additional locations if required will be service category specific and will be identified in that service category section.

2.2.2 Hours of Work

The Contractor shall, at all times, maintain an adequate workforce for the uninterrupted performance of all tasks defined within this PWS. A break in services, due to a late shift change shall, that is not directly or indirectly caused by the Government, shall be at the expense of the Contractor. Normal workdays are Monday through Friday except approved US Federal Holidays. Contractors typically work 8 hours per day, 40 hours per week on non-training days.

All services provided during field exercises may require 24 hours coverage per day.

The contractor shall plan, staff, and perform scheduled services as identified in the PWS. Services that may not require 24-hour continuous coverage during a training rotation will be specifically identified in that service category.

2.2.3 Recognized Holidays

Training during Federal Holidays will be identified in advance on the annual training schedule. Federal holidays are mandated by the Office of Personnel and Management. Current recognized Federal holidays include New Year's Day, Labor Day, Martin Luther King Jr. Birthday, Emancipation Day (Juneteenth), Columbus Day, Presidents Day, Veterans Day, Memorial Day, Thanksgiving Day, Independence Day, Christmas Day

Prior notification and approval are required by either the Contracting Officers Representative or PCO for reduced holiday coverage.

2.3 Business Relations

The Contractor shall successfully integrate and coordinate all activity needed to execute the requirement. The Contractor shall manage the timeliness, completeness, and quality of problem identification. The Contractor shall provide corrective action plans, proposal submittals, timely identification of issues, and effective management of subcontractors. The Contractor shall seek to ensure customer satisfaction and professional and ethical behavior of all Contractor personnel.

The use of a Management Interface System (MIS) is required, and specific information is listed in Section 3.17.5.

2.4 Subcontract Management

The Contractor shall be responsible for any subcontract management necessary to integrate work performed on this requirement and shall be responsible and accountable for subcontractor performance on this requirement. The prime Contractor will manage work distribution to ensure there are no Organizational Conflicts of Interest (OCI) considerations. Contractors may add subcontractors to their team after notification to the PCO or COR.

2.5 Contract Administration and Management

The following subsections specify requirements for contract, management, and personnel administration.

2.5.1 Financial Management

The Contractor shall plan, budget, schedule, and control the resources allocated to meet the requirements of the contract. The Contractor shall document and track the status of all obligated funds associated with the contract to include payments, cancellations and invoices against each contract line-item number (CLIN) and subline item number (SLIN). The Contractor shall correlate Contractors Contract Work Breakdown Structure (CWBS) with each contract line item. The CWBS defines the lower-level components or services of what is to be procured and includes all the

product and service elements (hardware, software, data, or services), which are defined by the Contractor and is the Contractors responsibility.

Items purchased by the Contractor with Contractor funds that are used for the performance of a NTCMSS contract service shall be clearly identified as “Contractor Purchased” prior to its use on Fort Irwin. All items purchased with Government funds will be identified as “Government Purchased”. The Contractor shall be required to provide the COR or PCO with verified documentation that specifically calls out the items that are “Contractor Purchased” for verification that Government funds were not used. All Items purchased with Government Funds from any contract will be Government owned at the end of the contract. A detailed list will be provided to the PCO / COR on an annual basis that delineates Contractor owned and Government owned. An updated detailed list shall be available on the MIS at all times. Failure to account for the funding sources for purchases of supplies and material that directly support NTCMSS contract services may result in a government directed audit.

The CWBS shall serve as the framework for contract planning, budgeting, and reporting of cost and schedule status. The Contractor shall identify major elements of subcontracted work in the CWBS. The Contractor may propose changes to the CWBS to enhance its effectiveness or to capitalize on efficiencies while satisfying program objectives.

Deliverables

DI-MGMT-81468 Contract Funds Status Report (CFSR)

DI-MGMT-81651 Contract Invoicing and Payment Report

DI-MGMT-81334D Contract Work Breakdown Structure

DI-FNCL-80912 Performance and Cost Report (Cost Contract or T&M)

2.5.2 Contract Management

The Contractor shall establish clear organizational lines of authority and responsibility to ensure effective management of the resources assigned to the requirement. The

Contractor must maintain continuity between the support operations at the Operations Group NTC and the Contractor's corporate offices. The Government will provide the Contractor a facility to accommodate onsite support program management and contract management support for the duration of the contract. The Contractor shall provide the necessary resources to manage the overall program and shall perform all management functions required to fulfill the requirements of this PWS. The Contractor shall manage the timeliness, completeness, and quality of problem identification. The Government shall not supervise nor control the contract service personnel providers performing the services herein. Personnel shall be accountable solely to the Contractor who, in turn is responsible to the Government. The Contractor shall create a Standard Operating Procedure (SOP) for each service category listed in Section 3 of the PWS. The SOPs shall be reviewed annually for compliance with this PWS by both the Contractor and the Contracting Officers Representative. The SOP will cover the processes required to complete all tasks contained in the PWS. The Contractor is the approval authority of the SOP. Individual PWS sections will identify when that sections SOP will be initially submitted. The Contractor can work with the NTC Operations Group staff to ensure all items are identified and the operations do not violate Army rules or regulations. If not specifically identified in the service category section of this PWS a schedule of when to submit the final SOPs will be discussed during the Post Award Conference.

2.5.3 Contract Administration

2.5.3.1 The Contractor shall establish processes and assign appropriate resources to effectively administer the requirement. The Contractor shall respond to Government requests for contractual actions in a timely fashion (not to exceed five business days). The Contractor shall have a single point of contact between the Government and Contractor personnel. The Contractor shall assign work effort and maintaining proper and accurate time keeping records of personnel assigned to work on the requirement.

2.5.3.2 The Contractor shall notify the Contracting Officer in writing whenever it has reason to believe that the total cost for the performance of any CLIN within this contract, exclusive of any fee, will be either greater or substantially less than had been previously

estimated. As part of the notification, the Contractor shall provide the Contracting Officer a revised estimate of the total cost of performing the CLIN. The Government is not obligated to reimburse the Contractor for costs incurred in excess of the estimated cost specified in the CLIN's. Change orders shall not be considered an authorization to exceed the estimated cost to the Government specified in any CLIN, unless they contain a statement increasing the estimated cost of a particular CLIN.

2.5.4 Personnel Administration

The Contractor shall provide administrative management and support as required for their employees. The Contractor shall provide for employees during designated Government non-workdays or other periods where Government offices are closed due to weather or security conditions. The Contractor shall maintain the currency of their employees by providing initial and refresher training as required to meet the PWS requirements. The NTC Operations Group staff shall receive an annual overview of various topics trained and a tentative schedule of concurrency training for each service category.

The Contractor shall make necessary travel arrangements for employees. The Contractor shall provide necessary infrastructure to support contract tasks. A Government owned facility is available for Contractor use. A description of the Government provided facility and basic infrastructure is contained in Appendix (A) for building 990 and Appendix (B) for all other building in the NTC. The use of the facility is not mandated for Contractor Program Management. The Government will have an adequate facility for Contractor Program Management at contract award if the Contractor chooses to utilize it. All other service categories are required to use the Government provided facilities. The use of any portable facility requiring prolonged base access shall be identified and will require prior inspection and approval for entry into the base facility. Attempt to deliver a temporary facility without prior approval will result in a delayed access or denial of access to Fort Irwin.

The Contractor shall provide administrative support to employees in a timely fashion (time keeping, leave processing, pay, emergency needs).

2.5.5 Contractor Manpower Reporting

The Enterprise-Wide Contractor Manpower Reporting Application (eCMRA)

The contractor shall ensure ALL contractor labor hours (including subcontractor labor hours) required for the performance of services provided under this contract are reported via a secure data collection site. The contractor (and all subcontractors providing direct labor under this contract) shall report complete and accurate data for the labor executed during the period of performance during each Government fiscal year (FY), which runs from October 1 to September 30. The Contractor shall input the data into the appropriate eCMRA reporting tool, which can be accessed via a secure web site at <http://www.ecmra.mil/>. There are four separate eCMRA tools: Army, Air Force, Navy and All Other Defense Components. The appropriate eCMRA reporting tool to use is determined by the requiring activity being supported. While inputs may be reported any time during the FY, all data shall be reported no later than October 31 of each calendar year. The contractor shall completely fill in all required data fields. The contractor shall enter initial data into the appropriate eCMRA tool to establish the basic contract record no later than 15 working days after receipt of contract award or contract modification incorporating this clause. The contractor shall notify the COR when the basic contract record has been established in the appropriate eCMRA tool. eCMRA User Manuals and Frequently Asked Questions (FAQs) are available at <http://www.ecmra.mil/>

Contractors may direct technical questions to the eCMRA help desk at dodcmra@pentagon.af.mil

2.5.6 Transition Plan

The Contractor shall provide a plan addressing the steps and actions necessary to facilitate a thorough, timely and transparent transition for Phase-out. The Contractor's plan shall describe their approach to ensure the necessary personnel are available for operational support during the transition periods, operational instructions, procedures

and control directives to minimize negative impacts to performance requirements. All Contractor owned property shall be utilized until properly phased out or replaced during transition. A three-month Phase-out transition plan must be completed and approved prior to its execution.

The final item to transition shall be all PWS requested MIS data in an exportable, usable format. All MIS data shall be sanitized of any proprietary markings and the Government shall retain Government Purpose Rights to all MIS data. The final MIS data that will be used for Contract Close out, future cost estimates, metrics for service performance and will not be released to non-Government personnel. All financial information, labor rates or cost data will not be transferred to another service provider.

The Contractor shall implement a transition plan for Phase-out. The transition plan shall address total program activities including activities performed by major subcontractors. The transition plan shall depict the CWBS for the transition and phase- out all the way through final contract closeout. The transition plan shall include but is not limited to: transition of all maintenance data and technical data in the MIS; transfer of responsibility; inventories; disposal of property as directed; schedule of termination of staffing; contract closeout.

Deliverables

DI-MGMT-81945 Phase-Out Transition Plan

2.5.6.1 The Contractor will prepare and execute a Transition Plan for Phase-in operations. The transition plan will be completed in conjunction with the Government and other Government Contractors. The up to 90-day Phase-In plan is not a deliverable and is not required at Contract award. The Phase-in plan shall contain a Government and Contractor approved timeline for transfer of services. The Contractor will not be responsible for Government caused delay of transition.

2.5.6.2 The Contractor shall execute the approved Phase-in plan and keep the Government fully informed of the transition status throughout the period. The Contractor must plan for the transfer of work control, delineating the method for processing and assigning tasks during the phase-in/phase-out periods. Provide a status of phase-in/phase-out status for each service category on the monthly status report via the MIS. The monthly status report shall contain a listing of each service category, if it has been completed phase-in/phase-out actions, total percentage of transition and estimated date of completion. Any early or late phase-in/phase-out actions shall be immediately communicated to the NTC support staff, COR, and the Contracting Officer via an e-mail and phone call. The transition status shall be included in the MIS.

Deliverables

DI-MGMT-81945 Phase-Out Transition Plan

2.6 Contractor Personnel, Disciplines, and Specialties

The Contractor shall accomplish the assigned work by employing and utilizing qualified personnel with appropriate combinations of education, training, and experience. The Contractor shall match personnel skills to the work or task with a minimum of under/over employment of resources. The Contractor shall provide their labor categories, labor rates, quantity of personnel, organization charts, and man-hours utilized in all proposals.

All Contractor employees shall clearly identify themselves as a Government Contractor in all e-mail correspondence, formal letters, company badges and reports submitted to the Government or other parties. The Contractor shall provide the necessary resources and infrastructure to manage, perform, and administer the contract.

2.7 Travel / Temporary Duty (TDY)

Travel to other Government facilities or Contractor facilities may be required. All travel requirements (including plans, agenda, itinerary, or dates) shall be pre-approved by the Government no less than (3) three days from the expected departure and is strictly on a cost reimbursable basis. Costs for travel shall be billed in accordance with (IAW) the

regulatory implementation of Public Law 99-234 and FAR 31.205-46 Travel Costs (subject to local policy & procedures; may reference FAR). Offsite travel will only be authorized for services or training courses that directly support the training mission, Contractor re/certifications and must be reviewed and approved by the COR and the Contracting Officer. OCONUS trips to other Combat Training Centers (CTC) will require a security brief and other local policy restrictions prior to approval. A trip report may be required if directed by the COR or the Contracting Officer. All service categories are authorized travel with prior approval,

2.8 The Contractor shall respond to and report accidents, incidents, and disasters

In accordance with AR 385-10 The Army Safety Program, Reportable accidents and incidents are those involving Contractor service providers or Government property supported by the NTCMSS contract, involving, or witnessed by Contractor personnel, and other incidents as defined below.

Accident is defined as an unplanned event that causes personal injury or illness, or property damage.

Incident is defined as an occurrence or event involving or resulting from failure to comply with standards or regulations, and/or misbehavior or criminal behavior, which results in negative mission impact, personal injury, property damage, or criminal, legal, disciplinary, or adverse administrative action being taken by authorities.

The Contractor shall comply with all installation or local command safety rules and regulations, including those pertaining to assisting injured personnel, securing accident scenes as practicable, safeguarding evidence in their possession, and assisting the Government in investigations as required.

The Contractor shall log and report all accidents or incidents in the MIS and track them until each is closed out. The Contractor shall provide a preliminary report and update it as necessary. The Contractor shall provide a final report after closing out the accident

or incident. Accident/incident reports and historical files shall remain available in the MIS for the life of the NTCMSS contract.

Except as defined elsewhere, the Contractor shall report all incidents and accidents within 24 hours to the PCO, NTC Operations Group Deputy Commander, and the COR via email and post an incident report into the MIS within 72 hours.

The Contractor shall take steps to address and/or prevent reoccurrence of accidents, incidents, or discovery of a safety hazard.

Health and Safety incident: IMMEDIATELY upon discovery, the Contractor shall report incidents involving serious injury or loss of life, via telephonic notification to the PCO, NTC Operations Group Deputy Commander, and COR ensuring a contact is made in real time along with a written notification. A voicemail on a telephone is not sufficient to meet the notification requirements for a serious injury or loss of life. "Immediately" is defined as "without delay".

Security: IMMEDIATELY upon discovery, the Contractor shall report any security incident that results in the loss of classified data or equipment, impacts training, results in revocation of network access or security clearance, or requires disciplinary action against the individual via telephonic notification to the PCO, NTC Operations Group Deputy Commander, COR and self-report to the Defense Security Services (DSS) Agent ensuring a contact is made in real time along with a written notification. A voicemail on a telephone is not sufficient to meet the notification requirements for a security incident involving classified data or equipment.

Property: IMMEDIATELY upon discovery, the Contractor shall report any damage, loss, or theft of Government property involving Contractor personnel where the value of the loss exceeds \$2,000.00 via telephonic notification to the PCO, NTC Operations Group Deputy Commander, and COR ensuring contact is made in real time along with a written notification. The Contractor shall report any willful damage or theft of equipment

that is grounds for disciplinary action against an individual. A voicemail on a telephone is not sufficient to meet the notification requirements for an accident or incident with a value of loss of over \$2,000.00.

Criminal, Legal and Administrative Adverse Actions: IMMEDIATELY upon discovery, the Contractor shall report any incident involving or witnessed by Contractor personnel. Reportable incidents include, but are not limited to: criminal action by Contractor personnel on a military installation or when in a Status of Forces Agreement or when subject to Uniform Code of Military Justice; any incident which results in military, civilian, or host nation authorities recording the event in a crime blotter or arrest or indictment, or writing a memorandum, letter, or email which bans, reprimands, or admonishes Contractor personnel or their behavior; bans from installation or post, bans from contact with Soldiers, or revocation of access to facilities; violations of Status Of Forces Agreements; and any other action which would reflect poorly on the US Government. In instances involving criminal, legal or administrative adverse actions, the Contractor shall provide a telephonic notification to the PCO, NTC Operations Group Deputy Commander, and COR ensuring a contact is made in real time, followed by written notification as soon as possible. A voicemail on a telephone is not sufficient to meet the notification requirements for criminal, legal or administrative adverse actions.

Deliverables

DI-SAFT-81563 Accident/Incident Report

2.9 Hazardous Materials (HAZMAT) Management

The Contractor shall comply with military installation, local, state, and federal laws, regulations, policies/procedures for HAZMAT, and be guided by AIA/NAS 411 "Hazardous Materials Management Program. The Contractor shall handle, containerize, store, and provide intra-station transportation of regulated hazardous and non-hazardous waste generated as a result of operation and maintenance. The Contractor shall prepare regulated waste for disposal to include marking, labeling, and

preparation of an internal tracking system IAW local instruction. The Contractor shall comply with all applicable federal, state, and local laws and regulations addressing handling, storage, clean-up of spills, and disposal procedures for regulated wastes and hazardous materials, and create and/or maintain relevant Material Safety Data Sheets (MSDS) as guided by ANSI-Z400.1 at each site.

Additionally, the Contractor shall be responsible for ensuring Contractor personnel are certified and trained IAW applicable Occupational Safety and Health Administration, Environmental Protection Agency, U.S. Army Public Health Command (USAPHC), state and local regulations, as appropriate. The Contractor shall be responsible for any additional expenses incurred due to their management of regulated waste or hazardous materials including, but not limited to, noncompliance with or violation of federal, state, or local laws and regulations, maintaining inappropriate records, spills, failure to source separate wastes, or failure to provide chemical composition of wastes.

Deliverables

DI-SAFT-81563 Accident/Incident Report

2.10 Cybersecurity Training/Certification

2.10.1 All Contractor employees and associated subcontractor employees must complete the DOD cybersecurity awareness training before issuance of network access and annually thereafter. All Contractor employees working cybersecurity/IT functions and/or requiring privileged access must comply with DOD and Army training requirements in DoDD 8570.01, DOD 8570.01-M and AR 25-2. All Contractor service providers hired after the contract effective date must comply within six months of their appointment to IA/IT functions.

2.10.2 Per DoD 8570.01-M and AR 25-2, the Contractor employees supporting IA/IT functions shall be appropriately certified upon contract transition. The baseline certification as stipulated in DOD 8570.01-M **must** be completed upon contract transition.

2.11 Anti-terrorism/Operations Security (AT/OPSEC)

2.11.1 OPSEC SOP

The Contractor shall develop an OPSEC-SOP Plan within 90 calendar days after the contract effective date, to be reviewed by the responsible Government OPSEC officer. This plan will include a process to identify critical information, where it is located, who is responsible for it, how to protect it and why it needs to be protected. The Contractor shall implement OPSEC measures as ordered by the commander. In addition, the Contractor shall have an identified certified Level II OPSEC coordinator per AR 530-1.

2.11.1.1 Per AR 530-1 Operations Security, the Contractor employees must complete Level I OPSEC Awareness training. New employees must be trained within 30 calendar days of their reporting for duty and annually thereafter.

Deliverable

DI-MGMT-80934C Operations Security (OPSEC) Plan

2.11.2 AT Level 1 Training

All Contractor employees, to include subcontractor employees, requiring access Army installations, facilities and controlled access areas shall complete AT Level I awareness training within 30 calendar days after contract start date or effective date of incorporation of this requirement into the contract, whichever is applicable. The Contractor shall submit certificates of completion for each affected Contractor employee and subcontractor employee, to the COR or to the Contracting Officer. All documents shall be maintained on the MIS. AT level I awareness training is available at the following website: <http://jko.jten.mil>.

2.11.3 iWATCH Training

The Contractor and all associated subcontractors shall brief all employees on the local iWATCH program (training standards provided by the requiring activity AT Office). This local developed training will be used to inform employees of the types of behavior to watch for and instruct employees to report suspicious activity to the COR and/or PCO.

This training shall be completed within thirty (30) calendar days after full transition and within thirty (30) days of new employees commencing performance with the results reported to the COR/PCO no later than sixty (60) calendar days after completion.

2.11.4 Army Training Certification Tracking System (ATCTS)

All Contractor employees with access to Government Information Systems must be registered in the ATCTS at commencement of services and must successfully complete the DoD Information Assurance (IA) Awareness training prior to access to the IS and then annually thereafter.

2.11.5 Threat Awareness and Reporting Program (TARP)

All Contractor employees with security clearances must receive annual TARP training by a counterintelligence agent or other trainer as specified in AR 381-12, Threat Awareness and Reporting Program, Paragraph 2-4b. A completion (by name) roster will be submitted to the COR and then forwarded to the PCO.

2.12 Government Furnished Materials

The Government will make available the materials, office space, and communications assets as identified in Appendices (A) and (B) upon successful completion of the transition period. The Contractor is responsible for alerting the Government to a change in the operational status of said items within two business days. Items vital to the performance of services will be reported immediately to the COR, Contracting Officer and the NTC Operations Group via email and a phone call to the NTC support staff. A delay in training due to a communication failure on an item addressed in this subsection is unacceptable and will be at the Contractors expense. The Government has not authorized Government Furnished Property (GFP) at Contract award, but the Contractor or Government can request GFP during the life of the contract. Unless specifically identified in this PWS the Government shall not provide vehicles or transportation for the performance of services. The Contractor is responsible for all transportation unless specifically identified in the PWS. The Government will not purchase or authorize the purchase of vehicles to be delivered as Contractor Acquired Property. Transportation,

unless specifically identified by the Government will be the responsibility of the Contractors Program Management.

2.12.1 A **vital** item as it relates to performance of services is defined as anything that would degrade, hamper, or reduce the value of the training exercise or cause an unwanted stop in training.

2.13 Quality Assurance Surveillance Plan (QASP)

The Government will monitor the Contractors performance under this contract in accordance with the Governments QASP and the Contractors internal Quality Control Plan. The Contractor must submit a Quality Control Plan annually. The QASP may be modified as required and will be sent to the Contractor for review prior to any changes taking effect. The PCO can assign multiple Assistant Contracting Officer Representatives (ACORs) to provide surveillance reports that may be incorporated into the Contractors Performance Assessment Reports System (CPARS). Additional Quality Control and Surveillance direction can be found in section 4.3.

3 Performance Requirements

Each services category listed in section 3.1 through 3.16 are performed every training rotation. A standard training rotation as identified in the Annual Rotational Schedule contained in Appendix (C), consists of the Reception, Staging, Onward-Movement, and Integration (RSOI) period, the training execution period, and a regeneration and departure period. Historically the RSOI is (5) days, the training period lasts (14) days, and regeneration and departure last up to (12) days. There will be the occasional overlap between the RSOI of an arriving training unit and the Regeneration of a departing training unit.

The primary training rotations are conducted for Armor BCTs and Stryker BCTs. Figure (1) is an illustration of a typical Armor BCT rotational calendar and Figure (2) is an illustration of a typical Stryker BCT rotational calendar. Additional training calendars may be used for future operations or unscheduled events.

Figure 1 Armor Brigade Combat Team Rotational Calendar





Figure 2 Stryker Brigade Combat Team Rotational Calendar



Figures (1) and (2) are for reference and planning purposes and may not be the operational plan or scenario executed.

The Annual Rotational Schedule for future operations will be delivered as soon as approved. The detailed Rotation Training Plan and Rotation Training Scenario shall be provided to the Contractor no less than (12) days prior to a training exercise for review and input. The Rotational Training Plan will break out the specifics for the training event in detail. The Contractor will provide input into the Training Scenario as identified in PWS Section 3. The Contractor Management team will have early access and input into the plan to ensure total coverage.

All service providers, unless specifically identified, may be required to ride in Government vehicles, to include wheeled, tracked, fixed wing and rotary wing assets. The Contractor may have to wear protective field gear, perform prolonged services in a field environment and exposed to live fire ranges.


Unscheduled training events may be required. The NTC facility may have to provide mission support services for emerging missions and unforeseen events. The Government shall inform the Contractor as soon as the requirement is known and work with the Contractor to realign the schedule to provide adequate services.

3.1 Access Control Operations

Access Control Operations consists of providing the physical security for building 990 and the remote viewing of buildings 989, 130, 988, 933A, 933B, 930, 6223 and the Command and Control (C2) facility located in the training area. There are no requirements for armed guards or prior security guard experience. The Contractor shall be familiar with and utilize Directive-Type Memorandum (DTM) 09-012. As illustrated in Figure (3) Access Control Operations consists of Building 990 Front Desk, Badge Processing, and the functions of Video Monitoring/Range Access/Key Control (encompassing key management, training area access coordination, coordination of facilities maintenance trouble calls, access for generator refueling of the Fiber Optic Network (FON) buildings, and access

control for building 990). All services for Access Control Operations are conducted 24 hours a day regardless of the training schedule.

Figure 3



3.1.1 Physical Security Operations for Access Control

3.1.1.1 The Contractor shall perform physical security access control functions for building 990 and remote access control for buildings 989, 130, 988, 933A, 933B, 930, 6223 and the Command-and-Control facility located in the training area. No unauthorized personal shall enter the facility and any unauthorized access will require a notification to the NTC Security Manager via phone call and a data entry into the security log in the MIS. The Contractor shall create a SOP for review by the NTC Security Manager regarding operations during the Transition period.

3.1.1.2 The Contractor shall provide a continuously occupied post in building 990 located at the front entrance. This post shall have a computer and telephone access for internal and external communication. The post can accommodate no more than (2) workstations in an open non-secure environment.

3.1.1.2.1 The Contractor shall control all access into building 990 and ensure all personal have the appropriate level of authorization. The Contractor shall issue temporary visitor badges to personnel which require an escort at all times and escort the personnel who require unescorted visitor badges to the Badge Processing station. No temporary visitor shall leave the front desk area without an authorized escort.

Identified unescorted visitors will require a security violation report to the NTC Security Manager and will be entered in the MIS daily security log.

3.1.1.2.2 The Contractor shall ensure that all escorted visitors with temporary badges are added to the daily temporary visitor log. The Contractor shall ensure that all non-escorted temporary visitor badges are listed in the NTC approved control access roster. If the non-escorted temporary visitor is not listed on the approved access control roster the Contractor shall verify with the Badge Processing desk and make a pen change to the roster. A pen change shall be valid for one day; an updated roster shall contain the correct data.

3.1.1.2.3 The Contractor shall coordinate communication from visitors requesting access to enter the facility by calling the appropriate NTC staff member. The Contractor shall call the appropriate NTC staff member when visitors request entry and when an escort is needed. The Contractor is not responsible for taking messages or searching for escorts. The Contractor will be provided with an accurate phone roster and if the escort is not available the Contractor will inform the visitor and no access will be granted.

3.1.1.3 The Contractor shall manage and update approved information into the NTC access control data base. All data base entries must be approved prior by the NTC Operations Group Security Manager, or a representative approved by the NTC Operations Group Command team. The location of the computer terminal for entry into the access control data base is located in building 990 room #110.

3.1.1.3.1 The Contractor shall provide Badge Processing services during normal working hours and on pre-identified training events. All Badge processing will be conducted in room #110 which consists of (2) workstations for data entry and (2) Badge printing stations. Communication and printing devices are provided.

3.1.1.3.2 The Contractor shall access and operate the Joint Personnel Adjudication System (JPAS) to screen and approve all after hours badge request during a training rotation. The Contractor will inform the Security Manager via email and an entry into the MIS daily security log. The issued Badge will not allow access into highly sensitive locations without an escort. An updated badge entry shall be created once the Security Manager approves the visitor, and a detail access request is completed.

3.1.1.4 The Contractor shall administer access control of all ranges for approved Contractor movement. The Contractor shall manage and secure a key library of over 250 keys. The Contractor shall only issue keys to personal who have prior approval from the NTC staff. The keys are for approved access to NTC range facilities, building 990 and other NTC facilities. An official key log shall be maintained for accountability of all keys at all times. Daily reconciliation of access key will be contained in a daily log. A key log does not need to be maintained on the MIS and can be in the Contractor's format (digital or paper). The video monitoring / range access shall maintain a daily log recording all items of interest which the NTC staff can review on the MIS. All Range Access and Key Control measures will be identified in the SOP.

3.1.1.4.1 The Contractor shall provide Range Access Control / key control services continuously in room #110. The room contains (2) workstations and Government provided communication devices for this service. All communication devices must be adequately operated during training. Coordination and monitoring of range access is a vital safety requirement, and any potential safety or security violation shall be identified via the MIS immediately after the issue have been rectified.

3.1.1.4.2 The Contractor shall track and maintain a trouble call log for maintenance and facility reports from the NTC Operations Group range facilities. The Contractor is not responsible for the maintenance or repair of the facilities only to collect, forward and tract the status of range maintenance issues on the MIS.

3.1.2 Remote Security Operations in Access Control

3.1.2.1 The Contractor shall monitor remote access control security feeds of multiple locations. The service is required to be continuously performed in room #110 regardless of the training environment. A break in service is not authorized without COR approval. All procedures will be listed in the SOP identified in Section 3.1.1.1

3.1.2.1.1 The service location provides two workstations that have the ability for remote viewing. The security feed may vary in the future as mission dictates. All items of interest or unauthorized access will be immediately reported to the NTC Security Manager. All incidents will be reported in the daily MIS log.

3.2 After Action Review (AAR) & Take-Home Package (THP) Operations

The Contractor shall create, edit, produce, and assist in the delivery of numerous AAR's and a THP for every training evolution. The Contractor will be responsible for creating between (60) sixty and (100) one-hundred full production AAR's for each RTU evolution. One AAR consists of a full production video using non-linear editing (NLE) production software. THP's will contain all AAR's, video files, audio files, digital pictures, TAFF briefs and any media or training files directed by the NTC Staff. On average 600 live video feed files are captured and edited per complete training rotation. A typical THP's consists of (1) paper copy of informational briefs and between (600 - 1000) DVDs. Each training rotation has a different THP, and the average DVD count is approximately 650 per training rotation. The Contractor can alter the media file type and delivery method for efficiencies and cost savings as long as all IA and Cyber Security regulations are adhered and the NTC Operations group Command approves.

Figure 4




Figure (4) lists the AAR/THP main elements and locations. A full staff is required during normal work hours on non-training days. Continuous services are required during every training event. It is expected that all AAR and THP operations could be performed simultaneously, as multiple training events will require similar services as identified on the RTU training plan. A SOP shall be created by the Contractor and reviewed by the NTC Command team and the Contracting Officer during the Transition period which will identify all procedures for the AAR/THP. The SOP will be available for review no later than 90 days after Contract transition.

3.2.1 AAR production: The Contractor shall support the creation and presentation of an estimated 60 and 100 AARs per rotation for theater, mobile, and AVI sites. Most of the AAR video and audio content is created and edited in building 990 room #188, the secure Voice, Video Control Editing Center (VVCEC). The current system is based on the AVID full studio production suite and a reduction in capability is not authorized. Mobile Video Units (MVU) and Mobile AAR (MAAR) vans shall be driven / transported to the training area, manned, and operated to provide data for the creation of AARs. Minor on-site troubleshooting and basic operator maintenance is required. The AAR production operating procedures will be standardized and will be listed in the SOP referenced in section 3.2.

3.2.1.1 The VVCEC contains (7) Government provided AVID workstations, numerous Government provided A/V production and editing equipment and a Government provided secure server. The Contractor is not required to maintain or repair the fielded equipment only to report any maintenance issues. All maintenance issues in the VVCEC will be coordinate with the COR and tracked on the MIS. All maintenance items shall be reported to the appropriate NTC support staff, allowing for continuous services.

3.2.1.2 The Contractor shall create, edit, and produce full production AARs within six (6) hours after completion of a training battle. The Contractor shall facilitate Company / Team AARs and NTC staff “hot washes” within one (1) hour after completion of a battle or training event.

3.2.1.3 The Contractor shall receive live production feeds from (3) Military Operations on Urban Environment Terrain (MOUT) facilities (Razish – approximately 407 cameras, Ujen – approximately 7 cameras, and Barasu – approximately 7 cameras), (3) Mobile AAR vans, (8) Mobile Video Units and other NTC range sites into the VVCEC simultaneously. An estimated total number of video feeds to manage within the VVCEC is 475.

3.2.1.3.1 The Contractor shall ensure the quality of the video feeds are acceptable per the National Television Standards Committee (NTSC) broadcasting standards. Low quality feeds need to be adjusted immediately and if a technical issue is identified a maintenance request needs to be filed with the appropriate NTC Staff.

3.2.1.4 The Contractor shall perform quality control of the MOUT live feeds from the VVEC to ensure a proper feed for use in an AAR. The sites contain permanently installed audio / visual devices which provide the input from FON Fiber utilizing the 52 ID signal. The Government will provide the manpower for the MOUT sites, and the Contractor will be required to augment and assist depending on the rotation plan. On average (1) Contractor may be required for each MOUT site.

3.2.1.4.1 The Contractor shall support up to 7000 instrumented and 300 non-instrumented systems on the battlefield per rotation. The non-instrumented systems shall be supported by Government Observer Controller (OC) directed play for simulation activity in the Instrumentation System. The Contractor is not responsible for the repair of the devices only for reporting the condition and status.

3.2.1.5 The Contractor shall provide support for (5) permanent AAR theaters and (3) Audio/Visual Instruction (AVI) sites. Two (2) theaters are located in building 990, two (2) theaters are located at the New Urban War Center (NUWC)/Range Operations Center (ROC) near Razish, and (1) is located in the NTC live-fire range complex. The (3) AVI sites (Razish, Ujen, and Barasu) are located in the NTC training complex. Additional

sites may be added or removed during training operations.

3.2.1.5.1 The Contractor shall provide support to operate and orchestrate AAR briefs in the fixed theaters and AVI sites. This entails operating digital video players / recorders, audio video mixer boards, master sound boards, manual live camera feeds routing, and overall production management to present an AAR.

3.2.1.5.2 The Contractor shall ensure that all fixed theaters and AVI sites are ready for AAR presentations. The Contractor is not responsible for maintenance but is responsible for reporting maintenance issues for repair. The Contractor is not responsible for the audio / video connections but is responsible for reporting malfunctions or a degraded signal strength for repair.

3.2.1.6 The Contractor shall operate the (8) MVUs and (3) MAAR vans. The contractor shall provide all services required to drive / deliver the MVUs and the MAAR vans to the training site and provide all services to operate the devices for each training event. Operations services also include limited troubleshooting and reporting maintenance items to the VVCEC. Maintenance for the VVCEC, the (8) Mobile units and (3) Mobile AAR vans are not required. The VVCEC will provide the quality control for received signals and report maintenance requests.

3.2.1.7 The Contractor shall provide skilled, trained personnel to perform the editing function on the NLE systems. The systems require A/V editors, production specialist, and editing - production managers who have experience with high volume, quick turnaround products.

3.2.1.7.1 The Contractor may require concurrency or skill enhancement training. The Contractor shall submit training request via the MIS IAW section 2.7 for all off-site or virtual training that will cost the Government.

3.2.2 Take Home Packages: Contractor shall support the completion up to (10) ten

THPs for RTU distribution per year and shall maintain an electronic copy for historical purposes. If an unscheduled training rotation is conducted a THP will be required. The THP operating procedures will be standardized and will be listed in the SOP referenced in section 3.2. The THPs creation and distribution are a multi-discipline shared function, and the Contractor can determine which service category creates, distributes and destroys the copies. All service categories can assist in the production, creation, and distribution of THPs to reduce redundancies and increase efficiencies.

3.2.2.1 Contractor shall prepare, duplicate, and distribute written and multi-media THP products.

3.2.2.1.1 The Contractor shall assist in the production of Brigade level and each subordinate Task Force Level/Battalion THPs in accordance with NTC guidance. Each THP will be composed of one hard copy (if requested) and one digital copy.

3.2.2.1.2 The Contractor shall provide one (1) digital THP to the Center for Army Lessons Learned (CALL) and maintain the AAR and THP master archive library for (2) two years at NTC. After two years the Contractor shall inform NTC staff and facilitate proper disposal and destruction.

3.2.3 Audio Visual (A/V) Production and Media on the Battlefield Operations: The Contractor shall provide services to cover the software licensing, hardware, and extended phone support for the NLE AV production capabilities in the VVCEC and the Media on the Battlefield site. The current system is based on the AVID full studio production suite. Reduction of capabilities is not authorized. The A/V and Media on the Battlefield Operations operating procedures will be standardized and will be listed in the SOP referenced in section 3.2.

3.2.3.1 The Contractor shall operate and provide support for the current NLE A/V system used to edit and create all AARs. Support consists of trouble shooting and reporting deficiencies for the VVCEC NLE suite. The Contractor shall maintain a

current software license for the NLE system in the VVCEC. The Contractor is not responsible for the data servers or the fielded systems in the VVCEC but is responsible to report any maintenance issue to the appropriate NTC staff. The hardware items for the VVCEC consist of low-cost computer and A/V perishable items. All items require COR and Contracting Officers prior approval.

3.2.3.2 The Contractor shall operate and provide lifecycle maintenance for the Media on the Battlefield production site currently located in building 592. This includes operating the fielded A/V systems, AVID production suite, interview / live news broad cast section, and Leaders Viewing Area. The Contractor will be required to repair and/or replace any or all of the A/V equipment currently in building 592 during the performance of the contract. To ensure approved equipment is utilized; prior approval by Contracting Officers is required for equipment replacement expenditures. The Contractor shall maintain a current software license for the NLE system in the Media on the Battlefield production site.

3.2.3.2.1 The Contractor shall operate and maintain the NLE AVID suite, consisting of (4) workstations (1- master control workstation and 3- operating stations). This suite consists of (1) fielded Master Audio board, (4) NLE stations, (1) Video switcher suite for up to 4 cameras, (4) studio monitors with audio mixers and controls.

3.2.3.2.2 The Contractor shall operate and maintain one professional interviewing station. This will require the Contractor to perform live broadcasted interviews with pre-identified RTU leadership and perform and produce a daily live news broad cast. The Contractor shall perform between 9 to 14 interviews and live broadcasts for each training rotation. The interviews on average take 30 minutes of prep time and one hour of camera and production time. The daily 30 minute live new broadcasts occur every training day required approximately 4 hours of camera and production time.

3.2.3.2.3 The Contractor shall forward all final interviews, news broad casts and unedited data to the VVEC for THPs.

3.2.4 The Contractor shall create all special project videos (training videos, infomercials, spirit videos etc.) for the sustainment and operational support of NTC instrumentation and rotations.

3.2.5 The Contractor shall maintain the Video Teleconference (VTC) suites in building 990 (rooms 139, 204, 222 and 249). All suites are basic level DOD approved VTC suites. The VTC operating procedures will be standardized and will be listed in the SOP referenced in section 3.2. The Contractor is not responsible to schedule the VTC rooms for use and will only provide services if requested by the NTC staff.

3.2.5.1 The Contractor shall inspect, repair and/or replace the VTC suites. Inspections shall be performed 24 hours prior to use if requested; repair or replacement requests will be identified and forwarded to the COR and PCO. To ensure approved equipment is utilized; the Contractor will not replace any item without prior approval from the Contracting Officer. All replacement items will be provided by the Government or procured via the U.S Army Computer Hardware Enterprise Software Solutions (CHESS) program. A delay or break in VTC service due to slow or late Government replacement parts is authorized.

3.2.5.1.1 The Contractor shall inspect each VTC monthly to ensure it is mission capable. The Contractor will report the inspection on the MIS and any discrepancies.

All discrepancies that require replacement parts or additional work will be inputted into a MIS request for parts and maintenance IAW the SOP identified in section 3.2.


3.3 Live Virtual Constructive (LVC) Simulation Support

The Contractor shall provide integrated LVC simulation support for every training evolution. The LVC services utilize the Government provided software and equipment which operate the Joint Land Component Constructive Training Capability (JLCCTC) federations. Future versions of JLCCTC or different software will be provided by the Government; the Contractor will only be responsible for operating the fielded training

devices. All services will be provided during regular work hours during non-training workdays and continuous services are required for training days to accommodate the RTU schedule.

The service consists of receiving data from the fielded Multiple Integrated Laser Engagement System (MILES) in the active training area and the One Semi Automated Forces (OneSAF) data. The MILES data is sent to a gateway which is filtered using the Simulations C4I Interchange Module for Plans, Logistics and Exercises (SIMPLE) depending on the scenario. The filtered data is combined with the uploaded OneSAF mission data into the distributed network which is then sent into the JLCCTC federations for training. The Contractor is responsible for maintaining the required JLCCTC, SIMPLE and OneSAF skills for continued operations. Training for concurrency may be required and cross training of OneSAF, JLCCTC, SIMPLE and any fielded LVC software is required.

Figure 5



The OneSAF Mission Creator prepares the data in building 990 and then uploads the data in a field environment. The LVC Simulation Support provides services in building 990. The LVC and OneSAF staff may be required to assist in the testing and future integration of JLCCTC integration activities. The Contractor may be direct to assist the LVC terminals in building 130 as needed. All services performed in building 130 will be during the standard workday and additional hours or shifts are not required. The Contractor shall submit a SOP within 90 days of contract transition for review.

3.3.1 OneSAF Mission Creator: The Contractor shall create and input the approved RTU training plan into the fielded OneSAF system.

3.3.1.1 The Contractor shall assist the NTC staff with the creation of the rotational training plan for incorporation into the OneSAF mission generator. The NTC staff have final approval authority for all training plans and scenarios.

3.3.1.2 The Contractor shall input the training plan into the OneSAF fielded system.

3.3.1.3 The Contractor shall upload the OneSAF data into the Combat Training Centers Instrumentation System (CTCIS).

3.3.1.4 The Contractor shall modify OneSAF data daily during live training.

3.3.1.5 The Contractor shall ensure OneSAF information and other live fire dataflows concurrently into the JLCCTC federations and MCS.

3.3.2 Live Simulation Operations: The Contractor shall receive large amounts of data from fielded MILES devices through the CTCIS. This data must be filtered for accuracy and ensuring only mission essential data is selected. The Contractor must hand select individual items or input mission specific data; an inherent knowledge of military units and force structure is essential.

3.3.2.1 The Contractor shall filter data received from the fielded MILES gear to forward relevant training information as identified by the NTC staff.

3.3.2.2 The Contractor shall input, modify, and verify that the filtered information is received into the JLCCTC federations.

3.3.2.3 The Contractor shall verify the simulated / stimulated live originated JLCCTC data's representation is correct in the MCS.

3.3.3 Virtual Simulation Operations: The Contractor is responsible for operating the JLCCTC federations and facilitate distributed training events in support of the rotational unit, to include coordination, connection, and planning with other Mission Training Centers and Simulation Centers.

3.3.3.1 The Contractor shall establish a constructive wrap-around of the live maneuver area replicating a Division-sized Area of Operations in a Decisive Action Training Environment (DATE) or other scenarios with a similar level of complexity.

3.3.3.2 The Contractor shall assist in the scenario planning, uploading information into a database, and then the execution of events as developed in the scenario during the rotation.

3.3.3.3 The Contractor shall facilitate interaction between NTC authorized participants and the JLCCTC federation.

3.3.3.4 The Contractor shall operate all JLCCTC federations in order to facilitate direct and indirect interactions between the NTC Staff, RTU and the JLCCTC federations.

3.3.3.5 The Contractor shall provide uninterrupted Virtual Unmanned Aerial Support to the RTU, 52 ID, or other exercise participants when stipulated in the Intelligence Synchronization Matrix (ISM).

3.3.3.6 The Contractor shall input all required LVC data into the Management Information System and verify that the data is accurate and complete.

3.3.4 Constructive Simulation Operations: The Contractor shall utilize JLCCTC federations to provide a constructive environment for all training evolutions. The information will be specific to each rotation training plan.

3.3.4.1 The Contractor shall assist in the preparation of the RTU training plan for the preparation of the Constructive simulation.

3.3.4.2 The Contractor shall perform Constructive WRAP devolvment for use during each training evolution. Scenario is nested with the live scenario to provide relevant intelligence to the training unit by means of simulation/stimulation of Constructive blue, red (Opposing Force - OPFOR), Coalition, and Green (civilian) actions.

3.3.4.2.1 The Contractor shall perform Constructive WRAP development to take a training scenario from the planning phase through the execution. Other activities include but are not limited to battlefield extension with constructive forces and stimulating battle command training events for Operations Group.

3.3.4.2.2 The Contractor must be familiar with basic operator functions of Command Post of the Future (CPOF), Distributed Common Ground Station - Army (DCGS-A), and the current fielding of the JLCCTC ERF. The LVC support is 24/7 from RSOI 4 through Training Day 14, during execution.

3.3.5 The services for LVC will be provided on the Government fielded software and equipment.

3.3.5.1 The contractor shall support the following JLCCT 8.1 capabilities:

3.3.5.2 Technical Control Forward Suite comprised of Virtual Machines (VMs) and Thin Clients that are linked back to the Warfighter Simulation (WARSIM) Server stack In order to control the JLCCTC 8.1 Federation. The VMs and Thin Clients include the following:

- Storage Area Network (SAN)
- vCenter (within the vCenter, there are a total of 30 VMs)
- Network Files Share (NFS)
- Security Sever (SECSVR)
- Database Server (DBSRVR)
- Terrain Server
- jControl (JCTRL)
- Insight
- Cluster Gateway (CLUGWY)
- Extensible C4I Instrument Suite (ExCIS)

The contactor is required to maintain and configure VMs to include installing upgrades, service packs, patches and IAVA's, user-groups and passwords. Tech control functions also includes Federation management, traffic, and data flow, check and restoration points, as well as starting and shutting the game down.

3.3.5.3 Warfighter's Simulation/Scenario Generation/Warsim Intelligence Model (WARSIM/SGEN/WIM) is an aggregate level constructive simulation system used to create a realistic environment for Command and Staff training. Like JCATS, it is used to train and exercise Commanders and Staffs in a doctrinally sound environment emphasizing leader development. WARSIM models ground maneuver, aviation, and sustainment. Contractor will utilize WARSIM to model intelligence, surveillance and

reconnaissance. The contractor will work with planners to ensure correct replication of equipment in scenario generation and identify inconsistencies.

3.3.5.4 Night Vision Image Generator/Multiple Unified Simulation Environment (NVIG/MUSE)

allows visualization of platforms and entities in the battlefield in a 3D operational environment. The MUSE is the simulation controller that allows the creation of flight missions and replicate a multitude of virtual UAV's. Contractor will prepare routes and areas of interests for the purpose of replication of realistic UAV operations. The contractor will also generate Moving Target Indicators (MTI's) via NATO-EX message sets to Intel personnel.

3.3.5.5 Backup Exec Server (BE SERVER) provides the capability to generate Link 16/TADIL-J air tracks for both fixed and rotary wing aircraft (OPFOR, BLUEFOR and NEUTRAL). It also has the capability to send Over-The-Horizon-Gold (OTH-Gold) messages to the Mission Command Systems for both the Live and Constructive units. The contractor will replicate ground/air sensors using the BE Server in order to generate the proper intel and messaging for stimulating Mission Command Systems like GCCS, CPOF, ADSI, AMDWS, etc.

3.3.5.6 Mission Command Gateway/Mission Command Adapter (MC GTWY/MC ADAPTER)

Generates proper messaging in order to stimulate Mission Command Systems much like the BE Server. The message generation occurs STRICTLY on constructive units. It does not report on live. The contractor will use the MC ADAPTER to simulate ExCIS for AFATDS integration and Fire Support missions.

3.3.5.7 Entity Simulation Service (ESS) consists of an ESS Bridge and a Gateway. The ESS allows LIVE traffic, on the DIS network, to flow into the HLA network for visualization on the Constructive simulation models. The contractor will configure and

maintain the interfaces between live and constructive that reside on the HLA and DIS networks.

3.3.5.8 Synthetic Environment Core (SE CORE) provides a mechanism to connect multiple DIS exercises on different networks or network parameters (done through ports, exercise ID or Network type). The Gateway portion of the SE CORE can perform specific sets of filtering and mapping functions between the networks as needed. The contractor will configure and maintain ports and services over Local Area Networks (LAN) or Wide Area Networks (WANs) in support of simulation exercises.

3.3.6 The Contractor shall support digital staff training through simulation-stimulation. The support includes technical and White Cell support as determined in the detailed RTU training plan.

3.4 Professional Civilians on the Battlefield and Social Media Replication

The Contractor service shall provide specially trained Professional Civilians on the Battlefield (PROCOB) to create a real-world battlefield and social media replication (SMR). Operators may be required to portray local translators, officials, host nation infrastructure workers, dignitaries, town's people, resistance forces, farmers, Other Government Agencies (OGA), International Organizations (IO), Private Voluntary Organizations (PVO), Training Improvised Explosive Devices (TIED) personnel, and Non-Government Organization (NGO).

The social media environment must be realistic and provide the training rotation the capability to extract relevant open-source intelligence (OSINT). The specific PROCOB language required is currently Arabic but may vary depending on the rotation training plan. Each rotational training plan will identify any specific PROCOB requirement, and it will be contained in the detailed training scenario. The SMR services will require extended daily operations during each training rotation as well as performance during regular non-training workdays. A standard workday is required for SMR services

during non-training days. PROCOB services are provided only during the training rotation and shall be identified in the Detailed Training Plan.

3.4.1 The Contractor shall provide PROCOBs for each training exercise. The PROCOB numbers and roles to be portrayed shall be defined by the training scenario for each training rotation. The PROCOB numbers average at (23) twenty-three with a not to exceed (29) twenty-nine. The Contractor will receive the type of roles and skills required no less than (12) twelve days prior to the RTU arrival. The Contractor will be a part of the planning process to ensure that the required skills are available for the training.

3.4.1.1 The Contractor shall provide PROCOBs with foreign language skill proficiency. Current language requirement is Arabic but future training scenarios may require additional languages. The service providers must be able to read, write and speak conversationally in the selected language. The additional languages will be identified early in the annual training schedule and cannot change without prior notice (90 days of the event).

3.4.1.2 The contractor shall provide six (6) dedicated role players in order to (IOT) support; (a) Military Source Operations (MOS) and, depending on Operating Environment (OE), Rotational Training Unit's (RTU) training needs, also conduct role play for (b) Interrogation Operations support. Clearances at the "Secret" level are required to properly safeguard and expose classified tradecraft required to effectively train MSO. Language capability, while not required, when available will only enhance and provide a much more realistic training opportunity for the RTU. These five personnel are required to perform from RSOI2 through TD13.

3.4.1.3 The contractor shall provide dedicated role players to play detainees, conscripts and especially enemy prisons of war (EPW) in order to (IOT) replicate a Decisive Action

Training Environment (DATE) to support Interrogation Operations (INT OPS). Personnel are required from RSOI2 through TD13.

3.4.2 The Contractor shall collect and provide digital and audio data from the training environment for the creation of training material. The pictures, training material and all products created from the training data is fully owned by the Government and cannot be removed from the NTC facility without prior approval from the COR.

3.4.2.1 The Contractor shall collect video, audio and digital photographic data from the training environment. The collected data will be transferred to an authorized Government computer for use in training material production.

3.4.2.2 The Contractor shall create pamphlets, posters, newspapers, press releases and assist the appropriate NTC staff with the operation of a training environment blog, website, propaganda videos or other Social Media outlets.

3.4.3 The Contractor shall perform simulated NGO operation during the training evolution. This will consist of moving equipment, boxes, and potentially heavy gear.

3.4.4 The Contractor shall replicate a realistic social media environment to conduct OSINT for each training rotation. The realistic social media material will be reviewed and approved by the appropriate NTC support staff prior to release. Material will focus on providing the training rotation a realistic environment that would replicate a real word scenario.

3.4.4.1 The Contractor shall populate a simulated closed-loop internet environment with training rotation relevant social media content utilizing the Government provided network. All material and products created belong to the Government and are not authorized for release or use without written approval by the COR. Material may be shared with other CTCs for training use with approval from the appropriate NTC support

staff.

3.4.4.1.1 The Contractor shall create web pages and realistic social media profiles using the NTC Government provided network and replicated social media outlets. The replicated social media outlets shall conform to the current NTC media templates.

3.4.4.2 The Contractor providing SMR services must have at least (5) years of DOD or equivalent experience with DOD and contemporary threat Information Operations (IO).

3.4.5 The Contractor shall create a daily summary report of all social media action for the appropriate NTC support staff. The daily summary report shall be sent to the appropriate NTC support staff for review and approval. The NTC daily summary report template shall be used and incorporated into the PROCOB / SMR SOP.

3.5 Fire Markers and Battlefield Effect Operations

The Contractor shall provide, and support simulated Full Spectrum Operations battlefield effects. This service category performs in tandem with the training unit and knowledge of range safety and operations is paramount. The Contractor shall provide continuous 24-hour support during NTC rotations (RSOI through BRD) and must ensure that shift changes, or other labor related issues do not cause a lapse in availability of battlefield effects.

The Contractor shall be prepared to support multiple location within the NTC range complex simultaneously. Range Complex is defined as all training areas within the National Training Center. The range schedule will be contained in the detailed training plan. Fire Markers and Battlefield Effects perform services at various days and times during the training plan. The average amount of Fire Marker support required for a training event (rotation) is based on the deployment of pyro to replicate the splash of indirect fire missions on their designated targets. Fire Markers mark effects for both Blue (rotational training unit) and OPFOR indirect fire missions. Events equal a call for fire mission (BLUE or OPFOR) to be executed by a firing battery. The contractor shall

be prepared to mark 11 targets (to include smoke) simultaneously at different locations throughout the NTC Range Complex at any given time, 24 hours a day. The NTC Staff shall provide up to (44) vehicles for operations, (12) of which have been altered to provide Battlefield Effects “Smokers”. The Contractor is expected to perform Fire Marker and Battlefield Effect services for no more than (12) twelve days during atypical training rotation. The duration of the service is dependent on the training schedule but on average it does exceed (12) hours per training day.

3.5.1 The Contractor shall provide simulated battlefield effects to support the Full Spectrum Operations from Force-on-Force conventional high intensity operations to COIN operations.

3.5.1.1 The Contractor shall provide Battlefield effects such as Fire Marking, obscuration effects, and engineering obstacles. All equipment will be provided by the Government.

3.5.1.1.1 The Contractor shall perform fire-marking, obscuration effects, and deploy engineering obstacles as set forth in the approved rotational training scenario. All devices must be ready for use and verified operational prior to a training evolution. The devices will be provided and maintained by the Government, but the Contractor must verify they are ready. Any discrepancy shall be reported via the MIS for maintenance. Fire Markers will mark Family of Scatterable Mines (FASCAMs), these are simulated by small blocks. Fire Markers service providers will put four Poles that will show the dimensions of the FASCAM, either 400 X 400 or 400 X 800. Once the Poles are employed, the Fire Marker service providers will then employ designated (currently Purple) Smoke simulating FASCAM has been fired at that vicinity. There is an average of 21 FASCAM missions per rotation. Types of devices may vary depending on mission and available devices.

3.5.1.1.2 The Contractor shall deploy and remove all Government provided devices. The Contractor is not responsible for the maintenance for upkeep of the devices but shall track the operational status via the MIS.

3.5.1.1.3 The Contractor shall receive pyrotechnics from a government Ammunition Supply Point (ASP). The contractor shall establish an Ammunition Holding Area (AHA) including access control in order to account for, secure, and issue pyro to fire markers and observer controllers. Fire markers are required to clean-up fire-marking residue and turn-in residue and unused Government furnished pyrotechnics IAW local instructions and directives. Average amount of pyro for each rotation is 2000 artillery simulators, 1500 air burst simulators, 1000 grenade simulators, 200 smoke pots.

3.6 Division Tactical Operations Center & Training Analysis and Feedback Facility Operations

The Contractor shall provide Division Tactical Operations Center (DTOC) and Training Analysis and Feedback Facility (TAFF) support for every training evolution. The current training plan calls for one DTOC, numerous Blue Force TAFF's and one OPFOR TAFF. The DTOC and TAFF shall provide operational preparation services prior to RTU arrival, provide continuous support during the rotation, and then perform close out services after all troops depart. It is expected that all DTOC and TAFF operations be performed simultaneously in the secure section of building 990. Shifts must be manned at a level that allows for meals, breaks and unexpected illnesses. A break in coverage will degrade the training and is unacceptable. A complete DTOC and TAFF SOP shall be submitted to the COR and Contracting Officer for review within (90) days after contract transition. The SOP must contain the operations for each TAFF team, DTOC and associated functions.

The senior (Federal employee or Active-Duty military member) military training specialist or a designated Government military personnel will be responsible for providing TAFF operations guidance to both parties (Government and Contract employees) throughout

each training rotation cycle to ensure mission continuity. The Contractor shall support Platoon through Brigade live fires. The DTOC and TAFF requirement currently needs the below configuration at a “**minimum**” for successful operations. The Contractor can use the below amounts as a reference and is authorized to increase / decrease teams and team members as the mission requirement changes. Assignment of Supervisors and Team Leads are the Contractors responsibility, adequate leadership and management shall be maintained at all times. Team Leaders and supervisors can fill in for operators during high operational tempo or to cover shift for sick / late or absent operators. The Contractor shall manage the workforce to ensure that all TAFF teams are staffed

1) Brigade Level TAFF (1) “**Bronco**”

Team Members: (3) operators per shift

2) Maneuver TAFFs (4) “**Tarantula**”, “**Scorpion**”, “**Panther**”, “**Cobra**”

Team Members: (3) operators per shift each

3) Aviation TAFF (1) “**Eagles**”

Team Members: (3) operators per shift

4) Special Troops TAFF (1) “**Sidewinder**”

Team Members: (3) operators per shift

5) Sustainment TAFFs (2) “**Goldminer** & **Wagoneer**” under (1) Team

Team Members: (3) operators per shift with

6) Fire Support: (1) “**Wolf**”

Team Members: (11) operators per shift

* Also contains an AAR/THP production team of (2), which is not included in the (11), for all TAFF/DTOC use and provides the additional DTOC support as needed

7) OPFOR TAFF (1)

Team Members: (2) operators per shift

8) DTOC (1)

Team Members: (8) operators per shift

Additional TAFF teams and operators may be required for specific rotational training. A High Mobility Artillery Rocket System (HIMARS) TAFF was required for 50% of the RTU's on the 2016 Annual Training Schedule; increasing frequency may continue. The Contractor will be required to manage the increase or decrease of TAFF staff to ensure adequate coverage for all TAFF Operations. The potential TAFF teams are identified below.

1) HIMARS Support (1) "**Jackal**" –will combine with "Wolf"

Team Members: (3) operators per shift

2) Engineer Support (1) "**Puma**"

Team Members: (3) operators per shift

3) CBRN Support (1) "**Desert Fox**"

Team Members: (3) analyst per shift

3.6.1 The Contractor shall assist in providing real-time data, monitoring, and tracking, data collection, computer operations, and training analysis functions. Government and Contractor employees will be co-located in the secure facility in building 990. All DTOC and TAFF tasks are performed simultaneously.

3.6.1.1 The Contractor shall coordinate the communication between the DTOC and each TAFF. In the event the Government directs training analyst to perform DTOC liaison on the DTOC floor, TAFF manning will be reduced by the number of personnel performing that function.

3.6.1.2 The Contractor shall provide each TAFF with personnel knowledgeable in operations from Company, Team to Battalion / Task Force level with enablers in full spectrum operations that include urban and rural environments with basic knowledge of the Warfighting Functions.

3.6.1.3 The Contractor shall provide the DTOC with personnel knowledgeable in operations from Brigade to Division with enablers in full spectrum operations that

include urban and rural environments with basic knowledge of the Warfighting Functions.

3.6.1.4 The Contractor shall work as an integrated Government / Contractor team to provide continuous coverage for each rotation. The Contractor / Government team will coordinate to ensure coverage is continuous. The Government must coordinate with Contractor management to ensure that the Contractor schedule and the Government schedule provide 100% coverage. Coordination will be initiated during the pre-rotational planning.

3.6.2 The Contractor shall perform all of the following functions:

3.6.2.1 The Contractor shall operate workstations across Army Battle Command System (ABCS) and IS suites, validate instrumentation equipment, and track tactical operations.

3.6.2.2 The Contractor shall monitor, input data, provide observations, and conduct analysis of information derived from unit provided reports and Operational Centers to provide a clear common operating picture that enables the OC to see opportunities, shortfalls, and provide predictive assessments of the unit's ability to complete the tactical task/mission.

3.6.2.2.1 The Contractor shall validate the installed MILES gear is associated with the correct RTU vehicle. The Contractor shall visually inspect the vehicle and MILES number to ensure that each vehicle has the correct MILES gear associated. The live and virtual representation of the vehicle and associated MILES system are correct shall be validated prior to training.

3.6.2.3 The Contractor shall coordinate with other TAFFs, OC teams, and the DTOC to develop the Common Operational Picture (COP) for use in providing feedback and analysis products that reflect trends in the unit.

3.6.2.4 The Contractor shall prepare data into a usable format for AARs, THPs, and other output products IAW the Rotational Training Plan.

3.6.2.5 The Contractor shall provide input for analysis and trends formulation.

3.6.2.6 The Contractor shall operate tactical and Range Communication System (RCS) radio systems. The operation of military and civilian radios and knowledge of proper radio procedures is essential for this service.

3.6.2.7 The Contractor shall assist or independently operate AV systems and equipment in the execution of AARs. After the RTU departs each TAFF shall provide (1) AAR/THP copy to the RTU (complete with AAR videos), (1) copy to CALL (no videos) and (1) archive copy (no videos).

3.6.2.8 The Contractor shall prepare products for pre and post rotational briefings.

3.6.2.9 The Contractor shall be familiar with the Tactics, Techniques, and Procedures (TTP) and doctrinal proficiency based on the RTU Training Scenario.

3.6.2.10 The Contractor shall maintain proficiency on DTOC and TAFF systems to support the mission. The Contractor shall be proficient on new or correct techniques used to conduct analysis, develop AARs, provide feedback, and identify trends in support of the training rotation.

3.6.3 Intelligence Current Operations Staff (INTEL OPS) and Systems:

The Contractor shall provide and perform the functions of the Intelligence Current Operations Staff (INTEL OPS) and Systems. This consists of intelligence analysis, produce and distribute intelligence products, and brief these products in support of current operations as directed by the senior military analyst that cover the functional intelligence disciplines (IMINT, SIGINT, MASINT, HUMINT). Services are conducted

during every training event and during standard workdays.

3.6.3.1 The Contractor shall simulate the functions of an Analysis Control Element (ACE) and G2 Operations Fusion Cell to include operations of the Trojan and Global Broadcast System.

3.6.3.2 The Contractor shall answer intelligence related Request for Information (RFI), manage RFIs, assist intelligence collection management, and conduct SIPR and NIPR data mining, particular foreign weapon systems and capabilities.

3.6.3.3 The Contractor shall simulate through role play the representatives of the S/G/J/2 intelligence staff, the ACE, and the G2 Current Operations Fusion Cell.

3.6.3.4 The Contractor shall provide intelligence analytical support for the senior military analyst using intelligence tools such as DCGS-A (Distributed Common ground System – Army), MFWS (Multi-Function Workstation), Arc GIS/Arc Map, Analyst Notebook, CPOF (Command Post of the Future).

3.6.3.5 The contractor shall produce and brief intelligence products using CPOF.

3.6.3.6 The Contractor shall create and disseminate simulated reports such as SPOT reports, SITREP and intelligence summaries.

3.6.4 Graphic Artist Support:

3.6.4.1 The Contractor shall provide graphic artist support for all NTC Operations Group. The service providers shall create and produce briefing material for any NTC section that requires assistance. Continuous support is not required during training exercises, but service coverage is required on a regular work schedule basis regardless of the training cycle. Material produced may be incorporated into the THP

and the Contractor is responsible to ensure that all materials are turning into the NTC section that is requesting services.

3.6.4.2 The Contractor shall perform the services in building 990 in room #152. Two permanent workstations contain Government provided equipment to perform all services. A third secret capable workstation is available for use when needed in room #152.

3.6.4.3 The Contractor shall assist, construct, prepare in Command level and VIP briefings. The Contractor shall prepare or assist in the preparation of Command Level or VIP briefs. The Contractor may be required to assist in preparing the briefing room as well as assisting with operating the briefing equipment.

3.7 SOC Support for 52nd ID Tactical Network

The Contractor shall provide Support Operations Center (SOC) support for the 52nd Infantry Division (ID) Tactical Network. The term Support for this section consists of operational and maintenance support. The Contractor shall provide real time monitoring, system data collection, computer operations, and data analysis functions for the Support Operations Center (SOC). The Contractor shall provide lifecycle support and maintenance for the fielded 52nd ID Tactical Network. A complete listing of the current network is contained in Appendix (D). The 52nd ID Tactical Network requires continuous operational support during training events. Coverage during non-training time follows normal business hours; (8) eight-hour workday to cover required tasks. The Contractor is required to perform all maintenance for the 52 ID network and replace / repair as needed.

3.7.1 The Contractor shall perform the following functions: operate workstation, analyze data and assimilate into usable information, prepare incident reports and submit to appropriate Information Assurance (IA) personnel, apply patches and IA Vulnerability Alert (IAVA), develop a Plan of Action and Milestones (POAM) and provide continuous

monitoring during rotations and normal duty hours. Mission Assurance Category Level is II, Confidentiality Level is Sensitive, and Robustness Level is Medium.

3.7.2 Federal Information Security Modernization Act (FISMA) Support: Contractor shall conduct a FISMA assessment for the NTC Instrumentation System (IS) and the 52ID Information System in order to remain compliant. FISMA requires all DoD Accredited Systems to undergo an Annual Security Review and Security Control Test.

3.7.2.1 The Contractor shall conduct FISMA assessments in accordance with DoDI 8500.01.

3.7.3 The Contractor shall perform network security services. As a measure of Defense in Depth, the CTC Enterprise Domain, Secret Tactical Local Area Network switches are managed via an Mgmt. vLAN to prevent unauthorized access to network devices and network/host audit logs. An inward-looking Intrusion Detection Sensor (IDS) has been added and is monitored by SOC personnel to guard against “Insider Threat”. The SOC Syslog server collects and stores the network and host audit logs from the SOC network device (switch/router) for SOC Analyst review.

3.7.3.1 The Contractor shall perform the following Security Operations services per training rotation: (1) Monitor IDS and SSIM Alarms, (2) Conduct Incident Response tasks as required, (3) Review network, firewall, IDS and host audit logs, (4) Report anomalies to the SOC Lead, (5) Scan incoming Rotation Training Unit computers for Information Assurance compliance and current virus definitions.

3.7.3.2 The Contractor shall perform the following security operations during the last week of rotational training: the Security Operations Center will download Security Tool software and security updates including:

- (1) Cisco Switches/Routers (C-3845, C-3750 and C-3560)
- (2) Cisco ASA5510 Firewall
- (3) Cisco Intrusion Detection System

- (4) Symantec and MacAfee Anti-Virus definitions and scan engines
- (5) Retina
- (6) Network Mapper (NMAP)
- (7) Putty

The specific items may change as systems change and items be added to enhance security as security risks are identified and required. This list is not a complete list of all security measured performed.

3.7.3.3 The Contractor shall perform the following End-to-End preparation security operations at the end of a training rotation.

- (1) Update Security Tool software and security updates.
- (2) Make copies (hard and soft copies) of the updated network device (switch/router) and firewall configurations and store them in the fire rated security container located in the SOC and an off-site location.
- (3) Scan Unclassified and Classified networks approved Security scanners, Report findings to the SOC Lead.
- (4) Back Up and Store network, firewall and host audit logs in the fire rated security container located in the SOC and off-site locations.
- (5) Assist the IASO with writing IAVM Extension Requests and Plan of Action and Milestones (POA&M).
- (6) Testing and installing IAVA patches on legacy systems.

3.8 Mission Command Information System Support / Network Operations

The Contractor shall provide Mission Command Information System Support for the Network Operations Center and DTOC. The services are required for all training events and is located in building 990. The Contractor may be required to travel to receive concurrency training. Proficiency in map reading, MGRS interpretation and proper military radio communication techniques are expected. The ability to learn how to operate the Blue Force Tracker system and similar systems will be required for future operation support.

Multiple shifts will be required for continued support during rotational training. Shift change and coverage will be coordinated by the Contractor to ensure continuous coverage during every training event. Standard daily support is required during non-training days; Monday through Friday with 8-hour work days. It is required that Contractors obtain and maintain all required certification identified in DOD 8570.01-M IA Work Improvement Program.

3.8.1 The Contractor shall be responsible for establishing and operating all C4I communication systems, networks, hardware, and software systems continuously during all training events. The Contractor will be required to provide normal workday coverage on non-training days as identified in the Annual Training Schedule.

3.8.1.1 The Contractor shall utilize CHES procedures to purchase any support equipment. All requested equipment will be reviewed by the NTC Operations Group CIO or representative, forwarded to the COR for concurrence and approved by the Contracting Officer. If an item is not available via CHES, then the Contractor shall utilize the appropriate methods listed on the CHES website. Support equipment is limited to computer workstations,

3.8.2 The Contractor shall establish and maintain connectivity with the training HUB and the rotational unit continuously during all training events.

3.8.3 The Contractor shall provide training support for Observer Controllers, TAFF operators, and the rotational unit on all Mission Command applications.

3.8.3.1 Support includes basic operator knowledge, operator-level troubleshooting skills, basic understanding of Tactics, Techniques, and Procedures, classroom set-up, assistance to Program Manager Subject Matter Experts as Assistant Instructors, and assistance in the development of AAR products from the tactical systems.

3.8.4 The Contractor shall maintain a continuous Mission Command Information System helpdesk for operations during every training rotation.

3.8.4.1 The Contractor Help Desk personnel will report network, system, and/or equipment problems to the Network Operations Chief and Operations Group Chief Information Officer. Help desk personnel shall assist with identifying and resolving problems immediately or report the estimated duration it will require (critical outages are reported immediately and must be operational within 30 min of identification).

3.8.4.1.1 Critical outages are considered any event that disrupts a training event, DTOC or TAFF operations in excess of 30 minutes. All critical outages shall be reported via the MIS to coordinate repair and trend analysis.

3.8.4.2 The Contractor Help Desk personnel shall also document and record all corrective actions in the electronic journal database. Examples include, but are not limited to, routers, switches, joint network node (JNN), Ku/ Ka band satellite, SMART-Ts, High Capacity Line of Sight (HCLOS), retransmission systems, Enhanced Position Location Reporting System (EPLRS), single channel nets (SINCGARS, TACSAT, etc.), internet controllers (INCs), wide area network (WAN), Tactical Mission Command Systems and its servers, and local area networks (LANs).

3.8.5 The Contractor shall simulate a NOC for the G6 at the Division/ Corps or J6 at Joint Task Force (JTF) level through a process of RFI management to obtain guidance from the appropriate NTC Operations Group subject matter expert to formulate an approved response that is communicated back to the unit through simulated roleplaying by DTOC personnel. The guidance is to ensure the accuracy of the training scenario not for supervision.

3.8.6 The Contractor shall meet DoD 8570.01 DOD Information Assurance Work Force certification requirements to administer the Mission Command Information Systems and network.

3.8.7 Mission Command TAFF / Network Operations Center (NOC)

3.8.7.1 The Contractor shall establish a TAFF/NOC that operates continuously from RSOI 2 through Training Day 14. The Mission Command TAFF/NOC will operate 8 hours per day during the remaining portion of the rotation (RSOI 1 and BRD 2-5) and non-training days.

3.8.7.2 The Contractor shall respond to network system failures within thirty (30) minutes of notification/identification and provide on-site presence within two (2) hours to re-establish network connectivity.

3.8.7.3 The Contractor shall operate the Government fielded RCS. The Contractor shall communicate with the NTC support staff, Field Support Representatives, and monitor OPS CMD talk group for any traffic related to the NTC Operations Group team mission. The Mission Command TAFF/NOC will operate IAW procedures and Commander's Critical Information Requirement (CCIR) established by the designated NTC Staff military representative.

3.8.7.4 The Contractor shall prepare AAR products for subjects related to Network Operations, Mission Command Systems, and Network Security Operations.

3.8.7.5 Contractor shall acts as the technical liaison between the DTOC, TAFFs, and the designated NTC team.

3.8.7.6 The Contractor shall document and troubleshoot the Mission Command Information System issues relating to Instrumentation and Simulations.

3.8.7.7 The Contractor shall monitor and document the status of voice, data, and video equipment systems and networks. Examples include, but are not limited to routers, switches, joint network node (JNN), Ku band satellite, high capacity line of sight

(HCLOS), retransmission systems, Enhanced Position Location Reporting System (EPLRS), single channel nets (SINCGARS, TACSAT, etc.), internet controllers (INCs), wide area network (WAN), Army Battle Command Systems (ABCS), and local area networks (LANs). The Contractor is **“not”** responsible for the maintenance, repair or replacement of these items only to report the status and if they require repair / replacement via a MIS maintenance entry.

3.9 Distributed Common Ground System-Army (DCGS-A) Integrator Operations

The Contractor shall provide technical support for the integration of the provided DCGS-A assets. The National Training Center Instrumentation System (NTC-IS) is a collection of subsystems supporting the mission to fill the training gap between limited home-station unit training and actual combat scenarios. The NTC encompasses over 635,000 acres, with over 2500 square kilometers used for the training environment replicating battlefield conditions expected in any level of conflict. The Contractor shall provide technical support for the integration of the DCGS-A into the NTC Operations Group to ensure the full range of DCGS-A capabilities is integrated into scenario design to achieve desired training outcomes.

The work to be performed under this effort may involve access to, handling of and generation of both unclassified and classified material up to secret clearance. The Contractor is required to have operated and possess current capabilities to operate in an environment of secret clearance facilities. The mission require the contractor to access and operate on TS/SCI classified material.

3.9.1 The Contractor shall provide DCGS-A Integrator support to Operations Group during all training events and standard work days.

3.9.1.1 The Contractor shall provide DCGS-A subject matter expertise (SME) to support planning, coordination, and technical integration of DCGS-A (all into the NTC's battle

command systems architecture to support HICON, EXCON, AAR data retrieval, and Combat Trainer (CT) situational awareness functions.

3.9.1.2 The Contractor shall provide technical coordination required to ensure that DCGS-A is properly configured to support BCT training events, including development and integration of the required associated scenario and data environment necessary to support rotational intelligence and intelligence operations training of the BCT in a collective training environment, which includes live, virtual, and constructive training data, and the Mission Command Validation Exercise.

3.9.2 The Contractor shall support external organizations that identify and implement architectural and network solutions relating to the use of doctrinally appropriate DCGS-A applications including real world and/or simulated data sources and systems that provide input to the DCGS-A during training events.

3.9.3 The Contractor shall coordinate with the Project Foundry and JIEDDO to integrate and train DCGS-A theater provided intelligence systems and capabilities as part of NTC training events.

3.9.4 The Contractor shall provide a DCGS-A SME to the NTC and assist in integration related to the functions and capabilities of other Army and Joint ISR organizations, capabilities and functions. The SME be knowledgeable of the DCGS-A operations and learn / understand the current fielded version (3.2.4.4 or higher).

3.9.5 The Contractor shall provide SME for integration of Intelligence capabilities (specifically DCGS-A) into the ABCS network used to support training of BCTs and LTP events.

3.9.6 The Contractor shall support pre-rotation planning and coordination with BCTs related to the technical integration of their Intelligence capabilities into the NTC

architecture to facilitate real world like exchange of data among systems during training and LTP events.

3.9.7 The Contractor shall support planning and development of rotation scenarios for DCGS-A to enable training units to employ their DCGS-A capabilities during training as they will in actual operations.

3.9.8 The Contractor shall review RTU reporting against actual attacks conducted by the OPFOR to capture missing events to ensure the CIDNE SIGACTS paint a clear picture for subsequent rotations. Assist with the development of Brigade level intelligence products using DCGS-A to ensure they are an accurate reflection of OPFOR activity.

3.9.9 The Contractor shall support pre-rotational coordination and planning with each RTU to identify their unique requirements and maximize training on the JIEDDO/DA G2 Intelligence Theater Provided Equipment (that Project Foundry will maintain at the NTC). Manage CT training on this equipment so they are prepared to coach and mentor their counterparts.

3.9.10 The Contractor shall maintain a current understanding and knowledge of theater best practices and trends by incorporating new data bases, tools or methods within DCGS-A to enhance rotational unit training. In coordination with a DCGS-A Field Service Representative (FSR) identify and prioritize implementation of architectural and network solutions relating to the use of doctrinally appropriate DCGS-A applications including real world and/or simulated data sources and systems that provide input to the DCGS-A during training. Ensure these additional capabilities are sustainable by NTC Operations Group and if not recommend possible solutions to overcome manning or equipment shortfalls.

3.9.11 The Contractor shall support and facilitate use of ABCS and DCGS-A to present intelligence products in realistic formats vice using PowerPoint or Word

documents.

3.9.12 The Contractor shall coordinate with TRADOC G2 and Counter- IED Operations Integration Center (COIC) to facilitate the introduction of a common scenario blueprint and sharing of NTC historical and rotational unit generated reporting within a common data base.

3.9.13 The Contractor shall routinely attend video teleconferences with outside agencies or travel to key conferences reference DCGS-A. All travel will be approved by approved NTC personal and the COR.

3.9.14 The Contractor shall identify technical, procedural, hardware, and software related issues that need to be addressed by the NTC Operations Group to ensure adequate employment of DCGS-A capabilities during rotations.

3.9.15 The Contractor shall provide DCGS-A technical support needed to ensure integration and sustainment of the DCGS-A as part of the NTC Operations Group network to include Information Assurance (IA).

3.9.15.1 The Contractor shall maintain an inventory of DCGS-A equipment and will assist the Government with hand receipt verification when issuing and receiving equipment.

3.9.16 DCGS-A Field Support Engineer (FSE) Requirements:

The FSE support function designs, plans, installs and supports network communications systems. Provides specifications and detailed schematics for network architecture. Provides specific detailed information for hardware and software selection, implementation techniques and tools for the most efficient solution to meet business needs, including present and future capacity requirements. Conducts testing of network design. Maintains technical expertise in all areas of network and computer hardware and software interconnection and interfacing, such as routers, multiplexers, firewalls, hubs, bridges, gateways, etc. Evaluates and reports on new communications

technologies to enhance capabilities of the network. Provides technical analysis in data network planning, engineering, and design. Monitors all hardware components to ensure network communication facilities are operational at optimum levels, tracking response time of the data network to provide maximum availability and critical scheduling of data transfers. Analyzes user requests to determine needs, and recommends appropriate equipment and software. FSE position makes corrections as necessary to communications systems hardware and software to ensure the availability of the data network. Evaluates and reports on new analog and digital communications technologies to enhance the capabilities of the data network. Proposes solutions to management to provide all the data communications requirements based upon future needs and current usage, configuring such solutions to optimize cost savings. Maintains provisioning, servicing, and maintenance activities.

3.9.16.1 FSR support includes detailed software, firmware, and hardware technical troubleshooting. May require assisting unit maintenance technicians with replacement of Line Replacement Units (LRUs), installation of software images, software patches, software backup and recovery, Information Assurance Vulnerability Management (IAVM) and similar updates, software problem report (SPR) submission, and providing field units with assistance in preparation of the network access and system accreditation packets when requested.

3.9.16.2 The Contractor shall coordinate with on-site Knowledge Manager to improve, modify, and update queries of the database, and management of database objects enabling access to the new data.

3.9.16.3 The Contractor shall provide over the shoulder training, hardware support, replacement, troubleshooting, software installation, software updates and software fixes.

3.10 Radio Operations / TOCNET Support Operations

The Contractor shall perform Radio Operations/ TOCNET support. The NTC encompasses over 700,000 acres, with over 2500 square kilometers used for the training environment and utilizes FM communications to communicate and record FM communications with the training unit. The Radio Operations/ TOCNET Support and rotation training support shall include setup, maintenance of the FM communications

systems to include TOCNET, Crew Access Units and the FM infrastructure. Provide recorded FM communications to the TAFFs for After Action Reviews. Services are required during every training event as well as during non-training days.

3.10.1 The Contractor shall set up and maintain FM Communications System, using over 130 FM nets, for monitoring and transmitting radio-based communications to and from radios, LAN/WAN computer workstations in a formal military tactical environment.

3.10.2 The Contractor shall implement, manage, and maintain the military-accredited software and web-server applications (TOCNET).

3.10.3 The Contractor shall set up, monitor, and maintain a complex tactical FM communications system that is used for training personnel, Operations Group, and real-world emergencies.

3.10.4 The Contractor shall ensure that all TAFF personnel are able monitor/communicate on all FM nets. A disruption in communication capabilities shall be reported to the approved NTC staff immediately, a delay in communication that causes a delay in training is unacceptable.

3.10.5 The Contractor shall configures EMCSU (Enhanced Micro Central Switching Unit) that allows all FM net traffic, to transmit and receive, from any LAN-based computer system on the 52ID and RTU tactical networks. TOCNET is currently accredited hardware/software used by the ARMY with a formal Authority-To-Operate through 2019.

3.10.6 The Contractor shall ensure that the 52nd ID DTOC personnel are able to transmit and receive real world Medevacs.

3.10.7 The Contractor shall ensure that the 52nd ID Eagle personnel are able to transmit and receive real world Aviation assets.

3.10.8 The Contractor shall ensure that the 52nd ID personnel covering Live Fire operations are able to transmit and receive, to include Live Fire communications with RTU medics.

3.10.9 The Contractor shall assist RTUs at all levels in the set-up of TOCNET system because FM is the primary means of communication for the Commanders PACEplan.

3.10.10 The Contractor shall assist RTUs to bridge SVOIP assets with FM assets.

3.10.11 The Contractor shall establish /setup TOCNET as primary failover if RCS system becomes inoperable, to Monitor Range Control, and to set up Rotational Training Unit Divisions DTAC at building 509.

3.10.12 The Contractor shall operate all RTU FM nets, TOCNET is currently set up to monitor the following nets as well:

- | | | |
|----------------------|------------------------|-----------------------------|
| a) All critter teams | f) OPS Group CMD | k) Division Fires Voice |
| b) Blackhorse | g) 52 ID CMD | l) Division Fires Data |
| c) Desert Radio | h) 52 ID RTS fail over | m) Range Control / Medevacs |
| d) Bikeflight 1 | i) 52 ID O & I | n) G3 Air |
| e) Bikeflight 2 | j) Live Fire/Dragons | o) EOD |

3.10.13 The Contractor shall assist the RTUs with their CPP and SICPs to include the following:

- a) CPP (Command Post Platform).
- b) CP LAN.
- c) CPCS (Command Post Communication System).
- d) CCS (Command Center System).
- e) TMSS (Trailer Mounted Support System).

3.10.14 The Contractor shall assist RTUs with Mission Command Validation Exercise (MCVE)

3.10.15 The Contractor shall set up the following Battle Captain Workstations:

- a) SoftCAU
- b) HardCAU

3.10.16 The Contractor shall meet DoD 8570.01 DOD Information Assurance Work Force certification requirements to administer the TOCNET system.

3.11 Joint Planner Support Operations

The Contractor shall provide SMEs to provide Joint Planner Support Operations. The Contractor is required to provide exercise planning, execution, AAR support, and joint subject matter expertise in support of integrating Green Flag Support. The Contractor shall possess a robust knowledge of joint air ground operations, exercise instrumentation and debriefing systems, and multimedia construction and presentation capability. The Contractor will operate in a team environment supporting training, from Fort Irwin (GREEN FLAG West), with other Green Flag Support Element (GFSE) members and exercising joint air ground operations with USAF and U.S. Army personnel. The Contractor service hours are “**not**” tied to the training schedule and shall be required to work a standard (5) five day work week consisting of (8) eight hours a day; standard Federal Holidays apply.

3.11.1 Green Flag Support Element Rotational Planning Support

3.11.1.1 The Contractor shall provide Joint Planning Support, as part of the GREEN FLAG Operations Planning Team, to ensure overall exercise design and training objectives are synchronized with the objectives of individual participating units from all services.

3.11.1.1.1 The Contractors Joint Planning Support, as part of the GREEN FLAG Operations Planning Team will include attendance at all planning meetings over the 240-day Joint Event Life Cycle (JELC) for the up to (10) ten training exercises per year at NTC, as well as TDY travel to (10) ten Army planning conferences per year at various Army installations in the United States, and attendance at GREEN FLAG mission planning conferences (10) ten times per year at Nellis AFB, NV. Figure (6) has a

standard 240 Day JELC description, the JELC may change as required.

Figure 6 240-Day Joint Event Life Cycle

Regular RTU	National Guard RTU	Event
D-240	D-380	Senior Trainer VTC (Discuss initial guidance)
D-230	D-360	Staff to Staff VTC (Identify support requirements; Review timeline / key events)
D-210	D-330	Initial Planning Conference (TDY to RTU Home Station, Refine exercise objectives)
D-120	D-120	NTC LTP (Conduct Military Decision Making Process (MDMP), Resolve final planning issues)
D-108	D-108	COG+4 Brief (Scenario COA Development)
D-90	D-90	Senior Trainer VTC (Scenario brief to Senior Trainer)
D-84	D-84	COG+3 (Scenario COA Development)
D-83	D-83	CG+3 (Scenario COA Development)
D-56	D-56	COG+2 (Scenario COA Development)
D-54	D-54	CG+2 (Scenario COA Development)
D-53	D-53	Rotational War Gaming (Plans Internal)
D-24	D-24	COG+1 (Scenario COA Development)
D-13	D-13	Plans +1,2,3 (Plans Internal, Internal Scenario Review)
D-7	D-7	Pre Ro (Scenario Presented to Operations Group)
D-6	D-6	OPORD Review and Command Guidance (Plans Internal)
RSOI4	RSOI4	CG Roll Out (Scenario Presented to CG)

3.11.1.2 The Contractor shall integrate with the Fort Irwin Operations Planning Teams (1, 2, and 3) as required to provide exercise planning support as defined by the 12th CTS Directors of Operations.

3.11.1.2.1 The Contractor planning support will include: Presentation preparation and SME support at D-210 and D-90 planning conferences; tanker and visiting unit scheduling; pre-exercise leadership briefing development; and, master air attack plan development. This planning support encompasses the entire 180-270 day planning cycle of each GREEN FLAG exercise.

3.11.1.3 The Contractor shall attend all customer directed planning conferences, engage with the exercise planners to integrate CAS and coordinate with the NTC Operations Group live-fire observer, coach, trainers to safely integrate live-fire scenarios.

3.11.1.4 The Contractor shall attend the Joint Fire Power Course (Nellis AFB) in order to maintain knowledge/expertise on evolving/emerging CAS TTPs.

3.11.2 The Contractor shall assist the NTC GREEN FLAG Operations Team with the following:

3.11.2.1 The Contractor shall provide assistance to the 57th Operations Group staff to plan and execute JNTC, Higher Headquarters (HHQ), and other air-ground integration exercises as required. Additionally, the will include full-time Joint Exercise (JELC) planning support for ten Joint NTC/GREEN FLAG West exercises per year.

3.11.2.2 The Contractor shall provide assistance in both the development and collection of exercise data, and provide the process method to collect data.

3.11.2.2.1 The Data collected during each exercise shall be incorporated into a lessons learned program. Said information shall also serve as the nucleus for the 57 Operations Group Common Operational Picture (CoP), SharePoint or website, as appropriate. The Contractor is not required to maintain the SharePoint or website but may be required to input the data during regular work hours.

3.11.2.3 The Contractor shall assist the Government in preparation and delivery of aircrew in-briefs at GREEN FLAG exercise locations at Fort Irwin during normal working hours. The Contractor may be required to deliver the brief but all information shall be reviewed and approved by the Government.

3.11.2.4 The Contractor shall provide an interface within the 57 Operations Group organization (549 CTS and 12 CTS) to categorize and document air-ground integration and interoperability lessons learned, tactics techniques and procedures, doctrine development, and institutional cross-talk. Information utilized in this task shall be obtained via Contractor exercise participation as well as various other broad spectrum air-ground related exercise AAR report, combat lessons learned, and doctrinal source information.

3.11.2.5 The Contractor shall provide expertise to track trends relating to air-ground integration issues and provide feedback to U.S. Army and USAF training units for each rotational exercise; compile and categorize these issues, track recurring trends, and provide feedback on a semi-annual basis to the 57 Operations Group, NTC Operations Group, and Air Combat Command Exercise and Joint Operations Division ACC/A3Y; support a trend reversal program to identify and correct negative trends.

3.11.2.6 The Contractor may be required to provide input to the US Army Forces Command Leadership Training Program (LTP) on an as required basis, they shall assist in preparation and delivery of the LTP GREEN FLAG section at all GREEN FLAG exercise locations.

3.11.3 RESERVED

3.11.4 Contractor Knowledge Skills and Abilities (KSA). The Contractor shall provide personnel table to perform required tasks. The Contractor personal shall demonstrate expertise in at least one (1) of the following areas

1. Personnel desired experience levels:

- a. USAF Air Liaison Officer (ALO) or USMC Air Officer (AO) experience
 - b. Tactical aviation with experience in close air support
 - c. Operations analysis with experience working close air support
 - d. Joint Terminal Attack Controller (JTAC) experience
 - e. Air Support Operations Center (ASOC) or similar C2 node
 - f. ASOC Digital Gateway Operator and/or Joint Interface Control Officer
 - g. Experience with DoD training networks and ASOC specific hardware and software
 - h. Joint military planning experience
 - i. Capacity to attain Secret clearance at a minimum, and highly desired capacity to attain TS/SCI clearance and STO read-in.
 - j. Experience in air-to-surface fires integration
2. Air Support Operations Center (ASOC) experience is highly desired.

3.12 Force XXII Battle Command Brigade / Below / Blue Force Tracker / Joint Capabilities Release (FBCB2 / BFT / JCR) Operations

The Contractor shall install, remove, troubleshoot, store, and maintain the FBCB2/BFT/JCR provided communications. The Contractor is responsible for completing, submitting, tracking the DD 2404 Parts Request and basic maintenance. The contractor shall provide FBCB2/BFT/ JCR support services to the 11th Armored Cavalry Regiment (ACR) and 916th Support Brigade (SB) in addition to the RTU support. Three work stations are located in a semi-permanent Government provided facility next to building 6222 and one work station is located to support the 11th ACR / 916th SB. Services are required during all training events as well as during standard work days.

3.12.1 The Contractor shall ensure standardization of the overall CTC Operations Group (OPSGRP) Force XXI Battle Command, Brigade-and-Below/Blue Force Tracker/ Joint Capabilities Release (FBCB2/BFT/ JCR) and Enhanced Position Location Reporting System (EPLRS) equipment program through a common SOP.

3.12.1.1 The Contractor shall install, setup, initialize, configure, troubleshoot and perform Preventative Maintenance Checks and Services (PMCS) - IAW applicable Technical Manuals (TMs), Technical Bulletins (TBs), and publications (PUBs) - of Operations Group (OPSGRP) Combat Trainers (CTs), Commanding General (CG), and Command Sergeant Major (CSM) vehicles BFT/JCR equipment.

3.12.1.2 Contractor shall utilize the FBCB2/BFT/JCR Field Service Solution (FSS) component in the performance of troubleshooting and PMCS.

3.12.1.3 Contractor shall notify the vehicle driver if repair of BFT/JCR installation kit equipment is not repairable locally.

3.12.1.4 Contractor shall perform troubleshooting and PMCS IAW applicable TMs, TBs, and PUBs - of Fixed Tactical Internet (FTI) sites and vehicle-mounted EPLRS radio network equipment.

3.12.1.5 Contractor shall perform troubleshooting and Preventative Maintenance Checks and Services (PMCS) IAW applicable TMs, TBs, and PUBs - of the EPLRS Networks Manager (ENM) to ensure proper rotational operations. * This requirement is conducted on a non-reoccurring basis approximately once a year but no more than twice.

3.12.1.6 Contractor shall interface with Program Executive Office for Command, Control and Communications-Tactical (PEO-C3T) Project Manager, Tactical Radio Communications Systems (PM-TRCS) Contractor FSRs.

3.12.1.7 Contractor shall interface with the local Chief Information Officer to identify all standardization of databases and radio upgrade interference issues for further coordination with PEO-C3T, PM-TRCS, U.S. Army Communications – Electronic

Command (CECOM), National Security Agency (NSA) and other applicable agencies providing the latest software and hardware upgrades.

3.12.1.8 Contractor shall interface with the CTC-local G6 (or S6) to support key(s) generation using the KOK-13, KOI-18, and SKL encrypting devices.

3.12.2 Reporting Elements

- a) Daily Activity Log
 - b) Trouble Tickets
 - c) Weekly Field Service Solution Preventative Maintenance Checks and Services
- Daily Compilation Log

3.12.3 Contract Field Service Station (FSS) Security Requirements

3.12.3.1 The Contractor shall utilize the Procedures and Responsibilities for Handling of L-Band Joint Battle Command Platform (JBC-P) Blue Force Tracking (BFT) Key Material, Software, Firmware and Related Data Products Using Full Disk Encrypted Field Service Stations.

3.12.3.2 The Contractor shall comply with the following Army Regulations:

- (1) US Army regulation 380-5, Information Security Program, 29 September 2000
- (2) US Army Regulation 25-2 Information Assurance, 24 October 2007/RAR 23 March 2009
- (3) Army Regulation 190-51, Security of Unclassified Army Property Sensitive and Non-sensitive), 30 September 1993

3.12.3.3 The Contractor shall have PointSec privileges. PointSec privileges is to be responsible for the Handling of L-Band Joint Battle Command Platform (JBC-P) Blue Force Tracking (BFT) Key Material, Software, Firmware and Related Data Products Using Full Disk Encrypted Field Service Stations.

3.12.3.3.1 The Contractor will be registered for L-band JBC-P BFT Key Material, Software, Firmware and related data. Products are handled through registration at this website: <https://fbcb2-bfthelp.army.mil/>. All Contractor's supporting Ground and Aviation JBC-P BFT Systems and using the Pointsec Full Disk Encrypted FSS laptops will be registered with this web site and use it for uploading and downloading of data products.

3.12.4 **Transceiver Firmware.** The military version of the firmware includes special embedded passwords necessary for higher level access within the transceiver. These procedures are required to provide confidentiality for these passwords and to ensure the integrity of the firmware controlling transceiver functions. Firmware that is downloaded for transfer to FSS laptops will be disseminated by CAC encrypted email, or by removable media (i.e. CD-ROM). The media shall be labeled "FOR OFFICIAL USE ONLY".

3.12.5 Provisioning Files:

3.12.5.1 **Provisioning File Requests.** The Contractor shall request data products via the JBC-P BFT Operations Field Support Center (FSC) website: <https://fbcb2-bfthelp.army.mil/>. The JBC-P BFT Mission Command Support Center (MCSC) will validate all requests for provisioning files and data products. Any suspicious requests will be reported to PM JBC-P Security.

3.12.5.2 Provisioning File Distribution:

3.12.5.2.1 Provisioning files with operational keys received by the MCSC personnel will be virus scanned, and transferred to exportable media for importation onto the local MCSC FSS laptop for encryption. The file will be encrypted using either the FSSGlobal or individual FSS public key as appropriate. The encrypted provisioning file will then be transferred to exportable media for posting onto the FSC website. The MCSC will send a notification to the Contractor to alert them to the posting of these files.

3.12.5.2.2 The Contractor shall access the FSC website and download the provisioning files they need from the specified directory on the site. The Contractor shall burn to dedicated exportable media (i.e. CD-ROM) and manually transfer this media to the FSS laptop. The file will then be decrypted using the Encryption Anywhere utility. Note: Any media used to transport these files, as well as the FSS/FSS-P shall be labeled "CONTROLLED UNCLASSIFIED INFORMATION (CUI)/FOR OFFICIAL USE ONLY (FOUO)." The USB thumb drive must be dedicated for the file transfer and not used for any other purpose. The media will be scanned with the FSS Laptop virus scanner prior to decryption. Additional information regarding the use of these tools and answers to frequently asked questions are posted to the FSC website under the "References" tab.

3.12.5.2.3 The FSS shall not process, transfer files from/to any individual, company or entity in an unencrypted state without the express consent of PM JBC-P

3.12.5.2.4 The Contractor shall prepare, submit and execute Transit Key, EscrowKey and Transmission Keys requests and distribution.

3.12.5.2.4.1 The Contractor, NTC Operations Group, or the training units S-6 may request these keys directly from the MCSC via the FSC website using the established procedures to validate the request.

3.12.5.2.4.2 The MCSC will check to verify serial numbers to ensure they match the platform URN/Role names claimed. The intent of this check is to validate the request. Once validated, the FSC will post the requested keys to the web site using established procedures. However, if the FSC receives a request for a transceiver on the compromised list, the FSC shall contact the JBC-P Security Office immediately using established contact numbers.

3.12.5.2.4.3 The MCSC may distribute the INDIVIDUAL 30 character alphanumeric ESCROW Keys via the following methods, in order of preference, based upon availability and when "need-to-know" of the requestor has been properly validated:

- (1) SIPR (no limit on quantity)
- (2) STE (secure voice) or SVoIP (Secure Voice over IP)
- (3) Recovery Chat session (FSC website CAC-enabled chat session). Limit 2 ESCROW values.
- (4) Otherwise, MCSC shall send it via SIPR or CAC encrypted to the unit S-6 identified by the end user. This email shall remind the S-6 of his/her responsibility for establishing "need-to-know" of the end user.
- (5) Transit Keys, Escrow Keys and Transmission Keys (i.e. MDL Recovery Keys) may be distributed via the FSC website to authorized Contractor personnel using the methods established in Paragraph titled "Provisioning File Distribution", otherwise they will be distributed via SIPR. Please note that the use of transmission keys is often unreliable and it may be more expedient to replace the transceiver.

3.12.6 Transceiver Shipment and Storage

3.12.6.1 The JBC-P BFT transceiver (current and future models) are considered high-value precision communications and electronics equipment as defined in AR 190-51. As such the Physical Protective Measures and Security Procedural Measures for Risk Level I stated in Paragraph 3.6, AR 190-1 must be implemented to protect the transceiver.

3.12.6.2 When a transceiver is loaded with firmware and provisioning files, it must be handled in a secure manner to prevent the compromise of the key material and provisioning files loaded in the transceiver firmware. The following procedures will be used to securely maintain the transceiver while in a provisioned and/or keyed state. Transceivers that are loaded with firmware and provisioning files will be placed in a bound or transit (and/or decommissioned) state prior to shipment or storage. Escrow and transit keys will be handled via procedures outlined above. Shipping of

transceivers within CONUS will use tracking methods to ensure receipt at the destination. Shipments within a theater of operations will be to the extent possible to ensure that the transceivers arrive at the destination. Any loss of shipment will be reported to the MCSC (using established procedures) as soon as possible. While in a bound or transit (and/or decommissioned) state, the transceiver will be secured as follows:

3.12.6.3 Provided double barrier protection when not in use, to include training environments and while in shipping. Examples of double barrier protection include:

- (1) A locked or guarded separate building or an enclosed van, trailer, or armored vehicle protected by a perimeter fence.
- (2) A locked steel cage located in a secure storage structure (AR 190-1).
- (3) A locked, built-in container (bin, drawer, cabinet) or a free-standing locked container located in a secure storage structure (AR 190-1).
- (4) "Off Limits" to Unauthorized Personnel" signs will be posted at the activity entrances.
- (5) Equipment will be located in the interior of the facility as far from the exterior as possible
- (6) Access to the equipment storage area will be controlled.
- (7) Access to keys, padlocks, and protective seals protecting assets will be controlled per AR 380-5.

3.12.6.4 Transceivers that are to be returned to depot for maintenance or other disposition will be purged or zeroed prior to shipment. The BGN will be notified when a transceiver is purged or zeroed using established procedures via the FSS and Contractor Handbook or using the platform software.

3.12.6.5 Transceivers that are in the unbound state will not be shipped by any means. They are to remain in the control of the Contractor at all times. If an unbound transceiver must be placed in storage, an appropriate Class V security container will be

used (field safe) or other container approved in writing for use by the PdM, BFT or his designee.

3.12.6.6 Inoperable transceivers that cannot be verified as zeroed must be destroyed by drilling. The Destruction Template can be found on the FSC web site.

3.12.6.7 Any variation to the above procedures relating to the Handling Procedures for L-Band JBC-P-Blue Force Tracking (BFT) Transceivers, Key Material, Software, Firmware and Related Data Products must be approved in writing by the PdM, BFT or his authorized designee.

3.12.7 **Weekly PMCS Procedure:** The Contractor's shall conduct weekly PMCS and report the operations status of all equipment to approved NTC Staff. Major deficiencies that have the potential for training disruptions will be recorded in the MIS daily log.

3.12.8 Workstations: The Contractor shall ensure the Government provided work stations and outside work space is maintained and operational.

3.12.8.1 The Contractor shall purchase any required tools / equipment needed for the performance of all listed services. All tools / equipment will become Government property at the end of the contract.

3.12.8.2 The Contractor shall maintain the outside work area. The work area shall have a functional sunshade. The Contractor is required to purchase any materials to repair / replace the sunshade or environmental support equipment.

3.12.9 11th ACR / 916th SB Services

3.12.9.1 The Contractor shall provide direction and technical assistance in the development of sustainment training programs, maintenance procedures, training, installation and application of FBCB2/BFT capabilities, in concert with unit's mission.

3.12.9.1.1 The Contractor shall provide direction and technical assistance as requested from the brigade S6 for 11th ACR and the 916th SB.

3.12.9.1.2 The Contractor shall perform an initial FBCB2/BFT systems installation safety checks of all 11th ACR and 916th SB assets to identify an operational status baseline and identify all repair needs.

3.12.9.2 The Contractor shall conduct formal platform or unit refresher training, assistance, and familiarization, and reloading user data bases and fault isolation to the component level.

3.12.9.2.1 The Contractor shall perform updates of up to twenty-eight (28) CF30 ruggedized laptop training computers and conduct training in a classroom environment as needed for the Joint Battle Command – Platform (JBC-P).

3.12.9.2.2 The Contractor shall perform updates to the 916th SB base station at the NTC Fort Irwin MEDDAVAC helicopter pad and the base station at the Daggett helicopter pad at Daggett, California supporting the 2916th Air Group (AG).

3.12.9.3.3 The Contractor shall assist units with overlay management, security management, map management, mission data loader (MDL) use, testing and implementing/tracking software upgrades.

3.12.9.3.4 The Contractor shall conduct a final systems check to resolve any operational issues prior to Training Rotation Roll-Out day (usually on RSOI-4 [R3P]). The 11th ACR and 916th SB assets will assemble at the JCR facility vicinity P6222 for a final systems check to resolve any operational issues.

3.13 Replication of Human Intelligence (HUMINT) Operations

The National Training Center (NTC) needs to replicate a holistic training environment in

all of its Intelligence Warfighting Functions (IWfF). The Contractor shall provide appropriate role players with **breadth, depth, language capability** and in certain instances **clearances**. Brigade Combat Team (BCT) views Human Intelligence (HUMINT) as paramount in providing the best quality training for Rotational Training Units (RTU).

3.13.1 RESERVED

3.1.3.2 RESERVED

3.13.3 RESERVED

3.13.4 The contractor shall provide G2X positions (primary and alternate).

Note: The G2X represents Division HUMINT. These positions must be mutually interchangeable; however, during a rotation one position will be primary and the other position secondary (to replicate differences in authority). The primary position will be **senior** in order to centralize command and control of NTC HUMINT. Both positions must be able to transition seamlessly in responsibility, work-load and duties. Primary and alternate will serve as each other's back-up for continuity of operations as the 52nd Infantry Division's (ID) Human Intelligence (HUMINT) representative for the 52nd ID G2.

3.13.4.1 In order to provide the best quality of training to the Rotation Training Units (RTUs) the HUMINT positions must possess the following minimum requirements:

- 351M (Human Intelligence Technician) or 35M (Human Intelligence Collector), specifically a CW2/3 or 35M40 trained individual.
- Graduate of Source Operators Course (SOC)
-
- At least two deployments managing and/or employing HUMINT, especially Interrogation Operations

- Use of Category II (CAT II) interpreters while conducting HUMINT operations as a 35M or 351M in a deployed environment.
- The primary position must be full-time, on-site position
- The **alternate** position must be a rotational on-site position (RSOI 1 thru – Training Day 10; during rotation) with off-site work authorized (when not during a rotation) to include having lodging, per diem and travel authorized to support rotations.
- NTC's replication of Large-Scale Combat Operations (LSCO) coupled with surge support, creates an environment for the contractors that may exceed the normal 40 hours per week. The possibility of extended hours is extended to both positions.

3.13.4.2 The G2X positions will provide role player training and development, work with contractor Program Managers (PM) IOT ensure quality of the deliverable (HUMINT role playing in line with LSCO) to the RTU.

3.13.4.3 Primary and alternate positions must be able to train role players (regardless of Contract employer) assigned to support NTC HUMINT. Both positions will design, develop, write the roles and role play with the role players in order to ensure the quality of delivery prior to actual engagement with an RTU.

3.13.4.4 The G2X positions will ensure the role players are able to properly deliver information of intelligence value in support of a Decisive Action Training Environment (DATE); or work with various contract PM in order to identify, correct the issue or request a replacement role player. The delivery of this information of intelligence value will support the RTU BDE CDR's ability to find, fix and destroy the opposing force (OPFOR) during a rotation at the NTC.

3.13.4.5 The G2X positions will work with Operations Group NTC planners to ensure HUMINT Operations is nested and properly aligned to provide a realistic training environment during a rotation. The G2X positions will also work with the Senior

Intelligence Officer (SIO) and Noncommissioned Officer when issues or conflicts arise which would provide an unrealistic training environment for HUMINT at NTC.

3.13.4.6 The primary and alternate positions will enable and facilitate an RTU HUMINT platform's ability to capture Measures of Performance (MoP) and Measures of Effectiveness (MoE) in order to better enable follow-on training development, sustainment of appropriate battle drills and finally an allowable platform for future Soldier and Leader development.

3.13.4.7 The G2X positions will interact with the NTC Senior Intelligence Officer (SIO) and Senior Noncommissioned Officer to ensure the widest dissemination of HUMINT lessons learned across the force is possible; providing data and information papers to the FORSCOM G2, the Intelligence Center of Excellence (ICOE), HUMINT Training Joint Center of Excellence (HT-JCOE) and The Center for Army Lessons Learned (CALL), when necessary.

3.14 Interagency (IA) Core Support

The Contractor shall provide IA Core Support for each training rotation. The need to integrate IA capabilities into unit training events clearly requires replicated IA personnel at the BCT, Battalion and Company levels as well as assistance to the exercise control staff. Various types of experience and current operational relevance of the Contractors are required because of the complex, non-traditional capabilities, and requirements of current and future operations. Issues such as IA coordination, civil-military relations, political-military relations, tribal and cultural issues, and other challenges emerge in this environment and go beyond the current scope of the CTCs expertise and training capabilities. The Contractor shall replicate different Unified Action Partners (UAP) to include, U.S. Government Agencies and Departments, Intergovernmental Agencies, Non-Governmental Organizations and have the future potential to replicate the Joint, Interagency, Intergovernmental, and Multinational (JIIM) spectrum.

Unified Action Partnership as defined by the ADRP 3-0, paragraph 1-18 “Army Forces coordinate operations with Unified Action Partners. Unified Action Partners are those military forces, Governmental and nongovernmental organizations, and elements of the private sector with which Army forces plan, coordinate, synchronize, and integrate during the conduct of operations.

The hours of service require flexibility due to the varying training schedule. During training events the Contractor shall provide support when training is required which may be outside of the standard workday.

The current operation conditions require a Senior Management Curriculum and Scenario Developer, Part Time IA Team Lead, and on average (6) Part Time IA Consultants but not more than (10) ten Part Time IA Consultants. The IA Consultants vary depending on the rotational training scenario but an average of (6) IA Consultants are anticipated per rotation. This is a recommendation; the Contractor is required to adequately provide services IAW the Contractors Staffing plan.

3.14.1 Mission Support Flexibility: The Government reserves the right to change rotational support as necessary to accomplish training requirements. This does not guarantee that IA services will be required in any of the scheduled rotations outside of the standard workday. Requirements for these services are at the discretion of the NTC Commander and will be identified in the detailed Training Plan.

3.14.2 IA Senior Management Curriculum and Scenario Developer

The Senior Management Curriculum and Scenario Developer service is required daily during training events as well as during non-training days. A flexible work schedule is required to meet the variation of service support required. A Government provided workstation is located in building 990.

3.14.2.1 **Experience:** The IA Senior Management Curriculum and Scenario Developer must have management level experience with the Department of State (DoS) or US Agency for International Development (USAID) to include field experience.

3.14.2.2 The Contractor shall advise Operations Group on IA operations and design training scenarios.

3.14.2.3 The Contractor shall provide training support to the support staff, PROCOB and roll player support.

3.14.2.4 The Contractor may participate in training exercises as a member of an IA or OC/T team.

3.14.2.4.1 The Contractor shall supervise the participating IA training team's efforts through the designated Team Lead in areas of scenario development, thread scripting, coaching, and providing needed synchronization / coordination with role players.

3.14.2.5 The Contractor shall attend and participate in appropriate AAR's that require IA support. The current mission requires IA AAR support on (2) two AAR's per training rotation.

3.14.2.6 The Contractor shall manage the delivery of IA related products and deliverables.

3.14.3 Part Time IA Team Lead (Only required for service during rotational training)

3.14.3.1 The Contractor shall provide one (1) IA Team Lead working in close coordination with the On-site IA Senior Management Curriculum and Scenario Developer SME. The Contractor shall have over-all responsibility for the participating IA

team's operations during scheduled rotations from RSOI-1 through TD-14. The IA team lead will manage the IA team, help shape scenarios, provide scripting for threads, and coach participating IA and battlefield enablers, and may include providing classroom instruction to the RTUs during RSOI, subject matter briefings, daily exercise status reporting, and AAR development. The Government will notify the Contractor through a memorandum during the pre-rotational meeting at least 14 days prior to a training event.

3.14.3.2 The duration for IA is estimated at twenty (20) days (eighteen (18) working days and two (2) travel days) with an estimated ten (10) hours of daily exercise coverage.

3.14.3.3 The Contractor shall be required to perform up to twenty-eight (28) days.

*Extended rotations historically occur no more than once per year. The Contractor support shall be executed under a tactical field training collective unit training environment.

3.14.4 Part-Time IA Consultants (Only required for service during rotational events)

3.14.4.1 The Contractor shall provide an average of six (6) Part-Time IA Consultants (similar to Team Lead) to work with the Brigade Staff, Battalion Leadership and Civil Military Operations Center (CMOC) to replicate different UAP to include, U.S. Government Agencies and Departments, Intergovernmental Agencies, NGO's and have the future potential to replicate the JIIM spectrum. USG IA replicated teams may replicate functionally condensed Country Teams with possible associated Intergovernmental, Multinational, NGO, and stability operations assets.

3.14.4.2 The training rotation support for Part-Time IA Consultants is estimated at eighteen (18) working days and two (2) travel days) with an estimated ten (10) hours of daily exercise coverage.

3.14.5 Functional Roles of the Interagency (IA)

3.14.5.1 Priority of Roles will be based on the training objectives determined by the NTC Operations Group. This will dictate the roles required per rotation. The IA Senior Management Curriculum and Scenario Developer SME will work with the Government Interagency Representative and planning teams to determine what roles are necessary for a rotation to meet training objectives. Typically, the standard roles for a Decisive action rotation are Deputy Chief of Mission (DCM), United States Agency of International Development (USAID), Psychological Operations (PSYOPS), and United Nations Representative.

3.14.5.2 Contractor will be required to provide as directed during SAR the following SME with a minimum of twenty (20) years of experience are: Ambassador, Policy Advisor (POLAD), Regional Security (RSO), Defense Attache (DATT), Department of Justice, (DOJ), Central Intelligence Agency Officer (CIA), Weapons of Mass Destruction (WMD), and Registered Nurse.

3.14.6 Interagency (IA) Provisional Requirement

3.14.6.1 The provision of consultants will be directed at the replication of UAP/IA personnel who would normally be encountered by an RTU in current theater of operations for DATE rotations. Replication in training scenarios will be focused at the Separate Battalion/ Brigade/Squadron and in some cases at the Company level during Situational Training Exercises (STX) Lanes. STX lanes may be exemplified by support to Re-establishment of Interim Government or Disaster Relief training such as management of Internally Displaced Persons (IDP).

3.14.6.2 Consultants will also be called upon to participate in Leadership Training Program (LTP) training or in staff planning in the area of threads and script development. There may even be cases of support to Special Forces Operational Detachments in conjunction with rotational training. In addition, the Contractor will

provide support in curriculum development and program design for IA training and coordination of training as required.

3.14.7 Interagency (IA) Qualifications

3.14.7.1 Both On-site IA Senior Permanent Manager Curriculum and Scenario Developer SME and the part time consultants must possess at a minimum all required qualifications. It is the Governments desire to obtain consultant support with a middle management level understanding of Interagency. Consultants should have an understanding of their given role and the ability to interact with the training unit on a daily basis with minimal guidance from OC/Ts. It is reasonable for the part time consultant to refer back to the On-site IA Senior Permanent Manager Curriculum and Scenario Developer SME for their expertise in situations during training that the consultant may not have encountered due to their inexperience at a Combat Training Center.

3.14.7.2 “Required” Qualifications are as follows:

- (1) The Contractor's shall have at least (5) years of experience in IA operations, practical knowledge in IA operations, and operational experience with civilian agencies
- (2) The Contractor's must have and maintain a SECRET security clearance prior to performing any work that requires a SECRET security clearance. A SECRET clearance is required for selected positions noted under functional roles
- (3) Contractor's consultant must have ability to spend extended periods of time outdoors in tactical field conditions in the NTC Range Complex or other training ranges in all seasons
- (4) Contractor's consultant must have the ability to maintain appropriate level of physical endurance and health to operate in austere tactical field conditions under simulated combat operations for extended periods of time
- (5) Contractor's consultant must have the ability to operate for extended periods of time under tactical field conditions and under the life-support conditions of

the Soldiers in the exercise

(6) Contractor's consultant must have the ability to ride in tactical and non-tactical vehicles wearing appropriate personal protective equipment IAW CTC safety policies

(7) Although carrying or discharging firearms will not be required, the Contractor's consultant must be able to tolerate being in the vicinity where training ammunition or pyrotechnics are being employed with great frequency and little to no notice

(8) Contractor's consultant must have the ability to travel on military rotary and fixed wing aircraft. CTC will provide applicable flight orders and any required flight-safety equipment

3.14.8 Interagency (IA) Staffing

3.14.8.1 The Government reserves the right to request additional full-time SMEs, part-time consultants, a combination of both full-time and part-time consultants, or "no" contracted IA support as applicable to a particular rotation. All request for additional support will be contained in the detailed Training Plan.

3.15 Leader Training Program (LTP)

The Contractor shall provide SMEs to conduct the LTP training package. The mission of the Leader Training Program (LTP) is to coach BCT leadership, staff and subordinate Battalion leadership. The Contractor shall provide the SMEs identified below to coach and teach an (8) day training package. The training package is conducted during a normal workday and on occasion it may require more than (8) eight hours in one day but not to exceed (12) twelve hours in one day. Up to ten (10) LTP sessions are conducted annually. The Government will provide offices and equipment to conduct all LTP events in building #130. The Government recommends (24) SMEs to conduct the training. This is a recommendation, the Contractor is required to adequately provide services IAW the Contractors Staffing plan.

3.15.1 The Contractor shall provide the personnel necessary to execute LTP training. The Contractor shall create a SOP for LTP operations. The SOP will outline a detailed training plan and all actions required to successfully complete an LTP evolution.

3.15.1.1 The Contractor shall develop, execute, and facilitate an interactive, event-driven computer simulation exercise. The LVC event will be used to develop Brigade and/or Battalion battle staffs. The event will focus on preparing the leadership and all training will be custom suited for each LTP.

3.15.2 The Contractor shall provide functional training to units on ABCS systems, utilizing ABCS equipment.

3.15.2.1 The Contractor shall provide instruction and tactical/technical advice during development of brigade and battalion operations orders.

3.15.2.1.1 The Contractor shall operate the Government provided LVC simulation system.

3.15.3 The Contractor shall provide a Company Commander NTC orientation training package tailored to the needs of maneuver, artillery, and engineer company/battery commanders.

3.15.4 The Contractor shall provide a Command Sergeant Major orientation training package, focused on duties, responsibilities, and roles of the CSM in the COE and TTPs for execution of those duties.

3.15.5 The Contractor shall provide a Mobile Training Team (MTT) to conduct LTP training.

3.15.5.1 The Contractor shall provide instruction to non-BCT units that are deploying to a combat theater of operations. The MTT is comprised of selected LTP coaches and

the scope of training is coordinated with the requesting unit's commander and is normally accomplished in (2) two days. MTT's are conducted usually once a year but the Contractor must be prepared to conduct no more than (4) four per year. Most MTT's require (1) day of travel to prior to the event and (1) day of travel to return after the event; all locations are CONUS.

3.15.5.2 The Contractor shall support the BCTs and Battalions conducting home station training events either in preparation for LTP or in preparation for deployment after the conclusion of LTP and NTC rotations. The NTC Operations Group will coordinate the schedule of the MTTs with the G3 NTC, the requesting unit and the LTP staff to ensure de-confliction with the primary rotationally connected LTP sessions.

3.15.5.3 The Contractor may be required to provide unscheduled services for up to two (2) **unscheduled training events** for a Saudi Arabia event each year. The Saudi Arabia events are not consistent and may or may not happen.

3.15.6 The Contractor shall prepare and facilitate the presentation of practical application exercises. These exercises shall include design and planning, synchronization drills, war gaming techniques and the use of all doctrinal and unit SOP products.

3.15.6.1 The Contractor shall operate loaded scenario data to support Brigade and Battalion Unified Land Operations (ULO) training into the LVC system (JCATS).

3.15.7. Division operation orders for use during LTP training will normally be prepared by the Operations Group Plans Team and updated on an as-needed basis and prior to each LTP. When this is not feasible the LTP coaches will prepare and/or modify existing Division OPORD products for use during the training session and/or the constructive systems driven Command Post Exercise (CPX).

3.15.8 Throughout the MDMP and simulations exercise, Coach/Interactors (C/I) conduct monitoring of unit progress. As needed, they provide observations to the LTP unit for inclusion into the unit's training. C/I also provide information to the Brigade Command Group Coach for incorporation into unit AARs. As directed by the Government, the Contractor shall: modify friendly force plans based upon emerging scenario events, and observe and make (or immediately recommend to the Government) corrections necessary for the efficient execution of the simulation scenario. At the conclusion of each LTP training rotation, the Contractor shall participate in an internal team AAR with the Chief of the Leader Training Program or the executive agents designated representative, to constantly improve LTP operations.

3.15.9 Specifics regarding the required C/I positions are listed in the following subparagraphs.

General requirements for all positions include:

- (1) All C/I must possess a final SECRET clearance. Failure to maintain a final SECRET clearance is grounds to immediately remove a C/I from the task
- (2) Must be familiar with the geography, terrain, and operations at the NTC and able to conduct terrain orientations and "right seat rides" for LTP participants
- (3) Recent combat experience is desired, but not required
- (4) The Contractor shall provide preparation and integration support for four LTP AARs per rotation
- (5) The Contractor shall provide a semi-annual LTP summary training observations for the training units observed. These observations shall address staff techniques, use, procedure, training and the Military Decision Making Process (MDMP) / War Fighting Functional (WFF) synchronization process
- (6) The Contractor shall maintain a state-issued driver's license and have the ability to receive a license to operate a military HMMWV
- (7) The Contractor shall be able to operate in extreme desert conditions in all seasons and weather conditions; must be able to walk and climb in desert terrain during terrain reconnaissance periods

3.15.10 The Contractor shall provide training support for LTP cadre and the rotational unit on all ABCS applications. Support includes basic operator knowledge, basic understanding of techniques, tactics, procedures, classroom set-up, assistance to program manager subject matter experts as assistant instructors, and assistance in development of AAR products from the tactical system. The Contractor is responsible for staying current on all new systems, software and hardware upgrades as furnished by the Government.

3.15.11 Training Support Position Descriptions

3.15.11.1 Brigade Command Group Coach/Interactor

Highly skilled and experientially relevant former Brigade or Regimental Commander who exhibits the characteristics and attributes enabling him to effectively coach Brigade Combat Team Commanders and staffs to significantly increase unit and individual proficiency through seminar focused learning opportunities and constructive After Action Reviews. Maintains relevant and updated knowledge of the War Fighting Functions and is capable of applying them to battalion Offensive, Defensive, and Stability operations as part of Decisive Action. Capable of coaching units throughout the development of plans and orders in support of the specified training objectives; preparing units to achieve their potential through Operational Mission Rehearsal Exercise (MRE) and DA training rotations. The Brigade Command Group Coach must be relevant and capable of leading learning events (seminars) providing appropriate coaching during execution of planning activities and Contractor shall provide constructive critical comments of unit products enhancing unit capabilities, and preparing them for follow on deployment or training requirements. This position requires coaching, advising and mentoring the brigade commander, brigade command group, and staff throughout the MDMP including the concepts of Army Design Methodology, "Principles of the Operations Process", and execution of Decisive Action military operations, using live, virtual, constructive, and gaming applications or other tools provided. Functions as the exercise director for each CPX during an LTP training rotation. Executes virtual, constructive, and gaming workstation commands during CPXs. Provides input to the Brigade Staff

Coach/Interactor for his use during brigade staff planning AARs. Compiles input from battalion and squadron Coach/Interactors for use in brigade-level Execution AARs. Provides guidance and direction to the Brigade Staff Coach/Interactor to prepare products required to support Execution AARs. Facilitates at least one execution AAR at the conclusion of each LTP; or at the conclusion of each simulated tactical engagement if the rotation includes more than one simulation iteration. At the conclusion of each LTP rotation, the NTC reviews, edits, and approves Unit Take Home Package prior to their distribution to units for their use during home station training. Provides the rotational unit and the NTC an executive summary of unit training observations at the conclusion of each rotation. Uses input from the NTC and the brigade commander's training objectives to provide guidance and direction to the Brigade Staff Coach/Interactor for training scenario development. The NTC approves final scenario products (orders, graphics, and annexes) prior to the beginning of each LTP rotation. Assists the NTC in the development and refinement of LTP training program, as directed. Integrates lessons learned from units returning from ground combat and units in-theater into LTP POI. Coordinates with units in theater to ensure the compatibility of Tactics, Techniques and Procedures (TTP), Rules of Engagement (ROE) and emerging missions and actions. This position requires Combat Arms Brigade Command experience and experience in unit training evaluations using live and virtual combat simulations. The position requires familiarity with current Warfighting technology to enable and facilitate coaching the use of capabilities by the training unit. Experience in planning, preparing, and executing military field training exercises while in mechanized infantry, light infantry, armored, or armored cavalry battalion/squadron and brigade/regimental-level assignments is also required. Experience in designing and preparing training scenarios is required. The person assigned to this position shall be a graduate of the U.S. Army War College or its equivalent. This coach will teach, coach, and mentor maneuver brigade and battalion commanders in LTP and lead them through a program of tactical instruction that will prepare them to conduct tactical offensive, defensive, and stability operations as part of BCT Decisive Action. Assisted in program development by other members of the coaching team with subject matter expertise in fires, combat engineering, and sustainment.

3.15.11.2 Battalion Coach (Infantry/Armor/Cavalry)

Highly skilled and experientially relevant former Battalion Commander who exhibits the characteristics and attributes enabling him to effectively coach Battalion Commanders, Staffs, and subordinate commanders to significantly increase unit and individual proficiency through seminar focused learning opportunities and constructive After-Action Reviews. Battalion Coach maintains relevant and updated knowledge of the War Fighting Functions and is capable of applying them to battalion Offensive, Defensive, Stability, and DSCA operations as part of Decisive Action. Battalion Coach is capable of coaching units throughout the development of plans and orders in support of the specified training objectives; preparing units to achieve their potential through their training rotations. The Battalion Coach must be relevant and capable of leading learning events (seminars) providing appropriate coaching during execution of planning activities and provide constructive critical comments of unit products enhancing unit capabilities, and preparing them for follow on deployment or training requirements. The position requires familiarity with current Warfighting technology to enable and facilitate coaching the use of capabilities by the training unit. When required, Battalion Coaches assist the Brigade Coach by teaching/presenting information briefs to all echelons within the BCT. Coach responsibilities include: Supports units in simulation or gaming exercises as coach, systems operator, AAR Facilitator; develops and facilitates battalion post rotation AAR; provides input to Senior BDE trainer's AAR; coordinates with incoming units to best support Battalion Commander objectives; responds to training and material support requests to units post LTP in order to facilitate success in live training rotation; integrates lessons learned and TTPs from units returning from operational deployments; refines training materials ensuring appropriate relevance and accuracy consistent with doctrine, TTPs, and emerging theater trends. It is required that the Battalion Coaches have combat arms battalion command experience and ILE level schooling.

3.15.11.3 Field Artillery (FA) Battalion Coach/Interactor

This position requires the coach to develop and execute all classes given to Field Artillery battalion commanders and staff officers. Advises FA battalion commanders

and staff at all echelons during the MDMP and through the execution of combat simulation exercises. This requires the Coach/Interactor to be able to train not only the maneuver requirements specific to his position, but also all combat support and combat service support battalion staff officers in their requirements. This position requires expertise in fire support, air defense artillery, information operations, signal, aviation, and logistics. Loads all data required and executes virtual, constructive, and gaming workstation commands in support of CPXs. Develops and facilitates all battalion level AARs and submits them to the Brigade Staff Coach/Interactor. Makes initial contact with units prior to their LTP exercise and is familiar with unit personnel, experience, training objectives and applicable unit SOPs. Maintains contact with units after LTP rotations and provides products and coaching to help the unit conduct home station training and in-theater operations. Integrates lessons learned from units returning from ground combat For Decisive Action in a hybrid threat environment must be able to teach/mentor traditional FA functions as well as maneuver TTPs when the battalion is assigned its own area of operations (AO). Mentors the commander thru the processes of Design and Planning. Conducts seminars on command post functions and TOC operations if required. Advises the commander of his FSCOORD duties and responsibilities, the importance of Fires Rehearsals, Field Artillery Tasks (FATS), Fire Support Tasks (FSTs) to improve integration of timely, accurate, and predictive fires. If necessary, familiarizes/revisits Field Artillery Operations traits and techniques in support of Decisive Action as well as the communication and ammunitions resupply challenges over increased distances. May perform functions as a Brigade Staff Coach/Interactor or other Combat Arms/Combat Support Battalion Staff Coach/Interactor based on the training unit task organization and other duties at the direction of the Brigade Command Group Coach. Loads all data required and executes simulation workstation commands in support of command post exercises. Assists in the development and presentation of all maneuver brigade and artillery battalion level AARs. Develops after action reports and submits them to the Brigade Staff Coach/Interactor. Maintains contact with units after LTP rotations and provides products and coaching to help the units' conduct home station training and in-theater operations. Integrates lessons learned from units returning from ground combat and in-theater into

LTP POI. Continuously develops and refines training materials for application to LTP programs. Must remain current in deployment of all weapons systems of units they assist, to include at a minimum: the new Unmanned Aerial Vehicle (UAV), Force XXI Battle Command, Brigade-and-Below (FBCB2), Blue Force Tracker (BFT), Long Range Advanced Scout Surveillance System (LRASS), Remotely-Monitored Battlefield Sensor System X3 (REMBASS (X3)) & virtual, constructive, and gaming systems. The position requires familiarity with current Warfighting technology to enable and facilitate coaching the use of capabilities by the training unit. It is desired that this person has direct support field artillery BN S3/XO experience as well as experience as a BN or BDE Fire Support Officer. Field artillery experience in military field training exercises while in direct support to infantry, mechanized, armored, or armored cavalry BN/SQDN and BDE/REGT level units, Graduation from ILE are required. It is required that this person have artillery battalion command experience, tactical experience at division level or below, experience in preparing for and conducting military tactics instructions at or above Army Service School Level.

3.15.11.4 Sustainment/Brigade Support Battalion (BSB) Coach/Interactor

This position assists in the development and execution of all classes given to brigade and battalion level logisticians, and to the BSB commander and staff. Advises brigade/battalion sustainment planners the BSB Commander, and staff officers in sustainment functional areas (maintenance, transportation, supply, and health systems support) during the Operations Process, and through the execution of combat simulation exercises. May perform functions as a Brigade Staff Coach/Interactor or other Combat Support Battalion Staff Coach/Interactor based on the training unit task organization, and other duties at the direction of the Senior Brigade Coach. Assists in the development and presentation of all battalion level AARs. Develops after action reports and submits them to Senior Brigade into LTP POI. Continuously develops and refines training materials for application to the LTP program. Loads all data required and executes simulation systems commands in support of command post exercises. It is required that this person have Support Battalion or Squadron S3, XO, or SPO experience, experience in military field training exercises, and be an ILE/CGSC

graduate. It is desired that this person has Brigade Support Battalion/Squadron command experience and tactical experience at division level or below.

3.15.11.5 Engineer (EN) Battalion & Brigade/Battalion Engineer Staff and Counter IED Coach/Interactor

This position requires preparation and execution of the entire curriculum given to Engineer Battalion Commanders and Staffs as well as the Brigade and Battalion Engineer Staff. This position will lead efforts to improve CIED instructional support. Program includes but is not limited to combat engineer, sustainment engineering, route clearance, and geospatial information support to decisive action in unified land operations. Instruction support shall also be provided to the Observer/Coach Academy (OCA). Cadre Periods of CIED instruction shall consist of Counter IED Defeat concepts; and current TTP's for countering the IED's. Coach/Interactor must be proficient with capabilities and integration of organic and modular engineer units augmenting BCTs, current US Land Mine Policy, networked munitions and their employment, and mobility and protection operations under Unified Land Operations. This coach/Interactor must also be able to serve as a Combat Arms / Combat Support Battalion Staff Coach/Interactor, based on the training unit task organization and other duties at the direction of the task lead; the position requires expertise and current knowledge in all War Fighting Functions and their roles supporting combined arms maneuver and wide area security. Advises battalion commanders and staff throughout the MDMP and Operations Process and during execution of combat simulations. Conducts all battalion level AARs, assists in development of brigade AARs, and submits feedback to the Brigade Command Group and Brigade Staff Coaches/Interactors. Maintains contact with units after LTP rotations and provides products and coaching to help units' conduct home station training and in-theater operations. Integrates lessons learned from engineer units returning from ground combat and evolving doctrine into LTP POI. Continuously develops and refines training materials for application into the LTP program. May be required to operate simulation systems in support of command post exercises. This position requires the Coach/Interactor to prepare brigade orders and/or division engineer annexes as

needed for use by the battalion during LTP sessions where the brigade staff is either not available or where the brigade and battalion are working on non-concurrent schedules. Coach/Interactor must remain current on latest US and threat engineer bridging and breaching systems, networked munitions, CIED ATPs, and ABCS found at BCT level and below. The Contractor shall be competent in emerging engineer doctrine, which includes "assured mobility", and Explosive Ordnance Disposal (EOD). This position requires a former engineer battalion commander, at least S3/XO experience as a combat engineer, graduation from ILE, and tactical experience at division level or below. It is desirable that the person have extensive experience in military field training exercises and brigade-level command post exercises while in an engineer tactical assignment.

3.15.11.6 Sustainment/Combat Sustainment Support Battalion (CSSB)

Coach/Interactor

This position assists in the development and execution of all classes given to Echelon above Brigade (EAB) Combat Sustainment Support Battalion (CSSB) commander and staff officers. Advises CSSB commander and staff officers in sustainment functional areas (maintenance, transportation, supply, and health systems support) during the Operations Process, and through the execution of combat simulation exercises. May perform functions as a BDE Staff Coach/Interactor or other Combat Arms/Combat Support Battalion Staff Coach/Interactor based on the training unit task organization and other duties at the direction of the task lead. Assists in the development and presentation of all battalion level AARs. Develops after action reports and submits them to Senior Brigade Coach. Maintains contact with units after LTP rotations and provides products and coaching to help the unit conduct home station training and in-theater operations. Loads all data required and executes simulation system commands in support of command post exercises. It is required that this person have Support Battalion or Squadron S3, XO, or SPO experience, experience in military field training exercises, and is an ILE/CGSC graduate. It is desired that this person has EAB Support Battalion/Squadron command experience, tactical experience at Support Brigade level or above, combat simulation experience.

3.15.11.7 Brigade Staff Coach/Interactor

The Contractor shall provide preparation and execution of all classes given to brigade-level commanders and staff officers. Trains and advises the brigade staff during the entire Operations Process/MDMP, with particular emphasis on coaching, teaching, and mentoring the Deputy Brigade Commander, Brigade Executive Officer, Brigade Operations Officer, and Assistant Brigade Operations Officers. Coaches the brigade staff during planning, preparing, and executing of ULO and assists in the preparation and facilitation of the Brigade Command Post AAR. This position requires preparation and execution of all classes given to brigade-level commanders and staff officers.

Executes simulation systems commands or other applications in order to meet unit training objectives during the CPX's. Plans, prepares, and facilitates Brigade Staff Planning AARs following each planning process. Assists the Brigade Command Group Coach/Interactor in planning, preparing, and facilitating all brigade execution AARs.

May perform the functions of the Brigade Command Group Coach/Interactor, as required. When directed by Operations Group, designs training scenarios that address Unified Land Operations and writes the higher headquarter orders, annexes, and graphics to drive the training units' planning processes and mission execution during LTP rotations. Designs scenarios and coordinates the development of all products (operation orders, graphics, annexes, and briefings) required to support joint and combined training exercises. Maintains contact with units after LTP rotations and provides products and coaching to help the unit conduct home station training and in-theater operations. The position requires familiarity with current Warfighting technology to enable and facilitate coaching the use of capabilities by the training unit. Integrates lessons learned from units returning from operational theaters into LTP POI. It is required that the person assigned to this position have Combat Arms Battalion or Brigade S3/Executive Officer (XO) experience and experience in conducting unit training evaluations using live, virtual, and constructive combat simulations.

Experience in military field training exercises and brigade-level command post exercises while in infantry, mechanized or armor battalion and/or brigade assignments is also required. Experience in designing and developing training scenarios, to include writing corps- and division-level operation orders, annexes, and preparing graphics, for infantry,

mechanized or armor battalions and brigades is required. The person assigned to this position must be a graduate of the U.S. Army ILE. It is desired that this person has tactical level staff experience within the previous four years. Experience as a field Observer/Controller for a U.S. Army Combat Training Center is highly desired.

3.15.11.8 Fire Support Coach/Interactor

The Contractor shall provide expertise in the development and execution of all classes given to brigade-level commanders and staff officers. Trains and advises maneuver commanders, brigade staff, and fire support planners and executors at all echelons during the MDMP, with particular emphasis on coaching, training, and mentoring the Brigade Fire Support Officer, and Brigade Air Liaison Officer (USAF), and through the execution of combat simulation exercises. Plans, prepares, and facilitates Brigade Staff Planning AARs following each planning process. Coaches the brigade staff during execution of ULO ranging from high intensity conflict through stability operations exercises and assists in the preparation and facilitation of the Brigade Tactical Operations Center (TOC) AAR. This position requires the Coach/Interactor to prepare brigade orders as needed for use by the battalion/task forces during LTP sessions where the brigade staff is either not available or where the brigade and the battalion/task forces are working on concurrent schedules. Loads all data required and executes virtual, constructive, and gaming workstation commands in support of CPXs. Assists in the development and presentation of all maneuver brigade and FA battalion level AARs and submits them to the Brigade Staff Coach/Interactor. Maintains contact with units after LTP rotations and provides products and coaching to help the unit's conduct home station training and in-theater operations. Integrates lessons learned from units returning from ground combat and in-theater into LTP POI. Continuously develops and refines training materials for application to LTP programs. It is required that this person have BN or BDE Fire Support Officer experience as well as experience in integration of Close Air Support in support of Army Decisive Action operations. Experience in military field training exercises while in direct support to infantry, mechanized, armored, or armored cavalry BN/SQDN and BDE/REGT level units, combat simulation experience, and a CGSC/ILE.

3.15.11.9 Brigade Sustainment Coach/Interactor

The Contractor shall assist in the development and execution of all classes given to Commanders and Staff officers. Coach/Interactor may function as a Brigade Staff Coach/Interactor, or other Combat Arms / Combat Support Battalion Staff Coach/Interactor based on the training unit task organization and other duties at the direction of the task lead. Advise Battalion Commanders and Staff officers at all echelons during the MDMP and through the execution of combat simulation exercises. This will require the Coach/Interactor to be able to train not only the maneuver requirements specific to his position, but also all combat support and combat service support battalion staff officers in their requirements. This requires expertise in military intelligence, chemical, military police, and signal. Loads all data required and executes simulation system commands or other applications in support of CPXs, Develops and facilitates all battalion level AARs and submits them to the Brigade Staff Coach/Interactor. Makes initial contact with units prior to their LTP exercise and is familiar with unit personnel, experience, training objectives and applicable unit SOPs. Integrates lessons learned from units returning from ground combat in-theater into LTP POI. Continuously develops and refines training material for application to the LTP program. This position requires the Coach/Interactor to prepare brigade orders as needed for use by the battalion during LTP sessions where the brigade staff is either not available or where the brigade and battalion are working on concurrent schedules. Must remain current in deployment of all weapons systems/platforms, or other technology of units they assist, to include at a minimum: the new UAS, PROPHET (A/ML Q-40), FBCB2, BFT, systems. Coach/Interactor must remain proficient in Stability Operations as well as ULO. It is required that this Coach/Interactor be familiar with doctrine of the brigade Sustainment. It is desired that this person has command experience, and experience in military field training exercises while in an Infantry Brigade Combat Team, Heavy Brigade Combat Team, or Stryker Brigade Combat Team and have combat simulation experience as well as be a Command and General Staff College (CGSC or ILE) graduate. It is also desired that the person assigned to this task have tactical experience at division level or below within the previous four years,

experience as a field Observer/Controller for a U.S. Army Combat Training Center, experience as a member of a United Nations mission or other stability operations.

3.15.11.10 Intelligence Staff Coach/Interactor

The Contractor shall provide, prepare and present all classes given to brigade and battalion level intelligence staff officers. Develops and presents instruction and training related to the "Intelligence Cycle", Intelligence Preparation of the Battlefield (IPB), S2 operations, and intelligence support to ISR at all echelons. In support of each LTP rotation as needed, this person develops scenarios, writes the intelligence annexes, and produces the intelligence products of the higher headquarters to drive the command and staff planning process as well as the automated simulation exercise. Additionally, this person develops the Contemporary Operating Environment Force (COEFOR) scenario to facilitate the execution of the simulation exercise. This person is responsible for ensuring that the simulated COEFOR accurately reflects the threat that the training unit will face during LTP, in future exercises, and in any anticipated deployment and must be fully conversant with all aspects of TC 7-100. During the LTP session, the coach trains the brigade S2 section, battle staffs, and maneuver commanders on intelligence support to Unified Land Operations and mission execution of operational simulation exercises. Intelligence Staff Coach/Interactor provides assistance as needed to the Brigade Sustainment Coach/Interactor to facilitate MI Company training. May perform functions as a BDE Staff Coach/Interactor or Battalion Staff Coach/Interactor and other duties at the direction of the task lead. Assists the Brigade Command Group Coach/Interactor in the development and execution of all AARs and presents hot wash AARs to the Brigade S2 section during the LTP rotation. Executes simulation operations in support of CPXs. Maintains contact with units after LTP rotations and provides products and coaching to help the unit conduct home station training and in-theater operations. Integrates lessons learned from units returning from ground combat and in-theater into the LTP POI. Continuously develops and refines training materials for application to LTP programs. The LTP Intelligence Staff Coach/Interactor must have battalion and/or brigade combat team S2 intelligence officer experience. Military Education Level 4 (ILE/CGSC) is required for this position.

BN/BDE level experience in training evaluations, combat simulations, military field training exercises and CPXs while conducting combined arms maneuver and wide area security is also required. It is required that this person have experience in developing intelligence products at the Division G2 level to support BCT operations. It is desired that this person has Military Intelligence Company Command experience, tactical level staff experience in combat, within the previous four years.

3.15.11.11 Maneuver Company Coach/Interactor

The Contractor shall provide and execute Decisive Action (DA) Unified Land Operations (high intensity conflict through stability operations) classes given to the company/troop-level commanders. Trains and advises the company/troop commanders and their staffs. The training will cover tasks related to the unit's specified mission. Conducts instruction in Intelligence Preparation of the Battlefield, MDMP, use of the Company Intelligence Support Team (COIST), preparation and production of operations orders, troop leading procedures, rehearsals, and execution, focusing on tactical doctrine and TTPs.

Experience in military field training exercises and battalion or brigade level CPXs while a part of infantry, mechanized or armored CO/BN/BDE level units is required. In support of company level LTP rotation, this person develops complex combat training scenarios, writes Operations Orders, intelligence annexes and produces the intelligence graphics of the higher headquarters to exercise Company/Troop Command Post operations. Additionally, this person develops COEFOR mission orders to facilitate the execution company/troop-level combat simulation exercises. This person is responsible for ensuring that the simulated COEFOR accurately reflects the threat model that the Company/Troop will face in future exercises or anticipated deployment. Loads all data required and executes the simulation in support of Company/Troop CPXs. Conducts Company/Troop level AARs and submits them to the Battalion/Brigade Staff Coach/Interactor. Maintains contact with units after LTP rotations and provides products and coaching to help the unit conduct home station training and in-theater operations. Integrates lessons learned from units returning from ground combat and in-theater into LTP POI. Continuously develops and refines training materials for application to LTP programs. Must maintain familiarization on current TTPs for

deployment of all major weapons systems and enablers organic to include at a BCT, at a minimum: Unmanned Aerial Vehicle surveillance capabilities, FBCB2, BFT, Javelin, Long Range Advanced Scout Surveillance System (LRASS), Shadow (X3), Remotely-Monitored Battlefield Sensor System X3 (REMBASS (X3) & BIO Technology Software (BAT/HIIDE), Improvised Explosive Device – Defeat Technologies (CREW, robotics), Social Analytical Technologies (Analyst Notebook, Crystal etc.), Patrol Debrief/Situational Awareness Technologies (TIGR), Site Exploitation equipment, techniques, and procedures, Defensive Search procedures, and Force Protection methods. It is required that the personnel assigned to these positions have infantry, mechanized, armored, cavalry, or attack Company (CO)/Troop (TRP) command, experience in military field training exercises while in infantry, mechanized, armored, or armored cavalry BN/SQDN and BDE/REGT level assignments., and combat simulation experience. It is desirable that the personnel assigned to these positions have maneuver BN/SQDN S3/S2 experience, tactical combat experience at infantry, mechanized, or armored brigade level or below within the previous four years, experience as a field Observer/Controller for a U.S. Army Combat Training Center, and be a CGSC/ILE/SMA graduate.

3.15.11.12 Engineer Company Coach/Interactor

This position requires preparation and execution of all specialty engineer classes given to engineer company commanders from Brigade Special Troops and Engineer Battalions. This program includes, but is not limited to, combat engineer and geospatial information support to decisive action in unified land operations. Coach/Interactor must be proficient with the capabilities and integration of organic and modular engineer companies augmenting BCTs, currently fielded breaching/bridging systems to include the Assault Breacher Vehicle (ABV), networked munitions (XM-7 Spider) and their employment, and mobility and protection operations in both COIN and hybrid threat environments. This coach/Interactor must also be able to serve as a Combat Arms / Combat Support Company Coach/Interactor, based on the training unit task organization and other duties at the direction of the task lead; the position requires expertise and current knowledge in all war fighting functions and their roles supporting

combined arms maneuver and wide area security. Advises engineer company commanders on the Operations Process, collaborative planning with Brigade and/or Battalion TFs, and execution of virtual combat simulations. Conducts all company level AARs and submits feedback to the Engineer and Brigade Sustainment Coaches/Interactors. Maintains contact with engineer companies after LTP rotations and provides products and coaching to help unit's conduct home station training and in-theater operations. In support of company level LTP rotation, this person may develop complex combat training scenarios, write Operations Orders, engineer annexes, and produce obstacle graphics of a higher headquarters in order to exercise Engineer Company Command Posts and Intel Support Teams. Integrates lessons learned from engineer units returning from ground combat and evolving doctrine into LTP POI. Continuously develops and refines training materials for application into the LTP program. Operates simulation workstation in support of command post exercises. Coach/Interactor must remain current on latest US and threat engineer systems, CIED ATPs, and ABCS found at BCT level and below. It is required that the coach/Interactor assigned to these positions have combat engineer company, experience in military field training exercises while in a division level or below assignment. It is desirable that the person assigned to this position have engineer BN S3/XO experience and be a CGSC/ILE/SMA graduate.

3.15.11.13 Field Artillery Battery Coach/Interactor

This position requires preparation and execution of all specialty Field Artillery classes given to Battery Commanders from the Brigade's Direct Support Artillery Battalion, as well as any GS/GSR elements in the Brigade Task Organization. This program includes, but is not limited to, all aspects of firing battery operations, fire directions center operations, RSOP (reconnaissance, selection, occupation, and position), movement and ammunition management. Coach/Interactor must be knowledgeable of the capabilities, to include employment of all existing weapons systems i.e., M119, M198, M777, M109 Paladin and MLRS. Additionally individual should have knowledge of AFATDS, FDC procedures, METT and Survey, Battery Defense, and communications systems. This coach/Interactor must also be able to serve as a Combat Arms / Combat

Support Company Coach/Interactor, based on the training unit task organization and other duties at the direction of the task lead; the position requires expertise and current knowledge in all war fighting functions and their roles supporting combined arms maneuver and wide area security. Conducts all company level AARs and submits feedback to the Field Artillery Battalion coach. Maintains contact with batteries after LTP rotations and provides products and coaching to help unit's conduct home station training and in-theater operations. In support of company level LTP rotation, this person may develop complex combat training scenarios, write Field Artillery Support Plans, and produce graphics of a higher headquarters in order to exercise Firing Battery Command Posts. Integrates lessons learned from firing batteries returning from combat and evolving doctrine into LTP POI. Continuously develops and refines training materials for application into the LTP program. Operates simulations, or other applications in support of command post exercises. Coach/Interactor must remain current on latest US and threat indirect fire systems, and ABCS found at BCT level and below. It is required that the coach/Interactor assigned to this position have, battery command experience, experience in military field training exercises while in a division level or below assignment. It is desirable that the personnel assigned to these positions have FA BN S3 experience and be a CGSC/ILE/ graduate.

3.15.11.14 Command Sergeant Major Coach/Interactor

The Contractor shall provide and executes classes and training given to brigade and battalion level command sergeants major and first sergeants. Assists the task lead in development and refinement of all LTP training programs related to NCOs. Responsible for presenting RSOI classes for NCOs. Leads seminar discussing what is needed from home station throughout rotation and what takes place in-between. Teaches/discusses casualty evacuation, Senior NCO Battle Space, Resupply, LRP and Maintenance (e.g., 5988E). Integrates lessons learned from units returning from ground combat and units in-theater into CSM POI. Integrates lessons learned from units during NTC rotations. Supports brigade and battalion level Coach/Interactors in the compilation of After-Action Reports. Contacts BDE CSM prior to LTP to integrate training objectives for CSMs into the POI. Maintains contact with units after LTP rotations and provides products and

coaching to help the unit conduct home station training and in-theater operations. This position requires Combat Arms Brigade Command Sergeant Major experience and experience in unit training evaluations. Experience in military field training exercises while in infantry, mechanized, armored, or armored cavalry BN/SQDN and BDE/REGT level assignments is required. It is desired that the person assigned to this position have CSM experience within the previous four (4) years' Experience as a field Observer/Controller for a U.S. Army Combat Training Center is very desirable.

3.15.11.15 Simulation System Integrator and Manager

The Contractor shall provide personnel able to perform duties as the simulations system integrator and is responsible for the operability and maintenance of simulations data servers, client workstations using Red Hat Enterprise Linux v5.3 (or current GFE version), a Simulation to C4I Interchange Module for Plans, Logistics and Exercises v4.10j (SIMPLE) server, or other current fielded applications to stimulate the Battle Command System (BCS) and other C4I architecture. Maintain virtual, constructive, and gaming systems as necessary. Administers and loads all data required to execute virtual, constructive, and gaming simulation driven Command Post Exercises (CPX). Assists in the development and presentation of simulation system feedback for all levels of AARs; applies technical constraints to unit tactical plans; provides COEFOR support during simulation exercises; and provides virtual, constructive, gaming, and other applications system training as required by the Government. It is required that this person know military organizational structure, be able to integrate, install, operate, and administer JCATS version 9 (minimum), have familiarity with other current US Army gaming and simulations systems, to be able to integrate, install, operate, and administer as directed when necessary for training. Have familiarity with, but not limited to the ABCS suite, experience with installing and operating Cisco Network Switches, and Routers, Force XXI Battle Command, Brigade-and-Below (FBCB2), Simulation Network Switches, and routers (SIMNET), or Brigade Battle Simulation (BBS), One Semi-Automated Forces (OneSAF) experience. It is desired that this person has combat simulation experience with maneuver brigades. It is desired that this person has practical knowledge in working with Linux, and understand the functions of a Tactical

Operations Center (TOC). Experience as a COEFOR field Observer/Controller for a U.S. Army Combat Training Center is desired. Experience in replicating a military communications network is desired, be a maneuver, Military Intelligence, or Signal Officer Career Course graduate.

3.15.11.16 Army Aviation Battalion Coach/Interactor

The Contractor shall provide development and execution of all classes presented on Army Aviation during LTP. Additional classes given to the Brigade Combat Team (BCT) commanders and staff may also be required. Primary mission is to advise and coach battalion commanders and staff officers during the MDMP and throughout the execution of combat simulation exercises. This will require the Coach/Interactor to be able to train not only the maneuver requirements specific to his position, but also all combat support and combat service support requirements. Loads all data required and executes simulation commands in support of the CPX. Develops and presents all aviation AARs; submits AARs to the Brigade Staff Trainer and the Eagle Team. Maintains contact with units after LTP rotations and provides products and coaching to help the unit's conduct home station training and in-theater operations. Integrates lessons learned from units returning from ground combat and in-theater into LTP POI. Provides coaching to the BCT commander and staff on employment of aviation assets, the aviation liaison officer on their duties and responsibilities at the brigade level, with emphasis on airspace command and control issues. It is required that this person have Army Aviation BN/SQDN Command experience and experience in military field training exercises while in Army Aviation BN/SQDN and BDE/REGT level assignments and have combat simulation experience as well as be a CGSC/ILE graduate. It is desired that the person assigned to this position have tactical experience at division level or below within the previous four years. Experience as a field Observer/ Controller for a U.S. Army Combat Training is also desired.

3.15.11.17 Brigade/Battalion/Squadron S-6 Staff Coach/Interactor

The Contractor shall provide personnel to train, coach, and mentor Signal S6 staff and Signal Company leaders. Areas that this person is required to coach are plan

and manage communications networks and information services; enterprise systems management/network management (ESM/NM); information assurance (IA); information dissemination management (IDM); anticipating operational signal requirements in support of combat operations; synchronizing subordinate unit communications; integration of coalition/GO/NGO elements; responsibilities of the S6 and C2 relationship with the Bde Sig Co/ Brigade Sustainment; plan and conduct electromagnetic spectrum operations (EMSO) in support of NETOPS and EW operations; develop Signal policies and procedures for brigade networks; Signal role in the battle staff process; Signal MDMP process and products; develop communications cards and frequency management; understanding unit battle rhythm and impact on systems during high- bandwidth utilization functions (IE generator maintenance, VTC and BUBs); role of Signal Leaders in MDMP (S6, NCOIC, Warrants, FA53); development of Signal Plans through MDMP; emphasis on Network Planning and Reporting; execution of rehearsals to include Combined Arms Rehearsals. Coach must actively seek the best practices and procedures to coach. Coordinate with other signal coaches/SMEs. It is required that the person assigned to this position be a CGSC graduate and have Battalion or Brigade staff experience and experience in conducting unit training evaluations. Experience in military field training exercises and brigade-level CPXs while in infantry, mechanized or armor battalion and/or brigade assignments is also required. It is required that the personnel assigned to this task have tactical experience at division level or below within the previous four years. Experience as a field Observer/Controller for a U.S. Army Combat Training Center is desired. Minimum experience and education required is former officer (commissioned or warrant); CGSC/ILE graduate for officers; Intermediate level knowledge of digital/ABCS and other Army C4I systems. Additional desired experience: Former Bde S6 or Divisional Signal battalion commander; recent graduate degree in signal-related discipline; Technical certifications that support, but not limited to, ESM/NM, IA, and IDM, e.g. CISCO, Microsoft, etc.

3.15.11.18 Brigade/Battalion/Squadron Information Operations Staff Coach/Interactor

The Contractor shall provide personnel to develop and present instruction and training related to Information Operations (IO) and the task of Inform and Influence activities at all echelons. Trains and advises the members of the brigade staff during the entire MDMP, with particular emphasis on coaching, training, and mentoring the Brigade IO Officer, Public Affairs Officer, and Civil Military Operations (CMO) Officer and Psychological Operations NCO. In support of each LTP rotation, this person reviews scenarios, the Inform and Influence Activities (IIA) and Civil Military Operations (CMO) annexes and refine / produce the IIA and CMO products of the higher headquarters to drive the command and staff planning process as well as the automated simulation exercise. This person is responsible for ensuring that the simulated COEFOR accurately incorporates propaganda messages that must be countered by the training unit in future exercises or anticipated deployments. During the LTP session, he/she trains the designated IO, CMO, PAO Officers and sections. The facilitate the Commander and Staff Information Engagements with the media, foreign Governmental, military, and civilian personnel by managing role players and interpreters in multiple events, negotiations with Governmental officials, and combined military mission planning and execution. In the absences of the military LTP Operations Officer, they assume the responsibility for identifying, coordinating, requesting and managing personnel from non-LTP organizations that support the LTP rotation to include Ethnic role players, media training and interviews, Provincial Reconstruction Team representative, native country Brigade Commander role player, Cultural Subject Matter Expert, and US Brigade Commander's interpreter. Present AARs to the Brigade IO, CMO, PAO sections as required. Executes simulation system commands in support of CPXs. Assists in the compilation of after-action reports. Maintains contact with units after LTP rotations and provides products and coaching to help the units conduct Home Station Training and in-theater operations. Integrates lessons learned from units returning from ground combat and in-theater into LTP POI. This position requires the individual to have experience in IIA and Civil military relations in support of a combat unit division or below. We desire an ILE graduate. It is desirable that this person have been in an Information Operations position in a combat theater in the previous 6 years.

3.15.11.19 C4I System Integrator and Coach

The Contractor shall provide preparation and execution of all classes given to the brigade and battalion and battalion staffs as well as the brigade and battalion commanders, on Command, Control, Communications, Computers, and Intelligence (C4I), ABCS, and Tactical Communications (TAC) LAN. Loads all data required and executes simulation systems and other applications in support of CPXs. Provides assistance as required to the Simulations Integrator to load applicable systems for training. Serves as the system administrator for LTP C4I systems used during LTP training sessions but is not responsible for administrator functions for unit owned systems deployed to NTC by the training unit. Must have intermediate level understanding of ABCS to facilitate units' understanding of integration of systems capabilities. It is required that the personnel assigned to this task have technical within the previous four years. Assists in the development and presentation of ABCS feedback for all levels of AARs. Credentials in related discipline desirable. Experience in military field training exercises and brigade-level CPXs while in infantry, mechanized or armor battalion and/or brigade assignments is also desired. Experience as a field Observer/Controller for a U.S. Army Combat Training Center is desired.

3.15.11.20 Special Forces Special Operations Task Force Advanced Operational Base Coach

Highly skilled and experientially relevant former Special Forces Battalion Commander who exhibits the characteristics and attributes enabling him to effectively coach Advanced Operating Base (AOB) and Special Operations Task Force (SOTF) commanders and staffs to significantly increase unit and individual proficiency through seminar focused learning opportunities and constructive After-Action Reviews. SOF Coach maintains relevant and updated knowledge of the War Fighting Functions and is capable of applying them to SOTF/AOB/ODA operations including Special Reconnaissance, Direct Action, Foreign Internal Defense, Unconventional Warfare, Counterinsurgency, and Security Force Assistance as part of Unified Land Operations. SOF Coach is capable of coaching units throughout the development of plans and orders in support of the specified training objectives; preparing units to achieve their

potential through their training rotations. The Coach must be relevant and capable of leading learning events (seminars) providing appropriate coaching during execution of planning activities and provide constructive critical comments of unit products enhancing unit capabilities and preparing them for follow on deployment or training requirements. The position requires familiarity with current Warfighting technology to enable and facilitate coaching the use of capabilities by the training unit. When required, Coaches assist the Brigade Coach by teaching/presenting information briefs to all echelons within the BCT. Coach responsibilities include: Supports units in simulation or gaming exercises as coach, systems operator, AAR Facilitator; develops and facilitates SOTF/AOB post rotation AAR; provides input to Senior BDE trainer's AAR; coordinates with incoming units to best support SOF Commander objectives; responds to training and material support requests to units post-LTP in order to facilitate success in live training rotation; integrates lessons learned and TTPs from units returning from operational deployments; refines training materials ensuring appropriate relevance and accuracy consistent with doctrine, TTPs, and emerging theater trends. It is required that the SOF Coach has SF battalion command experience and ILE level schooling.

3.16 Special Operations Forces (SOF) Support

The SOF Plans support provides planning and coordination assistance to U.S. Army Special Forces, Army Rangers, Navy Special Warfare (NAVSPECWAR) Training Detachment (TRADET), Marine Raiders Exercise Control Branch (ECB), Air Force Special Operation Command (AFSOC), and foreign SOF Partner Force units to facilitate participation and integration within planned NTC training rotations. Additionally, NTC SOF Plans coordinates closely with JRTC SOTD and the NTC Operations Group to develop and support a SOF scenario that meets the SOF unit commander's training objectives. During training rotations, SOF Plans supervises the JSOTF (White Cell) and Exercise Support Group (ESG) and is also responsible for the coordination and integration of SOF units with the Live-Fire Division.

3.16.1 Lead Special Operations Forces Exercise Planner

The Contractor shall coordinate scheduling, administers personnel actions, and leads the completion of all other SOF Plans duties as described below. These individuals will become part of the plans team that will develop SOF scenarios and other products that tie to the Conventional Force (CF) scenario based on the SOF rotational unit's training objectives. These products will prepare designated SOF units and their staff for combat.

3.16.1.1 Duties:

3.16.1.1.1 The Contractor will lead a team of subject matter experts tasked to prepare and develop products and plans which will facilitate CF - SOF interoperability, integration, and interdependence (I3) during the Brigade Combat Team Decisive Action Training Exercise (DATE) Scenario and other specialized exercises.

3.16.1.1.2 The SOF plans team, in conjunction with conventional force planners plan, coordinate, integrate, synchronize, and create special operations (SO) and exercise control products.

3.16.1.1.2.1 SO products include, but are not limited to, SOJTF OPORDs, FRAGORDs, TASKORDs, Target Folders, and SO Intelligence Summaries. During NTC rotations serve as an Operations/Intelligence representative in a replicated SOJTF HQ within the NTC Tactical Operations Center.

3.16.1.1.3 The Contractor shall provide NTC Range Complex expertise, exercise design, scripting, support, and collaboration for the NTC and the SOF rotational unit.

3.16.1.2 Responsibilities include but are not limited to:

3.16.1.2.1 The Contractor shall provide support of SOF by synchronizing SOF planning, coordination, and execution of Joint Training Coordination Program (JTCP) prioritized Joint National Training Capability (JNTC) programs to facilitate and emulate SOF -

conventional force integration, interdependence, and interoperability.

3.16.1.2.2 The Contractor shall assist with regular reports and timely responses to requests for information to the SOF rotational unit, USASOC, NTC, and the combat training center detachment HQ.

3.16.1.2.3 The Contractor shall facilitate communication between the SOF rotational unit, the Army service component (USASOC) and appropriate NTC staff.

3.16.1.2.4 The Contractor shall support the integration of essential USASOC SOF training requirements with NTC exercise initiatives and activities.

3.16.1.2.5 The Contractor shall assist with the development of SOF specific plans and scenarios for implementation into the NTC DATE scenario.

3.16.1.2.6 The Contractor shall assist with scripting SOF scenarios, SOF exercise injects using current, evolving doctrine and SOF best practices.

3.16.1.2.7 The Contractor shall assist with the support to the integration of special operations training within the Army and DOD joint training community.

3.16.1.2.8 The Contractor shall assist with the development of other SOF specific plans and scenarios outside of the NTC DATE scenario.

3.16.1.2.9 The Contractor shall participate in events that support and facilitate SOF collective training at NTC such as initial planning conferences, leader training programs.

3.16.1.2.10 The Contractor must be able to manage scheduling of personal time and unit resources.

3.16.1.2.11 The Contractor must be able to coordinate multiple operations

simultaneously.

3.16.1.2.12 The Contractor must be able to synchronize people, resources and workspace balanced between Contractor and customer.

3.16.1.3 Qualifications

3.16.1.3.1 Contractor must possess basic and/or minimum qualification as follows:

- (1) Must be a US citizen.
- (2) Must possess at least an active Secret Clearance.
- (3) Direct experience conducting Special Operations Forces training and operations for at least (4) years.
- (4) Must be able to effectively and independently research, develop, organize, and communicate concepts and ideas orally and in writing in a public forum.
- (5) Must possess experience in design of exercises, scenarios, and management of Master Scenario Event List (MSEL) events.
- (6) Must be competent with MS Office Suite.
- (7) Must be able to participate in support of NTC SOF exercises.
- (8) Exhibit knowledge and skills relating to current joint/service SO doctrine, TTPs, and systems.

3.16.1.4 Preferred qualifications are as follows:

- (1) Experience with Special Operations Joint Task Forces (SOJTF), Combines/ Joint Special Operations Task Forces (CJSOTF) and / or other SOF structures.
- (2) ASO Level II or Level III qualified or equivalent

3.16.1.5 Mental/Physical Requirements

3.16.1.5.1 Contractor(s) will be subject to a government security investigation and must meet eligibility requirements for access to classified information. Contractor will also be subject to pre-employment drug screening.

3.16.2 Lead Special Operations Forces Training Analysis Feedback Facility Analyst

The Contractor shall coordinate scheduling, administer personnel actions, and lead the completion of all other SOF TAFF duties as described below. This individual will become part of the plans team that will assist in the analysis of the SOF RTU to include Civil Affairs (CA) and Military Information Support Operations (MISO) planning and operations in order to provide relevant and doctrinally correct AAR information.

3.16.2.1 Duties:

3.16.2.1.1 The Contractor shall lead a team of contracted SOF TAFF analysts, providing 24 hour manning and radio coverage of the SOF TAFF for the SOF observer, controller trainers.

3.16.2.1.2 The Contractor will track, monitor, collect, and analyze data from multiple sources to include CTC OIS, CPOF, Radios, and instant messaging; besides voice and messaging, the data will also be in the form of pictures and videos.

3.16.2.1.3 The Contractor will collect reports from SOF/CA/MISO military personnel and other contract personnel during the conduct of SOF activities.

3.16.2.1.3.1 The Contractor will log, sort, and use the data to assist in the construction of AAR products and provide them to the SOF/CA/MISO/OC/Ts.

3.16.2.1.4 The Contractor shall deconflict SOF actions through the CF TAFFs.

3.16.2.1.5 The Contractor shall assist daily analysis briefings the SOF military leadership and other civilian personnel.

3.16.2.1.6 The Contractor will prepare meeting minutes from the daily analysis briefings and submit them to the appropriate NTC SOF staff no later than two hours after the meeting has finished.

3.16.2.1.7 The Contractor will assist in the preparation and of AAR's for SOF personnel training. The SOF TAFF will collect and process SOF pictures and video for integration into AARs and THPs.

3.16.2.1.7.1 The Contractor will input AAR data into Joint Lessons Learned Information System (JLLIS).

3.16.2.1.8 The SOF TAFF will conduct operational and doctrinal research and organize collected information for use in other tasks.

3.16.2.1.9 The Contractor will provide special operations expertise, support, and collaboration for the NTC and the SOF rotational unit.

3.16.2.1.10 The Contractor shall communicate over assigned radio using military communications procedures.

3.16.2.1.11 The Contractor must be able to articulate military style writing when transcribing radio communications into written reports.

3.16.2.1.12 The Contractor shall assist the SOF Plans section with future operations during non-training rotational hours.

3.16.2.2 Duties and responsibilities include but are not limited to:

3.16.2.2.1 The Contractor shall track all SOF Operations.

3.16.2.2.2 The Contractor shall analyze data provided by OC/Ts for incorporation into other products.

3.16.2.2.3 The Contractor shall provide regular reports and timely responses to requests for information to the SOF OC/Ts and the NTC SOF Plans Section.

3.16.2.2.4 The Contractor shall facilitate communication between the SOF OC/Ts, the CF OC/Ts and the Tactical Operations Center.

3.16.2.2.5 The Contractor shall monitor CTC OIS, CPOF, Radios and other computer and cellular instant messaging applications.

3.16.2.2.6 The Contractor shall assist in the construction of the (1) one SOF AAR per rotation.

3.16.2.2.7 The Contractor shall research Special Operations doctrine.

3.16.2.2.8 The Contractor shall participate in events that support and facilitate SOF collective training at NTC such as initial planning conferences, leader training programs and pre-deployment site surveys.

3.16.2.2.9 The Contractor must be able to build and manage the 24-hour TAFF scheduling of personal time and unit resources.

3.16.2.2.10 The Contractor must be able to coordinate multiple operations simultaneously.

3.16.2.2.11 Contractor must be able to synchronize people, resources and workspace balanced between Contractor and customer.

3.16.2.3 Qualifications

3.16.2.3.1 The Contractor must possess basic and/or minimum qualification as follows:

- (1) Must possess a minim of 4 years of military or equivalent experience
- (2) Must be a US citizen
- (3) Must possess at least an Active Secret Clearance
- (4) Ability to work shift work with extended hours, up to 12 hours per shift
- (5) Able to articulate military style writing when transcribing radio

communications into written reports

(6) Must be able to learn with Army Ranger, Special Forces and Joint Special Operations Forces doctrine

- (7) Must be familiar with MS Office Suite

3.16.2.3.2 Preferred qualifications are as follows:

(1) Graduation from Battle Staff Course or one of the following Schools: Ranger School, Officer Basic, Officer Advanced Course or Advanced NCO Course.

(2) Experience with Special Operations Joint Task Forces, Combines/ Joint Special Operations Task Forces and / or other SOF structures

3.16.3 Special Operations Forces Training Analysis Feedback Facility Analyst

This individual will become part of the plans team that will assists in the analysis of the SOF RTU to include CA and MISO planning and operations in order to provide relevant and doctrinally correct AAR information.

3.16.3.1 Duties:

3.16.3.1.1 The Contractor shall provide twenty-four (24) hour manning and radio coverage of the SOF TAFF.

3.16.3.1.2 The Contractor shall track, monitor, collect, and analyze data from multiple sources to include CTC OIS, CPOF, Radios, and instant messaging; besides voice and messaging, the data will also be in the form of pictures and videos.

3.16.3.1.3 The Contractor shall collect reports from SOF military personnel and other contract personnel during the conduct of SOF activities. The SOF TAFF will log, sort, and use the data to assist in the construction of AAR products and provide them to the SOF/ OC/Ts. The SOF TAFF will also deconflict SOF actions through the CF TAFFs.

3.16.3.1.4 The Contractor shall assist in daily analysis briefings with SOF military leadership and other civilian personnel. The Contractor shall capture meeting minutes and provide them to the appropriate NTC SOF Plans member no later than (2) two hours after the meeting have ended.

3.16.3.1.5 The Contractor will assist in the preparation and execution of AAR for SOF personnel training. The SOF TAFF will collect and process SOF pictures and video for integration into AARs and THPs.

3.16.3.1.6 The Contractor shall input AAR data into the JLLIS.

3.16.3.1.7 The Contractor shall conduct operational and doctrinal research and organize collected information for use in other tasks.

3.16.3.1.8 The Contractor shall communicate over assigned radio using military communications procedures.

3.16.3.1.9 The Contractor must have the ability to work a flexible schedule with the potential for extended hours; up to 12 hours per shift.

3.16.3.1.10 The Contractor must be able to articulate military style writing when transcribing radio communications into written reports.

3.16.3.1.11 The Contractor shall assist the SOF Plans section during non-training rotational hours.

3.16.3.2 Duties and responsibilities include but are not limited to:

3.16.3.2.1 The Contractor shall analyze data provided by OC/Ts for incorporation into other products.

3.16.3.2.2 The Contractor shall provide regular reports and timely responses to requests for information to the SOF OC/Ts and the combat training center SOF.

3.16.3.2.3 The Contractor shall facilitate communication between the SOF OC/Ts, the CF OC/Ts and the Tactical Operations Center.

3.16.3.2.4 The Contractor shall track all SOF Operations.

3.16.3.2.5 The Contractor shall monitor CTC OIS, CPOF, Radios and other computer and cellular instant messaging applications.

3.16.3.2.6 The Contractor shall assist in the construction of (1) one SOF After Action Review.

3.16.3.2.7 The Contractor shall research Special Operations doctrine.

3.16.3.2.8 The Contractor shall participate in events that support and facilitate SOF collective training such as initial planning conferences, leader training programs and pre-deployment site surveys.

3.16.3.2.9 The Contractor must be able to coordinate multiple operations simultaneously.

3.16.3.3 Qualifications:

3.16.3.3.1 Contractor must possess basic and/or minimum qualification as follows:

- (1) Must be a US citizen
- (2) Must possess at least an active Secret Clearance
- (3) Ability to work shift work with extended hours, up to 12 hours per shift
- (4) Able to articulate military style writing when transcribing radio

communications into written reports

(5) Must be familiar with Army Ranger, Special Forces, and Joint Special Operations Forces doctrine

- (6) Must be familiar with MS Office Suite

3.16.3.4 Preferred qualifications:

- (1) Minimum of (3) years of military or equivalent experience
- (2) Graduation from Battle Staff Course or one of the following Schools: Ranger School, Officer Basic Course, Officer Advanced Course or Advanced NCO Course
- (3) Experience with Special Operations Joint Task Forces, Combines/ Joint Special Operations Task Forces and / or other SOF structures

3.16.4 Assistant Special Operations Exercise Planner

These individuals will become part of the plans team that will develop SOF scenarios and other products that tie to the conventional force (CF) scenario based on the SOF rotational unit's training objectives. These products will prepare designated SOF units and their staff for combat.

3.16.4.1 Duties:

3.16.4.1.1 The Contractor will prepare and develop products and plans which will facilitate CF - SOF interoperability, integration, and interdependence (I3) during the Brigade Combat Team Decisive Action Training Exercise (DATE) Scenario and other specialized exercises.

3.16.4.1.2 The Contractor shall plan, coordinate, integrate, synchronize, and prepare doctrinally correct Special Operations (SO) and exercise control products.

3.16.4.1.2.1 The Products include, but are not limited to, SOJTF, SOTF OPORDs, FRAGORDs, TASKORDs, Target Folders, and SO Intelligence Summaries.

3.16.4.1.3 The Contractor shall serve as an Operations/Intelligence representative in a replicated JSOTF HQ during NTC rotations.

3.16.4.1.4 The Contractor shall provide expertise, exercise design, scripting, support, and collaboration for each SOF rotational unit.

3.16.4.2 Responsibilities include but are not limited to:

3.16.4.2.1 The Contractor shall provide support to SOF by synchronizing SOF planning, coordination, and execution of Joint Training Coordination Program (JTCP) prioritized JNTC programs to facilitate and emulate SOF - conventional force integration, interdependence, and interoperability.

3.16.4.2.2 The Contractor shall assist with reports and timely responses to requests for information to the SOF rotational unit, USASOC, NTC, and the CTC detachment HQ.

3.16.4.2.3 The Contractor shall facilitate communication between the SOF rotational unit, the Army service component (USASOC), and the appropriate NTC staff.

3.16.4.2.4 The Contractor shall support the integration of essential USASOC SOF training requirements with NTC exercise initiatives and activities.

3.16.4.2.5 The Contractor shall assist with the development of SOF specific plans and scenarios for implementation into the NTC DATE scenario.

3.16.4.2.6 The Contractor shall assist with scripting SOF scenarios, SOF exercise injects using current, evolving doctrine and SOF best practices.

3.16.4.2.7 The Contractor shall assist with the support to the integration of special operations training within the Army and DOD joint training community.

3.16.4.2.8 The Contractor shall assist with the development of other SOF specific plans and scenarios outside of the NTC DATE scenario.

3.16.4.2.9 The Contractor shall participate in events that support and facilitate SOF collective training at NTC such as initial planning conferences, leader training programs, and pre-deployment site surveys.

3.16.4.2.10 The Contractor must be able to manage scheduling of personal time and unit resources.

3.16.4.3 Qualifications:

3.16.4.3.1 The Contractor must possess basic and/or minimum qualification as follows:

- (1) Must be a US citizen
- (2) Must possess at least an active Secret Clearance
- (3) Must be able to effectively and independently research, develop, organize, and communicate concepts and ideas orally and in writing
- (4) Must possess scenario development experience to include experience in design of exercises, scenarios, and management of Master Scenario Event List (MSEL) events
- (5) Must be competent with MS Office Suite
- (6) Exhibit knowledge and skills relating to current joint/service SO doctrine, TTPs, and systems

3.16.4.4 Preferred qualifications:

(1) Experience conducting Special Operations Forces training and operations with at least (3) years' experience.

(2) Experience with Special Operations Joint Task Forces, Combines/ Joint Special Operations Task Forces and / or other SOF structures.

(3) ASO Level II or Level III qualified.

3.17 Program Management

Program Management includes all execution, coordination, transportation, oversight, and management functions to perform the NTCMSS contract.

3.17.1 The Contractor shall conduct and participate in meetings and reviews at the Contractor and Government facilities for program oversight and management.

The Contractor shall conduct reviews to be co-chaired by a Government and Contractor representative. The Contractor shall be prepared to explain the reasoning, assumptions and methods used to arrive at any particular conclusion, recommendation, or alternative in the accomplishment of the tasks required by the contract. The Contractor shall prepare drawings, charts, schedules, and other data as required to aid in presentations.

3.17.1.1 The Contractor shall have key personnel, support, and subcontractors as appropriate available to execute the meetings. The Contractor shall supply presentation materials to the Government as needed prior to the meeting to enhance productivity and mutual understanding of topics.

3.17.2 The Contractor shall prepare a Program Management Plan (PMP). The PMP at award will include a detailed Staffing Plan to include, but is not limited to, Management Structure, Staffing and Training of Personnel, Security Clearances, Incentive and employee development policies, hiring practices, Estimated manning levels, Facilities and Equipment, Supply Management and Inventory practices, Compliance with Local Installation Policies and Procedures, and Quality Assurance methods. A final PMP shall be submitted for approval no later than 30 days after full transition. The PMPs Staffing

Plan and draft Contract Work Breakdown Structure (CWBS) or its planning equivalent are required at contract award.

The Contractor shall address total program activities including activities performed by major subcontractors. The Contractor shall update the PMP as necessary.

Deliverables

DI-MGMT-81797 Program Management Plan (PMP)

3.17.2.1 The Contractor shall host In Progress Reviews (IPRs) to brief the status of transition efforts. The IPRs will occur every thirty (30) days between PAC and Phase-In Start, and every seven (7) days during the Phase-In period. The Contractor shall brief the status of the PMP at each IPR.

3.17.2.2 The Contractor shall perform a joint Government and Contractor inventory of all Government provided facilities no less than once a year starting after the PAC.

3.17.3 The Contractor shall participate in Integrated Product Team (IPT) meetings with their Government counterparts. The Contractor shall host Government/Contractor IPT meetings on an as-needed basis throughout the entire contract Period of Performance, as coordinated with the Government. The Contractor shall provide a brief to identify any risks that could impact cost, schedule, and performance, and identify resolutions to program issues.

The IPT will review all significant program issues and resolution. The Contractor shall maintain an Action Item tracking list and IPT shall review the action items to ensure they are actively being worked and closed out in a timely manner.

3.17.5 Management Interface System (MIS)

The Contractor shall provide a single graphical user interface to the Contractor's relational/transactional database or databases to provide accurate, complete,

comprehensive management information in real-time or near real-time (near real-time means that information is delayed only due to automatic data processing time). The Government does not intend to procure MIS hardware or software; the Government envisions the MIS as a procurement of MIS services provided by the Contractor in support of the NTCMSS contract. The MIS shall be in the Contractor's format and shall be accessible through a Government computer or other Government issued device (Phone / Tablet / Potable Device). The MIS shall provide the Contracting Officer and the NTC Operations Group Command Staff a portal to easily view critical data, future schedules, current schedules, and items of significance.

The MIS shall be available to the Government at all times, specifically the NTC Operations Group Command, Contracting Officer, COR and the NTC designated personnel. The MIS will be "View Only" for all Government access.

The Contractor shall provide all MIS data and reports as identified in this PWS. The Contractor shall produce additional reports as requested by the Government; if these additional reports require significant workload to develop, the Contractor shall notify the Government of the impacts for consideration of whether a contract modification is appropriate.

The MIS shall provide direct access to current service performance information, PMP progress, Government / Contractor property, funding levels, expenditure rates per service category, Small Business Participation Percentage per service category, Daily Logs, and shall be used for the submission of reports and deliverables.

Items the MIS must initially contain:

1. PMP
2. Transition Plan Status
2. Contract Data Requirements List (CDRL) schedule and all documentation
3. Current and the next Training Schedule coverage
4. Anticipated Contractor travel and off-site training courses

5. Funding Levels for all CLINs with forecasted expenditures
6. Emergency and Incident reports with status
7. Work requests with status
8. Small Business Participation Percentages per Service Category
9. List of subcontractors and the functions they are performing per service category
10. Daily Log

The above list is the minimum information that will be listed on the MIS at contract award. The PCO, COR and NTC Operations Group Command will require additional information after contract award. The Contractor shall ensure that the MIS allows the Government the Government to access data on-demand.

3.17.5.1 The Contractor shall establish, operate, and maintain a MIS for Government and Contractor use to manage operations and support decision making.

3.17.5.1.1 The Contractor shall implement security measures for MIS systems and data IAW DFARS Clause 52.204-7012 Safeguarding of Unclassified Controlled Technical Information and DoDI 8582.01, Security of Unclassified DOD Information on Non-DoD Information Systems.

3.17.5.1.2 The Contractor shall implement a disaster recovery plan for ensuring data is recoverable IAW the National Institute of Standards and Technology (NIST) Special Publication 800-34, Rev 1, dated May 2010, International Organization for Standardization/International Electro technical Commission (ISO/IEC) 24762:2008, Information technology Security techniques Guidelines for information and communications technology disaster recovery services.

3.17.5.1.3 The Contractor shall ensure MIS is accessible for authorized users only. The Contractor shall provide MIS access IAW user roles as provided by the Government during Contract transition. The MIS shall accommodate at least 10 Government users logged in at the same time with at least 20 Government users total.

3.17.5.1.4 The Contractor shall deliver all CDRLs via the MIS.

3.17.5.1.5 The Contractor shall provide MIS training for users. The Contractor shall provide classroom training at a Government provided facility for up to 20 trainees, up to 2 times during contract transition. The Contractor shall provide downloadable exportable training packages.

3.17.5.2 The Contractor shall capture, store, manage, display, and export contract and financial data and documentation in the MIS for overseeing the NTCMSS contract performance, execution, and audit readiness.

3.17.5.2.1 The Contractor shall summarize CLIN contract actions for contract execution, oversight, and management.

3.17.5.2.2 The Contractor shall organize and compile CLIN-level contract data and financial status in the MIS for contract execution, oversight, and management.

3.17.5.2.3 The Contractor shall provide actual costs expended for each Cost type CLIN in the MIS. The Contractor shall provide labor mix, labor hours, negotiated labor costs, material, Other Direct Cost (ODC), and travel descriptions, quantities, and costs for each Cost type CLIN in the MIS in real time or near real time. The actual costs requested is required for all prime and major subcontractors (major subcontractors are considered those performing 10% or more of the total contract value, on a yearly basis). Subcontractors can send sensitive information directly to the Contracting Officer with approval from the Prime Contractor.

3.17.5.2.4 The Contractor shall report subcontractor and Small Business participation semi-annually.

3.17.5.3 The Contractor shall transfer NTCMSS contract service-related MIS data to the Government at the end of the base period of performance and at the end of each option period. The data shall be structured in a logical manner and must be accessible on a Government computer. The data shall not require proprietary software or hardware to access or distribute. The Government will retain Government Purpose Rights on all MIS data.

3.17.6 Government Provided Facilities

The Government shall make available the materials, office space, communications capability, and information as identified in Appendices (A) and (B) during the transition period after contract award. The Contractor shall be responsible to enforce all facility regulations and ensure a safe work environment is maintained. The Contractor shall be responsible for informing the Government on a change in the operational status of said named items within two business days. The Contractor shall be responsible for maintaining the cleanliness of all spaces in which they occupy.

Items deemed essential to the performance of services will be reported immediately to the COR, Contracting Officer and NTC Operations Group via email and a phone call to the NTC support staff. A delay in training due to a communication failure on an item addressed in this subsection is unacceptable.

All Government provided facilities will be inventoried annually by a joint Contractor Government inventory. The only official authorized to remove or add items furnished by the Government is the Contracting Officer or the COR.

3.17.7 Contractor Acquired Property

The ACOR will review all requested purchases, and the COR will request approval from the Contracting Officer prior to purchase. The Contracting Officer will send a

written approval / rejection notice to the Contractor prior to the purchase all CAP. All CAP will be acquired via authorized vendors to ensure compliance with environmental policies, CHES procedures, the Trade Agreements Act, and all DOD / Army cyber security regulations.

3.17.7.1 The Contractor shall maintain a comprehensive database of all CAP. The database must be accessible to the Government on the MIS. The database shall contain the date of purchase, total cost of each item, item description, individual tracking number for audit purposes, and the building location on NTC. The database information will be periodically audited by the ACOR, COR or PCO. An annual CAP verification must be completed by the Government prior to exercising the CAP option CLIN.

3.17.7.2 The Contractor shall use Contracting Officer approved CAP for the performance of NTCMSS contract requirements only. The Contractor shall not use equipment purchased for the NTCMSS contract effort on non-NTCMSS contract work. Items purchased by the Contractor with Contractor funds (non-CAP) will be identified prior to use on Fort Irwin; all electronic devices will be approved prior to use. The NTC CIO or an approved Government representative will inspect and approve all computer devices prior to use in any NTC facility.

3.17.7.2.1 The Contractor is legally responsible and financially liable for all costs directly or indirectly associated with the use of non-approved equipment. A breach of security or cyber intrusion due to the use of unapproved CAP will be at the cost of the Contractor.

3.17.7.3 The Contractor will deliver all CAP at the end of the contract. The end of the contract for CAP is defined as "the transition period of an option year or the final period of performance transition." The COR will inspect and accept all equipment at the NTC facility. Items determined to be unserviceable will be disposed of by the Contractor prior to the end of the transition period. The final inspection and acceptance for CAP can be initiated after all unserviceable items are properly disposed. Contractor provided

vehicle will belong to the Contractor.

3.17.7.3.1 The Contractor shall maintain a warranty file for Contractor Acquired Property (CAP). The warranty files shall transfer to the Government at the end of the contract Period of Performance. The warranty file shall be logged in the MIS and remain available during the entire contract period of performance.

3.17.7.3.2 The Contractor shall facilitate the transfer and closeout of CAP at least thirty (30) days prior to contract period of performance end date. Government accepted CAP will become NTC administered and maintained property.

3.17.7.3.3 The Contractor shall provide all transportation to perform services unless transportation is specifically identified in the PWS. The Contractor is responsible for vehicles meeting California and Fort Irwin base regulations such as but not limited to: insurance, registration, safety and omission certifications. All vehicle leases or titles will not be transferred to the Government. All Contractor provided vehicle costs will be included in the execution of the Program Management Contract Line-Item Number (CLIN) on a Firm Fixed Price (FFP) basis.

3.17.8 Government Furnished Property

The contractor will oversee and manage the Government, Customer, and Raytheon-owned property efficiently in support of the NTCMSC contract and in full compliance with contracts, regulations, and business practices. Contractor will also maintain and administer the Property Management System in support of the property lifecycle from acquisition through receiving, identification, utilization, maintenance, inventory, subcontractor control, relief of stewardship, and contract closure.

3.17.8.1 The contractor will issue and receive equipment for repair in support of the NTCNTCMSS contract mission at the NTC.

3.17.8.2 The contractor will manage multiple class codes of government property; class

II, III, VII, and IX. Conduct inventory and inspection for serviceability of assets. The contractor will be proficient in requisition, work orders and disposal of property through military GCSS-Army database system and the MIS.

3.17.8.3 The contractor will maintain accountability of equipment through all phases of the repair process. Contractor will also maintain materials storerooms in compliance with Raytheon and government requirements. Issue materials to technicians and document materials issues and returns against the appropriate work orders in the MIS/GCSS-Army database.

3.17.8.4 The contractor will conduct on-going 10% material inventories and resolve discrepancies in a timely manner. Contractor will monitor inventory levels and create Transfer Orders, Purchase Requests and Service Requests as appropriate to ensure adequate stock levels are maintained.

3.18 Intelligence and Electronic Warfare Tactical Proficiency Trainer

The Contractor shall provide Instructor / Operator (I/O) services to develop training products, documents, requirements, strategies, training materials, and provide instruction in support of IEWTPT and provide operational support.

3.18.1 The Contractor shall provide I/O services to develop and update Intelligence Systems / Capabilities training products/classes/documents and present training to units receiving current and future capabilities. Provide support to operational tests, training product support using the Training Development Capability (TDC) database and daily operational IT support. Contractor shall provide support to other Intelligence System NET's and to provide input to the Training Developers/Instructors working in DOT.

3.18.2 The Contractor shall assist commanders, staff, and trainers in developing and implementing Mission Essential Task List (METL) focused training. IEWTPT provides live, virtual, and constructive simulations using operational concepts and software to

conduct training not possible in a traditional training environment. The IEWTPT system is designed to interface with a Constructive Simulation (CS) such as the Joint Land Component Constructive Training Capability (JLCCTC) and Joint Conflict and Tactics Simulation (JCATS).

3.18.3 Instructor Operator (I/O) Support

3.18.3.1 The Contactor shall provide specific Military Intelligence (MI) Support, exercise development and execution.

3.18.3.2 The Contractor shall provide I/O for the fielded Intelligence and Electronic Warfare Tactical Proficiency Trainers (IEWTPT). The Contractor shall provide services during a normal work week and as required during training events. Contractors shall follow a normal work schedule with sporadic over-time / extra hours to support training. Services are to be provided at the following locations:

- 1- National Training Center (NTC) Fort Irwin, CA
- 2- Joint Readiness Training Center (JRTC) Fort Polk, LA

3.18.3.3 Each site requires I/O support, and each site will require a minor variance in support coverage. Current Operations require the minimum I/O service provider support:

- (4) Service Providers at the NTC
- (3) Service Providers at the JTRC

3.18.3.4 **Qualifications**: The I/O service provider must possess a security clearance of TS/SCI prior to employment. Be a subject matter expert on the IEWTPT and all associated system components. Possess at least 4 years' Military Intelligence experience, must possess a Bachelor's degree (of comparable level of on the job experience).

3.18.3.5 **Experience**: I/O service providers shall have experience within the Army Intelligence Warfighting Functional Area and have actively worked within the Army Intelligence Community (IC) for a minimum of six (6) years. Each site will have personnel with experience in at least two of the following four intelligence backgrounds

(in order of precedence); All-Source, SIGINT, GEOINT, or HUMINT and experience with ISR platform systems such as the DCGS-A, the Tactical (or Common) Ground Station, Prophet, and Aerial ISR.

3.18.3.6 **Physical Capabilities**: I/O service providers shall be physically capable of fulfilling all physical requirements associated with supporting the system including the ability to lift a minimum of 50 pounds. This may include lifting computer components of the system for installation, operation, and maintenance of the system.

3.18.3.7 **Skill Set**: I/O service providers shall possess the interpersonal skills to effectively demonstrate and relate operational, system requirements, and capabilities to the training audience - Soldiers, civilians and leaders utilizing the system.

3.18.3.8 **Computer Proficiency**: Contractors shall be proficient in the use of the available Windows IT tools (such as Task Scheduler, Event Viewer, Disk Management, Starting and Stopping Services, Registry Editor, Resource Monitor, Performance Monitor, Device Manager, Firewall, and basic Command Line tasks) needed to perform their Contractor duties. To demonstrate a proper, collection capability, the Contractor should be knowledgeable of Intelligence, Surveillance, Reconnaissance (ISR) mission requirements as well as realistic ISR training planning in order to build the ISR training plan into the Technical Control Cell (TCC). Contractors shall be proficient in the assembly operations and use of HUMINT Control Cell (HCC) related hardware, software and supporting equipment.

3.18.3.9 The Contractor shall attend exercise planning, operations and integration meetings, including but not limited to: exercise planning meetings, Integrated Process Reviews (IPRs), exercise rules of engagement, technical working group, rotational unit integration, post rotational review, operations laydown, intelligence laydown, scripting meetings/working groups/conferences, combat operations planning, integration, and support meetings, participate in training coordination, system setup, and assists in Soldier/unit AAR.

3.18.3.10 The Contractor shall operate the IEWTPT system in support of exercise events. This includes but not limited to: System startup and shutdown, supporting operations in garrison and maneuver/training areas, recording and providing play-back of the exercise, briefing system capabilities and limitations, providing detailed automated/semi-automated AAR data and presentation of this data to the Trainers/Trainees

3.18.3.10.1 The Contractor shall participate in exercise design based on training objectives with an understanding of basic Military Intelligence core skills associated with the intelligence process and the MDMP.

3.18.3.10.2 The Contractor shall participate as an IEWTPT SME in exercise planning and coordination in support of training for MI/ISR systems and Processing, Exploitation, and Dissemination (PED) operations.

3.18.3.10.3 The Contractor shall provide coordination (as overseen by Government lead) for MI/ISR Soldiers and sections in support of training for ULO tasks, functions, and procedures for MI personnel especially Combined Arms Training Strategy (CATS) CATS/METL tasks associated with various MI specialties within team/crew level events.

3.18.3.10.4 The Contractor shall develop, control, and manage, the changing exercise data.

3.18.3.11 The Contractor shall provide operator level maintenance and administration of the assigned systems.

3.19 Intelligence, Surveillance, Reconnaissance (ISR) Capabilities Integrator

The ISR Capabilities Integrator support provides an analytical and advisory capability that enhances the LVC training as well as the overall RTU training schedule. The Contractor provides insight into real world capabilities and various platforms that

increase the realistic value of the training provided. Current operational conditions require (1) ISR Capabilities Integrator.

3.19.1 The Contractor shall create LVC products for adjacent BDE operations, Division and JTF ISR operations.

3.19.2 The Contractor shall prepare (and/or) create Geospatial Intelligence products for NTC SOF, G-2, and other RTU elements.

3.19.3 The Contractor shall assist the NTC Operations support staff and the RTU in the development of scenarios.

3.19.3.1 The Contractor shall provide training for NTC Operations support staff and other SME's on developing scenarios and scripts for ISR coordination / de-confliction.

3.19.3.2 The Contractor shall participate in RTU intelligence briefing prior to and during RTU training.

3.19.3.3 The Contractor shall assist in future and current RTO planning to provide guidance on ISR capabilities and platforms.

3.19.4 The Contractor shall assist in creating imagery, shapefiles, and map related products for use in rotations planning purposes.

3.19.4.1 The Contractor shall provide imagery for Command level and RTU level briefings.

3.19.5 The Contractor shall create virtual representations of counter I.E.D products for every rotation. All imagery and products will be recent and relevant to the mission planning.

3.19.6 The Contractor shall provide recommendation to the NTC staff on the use of ISR capabilities and platforms.

3.19.6.1 The Contractor shall provide real time advice on current ISR capabilities and scenario available platforms.

3.19.7 The Contractor shall provide assistance on map, map related products and overlays, Geospatial information and other product requests.

3.19.8 The Contractor shall update or create imagery, intelligence products and other products due to changes in the scenario during the training rotation.

3.19.9 Qualifications

3.19.9.1 The ISR Capabilities Integrator must have experience and practical knowledge of real world ISR operations.

3.19.9.2 The ISR Capabilities Integrator must have experience with preparing intelligence and mission briefings products.

3.19.9.3 The ISR Capabilities Integrator must have experience with MGRS and map analysis.

3.19.9.4 The ISR Capabilities Integrator must have experience with the DCG-A operating system.

3.20 Insurgent Communication Network (ICN)

The NTC requires an integrated Insurgent Communication Network (ICN) to provide a realistic training environment. The ICN operations will require operator, maintainer and lifecycle support.

3.20.1 The Contractor shall provide network administrative management (including Information Assurance [IA] support activities), database and hardware infrastructure maintenance, and rotational down-range connectivity in0stallation and maintenance support for the ARCYBER / 780th MI BDE LandWarNet (LWN) Cyber-Electromagnetic Activities (CEMA) Insurgent Communications Network (ICN).

3.20.2. Contractor shall support administration, installation, and maintenance of a means to provide acceptable, safe, and isolated remote access capability to ARCYBER / 780th MI BDE into the NTC's Closed-and-restricted Insurgent Communications Network (ICN) while preserving the closed-and restricted requirement (i.e., CEMA Sandbox) to extend to building 24701 "Back Hall" on Fort Gordon (782nd MI BN) over the NIPR DoDIN from the source core service at NTC BLDG 990 and NTC BLDG 6223 backup core service.

4 Special Requirements

This section describes the special requirements for this effort. The following sub-sections provide details of various considerations on this effort.

4.1 Security

The Contractor shall comply with National Industry Security Program (NISP), Army directives and Fort Irwin installation security regulations as appropriate as well as all the Occupational Safety and Health Act. The Contractor shall ensure all Contractor employees are in compliance with all Local, State and Federal safety laws, regulations and policies.

The Contractor shall manage and facilitate support personnel security activities to include individual security clearances; submission of security clearance documentation and employee official security files IAW AR 380-5 and 32 CFR Part 117 NISPOM Rule. General security requirements are in the DD Form 254 - Security Classification Specification identified as part of the contract.

The Contractor and all associated Subcontractor employees shall provide all information required for background checks to meet installation access requirements to be accomplished by installation Provost Marshal Office, Director of Emergency Services or Security Office. Contractor workforce must comply with all personal identity verification requirements (FAR clause 52.204-9, Personal Identify Verification of Contractor Personnel) as directed by DOD, Headquarters Department of the Army (HQDA) and/or local policy.

All Contractor personnel shall be required to obtain and maintain Secret access eligibility through the completion of a National Agency Check with Local Agency and Credit Checks (NACLC), or equivalent security clearance investigation adjudicated by Defense Counterintelligence and Security Agency (DCSA) Consolidated Adjudications Services (CAS) or Defense Industrial Security Clearance Office (DISCO).

The Contractor will require access to SCI information and databases to successfully accomplish this tasking. Specifically, this task requires access to all source intelligence databases and workspaces to provide the most authentic and timely intelligence information that can be provided to support scenarios and training evolutions. Consideration will be given to the spectrum of operations, through all likely phases of modern warfare, in accomplishment of the tasking outlined in this PWS. Due to the nature of operations, the Contractor will require access to SCI as directed by the Government . This type of information is necessary to examine, analyze, and determine the most effective methods of training support regarding operations and environments. This task will involve access to intelligence data and systems, including SCI-level access to Intel Link (IL), JWICS, and the Joint Deployable Intelligence Support System (JDISS) to perform analysis and integration tasks. Realtime intelligence capabilities, links, and threads must be woven into the operational training support to be provided to the Training Operations Center (TOC).

Personnel supporting this effort that require security clearances and billets up to the Sensitive Compartmented Information (SCI) level and will require substantial access to Government offices and SCI areas, data, and facilities to successfully accomplish the tasking identified within the PWS. The SCI caveats that personnel will require to

perform work for this contract are SI/TK/HCS/G/NS. Additionally, the Contractor must be able to obtain courier cards for select personnel to transport sensitive hardware/software to/from authorized locations. Contractors will conform to all security requirements as specified in the DD Form 254.

4.1.1 DD FORM 254

The security requirements and Contractor access to classified information shall be as specified in the DD Form 254. Service categories identified in the PWS will be covered in the DD Form 254 all if new or updated service categories are approved a new approved DD Form 254 will be required prior to performance of the services.

4.1.2 Visitor Group Security Agreement

The Contractor shall sign a Contractor Visitor Group Security Agreement to protect classified information involved in performance under this contract. The agreement will outline responsibilities in the following areas: Contractor security supervision; Standard Practice Procedures; access, accountability, storage, and transmission of classified material; marking requirements; security education; personnel security clearances; reports; security checks; security guidance; emergency protection; protection of Government resources; DD Forms 254; periodic security reviews; and other responsibilities, as required.

4.1.3 Personnel Security Clearances

The Contractor and all associated sub-Contractors employees shall provide all information required for background checks to meet installation access requirements to be accomplished by installation Provost Marshal Office, Director of Emergency Services or Security Office. Contractor workforce must comply with all personal identity verification requirements (FAR clause 52.204-9, Personal Identity Verification of Contractor Personnel) as directed by DOD, HQDA and/or local policy. In addition to the changes otherwise authorized by the changes clause of this contract, should the Force Protection Condition (FPCON) at any individual facility or installation change, the Government may require changes in Contractor security matters or processes.

For Contractors requiring Common Access Card (CAC). Before CAC issuance, the

Contractor employee requires, at a minimum, a favorably adjudicated National Agency Check with Inquiries (NACI) or equivalent or higher investigation IAW Army Directive 2014-05. A Contractor employee will be issued a CAC only if duties involve one of the following: (1) Remote access, via logon, to a DoD network using DoD-approved remote access procedures; or (2) Physical access to multiple DoD facilities or multiple non-DoD federally controlled facilities on behalf of the DoD on a recurring basis for a period of 6 months or more. At the discretion of the sponsoring activity, an initial CAC may be issued based on a favorable review of the FBI fingerprint check and a successfully scheduled NACI at the Office of Personnel Management.

In addition, should the Force Protection Condition at any individual facility or installation change, the Government may require changes in Contractor security processes.

The Contractor shall comply with FAR 52.204-2, Security Requirements. This clause involves access to information classified "Confidential," "Secret," or "Top Secret" and requires Contractors to comply with

- (1) The Security Agreement (DD Form 441), including the National Industrial Security Program Operating Manual (DOD 5220.22-M)

- (2) Any revisions to DOD 5220.22-M, notice of which has been furnished to the Contractor.

For Contractors that do not require CAC but require access to a DOD facility or installation. Contractor and all associated sub-Contractors employees shall comply with adjudication standards and procedures using the National Crime Information Center Interstate Identification Index (NCIC-III) and Terrorist Screening Database (TSDB) (Army Directive 2014-05/AR 190-13), applicable installation, facility and area commander installation/facility access and local security policies and procedures (provided by Government representative), or, at OCONUS locations, IAW status of forces agreements and other theater regulations.

4.1.4 Identification Media

The Contractor shall ensure that employees clearly display the prescribed identification at all times while they are working within Government facilities and performing official duties in execution of contract requirements. All employees requiring access to a Government facility shall coordinate with their Government sponsor and complete a DD Form 1172-2 in order to obtain a Common Access Card (CAC).

4.1.5 Classified Hardware

The Contractor shall not remove items that retain classified information, residual or active, from the secured area for maintenance until it is certified by the Government as cleared of all classified information. Those items that cannot be certified as being free of classified information shall be disposed of IAW the AR 25-2, Information Assurance, prescribed method for the destruction of classified material/equipment.

4.1.6 Computer Hardware Enterprise Software Solutions Program (CHESS)

The Contractor shall comply with the Army's Computer Hardware, Enterprise Software Solutions (CHESS) program, under PEO Enterprise Information System. CHESS is the mandatory source for commercial Information Technology (IT) purchases. CHESS contracts provide IT products and services that comply with Network Enterprise Technology Command (NETCOM), Army and DOD policy and standards. The Contractor shall procure commercial hardware and software IT requirements by utilizing CHESS contracts and DoD Enterprise Software Initiative agreements first, regardless of dollar value. Any purchase made outside of CHESS contracts requires a waiver. A complete list of CHESS contracts and the on-line waiver process can be found at <https://chess.army.mil>.

4.2 Quality

This section describes the Quality Control components for this effort. The following sub-sections provide details of various considerations on this effort.

4.2.1 Quality Control

The Contractor shall develop a Quality Control Plan (QCP) and maintain an effective

quality control program to ensure services are performed IAW this PWS. The Contractor shall develop and implement procedures to identify, prevent, and ensure non-recurrence of defective services. The Contractor's QCP is the means by which the Contractor assures that the work complies with the requirement of the contract.

The QCP shall be in the Contractors format. The Contracting Officer may notify the Contractor of required modifications to the plan during the period of performance. The Contractor then shall coordinate suggested modifications and obtain acceptance of the plan by the Contracting Officer. Any modifications to the program during the period of performance shall be provided to the Contracting Officer for review no later than 10 working days prior to effective date of the change. The QCP shall be subject to the Government's review and approval. The Government may find the QCP "unacceptable" whenever the Contractor's procedures do not accomplish quality control objective(s). The Contractor shall revise the QCP within 10 working days from receipt of notice that QCP is found "unacceptable."

4.2.2 Quality Assurance Surveillance Plan (QASP)

The Government shall monitor the Contractor's performance IAW the Government's QASP.

5 Deliverables

The Contractor shall provide deliverables as described in the Data Item Descriptions (DID). Deliverables specified in the PWS shall be submitted via the MIS and approved by the Contracting Officer. All submissions shall be in the Contractors format and electronically submitted via the MIS. The current DID can be located on <http://quicksearch.dla.mil>. The DID describes the report information required. The frequency of each report is listed on the individual DD 1423 CDRL.

Number	Name	CDRL
DI-FNCL-80912	Performance and Cost Report (Cost Contract or T&M)	A001
DI-SAFT-81563	Accident/Incident Report	A002
DI-MGMT-81468	Contract Funds Status Report (CFSR)	B001
DI-MGMT-81651	Contract Invoicing and Payment Report	B002
DI-MGMT-81334D	Contract Work Breakdown Structure	B003
DI-MGMT-81797	Program Management Plan (PMP)	B004
DI-MGMT-81945	Phase-Out Transition Plan	B005
DI-MGMT-80934C	Operations Security (OPSEC) Plan	B006

6 Related Documents

The following Documents are related to this project:

Appendix (A) Building 990 Government Provided Facility Support

Appendix (B) Government Provided Facility Support Other than Building 990

Appendix (C) Annual Training Schedule (Historical)

Appendix (D) 52 ID Network Equipment List

6.1 Acronyms and Definitions

The following list of acronyms and definitions are used in this PWS and the defined words are NTC specific. Words not specifically defined retain the traditional legal definition that a reasonable person would understand, or the DOD definition located in the DOD Dictionary and Terminology Repository

(http://www.dtic.mil/doctrine/dod_dictionary).

6.1.1 Acronyms

AAR	After Action Review
ABCS	Army Battle Command System
ACOR	Assistant Contracting Officer Representative
AVI	Audio Visual Instruction
BCT	Brigade Combat Team
C2	Command and Control
C4I	Command, Control, Communications, Computers, and Intelligence
CLIN	Contract Line-Item Number
COP	Community of Practice
COR	Contracting Officers Representative
CTC	Combat Training Centers
CTCIS	Combat Training Centers Instrumentation Systems
CWBS	Contractors Work Breakdown Structure
ID/IQ	Indefinite Delivery Indefinite Quantity
IMS	Integrated Master Schedule
IPMR	Integrated Program Management Report
IO	Information Operations
IS	Instrumentation System
OSINT	Open-source intelligence
JLCCTC	Joint Land Component Constructive Training Capability
LAN	Local Area Network
LVC	Live Virtual Constructive
MILES	Multiple Integrated Laser Engagement Systems
MIS	Management Interface System
NLE	Non-linear Editing
NTC	National Training Center
OCI	Organizational Conflict of Interest
PCO	Procurement Contracting Officer
PWS	Performance Work Statement
RTU	Rotational Training Unit
SLIN	Subline Item Number
SOP	Standard Operating Procedure
THP	Take Home Package
TOC	Tactical Operations Center
TOCNET	Tactical Operations Center Network
VVCEC	Voice, Video, Control Editing Center

6.1.2 Definitions

Brigade Combat Teams: Large combined-arms formations that are designed to

contain 4,400 to 4,700 soldiers and include infantry, artillery, engineering, and other types of units. The Army has 30 BCTs in the active component and 26 in the National Guard and there are three types of BCTs (Armored, Stryker and Infantry).

Rotational Training Units are BCTs, and other scheduled units contained on the Annual Training Schedule.

PAGE INTENTIONALLY LEFT BLANK