ENGINEERING ORDER

1. ENGINEERING ORDER NO. 2010C1046-T

DATE: 2010-10-15 | PAGE 1 OF 3 PAGES

2. DWG TITLE	3. DWG CAGE CODE	4. DWG NO.
PROPORTIONER SUB ASSY	86090	44143

5. NEXT ASSY	6. USED ON	7. OPR CAGE CODE	DWG SIZE	DWG SHEET(S)	LATEST DWG REV LTR
	F-16 Aircraft	98748	E	1 of 1	C

8. TYPE OF ENGINEERING ORDER		9. REASONS FOR CHANGE	
✔	ADVANCE CHANGE		ERROR CORRECTION
	DEVIATION AUTHORIZED		DESIGN CHANGE
	CHANGE NOTICE		DRAWING CLARIFICATION
	INFORMATION	✔	UPDATE DRAWING

11. DOCUMENTS AFFECTED *(TO/TCTO/SPEC/OTHER)*: 6J15-13-11-3

12. EO PREPARED/REQUESTED BY	SYMBOL	DATE
Michael Morantine MORANTINE.MICHAEL.C.1230819030 Digitally signed by MORANTINE.MICHAEL.C.1230819030 DN: c=US, o=U.S. Government, ou=DoD, ou=PKI, ou=USAF, cn=MORANTINE.MICHAEL.C.1230819030 Date: 2010.12.21 15:40:46 -06'00'	423 SCMS	20101221
PHONE (405) 736-2859		
13. ENGINEERING APPROVAL DONAHAY.PATRICK.J.1231295018 Digitally signed by DONAHAY.PATRICK.J.1231295018 DN: c=US, o=U.S. Government, ou=DoD, ou=PKI, ou=USAF, cn=DONAHAY.PATRICK.J.1231295018 Date: 2010.12.22 12:08:24 -06'00'	SYMBOL 423SCMS	DATE 22 DEC 10
PHONE (405) 736-2859		

14. CORROSION CONT. MON.	SYMBOL	DATE
15. NDI	SYMBOL	DATE
16.	SYMBOL	DATE
17. DWG CHANGED BY	SYMBOL	DATE
18. CHANGE CHECKED BY	SYMBOL	DATE
19. EO/DWG RELEASED BY DONAHAY.PATRICK.J.1231295018 Digitally signed by DONAHAY.PATRICK.J.1231295018 DN: c=US, o=U.S. Government, ou=DoD, ou=PKI, ou=USAF, cn=DONAHAY.PATRICK.J.1231295018 Date: 2010.12.22 12:08:31 -06'00'	SYMBOL 423SCMS	DATE 22DEC10

10. DISPOSITION OF SPARES	
	REWORK
	MODIFY
	SCRAP
	REPLACE

OTHER COMMENTS

This EO adds Item Unique Identification (IUID) requirements to the drawing

DRC Contract

20. DESCRIPTION OF CHANGES/REMARKS

- F-16 Aircraft Fuel Flow Proportioner (PN 44143) shall be marked with a Unique Item Identifier (UII). (REF: MIL-STD-130)

- If no UII matrix is present, fabricate new identification plate (200945069-501) and attach to the existing identification plate/label (204619).

- The new UID identification plate will be located on the existing plate/label as shown in sketch/photo on page 2, AF form 3926.

- After attaching IUID plate to the existing identification plate/label , apply a thin overcoat to IUID plate ensuring the plate edges are sealed, using 1A20, 1A33 or equivalent Polyurethane Conformal Coating, per manufacturer''s instructions. REF: MIL-I-46058C

ENGINEERING ORDER *(Continuation Sheet)*		1. ENGINEERING ORDER NO. 2010C1046-T	
		DATE: 2010-10-15	PAGE 2 OF 3 PAGES
2. DWG TITLE PROPORTIONER SUB ASSY	3. DWG CAGE CODE 86090	4. DWG NO. 44143	

5. DESCRIPTION OF CHANGES/REMARKS



ENGINEERING ORDER - PARTS LIST CHANGES

1. ENGINEERING ORDER NO. 2010C1046-T

DATE: 2010-10-15 | PAGE 3 OF 3 PAGES

2. DWG TITLE: PROPORTIONER SUB ASSY

3. DWG CAGE CODE: 86090

4. DWG NO. 44143

PARTS LIST CHANGE

ACTION	QTY REQ PER DASH NO			SYM	NOMENCLATURE	CAGE CODE	IDENTIFYING NO.	MATERIAL/SPECIFICATION	ZONE	FIND NO.
ADD	1				PLATE, Identification	98748	200945069-501			
ADD	AR				POLYURETHANE CONFORMAL		1A20, 1A33,	MIL-I-46058C Type UR		
					COATING		or equivalent			