ENGINEERING ORDER

1. ENGINEERING ORDER NO.

DATE: 2010-08-27 | PAGE 1 OF 3 PAGES

2. DWG TITLE	3. DWG CAGE CODE	4. DWG NO.
PRESSURE OPERATED RAM AIR CONTROL VALVE	86090	60593-2

5. NEXT ASSY	6. USED ON	7. OPR CAGE CODE	DWG SIZE	DWG SHEET(S)	LATEST DWG REV LTR
	F-15 Aircraft	98748			

8. TYPE OF ENGINEERING ORDER		9. REASONS FOR CHANGE	
✔	ADVANCE CHANGE		ERROR CORRECTION
	DEVIATION AUTHORIZED		DESIGN CHANGE
	CHANGE NOTICE		DRAWING CLARIFICATION
	INFORMATION	✔	UPDATE DRAWING

11. DOCUMENTS AFFECTED *(TO/TCTO/SPEC/OTHER)*

9H8-30-121-3

12. EO PREPARED/REQUESTED BY	SYMBOL	DATE
Nicholas Picconi PICCONI.NICHOLAS.SHANE.1118867617 Digitally signed by PICCONI.NICHOLAS.SHANE.1118867617 DN: c=US, o=U.S. Government, ou=DoD, ou=PKI, ou=USAF, cn=PICCONI.NICHOLAS.SHANE.1118867617 Date: 2012.03.05 14:56:40 -06'00'	423 SCMS	2012-03-05
PHONE (405) 734-7909		
13. ENGINEERING APPROVAL KISSICK.CHRISTOPHER.MIRES.1290481526 Digitally signed by KISSICK.CHRISTOPHER.MIRES.1290481526 Date: 2012.03.19 14:01:20 -05'00'	SYMBOL 423SCMS	DATE 20120319
PHONE DSN 884-7977		

14. CORROSION CONT. MON.	SYMBOL	DATE
15. NDI	SYMBOL	DATE
16.	SYMBOL	DATE
17. DWG CHANGED BY	SYMBOL	DATE
18. CHANGE CHECKED BY	SYMBOL	DATE
19. EO/DWG RELEASED BY KISSICK.CHRISTOPHER.MIRES.1290481526 Digitally signed by KISSICK.CHRISTOPHER.MIRES.1290481526 Date: 2012.03.19 14:01:29 -05'00'	SYMBOL 423SCMS	DATE 20120319

10. DISPOSITION OF SPARES	
	REWORK
	MODIFY
	SCRAP
	REPLACE

OTHER COMMENTS

This EO adds Item Unique Identification (IUID) requirements to the drawing

DRC Contract

20. DESCRIPTION OF CHANGES/REMARKS

- As of the date of this EO (2012-03-05), no copy of this drawing exists in JEDMICS or MEDALS.

- F-15 Aircraft Pressure Operated Ram Air Control Valve (PN 60593-2) shall be marked with a Unique Item Identifier (UII). (REF: MIL-STD-130)

- If no UII symbol is present, fabricate new identification plate (200945069-501) to add to the existing identification plate/label (PN 200698).

- New UID identification plate will be located in the lower right corner on existing ID plate/label. See sketch/photo on page 2, AF form 3926.

- After attaching IUID plate to end item, apply a thin overcoat to IUID plate ensuring the plate edges are sealed, using 1A20, 1A33, or equivalent Polyurethane Conformal Coating, per manufacturer's instructions. REF: MIL-I-46058C.

ENGINEERING ORDER *(Continuation Sheet)*		1. ENGINEERING ORDER NO.	
		DATE: 2010-08-27	PAGE 2 OF 3 PAGES
2. DWG TITLE PRESSURE OPERATED RAM AIR CONTROL VALVE	3. DWG CAGE CODE 86090	4. DWG NO. 60593-2	

5. DESCRIPTION OF CHANGES/REMARKS

PN 60593-2 (REF)



IDENTIFICATION PLATE
PN 200945069-501

ENGINEERING ORDER - PARTS LIST CHANGES

1. ENGINEERING ORDER NO.

DATE: 2010-08-27 | PAGE 3 OF 3 PAGES

2. DWG TITLE: PRESSURE OPERATED RAM AIR CONTROL VALVE

3. DWG CAGE CODE: 86090

4. DWG NO.: 60593-2

PARTS LIST CHANGE

ACTION	QTY REQ PER DASH NO			SYM	NOMENCLATURE	CAGE CODE	IDENTIFYING NO.	MATERIAL/SPECIFICATION	ZONE	FIND NO.
ADD	1				PLATE, Identification	98748	200945069-501			
ADD	AR				POLYURETHANE CONFORMAL		1A20, 1A33	MIL-I-46058C Type UR		
					COATING		or equivalent			