

[illegible]

Continuation of Supplies or Services and Prices/Costs

Additional Information/Notes

Item	Supplies/Service	Quantity	Unit	Unit Price	Amount
0001	Furnishings: Kirtland AFB, Bldg 20602 The contractor shall provide furnishings in support of the Huntsville Center Centrally Managed Furnishings Program for Kirtland AFB, Bldg 20602, in accordance with the attached Line Items, Item Descriptions and Statement of Work. ****Please submit quotes valid for 120 days. End-Item Description: Furnishing Pricing Arrangement: Firm Fixed Price	1	Lot		
Option Line Item 0002	CONUS Storage: Kirtland AFB, Bldg 20602 ***Option: This line item may be unilaterally exercised at the discretion of the Contracting Officer. Storage shall be a Firm Fixed Price amount of \$_____ per month, for a total amount of \$_____ for six months. Contractors shall take into account all costs necessary to store furnishings secure from theft, damage, and weather elements in case of any contingency en-route to installation. Storage shall include all costs to place furnishings into and remove furnishings from storage (ie. double handling, transportation, etc.). The quoted cost should include all costs necessary to complete delivery and installation of furniture at the terminal location. This	6	Months		

	option is exercisable anytime between contract award and furniture install completion dates. End-Item Description: Storage Pricing Arrangement: Firm Fixed Price				
--	--	--	--	--	--

INSTRUCTIONS TO QUOTERS

1. FURNITURE INSTALL INFORMATION:

A. Estimated award date is: 26 Jun 2026

B. Required install dates are as follows:

Kirtland AFB, Bldg 20602

Install Start Date: 05 Oct 2026

Install Completion Date: 02 Nov 2026

Kirtland AFB, Bldg 20602

Contractor Furniture Install Start Date (FISD):

(insert date, not After Receipt of Order)

Contractor Furniture Install Completion Date (FICD):

(insert date, not After Receipt of Order)

C. Specific install instructions are contained in the Statement of Work (SOW), Attachment # 3.

2. SHIPPING/STORAGE INFORMATION

A. The Contractor shall ship goods on an FOB Destination basis.

B. Contractors shall quote six month's storage cost in the SF-1449 form on each of the two storage CLINs to be considered eligible for award. If a storage fee is not included in pricing, the Contractor's quote may be considered a non-conforming response to the solicitation. A quote for six months of storage is required for when the need for storage is identified prior to leaving the Continental United States (CONUS), and a quote for storage is required for when the need for storage is identified after items have departed CONUS. These two options for storage can be unilaterally exercised by the Contracting Officer for a combined total maximum of six months of storage. Storage needed for partial shipments will be prorated by the price of the items stored relative to the total price of all of the items ordered. Storage will only be funded by modification and at the discretion of the Contracting Officer. Storage will be a firm fixed price amount. Contractors shall take into account all costs necessary to store furnishings secure from theft, damage, and weather elements in case of any contingency en-route to installation. If storage is required in excess of 6 months, a new amount will be negotiated. If the storage cost is incurred, fast payment procedures may be implemented in accordance with FAR 52.213-1. If storage is required, payment may be approved for 85% of the

total supplies only. Installation and the remaining 15% of supplies will be approved for payment once all responsibilities have been completed as set forth in the contract. Contractors shall coordinate delivery and installation with Government Technical Representative (TR) shown in the SOW, and save records of these communications with the goal of successful delivery and installation. This requirement for coordination includes, but is not limited to, communicating with the Government TR prior to shipping items in order to prevent unnecessarily expensive storage costs.

C. The Contractor shall provide a Certification of Conformance for any order that will be stored in a warehouse for which the Contractor desires partial payment in advance of installation of the furnishings. FAR 52.246-15 addresses how to complete a certificate of conformance, and can be found in Attachment # 4, "Order Clauses."

D. Destination/Ship to Address and Transportation Information: See Table 1 in SOW, Attachment # 3.

3. INSPECTION AND ACCEPTANCE

Inspection and Acceptance must be by the Government TR. See Table 1 in SOW, Attachment # 3.

4. LIST OF ATTACHMENTS

ATTACHMENT # 1 – LINE ITEM PRICING (Bldg 20602)	01 page
ATTACHMENT # 2 – FURNITURE ITEM DESCRIPTIONS (FID)	14 pages
ATTACHMENT # 3 – STATEMENT OF WORK (SOW)	13 pages
ATTACHMENT # 3 – FURNITURE PLAN	01 page
ATTACHMENT # 4 – CONTRACTOR PERFORMANCE EVALUATION	02 pages
ATTACHMENT # 5 – ACCIDENT PREVENTION PLAN	08 pages
ATTACHMENT # 6 – ORDER COMPLETION STATEMENT	01 page
ATTACHMENT # 7 – TECHNICAL DOCUMENTS CHECKLIST	06 pages
ATTACHMENT # 8 – ORDER CLAUSES AND PROVISIONS	18 pages

5. CONTRACTING OFFICER'S INSTRUCTIONS AFTER AWARD

A. Only a warranted Contracting Officer (either a Procuring Contracting Officer (PCO) or an Administrative Contracting Officer (ACO)), acting within their delegated limits, has the authority to issue modifications or otherwise change the terms and conditions of this contract. If an individual other than the Contracting Officer attempts to make changes to the terms and conditions of this contract you shall not proceed with the change and shall immediately notify the Contracting Officer.

B. The Contractor shall be responsible to coordinate the installation of its items with the site Technical Representative at least 30 days before the installation start date. At this time any special security/install instructions will be provided by the Government to that Contractor. The Contractor shall refer to the Statement of Work (Attachment #3) for additional installation instructions. If additional days for installation are needed, a

justification should be provided at the time of quote for approval by the Contracting Officer.

C. Security issues (e.g. getting on and off post), logistical discussions of the installation process shall be coordinated with the Furniture Management Officer (FMO).

D. If a subcontracted item is found to be unavailable after award, and Government acceptance of a substituted item is requested, the Contractor shall submit to the Contracting Officer copies of the contract terms and conditions along with the technical data sheets for the proposed substitute item.

E. Safety Plans. The Contractor shall be responsible for submitting a completed safety plan within one month after contract award, or where expedited installation is required NLT 10 days before installation. NO installation will be permitted without an approved safety plan. The Contractor shall not begin installing items until a safety plan has been submitted to and approved by the Government. All safety plans shall be emailed to: furnishinginvoices@usace.army.mil

F. The Contractor shall comply with all laws, rules and regulations of the installation, including but not limited to, the following: No weapons of any kind are to be carried by any person or transported in any vehicle entering an Air Force installation. Truck drivers carrying any kind of weapon will be denied access to the Air Force installation.

G. If requested by the Contracting Officer, the Contractor shall provide reports for quoted items.

6. INVOICES

A. Partial order invoices will not be accepted. Invoices may be submitted for one building of a multi-building delivery order only with the approval of the Contracting Officer, following the complete installation of the one building by the Contractor and acceptance by the Government.

B. All invoices shall be emailed to the following email address for processing: FurnishingInvoices@usace.army.mil

C. The Contractor shall return a signed Attachment # 7, Order Completion Statement, with its final invoice. Invoices shall not exceed the contract amount. A final invoice submitted without a signed Order Completion Statement will be rejected.

7. INSTRUCTIONS TO CONTRACTORS

A. The Contractor shall provide pricing for all items listed in the RFQ for the quote to be accepted by the Government.

B. The Contractor shall complete the furniture installation schedule under FURNITURE INSTALL INFORMATION and include in the quote submission.

C. All quoted items shall meet the specifications defined in the Furniture Item Description (FID), Attachment # 2.

D. Contractors shall provide name brand and model numbers for all quoted items, including pass-thru items and those manufactured by the Contractor.

E. Technical Data Sheets Required. The Contractor shall provide current and complete cut sheets for all items specified in the FID, unless otherwise specified. All salient features of items specified in the FID must be addressed on the cut sheets. When the Contractor provides more than one cut sheet for an item specified in the FID, the cut sheets and supporting documentation shall be highlighted or contain other markings that bring immediate attention to information, and enables the Government to remove all doubt whether a contractor has or has not met the specifications shown in Attachment #2. The burden of providing information, which shall be **organized and sequential according to the FID**, is the responsibility of the Contractor. The Government will not be held responsible for contractor information that is not organized and sequential according to Attachments # 1 & 2, or not highlighted (if within a larger document and used as proof), which prevents conclusive comparisons between the Contractor's quoted items and the requirements during technical review.

F. Electronic Price Quote is Required. Attachment #1, "Line Item Pricing," will be provided in an Excel spreadsheet format by the Government. The Contractor shall **submit the completed Attachment #1 in Excel format** to the Government by the deadline for submission of quotes set forth in this RFQ.

G. Attachment # 7, "Technical Documents Checklist," will be provided in Word format by the Government. The Contractor shall **submit a completed Attachment # 7 in Word format** to the Government by the deadline for submission of quotes set forth in this RFQ.

H. Product samples are not acceptable for this RFQ, unless otherwise directed by the Contracting Officer.

I. Multiple quotes are not acceptable for this RFQ. If multiple quotes are received, only one quote (as determined by the Contracting Officer) will be evaluated by the Government.

J. The Contractor shall list any specific special features, warranty, and environmental and energy efficiency features applicable to its quoted products.

K. The Contractor shall be bound by the monthly storage fee quoted for an option for a maximum period of six months that may be unilaterally exercised by the Contracting Officer in one-month increments. If a storage fee is not included in the Contractor's quote, the Contractor's quote may be considered a non-conforming response to the solicitation.

L. When drawings are included as attachments, they are for visualization purposes only. The FID takes precedence over drawings unless otherwise stated. Site conditions may not align with drawings. Post-award site verifications are the responsibility of the Contractor.

M. Contractors shall submit the following with their quotation:

Company Name:	_____
Cage Code:	_____
Taxpayer Identification Number:	_____
Duns Number:	_____
POC Name:	_____
Email Address:	_____
Phone Number:	_____
Mailing address	_____

N. The Contractor shall be actively registered in the System for Award Management (SAM) with no exclusions.

8. SUBMISSION, MODIFICATION AND REVISION OF QUOTES

A. Contracting documents (RFQ (Combined Solicitation/Synopsis), SF30, Attachment # 1 in Excel format, Attachment # 7 in Word format) and technical documents (cut sheets and other supporting documents demonstrating quoted items meet the FID requirements) together create the quote. The terms, “quote,” “RFQ response,” and “response” have the same meaning in this section.

B. Quotes shall be submitted by the contractor to the Government in email, using as many emails as required to deliver a complete quote. When multiple emails are used to deliver a complete quote, contractors shall state their number to the Government. Currently, Huntsville Center supports up to 10MB of content per email.

C. It is recommended that Contractors use the Procurement Integrated Enterprise Environment (PIEE). A vendor portal for solicitations was introduced as an enterprise-level service for the Department of Defense (DoD) within the Procurement Integrated Enterprise Environment (PIEE) platform. This capability allows DoD to have a more automated and secure process for capturing solicitations and their attachments and responses from industry. To obtain additional information please visit:

<https://piee.eb.mil/xhtml/unauth/web/homepage/vendorGettingStartedHelp.xhtml>

i. PIEE Size Limit. Each uploaded attachment can be up to 1.9 gigabytes (GB) in size. The application supports different file extensions.

ii. Notifications when an amendment to the solicitation is posted: Within a solicitation, click the checkbox next to ‘Please notify me of amendments to this

solicitation' on the top left corner of the screen. You will receive email and system notification when an amendment is posted.

iii. Upload Multiple Documents in PIEE, multiple attachments may be uploaded at one time. After you click 'Choose File,' highlight all the files you want to upload and click 'Open.' If the total size of all the attachments exceeds 1.9GB (see 4.A above), upload the multiple attachments in batches that keeps each batch under the 1.9GB limit. Please contact your company's Account Administrator for any account related issues. If you are experiencing technical problems with Procurement Integrated Enterprise Environment, please contact the DISA DECC Ogden Electronic Business Service Desk at link below:

<https://piee.eb.mil/xhtml/unauth/web/homepage/vendorCustomerSupport.xhtml>

D. The Government must have in its possession the contractor's entire quote by the RFQ due date and time.

E. Contractors shall return to the Government in the same Word version format received, their responses to the Government's requests for clarification.

F. Contractors shall not merge into a single PDF document both the technical documents (cut sheets and other supporting documents demonstrating quoted items meet the FID requirements) and the contracting documents (RFQ, SF30, Attachment #1 in Excel format, Attachment # 7 in Word format).

G. Contractors shall not intentionally quote items that do not meet the specifications of the primary requirements. The primary requirements for Administrative Office Furniture (Admin) are defined as office furniture systems and, if included in the FID, wood casegoods. The Government's intent is to receive timely quotes that are organized, complete and technically acceptable, with no need or a minimal need for clarifications. Quotes that do not meet the specifications of the primary requirements (documented during technical review) may receive no further consideration for award.

9. NON-CONFORMING RESPONSES

The Government is not required to accept non-conforming responses. Non-conforming responses may not receive a technical evaluation and may not receive consideration for award. The following types of responses are considered non-conforming:

A. A Contractor's quote that does not meet the specifications of the primary requirements.

B. A Contractor's submittal of technical documents (cut sheets and other supporting documents demonstrating quoted items meet the FID requirements) and contracting documents (SF18, SF30, Attachment # 1 in Excel, and Attachment # 7 in Word) merged into a single PDF document.

C. A Contractor's submittal of technical documents that is incomplete or is not organized and sequential according to the FID preventing a conclusive comparison between the Contractor's quote and the Government's requirement.

D. A Contractor's failure to respond to the Government's request for clarifications in the same Word format received, in order for the Government to be able to continue to record communications with the contractor on the same form.

E. A Contractor's submittal of electronic documents whose file names do not reflect their general content, which do not enable the reader to locate information without opening documents repeatedly to be reminded of their contents, and which harm the Government's ability to perform technical review or other examination.

10. LATE RESPONSES / NON-RESPONSIVENESS

Late responses are in all cases contractor responses that are not in the Government's possession by the stated due date and time. Late responses will not be evaluated by the Government.

11. AMENDMENTS

The Government may amend the RFQ for reasons that include extending the due date for submission of quotes, construction delays of buildings to be furnished, changing market conditions or Government requirements, or for other reasons that clarify the needs of the Government.

12. QUESTIONS

A. All questions shall be submitted to the Contract Specialist no later than **30 Apr 2026, 1200 CST** to jessica.sizemore@usace.army.mil **AND** anthony.L.patterson@usace.army.mil. All answers to question's received will be posted and made available to all interested parties via an RFQ amendment. The Contracting Officer will not address any questions received following expiration of the aforementioned time in this paragraph. When the term "hour" is used to describe the time period for questions, then it means sequential hours without interruption (24 hours = 1 calendar day), unless otherwise specified.

B. Notifications to the Government from contractors regarding limited- or non-available items, or potential errors in the Government's specifications are welcomed.

C. A contractor's request to change the Government's requirement before quotes are due may not be addressed because it does not clarify the requirement for all potential quoters, and if accepted, would change the requirement.

13. DOWN-SELECT PROCESS

A. It is the Government's intent to select a target of three (3) quotes for a complete technical evaluation to determine whether the quoted products comply with the FID.

The Contracting Officer has discretion to include more or less than three (3) quotes in the down-select. The down-select will be based on price, receipt of completed Attachment # 7 - Technical Documents Checklist and the contractor's confirmation of their ability to meet the Government's Furniture Installation Start and Completion Dates.

B. At any time following the down-select, the Government may, at the discretion of the Contracting Officer, engage in exchanges with one or more of the contractors whose quotes were down-selected, or consider additional quotes for evaluation.

14. EVALUATION CRITERIA

A. Technical Evaluation – Technical will be rated “Acceptable” if all line items meet the specifications shown in the Attachment #2 Furniture Item Description (FID).

B. Schedule – Schedule will be rated “Acceptable” if the contractor install dates are within the dates shown below.

Kirtland AFB, Bldg 20602

Install Start Date: 05 Oct 2026

Install Completion Date: 02 Nov 2026

C. Past Performance – Past Performance will be rated “Acceptable” or “Unacceptable.” The Government will use any available information to evaluate past performance.

D. Price – Evaluated price will be the contractor's total quoted price, which includes all supplies, services, shipping, storage and optional items.

E. The Government may, at the discretion of the Contracting Officer, engage in exchanges with contractors. However, the Government reserves the right to make award without further exchanges.

15. SELECTION OF QUOTES FOR AWARD

The successful Contractor will be the one whose quote is rated acceptable on technical, schedule and past performance, and provides the best value to the Government. Best value will be determined by the quote that is technically acceptable and has the lowest total evaluated price.

Attachment #1 - Kirtland AFB, NM - Bldg. 20602 Renovations - Industrial Storage SAM.gov

When completing this form, do not delete or alter any columns or workbook tabs.

#	Qty	FID Para.	FID Item Code / Description	Vendor Quoted	Product Line Quoted	Model Quoted	HNC Unit Cost	HNC Total Cost
1	2	22.1	SN03: Industrial, Ventilated Storage Cabinet, Metal					\$0.00
2	6	22.2	SN04: Industrial, Clear-View Storage Cabinet, Metal					\$0.00
3	7	22.3	SN05: Closed Industrial Storage Shelving, Metal					\$0.00
4	6	22.4	SN06: Pallet Rack, Metal Wire Decking					\$0.00
5	9	22.5	SN07: Mobile Charging Storage Cabinet, Metal					\$0.00
6	3	22.6	TN01: Deluxe Work Bench, Metal					\$0.00
7	1	22.7	TN02: Mobile Cabinet Work Bench, Metal					\$0.00
8	3	22.8	SN08: Clear-View, Preservation Storage Cabinet, Metal					\$0.00
9	1	22.9	SX01: 4-Drawer Flat File, Double-High, Metal					\$0.00
10	2	22.10	SX02: 6-Drawer Flat File, Double-High, Metal					\$0.00
11	1	22.11	SX03: Plaque Storage, Metal					\$0.00
12	8	22.12	TX01: Stainless Steel Work Table, Height Adjustable					\$0.00

Furniture Subtotals:		HNC Cost:	\$0.00
-----------------------------	--	------------------	---------------

Installation & Shipping:

Shipping (CONUS)

Tariffs	
---------	--

Installation - Includes new and existing items, if applicable, in accordance with SOW

GRAND TOTAL:	\$0.00
---------------------	---------------

Do not alter any formulas in shaded cells

Attachment #2

Furniture Item Descriptions (FID)

ADMIN RM

TABLE OF CONTENTS	PAGE NO.
1.0 GENERAL	4
1.1 Submittal and Clarifications Requirements	4
1.1.1 RFQ Response	4
1.1.2 Non-Conforming RFQ Response	5
1.2 Post Award Submittal	6
1.3 Contractor General Notes	6
1.3.1 General	6
1.3.2 Fabrics & Materials	6
2.0 Construction Requirements - Panel Supported Workstations – NOT USED	7
3.0 Construction Requirements - Benching Systems - NOT USED	7
4.0 Construction Requirements - Console Systems – NOT USED	7
5.0 Construction Requirements - Demountable Walls - NOT USED	7
6.0 Construction Requirements - Metal/Laminate Desks – NOT USED	7
7.0 Construction Requirements - Metal/Laminate Open Frame Technical Workstations – NOT USED	7
8.0 Construction Requirements - Metal Furniture: Lateral Files, Vertical Files, Storage Towers/Cabinets, & Bookcases – NOT USED	7
9.0 Construction Requirements - Laminate Tables, Metal Bases – NOT USED	7
10.0 Construction Requirements - Wood Casegoods, Executive II – NOT USED	7
11.0 Construction Requirements - Wood Conference Tables, Executive II – NOT USED	7
12.0 Construction Requirements - Laminate Casegoods – NOT USED	7
13.0 Construction Requirements - Laminate Conference Tables – NOT USED	7
14.0 Construction Requirements - Ergonomic Task & Conference Seating – NOT USED	7
15.0 Construction Requirements - Executive Task & Conference Seating – NOT USED	7
16.0 Construction Requirements - Ergonomic Task Stool – NOT USED	7
17.0 Construction Requirements - Traditional Executive Task & Conference Seating – NOT USED	7
18.0 Construction Requirements - Seating, Metal Frame, Thermoplastic/Polypropylene Upholstered, Mesh – NOT USED	7
19.0 Construction Requirements - Seating, Wood Frame – NOT USED	7
20.0 Construction Requirements – Common Space Furnishings – NOT USED	7
21.0 Construction Requirements - Industrial Storage Cabinet – NOT USED	7
22.0 Ancillary Items	7
22.1 SN03: Industrial, Ventilated Storage Cabinet, Metal	7
22.2 SN04: Industrial, Clear-View Storage Cabinet, Metal	8
22.3 SN05: Closed Industrial Storage Shelving, Metal	9
22.4 SN06: Pallet Rack, Metal Wire Decking	9
22.5 SN07: Mobile Charging Storage Cabinet, Metal	9
22.6 TN01: Deluxe Work Bench, Metal	10
22.7 TN02: Mobile Cabinet Work Bench, Metal	11
22.8 SN08: Clear-View, Preservation Storage Cabinet, Metal	11
22.9 SX01: 4-Drawer Flat File, Double-High, Metal	12

Attachment #2 - Kirtland AFB Bldg 20602 Renovations-Industrial Storage-
SAM.gov

22.10 SX02: 6-Drawer Flat File, Double-High, Metal 12
22.11 SX03: Plaque Storage, Metal 13
22.12 TX01: Stainless Steel Worktable, Height Adjustable 13

1.0 General

Item descriptions and quality requirements, as described in the Furniture Item Descriptions (FID), are for the quality, functional performance, and design intent of the furnishings required for this project. Products quoted that meet all functional and quality requirements, including all salient features listed in the product descriptions, will be considered responsive provided they are fully compliant with the Request for Quote (RFQ) requirements. Compliance shall be determined by performance, features, quality, design intent, and value. Any item descriptions, salient features, or quality requirements listed within this document are not intended to be proprietary.

Any models/model numbers referenced in the FID are strictly for example purposes only and are in no way a representation of product compliance nor BAA (Buy American Act)/TAA (Trade Agreements Act) compliance. Models/model numbers should be referenced as an example of desired salient features only and not for any other purpose or intent.

1.1 Submittal and Clarifications Requirements

All manufacturers shall provide manufacturer's technical documentation and manufacturer's construction specifications for each item quoted for verification the proposed products meet all requirements listed in the FID. The RFQ response shall be submitted in the format outlined below. For assistance in preparing the RFQ Response, please contact the contracting specialist to request the How to RFQ Guide PDF.

1.1.1 RFQ Response

RFQ technical responses are the documents which, together with contractual documents (SF18, SF30, Attachment 1 in Excel, Attachment 8), make up an overall RFQ response (the quote). RFQ technical responses shall be clearly organized into (1) Adobe Acrobat (PDF) document. The PDF document shall be searchable, include bookmarks for each item number, and be in sequential order of the FID. Each RFQ is a separate contract activity, and specifications from previous projects will not be retrieved and reviewed. All product specifications and information presented shall be legible.

All technical documentation related to each item number shall be located **within the same tab/bookmark** in the RFQ response and **shall be submitted in the following order**:

1. Product Information Required for Each Item Number:
 - a. Item number for each product submitted in the RFQ response.
 - b. Manufacturer, product line, and model number for each item and its components.
 - c. Overall dimensions.
 - d. Product image.
 - e. Fabric and finish options proposed for RFQ that have been priced for each item.
2. Drawings:
 - a. Provide plan view drawings clearly legible and labeled showing legend of components and dimensions for each freestanding desk and panel-supported workstation, including clusters.
 - b. Provide elevations or isometrics.

- i. Elevations required with stacking/segmented drawings for panel tiles.
- c. Electrical and data shall be on a separate drawing from itemized component drawing. Drawing shall be clearly legible and labeled, identifying all locations of electrical and data/communication outlets.
- 3. Product Specific Compliance Documentation:
 - a. Provide published, detailed, technical documentation including, but not limited to, specification guides, price catalogs, and manufacturer's published Price List to demonstrate compliance with requirements.
 - b. Highlight, circle, or mark the model, size, type, and any optional features proposed in the RFQ response.
- 4. Technical Supporting Compliance Documentation:
 - a. Provide manufacturer's technical and construction specifications demonstrating compliance to requirements.
 - b. Documentation shall only be submitted once for multiple items from the same product line.
 - c. Clearly indicate the item numbers that submitted documentation supports.
- 5. Testing Documentation:
 - a. **Contractors are NOT required to submit testing documentation with quotes; however, the Contracting Officer reserves the right to request actual copies of test reports at any time before or after award.**
- 6. Environmental Documentation:
 - a. **Contractors are NOT required to submit environmental documentation with quotes; however, the Contracting Officer reserves the right to request actual copies of environmental documentation at any time before or after award.**
 - i. Upon request, contractor shall provide certification for Indoor Air Quality (GREENGUARD or equivalent).
 - ii. Upon request, contractor shall provide documentation regarding recycled content and recyclability for all products submitted.
- 7. Warranty Documentation:
 - a. Warranty documentation is required to be submitted for seating only.
 - b. **Contractors are NOT required to submit warranty documentation with quotes; however, the Contracting Officer reserves the right to request actual copies of warranties at any time before or after award.**
 - c. Although all other items do not require warranty documentation, the contractor is responsible for providing warranty coverage as required in the FID.
 - d. Provide any additional or extended warranty that exceeds manufacturer's standard warranty; extended warranty shall be clearly stated on manufacturer's letterhead and include a verifiable digital signature containing encryption or handwritten signature, date, and title of the company official accepting technical responsibility.
 - e. Some warranties may exceed warranties. Refer to item descriptions for specific warranty requirements by product type.

1.1.2 Non-Conforming RFQ Response

Submittal of product brochures shall **not** be acceptable in place of technical documentation or construction specifications. Submittal of a general price list containing

large amounts of items not relevant to the procurement is not acceptable. Embedded objects, i.e., embedded links, files, and images within clarification responses shall be considered non-conforming. Submittals not in compliance with Section 1.1.1 of the FID shall be considered non-conforming and declined.

1.2 Post Award Submittal

Refer to Statement of Work (SOW).

1.3 Contractor General Notes

1.3.1 General


1. All products proposed to be installed within one office, suite, or area shall consist of items of one style and finish. All products shall be free of rough or sharp edges. Proposed products shall include all components necessary to provide a complete and stable unit. Items shall have consistent quality standards as described and required in the FID.
2. Although such work is not specifically indicated, furnish and install all supplementary or miscellaneous items, appurtenances, and devices incidental to, or necessary for, sound, secure, and complete installation.
3. Awarded contractor is responsible for verifying all existing field conditions i.e., including, but not limited to base-infeed requirements and electrical conditions. Contractor shall coordinate with electrical/power plans.
4. Awarded contractor shall coordinate all furniture locations with all wall mounted equipment including, but not limited to: A/V, televisions, VTC equipment, Visual Communication Boards, etc.
5. Plans provided may not match project requirements in all instances. Follow FID descriptions and configurations and Attachment 1 quantities and locations.

1.3.2 Fabrics & Materials

1. During technical review, provide digital color images with a minimum of (3) selections for each quoted item, unless noted otherwise (UNO). Refer to finish requirements in each item for more specific guidance.
2. Where equivalent fabric and finishes have been proposed, provide digital samples or color images and specifications for the alternate fabric or finish during technical review. Actual material samples and specifications for the alternate fabric or finish shall be provided at the post award kickoff meeting, refer to SOW Section 2.
3. The Government retains the right to reject any alternates that are not equal to the required specification.

END OF SECTION

- 2.0 Construction Requirements - Panel Supported Workstations – NOT USED**
- 3.0 Construction Requirements - Benching Systems - NOT USED**
- 4.0 Construction Requirements - Console Systems – NOT USED**
- 5.0 Construction Requirements - Demountable Walls - NOT USED**
- 6.0 Construction Requirements - Metal/Laminate Desks – NOT USED**
- 7.0 Construction Requirements - Metal/Laminate Open Frame Technical Workstations – NOT USED**
- 8.0 Construction Requirements - Metal Furniture: Lateral Files, Vertical Files, Storage Towers/Cabinets, & Bookcases – NOT USED**
- 9.0 Construction Requirements - Laminate Tables, Metal Bases – NOT USED**
- 10.0 Construction Requirements - Wood Casegoods, Executive II – NOT USED**
- 11.0 Construction Requirements - Wood Conference Tables, Executive II – NOT USED**
- 12.0 Construction Requirements - Laminate Casegoods – NOT USED**
- 13.0 Construction Requirements - Laminate Conference Tables – NOT USED**
- 14.0 Construction Requirements - Ergonomic Task & Conference Seating – NOT USED**
- 15.0 Construction Requirements - Executive Task & Conference Seating – NOT USED**
- 16.0 Construction Requirements - Ergonomic Task Stool – NOT USED**
- 17.0 Construction Requirements - Traditional Executive Task & Conference Seating – NOT USED**
- 18.0 Construction Requirements - Seating, Metal Frame, Thermoplastic/Polypropylene Upholstered, Mesh – NOT USED**
- 19.0 Construction Requirements - Seating, Wood Frame – NOT USED**
- 20.0 Construction Requirements – Common Space Furnishings – NOT USED**
- 21.0 Construction Requirements - Industrial Storage Cabinet – NOT USED**
- 22.0 Ancillary Items**
 - 22.1 SN03: Industrial, Ventilated Storage Cabinet, Metal**
Dimensions: 48"W x 24"D x 72-78"H



General Requirements:


- a. 14-Gauge, minimum, steel construction
- b. 16-Gauge, minimum, doorframe construction with knuckle hinges
- c. Doors shall have ventilation or diamond perforations
- d. (3) Adjustable steel shelves with fixed bottom shelf
- e. Shelves shall have a weight capacity of 400lbs., minimum
- f. 3 Point Locking system
- g. Unit shall be fully assembled and all-welded; knocked down assembly is non-conforming

Finish:

- a. Metal: Manufacturer's standard powder coat paint selection

22.2 SN04: Industrial, Clear-View Storage Cabinet, Metal

Dimensions: 48"W x 24"D x 72-78"H



General Requirements:

- a. 20-Gauge, minimum, steel construction

- b. Hinged doors with acrylic viewing windows
- c. (4) Adjustable steel shelves with fixed bottom shelf
- d. Shelves shall have a weight capacity of 400lbs., minimum
- e. 3 Point Locking system
- f. Unit shall be fully assembled and all-welded; knocked down assembly is non-conforming

Finish:

- a. Metal: Manufacturer's standard powder coat paint selection
- b. Acrylic: Manufacturers standard selection shall include clear

22.3 SN05: Closed Industrial Storage Shelving, Metal

Overall Dimensions: 48"W x 24"D x 84-87"H

General Requirements:

- a. Box/beaded/angle posts, punched for adjustment
- b. (5) Box form, adjustable shelves
- c. Shelf clips with (2) hooks to engage uprights at (2) points
- d. Shelves shall have a weight capacity of 550lbs., minimum
- e. Provide back and side panels
- f. Provide floor attachments or wall attachment kits, per manufacturer's recommendation

Finish:

- a. Metal: Manufacturer's standard powder coat paint selection

22.4 SN06: Pallet Rack, Metal Wire Decking

Overall Dimensions: 96"W x 48"D x 96"H

General Requirements:

- a. Steel uprights punched for adjustment
- b. Box beams with fold-in lock tab to prevent displacement
- c. (2) Adjustable shelves
- d. Provide metal wire decking
- e. Provide manufacturer's recommended number of shelf supports based on shelf dimension and type
- f. Provide anchoring foot to secure unit to building structure

Finish:

- a. Metal: Manufacturer's standard powder coat paint selection

22.5 SN07: Mobile Charging Storage Cabinet, Metal

Dimensions: 36-40"W x 22-24"D x 72-78"H



Item images are for general illustration purposes only and not an exact representation of the requirement.

General Requirements:

- a. Fully assembled, welded steel construction
 - i. Knocked down assembly is non-conforming
- b. Hinged doors with acrylic viewing windows
- c. (16) Half-width adjustable steel shelves or (4) full width adjustable steel shelves
- d. Center slide-out shelf
- e. Provide (32) outlets total which may be accomplished with (4) power strips, each with the following:
 - i. (8) Outlets, minimum
 - ii. Provide power cord long enough to reach power source
- f. Grommet or wireway access in back panel for power strip cords
- g. Ventilated top and back panel
- h. Provide (2) brushed chrome handles with one built in lock
- i. Casters, locking

Finish:

- a. Metal: Manufacturer's standard powder coat paint selection
- b. Acrylic: Manufacturer's standard selection shall include clear

22.6 TN01: Deluxe Work Bench, Metal

Overall Dimensions: 60"W x 30-34"D

General Requirements:

- a. Workbench with laminated hardwood worksurface
- b. 14-Gauge steel legs
- c. Casters, locking
- d. Metal shelf/footrest below worksurface
- e. (1) Attached storage drawer

Finish:

- a. Metal: Manufacturer's standard powder coat paint selection

- b. Wood: Manufacturer's standard sealed hardwood selection
- c. Pulls: Manufacturer's standard selection shall include recessed or integral, if available

22.7 TN02: Mobile Cabinet Work Bench, Metal

Overall Dimensions: 60"W x 30"D x 34-40"H



Item images are for general illustration purposes only and not an exact representation of the requirement.

General Requirements:

- a. Mobile cabinet with storage
- b. Laminated hardwood worksurface or steel top
- c. (1) Hinged door with shelf inside, minimum
- d. Provide drawer/s if standard offering, otherwise, provide (2) hinged doors
- e. Locks at doors and drawers (if available)
- f. Casters, locking

Finish:

- a. Metal: Manufacturer's standard powder coat paint selection
- b. Wood: Manufacturer's standard sealed hardwood selection
- c. Pulls: Manufacturer's standard selection shall include recessed or integral, if available

22.8 SN08: Clear-View, Preservation Storage Cabinet, Metal

Dimensions: 48"W x 24"D x 84-96"H



Item images are for general illustration purposes only and not an exact representation of the requirement.

General Requirements:

- a. Steel construction
- b. Hinged doors with glass/acrylic viewing windows
- c. Doors and/or cabinet frames shall have gaskets along all edges to form a sealed enclosure and create a controlled microclimate inside
- d. (5) Soft closing drawers
- e. (4) Full width, full depth, adjustable steel shelves located above drawers
- f. 3 Point Locking system
- g. Unit shall be fully assembled and all-welded; knocked down assembly is non-conforming

Finish:

- a. Metal: Manufacturer's standard powder coat paint selection
- b. Glass/Acrylic: Manufacturer's standard selection shall include clear

22.9 SX01: 4-Drawer Flat File, Double-High, Metal

Overall Dimensions: 50-56"W x 40-42"D x 34-40"H

General Requirements

- a. Welded construction flat file cabinet, stacked two-high
- b. Unit composed of:
 - i. (2) 4-Drawer units, stacked
 - ii. 6" Flush base with leveling glides
 - iii. Flat top cap
 - iv. Dust cover
- c. Drawers shall have minimum 50 lbs. capacity
- d. Drawers shall be equipped with safety stops to prevent them from being pulled out of the cabinet
- e. Label holders

Finish:

- a. Metal: Manufacturer's standard powder coat paint selection shall include gray

22.10 SX02: 6-Drawer Flat File, Double-High, Metal

Overall Dimensions: 50-56"W x 40-42"D x 34-40"H

General Requirements

- a. Welded construction flat file cabinet, stacked two-high
- b. Unit composed of:
 - i. (2) 6-Drawer units, stacked
 - ii. 6" Flush base with leveling glides
 - iii. Flat top cap
 - iv. Dust cover
- c. Drawers shall have minimum 50 lbs. capacity

- d. Drawers shall be equipped with safety stops to prevent them from being pulled out of the cabinet
- e. Label holders

Finish:

- a. Metal: Manufacturer's standard powder coat paint selection shall include gray

22.11 SX03: Plaque Storage, Metal

Overall Dimensions: 90-96"W x 84-96"D x 84-96"H



Item images are for general illustration purposes only and not an exact representation of the requirement.

General Requirements

- a. Vertical hanging art/plaque storage
- b. Standalone structure
- c. Provide a minimum of 6 screens
- d. Screens shall be double sided, welded wire for ease of hanging art/plaques
- e. Screens may attach at top of structure via track or have wheels at base to pull out
 - i. Screens shall fully extend
 - ii. Built-in brakes so screens stay in place
 - iii. Lubricant free slide design
- f. Provide floor attachments per manufacturer's recommendation

Finish:

- a. Metal: Manufacturer's standard powder coat paint selection

22.12 TX01: Stainless Steel Worktable, Height Adjustable

Overall Dimensions: 48"W x 30"D x 34-42"H

General Requirements:

- a. Shall have a stainless-steel top, legs, and lower shelf
- b. Shall be height adjustable with crank adjustment

- c. 500lbs. weight capacity, minimum
- d. Provide minimum 1 year warranty

Finish:

- a. Metal: Manufacturer's standard selection shall include stainless steel

END OF FID

Statement Of Work - Installation of Furnishings
FY26 Kirtland Air Force Base Bldg 20602 Industrial Storage SAM.GOV BUY –
Delivery and Install– P2#

1. General

1.1. **Purpose:** The Contractor shall provide all necessary furnishings, materials, equipment, labor, supervision, and management to: coordinate delivery, load and unload new items, place/install items on Attachment 1 in designated rooms, assemble items as required, secure and store as designated and properly dispose of all associated packaging/crating materials. All quotes shall include field verification of building conditions (including verification of electrical connections where hardwired connections to furniture are required), delivery and installation. Refer to Section 2, Post-Award Verification and Finish Selection, for information on field verification requirements.

1.2. **Pre-Bid Site Visit:** N/A

1.3. **Phased install plan and Installation schedule:** N/A

1.4. **Electrical Hardwiring:** The Contractor shall provide all furniture to building electrical connections, i.e. base feeds, power poles and accessory items as needed to fit existing conditions. This work shall be the responsibility of the contractor awarded the furniture contract; therefore, a licensed electrician will need to be retained for the work. The RFQ response shall include a separate quote for this work as shown in Attachment 1.

1.5. **Project Management Fees/Services:** N/A

1.6. **Project TR:** The Technical Representative(s) (TR) for this project is shown in Table 1 of this document.

2. POST-AWARD VERIFICATION AND FINISH SELECTION

2.1. **Post-Award Kick-Off (Verification) Meeting:** After contract award and prior to finalizing the order, the contractor shall schedule a site visit to field verify and document all existing building conditions. During this meeting the furniture Contractor shall also coordinate all final finish, fabric, and color selections with the TR and/or the HNC Project Manager, USACE District office POC, as applicable. This verification meeting shall be scheduled by the HNC PM with the TR and **shall occur within two weeks after award.**

2.2. **Building Conditions:** Furniture Contractor shall verify and document all existing building conditions and all product changes required due to field conditions. Examples of building conditions which may vary from those shown on drawings provided or interfere with the intended location or configuration of furniture include, but are not limited to, the following: placement of wall-mounted equipment such as SIPR boxes, thermostats, fire extinguisher cabinets; window and door placement; varying column sizes; size and/or placement of build-outs for mechanical chases; coordination of millwork openings for appliances; dropped ceilings in storage areas where industrial shelving is to be installed; appropriate code clearance for sprinkler heads; data/comms locations **(the Furniture vendor is NOT responsible for running, terminating and/or testing the data/comms).**

2.3. **Work Not in Place:** Furniture Contractor shall identify and document all conditions where critical work such as cabinetry, millwork, dropped ceiling areas, SIPR boxes, etc., are not in place at the time of the kick-off meeting so that field dimensions and locations can be

Statement Of Work - Installation of Furnishings
FY26 Kirtland Air Force Base Bldg 20602 Industrial Storage SAM.GOV BUY –
Delivery and Install– P2#

determined. These shall be reported to the TR and HNC Project manager if the missing work will not be in place in time for items impacted by these conditions to be ordered and delivered per contract dates, or if a second site trip is required to obtain this information.

2.4. **Electrical Conditions:** Furniture Contractor shall verify and document all existing electrical conditions where powered furniture is required in the contract and all product changes required due to these conditions. Examples of electrical conditions to be verified include, but are not limited to, the following: type, location and quantity of wall or flush-floor outlets for plug-in electrical systems; location, quantity and suitability of wall, ceiling or floor junction boxes for hardwired electrical systems; building electrical configuration (2+2, 3+1, etc.); requirement for sharing of neutrals.

2.5. **Data/Telecom Conditions and Coordination:** Furniture Contractor is **NOT** responsible for running, terminating and/or testing any data cables or telecom cables through any furniture items in this contract. During the post award meeting the contractor will verify and coordinate the data/telecom locations prior to placing the furniture order. Coordination with the end users, NEC and/or IT contractor shall begin during the post award meeting and then continue throughout the entire installation.

2.6. **Documenting Conditions:** Contractor shall submit written documentation of conditions that impact the furniture and the proposed revisions necessary to the HNC Project Manager, the TR and the HNC Contracting Officer for follow-up action. Include sufficient documentation, such as a description of the existing condition, field notes, photographs, drawings, wiring schematics, etc., to identify **both** the issue and the solution proposed.

Documentation of field conditions and issues shall be provided **within five (5) days** of the kick-off meeting unless otherwise coordinated with the HNC Project Manager. If no issues requiring action exist after the kick-off meeting, Furniture Contractor shall notify the TR and HNC Project Manager **within (3) days** of the kick-off meeting.

2.7. **Finish Selections:** Contractor shall provide all fabric, finish, artwork and color selections to TR for final selections. Actual material samples shall be provided; electronic samples or photographs of finish cards shall not be acceptable unless a virtual kick-off is held. Even if the meeting is virtual, the customer may require actual material samples prior to approval. Provide the number of different fabric/pattern/finish selections required in the Attachment 2 Furniture Items Description (FID) of the contract. Finish selections required per the FID requirements are those known at the time of RFQ and may not match actual building finishes selected. Therefore, samples of the entire range of colors available for each selection shall also be available at the meeting in case they are needed to coordinate with the final building finishes.

As part of this project a Comprehensive Interior Design (CID) **may** have been prepared that may provide insight into the color choices for carpet, paint and other finishes within this facility. This document, or actual finish samples selected for the building, shall be requested from the TR or HNC Project Manager at the same time the field verification meeting is being scheduled with the hope that one of these will be available for reference at the time of the meeting.

2.8. **Finish Documentation:** Contractor shall provide one set per building of a 3-ring binder including 8" x 11" product cut sheets for all furniture items, with a sample of the actual fabrics/finishes selected for each item, arranged in clear plastic sleeves. Upholstery selections

Statement Of Work - Installation of Furnishings
FY26 Kirtland Air Force Base Bldg 20602 Industrial Storage SAM.GOV BUY –
Delivery and Install– P2#

shall include manufacturer's specifications and care/cleaning instructions. Where one finish has been selected for multiple items, a single sample may be provided and annotated with the item number for each furniture item with this finish. Organize items by FID/Attachment 1 number. This binder shall be delivered to the Garrison TR **one** week prior to furniture installation start date (FISD). Binder shall be updated at completion of project as part of Close-Out

3. DELIVERY

3.1. The Contractor shall contact the TR at least 15 working days prior to product shipment to ensure each building will be ready for installation by the furniture install start date(s) listed in the contract. The Contractor shall coordinate item delivery from all sub-contractors and ship the goods only if the TR confirms that the building is ready. At this time, the Contractor shall ensure they fully understand all site security regulations and have started any required procedures to minimize the impact on installation personnel. The Contractor shall notify HNC of any issues related to the install schedule as defined in the contract.

3.2. In the event that a delay in delivery is requested by the TR, or if the Contractor is unable to confirm that the building is ready, the Contractor shall notify the HNC Project Manager and the Contracting Officer within one (1) working day.

3.3. Not Used

3.4. The Contractor shall provide the TR with a minimum of 72 hour notification as to the date and time the trucks will arrive. The Contractor shall also provide email notification as to the date and time the trucks will arrive to the HNC Project Manager at least 72 hours prior to scheduled arrival time.

3.5. Contractor must ensure the drivers of the delivery vehicles have copies of the Delivery Order (contract) for the items being delivered in order to gain entry to the facility.

3.6. Furniture shall be delivered to the job site in the manufacturer's original packaging with the item identification and project clearly shown.

3.7. Drivers of the delivery vehicles shall not attempt to deliver any items before the scheduled delivery date. In the event the delivery date falls on a Saturday, Sunday, or federally recognized holiday, the delivery date shall be the next workday after the Saturday, Sunday, or holiday, unless alternate arrangements are pre-approved by the TR.

3.8. Observed holidays: New Year's Day, Birthday of Dr. Martin Luther King, Jr., Presidents Day, Memorial Day, Juneteenth, Independence Day, Labor Day, Columbus Day, Veterans Day, Thanksgiving Day and the following Friday, Christmas Eve, and Christmas Day. Any such holiday that falls on a Saturday shall be observed on the preceding Friday. Any such holiday that falls on a Sunday shall be observed on the following Monday. For OCONUS projects, ensure that the local countries holiday schedule is verified.

3.9. Shipping Label shall read as specified in Table 1 of this document. The Shipping Label is for the purpose of identifying the building location where furniture is being delivered. **Do NOT direct ship or drop ship any item to the site via USPS, FedEx, UPS or similar carrier to the**

Statement Of Work - Installation of Furnishings
FY26 Kirtland Air Force Base Bldg 20602 Industrial Storage SAM.GOV BUY –
Delivery and Install– P2#

building address. The government shall not be responsible for items delivered directly to the building by these shippers.

3.10. Items shall be labeled with the building number(s) provided in the Contract.

4. REMOVAL OF EXISTING FURNITURE – Not Used.

5. RECEIVE AND UNLOAD

5.1. Contractor shall start assembling and installing items in rooms upon delivery between the hours specified in Table 1. The Contractor may work outside this time frame with prior approval of the TR.

5.2. If the Contractor is unable to complete the assembly and placement of all unloaded items before end of the workday, the contractor will transport those remaining items to a location designated by the TR or a staging area within the building for storage until the next work day. The Contractor will be responsible for moving the items from the overnight storage site or the staging area to the designated positions in the building.

5.3. The Contractor shall verify and inspect all items. Any deficiencies (damage/overage/shortage) shall be brought to the attention of the TR. The Contractor shall store damaged items in the location designated by the TR.

5.4. The Contractor shall maintain a complete file of all documents relating to each shortage, deficiency or damage. Copies of these reports shall be forwarded to the TR on a daily basis.

5.5. The Contractor shall repair or coordinate for replacement of damaged, defective, or missing items.

6. PLACE AND INSTALL

6.1. Contractor shall place items in building(s) noted in all CLINs of the contract. Items shall be placed in the rooms in accordance with the drawings provided with the RFQ. If no drawings are provided or the drawings do not accurately represent actual field conditions, the furniture shall be placed as directed by the TR or as directed in paragraph 1.7. Information about the building may be found in Table 1.

6.2. The Contractor shall complete installation of furnishings under this Statement of Work in the time period specified per the contract.

6.3. The contractor shall clean and polish all items that have been installed.

6.4. The Contractor shall ensure all light fixtures have the appropriate bulbs as identified in the contract and ensure they are in working order.

6.5. The Contractor shall remove all protective coverings off of any item (such as protective film on the furniture, protective wrapping on light fixtures, etc.).

Statement Of Work - Installation of Furnishings
FY26 Kirtland Air Force Base Bldg 20602 Industrial Storage SAM.GOV BUY –
Delivery and Install– P2#

6.6. The Contractor shall ensure that all stickers and labels are removed, and no adhesive residue remains on the surface.

6.7. The Contractor shall ensure items which require batteries are provided with new alkaline batteries, and the items are working properly.

6.8. If powered furniture is provided in this procurement, the contractor shall be responsible for providing equipment, material and expertise needed to assemble and properly install the furniture to include connections to the building electrical system in compliance with local and/or national codes.

6.9. The contractor shall provide power cords for all furniture electrical items and other accessories required to have a fully functioning unit. The cords shall be appropriate for the item and the building's electrical service and shall be plugged in and the unit fully operational. If appliances are provided in this procurement, the Contractor shall install the appliances. In addition, the Contractor shall be responsible for providing all equipment and material to install the refrigerators, electric ranges, microwaves, clothes washers, and electric dryers as identified in the contract. The contractor shall provide power cords for all electrical items, which are appropriate for the item and the building's electrical service, as well as hoses, vent kits, and/or other accessories required to have a fully functioning unit.

6.10. If marker boards or other hanging items are provided in this procurement, the Contractor shall provide equipment and material needed to install those items in the rooms identified in the contract. The TR will provide locations for placement of those items. Mount items at an appropriate height for each item.

6.11. The Contractor shall be responsible for installing other items that have been shipped to and/or stored at the installation as noted in block 13 of Table 1. If no items are identified in these blocks, then there are no other items that must be installed under this contract.

6.12. The Contractor shall be responsible for notifying the TR, HNC PM and Contracting Officer of any discrepancy between the actual placement of furnishings against the provided floor plans, as also referenced in paragraph 2.2.

6.13. If artwork is provided in this procurement, the Contractor shall install the artwork. In addition, the Contractor shall be responsible for providing equipment and material needed to install artwork as identified in the contract. The TR will provide locations for placement of artwork. Mount artwork at standing eye-level height of 5'-6" on center above finished floor, or at seated eye-level or 4'-4" on center above finished floor, per direction from TR.

7. ASSEMBLY

7.1. The contractor shall uncrate all items received and perform all required assembly in accordance with the manufacturers' instructions.

7.2. All furniture, equipment and accessories shall be level, plumb, square, free of rough or sharp edges and in proper alignment with adjoining furniture. Furnishings shall be securely attached to the building where applicable.

Statement Of Work - Installation of Furnishings
FY26 Kirtland Air Force Base Bldg 20602 Industrial Storage SAM.GOV BUY –
Delivery and Install– P2#

7.3. All assembly shall be accomplished using conventional tools found in any hardware store. If special tools are required, they shall be furnished by the Contractor at no charge. One set per building of any special tools shall be provided to the TR.

7.4. The Contractor shall ensure the furniture is free of surface dirt and defects, and that the installation is complete and the furniture is ready to use.

8. PROTECTION OF PROPERTY

8.1. The Contractor shall perform an inspection of the buildings and grounds with the TR prior to starting work and document any existing damage accordingly. A copy of the documented conditions shall be retained by both the Contractor and the TR until installation is complete. If the building requires joint occupancy during installation period, inspections may be required on a more frequent basis, such as prior to beginning installation in an area where work by other trades has just been completed. The Contractor shall protect all items from damage during removal (where required) and installation. The Contractor shall take precaution against damage to the building, grounds, and other furnishings, installing protective coverings as necessary to protect these.

8.2. If the building entrances available for installation are not identified in Table 1 of this document, the Contractor shall coordinate the location(s) of those to be used for delivery of furniture with the TR. The Contractor shall provide floor and/or wall protection for the corridors, stairways, elevators and other parts of the building. Protective coverings shall remain in place for the duration of any furniture delivery.

8.3. The Contractor shall repair or replace any items in the buildings, components or grounds damaged due to negligence and/or direct action by the Contractor using materials of the same quality, size, texture and color to match adjacent work. All repairs beyond simple surface cleaning require concurrence of the TR before the Contractor or anyone other than the facility construction contractor (or its sub-contractors) may perform any significant repair work. Use of the facility contractor (or appropriate sub-contractor) is required for all significant repairs so that the building warranty is maintained.

8.4. Prior to completion and transfer to the Government, the Contractor shall be responsible for security of the area where work is being performed. The Contractor shall maintain accountability and control of any keys provided and shall return them to the TR upon completion of work.

8.5. Material-handling equipment shall have rubber wheels

9. PUNCH LIST INSPECTIONS

9.1. Inspection of workmanship and materials shall be performed by the TR listed in Table 1 unless otherwise noted.

9.2. Inspection of each phase of the installation shall occur the next business day following the FICD for that phase. The date of inspection of the completed phase will coincide with the start of the next phase. Installation shall continue on the next phase without pause while the previous section is inspected. Refer to contract dates for the phasing order and the period of

Statement Of Work - Installation of Furnishings
FY26 Kirtland Air Force Base Bldg 20602 Industrial Storage SAM.GOV BUY –
Delivery and Install– P2#

performance for each phase. An installation plan that identifies each phase is provided with this RFQ.

9.3. The Contractor shall maintain a complete list of all items to be corrected (i.e., punch list) by phase that shall include the deficient item and its location, description of the corrective action, order date for replacement items and estimated ship/delivery date for replacements and the dates that corrective action is planned to be complete.

9.4. The Contractor shall provide a copy of the punch list to the TR and HNC Project Manager within one week after the completion of each phase.

9.5. The Contractor shall provide updates to the punch lists to the TR and HNC Project Manager as work on the items progresses.

9.6. The furniture contractor is **NOT** responsible for running, terminating and/or testing data/telecom cables through workstations, tables or another furnishing item provided under this contract.

10. CLOSE-OUT DOCUMENTATION

10.1. The Contractor shall ensure all owners' manuals, warranty information to include a list of manufacturers with a point of contact for every item, assembly instructions, maintenance and care instructions, operating instructions, electrical system descriptions, wiring schematics, and any other information is provided to the TR upon installation start date. Provide one set per building of the above to the TR. Maintenance and care instructions for furniture finishes shall be provided with the information required in 2.7.

10.2. The Contractor shall turn over, to the TR, any special assembly tools, security hardware wrenches, and spare parts provided with the furnishings.

10.3. The Contractor shall provide two copies of the final furniture layout on a CD (not DVD) in both AutoCad and PDF formats no later than 2 weeks after furniture installation start to the Garrison TR and HNC Project Manager. This furniture layout will include the final building conditions that affect the furniture layout and all furniture awarded in the contract drawn to correct sizes and located per actual conditions. Draw all furniture on one layer for ease of AutoCAD use.

11. CLEANUP

11.1. The Contractor is responsible for the removal and disposal of all trash connected with uncrating and assembling furniture and other items installed under this contract. Final acceptance of the furniture (TR signing DD Form 1155 or SF 1449) from the Contractor will not occur until all installation trash is removed from the site.

11.2. Recyclable cardboard products shall be disposed of in accordance with Table 1.

11.3. Packing materials will not be stored in the building for any period exceeding 24 hours.

Statement Of Work - Installation of Furnishings
FY26 Kirtland Air Force Base Bldg 20602 Industrial Storage SAM.GOV BUY –
Delivery and Install– P2#

11.4. Personal trash (food wrappers, drinks, etc.) shall be removed from the site on a daily basis by the contractor.

12. EXCESS ITEMS

12.1. Once furniture and equipment is installed, the Contractor shall coordinate with the TR where any excess items will be stored. Contractor will be responsible for delivery of excess items to storage area designated by TR.

13. Safety

13.1. Safety Compliance Requirements. Contractor shall comply with FAR 52.236-13 Accident Prevention and execute all work in accordance with (IAW) the latest version of Safety Manual EM 385-1-1 per base contract.

13.2. Site Visit Accident Prevention Plan (SVAPP). A SVAPP is required if an APP with a site/survey activity hazard analysis (AHA) has not been provided and accepted by the furnishings program CEHNC KO in coordination with (ICW) CEHNC Safety and Occupational Health Office (SOHO). The SVAPP is intended and necessary for any site visit not covered by an APP and these site visits shall be for visual inspection/observation or office type work only. If work must be performed (i.e., metering, work on energized equipment), an Accident Prevention Plan (APP) must be submitted and accepted.

13.3. Accident Prevention Plan. The APP shall follow the minimum requirements of EM 385-1-1 Chapter 2-7 and this PWS. Follow the mandatory ENG Form 6293 (Accident Prevention Plan Worksheet). The APP must be submitted and accepted by the CEHNC KO ICW CEHNC SOHO prior to starting any work at the site. The contractor is responsible for preparing an APP per EM 385-1-1 for all work that goes beyond the scope of a site. The completed APP shall be submitted to the KO Furnishings Invoice box at least thirty (30) business days prior to field work performance. Field work shall not take place until the APP has been submitted, reviewed, and accepted by the CEHNC Safety Office.

13.4. Contractor shall verify with the controlling installation, the applicability, and requirements for emergency procedures, permit required work procedures, and hazardous environments and waste disposal. These findings shall be incorporated into the APP.

13.5. Activity Hazard Analysis (AHA). All AHAs shall be written in accordance with section 6 in each applicable chapter in EM 385-1-1. The identification and proof of qualification for competent/qualified persons (e.g., Confined Space, Electrician, Crane Operator, etc.) and proof of qualification shall be included IAW EM 385-1-1 Chapter 2-6. d(4)(g). Define the steps to be performed for the activity/task/DFOW and the work sequences (for example, site conditions, materials, personnel) needed. Job steps should be detailed so that the reader clearly understands how that job will be accomplished (for example, how the part will be installed or removed, anticipated voltages, quantities of chemicals utilized, equipment utilized to accomplish the task, heights being accessed).

13.6. Site-Specific Addendum (SSA). SSAs are required for each site if work will be conducted on two or more distinct sites. The SSAs shall be submitted to the KO Furnishings invoice box for review and acceptance by the CEHNC Safety Office prior to work starting. Each SSA shall

Statement Of Work - Installation of Furnishings
FY26 Kirtland Air Force Base Bldg 20602 Industrial Storage SAM.GOV BUY –
Delivery and Install– P2#

contain detailed site-specific information only applicable to a specific location. It shall be attached to the APP as an appendix and be readily available on the jobsite.

13.7. Safety document resubmittal shall include the original local SOHO comments with detailed responses (Form 7 or 4025) and highlight all changes.

13.8. Any Proposals, Change Orders, and Contract Modifications shall be verified that they are covered under the current accepted APP. If the pending work effort is NOT covered under the initial task order APP, the contractor shall submit, for government review and acceptance, an addendum to the APP.

13.9. Notifications and Reports. All accidents and near misses will be reported in accordance with EM 385-1-1 Table 2-1. Most current version of the ENG Form 3394 Aug 2021 shall be used for all reporting measures. Failure to comply with these requirements will be reflected on CPARS (If applicable).

13.10. Monthly Exposure Hours Report. This report is a compilation of employee-hours worked each month for all site workers, both prime and subcontractors. Hours associated with administrative activities such as payroll, human resource, service order managers/technicians, etc., are not counted. Exposure hours shall be submitted to HNC Contracting Office (CT). The data must be posted/submitted not later than 10 calendar days after the end of each month. Exposure data consists of man-hours expended in direct performance of the work performed on the jobsite. The monthly submission shall be broken down by Contract and identify exposure hours for each Contract. If no hours are worked on the project/task, a report showing zero (0) is required. Contractors should report monthly exposure hours by using the Excel Exposure Hour Report via email to *either contract specialist or PGM.

13.11. Prime Contractor Corporate Safety Official / Corporate Official (CSO/CO). This contract requires a minimum of one Corporate Safety Official / Corporate Official to manage and oversee the implementation of the Prime Contractor's Safety Program. The CSO or CO shall conduct roles and responsibilities listed in EM 385-1-1 (2024) Chapter 2-4. f.

13.12. Site Safety and Health Officer (SSHO). No work shall be conducted at the site of the work until an SSHO (L2 / L3) is present as described and EM 385-1-1 (2024) Chapter 2-8. b. L2s are required for this project that include work that includes LOTO (208V or above), Fall Protection, Confined Space, Use of LHE, Scaffolding, or any other higher hazard activity. L3 is acceptable for any phases of work outside of what is listed above to include office work, providing furniture/equipment support, the receiving and unloading of materials/furniture, or any other low hazard activities. L2/L3 are only permitted on projects with a residual risk of low or medium.

13.13. The SSHO on site must be employed by the prime contractor unless otherwise approved by the KO/COR ICW CEHNC SOHO. If a subcontractor employee is allowed, SSHOs must work under direction of the prime contractors CSO or CO equivalent (CSO or CO does not need to be onsite) from the Prime Contractor. The APP shall include discussion as to how the CSO or CO will ensure the L2 and/or L3 is/are implementing the requirements of the prime contractor's safety program, EM 385-1-1, OSHA, consensus standards, any additional local laws and regulations, and all accepted safety plans. This shall include but is not limited to the review of site documentation, site audits, training, meetings, and accident reports.

Statement Of Work - Installation of Furnishings
FY26 Kirtland Air Force Base Bldg 20602 Industrial Storage SAM.GOV BUY –
Delivery and Install– P2#

13.14. After Hours Work/Multiple Shifts. Planned after hours work or multiple shifts like dual shifts or scheduled work designed to not impact the customer is considered normal shift operations and shall still ensure that an SSHO, as required by scope of work, is on-site while work is being performed.

13.15. Multiple sites / Locations outside of 45 minutes: shall still ensure that an L2 is on the main site while work is being performed but would additionally need an L3 or L2 (depending on scope of work) for each location, however processes and procedures must be identified in the APP how communication and reporting will be established between the L3 and L2 for these evolutions.

14. AT-OPSEC

14.1. General security requirements and guidance: The security requirements described below apply to all contract personnel (including employees of the prime Contractor (“Contractor”) and all subcontractor employees) supporting the performance requirements of this contract. The Contractor is responsible for compliance with these security requirements. Questions regarding security matters shall be addressed to the designated Government representative (e.g., Contracting Officer Representative (COR), Requiring Activity (RA) representative, or Contracting Officer (if a COR or other RA representative is not appointed)). Contract personnel are critical to the overall security and safety of US Army Corps of Engineers (USACE) installations, facilities and activities, and security awareness training contributes to those efforts. The Department of Defense (DoD) and Army security training requirements specified below, if applicable, are performance requirements; all applicable contract personnel shall complete initial training within 30 days of contract award or the date new contract personnel begin performance on the contract. Within five business days from the completion of training, the Contractor shall provide written documentation (e.g., email or memorandum) to the Government representative. The documentation shall include the names of contract personnel trained and which training they completed; the Contractor shall maintain training records as part of their contract files and be prepared to provide copies of training certificates to the Government representative. Contractor personnel and vehicles are subject to search when entering federal installations. Additionally, all contract personnel shall comply with Force Protection Condition (FPCON) measures, Random Antiterrorism Measures (commonly referred to as “RAMs”), and Health Protection Condition (HPCON) measures. The Contractor is responsible for meeting performance requirements during elevated FPCON and/or HPCON levels in accordance with applicable RA plans and procedures --this includes identifying mission essential and non-mission essential personnel. In addition to the changes otherwise authorized by the changes clause of this contract, should the FPCON or HPCON levels at any individual facility or installation change, the Government may implement security changes that affect contract personnel. The Contractor shall ensure all contract personnel are aware of their security responsibilities, including any site-specific requirements identified in local policies or procedures.

14.2. Suspicious Activity Reporting training (e.g. iWATCH, CorpsWatch, or See Something, Say Something): All contract personnel shall receive initial and annual refresher training from the RA representative on the local suspicious activity reporting program. This locally developed training provides contract personnel with general information on suspicious behavior, and

Statement Of Work - Installation of Furnishings
FY26 Kirtland Air Force Base Bldg 20602 Industrial Storage SAM.GOV BUY –
Delivery and Install– P2#

guidance on reporting suspicious activity to the project manager, security representative or law enforcement entity.

14.3. Escorting in classified and/or sensitive areas: In accordance with applicable regulations, all contract personnel who do not possess the appropriate security clearance or access privileges will be escorted in areas where they may be exposed to classified information or operations, sensitive information or activities, or restricted areas.

14.4. Pre-screen candidates using E-Verify Program: Contractors shall comply with the requirements set forth in FAR clause 52.222-54 Employment Eligibility Verification and FAR Subpart 22.18 in using the E-Verify Program at (<https://www.e-verify.gov/>) (website subject to change) to meet the contract employment eligibility requirements. The Vendor must ensure that the Candidate has two (2) valid forms of Government issued identification prior to enrollment to ensure the correct information is entered into the E-Verify system. Contractors are encouraged to cooperate with Federal and State agencies responsible for enforcing labor requirements to include eligibility for employment under United States immigration laws in accordance with FAR 22.102-1(i). An initial list of verified/eligible candidates shall be provided to the COR no later than three business days after the initial contract award. When contracts are with individuals, the individuals will be required to complete a Form I-9, Employment Eligibility Verification, and submit it to the Contracting Officer to become part of the official contract file.

14.5. All contractor and all associated sub-contractors' employees shall comply with applicable installation or facility access and local security policies and procedures (provided by government representative). The contractor shall also provide all information required for background checks or background investigation and to meet installation and MEDOCM access requirements to be accomplished by installation Provost Marshal Office, Director of Emergency Services or Security Office. Contractor workforce must comply with all personal identity verification requirements as directed by DoD, HQDA and/or local policy. In addition to the changes otherwise authorized by the changes clause of this contract, should the Force Protection Condition at any installation or facility change, the Government may require changes in contractor security matters or processes.

Statement Of Work - Installation of Furnishings
FY26 Kirtland Air Force Base Bldg 20602 Industrial Storage SAM.GOV BUY –
Delivery and Install– P2#

TABLE 1. Project Specific Information.

<u>Statement of Work Information Sheet</u>		
1.	Installation:	Kirtland AFB, Albuquerque, NM
2.	Technical Representative (TR):	Franz Leitner - DTRA
3.	TR Phone # (cell and work):	Cell: (505) 595-4365 Work:(505) 578-6827
4.	Acceptable Hours of Delivery:	M-F 0800-1600
5.	Building #:	20602
6.	# of Floors:	1+Basement
7.	Elevator (Yes/No). If no, what alternative access is there to additional floors? (i.e stairs, glazing system removal, etc)	No. Stairs and Exterior Vehicle Ramp.
8.	Is phased delivery required? If yes, please provide a schedule by floor or building	No
9.	All recyclable cardboard products to be delivered to:	Dispose of offsite
10.	Security Requirements (include items such as what gate to enter, who must escort, forms of ID, etc.). Be specific. This block can NOT be left blank; if no requirements, so state:	All personnel must be sponsored by TR to acquire contractor base access passes through KAFB Security forces at Truman Gate Visitors Center. Large trucks to enter through KAFB Contractor Gate on Gibson Ave (Not Gibson Gate). Personnel entering facility must register with DTRA Security and be escorted at all times by DTRA Security.
11.	Shipping Label for Furniture: Please include DODAAC if required (OCONUS shipments)	DTRA DNWS 1900 Wyoming Blvd. SE B20602 Kirtland AFB, Albuquerque NM 87117
12.	Warehouse # (CONUS) or Warehouse Location (OCONUS):	N/A
13.	Items stored, at location noted in block 12 above, to be installed under this contract:	N/A
		QTY:
		QTY:
		QTY:
		QTY:
		QTY:
		QTY:
15.	Items delivered by others to be installed under this contract:	N/A
		QTY:
		QTY:
16.	Other Information (such as directions, truck parking, etc.):	See attached haul route map. Enter the gated unloading area from K street to the North of B20602

Statement Of Work - Installation of Furnishings
FY26 Kirtland Air Force Base Bldg 20602 Industrial Storage SAM.GOV BUY –
Delivery and Install– P2#

17. If furniture is being removed from the rooms as part of this contract, old furniture to be delivered to:	Coordinate with DNWS
18. If applicable, please list typical items to be removed:	Lightweight modular shelving.
19. Will building be occupied during removal/installation, thereby requiring a staged effort?	Building will be occupied, but rooms to receive furniture are to be vacated.
20 Is there a designated staging area for furniture unpacking and assembly? If yes, provide location.	See attached floorplan showing exterior unloading/staging area
21 Are there defined work areas so that multiple crews could work concurrently? If yes, how many work areas are there?	Area of installation and exterior unloading/staging area
22 Will you require workstations to be connected to building power? Data connections are NOT part of HNC contracts.	N/A
23 Are there any other special requirements that would affect the installation of furnishings within this facility?	Security Escorts are to be coordinated with DTRA at least 1 week prior to installation.

END of SOW



CONTRACTOR PERFORMANCE EVALUATION

PERFORMANCE EVALUATION (SERVICES AND SUPPLY)

1. Contract Number b. Del Order

2. CEC/DUNS Number B. SIC Code

3. TYPE OF EVALUATION () INTERIM (X) FINAL () AMENDED 4. Terminated For Default ()
Convenience ()

5. Contractor (Name, address and ZIP code)

6A. Procurement Method
☐ Sealed Bid ☒ Negotiated

6B. Type of Contract
(X) FFP () Cost Reimbursement () Other

7. Description of Requirements and Location of Work

8. Type of Subcontracting

9. Fiscal Data	A. Amount of Basic	B. Total Amount of \$	C. Liquidated Damages \$	D. Net Amount Paid \$
----------------	--------------------	--------------------------	-----------------------------	--------------------------

10. Significant A. Date of Award	B. Original Contract /DO Date	C. Revised Contract /DO Date	D. Date Work Completed

PART II – PERFORMANCE EVALUATION OF CONTRACT (Check appropriate box)

11. Overall Rating

() Outstanding () Above Average () Satisfactory () Marginal () Unsatisfactory

12. EVALUATED BY

A. Organization

B. Phone Numbers
Comm
Autovon

13. EVALUATION REVIEWED BY

A. Organization

B. Phone Numbers

Autovon

C. Name and Title

D. Signature

E. Date

14. A. Federal Supply Class:

B. Business Status:

CONTRACTOR PERFORMANCE EVALUATION

N/A= Not Applicable O= Outstanding A= Above Average S= Satisfactory M= Marginal U= Unsatisfactory

PART III – EVALUATION OF PERFORMANCE ELEMENTS

15. Quality Control	N/A	O	A	S	M	U	16. Effectiveness of Management	N/A	O	A	S	M	U
a. Quality of Product							a. Cooperation and responsiveness						
b. Quality of service							b. Management of resources/personnel						
c. Implementation of the CQC plan							c. Forecast and control of costs						
d. Met Contract requirement							d. Adequacy of site clean-up						
e. Storage of materials							e. Effectiveness of jobsite supervision						
f. Adequacy of materials							f. Compliance with laws and regulations						
g. Adequacy of submittals							g. Professional conduct						
h. Adequacy of as-builts							h. Review/resolution of subcontracting plan						
j. Use of specified materials							i. Accomplishments under						
k. Identification/correction of deficient work in a timely manner							18. Compliance with Labor Standards						
17. Timely Performance							a. Correction of noted deficiencies						
a. Adherence to delivery schedule							b. Payrolls properly completed and submitted						
b. Resolution of delays							c. Compliance with labor laws and regulations: Davis Bacon/Service Act and EEO Requirements						
c. Submission of required documentation							19. Compliance with Safety Standards						
d. Correction of minor deficiencies Warranty response							a. Adequacy of safety plan						
							b. Implementation of safety plan						
							c. Correction of noted deficiencies						
20. Remarks: <u>Explanation of evaluation is required.</u> Continue on separate sheet if needed.													

U.S. Army Corps of Engineers (USACE)
ACCIDENT PREVENTION PLAN (APP) WORKSHEET

For use of this form, see EM 385-1-1; the proponent agency is CESO.

This form serves as a guide. It does not replace or eliminate the need to comply with the requirements set forth in Engineering Manual 385-1-1, Safety and Occupational Health Requirements Manual. The references included in this form correspond to the applicable chapters of EM 385-1-1. No work will begin onsite until the accident prevention plan (APP) is developed according to the EM 385-1-1, reviewed to ensure minimum requirements are met, and approved by the appropriate personnel identified in "Part 1 -Signatures"

PART 1 - SIGNATURES

Plan Preparer - For example: Qualified Person (QP), Competent Person (CP), or project Quality Control (QC).

1. Name:	2. Title:
3. Email Address:	4. Phone Number:
5. Signature	

Plan Approver - Corporate Safety Official

1. Name:	2. Title:
3. Email Address:	4. Phone Number:
5. Signature	

Plan Concurrence - For example: Industrial hygienist, Project Manager, Superintendent, Site Safety & Health Officer, Quality Control, etc.

1. Name:	2. Title:
3. Email Address:	4. Phone Number:
5. Signature:	

PART 2: PROJECT INFORMATION

1. Project Name:	
2. Project Address (attach map in Appendix 1):	
3. Estimated Project Start Date:	4. Estimated Project Completion Date:
5. Project Description / Description of work to be performed:	

PART 3: PRIME CONTRACTOR INFORMATION

1. Prime Contractor Name:

2. Contract Number:

3. Project Manager Name:

4. Quality Control (QC) Manager Name:

5. Contractor Corporate Safety Official Name:

6. Primary Site Safety & Health Officer (SSHO) Name:

7. Alternate Site Safety & Health Officer (SSHO) Name(s):

PART 4: SOH COMMITMENT AND POLICY

1. Provide a statement of safety and health policy detailing commitment to providing a safe and healthful workplace for all employees on this project.

2. Provide a statement outlining the Contractor's safety program goals and objectives.

3. Identify policies and procedure regarding non-compliance with safety requirements.

4. Provide written procedures for holding managers and supervisors accountable for safety.

5. Prime contractor is responsible for the implementation and enforcement of the SOH program for contractor employees, subcontractors, suppliers, and visitors at the site of work?

☐ Yes☐ No

6. Prime contractor will require subcontractors, suppliers, and visitors to comply with the APP and EM 385-1-1?

☐ Yes☐ No

7. No work will be performed unless a designated SSHO is present on the site of work.

☐ Yes☐ No

8. A list of all known subcontractor(s) and supplier(s) are listed in Appendix 2.

☐ Yes☐ No

9. If all subcontractor(s) and supplier(s) are not known at the time of initial APP submittal, Appendix 2 will be updated and resubmitted to the KO/COR for acceptance prior to the start of any work activities.

☐ Yes☐ No

10. All subcontractors will have a copy of the APP, applicable AHAs and will be required to comply with them.

☐ Yes☐ No

11. Subcontractors and suppliers at the site of work will abide by the EM 385-1-1, this APP, and all AHAs.

☐ Yes☐ No

12. This APP and AHAs will be available to all workers at the site of work.

☐ Yes☐ No

PART 5: TRAINING

1. All employees will be trained according to applicable EM 385-1-1, federal, state, and local requirements prior to the commencement of work. ☐ Yes ☐ No
2. The following personnel are identified and designated as personnel responsible for SOH on this project. Add the following documentation to Appendix 3 of this worksheet: 1) SSHO designation letter (ENG Form 6282), 2) instructor signed OSHA 30-hour card (or course completion certificate if within 90 days of having completed the OSHA 30-hour training), and 3) proof of 24 hours of competency of SOH training within the last 3 years for the personnel identified below. (EM 385-1-1, Chapter 2, 2-3 Personnel Qualification/Training):
(Check and list names of personnel being designated)
- ☐ Primary SSHO Name:
- ☐ Alternate SSHO Name(s):
3. QP(s) and CP(s) required by EM 385-1-1 (for example, excavation, confined space, scaffolding, fall protection, etc.) for this project will be included in Appendix 3. Include 1) List of names or designation letters and 2) proof of qualification/competency.

PART 6: SOH INSPECTIONS

1. All applicable inspections required by EM 385-1-1, contract, federal, state, and local requirements will be completed. ☐ Yes ☐ No
2. The following personnel are assigned to conduct inspections, the type of inspection and frequency for the worksite. At minimum the SSHO must conduct daily site inspections.
- | Who will conduct inspection? | Frequency? | What type of inspection? |
|------------------------------|------------|--------------------------|
| | | |
3. Employees that conduct inspections will have technical proficiency needed to perform inspections. Proof of inspector's training/qualification is included in Appendix 3. ☐ Yes ☐ No
4. Deficiencies will be documented and tracked as required by this EM 385-1-1? ☐ Yes ☐ No
6. Will any external inspections be required (for example, USCG, OSHA, etc.)? ☐ Yes ☐ No
If yes, describe:

PART 7: ACCIDENT REPORTING AND INVESTIGATION

1. Exposure data (man-hours worked) will be reported to KO/COR as required by the contract? ☐ Yes ☐ No
2. All accidents will be reported as soon as possible according to EM 385-1-1? ☐ Yes ☐ No
3. All accidents occurring incidentally to an operation, project, or facility for which the EM 385-1-1 is applicable will be thoroughly investigated and analyzed. Corrective actions to prevent reoccurrence will be implemented as soon as reasonably possible. The KO/COR will be notified when corrective actions are completed. ☐ Yes ☐ No
4. Accident notification will be provided to the KO/COR as stated below: ☐ Yes ☐ No
- | ACCIDENT TYPE | KO/COR NOTIFICATION TIME |
|---|--|
| Fatality, permanent and partial disability, or property damage over \$600,000 | Immediately, no later than (NLT) 8 hours |
| All other accidents and near misses | Immediately, NLT 24 hours |

PART 8: SOH OVERSIGHT

1. A risk management process that meets or exceeds the requirement of the EM 385-1-1 will be implemented on this project site?	☐ Yes	☐ No
2. Hazardous conditions and unsafe acts will be immediately corrected?	☐ Yes	☐ No
3. APP and AHAs will be prepared by a QP or CP according to the EM 385-1-1 prior to the start of any work activities on the site of work (as much as the information can be known at that point in time).	☐ Yes	☐ No
4. The plans and AHAs will be updated throughout the life of the project to include changes in personnel, equipment, conditions, etc. Additional revisions must be incorporated as necessary to reflect changing site conditions, construction methods, personnel roles and responsibilities and construction schedules.	☐ Yes	☐ No
5. No activity/work will be started at the site of work until the APP is reviewed and submitted to the KO/COR for acceptance, with the site-specific plans and procedures required by the EM 385-1-1 to complete the project?	☐ Yes	☐ No
6. APP and AHAs will be provided to and reviewed by all workers involved in the activity prior to work?	☐ Yes	☐ No
7. Workers will sign AHA(s) to concur with identified job steps and controls needed to mitigate hazards?	☐ Yes	☐ No

PART 9: SEVERE WEATHER PLAN

1. The SSHO or designated onsite personnel is responsible for checking the weather conditions at a minimum of twice a day?	☐ Yes	☐ No
2. What severe weather forecast will require the SSHO to monitor weather conditions continuously? Describe.		
3. What are the training requirements for severe weather precautions and actions?		
4. Identify area of retreat or other actions to be taken such as evacuation, shelter in place, etc.		
5. Identify procedures to stop outdoor activities if extreme weather conditions to include thunderstorms are in the area.		

PART 10: ACTIVITY HAZARD ANALYSIS (RISK MANAGEMENT)

1. Major phases of work anticipated:

2. Definable Features of Work (DFOW)

Note. An activity-specific AHA will be submitted to the KO/COR for each DFOW prior to any work being performed.

3. List equipment to be used:

4. Anticipated High-Risk Activities: (See examples below, check all that apply):

☐ Electrical and/or Hazardous Energy	☐ Confined Space
☐ Working at Heights	☐ Excavations & Trenching
☐ Scaffolding	☐ Other: _____
☐ Diving	☐ Other: _____
☐ Load Handling Equipment	☐ Other: _____
☐ Occupational Exposure	☐ Other: _____

5. Detailed project-specific hazards and controls will be provided utilizing AHAs for each activity/DFOW.	☐ Yes	☐ No
6. No work will begin on an activity/DFOW until the initial AHA addressing the project-specific hazards has been developed, reviewed, and accepted by the KO/COR. (See EM 385-1-1 Chapter 2 section 2-6).	☐ Yes	☐ No
7. AHAs are living documents and are intended to be created, utilized in the field, and updated (by the workers) as necessary.	☐ Yes	☐ No
8. Workers/crews will have accepted AHA(s) that reflects current site conditions, personnel, equipment, control measures, etc. while the work is being performed?	☐ Yes	☐ No
9. AHA will be used by the contractor personnel to assure work is being performed consistent with the AHA?	☐ Yes	☐ No
10. Once the activity has been completed, the AHA will be available and kept onsite for the length of the contract.	☐ Yes	☐ No
11. AHAs for unknown work activities will be submitted to the KO/COR prior to work and attached to Appendix 4 of this document.	☐ Yes	☐ No
12. Who has the authority to accept residual risk on AHA(s)? (List below)		

Category of Risk	Approval Authority (Name and Title)
Extremely High Risk	
High Risk	
Medium Risk	
Low Risk	

PART 11: REQUIRED PROJECT SITE-SPECIFIC PLANS AND PROCEDURES

1. Based on a risk assessment of contracted activities and on mandatory OSHA compliance programs, the contractor will ensure that all applicable SOH risks and associated compliance plans are in place.	☐ Yes	☐ No
2. Include all project-specific compliance plans, as applicable to the work being performed, and as identified below. The plans will incorporate project-wide procedures to control hazards to which the employees of all project employers may be exposed.	☐ Yes	☐ No
3. These plans and procedures will be coordinated with all project employers and be included in project-specific emergency response and evacuation procedures.	☐ Yes	☐ No

4. Address each of the plans in the outline below in the order that they are listed.

Option 1: If a plan is applicable, develop and attach it to Appendix 5. Submit to the KO/COR with this worksheet for acceptance prior to work.

Option 2: If a plan is applicable, but all of the minimum required information for the plan is not yet known, provide justification next to each plan title, and provide an expected date the plan will be created, reviewed, and attached to Appendix 5. Submit to the KO/COR with this worksheet for acceptance prior to work.

Option 3: If a plan is not applicable because of the nature of the work to be performed, provide justification next to each plan title.

Minimum plans required by EM 385-1-1	Reference EM 385-1-1 paragraph:	Select Option	Justification for Option 2 and Option 3
Exposure Control Plan	3-7.a		
AED Program	3-7.b		
Construction Site Plan	4-7.a		
Access/Haul Road Plan	4-7.b		
Hearing Conservation Program	5-7.a		
Respiratory Protection Program	5-7.b		
Hazard Communication (HazCom) Program	6-7.a		
Process Safety Management (PSM) Program	6-7.b		
Lead Compliance Plan	6-7.c		
Asbestos Management Plan	6-7.d		
Ionizing Radiation Safety Plan	6-7.e		
Radiofrequency Plan	6-7.e		
Abrasive Blasting Plan	6-7.g		
Thermal Stress Management Plan	6-7.h		
Mold Remediation Plan	6-7.i		
Silica Compliance Plan	6-7.j		
Fatigue Management Plan	6-7.k		
Night Operations Lighting Plan	7-7		
Traffic Control Plan	8-7		
Fire Prevention Plan	9-7.a		
Wildland Fire Management Plan	9-7.b		
Housekeeping Plan	10-7		
Electrical Safety Plan	11-7		
Assured Equipment Grounding Conductor Program	11-7.b		
Energy Control Plan	12-7.a		
Hazard Isolation Procedures	12-7.b		

Demolition Plan	17-7		
Emergency Plan for Marine Activities	19-7.a		
Severe Weather Plan for Marine Activities	19-7.b		
Float Plans	19-7.c		
Tow Plans	19-7.d		
Fall Protection and Prevention Plan	21-7.a		
Rescue Plan	21-7.b		
Scaffold Work Plan	21-7.b		
Rope Access Work Plan	23-7		
Excavation and Trenching Plan	25-7		
Fire Prevention and Protection Plan	26-7 a & f		
Compressed Air Work Plan	26-7 a & b		
Contingency Response Plan	26-7 a & c		
Emergency Rescue Plans and Equipment	26-7 a & d		
Ventilation and Dust Control Plan	26-7 a & e		
Formwork and Shoring Plan	27-7.a		
Masonry Bracing Plan	27-7.b		
Steel Erection Plan	28-7.a		
Site Layout Plan	28-7.b		
Explosive Site Safety Plan	29-7.a		
Master Blasting Plan	29-7.b		
Vibrations Monitoring Plan	29-7.c		
Dive Operations Plan	30-7.a & d		
Emergency Management Plan	30-7.a & e		
Safe Practices Manual	30-7.b		
Snorkeling Plan	30-7.f		
Tree Maintenance and Removal Plan	31-7		
Construction Safety and Phasing Plan	32-7.a		
Safety Plan Compliance Document	32-7.b		
Aviation Pre-Accident Plan	33-7		
Standard Lift Plan	34-7.b		
Confined Space Plan	34-7.b & c		
Standard Lift Plan - Floating Plan	34-7.c		
Critical Lift Plan	34-7.d		
Pile Driving	34-7.e		
Housekeeping Plan	35-7.a		
Extermination Plan	35-7.b		
Site Safety and Health Plan	36-7.a		
Comprehensive Work Plan	36-7.b		
Emergency Response Plan	36-7.c		

PART 12: PROJECT SITE COORDINATION

1. Provide procedures for coordinating SOH activities with other employers on the site of work:

PART 13: REQUIRED APPENDICES

Indicate if each of the following items are, or are not, attached to this plan.

Appendix 1. Project Map	☐ Yes	☐ No
Appendix 2. Subcontractor/Suppliers	☐ Yes	☐ No
Appendix 3. Personal Qualifications and Designations	☐ Yes	☐ No
Appendix 4. Activity Hazard Analysis	☐ Yes	☐ No
Appendix 5. Site-specific plans and procedures	☐ Yes	☐ No
Appendix 6. Any additional plans, procedures, etc. can be added to this appendix and will be coordinated with the KO/COR.	☐ Yes	☐ No

Order Completion Statement

Delivery OrderNumber: _____

Vendor: _____

Address: _____

I acknowledge that I have received final payment on the total order amount of \$_____, and that no other invoices or demands for payment under the Delivery Order will be submitted. The total order amount accurately accounts for any discounts or other changes from the original award amount. The Delivery Order may be closed out upon receipt of the final payment.

Signature: _____

Name: _____

Title: _____

***** PLEASE SUBMIT THIS COMPLETED FORM WITH FINAL INVOICE *****

UH Technical Review
Round #
Kirtland AFB, Bldg 20602, Industrial Storage

Vendor Directions: The Technical Documents Checklist section (below) must be completed and returned in Word format by the contractor performing as the lead quoter. A quote that is submitted without the necessary documents compliance may not be considered for award. Each vendor shall demonstrate in written form how they are meeting the FID requirements. A blanket statement that vendor is meeting the FID requirements will not be acceptable. Manufacturer's published catalogs and CAD drawings are acceptable forms of demonstrations.

Technical Documents Checklist

Vendor or Lead Quoter:	
Point of Contact for this RFQ:	
Email Address:	
Telephone Number:	

1. Are beds specified in this RFQ's Attachment 2, Furniture Item Description (FID)?

Yes		If Yes, please continue to question 1a.
No		If No, please skip to question 2.

1a. Is a copy of the applicable pages of the quoter's and teaming partner's GSA Contracts and all modifications (or GSA correspondence showing modification is pending) with the approved bed model number and GSA-approved testing results, provided with the quote and highlighted?

Yes		If No, please do not continue; to be considered for award, technical documents shall be complete and formatted as stated above.
-----	--	---

Bed frames that accommodate 53" or wider mattresses are exempt from the requirement for GSA approval of testing documents.

2. Are underbed drawers required in this RFQ's FID?

Yes		If Yes, please continue to question 2a.
No		If No, please skip to question 3.

2a. Is a copy of the applicable pages of the quoter's and teaming partner's GSA Contracts and all modifications (or GSA correspondence showing modification is pending) with approved underbed drawer model number and GSA-approved testing results, provided with the quote and highlighted?

Yes		If No, please do not continue; to be considered for award, technical documents shall be complete and formatted as stated above.
-----	--	---

3. Are wooden casegoods required in this RFQ's FID?

Yes		If Yes, please continue to question 3a and 3b.
No		If No, please skip to question 4.

UH Technical Review
Round #
Kirtland AFB, Bldg 20602, Industrial Storage

3a. Is GSA-approved documentation provided with the quote, which shows contractor meets Department of Army-UH Furnishings Program Specifications?

Yes		If No, please do not continue; Vendor is not eligible to provide furnishings for a procurement that may result from this RFQ.
-----	--	---

3b. Is a copy of the applicable pages of the quoter's and teaming partner's GSA Contracts and All Modifications (or GSA correspondence showing modification is pending) with the quote, and highlighted to show model numbers and salient features to meet the FID?

Yes		If No, please do not continue; to be considered for award, technical documents shall be complete and formatted as stated above.
-----	--	---

4. Are metal casegoods required in this RFQ's FID?

Yes		If Yes, please continue to question 4a and 4b.
No		If No, please do not complete this section

4a. Is a copy of the applicable pages of the quoter's and teaming partner's GSA Contracts and all modifications (or GSA correspondence showing modification is pending) with the quote, and highlighted to show model numbers and salient features to meet the FID?

Yes		If No, please do not continue; to be considered for award, technical documents shall be complete and formatted as stated above.
-----	--	---

4b. Is the manufacturer's metal casegood specifications, along with salient features highlighted, provided with the contractor's quote?

Yes		If No, please do not continue; to be considered for award, technical documents shall be complete and formatted as stated above.
-----	--	---

5. Are technical documents organized sequentially according to the Furniture Item Descriptions (FID)?

Yes		
No		If No, please do not continue; to be considered for award, technical documents shall be organized sequentially according to the FID.

Vendors: Do not go beyond this point unless requested by the Government during clarifications or communications.

UH Technical Review
Round #
Kirtland AFB, Bldg 20602, Industrial Storage

Vendor Technical Review of Quoted Items				
	FID Items Requiring Clarification	HNC Clarifications: Vendor Reply: (Green Shaded Area)		HNC Accept (Yes/No)
1.		1 st Round HNC:		
		1 st Round Vendor:		
		2 nd Round HNC:		
		2 nd Round Vendor:		
		3 rd Round HNC:		
		3 rd Round Vendor:		
2.		1 st Round HNC:		
		1 st Round Vendor:		
		2 nd Round HNC:		
		2 nd Round Vendor:		
		3 rd Round HNC:		
		3 rd Round Vendor:		
3.		1 st Round HNC:		
		1 st Round Vendor:		
		2 nd Round HNC:		
		2 nd Round Vendor:		
		3 rd Round HNC:		
		3 rd Round Vendor:		
4.		1 st Round HNC:		
		1 st Round Vendor:		
		2 nd Round HNC:		
		2 nd Round Vendor:		
		3 rd Round HNC:		
		3 rd Round Vendor:		
5.		1 st Round HNC:		

UH Technical Review
Round #
Kirtland AFB, Bldg 20602, Industrial Storage

Vendor Technical Review of Quoted Items				
	FID Items Requiring Clarification	HNC Clarifications: Vendor Reply: (Green Shaded Area)		HNC Accept (Yes/No)
		1 st Round Vendor:		
		2 nd Round HNC:		
		2 nd Round Vendor:		
		3 rd Round HNC:		
		3 rd Round Vendor:		
6.		1 st Round HNC:		
		1 st Round Vendor:		
		2 nd Round HNC:		
		2 nd Round Vendor:		
		3 rd Round HNC:		
		3 rd Round Vendor:		
7.		1 st Round HNC:		
		1 st Round Vendor:		
		2 nd Round HNC:		
		2 nd Round Vendor:		
		3 rd Round HNC:		
		3 rd Round Vendor:		
8.		1 st Round HNC:		
		1 st Round Vendor:		
		2 nd Round HNC:		
		2 nd Round Vendor:		
		3 rd Round HNC:		
		3 rd Round Vendor:		
9.		1 st Round HNC:		
		1 st Round Vendor:		

UH Technical Review
Round #
Kirtland AFB, Bldg 20602, Industrial Storage

Vendor Technical Review of Quoted Items				
	FID Items Requiring Clarification	HNC Clarifications: Vendor Reply: (Green Shaded Area)		HNC Accept (Yes/No)
		2 nd Round HNC:		
		2 nd Round Vendor:		
		3 rd Round HNC:		
		3 rd Round Vendor:		
10.		1 st Round HNC:		
		1 st Round Vendor:		
		2 nd Round HNC:		
		2 nd Round Vendor:		
		3 rd Round HNC:		
		3 rd Round Vendor:		
11.		1 st Round HNC:		
		1 st Round Vendor:		
		2 nd Round HNC:		
		2 nd Round Vendor:		
		3 rd Round HNC:		
		3 rd Round Vendor:		
12.		1 st Round HNC:		
		1 st Round Vendor:		
		2 nd Round HNC:		
		2 nd Round Vendor:		
		3 rd Round HNC:		
		3 rd Round Vendor:		
13.		1 st Round HNC:		
		1 st Round Vendor:		
		2 nd Round HNC:		
		2 nd Round Vendor:		

UH Technical Review
Round #
Kirtland AFB, Bldg 20602, Industrial Storage

Vendor Technical Review of Quoted Items				
	FID Items Requiring Clarification	HNC Clarifications: Vendor Reply: (Green Shaded Area)		HNC Accept (Yes/No)
		2 nd Round Vendor:		
		3 rd Round HNC:		
		3 rd Round Vendor:		
14.		1 st Round HNC:		
		1 st Round Vendor:		
		2 nd Round HNC:		
		2 nd Round Vendor:		
		3 rd Round HNC:		
		3 rd Round Vendor:		

To be filled in by HNC only:

1 st Round Technical Review									
Technically Acceptable:	Yes:		No:		Date:		HNC Technical Evaluator:		
Comments:									

2 nd Round Technical Review									
Technically Acceptable:	Yes:		No:		Date:		HNC Technical Evaluator:		
Comments:									

3 rd Round Technical Review									
Technically Acceptable:	Yes:		No:		Date:		HNC Technical Evaluator:		
Comments:									

Contract Clauses

FAR Clauses Incorporated by Reference

Number	Title	Effective Date	Alternate Deviation	Variation Effective Date
52.203-19	Prohibition on Requiring Certain Internal Confidentiality Agreements or Statements.	2017-01		
52.204-13	System for Award Management-Maintenance. (Deviation 2026-O0038)	2026-02		
52.212-4	Terms and Conditions-Commercial Products and Commercial Services. (Deviation 2026-O0038)	2026-02		
52.222-50	Combating Trafficking in Persons. (Deviation 2026-O0038)	2026-02		
52.226-8	Encouraging Contractor Policies to Ban Text Messaging While Driving.	2024-05		
52.232-33	Payment by Electronic Funds Transfer-System for Award Management.	2018-10		
52.232-40	Providing Accelerated Payments to Small Business Subcontractors.	2023-03		
52.233-3	Protest after Award. (Deviation 2026-O0038)	2026-02		
52.233-4	Applicable Law for Breach of	2026-02		

Contract Claim. (Deviation 2026-00038)

DFARS Clauses Incorporated by Reference

Number	Title	Effective Date	Alternate Deviation	Variation Effective Date
252.203-7000	Requirements Relating to Compensation of Former DoD Officials.	2011-09		
252.203-7002	Requirement to Inform Employees of Whistleblower Rights.	2022-12		
252.204-7018	Prohibition on the Acquisition of Covered Defense Telecommunications Equipment or Services.	2023-01		
252.223-7008	Prohibition of Hexavalent Chromium.	2023-01		
252.225-7056	Prohibition Regarding Business Operations with the Maduro Regime.	2023-01		
252.232-7003	Electronic Submission of Payment Requests and Receiving Reports.	2018-12		
252.232-7010	Levies on Contract Payments.	2006-12		
252.247-7023	Transportation of Supplies by Sea.	2024-10		

DFARS Clauses Incorporated by Full Text

Number	Title	Effective Date	Alternate Deviation	Variation Effective Date
252.225-7001	Buy American and Balance of Payments Program.	2024-02		

BUY AMERICAN AND BALANCE OF PAYMENTS PROGRAM-BASIC (FEB 2024)

(a) Definitions. As used in this clause-

"Commercially available off-the-shelf (COTS) item"-

(1) Means any item of supply (including construction material) that is-

(i) A commercial product (as defined in paragraph (1) of the definition of "commercial product" in section 2.101 of the Federal Acquisition Regulation (FAR));

(ii) Sold in substantial quantities in the commercial marketplace; and

(iii) Offered to the Government, under a contract or subcontract at any tier, without modification, in the same form in which it is sold in the commercial marketplace; and

(2) Does not include bulk cargo, as defined in 46 U.S.C. 40102(4), such as agricultural products and petroleum products.

"Component" means an article, material, or supply incorporated directly into an end product.

"Critical component" means a component that is mined, produced, or manufactured in the United States and deemed critical to the U.S. supply chain. The list of critical components is at FAR 25.105.

"Critical item" means a domestic construction material or domestic end product that is deemed critical to the U.S. supply chain. The list of critical items is at FAR 25.105.

"Domestic end product" means-

(1) For an end product that does not consist wholly or predominantly of iron or steel or a combination of both-

(i) An unmanufactured end product mined or produced in the United States; or

(ii) An end product manufactured in the United States if-

(A) The cost of its qualifying country components and its components that are mined, produced, or manufactured in the United States exceeds 60 percent of the cost of all its components, except that the percentage will be 65 percent for items delivered in calendar years 2024 through 2028 and 75 percent for items delivered starting in calendar year 2029, unless an alternate percentage is established for a contract in accordance with FAR 25.101(d), or award is made before January 1, 2030, for a foreign end product that exceeds 55 percent domestic content (see Defense Federal Acquisition Regulation Supplement 225.103(b)(ii)). The cost of components includes transportation costs to the place of incorporation into the end product and U.S. duty (whether or not a duty-free entry certificate is issued). Components of unknown origin are treated as foreign. Scrap generated, collected, and prepared for processing in the United States is considered domestic. A component is considered to have been mined, produced, or manufactured in the United States (regardless of its source in fact) if the end product in which it is incorporated is manufactured in the United States and the component is of a class or kind for which the Government has determined that-

(1) Sufficient and reasonably available commercial quantities of a satisfactory quality are not mined, produced, or manufactured in the United States ; or

(2) It is inconsistent with the public interest to apply the restrictions of the Buy American statute; or

(B) The end product is a COTS item; or

(2) For an end product that consists wholly or predominantly of iron or steel or a combination of both, an end product manufactured in the United States, if the cost of iron and steel not produced in the United States or a qualifying country constitutes less than 5 percent of the cost of all the components used in the end product (produced in the United States or a qualifying country means that all manufacturing processes of the iron or steel must take place in the United States or a qualifying country, except metallurgical processes involving refinement of

steel additives). The cost of iron and steel not produced in the United States or a qualifying country includes but is not limited to the cost of iron or steel mill products (such as bar, billet, slab, wire, plate, or sheet), castings, or forgings, not produced in the United States or a qualifying country, utilized in the manufacture of the end product and a good faith estimate of the cost of all iron or steel components not produced in the United States or a qualifying country, excluding COTS fasteners. Iron or steel components of unknown origin are treated as foreign. If the end product contains multiple components, the cost of all the materials used in such end product is calculated in accordance with the explanation of cost of components in paragraph (1)(ii)(A) of this definition.

"End product" means those articles, materials, and supplies to be acquired under this contract for public use.

"Foreign end product" means an end product other than a domestic end product.

"Predominantly of iron or steel or a combination of both" means that the cost of the iron and steel content exceeds 50 percent of the total cost of all its components. The cost of iron and steel is the cost of the iron or steel mill products (such as bar, billet, slab, wire, plate, or sheet), castings, or forgings utilized in the manufacture of the product and a good faith estimate of the cost of iron or steel components excluding COTS fasteners.

"Qualifying country" means a country with a reciprocal defense procurement memorandum of understanding or international agreement with the United States in which both countries agree to remove barriers to purchases of supplies produced in the other country or services performed by sources of the other country, and the memorandum or agreement complies, where applicable, with the requirements of section 36 of the Arms Export Control Act (22 U.S.C. 2776) and with 10 U.S.C. 2457. Accordingly, the following are qualifying countries:

Australia

Austria

Belgium

Canada

Czech Republic

Denmark

Egypt

Estonia

Finland

France

Germany

Greece

Israel

Italy

Japan

Latvia

Lithuania

Luxembourg

Netherlands

Norway

Poland

Portugal

Slovenia

Spain

Sweden

Switzerland

Turkey

United Kingdom of Great Britain and Northern Ireland.

"Qualifying country component" means a component mined, produced, or manufactured in a qualifying country.

"Qualifying country end product" means-

(1) An unmanufactured end product mined or produced in a qualifying country; or

(2) An end product manufactured in a qualifying country if-

(i) The cost of the following types of components exceeds 60 percent of the cost of all its components, except that the percentage will be 65 percent for items delivered in calendar years 2024 through 2028 and 75 percent for items delivered starting in calendar year 2029, unless an alternate percentage is established for a contract:

(A) Components mined, produced, or manufactured in a qualifying country.

(B) Components mined, produced, or manufactured in the United States .

(C) Components of foreign origin of a class or kind for which the Government has determined that sufficient and reasonably available commercial quantities of a satisfactory quality are not mined, produced, or manufactured in the United States. Components of unknown origin are treated as foreign; or

(ii) The end product is a COTS item.

"Steel" means an alloy that includes at least 50 percent iron, between 0.02 and 2 percent carbon, and may include other elements.

" United States " means the 50 States, the District of Columbia , and outlying areas.

(b) This clause implements 41 U.S.C chapter 83, Buy American. In accordance with 41 U.S.C. 1907, the component test of the Buy American statute is waived for an end product that is a COTS item (see FAR 12.505(a)(1)). Unless otherwise specified, this clause applies to all line

items in the contract.

(c) The Contractor shall deliver only domestic end products unless, in its offer, it specified delivery of other end products in the Buy American-Balance of Payments Program Certificate provision of the solicitation. If the Contractor certified in its offer that it will deliver a qualifying country end product, the Contractor shall deliver a qualifying country end product or, at the Contractor's option, a domestic end product.

(d) The contract price does not include duty for end products or components for which the Contractor will claim duty-free entry.

(End of clause)

252.232-7006	Wide Area WorkFlow Payment Instructions.	2023-01
--------------	--	---------

WIDE AREA WORKFLOW PAYMENT INSTRUCTIONS (JAN 2023)

(a) Definitions. As used in this clause-

"Department of Defense Activity Address Code (DoDAAC)" is a six position code that uniquely identifies a unit, activity, or organization.

"Document type" means the type of payment request or receiving report available for creation in Wide Area WorkFlow (WAWF).

"Local processing office (LPO)" is the office responsible for payment certification when payment certification is done external to the entitlement system.

"Payment request" and "receiving report" are defined in the clause at 252.232-7003, Electronic Submission of Payment Requests and Receiving Reports.

(b) Electronic invoicing. The WAWF system provides the method to electronically process vendor payment requests and receiving reports, as authorized by Defense Federal Acquisition Regulation Supplement (DFARS) 252.232-7003, Electronic Submission of Payment Requests

and Receiving Reports.

(c) WAWF access. To access WAWF, the Contractor shall-

(1) Have a designated electronic business point of contact in the System for Award Management at <https://www.sam.gov>; and

(2) Be registered to use WAWF at <https://wawf.eb.mil/> following the step-by-step procedures for self-registration available at this web site.

(d) WAWF training. The Contractor should follow the training instructions of the WAWF Web-Based Training Course and use the Practice Training Site before submitting payment requests through WAWF. Both can be accessed by selecting the "Web Based Training" link on the WAWF home page at <https://wawf.eb.mil/>

(e) WAWF methods of document submission. Document submissions may be via web entry, Electronic Data Interchange, or File Transfer Protocol.

(f) WAWF payment instructions. The Contractor shall use the following information when submitting payment requests and receiving reports in WAWF for this contract or task or delivery order:

(1) Document type. The Contractor shall submit payment requests using the following document type(s):

(i) For cost-type line items, including labor-hour or time-and-materials, submit a cost voucher.

(ii) For fixed price line items-

(A) That require shipment of a deliverable, submit the invoice and receiving report specified by the Contracting Officer.

(Contracting Officer: Insert applicable invoice and receiving report document type(s) for fixed price line items that require shipment of a deliverable.)

(B) For services that do not require shipment of a deliverable, submit either the Invoice 2in1, which meets the requirements for the invoice and receiving report, or the applicable invoice and

receiving report, as specified by the Contracting Officer.

(Contracting Officer: Insert either "Invoice 2in1" or the applicable invoice and receiving report document type(s) for fixed price line items for services.)

(iii) For customary progress payments based on costs incurred, submit a progress payment request.

(iv) For performance based payments, submit a performance based payment request.

(v) For commercial financing, submit a commercial financing request.

(2)) Fast Pay requests are only permitted when Federal Acquisition Regulation (FAR) 52.213-1 is included in the contract.

[Note: The Contractor may use a WAWF "combo" document type to create some combinations of invoice and receiving report in one step.]

(3) Document routing. The Contractor shall use the information in the Routing Data Table below only to fill in applicable fields in WAWF when creating payment requests and receiving reports in the system.

Routing Data Table*

Field Name in WAWF	Data to be entered in WAWF
Pay Official DoDAAC	_____
Issue By DoDAAC	_____
Admin DoDAAC	_____
Inspect By DoDAAC	_____
Ship To Code	_____
Ship From Code	_____
Mark For Code	_____
Service Approver (DoDAAC)	_____
Service Acceptor (DoDAAC)	_____
Accept at Other DoDAAC	_____
LPO DoDAAC	_____
DCAA Auditor DoDAAC	_____

Other DoDAAC(s) _____

(*Contracting Officer: Insert applicable DoDAAC information. If multiple ship to/acceptance locations apply, insert "See Schedule" or "Not applicable.")

(**Contracting Officer: If the contract provides for progress payments or performance-based payments, insert the DoDAAC for the contract administration office assigned the functions under FAR 42.302(a)(13).)

(4) Payment request. The Contractor shall ensure a payment request includes documentation appropriate to the type of payment request in accordance with the payment clause, contract financing clause, or Federal Acquisition Regulation 52.216-7, Allowable Cost and Payment, as applicable.

(5) Receiving report. The Contractor shall ensure a receiving report meets the requirements of DFARS Appendix F.

(g) WAWF point of contact.

(1) The Contractor may obtain clarification regarding invoicing in WAWF from the following contracting activity's WAWF point of contact.

(Contracting Officer: Insert applicable information or "Not applicable.")

(2) Contact the WAWF helpdesk at 866-618-5988, if assistance is needed.

(End of clause)

Addendum to Contract Clauses

FAR Clauses Incorporated by Reference

Number	Title	Effective Date	Alternate Deviation	Variation Effective Date
52.209-10	Prohibition on Contracting With Inverted Domestic Corporations. (Deviation 2026-O0038)	2026-02		
52.223-23	Sustainable Products. (Deviation 2026-O0038)	2026-02		
52.232-90	Fast Payment Procedure. (Deviation 2026-O0038)	2026-02		
52.244-6	Subcontracts for Commercial Products and Commercial Services. (Deviation 2026-O0038)	2026-02		

DFARS Clauses Incorporated by Reference

Number	Title	Effective Date	Alternate Deviation	Variation Effective Date
252.204-7003	Control of Government Personnel Work Product.	1992-04		

Solicitation Provisions

FAR Provisions Incorporated by Reference

Number	Title	Effective Date	Alternate Deviation	Variation Effective Date
52.204-7	System for Award Management-Registration. (Deviation 2026-O0038)	2026-02		
52.212-1	Instructions to Offerors-Commercial Products and Commercial Services. (Deviation 2026-O0038)	2026-02		

DFARS Provisions Incorporated by Reference

Number	Title	Effective Date	Alternate Deviation	Variation Effective Date
252.203-7005	Representation Relating to Compensation of Former DoD Officials.	2022-09		
252.204-7024	Notice on the Use of the Supplier Performance Risk System.	2023-03		
252.225-7055	Representation Regarding Business Operations with the Maduro Regime.	2022-05		

DFARS Provisions Incorporated by Full Text

Number	Title	Effective Date	Alternate Deviation	Variation Effective Date
252.204-7017	Prohibition on the Acquisition of Covered Defense Telecommunications Equipment or Services-Representation.	2021-05		

PROHIBITION ON THE ACQUISITION OF COVERED DEFENSE TELECOMMUNICATIONS EQUIPMENT OR SERVICES-REPRESENTATION (MAY 2021)

The Offeror is not required to complete the representation in this provision if the Offeror has represented in the provision at 252.204-7016, Covered Defense Telecommunications Equipment or Services-Representation, that it "does not provide covered defense telecommunications equipment or services as a part of its offered products or services to the Government in the performance of any contract, subcontract, or other contractual instrument."

(a) Definitions. "Covered defense telecommunications equipment or services," "covered mission," "critical technology," and "substantial or essential component," as used in this provision, have the meanings given in the 252.204-7018 clause, Prohibition on the Acquisition of Covered Defense Telecommunications Equipment or Services, of this solicitation.

(b) Prohibition. Section 1656 of the National Defense Authorization Act for Fiscal Year 2018 (Pub. L. 115-91) prohibits agencies from procuring or obtaining, or extending or renewing a contract to procure or obtain, any equipment, system, or service to carry out covered missions that uses covered defense telecommunications equipment or services as a substantial or essential component of any system, or as critical technology as part of any system.

(c) Procedures. The Offeror shall review the list of excluded parties in the System for Award Management (SAM) at <https://www.sam.gov> for entities that are excluded when providing any equipment, system, or service to carry out covered missions that uses covered defense telecommunications equipment or services as a substantial or essential component of any system, or as critical technology as part of any system, unless a waiver is granted.

(d) Representation. If in its annual representations and certifications in SAM the Offeror has represented in paragraph (c) of the provision at 252.204-7016, Covered Defense

Telecommunications Equipment or Services-Representation, that it "does" provide covered defense telecommunications equipment or services as a part of its offered products or services to the Government in the performance of any contract, subcontract, or other contractual instrument, then the Offeror shall complete the following additional representation:

The Offeror represents that it ☐ will ☐ will not provide covered defense telecommunications equipment or services as a part of its offered products or services to DoD in the performance of any award resulting from this solicitation.

(e) Disclosures. If the Offeror has represented in paragraph (d) of this provision that it "will provide covered defense telecommunications equipment or services," the Offeror shall provide the following information as part of the offer:

(1) A description of all covered defense telecommunications equipment and services offered (include brand or manufacturer; product, such as model number, original equipment manufacturer (OEM) number, manufacturer part number, or wholesaler number; and item description, as applicable).

(2) An explanation of the proposed use of covered defense telecommunications equipment and services and any factors relevant to determining if such use would be permissible under the prohibition referenced in paragraph (b) of this provision.

(3) For services, the entity providing the covered defense telecommunications services (include entity name, unique entity identifier, and Commercial and Government Entity (CAGE) code, if known).

(4) For equipment, the entity that produced or provided the covered defense telecommunications equipment (include entity name, unique entity identifier, CAGE code, and whether the entity was the OEM or a distributor, if known).

(End of provision)

252.225-7000	Buy American--Balance of Payments Program Certificate.	2024-02
--------------	---	---------

BUY AMERICAN-BALANCE OF PAYMENTS PROGRAM CERTIFICATE-BASIC (FEB 2024)

(a) Definitions. "Commercially available off-the-shelf (COTS) item," "component," "critical component," "critical item," "domestic end product," "foreign end product," "qualifying country," "qualifying country end product," and "United States," as used in this provision, have the meanings given in the 252.225-7001, Buy American and Balance of Payments Program-Basic clause of this solicitation.

(b) Evaluation. The Government-

(1) Will evaluate offers in accordance with the policies and procedures of Part 225 of the Defense Federal Acquisition Regulation Supplement; and

(2) Will evaluate offers of qualifying country end products without regard to the restrictions of the Buy American statute or the Balance of Payments Program.

(c) Certifications and identification of country of origin.

(1) For all line items subject to the Buy American and Balance of Payments Program-Basic clause of this solicitation, the Offeror certifies that-

(i) Each end product, except those listed in paragraphs (c)(2) or (3) of this provision, is a domestic end product and that each domestic end product listed in paragraph (c)(4) of this provision contains a critical component or a critical item; and

(ii) For end products other than COTS items, components of unknown origin are considered to have been mined, produced, or manufactured outside the United States or a qualifying country. For those end products that do not consist wholly or predominantly of iron or steel or a combination of both, the Offeror shall also indicate whether these foreign end products exceed 55 percent domestic content, except for those that are COTS items. If the percentage of the domestic content is unknown, select "no".

(2) The Offeror certifies that the following end products are qualifying country end products:

Line Item Number	Country of Origin
_____	_____
_____	_____

 (3) The following end products are other foreign end products, including end products manufactured in the United States that do not qualify as domestic end products. For those foreign end products that do not consist wholly or predominantly of iron or steel or a combination of both, the Offeror shall also indicate whether these foreign end products exceed 55 percent domestic content, except for those that are COTS items. If the percentage of the domestic content is unknown, select "no".

Line Item Number	Country of Origin (If known)	Exceeds 55% Domestic Content (yes/no)
_____	_____	_____
_____	_____	_____
_____	_____	_____

(4) The Offeror shall separately list the line item numbers of domestic end products that contain a critical component or a critical item (see Federal Acquisition Regulation 25.105).

Domestic end products containing a critical component or a critical item:

Line Item Number _____

[List as necessary]

(End of provision)

Addendum to Solicitation Provisions

FAR Provisions Incorporated by Reference

Number	Title	Effective Date	Alternate Deviation	Variation Effective Date
52.203-18	Prohibition on Contracting with Entities that Require Certain Internal Confidentiality Agreements or Statements-Representation.	2017-01		
52.240-90	Security Prohibitions and Exclusions Representations and Certifications. (Deviation 2026-00038)	2026-02		