

Glove Specifications

- Documentation demonstrating compliance and chemical-resistance performance shall be provided upon submission of proposals.

Powder-Free Latex	
Specs	Requirement
Length (mm)	245 ± 8
Cuff Thickness (mm)	0.1
Palm Thickness (mm)	0.14
Finger Thickness (mm)	0.15 / 5.9 or 6 mils
Tensile Strength (MPa)	24
Elongation (%)	700
Protein Level	max. 50 µg/g
Material	Latex
Sterility	Non-Sterile
Shape	Ambidextrous
Color	Natural
Sizes	X-Small, Small, Medium, Large, X-Large, XX-Large
Cuff	Standard examination length (9.5"), Beaded
Glove Interior	Powder-Free, Chlorinated, Polymer-coated
Glove Exterior	Fully textured
Usage	For single use only
Preferred Packaging	100 gloves by weight per dispenser box, 10 boxes per case for easier storage and distribution
Must comply with ASTM D3578 Standards	

Powder-Free Nitrile - Black

Specs	Requirement
Length (mm)	245 ± 8
Cuff Thickness (mm)	0.1
Palm Thickness (mm)	0.14
Finger Thickness (mm)	0.15 / 5.9 or 6 mils
Tensile Strength (MPa)	24
Elongation (%)	700
Protein Level	max. 50 µg/g
Material	Nitrile
Sterility	Non-Sterile
Shape	Ambidextrous
Color	Black
Sizes	X-Small, Small, Medium, Large, X-Large, XX-Large
Cuff	Standard examination length (9.5"), Beaded
Glove Interior	Powder-Free, Chlorinated, Polymer-coated
Glove Exterior	Fully textured
Usage	For single use only
Preferred Packaging	100 gloves by weight per dispenser box, 10 boxes per case for easier storage and distribution
Must comply with ASTM D6319 Standards	

Powder-Free Nitrile – Light Shade	
Specs	Requirement
Length (mm)	245 ± 8
Cuff Thickness (mm)	0.1
Palm Thickness (mm)	0.14
Finger Thickness (mm)	0.15 / 5.9 or 6 mils
Tensile Strength (MPa)	24
Elongation (%)	700
Protein Level	max. 50 µg/g
Material	Nitrile
Sterility	Non-Sterile
Shape	Ambidextrous
Color	Glove color must be a light shade that provides high contrast for identifying black or dark ink, residue, or contaminants. Blue is not required; green is acceptable. Pink is not permitted
Sizes	X-Small, Small, Medium, Large, X-Large, XX-Large
Cuff	Standard examination length (9.5"), Beaded
Glove Interior	Powder-Free, Chlorinated, Polymer-coated
Glove Exterior	Fully textured
Usage	For single use only
Preferred Packaging	100 gloves by weight per dispenser box, 10 boxes per case for easier storage and distribution
Must comply with ASTM D6319 Standards	