

Job Order Contract Unit Pricebook

Items added to 2026 UPB

- 79-0606 600-0101 Does Not Exist in 2025 UPB -- Start-up consisting of: adjustment of the split air conditioner and switch and function check of the entire system. Instructions of the operating staff. Preparation of technical documentation in triplicate for the as-built documentation.
- 79-0606 700-0101 Does Not Exist in 2025 UPB -- Cooling capacity 22.4 kW, power consumption 4.56 kW; heating capacity 25 kW, power consumption 4.47 kW; up to 26 indoor units can be connected.
- 79-0606 700-0102 Does Not Exist in 2025 UPB -- Cooling capacity 28 kW, power consumption 6.19 kW; heating capacity 31.5 kW, power consumption 5.47 kW; up to 33 indoor units can be connected.
- 79-0606 700-0103 Does Not Exist in 2025 UPB -- Cooling capacity 33.5 kW, power consumption 8.31 kW; heating capacity 37.5 kW, power consumption 6.83 kW; up to 40 indoor units can be connected.
- 79-0606 700-0104 Does Not Exist in 2025 UPB -- Cooling capacity 40 kW, power consumption 9.61 kW; heating capacity 45 kW, power consumption 9.37 kW; up to 46 indoor units can be connected.
- 79-0606 700-0105 Does Not Exist in 2025 UPB -- Cooling capacity 45 kW, power input 9.88 kW; heating capacity 50 kW, power input 11.9 kW; up to 53 connectable indoor units.
- 79-0606 700-0106 Does Not Exist in 2025 UPB -- Cooling capacity 50.4 kW, power input 15.2 kW; heating capacity 56.5 kW, power input 12.3 kW; up to 60 connectable units.
- 79-0606 700-0107 Does Not Exist in 2025 UPB -- Cooling capacity 56 kW, power input 18.6 kW; heating capacity 63 kW, power input 14.9 kW; up to 64 connectable indoor units.
- 79-0606 700-0108 Does Not Exist in 2025 UPB -- Cooling capacity: 61.5 kW; power input: 16.38 kW; heating capacity: 69 kW; power input: 14.34 kW; up to 64 connectable indoor units.
- 79-0606 700-0109 Does Not Exist in 2025 UPB -- Cooling capacity 67.4 kW, power input 18.11 kW; heating capacity 75 kW, power input 15.95 kW; up to 64 connectable indoor units.

- 79-0606 700-0110 Does Not Exist in 2025 UPB -- Cooling capacity 73.5 kW, power input 19.93 kW; heating capacity 82.5 kW, power input 17.65 kW; up to 64 connectable indoor units.
- 79-0606 700-0111 Does Not Exist in 2025 UPB -- Cooling capacity 78.5 kW, power input 22.03 kW; heating capacity 87.5 kW, power input 19.25 kW; up to 64 connectable indoor units.
- 79-0606 700-0112 Does Not Exist in 2025 UPB -- Cooling capacity 78.5 kW, power input 22.03 kW; heating capacity 87.5 kW, power input 19.25 kW; up to 64 connectable indoor units.
- 79-0606 700-0113 Does Not Exist in 2025 UPB -- Cooling capacity: 90 kW; power input: 25.6 kW; heating capacity: 100 kW; power input: 22.4 kW; up to 64 connectable indoor units.
- 79-0606 700-0114 Does Not Exist in 2025 UPB -- Cooling capacity 95.4 kW, power input 28 kW; heating capacity 106.5 kW, power input 23.5 kW; up to 64 connectable indoor units.
- 79-0606 700-0115 Does Not Exist in 2025 UPB -- Cooling capacity 101 kW, power input 31.4 kW; heating capacity 113 kW, power input 26.1 kW; up to 64 connectable indoor units.
- 79-0606 700-0116 Does Not Exist in 2025 UPB -- Cooling capacity: 106.3 kW, power input: 29.74 kW; heating capacity: 119 kW, power input: 25.1 kW; up to 64 connectable indoor units.
- 79-0606 700-0117 Does Not Exist in 2025 UPB -- Cooling capacity 111.9 kW, power input 31.58 kW; heating capacity 125.5 kW, power input 26.64 kW; up to 64 connectable indoor units.
- 79-0606 700-0118 Does Not Exist in 2025 UPB -- Cooling capacity 118 kW, power input 32.75 kW; heating capacity 131.5 kW, power input 28.69 kW; up to 64 connectable indoor units.
- 79-0606 700-0119 Does Not Exist in 2025 UPB -- Cooling capacity 123.5 kW, power input 34.83 kW; heating capacity 137.5 kW, power input 30.45 kW; up to 64 indoor units connectable.
- 79-0606 700-0120 Does Not Exist in 2025 UPB -- Cooling capacity 130 kW, power input 36.3 kW; heating capacity 145 kW, power input 32 kW; up to 64 connectable indoor units.
- 79-0606 700-0121 Does Not Exist in 2025 UPB -- Cooling capacity 135 kW, power input 38.4 kW; heating capacity 150 kW, power input 33.6 kW; up to 64 connectable indoor units.

- 81-1302 7210702 Does Not Exist in 2025 UPB -- Opening in exterior wall for fire department supply DN 80 shall be fabricated and pipe lead-through sleeve (fire-rated sleeve) of sheet steel furnished, installed to fit and fixed. Construction: Opening W x H = approx. 12 x 12 cm Zinc coated sheet steel sleeve for two-part entry sleeve for pipe penetration DN 80. Coating: 2 coats, Fire stop shall be furnished and installed in the interior wall, fire rating F90
- 81-1302 7210703 Does Not Exist in 2025 UPB -- Opening in exterior wall for operation of the alarm bell, shall be fabricated and pipe lead-through sleeve (fire-rated sleeve) of sheet steel to match trapezoidal sheet wall shall be furnished, installed to fit and fixed. Construction: Opening W x H = approx. 12 x 12 cm Zinc coated sheet steel sleeve for two-part pipe penetration for pipe penetration DN 20. Coating: 2 coats, Fire stop shall be furnished and installed in the interior wall, fire-rating F90.
- 82-0602 0101 Does Not Exist in 2025 UPB -- 630 A - 12.5 kA switch and busbar riser unit and TA-TV with phase protections (50-51-51N-67N)
- 82-0604 0101 Does Not Exist in 2025 UPB -- four-pole, 630 A
- 82-0604 0102 Does Not Exist in 2025 UPB -- four-pole, 800 A
- 82-0604 0103 Does Not Exist in 2025 UPB -- four-pole, 1,000 A
- 82-0604 0104 Does Not Exist in 2025 UPB -- four-pole, 1,250 A
- 82-0605 01010101 Does Not Exist in 2025 UPB -- Rear mounting points
- 82-0605 01010102 Does Not Exist in 2025 UPB -- Sectionable
- 82-0605 01010201 Does Not Exist in 2025 UPB -- Rear mounting points
- 82-0605 01010202 Does Not Exist in 2025 UPB -- Sectionable
- 82-0605 01010301 Does Not Exist in 2025 UPB -- Rear mounting points
- 82-0605 01010302 Does Not Exist in 2025 UPB -- Sectionable
- 82-0605 01010401 Does Not Exist in 2025 UPB -- Rear mounting points
- 82-0605 01010402 Does Not Exist in 2025 UPB -- Sectionable
- 82-0605 01010501 Does Not Exist in 2025 UPB -- Rear mounting points
- 82-0605 01010502 Does Not Exist in 2025 UPB -- Sectionable
- 82-0605 020101 Does Not Exist in 2025 UPB -- four-pole with rated operational current up to 250 A
- 82-0605 020102 Does Not Exist in 2025 UPB -- four-pole with rated operational current up to 400 A
- 82-0605 020103 Does Not Exist in 2025 UPB -- Communication module for circuit breakers with electronic trip unit on BUS line, for remote reading of measurements, settings and status of the circuit breaker/electronic trip unit, remote programming of the trip unit, remote operation of motorized circuit breakers
- 98-25 0103 Does Not Exist in 2025 UPB -- at heights => 8M & < 12M

