

PACKAGING REQUIREMENTS																		
PURCHASE INSTRUMENT NUMBER: FD20602500162-00											VERSION: 2							
MIL-STD 129 REVISION: R											MIL-STD 2073-1 REVISION: E							
THE FOLLOWING STATEMENT IS IN COMPLIANCE WITH THE UNITED NATIONS-IMPLEMENTED RESTRICTIONS ON WOOD PACKAGING MATERIAL (WPM). THIS REQUIREMENT IS SPECIFICALLY CONCERNED WITH INVASIVE SPECIES SUCH AS THE PINEWOOD NEMATODE. WPM IS DEFINED AS WOOD PALLETS, SKIDS, LOAD BOARDS, PALLET COLLARS, WOODEN BOXES, REELS, DUNNAGE, CRATES, FRAMES, AND CLEATS. THE STATEMENT BELOW CITES THE REQUIREMENTS IN DETAIL AND COVERS LUMBER FOR BUILDING CONTAINERS AND PALLETS USED FOR DELIVERIES RESULTING IN SHIPMENTS WORLDWIDE (DIRECT, OR THROUGH AIR LOGISTICS CENTERS (ALC), CONTAINER CONSOLIDATION POINTS (CCP), OR OTHER BASES). WOODEN LUMBER, WOODEN PALLET AND PACKAGING/CONTAINER STATEMENT: ALL WOODEN LUMBER, WOODEN PALLET'S, AND WOODEN CONTAINERS PRODUCED ENTIRELY OR IN PART OF WOOD PACKING MATERIAL (WPM) SHALL BE CONSTRUCTED FROM DEBARKED WOOD IN ADDITION TO THE APPLICATION OF HEAT-TREATED (HT) MATERIAL (HT TO 56 DEGREES CENTIGRADE OR 133 DEGREES FAHRENHEIT FOR 30 MINUTES). CERTIFICATION/MARKING IS REQUIRED BY AN ACCREDITED AGENCY RECOGNIZED BY THE AMERICAN LUMBER STANDARDS COMMITTEE (ALSC). FOR REFERENCE DOCUMENTATION, SEE LATEST REVISION OF "INTERNATIONAL STANDARDS FOR PHYTOSANITARY MEASURES" (ISPM)NO.15), "REGULATION OF WOOD PACKAGING MATERIAL IN INTERNATIONAL TRADE."																		
PACRN:		PACKAGING REQUIREMENT:						PRESERVATION LEVEL:		PACKAGING LEVEL:		SPI:		SPI REV:		SPI DATE:		
AAA		MIL-STD-2073-1 / No Packaging Available						MIL		B								
ITEM(S): 4920016655207KV																		
CODED DATA:																		
QUP		ICQ	PRES METH	CD	PRES MTL	WRAP MTL	CUSH DUNN	CT	UNIT CONT	INT CONT	UCL	SPEC MKG	UNIT PACK WEIGHT	UNIT PACK LENGTH	UNIT PACK WIDTH	UNIT PACK DEPTH	UNIT PACK CUBE	OPI
ADDITIONAL PACKAGING AND CONTAINER MARKING REQUIREMENTS:																		
SUPPLEMENTAL PACKAGING INSTRUCTION TEXT:																		
VENDOR PACKAGING INSTRUCTIONS: Military Packaging and Marking Items shall be packaged in accordance with MIL-STD-2073-1, Standard Practice for Military Packaging. Shipping and storage markings shall be in accordance with MIL-STD-129, Standard Practice for Military Marking. Shipping Container Marking Shipping containers shall be marked meeting the following criteria: (a) MIL-STD-129, Standard Practice for Military Marking. (b) Additional marking and/or bar coding requirements exceeding those of MIL-STD-129 (e.g., unit serial numbers, original equipment manufacturers (OEM) name, or OEM model number, as specified on the AFMC Form 158.																		

PACKAGING REQUIREMENTS																	
PACRN:		PACKAGING REQUIREMENT:						PRESERVATION LEVEL:		PACKAGING LEVEL:		SPI:		SPI REV:		SPI DATE:	
AAB		MIL-STD-2073-1 / No Packaging Available						MIL		B							
ITEM(S):																	
5998015507836KV																	
CODED DATA:																	
QUP	ICQ	PRES METH	CD	PRES MTL	WRAP MTL	CUSH DUNN	CT	UNIT CONT	INT CONT	UCL	SPEC MKG	UNIT PACK WEIGHT	UNIT PACK LENGTH	UNIT PACK WIDTH	UNIT PACK DEPTH	UNIT PACK CUBE	OPI
ADDITIONAL PACKAGING AND CONTAINER MARKING REQUIREMENTS:																	
SUPPLEMENTAL PACKAGING INSTRUCTION TEXT:																	
VENDOR PACKAGING INSTRUCTIONS:																	
Military Packaging and Marking Items shall be packaged in accordance with MIL-STD-2073-1, Standard Practice for Military Packaging. Shipping and storage markings shall be in accordance with MIL-STD-129, Standard Practice for Military Marking. Shipping Container Marking Shipping containers shall be marked meeting the following criteria: (a) MIL-STD-129, Standard Practice for Military Marking. (b) Additional marking and/or bar coding requirements exceeding those of MIL-STD-129 (e.g., unit serial numbers, original equipment manufacturers (OEM) name, or OEM model number, as specified on the AFMC Form 158.																	
PACRN:		PACKAGING REQUIREMENT:						PRESERVATION LEVEL:		PACKAGING LEVEL:		SPI:		SPI REV:		SPI DATE:	
AAC		MIL-STD-2073-1 / No Packaging Available						MIL		B							
ITEM(S):																	
5998016950474KV																	
CODED DATA:																	
QUP	ICQ	PRES METH	CD	PRES MTL	WRAP MTL	CUSH DUNN	CT	UNIT CONT	INT CONT	UCL	SPEC MKG	UNIT PACK WEIGHT	UNIT PACK LENGTH	UNIT PACK WIDTH	UNIT PACK DEPTH	UNIT PACK CUBE	OPI
ADDITIONAL PACKAGING AND CONTAINER MARKING REQUIREMENTS:																	
SUPPLEMENTAL PACKAGING INSTRUCTION TEXT:																	
VENDOR PACKAGING INSTRUCTIONS:																	
Military Packaging and Marking Items shall be packaged in accordance with MIL-STD-2073-1, Standard Practice for Military Packaging. Shipping and storage markings shall be in accordance with MIL-STD-129, Standard Practice for Military Marking. Shipping Container Marking Shipping containers shall be marked meeting the following criteria: (a) MIL-STD-129, Standard Practice for Military Marking. (b) Additional marking and/or bar coding requirements exceeding those of MIL-STD-129 (e.g., unit serial numbers, original equipment manufacturers (OEM) name, or OEM model number, as specified on the AFMC Form 158.																	

PACKAGING REQUIREMENTS																	
PACRN:		PACKAGING REQUIREMENT:						PRESERVATION LEVEL:		PACKAGING LEVEL:		SPI:		SPI REV:		SPI DATE:	
AAD		No Packaging Data Required															
ITEM(S):																	
5998DTL25012EKV																	
CODED DATA:																	
QUP	ICQ	PRES METH	CD	PRES MTL	WRAP MTL	CUSH DUNN	CT	UNIT CONT	INT CONT	UCL	SPEC MKG	UNIT PACK WEIGHT	UNIT PACK LENGTH	UNIT PACK WIDTH	UNIT PACK DEPTH	UNIT PACK CUBE	OPI
ADDITIONAL PACKAGING AND CONTAINER MARKING REQUIREMENTS:																	
SUPPLEMENTAL PACKAGING INSTRUCTION TEXT:																	
VENDOR PACKAGING INSTRUCTIONS:																	
PACRN:		PACKAGING REQUIREMENT:						PRESERVATION LEVEL:		PACKAGING LEVEL:		SPI:		SPI REV:		SPI DATE:	
AAE		MIL Long Line Packaging						MIL		B							
ITEM(S):																	
5998012599955KV 5998012654055KV																	
CODED DATA:																	
QUP	ICQ	PRES METH	CD	PRES MTL	WRAP MTL	CUSH DUNN	CT	UNIT CONT	INT CONT	UCL	SPEC MKG	UNIT PACK WEIGHT	UNIT PACK LENGTH	UNIT PACK WIDTH	UNIT PACK DEPTH	UNIT PACK CUBE	OPI
1	000	GX	1	00	K3	NB	A	NS	00	B	39	0.60	9.3	6.3	3.0	0.102	M
ADDITIONAL PACKAGING AND CONTAINER MARKING REQUIREMENTS:																	
SUPPLEMENTAL PACKAGING INSTRUCTION TEXT:																	
VENDOR PACKAGING INSTRUCTIONS:																	
Military Packaging and Marking Items shall be packaged in accordance with MIL-STD-2073-1, Standard Practice for Military Packaging. Shipping and storage markings shall be in accordance with MIL-STD-129, Standard Practice for Military Marking. Shipping Container Marking Shipping containers shall be marked meeting the following criteria: (a) MIL-STD-129, Standard Practice for Military Marking. (b) Additional marking and/or bar coding requirements exceeding those of MIL-STD-129 (e.g., unit serial numbers, original equipment manufacturers (OEM) name, or OEM model number, as specified on the AFMC Form 158.																	

PACKAGING REQUIREMENTS																	
PACRN:	PACKAGING REQUIREMENT:							PRESERVATION LEVEL:	PACKAGING LEVEL:		SPI:		SPI REV:		SPI DATE:		
AAF	MIL-STD-2073-1 / No Packaging Available							MIL	B								
ITEM(S): 4920015522415KV																	
CODED DATA:																	
QUP	ICQ	PRES METH	CD	PRES MTL	WRAP MTL	CUSH DUNN	CT	UNIT CONT	INT CONT	UCL	SPEC MKG	UNIT PACK WEIGHT	UNIT PACK LENGTH	UNIT PACK WIDTH	UNIT PACK DEPTH	UNIT PACK CUBE	OPI
ADDITIONAL PACKAGING AND CONTAINER MARKING REQUIREMENTS:																	
SUPPLEMENTAL PACKAGING INSTRUCTION TEXT:																	
VENDOR PACKAGING INSTRUCTIONS: Military Packaging and Marking Items shall be packaged in accordance with MIL-STD-2073-1, Standard Practice for Military Packaging. Shipping and storage markings shall be in accordance with MIL-STD-129, Standard Practice for Military Marking. Shipping Container Marking Shipping containers shall be marked meeting the following criteria: (a) MIL-STD-129, Standard Practice for Military Marking. (b) Additional marking and/or bar coding requirements exceeding those of MIL-STD-129 (e.g., unit serial numbers, original equipment manufacturers (OEM) name, or OEM model number, as specified on the AFMC Form 158.																	
PACRN:	PACKAGING REQUIREMENT:							PRESERVATION LEVEL:	PACKAGING LEVEL:		SPI:		SPI REV:		SPI DATE:		
AAG	MIL-STD-2073-1 / No Packaging Available							MIL	B								
ITEM(S): 5998012654057KV																	
CODED DATA:																	
QUP	ICQ	PRES METH	CD	PRES MTL	WRAP MTL	CUSH DUNN	CT	UNIT CONT	INT CONT	UCL	SPEC MKG	UNIT PACK WEIGHT	UNIT PACK LENGTH	UNIT PACK WIDTH	UNIT PACK DEPTH	UNIT PACK CUBE	OPI
ADDITIONAL PACKAGING AND CONTAINER MARKING REQUIREMENTS:																	
SUPPLEMENTAL PACKAGING INSTRUCTION TEXT:																	
VENDOR PACKAGING INSTRUCTIONS: Military Packaging and Marking Items shall be packaged in accordance with MIL-STD-2073-1, Standard Practice for Military Packaging. Shipping and storage markings shall be in accordance with MIL-STD-129, Standard Practice for Military Marking. Shipping Container Marking Shipping containers shall be marked meeting the following criteria: (a) MIL-STD-129, Standard Practice for Military Marking. (b) Additional marking and/or bar coding requirements exceeding those of MIL-STD-129 (e.g., unit serial numbers, original equipment manufacturers (OEM) name, or OEM model number, as specified on the AFMC Form 158.																	

PACKAGING REQUIREMENTS																	
PACRN:		PACKAGING REQUIREMENT:						PRESERVATION LEVEL:		PACKAGING LEVEL:		SPI:		SPI REV:		SPI DATE:	
AAH		MIL-STD-2073-1 / No Packaging Available						MIL		B							
ITEM(S): 5998016700837KV																	
CODED DATA:																	
QUP	ICQ	PRES METH	CD	PRES MTL	WRAP MTL	CUSH DUNN	CT	UNIT CONT	INT CONT	UCL	SPEC MKG	UNIT PACK WEIGHT	UNIT PACK LENGTH	UNIT PACK WIDTH	UNIT PACK DEPTH	UNIT PACK CUBE	OPI
ADDITIONAL PACKAGING AND CONTAINER MARKING REQUIREMENTS:																	
SUPPLEMENTAL PACKAGING INSTRUCTION TEXT:																	
VENDOR PACKAGING INSTRUCTIONS: Military Packaging and Marking Items shall be packaged in accordance with MIL-STD-2073-1, Standard Practice for Military Packaging. Shipping and storage markings shall be in accordance with MIL-STD-129, Standard Practice for Military Marking. Shipping Container Marking Shipping containers shall be marked meeting the following criteria: (a) MIL-STD-129, Standard Practice for Military Marking. (b) Additional marking and/or bar coding requirements exceeding those of MIL-STD-129 (e.g., unit serial numbers, original equipment manufacturers (OEM) name, or OEM model number, as specified on the AFMC Form 158.																	
PACRN:		PACKAGING REQUIREMENT:						PRESERVATION LEVEL:		PACKAGING LEVEL:		SPI:		SPI REV:		SPI DATE:	
AAI		MIL Long Line Packaging						MIL		B							
ITEM(S): 6130014395109KV																	
CODED DATA:																	
QUP	ICQ	PRES METH	CD	PRES MTL	WRAP MTL	CUSH DUNN	CT	UNIT CONT	INT CONT	UCL	SPEC MKG	UNIT PACK WEIGHT	UNIT PACK LENGTH	UNIT PACK WIDTH	UNIT PACK DEPTH	UNIT PACK CUBE	OPI
1	000	GX	1	00	K3	NB	A	NV	00	B	39	24.00	25.0	19.0	16.5	4.536	M
ADDITIONAL PACKAGING AND CONTAINER MARKING REQUIREMENTS:																	
SUPPLEMENTAL PACKAGING INSTRUCTION TEXT:																	
VENDOR PACKAGING INSTRUCTIONS: Military Packaging and Marking Items shall be packaged in accordance with MIL-STD-2073-1, Standard Practice for Military Packaging. Shipping and storage markings shall be in accordance with MIL-STD-129, Standard Practice for Military Marking. Shipping Container Marking Shipping containers shall be marked meeting the following criteria: (a) MIL-STD-129, Standard Practice for Military Marking. (b) Additional marking and/or bar coding requirements exceeding those of MIL-STD-129 (e.g., unit serial numbers, original equipment manufacturers (OEM) name, or OEM model number, as specified on the AFMC Form 158.																	

PACKAGING REQUIREMENTS																	
PACRN:	PACKAGING REQUIREMENT:							PRESERVATION LEVEL:	PACKAGING LEVEL:		SPI:		SPI REV:		SPI DATE:		
AAJ	MIL Long Line Packaging							MIL	B								
ITEM(S): 5998012599954KV																	
CODED DATA:																	
QUP	ICQ	PRES METH	CD	PRES MTL	WRAP MTL	CUSH DUNN	CT	UNIT CONT	INT CONT	UCL	SPEC MKG	UNIT PACK WEIGHT	UNIT PACK LENGTH	UNIT PACK WIDTH	UNIT PACK DEPTH	UNIT PACK CUBE	OPI
1	000	GX	1	00	K3	NB	A	NS	00	B	39	0.70	9.3	6.3	3.0	0.101	M
ADDITIONAL PACKAGING AND CONTAINER MARKING REQUIREMENTS:																	
SUPPLEMENTAL PACKAGING INSTRUCTION TEXT:																	
VENDOR PACKAGING INSTRUCTIONS: Military Packaging and Marking Items shall be packaged in accordance with MIL-STD-2073-1, Standard Practice for Military Packaging. Shipping and storage markings shall be in accordance with MIL-STD-129, Standard Practice for Military Marking. Shipping Container Marking Shipping containers shall be marked meeting the following criteria: (a) MIL-STD-129, Standard Practice for Military Marking. (b) Additional marking and/or bar coding requirements exceeding those of MIL-STD-129 (e.g., unit serial numbers, original equipment manufacturers (OEM) name, or OEM model number, as specified on the AFMC Form 158.																	
PACRN:	PACKAGING REQUIREMENT:							PRESERVATION LEVEL:	PACKAGING LEVEL:		SPI:		SPI REV:		SPI DATE:		
AAK	MIL Long Line Packaging							MIL	B								
ITEM(S): 5998013797921KV																	
CODED DATA:																	
QUP	ICQ	PRES METH	CD	PRES MTL	WRAP MTL	CUSH DUNN	CT	UNIT CONT	INT CONT	UCL	SPEC MKG	UNIT PACK WEIGHT	UNIT PACK LENGTH	UNIT PACK WIDTH	UNIT PACK DEPTH	UNIT PACK CUBE	OPI
1	000	GX	1	00	K3	NB	A	NS	00	B	39	1.40	12.5	8.3	3.0	0.180	M
ADDITIONAL PACKAGING AND CONTAINER MARKING REQUIREMENTS:																	
SUPPLEMENTAL PACKAGING INSTRUCTION TEXT:																	
VENDOR PACKAGING INSTRUCTIONS: Military Packaging and Marking Items shall be packaged in accordance with MIL-STD-2073-1, Standard Practice for Military Packaging. Shipping and storage markings shall be in accordance with MIL-STD-129, Standard Practice for Military Marking. Shipping Container Marking Shipping containers shall be marked meeting the following criteria: (a) MIL-STD-129, Standard Practice for Military Marking. (b) Additional marking and/or bar coding requirements exceeding those of MIL-STD-129 (e.g., unit serial numbers, original equipment manufacturers (OEM) name, or OEM model number, as specified on the AFMC Form 158.																	

PACKAGING REQUIREMENTS																	
PACRN:	PACKAGING REQUIREMENT:							PRESERVATION LEVEL:	PACKAGING LEVEL:		SPI:		SPI REV:		SPI DATE:		
AAL	MIL-STD-2073-1 / No Packaging Available							MIL	B								
ITEM(S): 5998015159825KV																	
CODED DATA:																	
QUP	ICQ	PRES METH	CD	PRES MTL	WRAP MTL	CUSH DUNN	CT	UNIT CONT	INT CONT	UCL	SPEC MKG	UNIT PACK WEIGHT	UNIT PACK LENGTH	UNIT PACK WIDTH	UNIT PACK DEPTH	UNIT PACK CUBE	OPI
ADDITIONAL PACKAGING AND CONTAINER MARKING REQUIREMENTS:																	
SUPPLEMENTAL PACKAGING INSTRUCTION TEXT:																	
VENDOR PACKAGING INSTRUCTIONS: Military Packaging and Marking Items shall be packaged in accordance with MIL-STD-2073-1, Standard Practice for Military Packaging. Shipping and storage markings shall be in accordance with MIL-STD-129, Standard Practice for Military Marking. Shipping Container Marking Shipping containers shall be marked meeting the following criteria: (a) MIL-STD-129, Standard Practice for Military Marking. (b) Additional marking and/or bar coding requirements exceeding those of MIL-STD-129 (e.g., unit serial numbers, original equipment manufacturers (OEM) name, or OEM model number, as specified on the AFMC Form 158.																	
PACRN:	PACKAGING REQUIREMENT:							PRESERVATION LEVEL:	PACKAGING LEVEL:		SPI:		SPI REV:		SPI DATE:		
AAM	MIL Long Line Packaging							MIL	B								
ITEM(S): 5998015161917KV																	
CODED DATA:																	
QUP	ICQ	PRES METH	CD	PRES MTL	WRAP MTL	CUSH DUNN	CT	UNIT CONT	INT CONT	UCL	SPEC MKG	UNIT PACK WEIGHT	UNIT PACK LENGTH	UNIT PACK WIDTH	UNIT PACK DEPTH	UNIT PACK CUBE	OPI
1	000	GX	1	00	K3	NB	A	NS	00	B	39	5.00	12.0	8.0	4.0	0.222	M
ADDITIONAL PACKAGING AND CONTAINER MARKING REQUIREMENTS:																	
SUPPLEMENTAL PACKAGING INSTRUCTION TEXT:																	
VENDOR PACKAGING INSTRUCTIONS: Military Packaging and Marking Items shall be packaged in accordance with MIL-STD-2073-1, Standard Practice for Military Packaging. Shipping and storage markings shall be in accordance with MIL-STD-129, Standard Practice for Military Marking. Shipping Container Marking Shipping containers shall be marked meeting the following criteria: (a) MIL-STD-129, Standard Practice for Military Marking. (b) Additional marking and/or bar coding requirements exceeding those of MIL-STD-129 (e.g., unit serial numbers, original equipment manufacturers (OEM) name, or OEM model number, as specified on the AFMC Form 158.																	

PACKAGING REQUIREMENTS																	
PACRN:	PACKAGING REQUIREMENT:							PRESERVATION LEVEL:	PACKAGING LEVEL:		SPI:		SPI REV:		SPI DATE:		
AAN	MIL Long Line Packaging							MIL	B								
ITEM(S): 5998012668726KV																	
CODED DATA:																	
QUP	ICQ	PRES METH	CD	PRES MTL	WRAP MTL	CUSH DUNN	CT	UNIT CONT	INT CONT	UCL	SPEC MKG	UNIT PACK WEIGHT	UNIT PACK LENGTH	UNIT PACK WIDTH	UNIT PACK DEPTH	UNIT PACK CUBE	OPI
1	000	GX	1	00	K3	NB	A	ED	NS	B	39	1.80	12.5	8.3	3.0	0.180	M
ADDITIONAL PACKAGING AND CONTAINER MARKING REQUIREMENTS:																	
SUPPLEMENTAL PACKAGING INSTRUCTION TEXT:																	
VENDOR PACKAGING INSTRUCTIONS: Military Packaging and Marking Items shall be packaged in accordance with MIL-STD-2073-1, Standard Practice for Military Packaging. Shipping and storage markings shall be in accordance with MIL-STD-129, Standard Practice for Military Marking. Shipping Container Marking Shipping containers shall be marked meeting the following criteria: (a) MIL-STD-129, Standard Practice for Military Marking. (b) Additional marking and/or bar coding requirements exceeding those of MIL-STD-129 (e.g., unit serial numbers, original equipment manufacturers (OEM) name, or OEM model number, as specified on the AFMC Form 158.																	
PACRN:	PACKAGING REQUIREMENT:							PRESERVATION LEVEL:	PACKAGING LEVEL:		SPI:		SPI REV:		SPI DATE:		
AAO	MIL Long Line Packaging							MIL	B								
ITEM(S): 6625015171260KV																	
CODED DATA:																	
QUP	ICQ	PRES METH	CD	PRES MTL	WRAP MTL	CUSH DUNN	CT	UNIT CONT	INT CONT	UCL	SPEC MKG	UNIT PACK WEIGHT	UNIT PACK LENGTH	UNIT PACK WIDTH	UNIT PACK DEPTH	UNIT PACK CUBE	OPI
1	000	41	1	00	EA	NA	A	NR	00	B	17	7.90	12.5	12.5	18.5	1.673	M
ADDITIONAL PACKAGING AND CONTAINER MARKING REQUIREMENTS:																	
SUPPLEMENTAL PACKAGING INSTRUCTION TEXT:																	
VENDOR PACKAGING INSTRUCTIONS: Military Packaging and Marking Items shall be packaged in accordance with MIL-STD-2073-1, Standard Practice for Military Packaging. Shipping and storage markings shall be in accordance with MIL-STD-129, Standard Practice for Military Marking. Shipping Container Marking Shipping containers shall be marked meeting the following criteria: (a) MIL-STD-129, Standard Practice for Military Marking. (b) Additional marking and/or bar coding requirements exceeding those of MIL-STD-129 (e.g., unit serial numbers, original equipment manufacturers (OEM) name, or OEM model number, as specified on the AFMC Form 158.																	

PACKAGING REQUIREMENTS																	
PACRN:	PACKAGING REQUIREMENT:							PRESERVATION LEVEL:	PACKAGING LEVEL:		SPI:		SPI REV:		SPI DATE:		
AAP	MIL Long Line Packaging							MIL	B								
ITEM(S): 5998012730900KV																	
CODED DATA:																	
QUP	ICQ	PRES METH	CD	PRES MTL	WRAP MTL	CUSH DUNN	CT	UNIT CONT	INT CONT	UCL	SPEC MKG	UNIT PACK WEIGHT	UNIT PACK LENGTH	UNIT PACK WIDTH	UNIT PACK DEPTH	UNIT PACK CUBE	OPI
1	000	GX	1	00	K3	NB	A	NS	00	B	39	1.50	12.5	8.3	3.0	0.180	M
ADDITIONAL PACKAGING AND CONTAINER MARKING REQUIREMENTS:																	
SUPPLEMENTAL PACKAGING INSTRUCTION TEXT:																	
VENDOR PACKAGING INSTRUCTIONS: Military Packaging and Marking Items shall be packaged in accordance with MIL-STD-2073-1, Standard Practice for Military Packaging. Shipping and storage markings shall be in accordance with MIL-STD-129, Standard Practice for Military Marking. Shipping Container Marking Shipping containers shall be marked meeting the following criteria: (a) MIL-STD-129, Standard Practice for Military Marking. (b) Additional marking and/or bar coding requirements exceeding those of MIL-STD-129 (e.g., unit serial numbers, original equipment manufacturers (OEM) name, or OEM model number, as specified on the AFMC Form 158.																	
PACRN:	PACKAGING REQUIREMENT:							PRESERVATION LEVEL:	PACKAGING LEVEL:		SPI:		SPI REV:		SPI DATE:		
AAQ	MIL Long Line Packaging							MIL	B								
ITEM(S): 5998015159823KV																	
CODED DATA:																	
QUP	ICQ	PRES METH	CD	PRES MTL	WRAP MTL	CUSH DUNN	CT	UNIT CONT	INT CONT	UCL	SPEC MKG	UNIT PACK WEIGHT	UNIT PACK LENGTH	UNIT PACK WIDTH	UNIT PACK DEPTH	UNIT PACK CUBE	OPI
1	000	GX	1	00	K3	NB	A	NS	00	B	39	0.80	12.5	8.3	3.0	0.180	M
ADDITIONAL PACKAGING AND CONTAINER MARKING REQUIREMENTS:																	
SUPPLEMENTAL PACKAGING INSTRUCTION TEXT:																	
VENDOR PACKAGING INSTRUCTIONS: Military Packaging and Marking Items shall be packaged in accordance with MIL-STD-2073-1, Standard Practice for Military Packaging. Shipping and storage markings shall be in accordance with MIL-STD-129, Standard Practice for Military Marking. Shipping Container Marking Shipping containers shall be marked meeting the following criteria: (a) MIL-STD-129, Standard Practice for Military Marking. (b) Additional marking and/or bar coding requirements exceeding those of MIL-STD-129 (e.g., unit serial numbers, original equipment manufacturers (OEM) name, or OEM model number, as specified on the AFMC Form 158.																	
ORGANIZATION / OFFICE SYMBOL:		PACKAGING SPECIALIST:			PHONE NUMBER:			SIGNATURE:				DATE:					
406 SCMA / GULAA		Holmes, Richard J			478-327-6309 / 497-6309			//SIGNED//Holmes, Richard J				25077 - 18 MAR 2025					