

REVISION No. \_\_\_\_\_

CHANGE No. \_\_\_\_\_

**Parts Purchase for American Vulkan Corporation Coupling Elements and  
Coupling Assemblies**

ORIGINATED BY Michael Mooney DATE 03/2024

ORIGINATOR'S COMMAND Surface Forces Logistics Center (SFLC)

DEPARTMENT / DIVISION Ice Breaker Buoy and Construction Tender Product Line  
(IBCTPL) Supply Branch

INTERNAL REVIEWER \_\_\_\_\_ DATE \_\_\_\_\_

## **1.0 SCOPE**

- 1.1.** This specification describes the requirements for the preservation, packaging, packing, marking and bar coding of American Vulkan Corporation (AVC) Coupling Elements and Coupling Assemblies.

## **2.0 APPLICABLE DOCUMENTS**

- 2.1. DOCUMENT AVAILABILITY** - For the methods and conditions for obtaining the referenced documents refer to section 6.0.
- 2.2. COMMERCIAL DOCUMENTS** - The following documents form a part of this specification to the extent specified herein. The documents shall be the version listed by number and date from the referenced industry organization. Commercial documents may also be listed in the Department of Defense Index of Specifications and Standards (DODISS).
  - a. ANSI/NCSL Z540 3 2006.08.03, Requirements for the Calibration of Measuring and Test Equipment.
  - b. ANSI/ASQ Q9001-2008, Quality Systems Requirements
  - c. ISO/IEC-16388-2007, Bar Coding - Code 39 Symbology
- 2.3. SPECIFICATION ORDER OF PRECEDENCE** - In the event of a conflict between the text of this specification and the references cited herein, this specification shall take precedence, unless otherwise specified herein.
- 2.4. DEPARTURE FROM SPECIFICATION** – Departure from this specification shall not be allowed unless approved by the Coast Guard Contracting Officer.
  - a. If the Contractor finds it necessary to suggest implementing change or depart from applicable specifications they shall request permission.
  - b. Request for change shall clearly describe the changes proposed, the reason for change, advantages of the proposed changes, price increase or decrease (if any) resulting from the change.

## **3.0 REQUIREMENTS**

- 3.1. GENERAL** – The Contractor shall furnish parts from the schedule of supplies and services as indicated on the delivery order. Coupling Elements shall be genuine AVC brand.
- 3.2. WARRANTY** – The components are being purchased as system stock and will be placed into inventory and not for immediate installation. The Contractor shall provide a warranty for a period of one year (12) months, following up to one (1) year in storage. Storage commences upon receipt of the component at the designated Coast Guard facility. The warranty commences the date the component is installed on a Coast Guard Unit. The warranty shall cover all parts and workmanship defects.

#### **4.0 QUALITY ASSURANCE**

- 4.1. GENERAL** - The Contractor shall maintain an inspection system, which shall ensure each item offered to the Government for acceptance conforms to contract requirements. The system shall be documented and in compliance with ANSI/ASQ Q9003.
- 4.7. PACKING INSPECTION** – If a visit by a Coast Guard Quality Assurance Representative is required in accordance with Appendix A of this specification, The Contracting Officer shall be notified at least seven (7) days in advance of the Contractor being ready for the QA visit. The Coast Guard reserves the right to conduct Quality Assurance inspections for all CLINs to ensure compliance with the requirements herein, even if QA inspection is not required by Appendix A.

#### **5.0 PRESERVATION, PACKAGING, PACKING, & MARKING**

See Appendix A.

#### **6.0 DOCUMENT SOURCES**

Specification and Standards (DODISS Documents)

Standardizations Document Order Desk

700 Robbins Avenue

Building #4, Section D

Philadelphia, PA 19111-5094

215-697-1187

National Conference of Standards Labs (ANSI/NCSL)

1800 30<sup>th</sup> St., Suite 305B

Boulder, CO 80301

303-440-3339

International Organization for Standardization

ISO Central Secretariat

Chemin de Blondonnet 8

CP 401

1214 Vernier, Geneva

Switzerland

<https://www.iso.org/standard/43897.html>