

Minimum and Specific Requirements

Armed Forces Career Center

Minimum Gross Square Footage: 5,728 SF

Maximum Gross Square Footage: 7,367 SF

Minimum Requirements for All Locations:

1. Secondary egress for each individual office leading away from the main entry door or shared common corridor.
2. 24-hour lighted or secured parking within the lessor's premises for twenty **(20)** Government vehicles.
3. Adequate parking for service member privately owned vehicles during working hours.
4. 24-hour access to the leased spaces.
5. High-speed data service connection from the street to the building demarcation point.

Army Specific Requirements:

1. **Private Offices:** One **(1)** private office of **125** SF within each individual Armed Forces Center; see specific requirements detailed within the construction specifications.
2. **Open Space for cubicles or workstations:** Space layout to include an open area within the suite for twelve **(12)** workstations.
3. **Testing/Conference Room:** One **(1)** testing room of **100** SF with a window or a glass door facing the open area for test monitoring.
4. **Storage Room:** One **(1)** storage room of **125** SF for supplies/equipment storage, preferably in the rear of the suite.

Air Force Specific Requirements:

1. **Open Space for cubicles or workstations:** Space lay out to include an open area within the suite for two **(2)** workstations.

Minimum and Specific Requirements

2. **Testing/Conference Room:** One **(1)** testing room of **50** SF with a window or a glass door facing the open area for test monitoring.

4. **Storage Room:** One **(1)** storage room of **60** SF for supplies/equipment storage, preferably in the rear of the suite.

Navy Specific Requirements:

1. **Private Offices:** One **(1)** private office of **125** SF within each individual Armed Forces Center; see specific requirements detailed within the construction specifications.

2. **Open Space for cubicles or workstations:** Space lay out to include an open area within the suite for six **(6)** workstations.

3. **Testing/Conference Room:** One **(1)** testing room of **100** SF with a window or a glass door facing the open area for test monitoring.

4. **Storage Room:** One **(1)** storage room of **100** SF for supplies/equipment storage, preferably in the rear of the suite.

USMC Specific Requirements:

1. **Private Offices:** One **(1)** private office of **125** SF within each individual Armed Forces Center; see specific requirements detailed within the construction specifications.

2. **Open Space for cubicles or workstations:** Space lay out to include an open area within the suite for four **(4)** workstations.

3. **Testing/Conference Room:** One **(1)** testing room of **80** SF with a window or a glass door facing the open area for test monitoring.

4. **Storage Room:** One **(1)** storage room of **80** SF for supplies/equipment storage, preferably in the rear of the suite.

Common Area:

1. **Network/CCTV (Security) Closet:** One (1) network equipment closet of approximately **72** SF for CCTV system and entry control system housing. This closet should be located in the private office if a single Service station or built into the common

Minimum and Specific Requirements

area if a multiple Service station.

2. **Restrooms:** A minimum of two (2) unisex **100** SF restroom meeting ADA specifications. Construction specifications will indicate if more than one restroom is required.

3. **Janitorial Closet:** One (1) janitorial equipment closet of a minimum of 20 SF, specific requirements detailed within the construction specifications.