

**NAVSUP FLEET LOGISTICS CENTERS (FLC) COMMERCIAL ONLY ONE SOURCE
JUSTIFICATION (NTE SAT) IN ACCORDANCE WITH FAR 12.102(a)**

Purchase Request Number: ProTrack: 20260002798

Required Delivery Date/POP: [REDACTED]

Estimated Cost (Including Options): [REDACTED]

Description of Supply/Service:

Provide LTFW, MSW Cooling and Stripping Pump replacement John Crane Mechanical Seals for WI-0512 in support of the USNS JOHN LEWIS (T-AO 205) MTA scheduled for Sept 2026.

Quantity	Description
5	90214688 SEAL ASSEMBLY, CARTRIDGE DRAWING: GA-197264 // JOHN CRANE TYPE 5610VQ 3.375 X O15 H X O58 H HC/HC
4	0700/58U/-/BP/546C SEAL ASSEMBLY DRAWING: S/32337 //JOHN CRANE TYPE 58U/BP 70.0MM X F55 1 X O58 1 316/316 REF: T-AO 205 CLASS OILER / PUMP, STRIPPING, DFM MODEL L2NG 106/180 ASOGIA / HP

Competition Will be Restricted to the Following Source/Brand Name

Name of Manufacturer: John Crane Inc.

Manufacturer POC: Robert Mendes

Manufacturer Phone: 503-639-0700

Manufacturer Email: RMMENDES@JOHNCRANE.COM

Manufacturer CAGE Code: 71724

Manufacturer Businesses Size: Small

NAICS: 339991 - Gasket, Packing, and Sealing Device Manufacturing

Size Standard: 600

Distributors: several small businesses

Basis For Decision That Only One Source Is Available

**NAVSUP FLEET LOGISTICS CENTERS (FLC) COMMERCIAL ONLY ONE SOURCE
JUSTIFICATION (NTE SAT) IN ACCORDANCE WITH FAR 12.102(a)**

A ship's Main Sea Water (MSW) Cooling and Stripping Pump plays a crucial role in regulating the temperatures of engine room machinery and facilitating the thorough discharge of cargo tanks. These pumps are essential in preventing engine overheating and enabling the removal of residual cargo, which ensures safe and efficient operations while minimizing cargo waste.

The failure of a ship's Main Sea Water (MSW) Cooling and Stripping Pump—often a vital, multifunctional unit—can lead to serious, cascading failures, including immediate shutdowns of the engine room and significant environmental and commercial repercussions. Given that these pumps are generally employed for both cooling critical machinery and stripping cargo tanks, the implications of their failure are both mechanical and operational.

MSC is directed to only use OEM parts on this vessel's operational and mission critical equipment aboard MSC Fleet Vessels per COMSCINST 4490.1. In addition, John Crane retains the rights to all design drawings, tolerances, and original parts for the pump mechanical seals on board TAO class ships. Accordingly, the manufacturing, special tools, and equipment required to manufacture the parts used for the pumps is not known to MSC. MSC does not have the manufacturing and technical information required to reverse engineer nor manufacture the parts, and procuring alternative replacement parts will compromise the required reliability and effectiveness of the pumps installed. Any mechanical seals manufactured by a company other than with the OEM would void warranties on this equipment.

Proprietary data limits competition in the manufacturing of the existing JOHN CRANE mechanical seals installed on the freshwater low - temperature (LTFW), MSW Cooling and Stripping Pump. The subject seals are direct replacement parts for existing seals. The proprietary information limits the purchase of the replacement seals to OEM John Crane.

NAVSEA Tech. Manual T6226-A3-MMC-010 provides the mechanical seals for the LTFW pump with John Crane as the manufacturer.

NAVSEA Tech. Manual T6226-A2-MMC-010 provides the mechanical seals for the Main Sea Water Cooling Pumps with John Crane as the manufacturer.

NAVSEA Tech. Manual T6226-BR-MMC-010 provides the mechanical seals for the Cargo DFM Stripping Pumps with John Crane as the manufacturer.

John Crane has authorized distributors of these pump parts and are the OEM of the subject pump seals installed aboard the TAO 205 class. Thus, a Brand Name is justified. The CSI that the subject items fall under is for the Main Engine and the Engine Room plant/Equipment as a whole. The Main Engine and Vast majority of the Engine Room Equipment is cooled by the LTFW System and without the Main Engines and the plant itself can't be operated. The Main Sea Water Cooling system is the only way to cool the LTFW System, thus without the MSW Cooling System the LTFW System can't be run.

**I CERTIFY THAT STATEMENTS AND INFORMATION PROVIDED ABOVE, ARE
COMPLETE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND DO NOT CONTAIN
CLASSIFIED INFORMATION. I CERTIFY THAT THE REQUESTED MATERIAL OR SERVICES
REPRESENT THE MINIMUM REQUIREMENT OF THE GOVERNMENT. I UNDERSTAND
THAT THE PROCESSING OF THIS SOLE SOURCE OR BRAND NAME JUSTIFICATION
PRECLUDES COMPETITION TO THE MAXIMUM EXTENT PRACTICABLE**

**NAVSUP FLEET LOGISTICS CENTERS (FLC) COMMERCIAL ONLY ONE SOURCE
JUSTIFICATION (NTE SAT) IN ACCORDANCE WITH FAR 12.102(a)**

