

STATEMENT OF WORK (SOW)

Manufacturing and Supply of Stator Cores for Small Brushless DC Motors (sUAS Application)

1.0 BACKGROUND AND SCOPE

The Tobyhanna Army Depot requires the manufacturing and supply of critical Unmanned Aircraft Systems (sUAS) motor components. The Contractor shall provide the necessary labor, materials, facilities, and quality control to manufacture stacked and insulated stator core assemblies designed for outrunner brushless Direct Current (DC) motors. These components are essential to support rapid sUAS production demands for the Government. The scope of this effort includes scaling production to meet high-volume delivery requirements while adhering to strict domestic manufacturing and sourcing regulations.

2.0 TECHNICAL REQUIREMENTS

The Contractor shall manufacture, test, and supply stator cores that meet the exact technical parameters outlined below. Engineering drawings will be provided by the Government upon contract award or request.

Parameter	Specification Requirement
Motor Design	Outrunner Brushless DC Motor (stator fixed, permanent magnet rotor spins on the outside)
Stator Diameter	22mm to 35mm
Stator Height	6mm to 20mm
Configuration	12 coil nodes
Assembly Type	Stacked and bonded lamination cores
Insulation	Epoxy powder coat (or approved equivalent durable insulation) applied to coil nodes

Insulation Performance	Must prevent grounding, resist environmental degradation, and ensure reliability under standard sUAS operations
------------------------	---

3.0 PRODUCTION AND CAPACITY REQUIREMENTS

The Contractor must maintain the facilities, supply chain, and workforce necessary to meet the high-volume production needs of the sUAS program.

Production Element	Requirement
Monthly Capacity	Up to 40,000 stator core units per month
Quality Control	Must implement and maintain stringent quality control standards applicable to high-volume sUAS component manufacturing
Scaling	Must demonstrate a credible, verified path to achieving maximum production capacity without degradation of part quality

4.0 SOURCING AND SECURITY COMPLIANCE

The Contractor shall strictly adhere to the following supply chain and sourcing constraints for all materials utilized under this SOW.

Compliance Area	Restriction Details
Prohibited Foreign Sources	All materials used in components must not be sourced from prohibited foreign countries.
Restricted Nations	The People's Republic of China, the Russian Federation, the Islamic Republic of Iran, and the Democratic People's Republic of Korea.

Subcontractor Flow-down

The Contractor is responsible for ensuring these sourcing restrictions are enforced throughout their lower-tier supply chain.

5.0 GOVERNMENT POINTS OF CONTACT

The following individuals serve as the primary technical and program management points of contact for Tobyhanna Army Depot (TYAD) regarding this requirement.

Role	Name	Email
Lead Mechanical Engineer	Nicholas Paras	nicholas.m.paras.civ@army.mil
TYAD UAS Project Manager	AJ Ceccacci	anthony.j.ceccacci.civ@army.mil
Lead Electrical Engineer	Corey Katsak	corey.d.katsak.civ@army.mil
Logistics Management Specialist	Steven Wiltz	steven.wiltz.civ@army.mil