

SOLICITATION/CONTRACT/ORDER FOR COMMERCIAL PRODUCTS AND COMMERCIAL SERVICES

NOTE: OFFEROR TO COMPLETE BLOCKS 12, 17, 23, 24, AND 30.

1. REQUISITION NUMBER			PAGE 1 OF		
2. CONTRACT NUMBER	3. AWARD/EFFECTIVE DATE	4. ORDER NUMBER	5. SOLICITATION NUMBER	6. SOLICITATION ISSUE DATE	
7. FOR SOLICITATION INFORMATION CALL:			a. NAME		b. TELEPHONE NUMBER (<i>No collect calls</i>)
			8. OFFER DUE DATE/ LOCAL TIME		
9. ISSUED BY CODE			10. THIS ACQUISITION IS ☐ UNRESTRICTED OR ☐ SET ASIDE: % FOR: ☐ SMALL BUSINESS ☐ WOMEN-OWNED SMALL BUSINESS (WOSB) NORTH AMERICAN INDUSTRY CLASSIFICATION STANDARD (NAICS): ☐ HUBZONE SMALL BUSINESS ☐ ECONOMICALLY DISADVANTAGED ☐ VETERAN-OWNED SMALL BUSINESS (EDWOSB) SIZE STANDARD: ☐ SERVICE-DISABLED ☐ 8(A) ☐ SDVOSB		
11. DELIVERY FOR FREE ON BOARD (FOB) DESTINATION UNLESS BLOCK IS MARKED ☐ SEE SCHEDULE	12. DISCOUNT TERMS		13a. THIS CONTRACT IS A RATED ORDER UNDER THE DEFENSE PRIORITIES AND ALLOCATIONS SYSTEM - DPAS (15 CFR 700) ☐		13b. RATING 14. METHOD OF SOLICITATION REQUEST ☐ REQUEST FOR QUOTE (RFQ) ☐ INVITATION FOR BID (IFB) ☐ FOR PROPOSAL (RFP)
15. DELIVER TO CODE			16. ADMINISTERED BY CODE		
17a. CONTRACTOR/ OFFEROR CODE FACILITY CODE			18a. PAYMENT WILL BE MADE BY CODE		
TELEPHONE NUMBER ☐ 17b. CHECK IF REMITTANCE IS DIFFERENT AND PUT SUCH ADDRESS IN OFFER			18b. SUBMIT INVOICES TO ADDRESS SHOWN IN BLOCK 18a UNLESS BLOCK BELOW IS CHECKED ☐ SEE ADDENDUM		
19. ITEM NUMBER	20. SCHEDULE OF SUPPLIES/SERVICES		21. QUANTITY	22. UNIT	23. UNIT PRICE
(Use Reverse and/or Attach Additional Sheets as Necessary)					
25. ACCOUNTING AND APPROPRIATION DATA				26. TOTAL AWARD AMOUNT (<i>For Government Use Only</i>)	
☐ 27a. SOLICITATION INCORPORATES BY REFERENCE (FEDERAL ACQUISITION REGULATION) FAR 52.212-1, 52.212-4. FAR 52.212-3 AND 52.212-5 ARE ATTACHED. ADDENDA ☐ ARE ☐ ARE NOT ATTACHED ☐ 27b. CONTRACT/PURCHASE ORDER INCORPORATES BY REFERENCE FAR 52.212-4. FAR 52.212-5 IS ATTACHED. ADDENDA ☐ ARE ☐ ARE NOT ATTACHED ☐ 28. CONTRACTOR IS REQUIRED TO SIGN THIS DOCUMENT AND RETURN COPIES TO ISSUING OFFICE. CONTRACTOR AGREES TO FURNISH AND DELIVER ALL ITEMS SET FORTH OR OTHERWISE IDENTIFIED ABOVE AND ON ANY ADDITIONAL SHEETS SUBJECT TO THE TERMS AND CONDITIONS SPECIFIED					
29. AWARD OF CONTRACT: REFERENCE OFFER DATED . YOUR OFFER ON SOLICITATION (BLOCK 5), INCLUDING ANY ADDITIONS OR CHANGES WHICH ARE SET FORTH HEREIN, IS ACCEPTED AS TO ITEMS:					
30a. SIGNATURE OF OFFEROR/CONTRACTOR			31a. UNITED STATES OF AMERICA (<i>SIGNATURE OF CONTRACTING OFFICER</i>)		
30b. NAME AND TITLE OF SIGNER (<i>Type or print</i>)	30c. DATE SIGNED	31b. NAME OF CONTRACTING OFFICER (<i>Type or print</i>)		31c. DATE SIGNED	

Continuation of Supplies or Services and Prices/Costs

Additional Information/Notes

Item	Supplies/Service	Quantity	Unit	Unit Price	Amount
0001	Product Service Description: Jefferson Hall- DAS Material Universal Product Number: 012345 Product Service Code: R426 North American Industry Classification System (NAICS): 334220 Pricing Arrangement: Firm Fixed Price	1	Operating Unit		
0002	Product Service Description: Jefferson Hall- DAS Labor Universal Product Number: 012345 Product Service Code: R426 Pricing Arrangement: Firm Fixed Price	1	Operating Unit		
0003	Product Service Description: OPTION-Jefferson Hall- Redundent Power-M Universal Product Number: 012345 Product Service Code: R426 Pricing Arrangement: Firm Fixed Price	1	Operating Unit		
0004	Product Service Description: OPTIONAL-Jefferson Hall- Redundent Power- Universal Product Number: 012345 Product Service Code: R426 Pricing Arrangement: Firm Fixed Price	1	Operating Unit		
0005	Product Service Description: OPTIONAL- GIB DAS-Material Universal Product Number: 012345 Product Service Code: R426 Pricing Arrangement: Firm Fixed Price	1	Operating Unit		

0006	Product Service Description: OPTIONAL- GIB DAS-Labor Universal Product Number: 012345 Product Service Code: R426 Pricing Arrangement: Firm Fixed Price	1	Operating Unit		
0007	Product Service Description: OPTIONAL- GIB Redundent Power- Material Universal Product Number: 012345 Product Service Code: R426 Pricing Arrangement: Firm Fixed Price	1	Operating Unit		
0008	Product Service Description: OPTIONAL- GIB Redundent Power- Labor Universal Product Number: 012345 Product Service Code: R426 Pricing Arrangement: Firm Fixed Price	1	Operating Unit		
0009	Product Service Description: OPTIONAL- Mahan Hall Active Equip Repl Mat Universal Product Number: 012345 Product Service Code: R426 Pricing Arrangement: Firm Fixed Price	1	Operating Unit		
0010	Product Service Description: OPTIONAL- Mahan Hall Active Equip Repl lab Universal Product Number: 012345 Product Service Code: R426 Pricing Arrangement: Firm Fixed Price	1	Operating Unit		
0011	Product Service Description: OPTIONAL- Mahan Hall Redundent Power- Mate Universal Product Number: 012345 Product Service Code: R426	1	Operating Unit		

	Pricing Arrangement: Firm Fixed Price				
0012	Product Service Description: OPTIONAL-Mahan Hall Redundent Power- Labor Universal Product Number: 012345 Product Service Code: R426 Pricing Arrangement: Firm Fixed Price	1	Operating Unit		
0013	Product Service Description: OPTIONAL- Mahan Hall Passive Equipment- Ma Universal Product Number: 012345 Product Service Code: R426 Pricing Arrangement: Firm Fixed Price	1	Operating Unit		
0014	Product Service Description: OPTIONAL- Mahan Hall Passive Equipment Lab Universal Product Number: 012345 Product Service Code: R426 Pricing Arrangement: Firm Fixed Price	1	Operating Unit		

Continuation of Description

Section C

PWS

GENERAL INFORMATION

C1. General: This is a non-personal service(s) contract under which the personnel rendering the service(s) are not subject, either by the contract's terms or by the manner of its administration, to the supervision and control usually prevailing in relationships between the Government and its employees.

C1.1 Description of Services/Introduction: This is a non-personal service(s) contract to provide the upgrade and renovation of existing commercial cellular Distributed Antenna Systems(DAS) components and equipment that are at end of life technology, and replace them with current 5g capability. The contractor shall provide all labor, equipment and consumables to upgrade capability in support of providing modern capabilities to the Cadet, Staff and Faculty of the United States Military Academy (USMA), Westpoint, New York.

C1.2 Background: The Chief Information Officer, G6(CIO/G6) has identified the need to upgrade the existing cellular distribution systems within key buildings due to the inability to support modern fifth-generation mobile network(5G) enhancements offered by the core carriers. AT&T, T-Mobile, and VERIZON, currently provide signals to the academy to enable cellular service to all Cadet, Faculty and Staff cellular phone subscribers. The carrier signals are distributed within the Academic buildings through a Distributed Antenna System (DAS) installed within each building. These systems ensure that the cellular service signals are maintained within the buildings since outside antenna signals cannot penetrate walls and indoor barriers. These systems directly support life, safety, and administrative communications.

C1.2.1 The CIO/G6 has identified that the current equipment cannot support new and emerging capabilities of 5G cellular technology since the existing equipment was installed and manufactured before 5G was developed. Currently, the equipment can only support 4G LTE. The enhancement of the equipment to support 5G will provide all mobile subscribers with the following capabilities:

- a. Faster Speeds. This enables high-quality streaming, fast downloads, and smooth video conferencing.
- b. Greater Capacity. Supports more devices per square mile, ideal for densely populated areas and numerous devices that utilize cellular for internet services- IoT (Internet of Things) deployments.
- c. Improved Reliability. Enhanced network stability and better coverage.

C1.3 Scope: The Contractor shall provide non-personal service(s), to Engineer the removal and replacement of existing Distributed Antenna infrastructure and components that are unable to support 5G signal capability to new and emerging cellular technologies. All major equipment provided shall be standardized and be manufactured by Advanced RF Technologies (ADRF). This PWS provides for the upgrade of 3 separate facilities 1 primary, and 2 optional buildings, contingent upon funding.

C1.3.1 The contractor will be required to provide a RF Propagation plot, a.k.a. "Heat Map" of all facilities to develop a design plan for antenna and component installations.

C1.3.2 Building 758, Jefferson Hall Library. The contractor will perform a preliminary RF Propagation study to be used within the engineering design. The contractor shall remove and replace all active components, passive components, cables, and antennas and replace the system in its entirety to provide for the capability of 5G cellular technology. All new active components will be installed using the existing racks/spaces vacated by the removed systems.

a. The contractor shall be responsible for the disposition of all removed equipment and materials no longer required under 1.3.1

b. The contractor shall install new cable, passive and active equipment to provide for a 100% upgrade to 5G capability, supporting ATT, T-Mobile, Verizon signal distribution within the facility.

c. The contractor shall be responsible for coordination of interruption of services with the CIO/G6 Network Service Branch, DAS Maintenance contractor, and if required the major carrier's.

d. The contractor shall test and certify that the system's performance meets or exceed specified performance levels and provide results to the CIO/G6 Network Service Branch.

e. The contractor shall develop and provide "As Built "drawings which identify locations and inventory of all antenna's, cable routes, and telecom equipment. All drawings and sketches developed under this PWS shall become the property of the CIO/G6 upon final draft at the completion of this project

C1.3.3 OPTION 1. Redundant Power. Building 758, Jefferson Hall Library. Contingent upon funding, the contractor shall provide a back-up power system to all active DAS equipment capable of a 2hour emergency power in the event of an electrical outage.

C1.3.4 OPTION 2. General Instructional Building (GIB). This facility is adjacent to the Jefferson Hall Library and serves as a temporary class and administrative area for displaced academic

and staff functions during the academies multiyear Academic Building Upgrade Program (ABUP). Contingent upon funding, the contractor shall provide the following:

a. The contractor shall perform an RF Propagation study to design the effective placement of antennas and infrastructure.

- b. The contractor shall be responsible for the disposition of all removed equipment and materials no longer required under 1.3.3
- c. The contractor shall install new cable, passive and active equipment to provide for a 100% upgrade to 5G capability, supporting AT&T, T-Mobile, Verizon signal distribution within the facility.
- d. The contractor shall be responsible for coordination of interruption of services with the CIO/G6 Network Service Branch, DAS Maintenance contractor, and if required the major carriers.
- e. The contractor shall test and certify that the system's performance meets or exceed specified performance levels and provide results to the CIO/G6 Network Service Branch.
- f. The contractor shall develop and provide "As Built "drawings which identify locations and inventory of all antenna's, cable routes, and telecom equipment. All drawings and sketches developed under this PWS shall become the property of the CIO/G6 upon final draft at the completion of this project.

C1.3.5. OPTION 3. General Instructional Building (GIB). Contingent upon funding. The contractor shall provide and install redundant power to all active DAS components installed within 1.3.3.

C1.3.6. OPTION 4. Building 752, Mahan Hall. Contingent upon funding, the contractor shall remove all active DAS equipment and replace the components with newly manufactured Advanced RF Technologies (ADRF) equipment. The equipment shall provide 5G signaling throughout the existing infrastructure. Under this option, all passive components shall remain pending funding for replacement.

- a. The contractor shall be responsible for the disposition of all replaced equipment
- b. The contractor shall coordinate service outages with the CIO/G6 Network Service Branch.
- c. The contractor shall test and certify that the system's performance meets or exceed specified performance levels and provide results to the CIO/G6 Network Service Branch.
- d. The contractor shall ensure that the system provides for a 100% upgrade to 5G capability, supporting AT&T, T-Mobile, Verizon signal distribution within the facility.
- e. The contractor shall be responsible for coordination of interruption of services with the CIO/G6 Network Service Branch, DAS Maintenance contractor, and if required the major carrier's.
- f. The contractor shall develop and provide "As Built "drawings which identify locations and inventory of all telecom equipment and rack elevations. All drawings and sketches developed under this PWS shall become the property of the CIO/G6 upon final draft at the completion of this project.

C1.3.7. OPTION 5. Building 752, Mahan Hall. Contingent upon funding, the contractor shall provide and install Redundant Power to all active DAS Components installed under 1.3.4.

C1.3.8 OPTION 6. Building 752, Mahan Hall. Contingent upon funding, the contractor shall remove and replace all passive equipment, including cabling, and antennas and replace the DAS Infrastructure in its entirety.

- a. The contractor shall perform an RF Propagation Study for the efficient placement of antennas and passive components.
- b. The contractor is responsible for the disposition of all cabling and components removed under this option.
- c. The contractor shall be responsible for coordination of interruption of services with the CIO/G6 Network Service Branch, DAS Maintenance contractor, and if required the major carriers.
- d. The contractor shall install newly manufactured material and components that are rated for cellular 5G performance.
- e. The contractor shall test and certify that the system's performance meets or exceed specified performance levels and provide results to the CIO/G6 Network Service Branch.
- f. The contractor shall ensure that the system provides for a 100% upgrade to 5G capability, supporting AT&T, T-Mobile, Verizon signal distribution within the facility.
- g. The contractor shall develop and provide "As Built "drawings which identify locations and inventory of all antenna's, cable routes, and telecom equipment. All drawings and sketches developed under this PWS shall become the property of the CIO/G6 upon final draft at the completion of this project.

C1.4 Objectives: The objective of this contract is to provide:

- a. Removal of equipment which cannot support 5G cellular services.
- b. Install new ADRF DAS Systems which will provide 100% coverage and 5g signal capability for all major cellular carriers within the building(s).
- c. Upgrade DAS Infrastructure to include cable, antennas and associated components to enhance 5G performance, based upon RF Propagation studies.

1.5 Type of Contract: FIRM FIXED PRICE

1.6 Period of Performance: 180 Days from award of contract.

1.7 Place of Performance: The work to be performed under this contract will be performed Building 758, Jefferson Hall Library.

OPTION 1. Redundant Power, Building 758, Jefferson Hall Library. Contingent on funding.
OPTION 2. General Instructional Building(GIB). OPTION 2, Contingent on funding.

OPTION 3. General Instructional Building (GIB). Contingent upon funding. OPTION 4. Building 752, Mahan Hall, Contingent on funding.

OPTION 5. Building 752, Mahan Hall. Contingent upon funding OPTION 6. Building 752, Mahan Hall. Contingent upon funding. United States Military Academy, Westpoint, NY, 10996.

C1.8 Site Survey. All prospective contractors will be offered a site survey to review the requirement of this PWS. All site surveys will be coordinated through the Contracting Officer.

C1.9 Contractor Travel: Reserved

C1.10 Other Direct Costs (ODCs): Special Equipment rental, Hi Reach scaffolding.

PART 2 SPECIFIC REQUIREMENTS

C2.1 Basic Services: The Contractor shall provide services for the upgrade and renovation of existing commercial cellular Distributed Antenna Systems (DAS) components and equipment that are at end of life technology and replace them with current 5g capability. The contractor shall provide all labor, equipment and consumables to upgrade capability in support of providing modern capabilities to the Cadet, Staff and Faculty of the United States Military Academy (USMA), Westpoint, New York. The work performed under this PWS shall conform to the following standards

Standard	Purpose
BICSI 006	DAS design and implementation
NFPA 70 (NEC)	Electrical safety and installation
IEEE 1100, 1584, 3007.1	Grounding, arc-flash, ESD safety

IFC Section 510	Fire code compliance for public safety DAS
FCC Regulations	Frequency and interference control
47 CFR 1.1310	Radiofrequency Radiation Exposure Limits
47 CFR 90.219,	Use of Signal Boosters
ANSI/TIA-569,	Telecommunications Pathways and Spaces
ANSI/TIA-606	Administration Standard for Telecommunications Infrastructure
TIA TSB-5018	Structured Cabling Infrastructure Guidelines to Support Distributed Antenna Systems
Manufacturers Guidelines	Major Equipment Manufacturers Installation Guidance
ANSI/TIA-607-E	Telecommunications Bonding and Grounding

Standard	Purpose
----------	---------

ANSI/TIA-568.3-E	Optical Fiber Cabling and Components
ANSI/TIA-756-B	Customer Owned Outside Plant Telecommunications Infrastructures
BICSI TDMM 15th Ed.	

- a. All network enabled hardware and software must support Internet Protocol version 6 (IPv6).
- b. All hardware and software must meet all federal Section 508 requirements.

C2.1.1. Major Active Equipment. All active equipment must be newly manufactured provided by Advanced RF Technologies (ADRF).

C2.1.2 DAS Performance Specifications. All Distributed Antenna Systems shall be certified and perform to the below specifications.

Category	Target Value	Area	Comments	
RSRP < 3 GHz	-95 dBm	>95%	-95dBm or better RSRP design target is required for all systems over 95% of the Coverage Area	
RSRP > 3 GHz)	-100 dBm	>95%	-100 dBm or better RSRP design target is required for all systems over 95% of the Coverage Area.	

SINR	> 4 dB	> 95%	The SINR is greater than 4 dB with a loading of 100% for 95%+ of coverage area.	
Dominance Over Macro	6 dB	100%	The design should be at a minimum 6 dB stronger than the peak macro benchmark data at any point in the entire coverage area.	

C2.1.3 Spectrum Requirements. The following Spectrum Requirements support the objective of this requirement.

Table 3 Spectrum Requirements

C2.1.4 Contractor Work Plan: The Contractor shall prepare and maintain a Work Plan. The plan, as a minimum, shall identify regularly scheduled work (to include location, work to be completed, timeline, etc.) The Contractor's proposed Work Plan shall be submitted to the Contracting Officer via the COR for review within 10DAYS after date of contract award (Deliverable 1). The workplan can be Microsoft Project or Excell spreadsheet which would define milestones. Any proposed change to the accepted Final Work Plan is required to be resubmitted via the COR for review and acceptance by the Contracting Officer at a minimum 5 calendar days prior to implementation.

C2.2 Tasks: Building 758, Jefferson Hall Library. Task requirements for Building 758, Jefferson Hall consist of the following:

C2.2.1. The contractor shall perform an RF Propagation Study to establish the optimal placement of passive antennas and components. The contractor shall identify and remove all active DAS components from the facility and dispose of the equipment in accordance with environmental and regulatory guidelines and local regulations.

a. STANDARD(STD). The equipment will be removed and disposed of in accordance with environmental and regulatory guidelines and local regulations.

b. STD. The Contractor shall ensure that all personnel involved in the removal and transportation of removed equipment follows OSHA Standard 1910.176- Handling Materials.

c. STD. The contractor shall coordinate downtime of sectors to the CIO/G6 Network Service Branch and Major Carriers as appropriate.

d. STD. The contractor shall not use Government facilities for disposal of any equipment/materials removed under this PWS.

e. STD. All areas impacted by removal of infrastructure shall be cleaned and clear of debris. Floors and office areas which may have been impacted by dust, falling debris shall be cleaned and remedied before the end of every workday.

C2.2.2. The contractor shall perform a RF Propagation study to assess the building layout for optimal antenna placement, validate cable routes, and passive components.

- a. STD. Provide floor plan with antenna locations and cable route to the COR before implementation. (Deliverable # 11)
- b. No work will be performed pending the acceptance of the plan as communicated by the COR.

C2.2.3. The contractor shall install active equipment within the assigned telecommunications area within the racks and spaces vacated by the equipment removed in section 2.2.1.

- a. STD. All equipment shall be installed in accordance with the manufacturer's specifications.
- b. STD. All personnel assigned for the installation of equipment shall be experienced and certified to perform this task, in addition to certifications required by ADRF.

C2.2.4 Infrastructure Installation. The contractor will install all passive equipment to include antennas, cabling, connectors, taps, splitters ect.. from the active equipment throughout its respective zone.

- a. STD. All infrastructure installation practices will be installed in accordance with references in Table 1.
- b. STD. All cables will be dressed and secure with a neat appearance.
- c. STD. All personnel assigned to this task will be qualified and or certified in the installation of DAS Infrastructure.

C2.2.5. Testing and certification. The contractor shall provide certification and performance measures for both passive and active systems.

- a. STD. All cable will be tested end to end
- b. STD. The contractor shall coordinate active operation with the COR and or CIO/G6 Network Service branch.
- c. STD. Active test results will meet the requirements in Table 2 and Table 3.

C2.2.6. Closeout Documentation. The contractor shall provide final design plan, RF Propagation studies, test results, As Built.

- a. STD. Final documentation shall be in electronic format. All drawings shall be in ADOBE PDF format.
- b. Final documentation shall be provided to the COR within 15 days of close-out.(Deliverable #12)

C2.2.7. OPTION 1. Contingent upon funding. The contractor shall provide and install a redundant back-up power system to the active DAS equipment installed within building 758, Jefferson Hall Library.

- a. STD. The systems will be rated for 2hrs.
- b. STD. The contractor will perform a service test along with the COR to validate the performance of the system.

C2.3. OPTION 2. General Instructional Building(GIB). The contractor shall provide the assessment and replacement of existing DAS equipment with newly manufactured ADRF equipment to support 5G cellular technologies. The contractor shall perform a RF Propagation study to determine the optimal placement of antenna and passive components.

C2.3.1 The contractor shall perform an RF Propagation Study to establish the optimal placement of passive antennas and components. The contractor shall identify and remove all active DAS components from the facility and dispose of the equipment in accordance with environmental and regulatory guidelines and local regulations.

- a. STANDARD(STD). The equipment will be removed and disposed of in accordance with environmental and regulatory guidelines and local regulations.
- b. STD. The Contractor shall ensure that all personnel involved in the removal and transportation of removed equipment follows OSHA Standard 1910.176- Handling Materials.
- c. STD. The contractor shall coordinate downtime of sectors to the CIO/G6 Network Service Branch and Major Carriers as appropriate.
- d. STD. The contractor shall not use Government facilities for disposal of any equipment/materials removed under this PWS.
- e. STD. All areas impacted by removal of infrastructure shall be cleaned and clear of debris. Floors and office areas which may have been impacted by dust, falling debris shall be cleaned and remedied before the end of every workday.

C2.3.2. The contractor shall perform a RF Propagation study to assess the building layout for optimal antenna placement, validate cable routes, and passive components.

- a. STD. Provide floor plan with antenna locations and cable route to the COR before implementation. (Deliverable # 11)
- b. No work will be performed pending the acceptance of the plan as communicated by the COR.

C2.3.3. The contractor shall install active equipment within the assigned telecommunications area within the racks and spaces vacated by the equipment removed in section 2.2.1.

- a. STD. All equipment shall be installed in accordance with the manufacturer's specifications.

b. STD. All personnel assigned for the installation of equipment shall be experienced and certified to perform this task.(CERTIFICATION)

C2.3.4 Infrastructure Installation. The contractor will install all passive equipment to include antennas, cabling, connectors, taps, splitters ect.. from the active equipment throughout its respective zone.

a. STD. All infrastructure installation practices will be installed in accordance with references in Table 1.

b. STD. All cables will be dressed and secure with a neat appearance.

c. STD. All personnel assigned to this task will be qualified and or certified in the installation of DAS Infrastructure.

C2.3.5. Testing and certification. The contractor shall provide certification and performance measures for both passive and active systems.

a. STD. All cable will be tested end to end

b. STD. The contractor shall coordinate active operation with the COR and or CIO/G6 Network Service branch.

c. STD. Active test results will meet the requirements in Table 2 and Table 3.

C2.3.6. Closeout Documentation. The contractor shall provide final design plan, RF Propagation studies, test results, As Builts.

a. STD. Final documentation shall be in electronic format. All drawings shall be in ADOBE PDF format.

b. Final documentation shall be provided to the COR within 15 days of close-out.

(Deliverable #12)

C2.3.7. OPTION 3. Contingent upon funding. The contractor shall provide and install a redundant back-up power system to the active DAS equipment installed within building GIB Facility adjacent to building 758, Jefferson Hall Library.

C2.4. OPTION 4. Contingent upon funding. The contractor shall remove all active components and replace and install new ADRF equipment to support 5G cellular technologies within Building 752, Mahan Hall. Existing passive equipment and cabling shall be reused.

C2.4.1. The contractor shall identify and remove all active DAS components from the facility. and dispose of the equipment in accordance with environmental and regulatory guidelines and local regulations.

a. STD. The contractor shall not use Government facilities for disposal of any equipment/materials removed under this PWS.

b. STD. The equipment will be removed and disposed of in accordance with environmental and regulatory guidelines and local regulations.

c. STD. The Contractor shall ensure that all personnel involved in the removal and transportation of removed equipment follows OSHA Standard 1910.176- Handling Materials.

d. STD. The contractor shall coordinate downtime of sectors to the CIO/G6 Network Service Branch and Major Carriers as appropriate.

C2.4.2. The contractor shall install active equipment within the assigned telecommunications area within the racks and spaces vacated by the equipment removed in section 2.4.1.

a. STD. All equipment shall be installed in accordance with the manufacturer's specifications.

b. STD. All personnel assigned for the installation of equipment shall be experienced and certified to perform this task.

C2.4.3. Testing and certification. The contractor shall provide certification and performance measures for both passive and active systems.

a. STD. All cable will be tested end to end.

b. STD. Any defective components shall be identified and replaced by the contractor

c. STD. The contractor shall coordinate outages and disruptions of active operation with the COR, CIO/G6 Network Service branch and major carriers.

d. STD. Active test results will meet the requirements in Table 2.

e. STD. The contractor shall coordinate downtime of sectors to the CIO/G6 Network Service Branch and Major Carriers as appropriate.

C2.4.4. Closeout Documentation. The contractor shall provide final design plan, RF Propagation studies, test results, As Builds.

a. STD. Final documentation shall be in electronic format. All drawings shall be in ADOBE PDF format

b. Final documentation shall be provided to the COR within 15 days of close-out. (Deliverable #12)

C2.5. OPTION 5. Contingent upon funding, the contractor shall remove and replace all passives equipment including antennas and cable and replace the DAS infrastructure with a new infrastructure which is rated for 5G performance.

- a. STD. The contractor shall not use Government facilities for disposal of any equipment/materials removed under this PWS.
- b. STD. The equipment will be removed and disposed of in accordance with environmental and regulatory guidelines and local regulations.
- c. STD. The Contractor shall ensure that all personnel involved in the removal and transportation of removed equipment follows OSHA Standard 1910.176- Handling Materials.
- d. STD. The contractor shall coordinate downtime of sectors to the CIO/G6 Network Service Branch and Major Carriers as appropriate.

C2.5.1. The contractor shall perform a RF Propagation study to assess the building layout for optimal antenna placement, validate cable routes, and passive components.

- a. STD. Provide floor plan with antenna locations and cable route to the COR before implementation. (Deliverable # 11)
- b. No work will be performed pending the acceptance of the plan as communicated by the COR.

C2.5.2. Infrastructure Installation. The contractor will install all passive equipment to include antennas, cabling, connectors, taps, splitters ect.. from the active equipment throughout its respective zone.

- a. STD. All infrastructure installation practices will be installed in accordance with references in Table 1.
- b. STD. All cables will be dressed and secure with a neat appearance
- c. STD. All personnel assigned to this task will be qualified and certified in the installation of DAS Infrastructure.

C2.5.3. Testing and certification. The contractor shall provide certification and performance measures for both passive and active systems.

- a. STD. All cable will be tested end to end.
- b. STD. Any defective components shall be identified and replaced by the contractor.
- c. STD. The contractor shall coordinate outages and disruptions of active operation with the COR and or CIO/G6 Network Service branch.
- d. STD. Active test results will meet the requirements in Table 2.
- e. STD. The contractor shall coordinate downtime of sectors to the CIO/G6 Network Service Branch and Major Carriers as appropriate.

C2.5.4. Closeout Documentation. The contractor shall provide final design plan, RF Propagation studies, test results, As Builts.

a. STD. Final documentation shall be in electronic format. All drawings shall be in ADOBE PDF format.

b. Final documentation shall be provided to the COR within 15 days of close-out.

(Deliverable #12)

C2.5.5. OPTION 6. Contingent upon funding Contingent upon funding. The contractor shall provide and install a redundant back-up power system to the active DAS equipment installed within building 752, Mahan Hall.

QUALITY ASSURANCE

C4.1 Quality Control Plan (QCP):. The Contractor shall develop and maintain a QCP to ensure services are performed in accordance with (IAW) this PWS. The Contractor shall develop and implement procedures to identify, prevent, and ensure non-recurrence of defective services. The Contractor's QCP is the means by which it assures that the work provided complies with the requirements of the contract.

The Contractor's Proposed QCP shall be submitted to the Contracting Officer (KO) through the Contracting Officer's Representative (COR) for review within 10DAYS after date of contract award (Deliverable #2)

The Government will review and either notify the Contractor in writing of acceptance of the plan or return their comments to the Contractor within 5 working days If the Government has provided comments, the Contractor shall then have 5 working days to submit a Final QCP. After receipt of the Final QCP, the Contractor may receive the Contracting Officer's acceptance in writing. Any proposed changes to the accepted QCP are required to be resubmitted for acceptance by the Contracting Officer no later than 5 working days prior to the anticipated change and before implementation by the Contractor. The timeline noted above will apply for review and acceptance for proposed changes. At a minimum, the QCP must include and answer the following to be acceptable:

- a. A chart showing the organizational structure and lines of authority, the names, qualifications, duties, responsibilities, and classification of each member of the Contractor's Quality Control Team.
- b. How the Contractor will monitor work to ensure performance complies with all deliverables (etc. timelines, deadlines, and goals);
- c. How the Contractor will monitor work to ensure performance complies with all specifications and requirements of the contract, including the contract's clauses;

d. How the Contractor will monitor and ensure staff qualifications remain current and valid including Department of Defense (DoD) Contractor Personnel Office (DOCPER) processes /approvals throughout contract performance;

f. How the Contractor will inventory and track maintenance of all Government Provided Equipment / Materials;

g. How the Contractor will identify, investigate, and correct any non-conforming performance and prevent similar deficiencies in the future; and

h. How the Contractor will file and save all Quality Control related documents for the life of the contract plus 5 years.

C4.1.1 The Contractor shall inform the COR of issues or potential issues that might affect the performance within 2 hours of identifying those issues. Verbal reports shall be followed by written reports within 1DAY.

C4.2 Quality Assurance: The Government will evaluate the Contractor's performance under this contract in accordance with the Quality Assurance Surveillance Plan (QASP). This plan is primarily focused on what the Government must do to ensure that the Contractor has performed in accordance with the performance standards. It defines how the performance standards will be applied, the frequency of surveillance, and the acceptable quality levels (performance thresholds).

C4.3 Performance Requirements Summary(PRS). The Contractor service requirements are summarized into performance objectives that relate directly to mission essential items. The performance threshold briefly describes the minimum acceptable levels of service required for each requirement

C4.4 Post Award Conference/Periodic Progress Meetings: The Contractor shall attend any post award conference convened by the contracting activity or contract administration office in accordance with FAR Subpart 42.5. The Contracting Officer, COR, and other Government personnel, as appropriate, may meet periodically with the Contractor to review the Contractor's performance. At these meetings the Contracting Officer will apprise the Contractor of how the Government views the Contractor's performance and the Contractor shall apprise the Government of problems, if any, being experienced. Appropriate action shall be taken to resolve outstanding issues. These meetings shall be at no additional cost to the Government.

C4.4.1 The Contractor shall attend, participate in, and furnish input to scheduled and unscheduled meetings, conferences, and briefings that relate to the functions and services herein as required by the Government to provide effective communication and impart necessary information. The Contract Manager or designated representative shall attend meetings as requested by the Government. Meeting attendees shall at times include Contractor managerial, supervisory, and other personnel knowledgeable of the subject matter. Meetings may start or end outside of regular duty hours.

PART 5

KEY PERSONNEL

C5.1 Key Personnel- Contractor: The following personnel are considered key personnel by the Government: The Contractor shall provide a Program/Contract Manager who shall be responsible for the performance of the work. Each of these individuals shall be provided in writing to the Contracting Officer no later than 5 DAYS after contract award (Deliverable #4). The Contract Manager and Alternate Contract Manager shall have full authority to act for the Contractor on all contract matters relating to daily operation of this contract. The Contract Manager or Alternate Contract Manager shall be available between 0700 and 1700. Qualifications for all key personnel are listed below:

C6.1 Recognized Holidays: The following provides information on recognized holidays for the purpose of the PWS. If submittal of any documentation (e.g. deliverables, submittals, etc.) deadlines fall on a holiday, the closest workday prior to the holiday will apply as the deadline for submittal.

C6.1.1 U.S. Holidays: Work shall not be performed on U.S. federally recognized holidays occurring during the normal workweek unless otherwise directed by the Contracting Officer. When a U.S. holiday occurs on a Saturday or a Sunday, the holiday is observed on the preceding Friday or following Monday, respectively.

New Year's Day January 1st M. L. King Memorial Day 3rd Monday in Jan Presidents' Day 3rd Monday in February Memorial Day last Monday in May Juneteenth June 19th Independence Day July 4th

Labor Day 1st Monday in September Columbus Day 2nd Monday in October Veteran's Day November 11th Thanksgiving Day 4th Thursday in November Christmas Day December 25th

C6.1.2 Should the United States Congress and/or the President of the United States sign into law any new federal holidays not listed above, guidance will be given as to the availability of personnel and the effected hours of operation where the work is being conducted. Contractors will be notified as soon as any new holiday guidance is given to the Department of Defense, Department of the Army and the United States Military Academy at West Point.

C6.2 Operating Hours: The Government facility office hours, facility operating hours, and the Contractor support hour requirements often coincide, however, they may differ. Please refer to the following.

C6.2.1 Government Facility Office Hours: The Government facility office hours are 7:00 am and 5:00 pm (0700 - 1700 hours) Monday thru Friday except U.S. Holidays identified in paragraph 1.5.3.1 above or when the Government facility is closed due to local or national emergencies, administrative closings, or similar Government directed facility closings.

C6.2.2 Government Facility Operating Hours: The Government facility operating hours are 7:00 am and 5:00 pm (0700 - 1700 hours) Monday thru Friday except U.S. Holidays identified in paragraph 6.1.1, above or when the Government facility is closed due to local or national emergencies, administrative closings, or similar Government directed facility closings.

C6.2.3 Contractor Support Hours: The Contractor shall provide support between the hours of 7:00 am and 5:00 pm (0700 - 1700 hours) Monday thru Friday except on Federal holidays or when the Government facility is closed due to local or national emergencies, administrative closings, or similar Government directed facility closings. The Contractor shall maintain an

adequate workforce at all times, for the uninterrupted performance of all tasks defined within this PWS when the Government facility is not closed for the above reasons. When hiring personnel, the Contractor shall keep in mind that the stability and continuity of the workforce is essential.

C6.3 Blackout dates: USMA is an educational institution and located at the United States Army Garrison - West Point. Certain Army functions, as well as USMA activities, occur throughout the calendar year where contractors are prohibited from conducting work. Work during these dates is allowed to continue based on mission requirements and coordination between the government and contractor; however, these dates are subject to blackout due to the Academy's mission and operations.

C6.4 Security Requirements: The following information is provided on security related matters.

C6.4.1 Security Program: Contractor personnel performing work under this contract must comply with the standards as defined within this document.

C6.4.1.1 Alien Employment. The contractor shall not employ any alien who does not have a valid US Immigration I-551 or I-94. The contractor shall provide valid social security numbers and citizenship status of all employees to the Government, upon request.

C6.4.1.2 E-Verify. E-Verify is an Internet based system operated by the Department of Homeland Security (DHS) in partnership with the Social Security Administration (SSA) that allows participating employers to electronically verify the employment eligibility of their newly hired employees. E-Verify is currently free to employers and is available in all 50 states. E-Verify provides an automated link to federal databases to help employers determine employment eligibility of new hires and the validity of their Social Security numbers. E-Verify are the best means for determining employment eligibility of new hires and the validity of their Social Security numbers.

(1) Contractors shall use E-Verify on all employees that will be working on this installation, under this contract. This shall be done prior to the employee starting work on the installation.

For E-Verify information: www.dhs.gov/E-Verify 1-888-464-4218

(2) The United States Government has adopted a zero tolerance policy regarding trafficking in persons. Additional information about trafficking in persons may be found at the website for the

Department of State's Office to Monitor and Combat Trafficking in Persons' at <http://www.state.gov/g/tip>. Government contracts shall :

(a) Prohibit contractors, contractor employees, subcontractors, and subcontractor employees from --

(b) Engaging in severe forms of trafficking in persons during the period of performance of the contract;

(c) Procuring commercial sex acts during the period of performance of the contract; or

(d) Using forced labor in the performance of the contract;

(e) Require contractors and subcontractors to notify employees of the prohibited activities described in paragraph (a) of this section and the actions that may be taken against them for violations; and

(f) Impose suitable remedies, including termination, on contractors that fail to comply with the requirements of paragraphs (a) and (b) of this section.

C6.4.2 Personnel Security Clearance Requirements: The contractor shall be responsible for safeguarding all government equipment, information, and property provided for contractor use. At the close of each work period, government facilities, equipment, and materials shall be secured.

C6.4.3 Installation Access: Access to U.S. installations, buildings and controlled areas is limited to personnel who meet security criteria and are authorized. Failure to submit required information /data and obtain required documentation or clearances will be grounds for denying access to U.S. installations, buildings and controlled areas. The Contractor shall ensure that any subcontractors used in performance of this contract complies with these requirements and that all employees, of both the Contractor and any subcontractor utilized by the Contractor, are made aware of and comply with these requirements.

The Contractor shall be aware of and comply with the requirements associated with Installation Access Control. The Government is not liable for any costs associated with performance delays due solely to a firm's failure to comply with Installation Access Control System (IACS) processing requirements.

The Contractor shall return installation passes to the issuing IACS office when the contract is completed or when a Contractor employee no longer requires access.

C6.4.3.1 6.4.3.1 Force Protection Conditions (FPCON's).

During higher Force Protection Conditions (FPCON's) Contract personnel are required to comply with all Antiterrorism policies and procedures while on the installation. Contract personnel may be directed to enter the installation through certain access control points where they can best be identified and searched. Contractor personnel may be prohibited from certain portions of the installation during exercises and actual emergencies.

(1) Contractors will comply with parking restrictions and will not park in unauthorized parking areas or within 82 feet of an inhabited building when directed.

(2) Access control roster (personnel and vehicles) must be provided. Names / vehicles verified by the company and received background screening. Substitutes receive same vetting process prior to work.

(3) All contractor personnel and vehicles are subject to search while on the installation

(4) In the event of an identified restricted/exclusion area, the contractor personnel will not be authorized without specific permission or an escort.

(5) Access may be denied during increased readiness or Force Protection Conditions (FPCON's).

C6.4.3.2 Under no circumstances will Contractors Park in Central Parking Area (CPA) Lots. The local general, visitor, and government designated parking areas SHALL NOT be used by the contractor. No general contractor or subcontractor employee parking is available near the immediate site. The contractor will need to identify and locate parking facilities for general and subcontractors on/off of West Point and provide a means for shuttling workers to the site. West Point shuttle services will not be used for transporting workers to the site.

Contractors vehicles can only park in pre-approved designated staging areas or as identified in their contract, but not in contradiction of the CPRA Policy or the Installation Access policy #13 dated 12 December 2022. Central Area Parking is reserved for Staff and Faculty and requires a special pass. In accordance with AR 190-5, persons who operate a motor vehicle on West Point shall be deemed to have given consent for the removal and temporary impoundment of the privately owned vehicle (POV) and equipment when it is:

(1) Parked illegally.

(2) Interfering with operations

(3) Creating a safety hazard

(4) Left unattended in a restricted or controlled area.

(5) Parked in a Central Parking Area (CPA) lot without the proper CPA Pass

(6) Parked in a reserved space authorized by the Installation Commander

The COR overseeing the contract will review and coordinate all contractor pass requests. All contractor vehicles requiring access to the Cadet Area will require a Cadet Area Pass (CAP). The Contractor must coordinate with the COR immediately upon vehicle assignment. The Contractor will need to provide the following information:

Make, Model, Year, Color and Registration (Tag Number)

C6.4.4 Installation Pass Log: The contractor must first stop at the West Point Visitor's Control Center (VCC) and complete a background check to get access to the installation. It is located at 2107 New South Post Rd, Highland Falls, New York 10928, Ph: (845) 938-2638. The Visitor Control Center is open Monday-Sunday from 6 a.m. to 10 p.m. When the Visitor Control Center is closed, visitors will be directed to proceed to Stony Lonesome Gate for a background check and temporary pass. If you do not have a Department of Defense issued identification card, you will be considered one of three categories: Escorted Visitors, Foreign Visitors and Unescorted Visitors. A current driver's license or passport will suffice for identification, but effective October 1, 2020, driver's licenses and identification cards from specific territories and states that do not comply with the REAL ID Act of 2005 are not to be used as the sole source for identity verification to access Federal installations. A listing of the current state-by-state compliance is available at REAL ID Act Status of States & Territories. Additional information can be found at: <https://home.army.mil/westpoint/index.php/about/visitor-information>

In addition, the Contractor shall provide the Contracting Officer, via the COR, an Initial Installation Pass Log within 5DAYS after the contractor's workforce have satisfied all access requirements (Deliverable #4). The log must at a minimum contain the following information Last Name, First Name, Company, Supervisor Contact. The log shall be updated as employees are added or removed. The Updated Installation Pass Log shall be current and available at any time upon request by the Government and submitted to the COR within 5DAYS after any changes to the log.

C6.4.5 Individual Termination or Expiration of Employment: The Contractor shall collect the installation access passes the same day employment of an individual has expired or has been terminated and shall return them to the issuing office within 3 days (Deliverable #5).

6.4.5.1 Contract Termination or Cancellation: Upon termination or cancellation of this contract, the Contractor shall collect all outstanding installation access passes and return them to the issuing office within 5 working days (Deliverable #6).

6.6 Common Access Cards (CAC) and CAC Log: Before CAC issuance, the contractor employee requires, at a minimum, a favorably adjudicated National Agency Check with Inquiries (NACI) or an equivalent or higher investigation in accordance with Army Directive 2014-05. The contractor employee will be issued a CAC only if duties involve one of the

following: (1) Both physical access to a DoD facility and access, via login, to DoD networks on-site or remotely; (2) Remote access, via logon, to a DoD network using DoD-approved remote access procedures; or (3) Physical access to multiple DoD facilities or multiple non-DoD federally controlled facilities on behalf of the DoD on a recurring basis for a period of 6 months or more. At the discretion of the sponsoring activity, an initial CAC may be issued based on a favorable review of the FBI fingerprint check and a successfully scheduled NACI at the Office of Personnel Management. The Contractor shall ensure safeguarding of Personally Identifiable Information (PII) and comply with requirements under 1.22.5.

C6.6.1 The Contractor shall provide a CAC log within the 30 calendar days after contract award and within five (5) days after changes have been made (Deliverable #7) (unless circumstances require otherwise and as directed by the Contracting Officer). The COR will provide format and

content for the log during the post award meeting. Note - CACs are Government property and must be accounted for.

C6.6.2 For contractors that do not require CAC but require access to a DoD facility or installation. Contractor and all associated sub-contractor's employees shall

comply with adjudication standards and procedures using the National Crime Information Center Interstate Identification Index (NCIC-III) and Terrorist Screening

Database (TSDB) (Army Directive 2014-05/AR 190-13), applicable installation, facility and area commander installation/facility access and local security policies and procedures (provided by government representative).

C6.7 Background Checks: The contractor must first stop at the West Point Visitor's Control Center (VCC) and complete a background check to get access to the installation IAW section 6.4.4.

C6.8 Physical Security: The Contractor shall safeguard all Government equipment, information, and property provided for Contractor use. At the close of each work period, Government facilities, equipment, and materials shall be secured IAW the Army Physical Security Program (AR 190-13).

C6.8.1 Operations Security (OPSEC) Requirements: Contractor personnel shall adhere to facility security policies and restrictions. The Contractor shall immediately report suspicious activities to security personnel.

C6.9 Key Control: RESERVED

C6.9.1 Lock Combinations. RESERVED

C6.10 Badging for Cadet Central Area. The contractor must first stop at the West Point Visitor's Control Center (VCC) and complete actions IAW 6.4.4.

C6.11 Visitors: If you are not a Department of Defense issued identification card holder you must obtain an Automated Installation Entry (AIE) by filling out an AIE Credential Request Form.

C6.11.1 Escorted Visitors: Escorted visitors are persons who enter West Point accompanied by a qualified escort. Escorted visitors do not need to visit the Visitor Control Center but must remain with the qualified escort and have in their possession an approved form of identification at all times. Department of Defense Identification Card: If you are in possession of a valid (not expired) Department of Defense-issued identification card, you may enter West Point and other federally controlled installations.

C6.11.2 Qualified Escorts: Qualified escorts are Department of Defense identification card holders. This includes Common Access Card holders (Military, Civilian Government employees and contractors who have received a NACI background check. A qualified escort must accompany each individual he or she is escorting and can only escort up to 15 individuals.

C6.11.3 Unescorted Visitors: Unescorted visitors are persons 18 years of age and above without a valid (not expired) Department of Defense-issued identification card. Unescorted visitors are asked to report to the Visitor Control Center at 2107 New South Post Road, West Point, NY 10996 to apply for a West Point AIE Credential. The Visitor Control Center is open Monday-Sunday from 6 a. m. to 10 p.m. When the Visitor Control Center is closed, visitors will be directed to proceed to Stony Lonesome Gate for a background check and temporary pass.

C6.11.4 Identification of Contractor Employees: All Contractor personnel attending meetings, answering Government telephones, and working in other situations where their Contractor status is not obvious to third parties must identify themselves, to include proper marking of signature blocks in correspondence, to avoid creating an impression in the minds of members of the public that they are Government officials. The Contractor shall ensure that all documents or reports, produced by Contractors are suitably marked as Contractor products or that Contractor participation is appropriately disclosed.

C6.12 DoD8140 Adherence. All contractor personnel will adhere to requirements for training and certification as defined by DoD8140 and relevant components defined in AR25-1 and AR25-2.

C6.13 Section 508 Compliance. All equipment and materials capable of supporting Section 508 compliance will be required to do so in support of the United States Government, the United States Army, and the United States Military Academy.

C6.14 Internet Protocol Version 6 (IPv6). All equipment and capabilities recommended by the contractor must support IPv6 natively and must support endpoints utilizing IPv6 as well.

C6.15 Contractor workspace RESERVED

C6.16 Data Rights: The Government has unlimited rights to all documents and materials produced under this contract. All documents and materials, to include the source codes of software, produced under this contract shall be Government owned and are the property of the Government with all rights and privileges of ownership and copyright belonging exclusively to the Government. These documents and materials may not be used or sold by the Contractor without written permission from the Contracting Officer. All materials supplied to the Government shall be the sole property of the Government and may not be used for any other purpose. This right does not abrogate any other Government rights.

C6.17 Non-Disclosure Requirements: RESERVED

C6.18 Non-Disclosure Statements: RESERVED

C6.19 Protection of Government and Contract Information: Per Public Use Notice of Limitations stated by Defense imagery Management operations Center and contained at www.dimoc.mil/resources/limitations/ , the Contractor shall not cite any information (e.g., contract information, pictures, locations, etc.) obtained through this contract on any hard copy or digital marketing tools to include its company website.

C6.20 Organizational Conflict of Interest (OCI): RESERVED

C6.21 Government Property and Services: RESERVED

PART 7 SAFETY

C7.1 Safety: The following provides information pertaining to Safety and Accident Prevention:

C7.1.1 The Contractor is responsible for all employees who are assigned to this contract, are familiar with all risk's associated with the tasks performed under this PWS and that all applicable Personal Protective Equipment(PPE), is used in accordance with the manufacturer's guidelines.

a. In all areas where demolition, alteration, building, or similar related activities take place, the Contractor shall have the following minimum personal protective clothing and equipment requirements in place for any person working on or visiting the site:

Short sleeve shirt; Long trousers.

Steel-toed safety boots Hard hat.

Eye Protection

C7.2 In addition to other requirements for accident prevention specified in this contract, the Contractor shall comply with all Federal and State requirements governing safety and health protection while performing work and any other applicable occupational safety codes.

The Contractor shall indicate its plan for compliance considering conditions of the work described by the design, technical proposal, operational activities of the Government or others in the area of the work, identification of the coordinator, and implementation of all other accident prevention provisions of this contract.

C7.4 Environmental Compliance: The following provides information on Environmental Compliance.

C7.4.1 Environmental Compliance Plan and Program: If contract requires the use of hazardous materials/substances, the Contractor shall, prior to mobilization, inform the Contracting Officer (KO) /Contracting Officer Representative (COR) of the types and number of hazardous materials needed to be brought onto the Garrison in order to fulfill their contractual requirements. Contractors shall also provide the Safety Data Sheets, storage requirements and proposed storage locations for the hazardous material. The KO/COR shall provide a copy of this information to the Garrison Fire Department and the Environmental Division.

The Contractor shall clean up at its own expense any contamination, including soil and ground water contamination caused by hazardous materials/substances brought onto the garrison, or by his activities. The Contractor must immediately report any hazardous substance spills to the Garrison Fire Department at (315) 774-9200.

PART 8 TRAINING

C8.1 Required Training: The following provides information on training requirements.

C8.1.1 Anti-Terrorism (AT) Level I Training: Pursuant to Department of Defense Instruction Number 2000.16, "DoD Antiterrorism (AT) Standards," dated October 2, 2006, each contractor employee requiring access to a Federally-controlled installation, facility and/or Federally-controlled information system(s) shall complete Level I AT Awareness Training on an annual basis and receive a certificate of completion. The training is accessible from any computer and is available at <https://jkodirect.jten.mil/Atlas2/page/login/Login.jsf> follow the below instructions:

1. Click - DOD CAC or No DOD CAC
2. Next click - I am a U.S. mil, government civil servant, or contract employee
3. Next click - I've been directed to take required training on JKO
4. Next click - Courses
5. I do not have a .MIL, .GOV, or .NDU.EDU address or I am a Multi-National Student
6. Fill out the contact sheet and email to sponsor (COR)
7. Sponsor (COR) will email to the JKO help desk

C8.1.2 OPSEC Training: All Contractor employees, including subcontractors, shall complete Level I OPSEC training within 10 calendar days of employment under this contract. Verification of the training shall be provided to the COR within after completion of the training. OPSEC Level I training is available at <http://www.cdse.edu/catalog/elearning/GS130.html>. Contractor personnel must complete refresher training every 12 months. Verification of the training shall be provided to the COR within 10 calendar days after completion of the training.

If training cannot be conducted on the website, the Contractor shall coordinate with the COR, who will contact the local OPSEC Officer at their assigned location for classroom training.

Contractor personnel completing training in the classroom will receive a certificate or the training attendance roster signed by the OPSEC Officer. Verification of the training shall be provided to the COR within 10 calendar days after completion of the training.

C8.1.3 iWATCH Training: The Contractor shall brief all personnel performing work under this contract on the local iWATCH program [training standards provided by the requiring activity Antiterrorism Office (ATO)]. This local developed training will be used to inform employees of the types of behavior to watch for and instruct employees to report suspicious activity to the COR. This training shall be completed within 30 calendar days of contract award with the results reported to the COR NLT 45 calendar days after contract award.

(a) New employees/contractors shall complete the training within 10 calendar days of commencing performance of work under this contract.

The COR and contractor are responsible for ensuring that all applicable employees have completed antiterrorism awareness training and shall certify that their workforce has completed the training through the submission of completion certificate(s) to the Contracting Officer and the Contracting Officer's Representative (if appointed) within five working days after contract award or prior to access to a Federally-controlled installation or information system.

(b) In the event that the automated system is not available (e.g., server problems), Level I AT Awareness Training can be provided by a qualified instructor. However, if the training is not completed online, the Level I AT Awareness Instructor qualification must be coordinated with the USAG Antiterrorism Officer (or Installation Security equivalent) and the resultant name(s) of approved instructors shall be provided the contracting officer or designee along with all associated cost or schedule impacts to the contract. (c) Antiterrorism performance (Level I AT Awareness Training attendance and compliance) may be documented as a performance metric under the resultant contract, and be part of past performance information in support of future source selections.

(c) Documentation of this training will be made available to the Installation Antiterrorism Officer upon request.

C8.1.4 Information Assurance (IA) Training RESERVED

C8.1.5 RESERVED

C8.1.6 DoD and Army Certification Compliance. RESERVED

C8.1.7 Personally Identifiable Information (PII): RESERVED

PART 9 DEFINITIONS & ACRONYMS

C9. Definitions and Acronyms

C9.1 Definitions: Although not inclusive of every term used within this PWS, the following provides a list of definitions used throughout this PWS and commonly used in the acquisition field.

Contractor - means a supplier or vendor awarded a contract to provide specific supplies or service to the Government. The term used in this contract refers to the prime.

Contractor-acquired Property - means property acquired, fabricated, or otherwise provided by the Contractor for performing a contract and to which the Government has title.

Day - means, unless otherwise specified, a calendar day.

Defective Service - means a service output that does not meet the standard of performance associated with the Performance Work Statement.

Deliverable - means anything that can be physically delivered but may include non-manufactured things such as meeting minutes or reports.

Government-furnished Property - As reflected in FAR 52.245-1, Government-furnished Property "means property in the possession of, or directly acquired by, the Government and subsequently furnished to the Contractor for performance of a contract. Government-furnished property includes, but is not limited to, spares and property furnished for maintenance, overhaul, or modification. Government-furnished property also includes contractor-acquired property if the contractor-acquired property is a deliverable under a cost contract when accepted by the Government for continued use under the contract

Government Property - means all property owned or leased by the Government. Government property includes both Government-furnished and Contractor-acquired property. Government property includes material, equipment, special tooling, special test equipment, and real property. Government property does not include intellectual property and software.

Property Administrator - means an authorized representative of the Contracting Officer appointed in accordance with agency procedures, responsible for administering the contract requirements and obligations relating to Government property in the possession of a Contractor.

High Level Objective (HLO) - means a key overarching result-based objective for a project necessary to achieve the project's vision. HLOs are similar to Level 2 in a Work Breakdown Structure. Each HLO may contain several statements to flesh out the areas necessary to meet the objective.

Physical Security - means that part of security concerned with physical measures designed to safeguard personnel; to prevent unauthorized access to equipment, installations, material, and documents; and to safeguard against espionage, sabotage, damage, and theft.

Quality Assurance - (or Government contract quality assurance) means the various functions, including, inspection, performed by the Government to determine whether a Contractor has fulfilled the contract obligations pertaining to quality and quantity.

Quality Assurance Surveillance Plan (QASP) - means the key Government-developed surveillance process document and is applied to Performance-Based Service Contracting (PBSC). The QASP is used for managing Contractor performance assessment by ensuring that systematic quality assurance methods validate that Contractor quality control efforts are timely, effective, and are delivering the results specified in the contract or task order. The QASP directly corresponds to the performance objectives and standards (i.e., quality, quantity, timeliness) specified in the Performance Work Statement (PWS). It provides specific details on how the Government will survey, observe, test, sample, evaluate, and document Contractor performance results to determine if the Contractor has met the required standards for each objective in the PWS. The QASP, with very few if any exceptions, is an internal to Government document.

Quality Control - means all necessary measures taken by the Contractor to assure that the quality of an end product or service shall meet contract requirements.

Statement - means the specific results-based activities required to satisfy HLOs. A statement contains a result, the context of the statement, and the required action(s). Statements focus on "what" is to be accomplished; however, they are not prescriptive in describing "how" the outcome is to be achieved. Each HLO may have several statements to flesh out the areas necessary to meet the objective. Statements are similar to Level 3 in a Work Breakdown Structure.

Subcontractor - means one that enters into a contract with a prime Contractor. The Government does not have privity of contract with the subcontractor.

Workday - The number of hours per day the Contractor provides services in accordance with the contract.

Work Week - Monday through Friday, unless otherwise specified.

C9.2 Acronyms: Although not inclusive of every term used within this PWS, or that may be included in an acquisition, the following provides a list of acronyms commonly used in the acquisition field.

ACOR Alternate Contracting Officer's Representative

AE Army in Europe

AFARS Army Federal Acquisition Regulation Supplement AHA Activity Hazard Analysis

AOR Area of Responsibility

AR Army Regulation

AT Anti-terrorism

ATCTS Army Training Certification Tracking System

CAC Common Access Card

CCE Contracting Center of Excellence

CFE Conventional Forces Europe

CFR Code of Federal Regulations

CONUS Continental United States (excludes Alaska and Hawaii) COR Contracting Officer's Representative

COTS Commercial-Off-the-Shelf

DA Department of the Army

DAS Distributed Antenna System

DD250 Department of Defense Form 250 (Receiving Report) DD254 Department of Defense
Contract Security Requirement List DFARS Defense Federal Acquisition Regulation Supplement
DMDC Defense Manpower Data Center

DoD Department of Defense

FAR Federal Acquisition Regulation

FRG Federal Republic of Germany

GFP Government Furnished Property

HLO High Level Objective

HIPAA Health Insurance Portability and Accountability Act of 1996 IA Information Awareness

IAC Installation Access Control

IACO Installation Access Control Office

ID Identification

IGCE Independent Government Cost Estimate

IT Information Technology

JTR Joint Travel Regulation

JPAS Joint Personnel Adjudication System

KO Contracting Officer

OCI Organizational Conflict of Interest

OCONUS Outside Continental United States (includes Alaska and Hawaii) ODC Other Direct Costs

OPSEC Operations Security

PA Property Administrator

PII Personally Identifiable Information

PIPO Phase In/Phase Out

POC Point of Contact

PRS Performance Requirements Summary

PWS Performance Work Statement

QA Quality Assurance

QAP Quality Assurance Program

QASP Quality Assurance Surveillance Plan

QC Quality Control

QCP Quality Control Program

RA Requiring Activity

RCO Regional Contracting Office

SIGE Safety and Health Protection Plan

STD Standard

TE Technical Exhibit

USAG United States Army Garrison USAREUR United States Army Europe UOM Unit of Measure

WREN Westpoint Research and Development Network

GOVERNMENT PROPERTY (GP) AND SERVICES

C10. Government Property and Services

C10.1 Services: NONE

C10.2 Facilities: The Government will provide the necessary workspace for the contractor staff to provide the support outlined in this PWS to include desk space, and other items necessary to maintain an office environment. For access to the facilities beyond normal duty hours, the contractor shall coordinate approval with the COR.

C10.3 Utilities: The Government will provide all utilities in the facility will be available for the contractor's use in performance of duties outlined in this PWS. The contractor shall instruct employees in utilities conservation practices. The contractor shall be responsible for operating

under conditions that preclude the waste of utilities. The Contractor shall instruct employees in utilities conservation practices. The Contractor shall operate under conditions that preclude the waste of utilities, which include turning off the water faucets or valves, light switches, etc. after using the required amount to accomplish tasks requiring the use of the utilities.

C10.4 Equipment: The Government will provide access to equipment and operating areas affected by this PWS.

C10.5 Special Tooling and Test Equipment: NONE

C10.6 Materials: RESERVED

C10.7 Training: The Government will provide the following training: AT Level 1 Awareness, OPSEC, iWATCH.

C10.8 Common Access Cards (CAC): The Government will provide Common Access Cards (CAC) via the MPS- Mission Partner Sponsorship Web Application. (Web site <https://mpartnerspnrweb.dmdc.osd.mil/mpartnerspnrweb/app/>).

CONTRACTOR FURNISHED ITEMS AND SERVICES

C11.1. Contractor Furnished Property and Services

C11.2. General: The Contractor shall furnish all personnel, equipment, supplies, transportation, tools, materials, supervision, and other items necessary to perform services as described in the PWS and associated contract documents, except for those items specified in Part 10, Government Property and Services.

C11.3 Secret Facility Clearance: RESERVED

C11.4. Materials: The contractor shall provide all materials and to satisfy the requirements within this PWS.

C11.5 Vehicles and Equipment: The Contractor shall provide all vehicle and equipment necessary to perform tasks within this PWS. All vehicles and equipment shall be owned or leased by the contractor. The Contractor shall not use any Government-owned tools, materials, or parts to maintain Contractor vehicles and equipment without prior written approval of the Contracting Officer. The COR may inspect the Contractor's vehicles and equipment at any time.

C11.6. Background Checks): RESERVED.

PART 12 APPLICABLE PUBLICATIONS

C12.1. Applicable Publications (Current Editions): The following publications, manuals, regulations, etc. are mentioned in this PWS and are listed below.

C12.2. Department Of Defense Contract Security Classification Specification (DD Form 254)

- C12.3. Department of Defense Security Agreement (DD Form 441)
- C12.4. National Industrial Security Program Operating Manual (DoD 5220.22-M)
- C12.5. The Army Physical Security Program (AR 190-13)
- C12.6. U.S. Army Corps of Engineers Safety and Health Requirements Manual (EM 385-1-1)
- C12.7. Information Assurance Workforce Improvement Program (DoD 8570-M)
- C12.8. Information Assurance Training Certification and Workforce Management Directive (DoDD 8570.01)
- C12.9. Information Assurance (AR 25-2)
- C12.10. Electromagnetic Compatibility Directive (2004/108/EC)
- C12.11. Policies and Procedures for Property Accountability (AR 735-5)
- C12.12. BICSI 006 DAS design and implementation
- C12.13 NFPA 70 (NEC) Electrical safety and installation
- C12.14 IEEE 1100, 1584, 3007.1 Grounding, arc-flash, ESD safety
- C12.15 IFC Section 510 Fire code compliance for public safety DAS
- C12.16 FCC Regulations Frequency and interference control
- C12.17 47 CFR 1.1310 Radiofrequency Radiation Exposure Limits
- C12.18 47 CFR 90.219, Use of Signal Boosters
- C12.19 ANSI/TIA-569, Telecommunications Pathways and Spaces
- C12.20 ANSI/TIA-606 Administration Standard for Telecommunications Infrastructure
- C12.21 TIA TSB-5018 Structured Cabling Infrastructure Guidelines to Support
Distributed Antenna Systems
- C12.22 Manufacturers Guidelines Major Equipment Manufacturers Installation Guidance
- C12.23 ANSI/TIA-607-E Telecommunications Bonding and Grounding

PART 7

ATTACHMENT AND TECHNICAL EXHIBIT LISTING

C7. Attachment and Technical Exhibit List

C7.1 Technical Exhibit A - Deliverables Schedule

C7.2 Technical Exhibit B - Facility Floor Plans

C7.3 Attachment 1 - Building 758, Jefferson Hall Library

C7.4 Attachment 2 - General Instructions Building (GIB)

C7.5 Attachment 3 - Building 752, Mahan Hall

TECHNICAL EXHIBIT A DELIVERABLES SCHEDULE

<u>Deliverable</u>	<u>Frequency</u>	<u># of Copies</u>	<u>Medium /Format</u>	<u>Submit To</u>
1. Contractor Work Plan. Parag 2.1.4	10 Days after date of contract award	1	Electronic	COR
2. Quality Control Plan, para 4.1	10 Days after date of contract award	1	Electronic	COR
3. Identification of Key Personnel. Para 5.1	5 Days after contract award	1	Email	COR
4. Installation Pass Log, para6.4.4	5 Days after all employees satisfy security requirements. 5 Days after any changes	As Needed	Electronic	COR

5. Turn in of access passes, para 6.4.5.	3 Days upon termination of employee	As Required	Issued document	Issuing Office or COR
6. Turn in of passes, para 6.4.5.1	5 Days after contract termination or cancellation	As Required	Issued Document	Issuing Office or COR
7. CaC Log. Para 6.6	30 Days after contract award. 5 Days after changes	As Required	Electronic	COR
8. Anti-Terrorism (AT) Level 1 Training. par a 8.1.1	15 Days after Contract Award/15 Days upon new employees	1	Electronic	COR
9. OPSEC Training. Para 8.1.2	10 DAYS of employment under this contract	1	Electronic	COR

<u>Deliverable</u>	<u>Frequency</u>	<u># of Copies</u>	<u>Medium /Format</u>	<u>Submit To</u>
--------------------	------------------	--------------------	-----------------------	------------------

10. iWATCH Training. Para 8.1.3.	15 Days of Contract award, 5 days of new employees	1	Electronic	COR
11. Propagation Study, para 2.2.2.a/2.3.2.a/2 .5.1.a	5 Days upon completion	1 per facility	Electronic	COR
12. Closeout Documentation. Para 2.2.6./ 2.3.6./2.4.4/2.5. 4.	15 Days after final inspection	1 Per Facility	Electronic /Drawi ngs in PDF	COR
<u>Deliverable</u>	<u>Frequency</u>	<u># of Copies</u>	<u>Medium /Format</u>	<u>Submit To</u>

*** END OF NARRATIVE ***

Requirements

PANMCC-26-P-0000 038049

Continuation of Inspection and Acceptance

Overall Contract Inspection/Acceptance Locations

0001	Inspection and Acceptance Location Both Destination Instructions: See PWS DoDAAC: W16XYA W1FB US MILITARY ACADEMY USCC S4, WASHINGTON HALL ROOM 4116 WEST POINT, NY 10996-1595 UNITED STATES
0002	Inspection and Acceptance Location Both Destination Instructions: See PWS DoDAAC: W16XYA W1FB US MILITARY ACADEMY USCC S4, WASHINGTON HALL ROOM 4116 WEST POINT, NY 10996-1595 UNITED STATES
0003	Inspection and Acceptance Location Both Destination Instructions: See PWS DoDAAC: W16XYA W1FB US MILITARY ACADEMY USCC S4, WASHINGTON HALL ROOM 4116 WEST POINT, NY 10996-1595

	UNITED STATES
0004	Inspection and Acceptance Location Both Destination Instructions: See PWS DoDAAC: W16XYA W1FB US MILITARY ACADEMY USCC S4, WASHINGTON HALL ROOM 4116 WEST POINT, NY 10996-1595 UNITED STATES
0005	Inspection and Acceptance Location Both Destination Instructions: See PWS DoDAAC: W16XYA W1FB US MILITARY ACADEMY USCC S4, WASHINGTON HALL ROOM 4116 WEST POINT, NY 10996-1595 UNITED STATES
0006	Inspection and Acceptance Location Both Destination Instructions: See PWS DoDAAC: W16XYA W1FB US MILITARY ACADEMY USCC S4, WASHINGTON HALL ROOM 4116 WEST POINT, NY 10996-1595

	UNITED STATES
0007	Inspection and Acceptance Location Both Destination Instructions: See PWS DoDAAC: W16XYA W1FB US MILITARY ACADEMY USCC S4, WASHINGTON HALL ROOM 4116 WEST POINT, NY 10996-1595 UNITED STATES
0008	Inspection and Acceptance Location Both Destination Instructions: See PWS DoDAAC: W16XYA W1FB US MILITARY ACADEMY USCC S4, WASHINGTON HALL ROOM 4116 WEST POINT, NY 10996-1595 UNITED STATES
0009	Inspection and Acceptance Location Both Destination Instructions: See PWS DoDAAC: W16XYA W1FB US MILITARY ACADEMY USCC S4, WASHINGTON HALL ROOM 4116 WEST POINT, NY 10996-1595

	UNITED STATES
0010	Inspection and Acceptance Location Both Destination Instructions: See PWS DoDAAC: W16XYA W1FB US MILITARY ACADEMY USCC S4, WASHINGTON HALL ROOM 4116 WEST POINT, NY 10996-1595 UNITED STATES
0011	Inspection and Acceptance Location Both Destination Instructions: See PWS DoDAAC: W16XYA W1FB US MILITARY ACADEMY USCC S4, WASHINGTON HALL ROOM 4116 WEST POINT, NY 10996-1595 UNITED STATES
0012	Inspection and Acceptance Location Both Destination Instructions: See PWS DoDAAC: W16XYA W1FB US MILITARY ACADEMY USCC S4, WASHINGTON HALL ROOM 4116 WEST POINT, NY 10996-1595

	UNITED STATES
0013	Inspection and Acceptance Location Both Destination Instructions: See PWS DoDAAC: W16XYA W1FB US MILITARY ACADEMY USCC S4, WASHINGTON HALL ROOM 4116 WEST POINT, NY 10996-1595 UNITED STATES
0014	Inspection and Acceptance Location Both Destination Instructions: See PWS DoDAAC: W16XYA W1FB US MILITARY ACADEMY USCC S4, WASHINGTON HALL ROOM 4116 WEST POINT, NY 10996-1595 UNITED STATES

Continuation of Deliveries or Performance

0001	Delivery Schedule Delivery Before Delivery Date 31 May 2027 Quantity 1 Operating Unit Address and POC Place of Performance DoDAAC: W16XYA W1FB US MILITARY ACADEMY USCC S4, WASHINGTON HALL ROOM 4116 WEST POINT, NY 10996-1595 UNITED STATES Period of Performance From 01 Jun 2026 To 31 May 2027
0002	Delivery Schedule Delivery Before Delivery Date 31 May 2027 Quantity 1 Operating Unit Address and POC Place of Performance DoDAAC: W16XYA W1FB US MILITARY ACADEMY USCC S4, WASHINGTON HALL ROOM 4116 WEST POINT, NY 10996-1595 UNITED STATES Period of Performance From 01 Jun 2026

	To 31 May 2027
0003	Delivery Schedule Delivery Before Delivery Date 31 May 2027 Quantity 1 Operating Unit Address and POC Place of Performance DoDAAC: W16XYA W1FB US MILITARY ACADEMY USCC S4, WASHINGTON HALL ROOM 4116 WEST POINT, NY 10996-1595 UNITED STATES Period of Performance From 01 Jun 2026 To 31 May 2027
0004	Delivery Schedule Delivery Before Delivery Date 31 May 2027 Quantity 1 Operating Unit Address and POC Place of Performance DoDAAC: W16XYA W1FB US MILITARY ACADEMY USCC S4, WASHINGTON HALL ROOM 4116 WEST POINT, NY 10996-1595 UNITED STATES Period of Performance

	From 01 Jun 2026 To 31 May 2027
0005	Delivery Schedule Delivery Before Delivery Date 31 May 2027 Quantity 1 Operating Unit Address and POC Place of Performance DoDAAC: W16XYA W1FB US MILITARY ACADEMY USCC S4, WASHINGTON HALL ROOM 4116 WEST POINT, NY 10996-1595 UNITED STATES Period of Performance From 01 Jun 2026 To 31 May 2027
0006	Delivery Schedule Delivery Before Delivery Date 31 May 2027 Quantity 1 Operating Unit Address and POC Place of Performance DoDAAC: W16XYA W1FB US MILITARY ACADEMY USCC S4, WASHINGTON HALL ROOM 4116 WEST POINT, NY 10996-1595 UNITED STATES

	Period of Performance From 01 Jun 2026 To 31 May 2027
0007	Delivery Schedule Delivery Before Delivery Date 31 May 2027 Quantity 1 Operating Unit Address and POC Place of Performance DoDAAC: W16XYA W1FB US MILITARY ACADEMY USCC S4, WASHINGTON HALL ROOM 4116 WEST POINT, NY 10996-1595 UNITED STATES Period of Performance From 01 Jun 2026 To 31 May 2027
0008	Delivery Schedule Delivery Before Delivery Date 31 May 2027 Quantity 1 Operating Unit Address and POC Place of Performance DoDAAC: W16XYA W1FB US MILITARY ACADEMY USCC S4, WASHINGTON HALL ROOM 4116 WEST POINT, NY 10996-1595 UNITED STATES

	Period of Performance From 01 Jun 2026 To 31 May 2027
0009	Delivery Schedule Delivery Before Delivery Date 31 May 2027 Quantity 1 Operating Unit Address and POC Place of Performance DoDAAC: W16XYA W1FB US MILITARY ACADEMY USCC S4, WASHINGTON HALL ROOM 4116 WEST POINT, NY 10996-1595 UNITED STATES Period of Performance From 01 Jun 2026 To 31 May 2027
0010	Delivery Schedule Delivery Before Delivery Date 31 May 2027 Quantity 1 Operating Unit Address and POC Place of Performance DoDAAC: W16XYA W1FB US MILITARY ACADEMY

	USCC S4, WASHINGTON HALL ROOM 4116 WEST POINT, NY 10996-1595 UNITED STATES Period of Performance From 01 Jun 2026 To 31 May 2027
0011	Delivery Schedule Delivery Before Delivery Date 31 May 2027 Quantity 1 Operating Unit Address and POC Place of Performance DoDAAC: W16XYA W1FB US MILITARY ACADEMY USCC S4, WASHINGTON HALL ROOM 4116 WEST POINT, NY 10996-1595 UNITED STATES Period of Performance From 01 Jun 2026 To 31 May 2027
0012	Delivery Schedule Delivery Before Delivery Date 31 May 2027 Quantity 1 Operating Unit Address and POC Place of Performance DoDAAC: W16XYA

	W1FB US MILITARY ACADEMY USCC S4, WASHINGTON HALL ROOM 4116 WEST POINT, NY 10996-1595 UNITED STATES Period of Performance From 01 Jun 2026 To 31 May 2027
0013	Delivery Schedule Delivery Before Delivery Date 31 May 2027 Quantity 1 Operating Unit Address and POC Place of Performance DoDAAC: W16XYA W1FB US MILITARY ACADEMY USCC S4, WASHINGTON HALL ROOM 4116 WEST POINT, NY 10996-1595 UNITED STATES Period of Performance From 01 Jun 2026 To 31 May 2027
0014	Delivery Schedule Delivery Before Delivery Date 31 May 2027 Quantity 1 Operating Unit Address and POC Place of Performance

DoDAAC: W16XYA
W1FB US MILITARY ACADEMY
USCC S4, WASHINGTON HALL ROOM 4116 WEST POINT, NY 10996-1595 UNITED STATES

Period of Performance

From

01 Jun 2026

To

31 May 2027

Contract Clauses

FAR Clauses Incorporated by Reference

Number	Title	Effective Date	Alternate Deviation	Variation Effective Date
52.222-50	Combating Trafficking in Persons.	2021-11		

DFARS Clauses Incorporated by Reference

Number	Title	Effective Date	Alternate Deviation	Variation Effective Date
252.204-7012	Safeguarding Covered Defense Information and Cyber Incident Reporting.	2024-05		
252.232-7003	Electronic Submission of Payment Requests and Receiving Reports.	2018-12		
252.232-7010	Levies on Contract Payments.	2006-12		

DFARS Clauses Incorporated by Full Text

Number	Title	Effective Date	Alternate Deviation	Variation Effective Date
252.232-7006	Wide Area WorkFlow Payment Instructions. (Tailored)	2023-01		

WIDE AREA WORKFLOW PAYMENT INSTRUCTIONS (JAN 2023)

(a) *Definitions.* As used in this clause-

"Department of Defense Activity Address Code (DoDAAC)" is a six position code that uniquely identifies a unit, activity, or organization.

"Document type" means the type of payment request or receiving report available for creation in Wide Area WorkFlow (WAWF).

"Local processing office (LPO)" is the office responsible for payment certification when payment certification is done external to the entitlement system.

"Payment request" and "receiving report" are defined in the clause at 252.232-7003, Electronic Submission of Payment Requests and Receiving Reports.

(b) *Electronic invoicing.* The WAWF system provides the method to electronically process vendor payment requests and receiving reports, as authorized by Defense Federal Acquisition Regulation Supplement (DFARS) 252.232-7003, Electronic Submission of Payment Requests and Receiving Reports.

(c) *WAWF access.* To access WAWF, the Contractor shall-

(1) Have a designated electronic business point of contact in the System for Award Management at <https://www.sam.gov>; and

(2) Be registered to use WAWF at <https://wawf.eb.mil/> following the step-by-step procedures for self-registration available at this web site.

(d) *WAWF training.* The Contractor should follow the training instructions of the WAWF Web-Based Training Course and use the Practice Training Site before submitting payment requests through WAWF. Both can be accessed by selecting the "Web Based Training" link on the WAWF home page at <https://wawf.eb.mil/>

(e) *WAWF methods of document submission.* Document submissions may be via web entry, Electronic Data Interchange, or File Transfer Protocol.

(f) *WAWF payment instructions.* The Contractor shall use the following information when submitting payment requests and receiving reports in WAWF for this contract or task or delivery order:

(1) *Document type.* The Contractor shall submit payment requests using the following document type(s):

(i) For cost-type line items, including labor-hour or time-and-materials, submit a cost voucher.

(ii) For fixed price line items-

(A) That require shipment of a deliverable, submit the invoice and receiving report specified by the Contracting Officer.

(Contracting Officer: Insert applicable invoice and receiving report document type(s) for fixed price line items that require shipment of a deliverable.)

(B) For services that do not require shipment of a deliverable, submit either the Invoice 2in1, which meets the requirements for the invoice and receiving report, or the applicable invoice and receiving report, as specified by the Contracting Officer.

Invoice 2in1

(Contracting Officer: Insert either "Invoice 2in1" or the applicable invoice and receiving report document type(s) for fixed price line items for services.)

(iii) For customary progress payments based on costs incurred, submit a progress payment request.

(iv) For performance based payments, submit a performance based payment request.

(v) For commercial financing, submit a commercial financing request.

(2)) Fast Pay requests are only permitted when Federal Acquisition Regulation (FAR) 52.213-1 is included in the contract.

[Note: The Contractor may use a WAWF "combo" document type to create some combinations of invoice and receiving report in one step.]

(3) *Document routing.* The Contractor shall use the information in the Routing Data Table below only to fill in applicable fields in WAWF when creating payment requests and receiving reports in the system.

Routing Data Table*

<i>Field Name in WAWF</i>	<i>Data to be entered in WAWF</i>
Pay Official DoDAAC	HQ0490

Issue By DoDAAC	W911SD
Admin DoDAAC	W911SD
Inspect By DoDAAC	W16XYA
Ship To Code	_____
Ship From Code	_____
Mark For Code	_____
Service Approver (DoDAAC)	_____
Service Acceptor (DoDAAC)	W16XYA
Accept at Other DoDAAC	_____
LPO DoDAAC	_____
DCAA Auditor DoDAAC	_____
Other DoDAAC(s)	_____

--	--

*(*Contracting Officer: Insert applicable DoDAAC information. If multiple ship to/acceptance locations apply, insert "See Schedule" or "Not applicable.")*

*(**Contracting Officer: If the contract provides for progress payments or performance-based payments, insert the DoDAAC for the contract administration office assigned the functions under FAR 42.302(a)(13).)*

(4) *Payment request.* The Contractor shall ensure a payment request includes documentation appropriate to the type of payment request in accordance with the payment clause, contract financing clause, or Federal Acquisition Regulation 52.216-7, Allowable Cost and Payment, as applicable.

(5) *Receiving report.* The Contractor shall ensure a receiving report meets the requirements of DFARS Appendix F.

(g) *WAWF point of contact.*

(1) The Contractor may obtain clarification regarding invoicing in WAWF from the following contracting activity's WAWF point of contact.

TBD TBD TBD TBD

(Contracting Officer: Insert applicable information or "Not applicable.")

(2) Contact the WAWF helpdesk at 866-618-5988, if assistance is needed.

(End of clause)

Addendum to Contract Clauses

DFARS Clauses Incorporated by Reference

Number	Title	Effective Date	Alternate Deviation	Variation Effective Date
252.201-7000	Contracting Officer's Representative.	1991-12		

List of Contract Documents, Exhibits, or Attachments

WAGE DETERMINATIONS & Site Visit Information

"REGISTER OF WAGE DETERMINATIONS UNDER | U.S. DEPARTMENT OF LABOR

THE SERVICE CONTRACT ACT | EMPLOYMENT STANDARDS ADMINISTRATION

By direction of the Secretary of Labor | WAGE AND HOUR DIVISION

| WASHINGTON D.C. 20210

| Wage Determination No.: 2015-4159

Daniel W. Simms Division of | Revision No.: 31

Director Wage Determinations| Date Of Last Revision: 12/03/2025

State: New York

Area: New York County of Orange

SITE VISIT

Solicitation # W911SD-26-Q-A044

Description: DAS Modernization Phase 1

A site visit is scheduled for Thursday April 16th 2026 at 0830 AM (EST) SHARP!

IT IS RECOMMENDED TO ATTEND

Attendees must RSVP via EMAIL on or before Tuesday April 14th before the close of business with the name(s) and number of persons attending.

We will assemble at 681 Hardee Place, BLDG 681, First Floor, lobby by the elevator, at 08:15AM. Then, 08:30 we will depart to the site visit.

We may have to drive, TRANSPORTATION IS A MUST!

Send RSVP's to: Ignacio.j.cordova2.civ@mail.mil, please reference Solicitation # W911SD-26-Q-A044 Site Visit in the Email subject line.

RFO FAR 52.237-1 Site Visit -

Offerors / quoters are urged and expected to inspect the site where services are to be performed and to satisfy themselves regarding all general and local conditions that may affect the cost of contract performance, to the extent that the information is reasonably obtainable.

Upon arrival to the Installation-

U.S. Army West Point Visitor's Center

2107 New South Post Rd, West Point, NY 10996

*** END OF NARRATIVE ***

Identifier	Document Name	Document Description	Reference Identifier	Date	Line Item	Page Numbers	Document Type	Provided Under Separate Cover
0001	PWS --With Bldg Draw ings	Performance Work Statement	PWS -- With Bldg Drawings	23 Mar 2026			Attachment	No

Addendum to 52.212-1, Instructions to Offerors - Commercial Products and Commercial Services

ADDENDUM 52.212-1, Instructions to Offerors-Commercial Products and Commercial Services

L.1 The quote preparation instructions are contained in Section L of the Request for Quote (RFQ) and are herein incorporated by reference.

L.2. Quotations shall be submitted on or before the closing date and time identified in block 8 of the SF1449 to the following address:

Mission and Installation Contracting Command - West Point

Attn: Ignacio Cordova

681 Rogers Place, Room 100

West Point, NY 10996-1514

Address all questions or concerns regarding this solicitation, by email to: (ignacio.j.cordova2.civ@army.mil.).

All interested offerors, to participate must hold a GSA Contract to perform required DAS services.

The deadline for question (RFI) submission is 22nd April 2026, 1630 (4:30pm).

All questions regarding this solicitation shall be submitted in writing via email to:

ignacio.j.cordova2.civ@army.mil

L.2.1 Quotations shall be provided in Microsoft Word, PowerPoint, Adobe PDF and Excel.

Offers shall be mailed through a commercial/Government carrier or hand carried. Electronic submissions via email or facsimile shall NOT be accepted.

L.3 This is an evaluation of quotes conducted in accordance with Federal Acquisition Regulation (FAR) 12.203, Evaluation of quotations or offers, as supplemented by the Defense Federal Acquisition Regulation Supplement (DFARS), and the Army Federal Acquisition Regulation Supplement (AFARS).

Offers will be evaluated using the criteria under ADDENDUM to FAR 52.212-2 EVALUATION--COMMERCIAL ITEMS. Noncompliance with the Request for Quote (RFQ) requirements may

hamper the Government's ability to properly evaluate the quote and may result in elimination of the quote from further consideration for contract award.

L.4. Use of Artificial Intelligence (AI) tools in Proposal Evaluation

L.4.1. Use of AI tools in Support of Evaluations: The Government will employ AI as a tool to assist in the analysis and review of offeror proposals. AI tools may be used to support tasks such as summarizing proposal content, identifying compliance with request for task order proposal / solicitation requirements, and highlighting areas of potential strength, weakness, or risk.

L.4.2 Maintaining Inherently Governmental Functions: Notwithstanding the use of AI tools to support the evaluation process, all final evaluation judgements, including the assignment or assessment of adjectival ratings, best value determinations, and source selection decisions, will be made exclusively by duly appointed Government personnel. The Government retains sole responsibility for all inherently governmental functions and will not delegate decision making authority to any AI tool.

L.4.3 Offeror Confidentiality and Data Protection: The AI tools utilized by the Government will be employed in a manner consistent with applicable regulations that govern the protection of proprietary and source selection sensitive information. The AI tool will be an output-only system. Any generated report data is not saved. No proposal data will be transmitted to or processed by external, non-Government systems without appropriate safeguards and authorizations in place.

L.5. Quotation Submission: The submission of the documentation specified below will constitute the contractor's acceptance of the terms and conditions of the RFQ, concurrence with the Performance Work Statement, and the proposed contract type.

L.5.1 Offerors are encouraged to present their best Experience Capability Quote and prices in their initial quote submission. These instructions prescribe the format for the quote and describe the approach for the development and presentation of quote data. These instructions are designed to ensure the submission of necessary information to provide for the understanding and comprehensive evaluation of quotes.

L.5.2 If an Offeror believes that the requirements in these instructions contain an error, an ambiguity, omission, or are otherwise unsound, the Offeror shall immediately notify the Purchasing Agent in writing with supporting rationale. The Offeror is reminded that the Government reserves the right to award this effort based on the initial quote, as received, without discussion.

L.5.3 In accordance with FAR Subpart 4.8 (Government Contract Files), the Government will retain one copy of all unsuccessful quotes. Unless the contractor requests otherwise, the Government will destroy extra copies of such unsuccessful quotes.

All referenced documents for this solicitation are available on the [www.SAM.gov](https://www.sam.gov) web site at <https://www.sam.gov/>. Potential contractors are encouraged to subscribe for real-time e-mail notifications when information has been posted to the website for this solicitation.

L.5.4 Quote Content

Quote Form (Standard Form 1449) - original signature and date; Contract Administration Data; SAM UEI Number; Acknowledgement of Solicitation Amendments.

The contractor shall acknowledge any amendments to the RFQ in accordance with the instructions with FAR provision 52.212-1.

The Contractor shall provide the name, title, and telephone number of the company/division point of contact regarding decisions made with respect to your Quote and who can obligate your company contractually. Also, identify those individuals authorized to negotiate with the Government.

One (1) Large Binder to include printed representations (PDF-Original Equipment Manufacturer [OEM] technical specifications) indexed accordingly to the activities and their requirements, of the items offered in their quote in accordance with the SOLICITATION specifications.

Price - The Contractor shall complete the CLIN Structure contained in the solicitation spreadsheet. For the Price Volume, the hard copy version will take precedence for any differences noted between the hard copy and electronic versions of a Contractor's Quote.

Submission Requirements: The Contractor shall submit a pricing volume that complies with the following submission instructions:

The Contractor shall submit unit pricing that reflects the quantities and instructions stated in each CLIN.

L.6 Quote Preparation Instructions

L.6.1 Quote Format

L.6.1.1. Offerors shall submit the original and specified number of copies listed in accordance with paragraph 5.2.3 of this addendum

L.6.1.2 Exceptions. Contractors are required to meet all solicitation requirements, such as terms and conditions, representations and certifications, and Experience requirements, in addition to those identified as evaluation factors and elements. Failure to meet a requirement may result in a Quote being ineligible for award.

If the Contractor finds it necessary to take exception to any of the requirements specified in this solicitation, the Contractor shall clearly identify the applicable Volume and exceptions with a complete explanation of why the exception was taken, what benefit accrues to the Government (if any), and its impact, if any, on the performance, schedule, cost, and specific requirements of the solicitation. Each exception shall be specifically related to each paragraph and/or specific part of the solicitation to which the exception is taken.

Contractors are cautioned that taking an exception may render the Quote ineligible for award. It is recommended that the Contractor contact the Contracting Officer immediately/prior to solicitation

closing, upon identifying an area that may result in an exception. This information shall be provided in the format below.

Table 1 - Solicitation Exceptions

Solicitation Document	Page/ Paragraph	Requirement/ Portion	Rationale & Impact
CLIN Structure, PWS, 52.212-1, 52.212-2, etc.	Applicable Page and Paragraph Numbers	Identify the requirement or portion to which exception is taken	Describe The rationale and impact of the exception

L.6.1.3 The Quote shall be organized into four (4) volumes. Each hard copy volume of the Quote shall be separately bound in a three-ring loose leaf binder which shall permit the volume to lie flat when open. A cover sheet should be bound in each book, clearly marked as to volume number, title, copy number, solicitation identification and the Contractor's name.

The same identifying data should be placed on the spine of each binder. All text shall be single spaced and printed black on white paper (Black and white requirement does not apply to graphics, photos, etc., Company stationary and logos are acceptable). In accordance with FAR 52.204-4, hard copies shall be double-sided on paper containing at least 30 percent postconsumer fiber, whenever practicable. Printing shall be easily readable (12-pitch type or 10 point proportional spacing.) Cross-references should be utilized to preclude unnecessary duplication of data between sections.

In addition to submitting hard copies of the Quotes, digital copies shall be provided on CD-ROM (In Accordance with IT Security Standards) The Government CANNOT accept USB DRIVES) disk in Microsoft Word, PowerPoint and/or Excel or Adobe Acrobat (PDF) as outlined in Table 2.

The file name shall be "Company Name - Initial" for the first submission. The file name of later submissions (if necessary), shall be "Company Name - Revision X" with X indicating the number of the revision. Electronic submissions via e-mail or facsimile will not be accepted.

Quotations shall be mailed through a commercial/Government carrier or hand carried.

Page limitations are as follows: Table 2

VOLUME	TITLE	NO. HARD COPIES	NO. OF DIGITAL COPIES (CD ROM)	PAGE LIMITS
I	General	1	1	N/A
II	Experience Capability	1	1	15
III	Past Performance	1	1	20 (does not include questionnaire responses)
IV	Price	1	1	N/A

Quote Content

Quote Form (Standard Form 1449) - original signature and date; Contract Administration Data; SAM UEI Number; Acknowledgement of Solicitation Amendments.

The SF 1449 - The SF 1449 shall be fully completed upon submission. The Contractor is cautioned that the SF 1449 must contain an original signature in block 30(a) of the form. The contractor shall acknowledge any amendments to the RFQ in accordance with the instructions on the SF 30 and with FAR provision 52.212-1.

The Contractor shall provide the name, title and telephone number of the company/division point of contact regarding decisions made with respect to your Quote and who can obligate your company contractually. Also, identify those individuals authorized to negotiate with the Government.

Exceptions/Assumptions (if required) - Identification and explanation of any exceptions or deviations. Additionally, any assumptions used in the Quote preparation must be identified.

The Contractor shall submit unit pricing that reflects the quantities and instructions stated in each CLIN.

Section L and M Format:

L.7 VOLUME I - TECHNICAL FACTOR:

L.7.1 FACTOR I TECHNICAL: FACTOR I - (Submittals) (PWS C1.3) and (PWS C1.3.1) and (PWS C2.1): Submit a Technical Brochure (PDF) with full product technical specifications (MEET OR EXCEED) of the billeting items offered in their quote in accordance with the solicitation PWS specifications

L.7.2 FACTOR I TECHNICAL: FACTOR II - (Submittals) (PWS C1.2) and (PWS C1.2.1) and (PWS C.2.1): Submit a Technical Brochure (PDF) with full product technical specifications (MEET OR EXCEED) of the billeting items offered in their quote in accordance with the solicitation PWS specifications

M.7 TECHNICAL FACTOR and PAST PERFORMANCE:

M7.1 FACTOR I TECHNICAL: FACTOR I - (Submittals) (PWS C1.3) and (PWS C1.3.1) and (PWS C2.1): Submit a Technical Brochure (PDF) with full product technical specifications (MEET OR EXCEED) of the billeting items offered in their quote in accordance with the solicitation PWS specifications

M7.2 FACTOR I TECHNICAL: FACTOR II - (Submittals) (PWS C1.2) and (PWS C1.2.1) and (PWS C.2.1): Submit a Technical Brochure (PDF) with full product technical specifications (MEET OR EXCEED) of the billeting items offered in their quote in accordance with the solicitation PWS specifications

M.7.2 FACTOR II - PAST PERFORMANCE: (PWS C1.3) and (PWS C1.3.1) and (PWS C2.1)

*** END OF NARRATIVE ***

Addendum to Evaluation - Commercial Product and Commercial Services

Addendum FAR 52.212-2

EVALUATION--COMMERCIAL ITEMS

Provisions that are incorporated by reference (by Citation Number, Title, and Date), have the same force and effect as if they were given in full text. Upon request, the Contracting Officer will make their full text available.

The following provisions are incorporated into 52.212-2 as an addendum to this solicitation:

Evaluation Factors for Award

(a) Basis for Contract Award. This is a Technical Evaluation conducted in accordance with Federal Acquisition Regulation (FAR) 12.203(a)(1)(2)(3), Evaluation of quotations or offers, as supplemented by the Defense Federal Acquisition Regulation Supplement (DFARS), and the Army Federal Acquisition Regulation Supplement (AFARS). Contract shall be awarded to the contractor who is deemed responsible in accordance with the FAR, as supplemented, whose quote conforms to the solicitation's requirements (to include all stated terms, conditions, representations, certifications, and all other information required by 52.212-2 of this solicitation and is judged by an overall assessment of the evaluation factors to represent the most advantageous to the Government by exceeding the minimum requirements to meet the Lowest Price Technically Acceptable to the Government.

(b) Award for All of the Work. The Government intends to award one (1) Firm Fixed Price (FFP) contract as a result of this solicitation. Quotes received for less than the stated number of items listed in the Price Schedule will be considered ineligible for award. As set forth in FAR 52.212-1 (g), the Government intends to evaluate quotes and award a contract without discussions with contractors. Therefore, the contractor's initial quote should contain the contractor's best terms from a price and technical standpoint. The Government reserves the right to conduct discussions if the Contracting Officer later determines them to be necessary.

(c) Evaluation Criteria. Submittals (Meet or Exceed), and PAST PERFORMANCE in accordance with specifications, shall be evaluated under three (3) evaluating factors: Technical, Past Performance, and Price.

Factor 1 - Technical. Submittals at NO CHARGE to the Government; BICSI / ANSI-BICSI 006 Standard. Installers should follow or be certified to: ANSI/BICSI 006-2015, which defines DAS design & installation practices, and certification statement from the carriers supporting the vendor has worked with them, in accordance with the solicitation PWS specifications and criteria will receive one of the ratings defined below.

BICSI / ANSI-BICSI 006 Standard. Installers should follow or be certified to: ANSI/BICSI 006-2015, which defines DAS design & installation practices, and covers: RF system design, hardware requirements, legal compliance, installer qualifications, documentation, testing & maintenance.

Certification statement from the carriers supporting the vendor has worked with them and have performed all necessary technical actions to their guidelines.

Table 1. Technical Rating(s) Acceptable/Unacceptable Ratings	
Rating	Description
Acceptable	Submittals clearly meets the minimum specifications/requirements of the solicitation.
Unacceptable	Submittals do NOT clearly meet the minimum specifications/requirements of the solicitation.

Factor 2 - Past Performance. Offerors are required to submit examples of past performance of similar scope and complexity with their quote.

Only recent (within the last 36 months) and relevant past performance will be considered. Relevance, for the purposes of this procurement, is defined as substantially similar to the current requirement in terms of effort, complexity, dollar value, contract type.

Offerors shall submit no more than three examples of past performance.

Past performance ratings will receive one of the ratings defined below.

Table 2. Past Performance Rating(s) Acceptable/Unacceptable Ratings	
Rating	Description
Acceptable	Past Performance clearly meets the minimum specifications/requirements of the solicitation.
Unacceptable	Past Performance does NOT clearly meet the minimum specifications /requirements of the solicitation.

Factor 3 - Price. Price will not be scored or rated. Evaluation of price will be performed using one or more of the price analysis techniques in (FAR) 12.203(a)(1)(2)(3), through these techniques the Government will determine whether prices are reasonable.

*** END OF NARRATIVE ***