

AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT				1. CONTRACT ID CODE J		PAGE 1 OF 2 PAGES	
2. AMENDMENT/MODIFICATION NUMBER 0005		3. EFFECTIVE DATE 05/01/2025		4. REQUISITION/PURCHASE REQUISITION NUMBER		5. PROJECT NUMBER (If applicable)	
6. ISSUED BY U.S. ARMY ENGINEER DISTRICT, ALASKA CEPOA-CT-SP PO BOX 6898 JBER AK 99506-0898		7. ADMINISTERED BY (If other than Item 6)		CODE			
8. NAME AND ADDRESS OF CONTRACTOR (Number, street, county, State and ZIP Code)				(X)		9A. AMENDMENT OF SOLICITATION NUMBER W911KB25R0019	
				☐		9B. DATED (SEE ITEM 11) 05/01/2024	
				☐		10A. MODIFICATION OF CONTRACT/ORDER NUMBER	
				☐		10B. DATED (SEE ITEM 13)	
CODE		FACILITY CODE					
11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS							
☒ The above numbered solicitation is amended as set forth in Item 14. The hour and date specified for receipt of Offers ☐ is extended. ☒ is not extended.							
Offers must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended, by one of the following methods: (a) By completing items 8 and 15, and returning <u>1</u> copies of the amendment; (b) By acknowledging receipt of this amendment on each copy of the offer submitted; or (c) By separate letter or electronic communication which includes a reference to the solicitation and amendment numbers. FAILURE OF YOUR ACKNOWLEDGMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER. If by virtue of this amendment you desire to change an offer already submitted, such change may be made by letter or electronic communication, provided each letter or electronic communication makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified.							
12. ACCOUNTING AND APPROPRIATION DATA (If required)							
13. THIS ITEM APPLIES ONLY TO MODIFICATIONS OF CONTRACTS/ORDERS. IT MODIFIES THE CONTRACT/ORDER NUMBER AS DESCRIBED IN ITEM 14.							
CHECK ONE	A. THIS CHANGE ORDER IS ISSUED PURSUANT TO: (Specify authority) THE CHANGES SET FORTH IN ITEM 14 ARE MADE IN THE CONTRACT ORDER NUMBER IN ITEM 10A.						
☐							
☐	B. THE ABOVE NUMBERED CONTRACT/ORDER IS MODIFIED TO REFLECT THE ADMINISTRATIVE CHANGES (such as changes in paying office, appropriation data, etc.) SET FORTH IN ITEM 14, PURSUANT TO THE AUTHORITY OF FAR 43.103(b).						
☐	C. THIS SUPPLEMENTAL AGREEMENT IS ENTERED INTO PURSUANT TO AUTHORITY OF:						
☐	D. OTHER (Specify type of modification and authority)						
E. IMPORTANT: Contractor ☐ is not ☐ is required to sign this document and return _____ copies to the issuing office.							
14. DESCRIPTION OF AMENDMENT/MODIFICATION (Organized by UCF section headings, including solicitation/contract subject matter where feasible.)							
PROJECT TITLE/LOCATION: FTG257 MISSILE FIELD 2 POWER REDUNDANCY, FORT GREELY, ALASKA a. This amendment provides changes to the solicitation by updating Book 1 Section 00 73 46 Wage Determination and attaching the ProjNet Bidder Inquiries Report. b. PROPOSAL DUE DATE HAS NOT BEEN EXTENDED. Proposals shall be submitted in accordance with Section 00 21 00. c. YOU ARE REQUIRED TO ACKNOWLEDGE RECEIPT OF THIS AMENDMENT.							
Except as provided herein, all terms and conditions of the document referenced in Item 9A or 10A, as heretofore changed, remains unchanged and in full force and effect.							
15A. NAME AND TITLE OF SIGNER (Type or print)				16A. NAME AND TITLE OF CONTRACTING OFFICER (Type or print)			
15B. CONTRACTOR/OFFEROR		15C. DATE SIGNED		16B. UNITED STATES OF AMERICA		16C. DATE SIGNED	
(Signature of person authorized to sign)				(Signature of Contracting Officer)			

SECTION SF 30 BLOCK 14 CONTINUATION PAGE

SUMMARY OF CHANGES

- a. The following drawings are substituted for the superseded documents/sections:

NONE

- b. The following revised documents/sections are substituted for the superseded documents/sections. The identifier “AM#0005” appears before and after new and/or revised materials, except as noted below.

- Book 1 Section 00 73 46 Wage Determination (25 Apr 2025) has been updated.

NOTE: Revisions within the following documents do not contain the above referenced identifiers:

- NONE

- c. The following sections are deleted:

NONE

- d. The following documents are added:

- Projnet Bidder Inquiries Report has been attached

- e. The following revisions are incorporated:

NONE

- f. Other:

NONE

(End of Summary of Changes)

ALL OTHER TERMS AND CONDITIONS SHALL REMAIN THE SAME.

AM0005...

"General Decision Number: AK20250001 04/25/2025

Superseded General Decision Number: AK20240001

State: Alaska

Construction Types: Building and Heavy

Counties: Alaska Statewide.

BUILDING AND HEAVY CONSTRUCTION PROJECTS (does not include residential construction consisting of single family homes and apartments up to and including 4 stories)

Note: Contracts subject to the Davis-Bacon Act are generally required to pay at least the applicable minimum wage rate required under Executive Order 14026 or Executive Order 13658. Please note that these Executive Orders apply to covered contracts entered into by the federal government that are subject to the Davis-Bacon Act itself, but do not apply to contracts subject only to the Davis-Bacon Related Acts, including those set forth at 29 CFR 5.1(a)(1).

If the contract is entered into on or after January 30, 2022, or the contract is renewed or extended (e.g., an option is exercised) on or after January 30, 2022:	. Executive Order 14026 generally applies to the contract. . The contractor must pay all covered workers at least \$17.75 per hour (or the applicable wage rate listed on this wage determination, if it is higher) for all hours spent performing on the contract in 2025.
If the contract was awarded on or between January 1, 2015 and January 29, 2022, and the contract is not renewed or extended on or after January 30, 2022:	. Executive Order 13658 generally applies to the contract. . The contractor must pay all covered workers at least \$13.30 per hour (or the applicable wage rate listed on this wage determination, if it is higher) for all hours spent performing on that contract in 2025.

The applicable Executive Order minimum wage rate will be adjusted annually. If this contract is covered by one of the Executive Orders and a classification considered necessary for performance of work on the contract does not appear on this wage determination, the contractor must still submit a conformance request.

Additional information on contractor requirements and worker protections under the Executive Orders is available at <http://www.dol.gov/whd/govcontracts>.

Modification Number

0

Publication Date

01/03/2025

1	01/31/2025
2	03/14/2025
3	04/18/2025
4	04/25/2025

ASBE0007-006 02/27/2023

	Rates	Fringes
--	-------	---------

Asbestos Workers/Insulator (includes application of all insulating materials protective coverings, coatings and finishings to all types of mechanical systems).....	\$ 41.35	16.46
HAZARDOUS MATERIAL HANDLER (includes preparation, wetting, stripping, removal scrapping, vacuuming, bagging, and disposing of all insulation materials, whether they contain asbestos or not, from mechanical systems).....	\$ 37.38	19.55

BOIL0502-002 01/01/2024

	Rates	Fringes
--	-------	---------

BOILERMAKER.....	\$ 51.08	33.04
------------------	----------	-------

* BRAK0001-002 07/01/2024

	Rates	Fringes
--	-------	---------

Bricklayer, Blocklayer, Stonemason, Marble Mason, Tile Setter, Terrazzo Worker.....	\$ 52.77	12.36
Tile & Terrazzo Finisher.....	\$ 40.91	12.48

CARP1281-001 04/01/2025

	Rates	Fringes
--	-------	---------

CARPENTER Including Lather and Drywall Hanging.....	\$ 50.79	26.42
---	----------	-------

CARP1281-002 09/01/2024

	Rates	Fringes
--	-------	---------

MILLWRIGHT.....	\$ 55.42	27.08
-----------------	----------	-------

CARP2520-003 04/01/2025

	Rates	Fringes
--	-------	---------

Diver		
Stand-by.....	\$ 53.03	26.42
Tender.....	\$ 52.03	26.42
Working.....	\$ 92.83	26.42
Piledriver		
Piledriver; Skiff Operator and Rigger.....	\$ 48.72	26.42

Sheet Stabber.....	\$ 48.72	26.42
Welder.....	\$ 54.28	26.42

DEPTH PAY PREMIUM FOR DIVERS BELOW WATER SURFACE:

50-100 feet	\$1.00 per foot
101 feet and deeper	\$2.00 per foot

ENCLOSURE PAY PREMIUM WITH NO VERTICAL ASCENT:

5-50 FEET	\$1.00 PER FOOT/DAY
51-100 FEET	\$2.00 PER FOOT/DAY
101 FEET AND ABOVE	\$3.00 PER FOOT/DAY

SATURATION DIVING:

The standby rate applies until saturation starts. The saturation diving rate applies when divers are under pressure continuously until work task and decompression are complete. the diver rate shall be paid for all saturation hours.

WORK IN COMBINATION OF CLASSIFICATIONS:

Employees working in any combination of classifications within the diving crew (except dive supervisor) in a shift are paid in the classification with the highest rate for that shift.

ELEC1547-004 04/01/2025

	Rates	Fringes
CABLE SPLICER.....	\$ 53.44	3%+28.67
ELECTRICIAN.....	\$ 53.44	3%+28.67

ELEC1547-005 04/01/2025

Line Construction

	Rates	Fringes
CABLE SPLICER.....	\$ 74.34	3%+33.47
Linemen (Including Equipment Operators, Technician).....	\$ 72.59	3%+33.47
Powderman.....	\$ 70.59	3%+33.47
TREE TRIMMER.....	\$ 42.23	3%+28.83

ELEV0019-002 01/01/2025

	Rates	Fringes
ELEVATOR MECHANIC.....	\$ 71.44	38.435+a+b

FOOTNOTE:

- a. Employer contributes 8% of the basic hourly rate for over 5 year's service and 6% of the basic hourly rate for 6 months to 5 years' of service as vacation paid credit.
 - b. Eight paid holidays:
New Year's Day; Memorial Day; Independence Day;
Labor Day; Veteran's Day; Thanksgiving Day; Friday after Thanksgiving, and Christmas Day
-

ENGI0302-002 01/01/2025

Rates	Fringes
-------	---------

POWER EQUIPMENT OPERATOR

GROUP 1.....	\$ 53.23	29.50
GROUP 1A.....	\$ 55.33	29.50
GROUP 2.....	\$ 52.32	29.50
GROUP 3.....	\$ 51.46	29.50
GROUP 4.....	\$ 44.06	29.50
TUNNEL WORK		
GROUP 1.....	\$ 58.55	29.50
GROUP 1A.....	\$ 60.86	29.50
GROUP 2.....	\$ 57.55	29.50
GROUP 3.....	\$ 56.60	29.50
GROUP 4.....	\$ 48.47	29.50

POWER EQUIPMENT OPERATOR CLASSIFICATIONS

GROUP 1: Asphalt Roller: Breakdown, Intermediate, and Finish; Back Filler; Barrier Machine (Zipper); Belcrete with power pack and similar conveyors; Bending Machine; Boat Coxwains; Bulldozers; Cableways, Highlines and Cablecars; Cleaning Machine; Coating Machine; Concrete Hydro Blaster; Cranes-45 tons and under or 150 foot boom and under (including jib and attachments): (a) Hydralifts or Transporters, all track or truck type, (b) Derricks; Crushers; Deck Winches-Double Drum; Ditching or Trenching Machine (16 inch or over); Drilling Machines, core, cable, rotary and exploration; Finishing Machine Operator, Concrete Paving, Laser Screed, Sidewalk, Curb and Gutter Machine; Helicopters; Hover Craft, Flex Craft, Loadmaster, Air Cushion, All Terrain Vehicle, Rollagon, Bargecable, Nodwell, and Snow Cat; Hydro Ax: Feller Buncher and similar; Loaders (2 1/2 yards through 5 yards, including all attachments): Forklifts with telescopic boom and swing attachment, Overhead and front end, 2 1/2 yards through 5 yards, Loaders with forks or pipe clamps; Loaders, elevating belt type, Euclid and similar types; Mechanics, Bodyman; Micro Tunneling Machine; Mixers: Mobile type w/hoist combination; Motor Patrol Grader; Mucking Machines: Mole, Tunnel Drill, Horizontal/Directional Drill Operator, and/or Shield; Operator on Dredges; Piledriver Engineers, L. B. Foster, Puller or similar Paving Breaker; Power Plant, Turbine Operator, 200 k.w. and over (power plants or combination of power units over 300 k.w.); Scrapers-through 40 yards; Service Oiler/Service Engineer; Sidebooms-under 45 tons; Shot Blast Machine; Shovels, Backhoes, Excavators with all attachments, and Gradealls (3 yards and under), Spreaders, Blaw Knox, Cedarapids, Barber Greene, Slurry Machine; Sub-grader (Gurries, Reclaimer, and similar types); Tack tractor; Truck mounted Concrete Pumps, Conveyor, Creter; Water Kote Machine; Unlicensed off road hauler

GROUP 1A: Camera/Tool/Video Operator (Slipline), Cranes-over 45 tons or 150 foot (including jib and attachments): (a) Clamshells and Draglines (over 3 yards), (b) Tower cranes; Licensed Water/Waste Water Treatment Operator; Loaders over 5 yds.; Certified Welder, Electrical Mechanic, Camp Maintenance Engineer, Mechanic (over 10,000 hours); Motor Patrol Grader, Dozer, Grade Tractor, Roto-mill/Profiler (finish: when finishing to final grade and/or to hubs, or for asphalt); Power Plants: 1000 k.w. and over; Quad; Screed; Shovels, Backhoes, Excavators with all attachments (over 3 yards), Sidebooms over 45 tons; Slip Form Paver, C.M.I. and similar types; Scrapers over 40 yards;

GROUP 2: Boiler-fireman; Cement Hog and Concrete Pump Operator; Conveyors (except as listed in group 1); Hoist on steel erection; Towermobiles and Air Tuggers; Horizontal/Directional Drill Locator; Licensed Grade Technician; Loaders, (i.e., Elevating Grader and Material Transfer Vehicle); Locomotives: rod and geared engines; Mixers; Screening, Washing Plant; Sideboom (cradling rock drill regardless of size); Skidder; Trenching Machine under 16 inches; Waste/ Waste Water Treatment Operator.

GROUP 3: "A" Frame Trucks, Deck Winches: single power drum; Bombardier (tack or tow rig); Boring Machine; Brooms-power; Bump Cutter; Compressor; Farm tractor; Forklift, industrial type; Gin Truck or Winch Truck with poles when used for hoisting; Grade Checker and Stake Hopper; Hoist, Air Tuggers, Elevators; Loaders: (a) Elevating-Athey, Barber Green and similar types (b) Forklifts or Lumber Carrier (on construction job site) (c) Forklifts with Tower (d) Overhead and Front-end, under 2 1/2 yds. Locomotives: Dinkey (air, steam, gas and electric) Speeders; Mechanics (light duty); Oil, Blower Distribution; Post Hole Diggers, mechanical; Pot Fireman (power agitated); Power Plant, Turbine Operator, under 200 k.w.; Pumps-water; Roller-other than Plantmix; Saws, concrete; Skid Steer with all attachments; Straightening Machine; Tow Tractor

GROUP 4: Rig Oiler/Crane Assistant Engineer; Parts and Equipment Coordinator; Swamper (on trenching machines or shovel type equipment); Spotter; Steam Cleaner; Drill Helper.

FOOTNOTE: Groups 1-4 receive 10% premium while performing tunnel or underground work. Rig Oiler/Crane Assistant Engineer shall be required on cranes over 85 tons or over 100 feet of boom.

IRON0751-003 07/01/2024

	Rates	Fringes
IRONWORKER		
BENDER OPERATOR.....	\$ 44.99	38.98
BRIDGE, STRUCTURAL, ORNAMENTAL, REINFORCING MACHINERY MOVER, RIGGER, SHEETER, STAGE RIGGER,		
BENDER OPERATOR.....	\$ 44.99	38.98
FENCE, BARRIER INSTALLER....	\$ 41.49	38.98
GUARDRAIL INSTALLERS.....	\$ 42.49	38.98
GUARDRAIL LAYOUT MAN.....	\$ 42.23	38.98
HELICOPTER, TOWER.....	\$ 45.99	38.98

LAB00341-001 04/01/2024

	Rates	Fringes
LABORER (South of the 63rd Parallel & West of Longitude 138 Degrees)		
GROUP 1.....	\$ 38.25	33.11
GROUP 2.....	\$ 39.25	33.11
GROUP 3.....	\$ 40.15	33.11
GROUP 3A.....	\$ 44.28	33.11

GROUP 3B.....	\$ 50.11	29.06
GROUP 4.....	\$ 27.82	33.11
TUNNELS, SHAFTS, AND RAISES		
GROUP 1.....	\$ 42.08	33.11
GROUP 2.....	\$ 43.18	33.11
GROUP 3.....	\$ 44.17	33.11
GROUP 3A.....	\$ 48.71	33.11
GROUP 3B.....	\$ 55.12	29.06

LABORERS CLASSIFICATIONS

GROUP 1: Asphalt Workers (shovelman, plant crew); Brush Cutters; Camp Maintenance Laborer; Carpenter Tenders; Choke Setters, Hook Tender, Rigger, Signalman; Concrete Laborer (curb and gutter, chute handler, grouting, curing, screeding); Crusher Plant Laborer; Demolition Laborer; Ditch Diggers; Dump Man; Environmental Laborer (asbestos (limited to nonmechanical systems), hazardous and toxic waste, oil spill); Fence Installer; Fire Watch Laborer; Flagman; Form Strippers; General Laborer; Guardrail Laborer, Bridge Rail Installers; Hydro-Seeder Nozzleman; Laborers (building); Landscape or Planter; Laying of Decorative Block (retaining walls, flowered decorative block 4 feet and below); Material Handlers; Pneumatic or Power Tools; Portable or Chemical Toilet Serviceman; Pump Man or Mixer Man; Railroad Track Laborer; Sandblast, Pot Tender; Saw Tenders; Scaffold Building and Erecting; Slurry Work; Stake Hopper; Steam Point or Water Jet Operator; Steam Cleaner Operator; Tank Cleaning; Utiliwalk, Utilidor Laborer and Conduit Installer; Watchman (construction projects); Window Cleaner

GROUP 2: Burning and Cutting Torch; Cement or Lime Dumper or Handler (sack or bulk); Choker Splicer; Chucktender (wagon, airtrack and hydraulic drills); Concrete Laborers (power buggy, concrete saws, pumpcrete nozzleman, vibratorman); Culvert Pipe Laborer; Cured in place Pipelayer; Environmental Laborer (marine work, oil spill skimmer operator, small boat operator); Foam Gun or Foam Machine Operator; Green Cutter (dam work); Gunnite Operator; Hod Carriers; Jackhammer or Pavement Breakers (more than 45 pounds); Laying of Decorative Block (retaining walls, flowered decorative block above 4 feet); Mason Tender and Mud Mixer (sewer work); Pilot Car; Plasterer, Bricklayer and Cement Finisher Tenders; Power Saw Operator; Railroad Switch Layout Laborer; Sandblaster; Sewer Caulkers; Sewer Plant Maintenance Man; Thermal Plastic Applicator; Timber Faller, chain saw operator, filer; Timberman

GROUP 3: Alarm Installer; Bit Grinder; Guardrail Machine Operator; High Rigger and tree topper; High Scaler; Multiplate; Slurry Seal Squeegee Man

GROUP 3A: Asphalt Raker, Asphalt Belly dump lay down; Drill Doctor (in the field); Drillers (including, but not limited to, wagon drills, air track drills; hydraulic drills); Powderman; Pioneer Drilling and Drilling Off Tugger (all type drills); Pipelayers

GROUP 3B: Grade checker (setting or transferring of grade marks, line and grade)

GROUP 4: Final Building Cleanup

TUNNELS, SHAFTS, AND RAISES CLASSIFICATIONS

GROUP 1: Brakeman; Muckers; Nippers; Topman and Bull Gang; Tunnel Track Laborer

GROUP 2: Burning and Cutting Torch; Concrete Laborers; Jackhammers; Nozzleman, Pumpcrete or Shotcrete.

GROUP 3: Miner; Retimberman

GROUP 3A: Asphalt Raker, Asphalt Belly dump lay down; Drill Doctor (in the field); Drillers (including, but not limited to, wagon drills, air track drills; hydraulic drills); Powderman; Pioneer Drilling and Drilling Off Tugger (all type drills); Pipelayers.

GROUP 3B: Grade checker (setting or transferring of grade marks, line and grade)

Tunnel shaft and raise rates only apply to workers regularly employed inside a tunnel portal or shaft collar.

LAB00942-001 04/01/2024

	Rates	Fringes
--	-------	---------

Laborers: North of the 63rd
Parallel & East of Longitude
138 Degrees

GROUP 1.....	\$ 38.25	33.11
GROUP 2.....	\$ 39.25	33.11
GROUP 3.....	\$ 40.15	33.11
GROUP 3A.....	\$ 44.03	33.11
GROUP 3B.....	\$ 49.61	29.06
GROUP 4.....	\$ 27.82	33.11
TUNNELS, SHAFTS, AND RAISES		
GROUP 1.....	\$ 42.08	33.11
GROUP 2.....	\$ 43.18	33.11
GROUP 3.....	\$ 44.17	33.11
GROUP 3A.....	\$ 48.43	33.11
GROUP 3B.....	\$ 54.57	29.06

LABORERS CLASSIFICATIONS

GROUP 1: Asphalt Workers (shovelman, plant crew); Brush Cutters; Camp Maintenance Laborer; Carpenter Tenders; Choke Setters, Hook Tender, Rigger, Signalman; Concrete Laborer (curb and gutter, chute handler, grouting, curing, screeding); Crusher Plant Laborer; Demolition Laborer; Ditch Diggers; Dump Man; Environmental Laborer (asbestos (limited to nonmechanical systems), hazardous and toxic waste, oil spill); Fence Installer; Fire Watch Laborer; Flagman; Form Strippers; General Laborer; Guardrail Laborer, Bridge Rail Installers; Hydro-Seeder Nozzleman; Laborers (building); Landscape or Planter; Laying of Decorative Block (retaining walls, flowered decorative block 4 feet and below); Material Handlers; Pneumatic or Power Tools; Portable or Chemical Toilet Serviceman; Pump Man or Mixer Man; Railroad Track Laborer; Sandblast, Pot Tender; Saw Tenders; Scaffold Building and Erecting; Slurry Work; Stake Hopper; Steam Point or Water Jet Operator; Steam Cleaner Operator; Tank Cleaning; Utiliwalk, Utilidor Laborer and Conduit Installer; Watchman (construction projects); Window Cleaner

GROUP 2: Burning and Cutting Torch; Cement or Lime Dumper or Handler (sack or bulk); Choker Splicer; Chucktender (wagon, airtrack and hydraulic drills); Concrete Laborers (power buggy, concrete saws, pumpcrete nozzleman, vibratorman); Culvert Pipe Laborer; Cured in place Pipelayer; Environmental Laborer (marine work, oil spill skimmer operator, small boat operator); Foam Gun or Foam Machine Operator; Green Cutter (dam work); Gunnite Operator; Hod Carriers; Jackhammer or Pavement Breakers (more than 45 pounds);Laying of Decorative Block (retaining walls, flowered decorative block above 4 feet); Mason Tender and Mud Mixer (sewer work); Pilot Car; Plasterer, Bricklayer and Cement Finisher Tenders; Power Saw Operator; Railroad Switch Layout Laborer; Sandblaster; Sewer Caulkers; Sewer Plant Maintenance Man; Thermal Plastic Applicator; Timber Faller, chain saw operator, filer; Timberman

GROUP 3: Alarm Installer; Bit Grinder; Guardrail Machine Operator; High Rigger and tree topper; High Scaler; Multiplate; Slurry Seal Squeegee Man

GROUP 3A: Asphalt Raker, Asphalt Belly dump lay down; Drill Doctor (in the field); Drillers (including, but not limited to, wagon drills, air track drills; hydraulic drills); Powderman; Pioneer Drilling and Drilling Off Tugger (all type drills); Pipelayers

GROUP 3B: Grade checker (setting or transferring of grade marks, line and grade)

GROUP 4: Final Building Cleanup

TUNNELS, SHAFTS, AND RAISES CLASSIFICATIONS

GROUP 1: Brakeman; Muckers; Nippers; Topman and Bull Gang; Tunnel Track Laborer

GROUP 2: Burning and Cutting Torch; Concrete Laborers; Jackhammers; Nozzleman, Pumpcrete or Shotcrete.

GROUP 3: Miner; Retimberman

GROUP 3A: Asphalt Raker, Asphalt Belly dump lay down; Drill Doctor (in the field); Drillers (including, but not limited to, wagon drills, air track drills; hydraulic drills); Powderman; Pioneer Drilling and Drilling Off Tugger (all type drills); Pipelayers.

GROUP 3B: Grade checker (setting or transferring of grade marks, line and grade)

Tunnel shaft and raise rates only apply to workers regularly employed inside a tunnel portal or shaft collar.

PAIN1959-001 07/01/2024

NORTH OF THE 63RD PARALLEL

	Rates	Fringes
PAINTER		
BRUSH/ROLLER PAINT OR WALL		
COVERER.....	\$ 40.33	26.17
TAPING, TEXTURING,		

STRUCTURAL PAINTING,
 SANDBLASTING, POT TENDER,
 FINISH METAL, SPRAY,
 BUFFER OPERATOR, RADON
 MITIGATION, LEAD BASED
 PAINT ABATEMENT, HAZARDOUS
 MATERIAL HANDLER.....\$ 40.85 26.17

 PAIN1959-002 07/01/2024

SOUTH OF THE 63RD PARALLEL

	Rates	Fringes
PAINTER		
General Painter.....	\$ 35.97	28.52
Industrial Painter.....	\$ 37.32	28.52
Taper / Paper & Vinyl		
Hanger.....	\$ 37.22	28.52

 PAIN1959-003 07/01/2024

NORTH OF THE 63RD PARALLEL

	Rates	Fringes
GLAZIER.....	\$ 44.54	29.68

 PAIN1959-004 07/01/2023

	Rates	Fringes
FLOOR LAYER: Carpet.....	\$ 39.86	15.87

 PAIN1959-006 07/01/2024

SOUTH OF THE 63RD PARALLEL

	Rates	Fringes
GLAZIER.....	\$ 45.20	28.32

 PLAS0528-006 06/01/2024

	Rates	Fringes
PLASTERER		
North of the 63rd parallel..	\$ 52.50	20.67
South of the 63rd parallel..	\$ 52.50	20.67

 PLAS0528-007 04/01/2023

	Rates	Fringes
CEMENT MASON/CONCRETE FINISHER		
North of the 63rd parallel..	\$ 44.43	22.13
South of the 63rd parallel..	\$ 44.43	22.13

 PLUM0262-002 01/01/2023

East of the 141st Meridian

	Rates	Fringes
Plumber; Steamfitter.....	\$ 41.50	27.62

 PLUM0367-002 07/01/2021

South of the 63rd Parallel

	Rates	Fringes
Plumber; Steamfitter.....	\$ 41.00	27.95

PLUM0375-002 07/01/2024

North of the 63rd Parallel

	Rates	Fringes
Plumber; Steamfitter.....	\$ 51.66	32.90

PLUM0669-002 01/01/2025

	Rates	Fringes
SPRINKLER FITTER.....	\$ 56.61	31.39

ROOF0189-006 04/01/2024

	Rates	Fringes
ROOFER.....	\$ 49.62	18.53

SHEE0023-003 07/01/2024

South of the 63rd Parallel

	Rates	Fringes
SHEET METAL WORKER.....	\$ 48.75	30.14

SHEE0023-004 07/01/2024

North of the 63rd Parallel

	Rates	Fringes
SHEET METAL WORKER.....	\$ 54.00	30.52

TEAM0959-003 01/01/2025

	Rates	Fringes
TRUCK DRIVER		
GROUP 1.....	\$ 51.58	26.43
GROUP 1A.....	\$ 53.05	26.43
GROUP 2.....	\$ 50.12	26.43
GROUP 3.....	\$ 49.17	26.43
GROUP 4.....	\$ 48.50	26.43
GROUP 5.....	\$ 47.62	26.43

GROUP 1: Semi with Double Box Mixer; Dump Trucks (including rockbuggy and trucks with pups) over 40 yards up to and including 60 yards; Deltas, Commanders, Rollogans and similar equipment when pulling sleds, trailers or similar equipment; Boat Coxswain; Lowboys including attached trailers and jeeps, up to and including 12 axles; Ready-mix over 12 yards up to and including 15 yards); Water Wagon (250 Bbls and above); Tireman, Heavy Duty/Fueler

GROUP 1A: Dump Trucks (including Rockbuggy and Trucks with pups) over 60 yards up to and including 100 yards; Jeeps (driver under load)

GROUP 2: Turn-O-Wagon or DW-10 not self-loading; All Deltas, Commanders, Rollogans, and similar equipment; Mechanics; Dump Trucks (including Rockbuggy and Trucks with pups) over 20 yards up to and including 40 yards; Lowboys including attached trailers and jeeps up to and including 8 axles; Super vac truck/cacasco truck/heat stress truck; Ready-mix over 7 yards up to and including 12 yards; Partsman; Stringing Truck

GROUP 3: Dump Trucks (including Rockbuggy and Trucks with pups) over 10 yards up to and including 20 yards; batch trucks 8 yards and up; Oil distributor drivers; Oil Distributor Drivers; Trucks/Jeeps (push or pull); Traffic Control Technician

GROUP 4: Buggymobile; Semi or Truck and trailer; Dumpster; Tireman (light duty); Dump Trucks (including Rockbuggy and Truck with pups) up to and including 10 yards; Track Truck Equipment; Grease Truck; Flat Beds, dual rear axle; Hyster Operators (handling bulk aggregate); Lumber Carrier; Water Wagon, semi; Water Truck, dual axle; Gin Pole Truck, Winch Truck, Wrecker, Truck Mounted "A" Frame manufactured rating over 5 tons; Bull Lifts and Fork Lifts with Power Boom and Swing attachments, over 5 tons; Front End Loader with Forks; Bus Operator over 30 passengers; All Terrain Vehicles; Boom Truck/Knuckle Truck over 5 tons; Foam Distributor Truck/dual axle; Hydro-seeders, dual axle; Vacuum Trucks, Truck Vacuum Sweepers; Loadmaster (air and water); Air Cushion or similar type vehicle; Fire Truck/Ambulance Driver; Combination Truck-fuel and grease; Compactor (when pulled by rubber tired equipment); Rigger (air/water/oilfield); Ready Mix, up to and including 7 yards;

GROUP 5: Gravel Spreader Box Operator on Truck; Flat Beds, single rear axle; Boom Truck/Knuckle Truck up to and including 5 tons; Pickups (Pilot Cars and all light duty vehicles); Water Wagon (Below 250 Bbls); Gin Pole Truck, Winch Truck, Wrecker, Truck Mounted "A" Frame, manufactured rating 5 tons and under; Bull Lifts and Fork Lifts (fork lifts with power broom and swing attachments up to and including 5 tons); Buffer Truck; Tack Truck; Farm type Rubber Tired Tractor (when material handling or pulling wagons on a construction project); Foam Distributor, single axle; Hydro-Seeders, single axle; Team Drivers (horses, mules and similar equipment); Fuel Handler (station/bulk attendant); Batch Truck, up to and including 7 yards; Gear/Supply Truck; Bus Operator, Up to 30 Passengers; Rigger/Swamper

WELDERS - Receive rate prescribed for craft performing operation to which welding is incidental.

=====
Note: Executive Order (EO) 13706, Establishing Paid Sick Leave for Federal Contractors applies to all contracts subject to the Davis-Bacon Act for which the contract is awarded (and any

solicitation was issued) on or after January 1, 2017. If this contract is covered by the EO, the contractor must provide employees with 1 hour of paid sick leave for every 30 hours they work, up to 56 hours of paid sick leave each year. Employees must be permitted to use paid sick leave for their own illness, injury or other health-related needs, including preventive care; to assist a family member (or person who is like family to the employee) who is ill, injured, or has other health-related needs, including preventive care; or for reasons resulting from, or to assist a family member (or person who is like family to the employee) who is a victim of, domestic violence, sexual assault, or stalking. Additional information on contractor requirements and worker protections under the EO is available at <https://www.dol.gov/agencies/whd/government-contracts>.

Unlisted classifications needed for work not included within the scope of the classifications listed may be added after award only as provided in the labor standards contract clauses (29CFR 5.5 (a) (1) (iii)).

The body of each wage determination lists the classifications and wage rates that have been found to be prevailing for the type(s) of construction and geographic area covered by the wage determination. The classifications are listed in alphabetical order under rate identifiers indicating whether the particular rate is a union rate (current union negotiated rate), a survey rate, a weighted union average rate, a state adopted rate, or a supplemental classification rate.

Union Rate Identifiers

A four-letter identifier beginning with characters other than ""SU"", ""UAVG"", ?SA?, or ?SC? denotes that a union rate was prevailing for that classification in the survey. Example: PLUM0198-005 07/01/2024. PLUM is an identifier of the union whose collectively bargained rate prevailed in the survey for this classification, which in this example would be Plumbers. 0198 indicates the local union number or district council number where applicable, i.e., Plumbers Local 0198. The next number, 005 in the example, is an internal number used in processing the wage determination. The date, 07/01/2024 in the example, is the effective date of the most current negotiated rate.

Union prevailing wage rates are updated to reflect all changes over time that are reported to WHD in the rates in the collective bargaining agreement (CBA) governing the classification.

Union Average Rate Identifiers

The UAVG identifier indicates that no single rate prevailed for those classifications, but that 100% of the data reported for the classifications reflected union rates. EXAMPLE: UAVG-OH-0010 01/01/2024. UAVG indicates that the rate is a weighted union average rate. OH indicates the State of Ohio. The next number, 0010 in the example, is an internal number used in producing the wage determination. The date, 01/01/2024 in the example, indicates the date the wage determination was updated to reflect the most current union average rate.

A UAVG rate will be updated once a year, usually in January, to reflect a weighted average of the current rates in the collective bargaining agreements on which the rate is based.

Survey Rate Identifiers

The ""SU"" identifier indicates that either a single non-union rate prevailed (as defined in 29 CFR 1.2) for this classification in the survey or that the rate was derived by computing a weighted average rate based on all the rates reported in the survey for that classification. As a weighted average rate includes all rates reported in the survey, it may include both union and non-union rates. Example: SUFL2022-007 6/27/2024. SU indicates the rate is a single non-union prevailing rate or a weighted average of survey data for that classification. FL indicates the State of Florida. 2022 is the year of the survey on which these classifications and rates are based. The next number, 007 in the example, is an internal number used in producing the wage determination. The date, 6/27/2024 in the example, indicates the survey completion date for the classifications and rates under that identifier.

?SU? wage rates typically remain in effect until a new survey is conducted. However, the Wage and Hour Division (WHD) has the discretion to update such rates under 29 CFR 1.6(c)(1).

State Adopted Rate Identifiers

The ""SA"" identifier indicates that the classifications and prevailing wage rates set by a state (or local) government were adopted under 29 C.F.R 1.3(g)-(h). Example: SAME2023-007 01/03/2024. SA reflects that the rates are state adopted. ME refers to the State of Maine. 2023 is the year during which the state completed the survey on which the listed classifications and rates are based. The next number, 007 in the example, is an internal number used in producing the wage determination. The date, 01/03/2024 in the example, reflects the date on which the classifications and rates under the ?SA? identifier took effect under state law in the state from which the rates were adopted.

----- WAGE DETERMINATION APPEALS PROCESS

1) Has there been an initial decision in the matter? This can be:

- a) a survey underlying a wage determination
- b) an existing published wage determination
- c) an initial WHD letter setting forth a position on a wage determination matter
- d) an initial conformance (additional classification and rate) determination

On survey related matters, initial contact, including requests for summaries of surveys, should be directed to the WHD Branch of Wage Surveys. Requests can be submitted via email to davisbaconinfo@dol.gov or by mail to:

Branch of Wage Surveys
Wage and Hour Division
U.S. Department of Labor
200 Constitution Avenue, N.W.
Washington, DC 20210

Regarding any other wage determination matter such as conformance decisions, requests for initial decisions should be directed to the WHD Branch of Construction Wage Determinations. Requests can be submitted via email to BCWD-Office@dol.gov or by mail to:

Branch of Construction Wage Determinations
Wage and Hour Division
U.S. Department of Labor
200 Constitution Avenue, N.W.
Washington, DC 20210

2) If an initial decision has been issued, then any interested party (those affected by the action) that disagrees with the decision can request review and reconsideration from the Wage and Hour Administrator (See 29 CFR Part 1.8 and 29 CFR Part 7). Requests for review and reconsideration can be submitted via email to dba.reconsideration@dol.gov or by mail to:

Wage and Hour Administrator
U.S. Department of Labor
200 Constitution Avenue, N.W.
Washington, DC 20210

The request should be accompanied by a full statement of the interested party's position and any information (wage payment data, project description, area practice material, etc.) that the requestor considers relevant to the issue.

3) If the decision of the Administrator is not favorable, an interested party may appeal directly to the Administrative Review Board (formerly the Wage Appeals Board). Write to:

Administrative Review Board
U.S. Department of Labor
200 Constitution Avenue, N.W.
Washington, DC 20210.

=====
END OF GENERAL DECISION"

...AM0005

**Bid Inquiry Contracting Officers Report
Closed Inquiries**

Project: Missile Field 2 Power Redundancy **Review:** FTG257 Bidder Inquiries (00001)
(sorted by CommentID)
Displaying 15 inquiries.

Id	Discipline	Sheet	Detail	Spec
11256931	General		00 22 11	
Comment Classification: UNCLASSIFIED (U)				
In section 00 22 11, 4.0, Proposal and Related Evaluation Factors, Factor 4 has a Relative Importance of "Significantly less important than Factors 1, 2, 3, and 4 Combined)." Please confirm if this should instead read "...Factors 1, 2, and 3 Combined." By: Jason Nichols; ASRC Builders LLC; (9073395939). On: Mar 25 2025. Requires Amendment. ☒ Forward request by email.				
1-0	Evaluation Concurred. Amendment 0001 has been posted to correct this error. Thank you. (Attachment: W911KB25R0019_AM0001.pdf) By: Brittney Morrison; Contracting Division; (907-753-2894) On: Mar 28 2025			
1-1	Government Response. Amendment 0001 has been posted to correct this error. Thank you. By: Brittney Morrison; Contracting Division; (907-753-2894) On: Apr 14 2025			
	Current Request Status: Request Closed			
Information for this report is procurement sensitive.				
11284432	General		Proposal Submission	
Comment Classification: UNCLASSIFIED (U)				
We request a proposal extension date of 1 week, (29 April) to allow for additional time to receive supplier quotes. By: Jason Nichols; ASRC Builders LLC; (9073395939). On: Apr 09 2025. ☒ Forward request by email.				
1-0	Evaluation Concurred. That will be acceptable, we will amend the solicitation. By: David Westerman; Project Management - Military; ((907) 753-2804) On: Apr 11 2025			
1-1	Government Response. That will be acceptable, we have amended the solicitation to extend proposal due date to 29 April 2025 at 2:00 pm AKST By: Brittney Morrison; Contracting Division; (907-753-2894) On: Apr 14 2025			
	Current Request Status: Request Closed			
Information for this report is procurement sensitive.				
11288874	Electrical		26 28 01.10 2.1	
Comment Classification: Controlled Unclassified Information (CUI)				
Section 26 28 01.10 2.1 specifies new SEL-751A relay to be consistent with MEB4 SEL-751A relays. Please provide SEL-751A full part number installed at MEB4. Is not specified in MEB4 as-built drawings. By: Jason Nichols; ASRC Builders LLC; (9073395939). On: Apr 11 2025. ☒ Forward request by email.				
1-0	Evaluation For Information Only. The MEB4 SEL-751A part number is 751A51A1B1A75850300. The contractor is still responsible for verifying the exact options provided on the ordered part number coordinate with their shop drawings. By: Mark Yanko; Black & Veatch - Overland Park, KS; (913-458-4576) On: Apr 16 2025			
1-1	Government Response. The MEB4 SEL-751A part number is 751A51A1B1A75850300. The contractor is still responsible for verifying the exact options provided on the ordered part number coordinate with their shop drawings. By: Brittney Morrison; Contracting Division; (907-753-2894) On: Apr 16 2025			
	Current Request Status: Request Closed			
Information for this report is procurement sensitive.				
11288876	Electrical			26 28 01.10 2.1.1
Comment Classification: Controlled Unclassified Information (CUI)				
Scope of Analyses Section 26 28 01.10 2.1.1 ?specifies that the study shall begin at the main breakers of SUS and go down to the main breaker PB1 in the SIVs and the new UPP power panel. The drawings provided is only up to SIVs. Provide the single line from each SIVs to the downstream PB1 and new UPP. By: Jason Nichols; ASRC Builders LLC; (9073395939). On: Apr 11 2025. ☒ Forward request by email.				
1-0	Evaluation For Information Only. PB1 is the first incoming breaker into the SIV and the UPP panels are not in the SIVs, they are the new UPS output panelboards being installed in the MEB by this project and are shown on the			

	oneline diagram and plan drawings. Breaker PB1 in the SIV is not specifically shown on the oneline drawings, but will be included in the ETAP model of MEB2 and the SIVs to be provided by the Government to the Contractor after contract award once requested by the contractor. By: Mark Yanko; Black & Veatch - Overland Park, KS; (913-458-4576) On: Apr 16 2025			
1-1	Government Response. PB1 is the first incoming breaker into the SIV and the UPP panels are not in the SIVs, they are the new UPS output panelboards being installed in the MEB by this project and are shown on the oneline diagram and plan drawings. Breaker PB1 in the SIV is not specifically shown on the oneline drawings, but will be included in the ETAP model of MEB2 and the SIVs to be provided by the Government to the Contractor after contract award once requested by the contractor. By: Brittney Morrison; Contracting Division; (907-753-2894) On: Apr 16 2025			
	Current Request Status: Request Closed			
Information for this report is procurement sensitive.				
11301725	General	None	None	None
Comment Classification: UNCLASSIFIED (U)				
We request an extension to May 6 in order to identify and clarify the scope of work with subcontractors and distributors.				
By: Sheila Schooner; Potawatomi Business Development Corp; (9073063888). On: Apr 18 2025.  Forward request by email.				
1-0	Evaluation Concurred. Extension for proposal due date to May 06, 2025 has been provided on AM0004 By: Brittney Morrison; Contracting Division; (907-753-2894) On: Apr 22 2025			
1-1	Government Response. Extension for proposal due date to May 06, 2025 has been provided on AM0004 By: Brittney Morrison; Contracting Division; (907-753-2894) On: Apr 22 2025			
	Current Request Status: Request Closed			
Information for this report is procurement sensitive.				
11301727	Electrical	ED92201K	Sheet Note 1	
Comment Classification: UNCLASSIFIED (U)				
Schneider Electric made the following clarification through PDO-HGC regarding the Sheet Reference No. ED92201K:				
"Sheet Notes 1 calls for "Arc Blast." – While Schneider Electric (SE) do offer Arc Resistance Power Zone 4 (PZ4) Switchgears, the existing PZ4 lineup was not designed or rated to be Arc Resistance. Therefore, SE cannot meet ANSI/IEEE C37.20.7 (Arc Resistance) spec requirement. SE will provide isolation barriers between SUS A & SUS B and meet the following standards: ANSI C30.20.1 (Design), ANSI C37.51 (Test), UL1558 (SWGR), UL1066 (LVPCB)."				
By: Sheila Schooner; Potawatomi Business Development Corp; (9073063888). On: Apr 18 2025.  Forward request by email.				
1-0	Evaluation Concurred. The intent of the note is to keep SUS A isolated from SUS B. The design is to keep fires and arc blasts from spreading from one SUS to the other by sealing pathways for fire to spread. It is not intended to make the switchgear arc resistant. By: Mark Yanko; Black & Veatch - Overland Park, KS; (913-458-4576) On: Apr 21 2025			
1-1	Government Response. The intent of the note is to keep SUS A isolated from SUS B. The design is to keep fires and arc blasts from spreading from one SUS to the other by sealing pathways for fire to spread. It is not intended to make the switchgear arc resistant. By: Brittney Morrison; Contracting Division; (907-753-2894) On: Apr 22 2025			
	Current Request Status: Request Closed			
Information for this report is procurement sensitive.				
11301728	General	None	None	None
Comment Classification: UNCLASSIFIED (U)				
Schneider Electric has requested, through PDO-HGC, an extension to move the bid date to May 6, if possible, to get extra time to identify and clarify the scope of work with GCs, ECs, and distributors.				
By: Sheila Schooner; Potawatomi Business Development Corp; (9073063888). On: Apr 18 2025.  Forward request by email.				
1-0	Evaluation Concurred. Extension for proposal due date to May 06, 2025 has been provided on AM0004 By: Brittney Morrison; Contracting Division; (907-753-2894) On: Apr 22 2025			
1-1	Government Response. Extension for proposal due date to May 06, 2025 has been provided on AM0004 By: Brittney Morrison; Contracting Division; (907-753-2894) On: Apr 22 2025			
	Current Request Status: Request Closed			
Information for this report is procurement sensitive.				
11301729	Electrical	None	None	None
Comment Classification: UNCLASSIFIED (U)				

Schneider Electric, through PDO-HGC, has requested clarification for the following questions:

1. Other than the consolidation of cells 5A/5B/7A/7B and replacement with (2) new 3200A tie breakers, does the request include the replacement of any/all existing mains and feeders? Sheet notes only detail trip unit upgrade, comms addition, and motor operator addition to existing mains/feeders.
2. If the scope includes modification of sensor rating of any existing breakers, please detail cell locations and corresponding amperages.
3. If the scope includes replacement of existing mains/feeders, please detail the desired frame and sensor ratings for each cell.
4. Sheet E-92201K Note 1 states "Provide new nameplates for relocated breakers and loads fed by breakers." Please detail which breakers (if any) are to be relocated to which cells. Current assumption is that breakers from 4D and 8D would move to cells 4A and 8A, respectively.
5. Sheet E-92201K Note 2 states "Equipped space for future SIV feeders. Are these cells to remain empty? The drawings appear to indicate that cells 5C/5D/7C/7D are currently prepared spaces.
6. Do existing mains and feeders currently have shunt trip & close coils? Need to verify if these will be reused or if new coils need to be provided in addition to motor operators.
7. Please confirm if existing mains currently have ERMS installed.
8. Is there existing control power provided for electrical operation of all breakers?
9. Please confirm quantity for thermostat addition.

By: Sheila Schooner; Potawatomi Business Development Corp; (9073063888). On: Apr 18 2025.  Forward request by email.

1-0	Evaluation For Information Only. 1. Per drawing E-92601K note 7, breaker in cell 2D needs to be replaced with a 600A trip, motor operator, and electronic trip unit. Also, on drawing E-92602K, breaker in cell 10D needs to be replaced with a 600A trip, motor operator and electronic trip unit. 2. There are no breakers requiring modifications to sensor ratings. See drawing E-92601K and E-92602K for final configuration of all power breakers. 3. Per drawing E-92601K note 7, breaker needs to be replaced with a 600A trip and 800A frame, motor operator, and electronic trip unit in cell 2D. Also, on drawing E-92602K, breaker in cell 10D needs to be replaced with a 600A trip and 800A frame, motor operator and electronic trip unit. 4. Per drawings E-92601K note 8 and E-92602K note 11, breakers from cells 4D and 8D would move to cells 4A and 8A, respectively. 5. Per drawings ED92601K and ED92602K (current configuration of switchgear/breakers), cells 5C/5D/7C/7D are currently prepared spaces. Contractor shall verify these cells are indeed equipped spaces. Also, cells 4D and 8D shall become equipped spaces once breakers are relocated. 6. Existing mains and ties have shunt trip and close coils and existing feeders do not have shunt trip and close coils according to OEM shop drawings. The design calls for mains, ties and feeders to have shunt trip and close capability, including equipped spaces (cell wired for this only since no breaker shall be installed in equipped spaces). Feeder breakers shall require new shunt trip and close coils as shown on drawings E-92806K and E-92807K and charging motors as shown on drawing E-92888K. Mains shall reuse the shunt trip and close coils and the charging motors. New tie breakers shall be provided with shunt trip, close coils, and charging motors as shown. 7. Energy Reduction Maintenance Settings (ERMS) is not installed on the mains. 8. The existing control power shall be demolished per drawing ED92800K. Feeder breaker control power shall be installed as shown on drawings E-92806K, E-92807K and E-92800K. 9. The design calls for one new thermostat on drawing E-92822K that shall control the strip heaters in Switchgear B. By: Mark Yanko; Black & Veatch - Overland Park, KS; (913-458-4576) On: Apr 21 2025
------------	---

1-1	Government Response. 1. Per drawing E-92601K note 7, breaker in cell 2D needs to be replaced with a 600A trip, motor operator, and electronic trip unit. Also, on drawing E-92602K, breaker in cell 10D needs to be replaced with a 600A trip, motor operator and electronic trip unit. 2. There are no breakers requiring modifications to sensor ratings. See drawing E-92601K and E-92602K for final configuration of all power breakers. 3. Per drawing E-92601K note 7, breaker needs to be replaced with a 600A trip and 800A frame, motor operator, and electronic trip unit in cell 2D. Also, on drawing E-92602K, breaker in cell 10D needs to be replaced with a 600A trip and 800A frame, motor operator and electronic trip unit. 4. Per drawings E-92601K note 8 and E-92602K note 11, breakers from cells 4D and 8D would move to cells 4A and 8A, respectively. 5. Per drawings ED92601K and ED92602K (current configuration of switchgear/breakers), cells 5C/5D/7C/7D are currently prepared spaces. Contractor shall verify these cells are indeed equipped spaces. Also, cells 4D and 8D shall become equipped spaces once breakers are relocated. 6. Existing mains and ties have shunt trip and close coils and existing feeders do not have shunt trip and close coils according to OEM shop drawings. The design calls for mains, ties and feeders to have shunt trip and close capability,
------------	--

including equipped spaces (cell wired for this only since no breaker shall be installed in equipped spaces). Feeder breakers shall require new shunt trip and close coils as shown on drawings E-92806K and E-92807K and charging motors as shown on drawing E-92888K. Mains shall reuse the shunt trip and close coils and the charging motors. New tie breakers shall be provided with shunt trip, close coils, and charging motors as shown. 7. Energy Reduction Maintenance Settings (ERMS) is not installed on the mains. 8. The existing control power shall be demolished per drawing ED92800K. Feeder breaker control power shall be installed as shown on drawings E-92806K, E-92807K and E-92800K. 9. The design calls for one new thermostat on drawing E-92822K that shall control the strip heaters in Switchgear B. By: Brittney Morrison; Contracting Division; (907-753-2894) On: Apr 22 2025				
Current Request Status: Request Closed				
Information for this report is procurement sensitive.				
11313684	Structural	None	None	None
Comment Classification: UNCLASSIFIED (U) Is there any physical modification to the control systems on-site? Provide a list of controls that need to be seismically certified vs reprogrammed. By: Sheila Schooner; Potawatomi Business Development Corp; (9073063888). On: Apr 25 2025.  Forward request by email.				
1-0	Evaluation For Information Only. On-site (existing) control system consists of SCMS (Site Control and Monitoring System). The SCMS work includes demolition of conduits/cable and reprogramming, so SCMS is not listed in 26 05 48 SEISMIC PROTECTION FOR ELECTRICAL EQUIPMENT since the only physical work on this system is demolition. By: Randall Kent; Black & Veatch - Overland Park, KS; (913-458-1130) On: Apr 29 2025			
2-0	Evaluation For Information Only. PCMS and PQMS systems are listed in 26 05 48 as requiring seismic certification. By: Michael Abraham; Black & Veatch - Overland Park, KS; (913-458-6587) On: Apr 29 2025			
2-1	Government Response. On-site (existing) control system consists of SCMS (Site Control and Monitoring System). The SCMS work includes demolition of conduits/cable and reprogramming, so SCMS is not listed in 26 05 48 SEISMIC PROTECTION FOR ELECTRICAL EQUIPMENT since the only physical work on this system is demolition. PCMS and PQMS systems are listed in 26 05 48 as requiring seismic certification. By: Brittney Morrison; Contracting Division; (907-753-2894) On: Apr 30 2025			
Current Request Status: Request Closed				
Information for this report is procurement sensitive.				
11313694	Structural	None	None	UFC 3-301-02 section 2-1.2 Nonstructural Component Design Review
Comment Classification: UNCLASSIFIED (U) UFC 3-301-02 section 2-1.2 Nonstructural Component Design Review states the following. A review of the nonstructural component design (including anchorage) must be performed by an independent licensed professional engineer with at least 15 years of experience in the theory and application of nonlinear seismic analysis and structural behavior under extreme cyclic loads. Previous design experience must be commensurate in complexity to the project being reviewed. Selection of the independent nonstructural component design reviewer is subject to the review and approval of the AHJ and the reviewer must be retained by the A/E design firm (DBB) or the General Contractor (DB). The structural and non-structural component design review may be conducted by the same independent reviewer subject to the already noted qualifications. The non-structural component design review should occur prior to commissioning and should include, but not necessarily be limited to, the following: 1. Review of in-structure response data and confirmation that any recommendations made by the Structural Design Reviewer have been incorporated into the in-structure response. 2. Review of component qualifications to confirm proper in-structure response was utilized. 3. Upon completion of design review of all documentation, the reviewer must perform a walk-down inspection of the project and confirm the following: a. Component installations are in their submitted and approved location. b. Identification nameplates are installed as specified in Section 2-17.8 c. Component qualification documentation has been incorporated into the Operations & Maintenance Manual as specified in Section 2-17.7.				
Is the Non-Structural Component Design Reviewer Seismic Review Panel required to be hired by the contractor?				

Will the contractor's seismic reviewer be required to walk down the components after they are installed as part of the SEWS walk down process or will the government's engineer be performing the walk down?

By: Sheila Schooner; Potawatomi Business Development Corp; (9073063888). On: Apr 25 2025.  Forward request by email.

1-0	Evaluation For Information Only. The non-structural component design reviewer will be provided by the Government per 01 45 35 - 1.3.11. The contractor is required to document inspections of nonstructural component installation per 26 05 48 - 1.2.3 and 01 45 35 Attachment A. The Government's engineer will perform their own independent final walkdown inspection as stated in 01 45 35 Attachment A. By: Michael Abraham; Black & Veatch - Overland Park, KS; (913-458-6587) On: Apr 29 2025
-----	--

1-1	Government Response. The non-structural component design reviewer will be provided by the Government per 01 45 35 - 1.3.11. The contractor is required to document inspections of nonstructural component installation per 26 05 48 - 1.2.3 and 01 45 35 Attachment A. The Government's engineer will perform their own independent final walkdown inspection as stated in 01 45 35 Attachment A. By: Brittney Morrison; Contracting Division; (907-753-2894) On: Apr 30 2025
-----	--

Current Request Status: Request Closed

Information for this report is procurement sensitive.
--

11313699	Structural	None	None	None
----------	------------	------	------	------

Comment Classification: **UNCLASSIFIED (U)**

We would like to do a lidar scan of the electrical room and the conduit paths. Will this be allowed?

By: Sheila Schooner; Potawatomi Business Development Corp; (9073063888). On: Apr 25 2025.  Forward request by email.

1-0	Evaluation For Information Only. LiDAR scans have been previously performed on the facility, so the Government should likely allow the contractor to perform a LiDAR scan, but BV defers to the Government for a final decision. By: Randall Kent; Black & Veatch - Overland Park, KS; (913-458-1130) On: Apr 29 2025
-----	--

1-1	Government Response. LiDAR scans have been previously performed on the facility, so the Government should likely allow the contractor to perform a LiDAR scan, but BV defers to the Government for a final decision. By: Brittney Morrison; Contracting Division; (907-753-2894) On: Apr 30 2025
-----	---

Current Request Status: Request Closed

Information for this report is procurement sensitive.
--

11313701	Structural	None	None	None
----------	------------	------	------	------

Comment Classification: **UNCLASSIFIED (U)**

Are there conduit pathways in the utilidors that will be re-used to run communications wires/fiber required to be seismically evaluated

By: Sheila Schooner; Potawatomi Business Development Corp; (9073063888). On: Apr 25 2025.  Forward request by email.

1-0	Evaluation For Information Only. All new communications circuits/fiber inside MEB 2 will be installed in new conduits which need to be seismically evaluated. By: Randall Kent; Black & Veatch - Overland Park, KS; (913-458-1130) On: Apr 29 2025
-----	---

2-0	Evaluation For Information Only. There is no work in the utilidors by this project. By: Michael Abraham; Black & Veatch - Overland Park, KS; (913-458-6587) On: Apr 29 2025
-----	--

2-1	Government Response. All new communications circuits/fiber inside MEB 2 will be installed in new conduits which need to be seismically evaluated. There is no work in the utilidors by this project. By: Brittney Morrison; Contracting Division; (907-753-2894) On: Apr 30 2025
-----	---

Current Request Status: Request Closed

Information for this report is procurement sensitive.
--

11313704	Structural	None	None	None
----------	------------	------	------	------

Comment Classification: **UNCLASSIFIED (U)**

Are new conduit runs required in the power plant or can existing pathways be reused? Do these pathways require seismic evaluation as a small part of a larger system?

By: Sheila Schooner; Potawatomi Business Development Corp; (9073063888). On: Apr 25 2025.  Forward request by email.

1-0	Evaluation For Information Only. This project will not install new conduits in the power plant and will not reuse existing conduit runs for new cables in the power plant. Existing fiber optic cables will be used. The only new cables are fiber optic patch cables to be installed within existing communications cabinets or between adjacent communications cabinets via existing cable tray running over the cabinets and thus do not require seismic evaluation
-----	---

	since the qualification of the existing cabinets and tray provided an allowance for future cabling and the weight of this new cabling is negligible. By: Randall Kent; Black & Veatch - Overland Park, KS; (913-458-1130) On: Apr 29 2025			
1-1	Government Response. This project will not install new conduits in the power plant and will not reuse existing conduit runs for new cables in the power plant. Existing fiber optic cables will be used. The only new cables are fiber optic patch cables to be installed within existing communications cabinets or between adjacent communications cabinets via existing cable tray running over the cabinets and thus do not require seismic evaluation since the qualification of the existing cabinets and tray provided an allowance for future cabling and the weight of this new cabling is negligible. By: Brittney Morrison; Contracting Division; (907-753-2894) On: Apr 30 2025			
	Current Request Status: Request Closed			
Information for this report is procurement sensitive.				
11313706	Structural	None	None	None
Comment Classification: UNCLASSIFIED (U)				
Are new conduit runs required in the R&C or can existing pathways be reused? Do these pathways require seismic evaluation as a small part of a larger system?				
By: Sheila Schooner; Potawatomi Business Development Corp; (9073063888). On: Apr 25 2025.  Forward request by email.				
1-0	Evaluation For Information Only. Existing comm conduit pathways in the R&C will be used for the new fiber optic cable as shown on B-05401K. The existing conduit pathways in the R&C do not require seismic evaluation. By: Michael Abraham; Black & Veatch - Overland Park, KS; (913-458-6587) On: Apr 29 2025			
1-1	Government Response. Existing comm conduit pathways in the R&C will be used for the new fiber optic cable as shown on B-05401K. The existing conduit pathways in the R&C do not require seismic evaluation. By: Brittney Morrison; Contracting Division; (907-753-2894) On: Apr 30 2025			
	Current Request Status: Request Closed			
Information for this report is procurement sensitive.				
11314035	General	None	None	None
Comment Classification: UNCLASSIFIED (U)				
We are proposing to use RESPEC's in-house team of structural engineers for the design of the CQD's and the non-structural component seismic review panel. All team members work for RESPEC and have Risk Category V experience. Is this acceptable?				
By: Sheila Schooner; Potawatomi Business Development Corp; (9073063888). On: Apr 25 2025.  Forward request by email.				
1-0	Evaluation For Information Only. Yes, RESPEC's in-house team is acceptable. Contractor is reminded that every CQD requires a designer, checker, and peer reviewer. By: Michael Abraham; Black & Veatch - Overland Park, KS; (913-458-6587) On: Apr 29 2025			
1-1	Government Response. Yes, RESPEC's in-house team is acceptable. Contractor is reminded that every CQD requires a designer, checker, and peer reviewer. By: Brittney Morrison; Contracting Division; (907-753-2894) On: Apr 30 2025			
	Current Request Status: Request Closed			
Information for this report is procurement sensitive.				

Report Complete

Patent 11/892,984 ProjNet property of ERDC since 2004.