



April 27, 2026.

COMBINED SYNOPSIS/SOLICITATION

RFQ Number PR15956166

The Bureau of International Narcotics and Law Enforcement (INL) at the U.S. Embassy in Bogota invites you to submit a quotation for the acquisition for MISCELLANEOUS CONSTRUCTION MATERIALS.

Place of performance: Monteria in Colombia.

Contract managed: Local Contracting

Performance period for this contract will be 10 days after receive the order purchase.

Quote must be submitted via email no later than May 07, 2026, at 16:00 hours (Bogota, Colombia) time.

Refer to SF-1449 Continuation Pages, Section 3 (Solicitation Provisions), Subsection III (Addendum to [FAR 12.202](#)), Item 2.0 for complete submission instructions. This solicitation will be completed under full and open competition.

Questions pertaining to this solicitation, if any, must be received by the Government no later than April 30, 2026, at 16:00 hours (Bogota, Colombia).

This is a combined synopsis/solicitation prepared in accordance with the format in [FAR Subpart 12.202](#), as supplemented with additional information included in this notice. This announcement constitutes the only solicitation; quotations are being requested by this notice alone, and a written solicitation will not be issued. The resultant purchase order will be awarded using Simplified Acquisition Procedures in accordance with [FAR 12](#).

The U.S. Government intends to award a purchase order if the responsive quote is technically acceptable and reasonably priced. We intend to award a contract based on initial quote, without holding discussions, although we may hold discussions if it is in the best interest of the Government to do so.

Unless an exception in [FAR 4.203](#) applies, your company must be registered in the System for Award Management (SAM) (www.SAM.gov) in order to be eligible for award. You may contact **Kamila Ariza** at Arizak@state.gov ; should you have any questions relating to SAM registration.

Sincerely

Mallory Pickett
Contracting Officer, INL Bogota

U.S. DEPARTMENT *of* STATE



Embajada de los Estados Unidos de América

Carrera 45 # 24B- 27 - (+57601) 275.2000 - Bogotá D.C. – Colombia

co.usembassy.gov

19. ITEM NO.	20. SCHEDULE OF SUPPLIES/SERVICES	21. QUANTITY	22. UNIT	23. UNIT PRICE	24. AMOUNT

32a. QUANTITY IN COLUMN 21 HAS BEEN

☐ RECEIVED ☐ INSPECTED ☐ ACCEPTED, AND CONFORMS TO THE CONTRACT, EXCEPT AS NOTED: _____

32b. SIGNATURE OF AUTHORIZED GOVERNMENT REPRESENTATIVE

32c. DATE

32d. PRINTED NAME AND TITLE OF AUTHORIZED GOVERNMENT REPRESENTATIVE

32e. MAILING ADDRESS OF AUTHORIZED GOVERNMENT REPRESENTATIVE

32f. TELEPHONE NUMBER OF AUTHORIZED GOVERNMENT REPRESENTATIVE

32g. E-MAIL OF AUTHORIZED GOVERNMENT REPRESENTATIVE

33. SHIP NUMBER

34. VOUCHER NUMBER

35. AMOUNT VERIFIED
CORRECT FOR

36. PAYMENT

37. CHECK NUMBER

☐ PARTIAL ☐ FINAL

☐ COMPLETE ☐ PARTIAL ☐ FINAL

38. S/R ACCOUNT NO.

39. S/R VOUCHER NUMBER

40. PAID BY

41a. I CERTIFY THIS ACCOUNT IS CORRECT AND PROPER FOR PAYMENT

41b. SIGNATURE AND TITLE OF CERTIFYING OFFICER

41c. DATE

42a. RECEIVED BY *(Print)*

42b. RECEIVED AT *(Location)*

42c. DATE REC'D *(YY/MM/DD)*

42d. TOTAL CONTAINERS



RFQ Number: PR15956166

PR15956166 TABLE OF CONTENTS

Section 1 - The Schedule

- Standard Form 1449 (SF-1449)
- Continuation To SF-1449, RFQ Number PR15956166

Section 2 - Contract Clauses

Section 3 - Solicitation Provisions

Section 4 – Evaluation Factors

Section 5 – Representations and Certifications

Attachments List

- (a) Price Schedule (Attachment A).
- (b) Statement of Work (Attachment B)

All information from the INL Procurement Unit is confidential and should not be shared with third parties or personnel outside of INL Procurement. Proposals submitted to the American Embassy are exclusive, and any disclosure may result in disqualification from the processes. If anyone outside our team requests information, report it immediately. Transparency and ethics are fundamental to our procurement processes, ensuring equal opportunities for all participants.



RFQ Number: PR15956166

SECTION 1 – THE SCHEDULE

Continuation to SF-1449, RFQ Number PR15956166, Schedule, Block 11

1.0 TYPE OF CONTRACT

This is a firm-fixed- price (FFP) purchase order payable entirely in Colombian pesos (COP) for Colombian firms and US dollars (USD) for US firms. The price includes all direct and indirect costs, overhead, general, and administrative expenses, profit, shipping/delivery charges, insurance, assembly, etc. The price will not be subject to adjustment after award. No additional sums will be payable for any escalation in the cost of materials, equipment, or labor, or because of the Contractor's failure to properly estimate or accurately predict the cost or difficulty of completing the contract. The Government will not adjust the contract price due to fluctuations in the cost of contract performance or due to fluctuations in exchange rates.

2.0 PRICES

Refer to Attachment A for a complete list of required products. Offerors must complete the pricing template with proposed unit prices. Request the excel version from arizak@state.gov.

a. Price Schedule. (Attachment A).

Fundamental aspects are requested in the excel version **Price Schedule (Attachment A)** and in the **Statement of Work (Attachment B)**; must be provided by the vendor in the quote.

*** * ***

Please request the excel version
of the Price Schedule (Attachment A) from:
arizak@state.gov

NOTE ON SECURITY PROHIBITIONS AND EXCLUSIONS:

Please, per FAR 52.240-91 and 52.240-90, propose other manufacturers than Chinese or related.

3.0 VALUE ADDED TAX.

Value Added Tax (VAT) or Impuesto a las Ventas (IVA)

Page 2 of 56

U.S. DEPARTMENT *of* STATE



Embajada de los Estados Unidos de América

Carrera 45 # 24B- 27 - (+57601) 275.2000 - Bogotá D.C. – Colombia

co.usembassy.gov

SBU - CONTRACTING AND ACQUISITIONS



The Contractor will not be reimbursed VAT or IVA under this contract by the USG, as described in the tax relief procedures as follows:

TAX RELIEF PROCEDURES

(a) General. This clause supplements FAR 52.229-6, Taxes – Foreign Fixed-Price Contracts (Reference 29.402-1(a)). The prices set forth in this contract are exclusive of all taxes and duties from which the U.S. Government is exempt by virtue of agreement between the U.S. Government and the Government of Colombia.

(b)(1) Procedures. The Contractor shall follow the procedures in paragraph (c) of this clause regarding tax relief as provided in the agreement between the U. S. Government and Colombia. The diplomatic tax privilege belongs to the U.S. Government and applies to taxes and duties payable to Colombia that are directly attributable to contract costs identified in paragraph (c) as subject to exemption, e.g., taxes or duties levied by Colombia on labor and materials that are applied to or utilized in performance of this contract.

(2) The procedures in paragraph (c) are based on the current local tax relief agreement between the US Government and Colombia and are subject to change.

(c) The following procedures are included in, or are derived from, the agreement negotiated with Colombia and are hereby incorporated into this clause:

“Any quotation, invoice or bill to be submitted to the USG/INL Colombia for payment of cost incurred under this contract should reflect zero value concerning VAT or IVA (Impuesto a las Ventas). Upon contract award, the Office of INL Bogota will issue an exemption letter (Exención de Impuesto) to the awardee to be presented to the Government of Colombia for any claim that may arise during the performance of this contract. The awardee, not the USG will coordinate directly with the Government of Colombia on any VAT or IVA matter under this contract”.

(d) Remedies. The Government may impose the following remedies in the event the Contractor fails to follow the procedures outlined in paragraph (c) of this clause. These actions are in addition to any other remedies available to the Government:

(1) The Contracting Officer may suspend contract payments in accordance with the procedures at FAR 32.503-6(a)(1).

(2) The Contracting Officer may terminate the contract for default in accordance with the procedures at FAR Subpart 49.4.





RFQ Number: PR15956166

(3) The Contracting Officer may refer the case to the agency suspension and debarment official, in accordance with agency procedures, pursuant to FAR Subpart 9.4.

(e) Audit. The Contracting Officer shall have the right to examine and audit all records and other evidence regarding the Contractor's compliance with the requirements of this clause.

4.0 REQUIRED PRODUCTS / SERVICES

Refer to the Price Schedule (Attachment A).

5.0 DELIVERY AND MARKING INSTRUCTIONS

Upon award/notice to proceed the vendor shall have no more than 10 (Ten) days to deliver the full order. The items/ services being acquired will be donated to the Government of Colombia.

- Monteria, Colombia.

All items shall be clearly marked as follows:

EMBAJADA DE ESTADOS UNIDOS DE AMERICA - INL

Bogota, Colombia

Order No. (PR15956166)

Item #__ of __ (if applicable)

ATTN: INL/Colombia

(Improperly marked shipments may be rejected by the Government)

6.0 PERIOD OF PERFORMANCE (POP)

The Period of Performance for this contract is 10 days. Vendor must fulfill the contract and deliver 100% of the required materials within ten (10) days After Receipt of the Purchase Order (ARO).

7.0 INVOICING INSTRUCTIONS

Page 4 of 56

U.S. DEPARTMENT of STATE



Embajada de los Estados Unidos de América

Carrera 45 # 24B- 27 - (+57601) 275.2000 - Bogotá D.C. – Colombia

co.usembassy.gov

SBU - CONTRACTING AND ACQUISITIONS



RFQ Number: PR15956166

Services are paid monthly, and advances are not made for goods or services that have not been satisfactorily received by the American Embassy

Invoices can only be submitted through the Vendor Portal:

- <https://mygrants.servicenowservices.com/mygrants>
- The Contractor must submit invoice(s) for payment only once product(s) and/ or service(s) are received by Government. **No advance payments are allowed.**
- “Payment Instructions for Submitting Invoices” (video tutorials link included) will be provided along with the Purchase Order.
- Vendors may check Payment Status through the Vendor Portal.
- For Vendor Portal issues, (e.g. account activation, portal questions) please contact BogotaVendorPortal@state.gov.

The Government shall pay the contractor as full compensation for all work required, performed, and accepted under this order 30 days after receipt of the invoice.

The payment term for Vendors delivering to GOLDBELT begins once the goods are reviewed and approved by the US Embassy Bogotá Logistics Unit at Bogotá’s INL warehouse. Vendors are advised to keep this process in mind to ensure accurate payment timelines and proper payment control.

Vendors may request a payment status update directly from the Financial Management Center by emailing BogotaPS@state.gov beginning 30 days after submitting an invoice for payment.

A proper invoice must include the following information:

1. Contractor's name and bank account information for payments by wire transfers.
2. Contractor's name, telephone, and mailing address.
3. Invoice date and number.
4. Procurement Request Number (PR).
5. Description, quantity, unit of measure, unit price, and extended price of property delivered, or services performed.
6. Name, title, phone number, and address of person to contact in case of defective invoice.
7. Identification as “Original Invoice.” Any copy of an Original Invoice should be marked “Copy of Original Invoice” with a sequential number (1st, 2nd, 3rd, etc.).

Page 5 of 56

U.S. DEPARTMENT *of* STATE



Embajada de los Estados Unidos de América

Carrera 45 # 24B- 27 - (+57601) 275.2000 - Bogotá D.C. – Colombia

co.usembassy.gov

SBU - CONTRACTING AND ACQUISITIONS



RFQ Number: PR15956166

Note: If an invoice does not comply with the above requirements, the Embassy reserves the right to reject the invoice as improper and return it to the Contractor within seven (7) calendars days. The Contractor must then resubmit a proper invoice.

We encourage you to subscribe to the myILMS Vendor Portal by sending an email to BogotaVendorPortal@state.gov requesting instructions. If you are already registered, your invoice will only be received by this method. This does not apply to orders approved for credit card payment.

8.0 INSPECTION AND ACCEPTANCE OF SUPPLIES / SERVICES

Unless otherwise specified at the delivery order level, inspection, and acceptance of supplies to be delivered under this contract shall be made at destination by the Contracting Officer (or an authorized representative appointed in accordance with DOSAR 652.242-70).

The vendor is responsible for the delivery of all items listed above under Section 2 (Prices) and Technical Specifications of Items.

The Contractor shall properly pack and consolidate the entire shipment to prevent damage, loss and/or misdirection. The contractor upon notification shall replace any lost or damaged items during shipment.

The items being acquired will be donated to the government of the ultimate destination, Colombia. The contractor shall ensure that all items are prepared for safe shipment and include all necessary export approvals, required material data safety sheet, licenses, and paperwork.

9.0 LAWS AND REGULATIONS

Compliance Required. The Contractor shall, without additional expense to the Government, be responsible for complying with all laws, codes, ordinances, and regulations applicable to the performance of the work, including those of the host country, and with the lawful orders of any governmental authority having jurisdiction. Unless otherwise directed by the Contracting Officer, the Contractor shall comply with the more stringent of the requirements of such laws, regulations, and orders and of the contract. In the event of a conflict between the contract and such laws, regulations and orders, the Contractor shall promptly advise the Contracting Officer of the conflict and of the Contractor's proposed course of action for resolution by the Contracting Officer.

Page 6 of 56

U.S. DEPARTMENT *of* STATE



Embajada de los Estados Unidos de América

Carrera 45 # 24B- 27 - (+57601) 275.2000 - Bogotá D.C. – Colombia

co.usembassy.gov

SBU - CONTRACTING AND ACQUISITIONS



10.0 EXPORT RESTRICTIONS

- (a) The Contractor shall comply with all U.S. export control laws and regulations, including but not limited to the International Traffic in Arms Regulations (ITAR), 22 CFR Parts 120 through 130, and the Export Administration Regulations (EAR), 15 CFR Parts 730 through 799, in the performance of this contract.
- (b) In the absence of available license exemptions/exceptions, the Contractor shall be responsible for obtaining the appropriate licenses or other approvals, if required, for exports of hardware, technical data, and software, or for the provision of technical assistance.
- (c) The Contractor shall be responsible for obtaining export licenses, if required, before utilizing foreign persons in the performance of this order, including instances where the work is to be performed in the US where the foreign person will have access to export-controlled technical data or software.
- (d) The Contractor shall be responsible for all regulatory recordkeeping requirements associated with the use of licenses and license exemptions/exceptions.
- (e) The Contractor shall be responsible for ensuring that the provisions of this clause apply to its subcontractors.
- (f) Nothing in the terms of this contract adds, changes, supersedes, or waives any of the requirements of applicable Federal laws, Executive orders, and regulations.

11.0 INL SOURCE-NATIONALITY RESTRICTIONS

- (a) Except as may be specifically approved by the contracting officer, the contractor must procure all commodities (e.g., equipment, materials, vehicles, supplies) and services (including commodity transportation services) in accordance with the requirements at 22 CFR part 228 “Rules on Procurement of Commodities and Services Financed by USAID.” Guidance on eligibility of specific goods or services, an applicable INL waivers, may be obtained from the contracting officer.
- (b) Restricted goods. The contractor must obtain prior written approval of the contracting officer or comply with required procedures under an applicable waiver as provided by the contracting officer when procuring any of the following goods or services:





- (1) Agricultural commodities.
- (2) Motor vehicles.
- (3) Pharmaceuticals and contraceptive items.
- (4) Pesticides.
- (5) Fertilizer.
- (6) Used equipment; or
- (7) U.S. Government-owned excess property.

If the contracting officer determines that the contractor has procured any of these specific restricted goods under this contract without the prior written authorization of the contracting officer or fails to comply with required procedures under an applicable waiver as provided by the contracting officer, and has received payment for such purposes, the contracting officer may require the contractor to refund the entire amount of the purchase.

12.0 NONPAYMENT FOR UNAUTHORIZED WORK

No payments will be made for any unauthorized supplies or services, or for any unauthorized changes to the work specified herein. This includes any services performed by the Contractor of his own volition or at the request of an individual other than a duly appointed Contracting Officer. Only a duly appointed Contracting Officer is authorized to change the specifications, terms, and/or conditions of this contract.

13.0 STANDARDS OF CONDUCT

The Contractor shall be responsible for maintaining satisfactory standards of employee competency, conduct, appearance, and integrity always and shall be responsible for their employee's performance and the quality of the employees' services. Each Contractor employee is expected to adhere to standards of conduct that reflect credit on themselves, their employer, and the U. S. Government. The U.S. Government reserves the right to direct the Contractor to remove an employee from performance under this contract for failure to comply with said standards of conduct. The Contractor shall immediately replace such an employee at no additional cost to the Government.

14.0 CONFIDENTIALITY CLAUSE

The Contractor and its employees shall exercise the utmost discretion concerning all matters relating to their duties and functions. They shall not communicate to any person any information known to them





RFQ Number: PR15956166

by reason of their performance of services under this contract, which has not been made public, except in the necessary performance of their duties or upon written authorization of the Contracting Officer.

All documents and records (including photographs) generated during the performance of work under this contract shall be for the sole use and become the exclusive property of the Government. Furthermore, no article, book, pamphlet, email, recording, broadcast, speech television appearance, film, or photograph concerning any aspect of work performed under this contract shall be published or disseminated through any media without the prior written authorization of the Contracting Officer. These obligations do not cease upon the expiration or termination of this contract. The Contractor shall include the substance of this provision in all contracts of employment and in all subcontracts hereunder.

Likewise, the CONTRACTOR must be committed under a confidentiality agreement signed with the Colombia National Police, that the information provided may not be partially or totally disclosed to third parties, nor used for purposes other than the development of the contract. Likewise, the CONTRACTOR shall ensure the care, confidentiality and correct use of the information delivered and generated during the execution of the contract, as well as of the elements that the Colombian National Police make available for its execution.

All information resulting from the production of a strategy and a communication plan shall not be disclosed or used by the contracted company. U.S. Embassy Bogota has all rights to any research and final products.

15.0 CONTRACTOR COMMITMENTS, WARRANTIES, AND REPRESENTATIONS

Any written commitment by the Contractor within the scope of this contract shall be binding upon the Contractor. To this clause, a written commitment by the Contractor is limited to the quotation submitted by the Contractor, and to specific written modifications to the quotation. Written commitments by the Contractor are further defined as including (1) any warranty or representation made by the Contractor in a quotation as to hardware or software performance; total systems performance; and other physical, design, or functional characteristics of equipment, software package or system, or installation date; (2) any warranty or representation made by the Contractor concerning the characteristics or items described in (1) above, made in any publications, drawings, or specifications accompanying or referred to in a quotation; and (3) any modification of or affirmation or representation as to the above which is made by the Contractor in or during the course of negotiations, whether or not incorporated into a formal revision to the quotation.

Page 9 of 56

U.S. DEPARTMENT *of* STATE



Embajada de los Estados Unidos de América

Carrera 45 # 24B- 27 - (+57601) 275.2000 - Bogotá D.C. – Colombia

co.usembassy.gov

SBU - CONTRACTING AND ACQUISITIONS



16.0 WARRANTY NOTIFICATION

In accordance with FAR 46.706(b)(5), the Contractor shall stamp or mark the supplies delivered, or otherwise furnish notice with the supplies, of the existence of a warranty, if any. Sufficient information shall be presented for supply personnel and users to identify warranted supplies.

Warranty shall be effective in Colombia. Re-exporting procedures during the warranty period, if requested, shall be covered by the contractor during the term of the same. Warranty, maintenance and support must be provided in country (Colombia).

The vendor must provide quality warranty for at least one (1) year for the above items (referring to tangible elements), or as stated in the technical specifications of each item. If INL receives a warranty claim for any product(s), it will be sent to the vendor's location to perform an evaluation, with no charge to INL, to verify the status of the claim and the product. If the warranty department of the vendor determines that the product has a defect covered under the warranty, vendor must replace it. INL is not responsible for any transportation charges. Replacement products must be in new condition.

The vendor must guarantee, through a certification, that the manufacturer's representative is able to provide support within Colombia, at least in the main cities. During the warranty period, the contractor must respond to any technical requests over the phone or e-mail in a maximum of two hours. During the warranty period, the contractor must repair the equipment and leave it in perfect operating condition at a maximum response time of 48 hours, at the site of the request.

17.0 FINAL DATA DELIVERABLES / REPORTS.

As required.

18.0 ORGANIZATIONAL CONFLICT OF INTEREST - GENERAL

(a) The Contractor warrants that, to the best of its knowledge and belief, there are no relevant facts or circumstances which would give rise to an organizational conflict of interest, as defined in FAR Subpart 9.5, or that the Contractor has disclosed all such relevant information.

(b) The Contractor agrees that if an actual or potential organizational conflict of interest is discovered after award, the Contractor will make a full disclosure in writing to the Contracting Officer. This





RFQ Number: PR15956166

disclosure shall include a description of actions which the Contractor has taken or proposes to take to avoid or mitigate the actual or potential conflict.

(c) If the Contractor was aware of a potential organizational conflict of interest prior to award or discovered an actual or potential conflict after award and did not disclose or misrepresented relevant information to the Contracting Officer, the Government may terminate the contract for default.

(d) The Contractor shall insert the substance of this clause, including this paragraph (d), in all subcontracts.





RFQ Number: PR15956166

SECTION 2 - CONTRACT CLAUSES

I. FAR 52.252-2 -- Clauses Incorporated by Reference

As prescribed in 52.107(b), insert the following clause:

CLAUSES INCORPORATED BY REFERENCE (FEB 1998)

This contract incorporates one or more clauses by reference, with the same force and effect as if they were given in full text. Upon request, the Contracting Officer will make their full text available. Also, the full text of a clause may be accessed electronically at this/these address(es):

NUMBER	TITLE	DATE
<u>52.203-17</u>	Contractor Employee Whistleblower Rights.	Nov-2023
<u>52.204-7</u>	System for Award Management – Registration	Nov-2025
<u>52.204-13</u>	System for Award Management – Maintenance	Nov-2025
<u>52.209-2</u>	Prohibition on Contracting with Inverted Domestic Corporations—Representation	Nov-2025
<u>52.209-10</u>	Prohibition on Contracting with Inverted Domestic Corporations	Nov-2025
<u>52.222-19</u>	Child Labor-Cooperation with Authorities and Remedies	Nov-2025
<u>52.222-50</u>	Combating Trafficking in Persons	Nov-2025
<u>52.225-14</u>	Inconsistency Between English Version and Translation of Contract.	Feb-2000
<u>52.226-8</u>	Encouraging Contractor Policies to Ban Text Messaging While Driving	May-2024
<u>52.228-3</u>	“DBA Insurance” – Workers' Compensation Insurance (Defense Base Act).	Jul-2014
<u>52.232-24</u>	Prohibition of Assignment of Claims	May-2014
<u>52.232-33</u>	Payment by Electronic Funds Transfer-System for Award Management	Oct-2018
<u>52.232-26</u>	Payment by Third Party	Nov-2025
<u>52.232-40</u>	Providing Accelerated Payments to Small Business Subcontractors	Mar-2023
<u>52.233-3</u>	Protest After Award	Nov-2025
<u>52.233-4</u>	Applicable Law for Breach of Contract Claim	Nov-2025
<u>52.244-6</u>	Subcontracts for Commercial Products and Commercial Services.	Nov-2025
<u>52.249-1</u>	Termination for Convenience of the Government (Fixed-Price) (Short Form)	Apr-1984
<u>52.249-4</u>	Termination for Convenience of the Government (Services) (Short Form)	Apr-1984
<u>652.229-70</u>	Excise Tax Exemption Statement for Contractors Within the United States	Jul-1988
<u>652.229-71</u>	Personal property Disposition at Posts Abroad	Aug-1999

Page 12 of 56

U.S. DEPARTMENT of STATE



Embajada de los Estados Unidos de América

Carrera 45 # 24B- 27 - (+57601) 275.2000 - Bogotá D.C. – Colombia

co.usembassy.gov

SBU - CONTRACTING AND ACQUISITIONS



RFQ Number: PR15956166

NUMBER	TITLE	DATE
<u>652.242-73</u>	Authorization and Performance	Aug-1999
<u>652.243-70</u>	Notices	Aug-1999
<u>652.247-70</u>	Notice of Shipments	Feb-2015
<u>652.247-71</u>	Shipping Instructions	Feb-2015

II. Applicable Clauses Provided in Full-Text

FAR 52.212-4 Terms and Conditions—Commercial Products and Commercial Services

As prescribed in 12.205(b)(3), insert the following clause:

TERMS AND CONDITIONS—COMMERCIAL PRODUCTS AND COMMERCIAL SERVICES (NOV.2025)

(a) Definitions. The clause at Federal Acquisition Regulation (FAR) 52.202-1, Definitions, is incorporated by reference.

(b) Inspection/Acceptance. The Contractor shall only tender for acceptance those items that conform to the requirements of this contract. The Government reserves the right to inspect or test any supplies or services that have been tendered for acceptance. The Government may require repair or replacement of nonconforming supplies or reperformance of nonconforming services at no increase in contract price. If repair/replacement or reperformance will not correct the defects or is not possible, the Government may seek an equitable price reduction or adequate consideration for acceptance of nonconforming supplies or services. The Government must exercise its post acceptance rights—

(1) Within a reasonable time after the defect was discovered or should have been discovered; and

(2) Before any substantial change occurs in the condition of the item, unless the change is due to the defect in the item.

(c) Assignment. The Contractor or its assignee may assign its rights to receive payment due as a result of performance of this contract to a bank, trust company, or other financing institution, including any Federal lending agency in accordance with the Assignment of Claims Act (31 U.S.C. 3727). However, when a third party makes payment (e.g., use of the Governmentwide commercial purchase card), the Contractor may not assign its rights to receive payment under this contract.

Page 13 of 56

U.S. DEPARTMENT *of* STATE



Embajada de los Estados Unidos de América

Carrera 45 # 24B- 27 - (+57601) 275.2000 - Bogotá D.C. – Colombia

co.usembassy.gov

SBU - CONTRACTING AND ACQUISITIONS



(d) Changes. Changes in the terms and conditions of this contract may be made only by written agreement of the parties.

(e) Disputes. This contract is subject to 41 U.S.C. chapter 71, Contract Disputes. Failure of the parties to this contract to reach agreement on any request for equitable adjustment, claim, appeal, or action arising under or relating to this contract shall be a dispute to be resolved in accordance with the clause FAR 52.233-1, Disputes, which is incorporated in this contract by reference. The Contractor shall proceed diligently with performance of this contract, pending final resolution of any dispute arising under the contract.

(f) Excusable delays. The Contractor shall be liable for default unless nonperformance is caused by an occurrence beyond the reasonable control of the Contractor and without its fault or negligence. Examples of occurrences include acts of God or the public enemy, acts of the Government in either its sovereign or contractual capacity, fires, floods, epidemics, quarantine restrictions, strikes, unusually severe weather, and delays of common carriers. When an excusable delay occurs, the Contractor shall—

(1) Notify the Contracting Officer in writing as soon as possible.

(2) Remedy the delay as quickly as possible; and

(3) Notify the Contracting Officer when the occurrence is over.

(g) Invoice. The Government will handle invoices according to the Prompt Payment Act (31 U.S.C. 3903) and 5 CFR part 1315. The Contractor shall submit invoices to the address designated in the contract to receive invoices. An invoice must include the information required by 5 CFR part 1315.9(b).

(h) Patent indemnity. The Contractor shall indemnify the Government and its officers, employees, and agents against liability, including costs, for actual or alleged direct or contributory infringement of, or inducement to infringe, any United States or foreign patent, trademark, or copyright, arising out of the performance of this contract, provided the Contractor is reasonably notified of such claims and proceedings.

(i) Payment—

(1) Items accepted. Payment shall be made for items accepted by the Government that have been delivered to the delivery destinations set forth in this contract.





RFQ Number: PR15956166

(2) Prompt payment. The Government will make payment in accordance with the Prompt Payment Act (31 U.S.C. 3903) and prompt payment regulations at 5 CFR part 1315.

(3) Discount. In connection with any discount offered for early payment, time shall be computed from the date of the invoice. For the purpose of computing the discount earned, payment shall be considered to have been made on the date that appears on the payment check or the specified payment date if an electronic funds transfer payment is made.

(4) Overpayments. If the Contractor becomes aware of a duplicate contract financing or invoice payment or that the Government has otherwise overpaid on a contract financing or invoice payment, the Contractor shall—

(i) Remit the overpayment amount to the payment office cited in the contract along with a description of the overpayment including the—

(A) Circumstances of the overpayment (e.g., duplicate payment, erroneous payment, liquidation errors, date(s) of overpayment);

(B) Affected contract number and delivery order number, if applicable;

(C) Affected line item or subline item, if applicable;

(D) Contractor point of contact; and

(ii) Provide a copy of the remittance and supporting documentation to the Contracting Officer.

(5) Interest. (i) All amounts that become payable by the Contractor to the Government under this contract shall bear simple interest from the date due until paid unless paid within 30 days of becoming due. The interest rate shall be the interest rate established by the Secretary of the Treasury as provided in 41 U.S.C. 7109, which is applicable to the period in which the amount becomes due, as provided in (i)(6)(v) of this clause, and then at the rate applicable for each six-month period as fixed by the Secretary until the amount is paid.

(ii) The Government may issue a demand for payment to the Contractor upon finding a debt is due under the contract.

(iii) Final decisions. The Contracting Officer will issue a final decision as required by FAR part 33 if—

Page 15 of 56

U.S. DEPARTMENT *of* STATE



Embajada de los Estados Unidos de América

Carrera 45 # 24B- 27 - (+57601) 275.2000 - Bogotá D.C. – Colombia

co.usembassy.gov

SBU - CONTRACTING AND ACQUISITIONS



RFQ Number: PR15956166

- (A) The Contracting Officer and the Contractor are unable to reach agreement on the existence or amount of a debt within 30 days.
- (B) The Contractor fails to liquidate a debt previously demanded by the Contracting Officer within the timeline specified in the demand for payment unless the amounts were not repaid because the Contractor has requested an installment payment agreement; or
- (C) The Contractor requests a deferment of collection on a debt previously demanded by the Contracting Officer (see FAR part 32).
- (iv) If a demand for payment was previously issued for the debt, the demand for payment included in the final decision shall identify the same due date as the original demand for payment.
- (v) Amounts shall be due at the earliest of the following dates:
- (A) The date fixed under this contract.
- (B) The date of the first written demand for payment, including any demand for payment resulting from a termination for cause.
- (vi) The interest charge shall be computed for the actual number of calendar days involved beginning on the due date and ending on-
- (A) The date on which the designated office receives payment from the Contractor.
- (B) The date of issuance of a government check to the Contractor from which an amount otherwise payable has been withheld as a credit against the contract debt; or
- (C) The date on which an amount withheld and applied to the contract debt would otherwise have become payable to the Contractor.
- (vii) The interest charge made under this clause may be reduced under the procedures for interest credits prescribed in FAR part 32 in effect on the date of this contract.
- (j) Risk of loss. Unless the contract specifically provides otherwise, risk of loss or damage to the supplies provided under this contract shall remain with the Contractor until, and shall pass to the Government upon—

Page 16 of 56

U.S. DEPARTMENT *of* STATE



Embajada de los Estados Unidos de América

Carrera 45 # 24B- 27 - (+57601) 275.2000 - Bogotá D.C. – Colombia

co.usembassy.gov

SBU - CONTRACTING AND ACQUISITIONS



RFQ Number: PR15956166

- (1) Delivery of the supplies to a carrier, if transportation is f.o.b. origin; or
- (2) Delivery of the supplies to the Government at the destination specified in the contract, if transportation is f.o.b. destination.
- (k) Taxes. The contract price includes all applicable Federal, State, and local taxes and duties.
- (l) Termination for the Government's convenience. The Government reserves the right to terminate this contract, or any part hereof, for its sole convenience. In the event of such termination, the Contractor shall immediately stop all work and shall immediately cause any and all of its suppliers and subcontractors to cease work. Subject to the terms of this contract, the Contractor shall be paid a percentage of the contract price reflecting the percentage of the work performed prior to the notice of termination, plus reasonable charges the Contractor can demonstrate to the satisfaction of the Government using its standard record keeping system, have resulted from the termination. The Contractor shall not be required to comply with the cost accounting standards or contract cost principles for this purpose. This paragraph does not give the Government any right to audit the Contractor's records. The Contractor shall not be paid for any work performed or costs incurred which reasonably could have been avoided.
- (m) Termination for cause. The Government may terminate this contract, or any part hereof, for cause in the event of any default by the Contractor, or if the Contractor fails to comply with any contract terms and conditions, or fails to provide the Government, upon request, with adequate assurances of future performance. The Government will send a cure notice to the Contractor, unless the reason for the termination is late delivery. In the event of termination for cause, the Government shall not be liable to the Contractor for any amount for supplies or services not accepted, and the Contractor shall be liable to the Government for any and all rights and remedies provided by law. If it is determined that the Government improperly terminated this contract for default, such termination shall be deemed a termination for convenience.
- (n) Title. Unless specified elsewhere in this contract, title to items furnished under this contract shall pass to the Government upon acceptance, regardless of when or where the Government takes physical possession.
- (o) Warranty. The Contractor warrants and implies that the items delivered under this contract are merchantable and fit for use for the particular purpose described in this contract.

Page 17 of 56

U.S. DEPARTMENT *of* STATE



Embajada de los Estados Unidos de América

Carrera 45 # 24B- 27 - (+57601) 275.2000 - Bogotá D.C. – Colombia

co.usembassy.gov

SBU - CONTRACTING AND ACQUISITIONS



(p) Limitation of liability. Except as otherwise provided by an express warranty, the Contractor will not be liable to the Government for consequential damages resulting from any defect or deficiencies in accepted items.

(q) Compliance with laws unique to Government contracts. The Contractor agrees to comply with 31 U.S.C. 1352 relating to limitations on the use of appropriated funds to influence certain Federal contracts; 40 U.S.C. chapter 37, Contract Work Hours and Safety Standards; 41 U.S.C. chapter 87, Kickbacks; 49 U.S.C. 40118, Government-financed air transportation; and 41 U.S.C. chapter 21 relating to procurement integrity.

(r) Order of precedence. Any inconsistencies in this solicitation or contract shall be resolved by giving precedence in the following order:

- (1) The schedule of supplies/services;
 - (2) The Disputes, Payments, Invoice, Compliance with Laws Unique to Government Contracts, and Unauthorized Obligations paragraphs of this clause;
 - (3) Other contract clauses incorporated in the solicitation or contract;
 - (4) Addenda to this solicitation or contract;
 - (5) Solicitation provisions incorporated in the solicitation;
 - (6) Other paragraphs of this clause;
 - (7) Other documents, exhibits, and attachments; and
 - (8) The specification.
- (s) Unauthorized obligations.

(1) Except as stated in paragraph (s)(2) of this clause, when any supply or service acquired under this contract is subject to any End User License Agreement (EULA), Terms of Service (TOS), or similar legal instrument or agreement, that includes any clause requiring the Government to indemnify the Contractor or any person or entity for damages, costs, fees, or any other loss or liability that would create an Anti-Deficiency Act violation (31 U.S.C. 1341), the following shall govern:





- (i) Any such clause is unenforceable against the Government.
- (ii) Neither the Government nor any Government-authorized end user shall be deemed to have agreed to such clause by virtue of it appearing in the EULA, TOS, or similar legal instrument or agreement. If the EULA, TOS, or similar legal instrument or agreement is invoked through an “I agree” click box or other comparable mechanism (e.g., “click-wrap” or “browse-wrap” agreements), execution does not bind the Government or any Government authorized end user to such clause.
- (iii) Any such clause is deemed to be stricken from the EULA, TOS, or similar legal instrument or agreement.
- (2) Paragraph (s)(1) of this clause does not apply to indemnification by the Government that is expressly authorized by statute and specifically authorized under applicable agency regulations and procedures.
- (t) Comptroller General examination of record. This paragraph applies if this contract was awarded using other than sealed bid procedures and is in excess of the simplified acquisition threshold on the date of award of this contract.
- (1) The Comptroller General of the United States, or an authorized representative of the Comptroller General, shall have access to and right to examine any of the Contractor’s directly pertinent records involving transactions related to this contract.
- (2) The Contractor shall make available at its offices, at all reasonable times, the records, materials, and other evidence for examination, audit, or reproduction, until 3 years after final payment under this contract or for any shorter period specified in FAR part 4, longer period required by statute, or periods specified in other clauses of this contract. If this contract is completely or partially terminated, the records relating to the work terminated shall be made available for 3 years after any resulting final termination settlement. Records relating to appeals under the disputes clause or to litigation or the settlement of claims arising under or relating to this contract shall be made available until such appeals, litigation, or claims are finally resolved.
- (3) As used in this clause, records include books, documents, accounting procedures and practices, and other data, regardless of type and regardless of form. This clause does not require the Contractor to create or maintain any record that the Contractor does not maintain in the ordinary course of business or pursuant to a provision of law.





RFQ Number: PR15956166

(u) Incorporation by reference. The Contractor's representations and certifications, including those completed electronically via the System for Award Management (SAM), are incorporated by reference into the contract.

(End of clause)

FAR 52.240-91 Security Prohibitions and Exclusions.

As prescribed in 40.205(b), insert the following clause:

SECURITY PROHIBITIONS AND EXCLUSIONS (NOV-2025)

(a) Definitions. As used in this clause—

American Security Drone Act-covered foreign entity means an entity included on a list that the Federal Acquisition Security Council (FASC) develops and maintains and publishes in the System for Award Management (SAM) at <https://www.sam.gov> (section 1822 of Pub. L. 118-31, 41 U.S.C. 3901 note prec.).

Backhaul means intermediate links between the core network, or backbone network, and the small subnetworks at the edge of the network (e.g., connecting cell phones/towers to the core telephone network). Backhaul can be wireless (e.g., microwave) or wired (e.g., fiber optic, coaxial cable, Ethernet).

Covered application means the social networking service TikTok or any successor application or service developed or provided by ByteDance Limited or an entity owned by ByteDance Limited.

Covered article, as defined in 41 U.S.C. 4713(k), means:

- (1) Information technology, as defined in 40 U.S.C. 11101, including cloud computing services of all types;
- (2) Telecommunications equipment or telecommunications service, as those terms are defined in section 3 of the Communications Act of 1934 (47 U.S.C. 153);
- (3) The processing of information on a Federal or non-Federal information system, subject to the requirements of the Controlled Unclassified Information program (see 32 CFR part 2002); or

Page 20 of 56

U.S. DEPARTMENT *of* STATE



Embajada de los Estados Unidos de América

Carrera 45 # 24B- 27 - (+57601) 275.2000 - Bogotá D.C. – Colombia

co.usembassy.gov

SBU - CONTRACTING AND ACQUISITIONS



RFQ Number: PR15956166

(4) Hardware, systems, devices, software, or services that include embedded or incidental information technology.

Covered foreign country means The People's Republic of China.

Covered telecommunications equipment or services means—

(1) Telecommunications equipment produced by Huawei Technologies Company or ZTE Corporation (or any subsidiary or affiliate of such entities);

(2) For the purpose of public safety, security of Government facilities, physical security surveillance of critical infrastructure, and other national security purposes, video surveillance and telecommunications equipment produced by Hytera Communications Corporation, Hangzhou Hikvision Digital Technology Company, or Dahua Technology Company (or any subsidiary or affiliate of such entities);

(3) Telecommunications or video surveillance services provided by such entities or using such equipment; or

(4) Telecommunications or video surveillance equipment or services produced or provided by an entity that the Secretary of Defense, in consultation with the Director of National Intelligence or the Director of the Federal Bureau of Investigation, reasonably believes to be an entity owned or controlled by, or otherwise connected to, the government of a covered foreign country.

Critical technology means—

(1) Defense articles or defense services included on the United States Munitions List set forth in the International Traffic in Arms Regulations under subchapter M of chapter I of title 22, Code of Federal Regulations;

(2) Items included on the Commerce Control List set forth in Supplement No. 1 to part 774 of the Export Administration Regulations under subchapter C of chapter VII of title 15, Code of Federal Regulations, and controlled—

(i) Pursuant to multilateral regimes, including for reasons relating to national security, chemical and biological weapons proliferation, nuclear nonproliferation, or missile technology; or

(ii) For reasons relating to regional stability or surreptitious listening;

Page 21 of 56

U.S. DEPARTMENT *of* STATE



Embajada de los Estados Unidos de América

Carrera 45 # 24B- 27 - (+57601) 275.2000 - Bogotá D.C. – Colombia

co.usembassy.gov

SBU - CONTRACTING AND ACQUISITIONS



RFQ Number: PR15956166

- (3) Specially designed and prepared nuclear equipment, parts and components, materials, software, and technology covered by part 810 of title 10, Code of Federal Regulations (relating to assistance to foreign atomic energy activities);
- (4) Nuclear facilities, equipment, and material covered by part 110 of title 10, Code of Federal Regulations (relating to export and import of nuclear equipment and material);
- (5) Select agents and toxins covered by part 331 of title 7, Code of Federal Regulations, part 121 of title 9 of such Code, or part 73 of title 42 of such Code; or
- (6) Emerging and foundational technologies controlled pursuant to section 1758 of the Export Control Reform Act of 2018 (50 U.S.C. 4817).

FASC-prohibited unmanned aircraft system means an unmanned aircraft system manufactured or assembled by an American Security Drone Act—covered foreign entity.

FASCSA order means any of the following orders issued under the Federal Acquisition Supply Chain Security Act (FASCSA) requiring removing covered articles from executive agency information systems or excluding one or more named sources or named covered articles from executive agency procurement actions, as described in 41 CFR 201-1.303(d) and (e):

- (1) The Secretary of Homeland Security may issue FASCSA orders that apply to civilian agencies, to the extent not covered by paragraph (2) or (3) of this definition. This type of FASCSA order may be referred to as a Department of Homeland Security (DHS) FASCSA order.
- (2) The Secretary of Defense may issue FASCSA orders that apply to the Department of Defense (DoD) and national security systems other than sensitive compartmented information systems. This type of FASCSA order may be referred to as a DoD FASCSA order.
- (3) The Director of National Intelligence (DNI) may issue FASCSA orders that apply to the intelligence community and sensitive compartmented information systems, to the extent not covered by paragraph (2) of this definition. This type of FASCSA order may be referred to as a DNI FASCSA order.

Information technology, as defined in 40 U.S.C. 11101(6)—

- (1) Means any equipment or interconnected system or subsystem of equipment, used in the automatic acquisition, storage, analysis, evaluation, manipulation, management, movement, control, display, switching, interchange, transmission, or reception of data or information by the executive agency, if the

Page 22 of 56

U.S. DEPARTMENT *of* STATE



Embajada de los Estados Unidos de América

Carrera 45 # 24B- 27 - (+57601) 275.2000 - Bogotá D.C. – Colombia

co.usembassy.gov

SBU - CONTRACTING AND ACQUISITIONS



RFQ Number: PR15956166

equipment is used by the executive agency directly or is used by a contractor under a contract with the executive agency that requires the use—

- (i) Of that equipment; or
- (ii) Of that equipment to a significant extent in the performance of a service or the furnishing of a product;
- (2) Includes computers, ancillary equipment (including imaging peripherals, input, output, and storage devices necessary for security and surveillance), peripheral equipment designed to be controlled by the central processing unit of a computer, software, firmware and similar procedures, services (including support services), and related resources; but
- (3) Does not include any equipment acquired by a Federal contractor incidental to a Federal contract.

Intelligence community, as defined by 50 U.S.C. 3003(4), means the following—

- (1) The Office of the Director of National Intelligence;
- (2) The Central Intelligence Agency;
- (3) The National Security Agency;
- (4) The Defense Intelligence Agency;
- (5) The National Geospatial-Intelligence Agency;
- (6) The National Reconnaissance Office;
- (7) Other offices within the Department of Defense for the collection of specialized national intelligence through reconnaissance programs;
- (8) The intelligence elements of the Army, the Navy, the Air Force, the Marine Corps, the Coast Guard, the Federal Bureau of Investigation, the Drug Enforcement Administration, and the Department of Energy;
- (9) The Bureau of Intelligence and Research of the Department of State;
- (10) The Office of Intelligence and Analysis of the Department of the Treasury;

Page 23 of 56

U.S. DEPARTMENT *of* STATE



Embajada de los Estados Unidos de América

Carrera 45 # 24B- 27 - (+57601) 275.2000 - Bogotá D.C. – Colombia

co.usembassy.gov

SBU - CONTRACTING AND ACQUISITIONS



- (11) The Office of Intelligence and Analysis of the Department of Homeland Security; or
- (12) Such other elements of any department or agency as may be designated by the President, or designated jointly by the Director of National Intelligence and the head of the department or agency concerned, as an element of the intelligence community.

Interconnection arrangements means arrangements governing the physical connection of two or more networks to allow the use of another's network to hand off traffic where it is ultimately delivered (e.g., connecting a customer of telephone provider A to a customer of telephone company B) or sharing data and other information resources.

Kaspersky Lab-covered article means any hardware, software, or service that—

- (1) Is developed or provided by a Kaspersky Lab-covered entity;
- (2) Includes any hardware, software, or service developed or provided in whole or in part by a Kaspersky Lab-covered entity; or
- (3) Contains components using any hardware or software developed in whole or in part by a Kaspersky Lab-covered entity.

Kaspersky Lab-covered entity means—

- (1) Kaspersky Lab;
- (2) Any successor entity to Kaspersky Lab, including any change in name, e.g., “Kaspersky”;
- (3) Any entity that controls, is controlled by, or is under common control with Kaspersky Lab; or
- (4) Any entity of which Kaspersky Lab has a majority ownership.

National security system, as defined in 44 U.S.C. 3552, means any information system (including any telecommunications system) used or operated by an agency or by a contractor of an agency, or other organization on behalf of an agency—

- (1) The function, operation, or use of which involves intelligence activities; involves cryptologic activities related to national security; involves command and control of military forces; involves





equipment that is an integral part of a weapon or weapons system; or is critical to the direct fulfillment of military or intelligence missions, but does not include a system that is to be used for routine administrative and business applications (including payroll, finance, logistics, and personnel management applications); or

(2) Is protected at all times by procedures established for information that have been specifically authorized under criteria established by an Executive order or an Act of Congress to be kept classified in the interest of national defense or foreign policy.

Roaming means cellular communications services (e.g., voice, video, data) received from a visited network when unable to connect to the facilities of the home network either because signal coverage is too weak or because traffic is too high.

Sensitive compartmented information means classified information concerning or derived from intelligence sources, methods, or analytical processes, which is required to be handled within formal access control systems established by the Director of National Intelligence.

Sensitive compartmented information system means a national security system authorized to process or store sensitive compartmented information.

Source means a non-Federal supplier, or potential supplier, of products or services, at any tier.

Subsidiary means an entity in which more than 50 percent of the entity is owned directly by a parent corporation or through another subsidiary of a parent corporation.

Substantial or essential component means any component necessary for the proper function or performance of a piece of equipment, system, or service.

Unmanned aircraft means an aircraft that is operated without the possibility of direct human intervention from within or on the aircraft (49 U.S.C. 44801(11)).

Unmanned aircraft system means an unmanned aircraft and associated elements (including communication links and the components that control the unmanned aircraft) that are required for the operator to operate safely and efficiently in the national airspace system (49 U.S.C. 44801(12)).

(b) Prohibitions on providing or using specific products or services in performance of contract. Unless a waiver or exception applies, the Contractor is prohibited from providing any products or services to the Government or using in the performance of the contract any of the following:





RFQ Number: PR15956166

(1) A covered application on any information technology owned or managed by the Government, or on any information technology used or provided by the Contractor under this contract, including equipment provided by the Contractor's employees (section 102 of Division R of the Consolidated Appropriations Act, 2023 (Pub. L. 117-328));

(2) A Kaspersky Lab-covered article (Section 1634 of Division A of the National Defense Authorization Act for Fiscal Year 2018 (Pub. L. 115-91));

(3) Covered telecommunications equipment or services used as a substantial or essential component of any system, or as critical technology as part of any system (paragraphs (a)(1)(A) of section 889 of the John S. McCain National Defense Authorization Act for Fiscal Year 2019 (Pub. L. 115-232)). This does not prohibit contractors from providing—

(i) A service that connects to the facilities of a third-party, such as backhaul, roaming, or interconnection arrangements; or

(ii) Telecommunications equipment that cannot route or redirect user data traffic or cannot permit visibility into any user data or packets that such equipment transmits or otherwise handles.

(c) Prohibition on unmanned aircraft systems manufactured or assembled by American Security Drone Act—covered foreign entities.

(1) Prohibition. The Contractor is prohibited from—

(i) Delivering any FASC-prohibited unmanned aircraft system, which includes unmanned aircraft (i.e., drones) and associated elements (sections 1823 and 1826 of American Security Drone Act of 2023, within the National Defense Authorization Act for Fiscal Year 2024, Pub. L. 118-31, Div. A, Title XVIII, Subtitle B, 41 U.S.C. 3901 note prec.);

(ii) On or after December 22, 2025, operating a FASC-prohibited unmanned aircraft system in the performance of the contract (section 1824 of Pub. L. 118-31); and

(iii) On or after December 22, 2025, using Federal funds to procure or operate a FASC-prohibited unmanned aircraft system (section 1825 of Pub. L. 118-31).

(2) Procedures. The Contractor shall search SAM for the FASC-maintained list of American Security Drone Act—covered foreign entities before proposing, or using in performance of the contract, any

Page 26 of 56

U.S. DEPARTMENT *of* STATE



Embajada de los Estados Unidos de América

Carrera 45 # 24B- 27 - (+57601) 275.2000 - Bogotá D.C. – Colombia

co.usembassy.gov

SBU - CONTRACTING AND ACQUISITIONS



unmanned aircraft system. Also, the Contractor shall ensure any effort or expenditure associated with a FASC-prohibited unmanned aircraft system is consistent with a corresponding exemption, exception, or waiver determination expressly stated in the contract.

(3) Exemptions, exceptions, and waivers. The prohibitions in paragraph (c) of this clause do not apply where the agency has determined an exemption, exception, or waiver applies, and the contract indicates that such a determination has been made. See sections 1823 through 1825 and 1832 of Public Law 118-31 for statutory requirements pertaining to exemptions, exceptions, and waivers.

(d) Prohibition on using or providing specific products or services or conducting certain transactions regardless of connection to contract.

(1) Certain telecommunications and video surveillance equipment, systems, or services.

(i) Unless an applicable waiver has been issued by the Government, the Contractor cannot use any equipment, systems, or services that uses covered telecommunications equipment or services as a substantial or essential component of any system, or as critical technology as part of any system (paragraph (a)(1)(B) of section 889 of the John S. McCain National Defense Authorization Act for Fiscal Year 2019 (Pub. L. 115-232)).

(ii) This prohibition applies to using covered telecommunications equipment or services, regardless of whether that use is in performance of work under a Federal contract. This does not prohibit the contractor from using—

(A) A service that connects to the facilities of a third party, such as backhaul, roaming, or interconnection arrangements; or

(B) Telecommunications equipment that cannot route or redirect user data traffic or cannot permit visibility into any user data or packets that such equipment transmits or otherwise handles.

(2) Office of Foreign Assets Control Restrictions.

(i) Except as authorized by the Office of Foreign Assets Control (OFAC) in the Department of the Treasury, the Contractor shall not acquire, for use in the performance of this contract, any supplies or services if any proclamation, Executive order, or statute administered by OFAC, or if OFAC's implementing regulations at 31 CFR chapter V, would prohibit such a transaction by a person subject to the jurisdiction of the United States.





(ii) Except as authorized by OFAC, most transactions involving Cuba, Iran, and Sudan are prohibited, as are most imports from Burma or North Korea, into the United States or its outlying areas.

(A) For lists of entities and individuals subject to economic sanctions, see OFAC's List of Specially Designated Nationals and Blocked Persons at <https://home.treasury.gov/policy-issues/financial-sanctions/specially-designated-nationals-and-blocked-persons-list-sdn-human-readable-lists>.

(B) For more information about these restrictions, as well as updates, see OFAC's regulations at 31 CFR chapter V and at <https://home.treasury.gov/policy-issues/office-of-foreign-assets-control-sanctions-programs-and-information>.

(C) To conduct electronic screens of potential parties to regulated transactions, see the consolidated screening list at <https://www.trade.gov/consolidated-screening-list>, which consolidates multiple export screening lists of the Departments of Commerce, State, and the Treasury.

(3) Sudan prohibition. The Contractor is prohibited from conducting any restricted business operations in Sudan in accordance with Accountability and Divestment Act of 2007 (Pub. L. 110-174).

(4) Iran prohibitions.

(i) Unless an exception applies according to paragraph (d)(4)(iii) or the Government grants a waiver, the contractor shall not engage in certain activities or transactions relating to Iran (section 6(b)(1)(A) of Iran Sanctions Act (50 U.S.C. 1701 note)).

(ii) Unless an exception applies according to paragraph (d)(4)(iii) or the Government grants a waiver, contractor shall not export certain sensitive technology to Iran, as determined by the President, and has an active exclusion in SAM (22 U.S.C. 8515).

(iii) The prohibition in paragraphs (d)(4)(i) and (d)(4)(ii) do not apply if the acquisition is subject to trade agreements and the offeror certifies that all the offered products are designated country end products or designated country construction material (see part 25).

(iv) Unless an exception applies or the Government grants a waiver, contractors are prohibited from knowingly engaging in any significant transaction (i.e., over \$15,000) with Iran's Revolutionary Guard Corps or any of its officials, agents, or affiliates, the property and interests in property of which are blocked according to the International Emergency Economic Powers Act (section 6(b)(1)(B) of Iran Sanctions Act (50 U.S.C. 1701 note)).





(e) Governmentwide exclusion and removal orders.

(1) Unless the Government has issued an applicable waiver, contractors shall not provide or use as part of the performance of the contract any covered article, or any products or services produced or provided by a source, if the covered article or the source is prohibited by an applicable FASCSA order as follows:

(i) For solicitations and contracts awarded by a Department of Defense contracting office, DoD FASCSA orders apply.

(ii) For all other solicitations and contracts, DHS FASCSA orders apply.

(2) The Contractor shall search for the phrase “FASCSA order” in the System for Award Management (SAM) at <https://www.sam.gov> to locate applicable FASCSA orders.

(3) The Government may identify in the solicitation other FASCSA orders that are not in SAM, which are effective and apply to the solicitation and resulting contract.

(4) A FASCSA order issued after the date of solicitation applies to this contract only if added by an amendment to the solicitation or modification to the contract (see FAR 40.204-1(c)).

(f) Reasonable inquiry. The contractor shall conduct a reasonable inquiry to determine if there are any prohibited products or services. The inquiry will look at any information in the entity’s possession but does not need to include an internal or third-party audit.

(g) Removal of prohibited products and services. For Federal Supply Schedules, Governmentwide acquisition contracts, multi-agency contracts or any other procurement instrument intended for use by multiple agencies, upon notification from the Contracting Officer, during the performance of the contract, the Contractor shall promptly make any necessary changes or modifications to remove any product or service produced or provided by a source that this clause prohibits.

(h) General report.

(1) If the Contractor identifies or is notified by any source, (including a subcontractor at any tier), that any product or service provided or used (or to be provided or used) during contract performance does not comply with any prohibition in this clause, then the Contractor shall report the following information, or as much information is known, in writing to the contracting office as identified in paragraph (h)(2) within 72 hours:





RFQ Number: PR15956166

- (i) Contract number and order number, if applicable;
 - (ii) The specific prohibition the product or service is not complying with;
 - (iii) A description of the products or services that the Contractor identifies or has reason to suspect is prohibited (include brand; model number, such as the original equipment manufacturer (OEM) number, manufacturer part number, or wholesaler number; and item description, as applicable);
 - (iv) The entity that produced the product or service (include entity name, unique entity identifier, Contractor and Government Entity (CAGE) code, facilities responsible for design, fabrication, assembly, packaging, and test of the product, and whether the entity was the OEM or a distributor (provide manufacturer codes and distributor codes used for the product));
 - (v) Description of the functionality of the product or service and how that functionality impacts the risk to the product or service;
 - (vi) An explanation of any factors relevant to determining if the product or service should be permitted by an applicable exception, exemption, or waiver (if the contractor would like the Government to consider a waiver, and asks for such a waiver);
 - (vii) Whether alternative products or services are available that would comply with the prohibition;
 - (viii) If the product or service is related to item maintenance, include the following information on the item being maintained:
 - (A) Brand;
 - (B) Model number, OEM number, manufacturer part number, or wholesaler number; and
 - (C) Item description, as applicable.
 - (ix) Any readily available information about mitigation actions implemented or recommended.
- (2) If a report must be submitted to a contracting office, the Contractor shall submit the report as follows:
- (i) If a Department of Defense contracting office, the Contractor shall report to the website at <https://dibnet.dod.mil>.

Page 30 of 56

U.S. DEPARTMENT *of* STATE



Embajada de los Estados Unidos de América

Carrera 45 # 24B- 27 - (+57601) 275.2000 - Bogotá D.C. – Colombia

co.usembassy.gov

SBU - CONTRACTING AND ACQUISITIONS



RFQ Number: PR15956166

- (ii) For all other contracting offices, the Contractor shall report to the Contracting Officer.
- (iii) For indefinite delivery contracts, the Contractor shall report to both the contracting office for the indefinite delivery contract and the contracting office for any affected order.
- (3) If the report provided does not contain any of the information required by paragraph (h)(1) of this clause, and the contractor later discovers new information that is required by paragraph (h)(1) of this clause, then the contractor shall submit a subsequent report within 72 hours of discovering the new information.
- (4) The contractor shall also report the information in paragraph (h)(1) if the contractor wishes to ask for a waiver of the requirements of a new FASCSA order being applied through modification.
- (i) New FASCSA orders report.
 - (1) During contract performance, the Contractor shall review SAM at least once every three months, or as advised by the Contracting Officer, to check for covered articles subject to FASCSA order(s), or for products or services produced by a source subject to FASCSA order(s) not currently identified under paragraph (e) of this clause.
 - (2) If the Contractor identifies a new FASCSA order(s) that could impact their supply chain, then the Contractor shall conduct a reasonable inquiry to identify whether a covered article or product or service produced or provided by a source subject to the FASCSA order(s) was provided to the Government or used during contract performance. The inquiry will look at any information in the entity's possession but does not need to include an internal or third-party audit.
 - (3) The Contractor shall submit a report to the contracting office identified in paragraph (h)(2) of this clause if the Contractor identifies, including through any notification by a subcontractor at any tier, that a covered article or product or service produced or provided by a source was provided to the Government or used during contract performance and is subject to a FASCSA order(s). For indefinite delivery contracts, the Contractor shall report to both the contracting office for the indefinite delivery contract and the contracting office for any affected order. The Contractor shall report the following information within 72 hours for each covered article or each product or service produced or provided by a source, where the covered article or source is subject to a FASCSA order:
 - (i) Contract number and order number, if applicable;
 - (ii) Name of the covered article or source subject to a FASCSA order;

Page 31 of 56

U.S. DEPARTMENT *of* STATE



Embajada de los Estados Unidos de América

Carrera 45 # 24B- 27 - (+57601) 275.2000 - Bogotá D.C. – Colombia

co.usembassy.gov

SBU - CONTRACTING AND ACQUISITIONS



(iii) The specific FASCSA order the product or service does not comply with;

(iv) The elements of (h)(1)(iii) through (ix) of this clause.

(j) Subcontracts. The Contractor shall insert the substance of this clause, including this paragraph (j) but excluding subparagraphs (d)(1) and (i)(1), in all subcontracts and other contractual instruments, including subcontracts for acquiring commercial products or commercial services.

(End of clause)

SUBCONTRACTING

"The project or purchase order award, will recognize the vendor who is an original manufacturer, representative or approved distributor and who guarantees after-sales service. If the vendor plans to subcontract any of the items or services included in the RFQ. Seller shall provide in its proposal details of its subcontractors, including contacts and references/recommendations. If he is a representative, he must include a letter from the brand company he represents.

The Government will determine vendor responsibility by analyzing whether the apparent awardee meets the requirements of FAR 9.1. Prior to award, the U.S. Government reserves the right to visit the manufacturer's plant or subcontractor's plants to verify that the items or goods and services offered meet the technical requirements of the RFQ and determine appropriate contractor responsibility. " to verify that the items or goods and services offered complies with the technical requirements of the RFQ and determine adequate contractor's responsibility"

(End of clause)

FAR 52.242-14 Suspension of Work.

As prescribed in 42.1005(a), insert the following clause:

SUSPENSION OF WORK (APR 1984)





RFQ Number: PR15956166

(a) The Contracting Officer may order the Contractor, in writing, to suspend, delay, or interrupt all or any part of the work of this contract for the period of time that the Contracting Officer determines appropriate for the convenience of the Government.

(b) If the performance of all or any part of the work is, for an unreasonable period of time, suspended, delayed, or interrupted (1) by an act of the Contracting Officer in the administration of this contract, or (2) by the Contracting Officer's failure to act within the time specified in this contract (or within a reasonable time if not specified), an adjustment shall be made for any increase in the cost of performance of this contract (excluding profit) necessarily caused by the unreasonable suspension, delay, or interruption, and the contract modified in writing accordingly. However, no adjustment shall be made under this clause for any suspension, delay, or interruption to the extent that performance would have been so suspended, delayed, or interrupted by any other cause, including the fault or negligence of the Contractor, or for which an equitable adjustment is provided for or excluded under any other term or condition of this contract.

(c) A claim under this clause shall not be allowed-

(1) For any costs incurred more than 20 days before the Contractor shall have notified the Contracting Officer in writing of the act or failure to act involved (but this requirement shall not apply as to a claim resulting from a suspension order); and

(2) Unless the claim, in an amount stated, is asserted in writing as soon as practicable after the termination of the suspension, delay, or interruption, but not later than the date of final payment under the contract.

(End of clause)

FAR 52.242-15 Stop-Work Order.

As prescribed in 42.1005(b), insert the following clause:

STOP-WORK ORDER (AUG 1989)

(a) The Contracting Officer may, at any time, by written order to the Contractor, require the Contractor to stop all, or any part, of the work called for by this contract for a period of 90 days after the order is delivered to the Contractor, and for any further period to which the parties may agree. The order shall be specifically identified as a stop-work order issued under this clause. Upon receipt of the order, the

Page 33 of 56

U.S. DEPARTMENT *of* STATE



Embajada de los Estados Unidos de América

Carrera 45 # 24B- 27 - (+57601) 275.2000 - Bogotá D.C. – Colombia

co.usembassy.gov

SBU - CONTRACTING AND ACQUISITIONS



RFQ Number: PR15956166

Contractor shall immediately comply with its terms and take all reasonable steps to minimize the incurrence of costs allocable to the work covered by the order during the period of work stoppage. Within a period of 90 days after a stop-work order is delivered to the Contractor, or within any extension of that period to which the parties shall have agreed, the Contracting Officer shall either-

- (1) Cancel the stop-work order; or
 - (2) Terminate the work covered by the order as provided in the Default, or the Termination for Convenience of the Government, clause of this contract.
- (b) If a stop-work order issued under this clause is canceled or the period of the order or any extension thereof expires, the Contractor shall resume work. The Contracting Officer shall make an equitable adjustment in the delivery schedule or contract price, or both, and the contract shall be modified, in writing, accordingly, if-
- (1) The stop-work order results in an increase in the time required for, or in the Contractor's cost properly allocable to, the performance of any part of this contract; and
 - (2) The Contractor asserts its right to the adjustment within 30 days after the end of the period of work stoppage; provided, that, if the Contracting Officer decides the facts justify the action, the Contracting Officer may receive and act upon a proposal submitted at any time before final payment under this contract.
- (c) If a stop-work order is not canceled and the work covered by the order is terminated for the convenience of the Government, the Contracting Officer shall allow reasonable costs resulting from the stop-work order in arriving at the termination settlement.
- (d) If a stop-work order is not canceled and the work covered by the order is terminated for default, the Contracting Officer shall allow, by equitable adjustment or otherwise, reasonable costs resulting from the stop-work order.

(End of clause)

DOSAR 652.239-71 Security Requirements for Unclassified Information Technology Resources.

As prescribed in 639.107-70(b), insert the following clause:

Page 34 of 56

U.S. DEPARTMENT of STATE



Embajada de los Estados Unidos de América

Carrera 45 # 24B- 27 - (+57601) 275.2000 - Bogotá D.C. – Colombia

co.usembassy.gov

SBU - CONTRACTING AND ACQUISITIONS



SECURITY REQUIREMENTS FOR UNCLASSIFIED INFORMATION TECHNOLOGY RESOURCES (SEP 2007)

(a) General. The Contractor shall be responsible for information technology (IT) security, based on Department of State (DOS) risk assessments, for all systems connected to a Department of State (DOS) network or operated by the Contractor for DOS, regardless of location. This clause is applicable to all or any part of the contract that includes information technology resources or services in which the Contractor has physical or electronic access to DOS's information that directly supports the mission of DOS. The term "information technology", as used in this clause, means any equipment, including telecommunications equipment, that is used in the automatic acquisition, storage, manipulation, management, movement, control, display, switching, interchange, transmission, or reception of data or information. This includes both major applications and general support systems as defined by OMB Circular A-130. Examples of tasks that require security provisions include:

- (1) Hosting of DOS e-Government sites or other IT operations.
- (2) Acquisition, transmission or analysis of data owned by DOS with significant replacement cost should the Contractor's copy be corrupted; and
- (3) Access to DOS general support systems/major applications at a level beyond that granted by the general public, e.g., bypassing a firewall.

(b) IT Security Plan. The Contractor shall develop, provide, implement, and maintain an IT Security Plan. This plan shall describe the processes and procedures that will be followed to ensure appropriate security of IT resources that are developed, processed, or used under this contract. The plan shall describe those parts of the contract to which this clause applies. The Contractor's IT Security Plan shall comply with applicable Federal laws that include, but are not limited to, 40 U.S.C. 11331, the Federal Information Security Management Act (FISMA) of 2002, and the E-Government Act of 2002. The plan shall meet IT security requirements in accordance with Federal and DOS policies and procedures, as they may be amended from time to time during the term of this contract that include, but are not limited to:

- (1) OMB Circular A-130, Management of Federal Information Resources, Appendix III, Security of Federal Automated Information Resources.
- (2) National Institute of Standards and Technology (NIST) Guidelines (see NIST Special Publication 800-37, Guide for the Security Certification and Accreditation of Federal Information Technology Systems (<http://csrc.nist.gov/publications/nistpubs/800-37/SP800-37-final.pdf>)); and





(3) Department of State information security sections of the Foreign Affairs Manual (FAM) and Foreign Affairs Handbook (FAH) (<http://foia.state.gov/Regs/Search.asp>), specifically:

- (i) 12 FAM 230, Personnel Security.
- (ii) 12 FAM 500, Information Security (sections 540, 570, and 590);
- (iii) 12 FAM 600, Information Security Technology (section 620, and portions of 650);
- (iv) 5 FAM 1060, Information Assurance Management; and
- (v) 5 FAH 11, Information Assurance Handbook.

(c) Submittal of IT Security Plan. Within 30 days after contract award, the Contractor shall submit the IT Security Plan to the Contracting Officer and Contracting Officer's Representative (COR) for acceptance. This plan shall be consistent with and further detail the approach contained in the contractor's proposal or sealed bid that resulted in the award of this contract and in compliance with the requirements stated in this clause. The plan, as accepted by the Contracting Officer and COR, shall be incorporated into the contract as a compliance document. The Contractor shall comply with the accepted plan.

(d) Accreditation. Within six (6) months after contract award, the Contractor shall submit written proof of IT security accreditation for acceptance by the Contracting Officer. Such written proof may be furnished either by the Contractor or by a third party. Accreditation must be in accordance with NIST Special Publication 800–37. This accreditation will include a final security plan, risk assessment, security test and evaluation, and disaster recovery plan/continuity of operations plan. This accreditation, when accepted by the Contracting Officer, shall be incorporated into the contract as a compliance document, and shall include a final security plan, a risk assessment, security test and evaluation, and disaster recovery/continuity of operations plan. The Contractor shall comply with the accepted accreditation documentation.

(e) Annual verification. On an annual basis, the Contractor shall submit verification to the Contracting Officer that the IT Security Plan remains valid.

(f) Warning notices. The Contractor shall ensure that the following banners are displayed on all DOS systems (both public and private) operated by the Contractor prior to allowing anyone access to the system:

Government Warning

****WARNING**WARNING**WARNING****





Unauthorized access is a violation of U.S. law and Department of State policy and may result in criminal or administrative penalties. Users shall not access other users' or system files without proper authority. Absence of access controls IS NOT authorization for access! DOS information systems and related equipment are intended for communication, transmission, processing and storage of U.S. Government information. These systems and equipment are subject to monitoring by law enforcement and authorized Department officials. Monitoring may result in the acquisition, recording, and analysis of all data being communicated, transmitted, processed or stored in this system by law enforcement and authorized Department officials. Use of this system constitutes consent to such monitoring.

****WARNING**WARNING**WARNING****

(g) Privacy Act notification. The Contractor shall ensure that the following banner is displayed on all DOS systems that contain Privacy Act information operated by the Contractor prior to allowing anyone access to the system:

This system contains information protected under the provisions of the Privacy Act of 1974 (Pub. L. 93–579). Any privacy information displayed on the screen or printed shall be protected from unauthorized disclosure. Employees who violate privacy safeguards may be subject to disciplinary actions, a fine of up to \$5,000, or both.

(h) Privileged or limited privileged access. Contractor personnel requiring privileged access or limited privileged access to systems operated by the Contractor for DOS or interconnected to a DOS network shall adhere to the specific contract security requirements contained within this contract and/or the Contract Security Classification Specification (DD Form 254).

(i) Training. The Contractor shall ensure that its employees performing under this contract receive annual IT security training in accordance with OMB circular A–130, FISMA, and NIST requirements, as they may be amended from time to time during the term of this contract, with a specific emphasis on rules of behavior.

(j) Government access. The Contractor shall afford the Government access to the Contractor's and subcontractor's facilities, installations, operations, documentation, databases and personnel used in performance of the contract. Access shall be provided to the extent required to carry out a program of IT inspection (to include vulnerability testing), investigation and audit to safeguard against threats and hazards to the integrity, availability and confidentiality of DOS data or to the function of information technology systems operated on behalf of DOS, and to preserve evidence of computer crime.





RFQ Number: PR15956166

(k) Subcontracts. The Contractor shall incorporate the substance of this clause in all subcontracts that meet the conditions in paragraph (a) of this clause.

(l) Notification regarding employees. The Contractor shall immediately notify the Contracting Officer when an employee either begins or terminates employment when that employee has access to DOS information systems or data.

(m) Termination. Failure on the part of the Contractor to comply with the terms of this clause may result in termination of this contract.

(End of clause)





SECTION 3 - SOLICITATION PROVISIONS

I. FAR 52.252-1 -- Solicitation Provisions Incorporated by Reference (Feb 1998)

This solicitation incorporates one or more solicitation provisions by reference, with the same force and effect as if they were given in full text. Upon request, the Contracting Officer will make their full text available. The offeror is cautioned that the listed provisions may include blocks that must be completed by the offeror and submitted with its quotation or offer. In lieu of submitting the full text of those provisions, the offeror may identify the provision by paragraph identifier and provide the appropriate information with its quotation or offer. Also, the full text of a solicitation provision may be accessed electronically at this/these address(es):

FAR and DOSAR clauses may be accessed at: <https://acquisition.gov>

NUMBER	TITLE	DATE
<u>52.203-18</u>	Prohibition on Contracting with Entities that Require Certain Internal Confidentiality Agreements or Statements—Representation	Jan-2017
<u>52.204-7</u>	System for Award Management—Registration	Nov.2025
<u>52.214-34</u>	Submission of Offers in the English Language	Apr 1991

II. Applicable Solicitation Provisions Provided in Full-Text

FAR 52.212-1 Instructions to Offerors-Commercial Items.

As prescribed in 12.301(b)(1), insert the following provision:

INSTRUCTIONS TO OFFERORS—COMMERCIAL PRODUCTS AND COMMERCIAL SERVICES (NOV 2025)

(a) Submission of offers. Submit signed and dated offers to the office specified in this solicitation at or before the exact time specified in this solicitation. As a minimum, offers shall include—

- (1) The solicitation number;
- (2) The name, address, telephone number of the Offeror;





(3) The Offeror's Unique Entity Identifier (UEI) and, if applicable, Electronic Funds Transfer (EFT) indicator;

(4) Information necessary to evaluate the factors contained in the provision at 52.212-2 or as described in the solicitation;

(5) Responses to provisions that require Offeror completion of information, representations, and certifications (other than those collected via the System for Award Management (SAM)); and

(6) A statement specifying the extent of agreement with all terms, conditions, and provisions included in the solicitation and any solicitation amendments.

(b) Period for acceptance of offers. The Offeror agrees to hold the prices in its offer firm for 90 calendar days from the date specified for receipt of offers, unless another time period is specified in an addendum to the solicitation.

(c) Late submissions, modifications, revisions, and withdrawals of offers.

(1) Offerors are responsible for submitting offers and any modifications or revisions to the Government office designated in the solicitation by the time specified in the solicitation.

(2) Any offer, modification, or revision received after the time specified for receipt of offers is "late" and will not be considered unless it is received before award is made and the Contracting Officer determines that accepting the late offer would not unduly delay the acquisition. However, a late modification of an otherwise successful offer that makes its terms more favorable to the Government will be considered at any time it is received and may be accepted.

(3) If an emergency or unanticipated event interrupts normal Government processes so that offers cannot be received at the Government office designated for receipt of offers by the exact time specified in the solicitation, and urgent Government requirements preclude amendment of the solicitation or other notice of an extension of the closing date, the time specified for receipt of offers will be deemed to be extended to the same time of day specified in the solicitation on the first work day on which normal Government processes resume.

(4) Offerors may withdraw their offers by written notice to the Government received at any time before award.





RFQ Number: PR15956166

(d) Contract award (not applicable to Invitation for Bids). The Government intends to evaluate offers and award a contract without discussions with Offerors. Therefore, the Offeror's initial offer should contain the Offeror's best terms. However, the Government reserves the right to conduct discussions, if necessary. The Government may reject any or all offers if such action is in the public interest, accept other than the lowest offer, and waive informalities and minor irregularities in offers received.

(e) Debriefings. If a post award debriefing is given to requesting Offerors, the Government will disclose the following information, if applicable:

- (1) The agency's evaluation of the significant weak or deficient factors in the debriefed Offeror's offer.
- (2) The overall evaluated cost or price and technical rating of the successful Offeror and the debriefed Offeror and past performance information on the debriefed Offeror.
- (3) The overall ranking of all Offerors when any ranking was developed by the agency during source selection.
- (4) A summary of the rationale for award.
- (5) For acquisitions of commercial products, the make and model of the product to be delivered by the successful Offeror.
- (6) Reasonable responses to relevant questions posed by the debriefed Offeror as to whether the agency followed source-selection procedures set forth in the solicitation, applicable regulations, and other applicable authorities.

(End of provision)

FAR 52.225-17 -- Evaluation of Foreign Currency Offers

As prescribed in 25.1002-2, insert the following provision:

EVALUATION OF FOREIGN CURRENCY OFFERS (FEB 2000)

Page 41 of 56

U.S. DEPARTMENT *of* STATE



Embajada de los Estados Unidos de América

Carrera 45 # 24B- 27 - (+57601) 275.2000 - Bogotá D.C. – Colombia

co.usembassy.gov

SBU - CONTRACTING AND ACQUISITIONS



RFQ Number: PR15956166

If the Government receives offers in more than one currency, the Government will evaluate offers by converting the foreign currency to United States currency using *[Contracting Officer to insert source of rate]* in effect as follows:

- (a) For acquisitions conducted using sealed bidding procedures, on the date of bid opening.
- (b) For acquisitions conducted using negotiation procedures-
 - (1) On the date specified for receipt of offers, if award is based on initial offers; otherwise
 - (2) On the date specified for receipt of proposal revisions.

(End of provision)

III. QUESTIONS REGARDING THIS SOLICITATION

Questions pertaining to this solicitation, if any, must be emailed to arizak@state.gov and BogotaINLSolicitation@state.gov no later than 04:00 pm local (Bogota, Colombia) time on April 30, 2026 Questions received after this date and time may not be answered prior to the solicitation closing. All emails must include the following subject line: **“PR15956166 - Questions_Your Company name”**.

WARNING: Questions submitted without the required subject line or that are not sent to both email addresses may not be considered / answered.

IV. SUBMISSION OF QUOTATIONS

Quotations must be submitted via email to arizak@state.gov **AND** BogotaINLSolicitation@state.gov . **Quotations must be received by the Government, at the before-mentioned email addresses, no later than 04:00 pm local (Bogota, Colombia) time on May 07, 2026.** Quotations received after this exact date and time will not be considered for award. No other method of quotation submission is acceptable. Quotations received through other methods will not be considered for award. Include the following subject line on all emails transmitting quotations: **“PR15956166 - Quotation_Your Company Name”**.

WARNING: Quotations submitted without the required subject line or that are not sent to both email addresses may not be considered for award.

If your company’s quotation (electronic mail) size exceeds 20 Mb, you must send the offer in separate mails. For example:

- PR15956166 - Quotation_Your Company Name (1 of 2)

Page 42 of 56

U.S. DEPARTMENT *of* STATE



Embajada de los Estados Unidos de América

Carrera 45 # 24B- 27 - (+57601) 275.2000 - Bogotá D.C. – Colombia

co.usembassy.gov

SBU - CONTRACTING AND ACQUISITIONS



RFQ Number: PR15956166

- PR15956166 - Quotation_Your Company Name (2 of 2)
- Please do not send your offer in compressed file formats (rar, .zip) nor links to shared folders.

V. QUOTE PREPARATION INSTRUCTIONS

To be considered for award, each quote must include:

- (a) Completed SF-1449 form (attached) in blocks 17a, 17b, 30a and 30b.
- (b) Completed **Price Schedule (Attachment A)**. (Request the excel file to Procurement Agent arizak@state.gov to obtain the file and submit along with the quotation/offer package - submit the excel file)
- (c) Completed National Defense authorization (**NDAA-889**) (Request the pdf template to arizak@state.gov to obtain the file and submit along with the quotation/offer package)
- (d) Include a **statement specifying the extent of agreement with all terms, conditions, and provisions included in the solicitation**. Offers that fail to furnish required representations or information or reject the terms and conditions of the solicitation may be excluded from award consideration.
- (e) **Representation and Certifications**: Complete, sign and submit all Representations and Certifications included in **Section 5** of this document (including the ORGANIZATIONAL CONFLICT OF INTEREST CERTIFICATION AND DISCLOSURE)
- (f) **Product(s) / Service (s) Description**. The Contracting Officer will evaluate products based on information furnished by the offeror or identified in the quotation and reasonably available to the Contracting Officer. The Contracting Officer is not responsible for locating or obtaining any information not identified in the quotation. Include a technical description of the items being offered in sufficient detail to evaluate compliance with the requirements in the solicitation. This may include product literature, or other documents, if necessary.
- (g) **Evidence** that the quoter can provide the necessary personnel, equipment, and financial resources needed to perform the work.
- (h) The quoter shall address its plan to obtain all **licenses and permits required** by local law (see DOSAR 652.242-73 in Section 2). If offeror already possesses the locally required licenses and permits, a copy shall be provided.

Page 43 of 56

U.S. DEPARTMENT *of* STATE



Embajada de los Estados Unidos de América

Carrera 45 # 24B- 27 - (+57601) 275.2000 - Bogotá D.C. – Colombia

co.usembassy.gov

SBU - CONTRACTING AND ACQUISITIONS



RFQ Number: PR15956166

- (i) If insurance is required by the solicitation, a copy of the Certificate of Insurance(s), or a statement that the Contractor will get the **required insurance**, and the name of the insurance provider to be used.
- (j) Provide evidence of **active SAM.gov registration**.
- (k) Once you send your offer/quote to the designated Procurement Agent (arizak@state.gov), make sure you receive a **confirmation of receipt** via electronic mail. Otherwise, your offer will not be considered for the current procurement action.
- (l) All Quotes must be valid for **90 days** from the closing date for this solicitation. No exceptions or qualifications. New equipment **ONLY**, NO grey market or refurbished products. Items must be in original packaging, never used, and not altered in any way.
- (m) **“DBA Insurance”** – Once the purchase order has been awarded to the winning vendor, the vendor must acquire the DBA insurance and submit the invoice to the designated procurement agent for total reimbursement of the cost. For local vendors, the source of the exchange rate value will be selected using the U.S. Embassy Bogota exchange rate (<https://cgfsice.azurewebsites.us/>) and the date of the DBA invoice. If required, a modification to the order will be processed.

Page 44 of 56

U.S. DEPARTMENT *of* STATE



Embajada de los Estados Unidos de América

Carrera 45 # 24B- 27 - (+57601) 275.2000 - Bogotá D.C. – Colombia

co.usembassy.gov

SBU - CONTRACTING AND ACQUISITIONS



SECTION 4 - EVALUATION FACTORS

Evaluation shall be made based on the extent to which an offer meets the technical specifications within each unique line item of the requirement. Award will be made based on a Lowest Price Technically Acceptable (LPTA) methodology.

Acquisition Method: The Government is conducting this acquisition using simplified procedures in Part 12 of the Federal Acquisition Regulation (FAR).

- Bear in mind items that proceed from China. Can't be purchased. Please see FAR 52.240-91 and 52.240-90.
- The Government reserves the right to reject quotations that are incomplete, non-compliant with the terms of this solicitation, or that are unreasonably high in price.
- For evaluation purposes, the price will be determined by multiplying the offered prices times the quantities stated in the schedule, and arriving at a grand total, including all options, if any.
- The Government will determine quoter responsibility by analyzing whether the apparent successful quoter complies with the standards of FAR 9.104.
- Unless an exception in FAR 4.203 System for Award Management applies, a quoter must be registered in SAM (www.SAM.gov) to be eligible for award. If the quoter does not become registered in the SAM database in the time prescribed by the Contracting Officer, the Contracting Officer will proceed to award the next otherwise successful registered quoter.
- Compliance with all the specifications listed in this document.
- The Government shall pay the contractor as full compensation for all work or services required, performed, and accepted. 30 days after receiving the invoice. No advance payments are allowed.
- The Government will evaluate the proposed technical specifications, delivery time, and warranty, and will consider past performance.





RFQ Number: PR15956166

- Warranty shall be effective in Colombia, if requested, shall be covered by the contractor during the term of the same.
- The Government will only consider for award those companies that the Government determines have a high likelihood of satisfactorily completing the required items based on the proposal





SECTION 5 - REPRESENTATIONS AND CERTIFICATIONS

52.203-11 Certification and Disclosure Regarding Payments to Influence Certain Federal Transactions.

As prescribed in 3.808(a), insert the following provision:

CERTIFICATION AND DISCLOSURE REGARDING PAYMENTS TO INFLUENCE CERTAIN FEDERAL TRANSACTIONS (SEP 2024)

- (a) *Definitions.* As used in this provision-"Lobbying contact" has the meaning provided at 2 U.S.C. 1602(8). The terms "agency," "influencing or attempting to influence," "officer or employee of an agency," "person," "reasonable compensation," and "regularly employed" are defined in the FAR clause of this solicitation entitled "Limitation on Payments to Influence Certain Federal Transactions" (52.203-12).
- (b) *Prohibition.* The prohibition and exceptions contained in the FAR clause of this solicitation entitled "Limitation on Payments to Influence Certain Federal Transactions" (52.204-13) are hereby incorporated by reference in this provision.
- (c) *Certification.* The offeror, by signing its offer, hereby certifies to the best of its knowledge and belief that no Federal appropriated funds have been paid or will be paid to any person for influencing or attempting to influence an officer or employee of any agency, a Member of Congress, an officer or employee of Congress, or an employee of a Member of Congress on its behalf in connection with the awarding of this contract.
- (d) *Disclosure.* If any registrants under the Lobbying Disclosure Act of 1995 have made a lobbying contact on behalf of the offeror with respect to this contract, the offeror shall complete and submit, with its offer, OMB Standard Form LLL, Disclosure of Lobbying Activities, to provide the name of the registrants. The offeror need not report regularly employed officers or employees of the offeror to whom payments of reasonable compensation were made.





RFQ Number: PR15956166

(e) *Penalties.* Submission of this certification and disclosure is a prerequisite for making or entering into this contract imposed by 31 U.S.C. 1352. Any person who makes an expenditure prohibited under this provision or who fails to file or amend the disclosure required to be filed or amended by this provision, shall be subject to civil penalties as provided in 31 U.S.C. 1352. An imposition of a civil penalty does not prevent the Government from seeking any other remedy that may be applicable.

(End of provision)

52.222-18 Certification Regarding Knowledge of Child Labor for Listed End Products.

As prescribed in 22.1502-2(a)(1), insert the following provision:

CERTIFICATION REGARDING KNOWLEDGE OF CHILD LABOR FOR LISTED END PRODUCTS (FEB 2021)

(a) *Definition.*

Forced or indentured child labor means all work or service-

- (1) Exacted from any person under the age of 18 under the menace of any penalty for its nonperformance and for which the worker does not offer himself voluntarily; or
- (2) Performed by any person under the age of 18 pursuant to a contract the enforcement of which can be accomplished by process or penalties.

(b) *Listed end products.* The following end product(s) being acquired under this solicitation is (are) included in the List of Products Requiring Contractor Certification as to Forced or Indentured Child Labor, identified by their country of origin. There is a reasonable basis to believe that listed end products from the listed countries of origin may have been mined, produced, or manufactured by forced or indentured child labor.

Listed End Product	Listed Countries of Origin

Page 48 of 56

U.S. DEPARTMENT of STATE



Embajada de los Estados Unidos de América

Carrera 45 # 24B- 27 - (+57601) 275.2000 - Bogotá D.C. – Colombia

co.usembassy.gov

SBU - CONTRACTING AND ACQUISITIONS



RFQ Number: PR15956166

(c) *Certification.* The Government will not make award to an offeror unless the offeror, by checking the appropriate block, certifies to either paragraph (c)(1) or paragraph (c)(2) of this provision.

☐ (1) The offeror will not supply any end product listed in paragraph (b) of this provision that was mined, produced, or manufactured in a corresponding country as listed for that end product.

☐ (2) The offeror may supply an end product listed in paragraph (b) of this provision that was mined, produced, or manufactured in the corresponding country as listed for that product. The offeror certifies that it has made a good faith effort to determine whether forced or indentured child labor was used to mine, produce, or manufacture such end product. On the basis of those efforts, the offeror certifies that it is not aware of any such use of child labor.

(End of provision)

52.240-90 Security Prohibitions and Exclusions Representations and Certifications

As prescribed in 40.205(a), insert the following provision:

SECURITY PROHIBITIONS AND EXCLUSIONS REPRESENTATIONS AND CERTIFICATIONS (NOV-2025)

(a) *Definitions.* As used in this provision—

Backhaul, covered article, covered telecommunications equipment or services, critical technology, FASCSA order, Intelligence community, interconnection arrangements, national security system, roaming, sensitive compartmented information, sensitive compartmented information system, source, and substantial or essential component have the meanings provided in the clause 52.240-91, Security Prohibitions and Exclusions.

Page 49 of 56

U.S. DEPARTMENT *of* STATE



Embajada de los Estados Unidos de América

Carrera 45 # 24B- 27 - (+57601) 275.2000 - Bogotá D.C. – Colombia

co.usembassy.gov

SBU - CONTRACTING AND ACQUISITIONS



Business operations means engaging in commerce in any form, including by acquiring, developing, maintaining, owning, selling, possessing, leasing, or operating equipment, facilities, personnel, products, services, personal property, real property, or any other apparatus of business or commerce.

Marginalized populations of Sudan means—

- (1) Adversely affected groups in regions authorized to receive assistance under section 8(c) of the Darfur Peace and Accountability Act (Pub. L. 109-344) (50 U.S.C. 1701 note); and
- (2) Marginalized areas in Northern Sudan described in section 4(9) of such Act.

Restricted business operations means business operations in Sudan that include power production activities, mineral extraction activities, oil-related activities, or the production of military equipment, as those terms are defined in the Sudan Accountability and Divestment Act of 2007 (Pub. L. 110-174). Restricted business operations do not include business operations that the person (as that term is defined in Section 2 of the Sudan Accountability and Divestment Act of 2007) conducting the business can demonstrate—

- (1) Are conducted under contract directly and exclusively with the regional government of southern Sudan;
- (2) Are conducted under specific authorization from the Office of Foreign Assets Control in the Department of the Treasury, or are expressly exempted under Federal law from the requirement to be conducted under such authorization;
- (3) Consist of providing goods or services to marginalized populations of Sudan;
- (4) Consist of providing goods or services to an internationally recognized peacekeeping force or humanitarian organization;
- (5) Consist of providing goods or services that are used only to promote health or education; or
- (6) Have been voluntarily suspended.

Sensitive technology—





(1) Means hardware, software, telecommunications equipment, or any other technology that is to be used specifically—

(i) To restrict the free flow of unbiased information in Iran; or

(ii) To disrupt, monitor, or otherwise restrict speech of the people of Iran; and

(2) Does not include information or informational materials the export of which the President does not have the authority to regulate or prohibit pursuant to section 203(b)(3) of the International Emergency Economic Powers Act (50 U.S.C. 1702(b)(3)).

(b) *Procedures.*

(1) *Covered telecommunications and video surveillance.* The Offeror shall review the list of excluded parties in the System for Award Management (SAM) at <https://www.sam.gov> for entities excluded from receiving federal awards for “covered telecommunications equipment or services.”

(2) *FASCSA Orders.*

(i) The Offeror shall search in SAM for the phrase “FASCSA order” for any covered article, or any products or services produced or provided by a source, if there is an applicable FASCSA order described in paragraph (e) of FAR 52.240-91, Security Prohibitions and Exclusions.

(ii) The Offeror shall review the solicitation for any FASCSA orders that are not in SAM but are effective and apply to the solicitation and resultant contract (see FAR 40.204-1(c)(2)).

(iii) FASCSA orders issued after the date of solicitation do not apply unless added by an amendment to the solicitation.

(c) *Covered telecommunications equipment or services representations.* **By submission of its offer, the Offeror represents that, after conducting a reasonable inquiry (that looks at any information in the Offeror’s possession but does not need to include an internal or third-party audit)—**





(1) It will not provide covered telecommunications equipment or services to the Government in the performance of any contract, subcontract or other contractual instrument resulting from this solicitation, except as waived by the solicitation, or as disclosed in paragraph (g); and

(2) It does not use covered telecommunications equipment or services, or use any equipment, system, or service that uses covered telecommunications equipment or services, except as waived by the solicitation, or as disclosed in paragraph (g).

(d) *FASCSA Representation.* By submission of this offer, the offeror represents that it has conducted a reasonable inquiry, and that the offeror does not propose to provide or use in response to this solicitation any covered article, or any products or services produced or provided by a source, if the covered article or the source is prohibited by an applicable FASCSA order in effect on the date the solicitation was issued, except as waived by the solicitation, or as disclosed in paragraph (g). A reasonable inquiry will look at any information in the offeror's possession but does not need to include an internal or third-party audit.

(e) *Sudan certification.* By submission of its offer, the offeror certifies, after conducting a reasonable inquiry (that looks at any information in the offeror's possession but does not need to include an internal or third-party audit), that the offeror does not conduct any restricted business operations in Sudan.

(f) *Iran Representation and Certifications.*

(1) Except as provided in paragraph (f)(2) of this provision or if a waiver has been granted in accordance with FAR 40.203-3, the offeror, after conducting a reasonable inquiry (that looks at any information in the offeror's possession but does not need to include an internal or third-party audit), by submission of its offer—

(i) Represents, to the best of its knowledge and belief, that the offeror does not export any sensitive technology to the government of Iran or any entities or individuals owned or controlled by, or acting on behalf or at the direction of, the government of Iran;

(ii) Certifies that the offeror, or any person (as defined at section 15 of the Iran Sanctions Act of 1996, Pub. L. 104-172, 50 U.S.C. 1701 note) owned or controlled by the offeror, does not engage in any





activities for which sanctions may be imposed under section 5 of the Act. These sanctioned activities are in the areas of development of the petroleum resources of Iran, production of refined petroleum products in Iran, sale and provision of refined petroleum products to Iran, and contributing to Iran's ability to acquire or develop certain weapons or technologies; and

(iii) Certifies that the offeror, and any person owned or controlled by the offeror, does not knowingly engage in any transaction that exceeds \$15,000 with Iran's Revolutionary Guard Corps or any of its officials, agents, or affiliates, the property and interests in property of which are blocked pursuant to the International Emergency Economic Powers Act (50 U.S.C. 1701 et seq.) (see OFAC's Specially Designated Nationals and Blocked Persons List at <https://www.treasury.gov/resource-center/sanctions/SDN-List/Pages/default.aspx>)

(2) Exception for trade agreements. The representation and certification requirements of paragraph (f)(1) of this provision do not apply if—

(i) This solicitation includes a trade agreements notice or certification (e.g., 52.225-6, Trade Agreements Certificate); and

(ii) The offeror has certified that all the offered products to be supplied are designated country end products or designated country construction material.

(iii) The offeror shall email questions concerning sensitive technology to the Department of State at CISADA106@state.gov.

(g) *Disclosure.*

(1) If the Offeror is not able to represent compliance with the prohibitions in paragraphs (c) or (d), then the Offeror shall disclose within 72 hours to the contracting office identified in paragraph (g)(2) the following information for each product or service not compliant:

(i) Contract number and order number, if applicable;

(ii) Identification of whether this disclosure relates to paragraph (c) on covered telecommunication equipment or services, or to paragraph (d) on FASCSA orders;





- (iii) A description of the products or services that the Contractor identifies or has reason to suspect is prohibited (include brand; model number, such as the original equipment manufacturer (OEM) number, manufacturer part number, or wholesaler number; and item description, as applicable);
 - (iv) The entity that produced the product or service (include entity name, unique entity identifier, Contractor and Government Entity (CAGE) code, facilities responsible for design, fabrication, assembly, packaging, and test of the product, and whether the entity was the OEM or a distributor (provide manufacturer codes and distributor codes used for the product));
 - (v) Description of the functionality of the product or service and how that functionality impacts the risk to the product or service;
 - (vi) An explanation of any factors relevant to determining if the product or service should be permitted by an applicable exception, exemption, or waiver (if the offeror would like the Government to consider a waiver);
 - (vii) Whether alternative products or services are available that would be compliant with the prohibition;
 - (viii) If the product or service is related to item maintenance, include the following information on the item being maintained:
 - (A) Brand;
 - (B) Model number, OEM number, manufacturer part number, or wholesaler number; and
 - (C) Item description, as applicable.
 - (ix) Any readily available information about mitigation actions undertaken or recommended.
- (2) If a disclosure is required to be submitted to a contracting office, the offeror shall submit the disclosure as follows:
- (i) If a Department of Defense contracting office, the offeror shall submit the disclosure to the website at <https://dibnet.dod.mil>.
 - (ii) For all other contracting offices, the Offeror shall submit the disclosure to the Contracting Officer.





(3) If the disclosure provided does not contain any of the information required by paragraph (1), and the Offeror later discovers new information that is required by paragraph (1), then the Offeror shall submit a subsequent disclosure within 72 hours of discovering the new information.

(h) *Executive agency review of disclosures.* The Contracting Officer will review disclosures provided in paragraph (g) to determine if any applicable waiver may be sought. The Contracting Officer may choose not to pursue a waiver and may instead make an award to an Offeror that does not require a waiver.

(End of provision)

Subpart 9.5 for ORGANIZATIONAL CONFLICT OF INTEREST CERTIFICATION AND DISCLOSURE

(a) The offeror certifies, to the best of its knowledge and belief, that it [] is [] is not aware of any information bearing on the existence of any potential organizational conflict of interest, as defined in FAR 9.501, which relates to the work to be performed pursuant to this solicitation. As used herein, "offeror" means the proposer or any of its affiliates or proposed consultants or subcontractors of any tier.

(b) If the offeror is aware of any such information, the offeror shall provide a disclosure statement as part of its proposal which describes in a concise manner all relevant facts concerning any past, present, or planned interest (financial, contractual, organizational, or otherwise) relating to the work to be performed hereunder and bearing on whether the offeror may have a potential organizational conflict of interest with respect to (1) being able to render impartial, technically sound, and objective assistance or advice, or (2) being given an unfair competitive advantage. The offeror may also provide relevant facts that show how its organizational structure and/or management systems limit its knowledge of possible organizational conflicts of interest relating to other divisions or sections of the organization and how that structure or system would avoid or mitigate such organizational conflicts.

(c) The Government will review the statement submitted and may require additional relevant information from the offeror. All such information, and any other relevant information known to the Government, will be used to determine whether an award to the offeror may create an organizational conflict of interest. If an organizational conflict of interest is found to exist, the Government may

(1) impose appropriate conditions which avoid such conflict,





RFQ Number: PR15956166

- (2) disqualify the offeror, or
- (3) determine that it is otherwise in the best interest of the United States to contract with the offeror by including appropriate conditions mitigating such conflict in the resultant contract.

(d) Offerors should refer to FAR Subpart 9.5 for policies and procedures for avoiding, neutralizing, or mitigating organizational conflicts of interest.

(e) If the Contracting Officer determines that a potential conflict exists, the prospective Contractor shall not receive an award unless the conflict can be avoided or otherwise resolved through the inclusion of a special contract clause or other appropriate means. The terms of any special clause are subject to negotiation.

CERTIFICATION

I hereby certify that the responses to the above representations, certifications, and other statements are accurate and complete.

Signature: _____

Your Company name: _____

Typed Name: _____

Title: _____

Date: _____

F o





STATEMENT OF WORK (SOW)

1 BACKGROUND

Reserved

2 TECHNICAL SPECIFICATIONS

Item	Description	Qty	UoM
1	Dismantling of Glass Door and Tempered Glass Panels Service for the dismantling of one (1) P1 tempered glass door, including all its hardware, and two (2) tempered glass panels identified as V1 (2 units). These glass elements are anchored to the intermediate floor slab and to the drywall ceiling using stainless steel fastening components. Prior to dismantling the tempered glass elements, verification must be carried out to ensure the absence of active electrical, plumbing, and gas networks. Adjacent floors and surfaces must be protected to prevent damage, including breakage of flooring and façade glass. The removal of anchors and manual dismantling of the glass must be performed by qualified personnel using appropriate tools (suction cups and cut-resistant protective equipment). Door P1 and glass panels V1 (2 units) shall be delivered to the Employer's Representative properly packed to prevent breakage, including suitable protective materials and handling conditions. The scope shall include transportation from the current office located in downtown Monteria to a warehouse within the same city. For the repair of the floor where the P1 door and V1 glass panels were anchored, a finish (tile or cladding) with similar dimensions, color, and texture to the existing surface must be installed. Additionally, the ceiling area (drywall) where the door and panels were installed must be repaired, skim-coated, and painted to match the existing color, leaving the surface fully restored. All areas must be left clean and	11	SM – square meter

U.S. DEPARTMENT *of* STATE



Embajada de los Estados Unidos de América
Carrera 45 # 24B- 27 - (+57601) 275.2000 - Bogotá D.C. – Colombia
co.usembassy.gov

SBU - CONTRACTING AND ACQUISITIONS



Item	Description	Qty	UoM
	ready for subsequent construction activities. All works shall be executed in accordance with NSR-10 (Title K – Non-structural elements), current environmental regulations regarding construction and demolition waste (CDW), and applicable Occupational Health and Safety provisions. The scope includes all labor, equipment, tools, and protective measures required for proper execution and acceptance by the Client. The dimensions and location of the P1 door and V1 glass panels (2 units) are indicated in drawings P-03 and P-04.//// Desmante de puerta en vidrio y vidrios templado. Servicio de desmante de una (1) puerta P1 en vidrio templado con todos sus herrajes y dos (2) vidrios templados, de los cuales dos (2): V1 x 2 unidades, los vidrios están anclados a la placa de entepiso y al cielo raso en Drywall mediante elementos de fijación en acero inoxidable. Antes del desmante de los vidrios templados, se debe realizar la verificación previa de ausencia de redes activas eléctricas, hidrosanitarias y gas; también se debe proteger los pisos y superficies aledañas para evitar daños y rotura de pisos y vidrios de fachada; el retiro de anclajes y el desmante manual de los vidrios, debe realizarse con personal capacitado y herramientas adecuadas (ventosas y elementos anticorte); la puerta P1 y los vidrios V1 x 2 unidades, se deben entregar al representante del contratante técnicamente empacados para evitar la rotura de los vidrios e incluir transporte desde la oficina actual en el centro de Monteria a una bodega dentro de la misma ciudad; Para el resane del piso donde estaban anclados la puerta P1 y los vidrios V1 x 2 unidades, se debe utilizar un enchape con medidas, color y textura, similar al existente, también se debe realizar el resane del cielo raso en el área donde estaba la puerta P1 y los vidrios V1 x 2 unidades, quedando la superficie: resanada, estucada y pintada del mismo color que tiene actualmente el cielo falso en Drywall, dejando el área completamente limpia y lista para la siguiente actividad constructiva; los trabajos deberán ejecutarse conforme a la NSR-10 (Título K – elementos no estructurales), normativa ambiental vigente sobre RCD y disposiciones de Seguridad y Salud en el Trabajo aplicables, incluyendo todos los equipos, mano de obra, herramientas, protecciones necesarias para su correcta ejecución y recibo a satisfacción del contratante. Las dimensiones y		

U.S. DEPARTMENT of STATE



Embajada de los Estados Unidos de América
Carrera 45 # 24B- 27 - (+57601) 275.2000 - Bogotá D.C. – Colombia
co.usembassy.gov

SBU - CONTRACTING AND ACQUISITIONS



Item	Description	Qty	UoM
	ubicación de la puerta P1 y de los vidrios: V1 x 2 unidades, se pueden ver en los planos adjuntos P-03 y P-04.		
2	Service for the demolition of one (1) drywall partition identified as M1. Prior to the demolition of the drywall partition, verification shall be carried out to confirm the absence of active electrical, plumbing, and gas networks. Before starting demolition activities, floors and adjacent surfaces must be protected to prevent damage, including breakage of flooring and façade glass. The manual demolition of the drywall system (boards, metal framing, and any insulation materials) shall be executed without the use of high-impact tools. The loading, removal, internal transport, sorting, and final disposal of debris must be carried out at an authorized site, with the corresponding disposal certificate provided. For the repair of the floor where partition M1 was anchored, a finish (tile or cladding) with dimensions, color, and texture similar to the existing surface shall be installed. Likewise, the ceiling (drywall) in the area where partition M1 was located should be repaired, skim-coated, and painted to match the existing ceiling color, leaving the surface fully restored. The work area must be left completely clean and ready for subsequent construction activities. All works shall be executed in accordance with NSR-10 (Title K – Non-structural Elements), current environmental regulations regarding construction and demolition waste (CDW), and applicable Occupational Health and Safety requirements. The scope includes all labor, equipment, tools, and protective measures necessary for proper execution and acceptance by the Client. The dimensions and location of partition M1 are indicated in drawings P-03 and P-04.//// Demolición de muros en Drywall: Servicio de demolición de un (1) muro en Drywall M1; antes de la demolición de muros bajos en Drywall se debe realizar la verificación previa de ausencia de redes activas eléctricas, hidrosanitarias y gas. Para el trabajo de demolición de los muros en Drywall, previamente, se deben proteger los pisos y superficies aledañas para evitar daños y rotura de pisos y vidrios de fachada; la demolición manual del sistema Drywall (placas, perfilería y posibles aislamientos) debe ejecutarse sin uso de herramientas de alto impacto; el cargue, retiro, transporte interno, clasificación y disposición final de residuos, debe	6	SM - square meter

U.S. DEPARTMENT of STATE



Embajada de los Estados Unidos de América
Carrera 45 # 24B- 27 - (+57601) 275.2000 - Bogotá D.C. – Colombia
co.usembassy.gov

SBU - CONTRACTING AND ACQUISITIONS



Item	Description	Qty	UoM
	realizarse en un sitio autorizado con entrega de certificado. Para el resane del piso donde estaban anclado el muro M1, se debe utilizar un enchape con medidas, color y textura, similar al existente, también se debe realizar el resane del cielo raso en el área donde estaba el muro M1, quedando la superficie: resanada, estucada y pintada del mismo color que tiene actualmente el cielo falso en Drywall, dejando el área completamente limpia y lista para la siguiente actividad constructiva los trabajos deberán ejecutarse conforme a la NSR-10 (Título K – elementos no estructurales), normativa ambiental vigente sobre RCD y disposiciones de Seguridad y Salud en el Trabajo aplicables, incluyendo todos los equipos, mano de obra, herramientas, protecciones necesarias para su correcta ejecución y recibo a satisfacción del contratante. Las dimensión y ubicación del muro M1, se puede ver en el plano adjunto: P-03 y P-04.		
3	Supply and Installation of Superboard (Fiber Cement) Partitions: Supply and installation of six (6) partitions (M2, M3, M4, M5, M6, and M7) using a lightweight system with 11 mm thick fiber cement panels (Superboard type), equivalent to a finished wall thickness of 110 mm including structure. The system shall be installed on galvanized metal framing (C/U studs and tracks) minimum 20 gauge (0.90 mm), with studs spaced at 400 mm centers and anchored to the existing structure using certified mechanical fasteners. The partition assembly shall consist of double Superboard panels on each side, including a resistant barrier or breathable membrane, and 50 mm mineral wool thermal-acoustic insulation within the wall cavity. Joints shall be treated with reinforcing tape and compatible joint compound. Fasteners shall be galvanized self-drilling screws with countersunk heads and anti-corrosion treatment, installed in accordance with manufacturer specifications (maximum spacing: 200 mm at edges and 300 mm in the field). A vertical reinforcement shall be installed on both sides of the frame of the new access door, consisting of a 2" x 4" cold-rolled steel tube, 14 gauge, anchored to the intermediate floor slab at both the top and bottom. The element shall be finished with anti-corrosion paint. The system must ensure moisture resistance, dimensional stability, and fire reaction classification in compliance with applicable regulations. The final finish shall include full surface preparation: joint and fastener patching with compatible	22	SM - square meter

U.S. DEPARTMENT *of* STATE



Embajada de los Estados Unidos de América
Carrera 45 # 24B- 27 - (+57601) 275.2000 - Bogotá D.C. – Colombia
co.usembassy.gov

SBU - CONTRACTING AND ACQUISITIONS



Item	Description	Qty	UoM
	compound, installation of reinforcing tape, application of skim coat or base layer as required, fine sanding, and cleaning to achieve a uniform surface. Subsequently, a three (3) coat anti-fungal paint system shall be applied (one primer/sealer coat and two finish coats), using water-based paint suitable for interior or exterior use as applicable, with fungicidal properties, high adhesion, washability, and moisture resistance. Application shall comply with manufacturer-recommended thicknesses, coverage rates, and drying times, achieving a uniform finish free of visible defects and ready for final acceptance. All works shall be executed in accordance with NSR-10 (Title K – Non-structural Elements), current environmental regulations regarding construction and demolition waste (CDW), and applicable Occupational Health and Safety requirements. The scope includes all labor, equipment, tools, and protective measures necessary for proper execution and acceptance by the Client. The dimensions and location of the six (6) partitions (M2, M3, M4, M5, M6, and M7) are indicated in drawings P-05 and P-06. Suministro e instalación de muros en superboard: Suministro e instalación de seis (6) muros (M2, M3, M4, M5, M6, M7), en sistema liviano con paneles de fibrocemento tipo Superboard de 11 mm de espesor (equivalente a muro terminado de 110 mm incluyendo estructura), instalados sobre perfilería metálica galvanizada tipo C/U calibre 20 (0,90 mm) como mínimo, con montantes espaciados cada 40 cm y anclados a estructura existente mediante fijaciones mecánicas certificadas. El cerramiento se conformará con doble placa de Superboard por cara, incluyendo barrera hidrófuga o membrana permeable y aislamiento termoacústico en lana mineral de 50 mm en el alma del muro. Las juntas deberán tratarse con cinta de refuerzo y masilla compatible, y las fijaciones serán tornillos autoperforantes galvanizados con cabeza avellanada y tratamiento anticorrosivo, colocados según especificaciones del fabricante (distanciamiento máximo 20 cm en bordes y 30 cm en campo). Se instalará en el marco de la nueva puerta de acceso a lado y lado un refuerzo vertical a ambos lados del marco de la puerta un tubo metálico cold rold de 2"x4" calibre 14 anclado a la losa de entepiso arriba y abajo con acabado en pintura anticorrosiva. El sistema deberá garantizar resistencia a la		

U.S. DEPARTMENT *of* STATE



Embajada de los Estados Unidos de América
Carrera 45 # 24B- 27 - (+57601) 275.2000 - Bogotá D.C. – Colombia
co.usembassy.gov

SBU - CONTRACTING AND ACQUISITIONS



Item	Description	Qty	UoM
	humedad, estabilidad dimensional, clasificación de reacción al fuego conforme normativa vigente y acabado final incluye la preparación integral de la superficie mediante resane de juntas y fijaciones con masilla compatible, instalación de cinta de refuerzo, aplicación de estuco o capa base según requerimiento, lijado fino y limpieza para garantizar una superficie uniforme. Posteriormente, aplicación de sistema de pintura antihongos en tres (3) manos (una de imprimante o sellador y dos de acabado), con pintura base agua de uso interior o exterior según corresponda, con propiedades fungicidas, alta adherencia, lavabilidad y resistencia a la humedad. La aplicación deberá cumplir con los espesores, rendimientos y tiempos de secado recomendados por el fabricante, logrando un acabado homogéneo, sin defectos visibles y listo para recibo a satisfacción. Todos los trabajos deberán ejecutarse conforme a la NSR-10 (Título K – elementos no estructurales), normativa ambiental vigente sobre RCD y disposiciones de Seguridad y Salud en el Trabajo aplicables, incluyendo todos los equipos, mano de obra, herramientas, protecciones necesarias para su correcta ejecución y recibo a satisfacción del contratante; las dimensiones y ubicación de los seis (6) muros (M2, M3, M4, M5, M6, M7), se pueden ver en los planos adjuntos: P-05 y P-06.		
4	Sealing of Existing Openings The work consists of sealing, from one side only, four (4) existing window openings (VT1) as indicated in the drawings, keeping the window visible and intact from the corridor side, and performing the closure only on the opposite face using a lightweight dry construction system. Only windows (VT2) shall be sealed on both sides. The scope includes the supply and installation of a galvanized metal framing system (C/U studs and tracks), minimum 20 gauge (0.90 mm), perimeter-anchored to existing structural elements using certified mechanical fasteners, forming an, plumb, and level frame. The system shall include installation of 50 mm mineral wool thermal-acoustic insulation within the frame cavity, and external cladding with 11 mm thick fiber cement panels (Superboard type), fastened with corrosion-resistant galvanized self-drilling screws, spaced in accordance with the manufacturer's specifications. The final finish includes full surface preparation: treatment of joints and fasteners with compatible compound,	9	SM - square meter

U.S. DEPARTMENT *of* STATE



Embajada de los Estados Unidos de América
Carrera 45 # 24B- 27 - (+57601) 275.2000 - Bogotá D.C. – Colombia
co.usembassy.gov

SBU - CONTRACTING AND ACQUISITIONS



Item	Description	Qty	UoM
	installation of reinforcing tape, application of skim coat or base layer as required, fine sanding, and cleaning to ensure a uniform surface. Subsequently, a three (3) coat anti-fungal paint system shall be applied (one primer/sealer coat and two finish coats), using water-based paint suitable for interior or exterior use as applicable, with fungicidal properties, high adhesion, washability, and moisture resistance. Application shall comply with manufacturer-recommended thicknesses, coverage rates, and drying times, achieving a uniform finish free of visible defects, without affecting existing window frames or elements visible from the corridor, and including cleaning, protection of frames, and complete delivery. The dimensions and location of the five (5) window openings (VT1 – 4 units and VT2 – 1 unit) are indicated in drawings P-05 and P-07. Sellar vanos existentes. El trabajo consiste en el sellado por una cara de cuatro (4) vanos de ventanas (VT1) existentes indicados en planos, manteniendo visible e intacta la ventana por el lado del pasillo, y realizando el cierre únicamente por la cara opuesta mediante sistema liviano en seco. Solamente la ventana (VT2) se sellará por las dos caras. El trabajo incluye suministro e instalación de estructura metálica galvanizada tipo C/U calibre mínimo 20 (0,90 mm), anclada perimetralmente a elementos estructurales existentes mediante fijaciones mecánicas certificadas, conformando bastidor independiente aplomado y nivelado; colocación de aislamiento termoacústico en lana mineral de 50 mm al interior del bastidor; y revestimiento exterior con panel de fibrocemento tipo Superboard de 11 mm de espesor, fijado con tornillería autoperforante galvanizada resistente a la corrosión, con distanciamientos según especificación del fabricante. El acabado final incluye la preparación integral de la superficie mediante resane de juntas y fijaciones con masilla compatible, instalación de cinta de refuerzo, aplicación de estuco o capa base según requerimiento, lijado fino y limpieza para garantizar una superficie uniforme. Posteriormente, aplicación de sistema de pintura antihongos en tres (3) manos (una de imprimante o sellador y dos de acabado), con pintura base agua de uso interior o exterior según corresponda, con propiedades fungicidas, alta adherencia, lavabilidad y resistencia a la humedad. La aplicación		

U.S. DEPARTMENT *of* STATE



Embajada de los Estados Unidos de América
Carrera 45 # 24B- 27 - (+57601) 275.2000 - Bogotá D.C. – Colombia
co.usembassy.gov

SBU - CONTRACTING AND ACQUISITIONS



Item	Description	Qty	UoM
	deberá cumplir con los espesores, rendimientos y tiempos de secado recomendados por el fabricante, logrando un acabado homogéneo, sin defectos visibles sin afectar la carpintería existente ni los elementos visibles desde el pasillo, e incluyendo limpieza, protección de marcos y entrega completamente terminada. Las dimensiones y ubicación de las cinco (5) vanos de ventanas (VT1 x 4 unidades y VT2 x 1 unidad), se pueden ver en los planos adjuntos: P-05, P-07.		
5	Removal of LED Luminaires The Contractor shall carry out the removal of recessed LED luminaires installed in drywall suspended ceilings, always ensuring the integrity of the existing electrical system, including wiring and octagonal junction boxes, to leave the electrical points in optimal condition for the subsequent installation of new luminaires. To this end, the Contractor shall perform safe de-energization of the circuits in accordance with lockout/tagout (LOTO) procedures, verify the absence of voltage using certified testing equipment, and carefully remove the luminaires without causing damage to the suspended ceiling or supporting structures. Conductors shall be disconnected while preserving their insulation and usable length, with proper identification of phase, neutral, and ground. Continuity of the grounding conductor shall be ensured, and conductor ends shall be protected using certified connectors. Additionally, the Contractor shall verify the proper condition and secure mounting of the octagonal junction boxes, leaving them ready for reuse. Temporary protective elements shall be installed if required, exposure of potentially energized conductors shall be avoided, and full compliance with applicable Colombian electrical regulations shall be maintained, including RETIE, NTC 2050, and other relevant standards, as well as Occupational Health and Safety requirements, with the use of appropriate personal protective equipment (PPE). The Contractor shall ensure proper disposal of the removed luminaires in accordance with current environmental regulations for Waste Electrical and Electronic Equipment (WEEE), and guarantee that the work area is left in proper technical and aesthetic condition. The location of the luminaires to be removed within the office is indicated in drawings E-01 and E-02.	13	EA - each

U.S. DEPARTMENT *of* STATE



Embajada de los Estados Unidos de América
Carrera 45 # 24B- 27 - (+57601) 275.2000 - Bogotá D.C. – Colombia
co.usembassy.gov

SBU - CONTRACTING AND ACQUISITIONS



Item	Description	Qty	UoM
	Desmonte de luminarias tipo LED El contratista deberá realizar el desmontaje de luminarias LED empotradas en cielo falso de Drywall, garantizando en todo momento la integridad del sistema eléctrico existente, incluyendo el cableado y las cajas octogonales, con el fin de dejar los puntos eléctricos en condiciones óptimas para la posterior instalación de nuevas luminarias; para ello, deberá efectuar la desenergización segura de los circuitos conforme a los procedimientos de bloqueo y etiquetado (LOTO), verificar ausencia de tensión con equipos certificados, retirar cuidadosamente las luminarias sin causar daños al cielo falso ni a las estructuras de soporte, desconectar los conductores preservando su aislamiento y longitud útil, identificar adecuadamente fase, neutro y tierra, asegurar la continuidad del conductor de puesta a tierra, y proteger los extremos mediante conectores certificados; igualmente, deberá verificar la correcta fijación y estado de las cajas octogonales, dejándolas habilitadas para reutilización, instalar elementos de protección temporal si se requiere, evitar la exposición de conductores energizables, y cumplir estrictamente con la normativa eléctrica colombiana vigente, incluyendo el RETIE, la NTC 2050 y demás normas aplicables, así como con los lineamientos de seguridad y salud en el trabajo, utilizando los elementos de protección personal correspondientes; finalmente, deberá realizar la disposición adecuada de las luminarias retiradas conforme a la normativa ambiental vigente para residuos de aparatos eléctricos y electrónicos (RAEE), y garantizar que el área intervenida quede en correctas condiciones técnicas y estéticas. La ubicación de las luminarias a desmontar dentro de la oficina, se pueden ver en los planos adjuntos: E-01 y E-02.		

U.S. DEPARTMENT *of* STATE



Embajada de los Estados Unidos de América
Carrera 45 # 24B- 27 - (+57601) 275.2000 - Bogotá D.C. – Colombia
co.usembassy.gov

SBU - CONTRACTING AND ACQUISITIONS



Item	Description	Qty	UoM
6	Supply and Installation of 60x60 cm LED Luminaires Supply and installation of 60x60 cm LED panel luminaires for indoor office use, high-efficiency type with a minimum efficacy of 100 lm/W, minimum service life of 50,000 hours (L70), color temperature of 4000 K (neutral white light), and color rendering index CRI $\geq$ 80. The luminaires shall comply with the illuminance levels, glare control, uniformity, and energy efficiency established by the current Technical Regulation of Lighting and Public Lighting (RETILAP). The scope includes all elements required for proper operation, such as mounting or recessed installation systems for suspended ceilings, drivers, connection wiring, phase, neutral, and grounding conductors, and conduit systems (EMT, IMC, or PVC depending on site conditions). A continuous grounding conductor connected to the main grounding system shall be provided, along with proper circuit identification, splicing within junction boxes using certified connectors, and full compliance with safety standards and conduit fill requirements. The Contractor shall be responsible for detailed engineering and, upon completion of the works, shall submit as-built drawings showing the final circuit layout. For this work, existing electrical conduits, wiring, and switches shall be reused. Since the dimensions of the new luminaires are larger than the existing ones, the scope includes all necessary civil works to adjust the ceiling openings without affecting the load-bearing structure of the suspended ceiling. The Contractor shall repair, patch, and reinstate the drywall system (metal framing, boards, tape, joint compound, sanding, and final finish ready for painting), ensuring both aesthetic uniformity and mechanical stability. Electrical and construction waste shall be managed in accordance with current environmental regulations and applicable PGIRS guidelines, including proper disposal of luminaires and electronic components. The work area shall be delivered clean, safe, and in optimal operating condition, ensuring that existing electrical systems are properly insulated, protected, and certified for operation or future reconnection. The Contractor must submit the technical datasheet of the LED luminaires to be supplied, which shall be subject to review and approval by the Client. All activities, materials, designs, and installations shall fully comply with current Colombian electrical technical specifications, including RETIE, RETILAP,	9	EA - each

U.S. DEPARTMENT *of* STATE



Embajada de los Estados Unidos de América
Carrera 45 # 24B- 27 - (+57601) 275.2000 - Bogotá D.C. – Colombia
co.usembassy.gov

SBU - CONTRACTING AND ACQUISITIONS



Item	Description	Qty	UoM
	applicable NTC standards, and all other regulations governing electrical installations in Colombia. The location of the luminaires to be installed within the office is indicated in drawing E-03.//// Suministro e instalación de luminaria LED 60x60 cm Suministro e instalación de luminarias tipo panel LED de 60x60 cm para uso interior en oficinas, de alta eficiencia con eficacia mínima de 100 lm/W, vida útil mínima de 50.000 horas (L70), temperatura de color de 4000 K (luz blanca neutra) y reproducción cromática CRI ≥ 80. Las luminarias deberán cumplir con los niveles de iluminancia, deslumbramiento, uniformidad y eficiencia energética exigidos por el Reglamento Técnico de Iluminación y Alumbrado Público (RETILAP) vigente. El alcance incluye todos los elementos necesarios para su correcta operación, tales como sistema de fijación o empotramiento en cielo raso, drivers, cableado de conexión, conductores fase, neutro y tierra, canalización (tubería EMT, IMC o PVC según condiciones del sitio). Se deberá incluir conductor de puesta a tierra continuo hasta el sistema general, correcta identificación de circuitos, empalmes en cajas con conectores certificados y cumplimiento de normas de seguridad y llenado de canalizaciones. El contratista será responsable de la ingeniería de detalle y al final de la obra debe entregar los planos As-build donde se identifique la organización final de los circuitos; para este trabajo la tubería eléctrica el cableado eléctrico y los interruptores se utilizarán los existentes. Como el tamaño de las luminarias nuevas a instalar es mayor que las existentes, el alcance incluye la ejecución de las obras civiles necesarias para ajustar el tamaño del sitio donde se van a instalar las nuevas luminarias sin afectar la estructura portante del cielo falso; el contratista deberá reparar, resanar y reponer del sistema en Drywall (estructura metálica, lámina, cinta, masilla, lijado y acabado final listo para pintura), garantizando uniformidad estética y estabilidad mecánica. Los residuos eléctricos y de construcción deberán ser gestionados conforme normativa ambiental vigente y lineamientos del PGIRS aplicable, realizando disposición adecuada de luminarias y componentes electrónicos. El área intervenida deberá entregarse limpia, segura y en condiciones óptimas de funcionamiento, asegurando que las redes eléctricas existentes queden debidamente aisladas,		

U.S. DEPARTMENT *of* STATE



Embajada de los Estados Unidos de América
Carrera 45 # 24B- 27 - (+57601) 275.2000 - Bogotá D.C. – Colombia
co.usembassy.gov

SBU - CONTRACTING AND ACQUISITIONS



Item	Description	Qty	UoM
	protegidas y certificadas para su operación o futura reconexión. El contratista debe adjuntar la ficha técnica de la luminaria LED que va a suministrar, la cual será revisada y aprobada por el contratante. Todas las actividades, materiales, diseños e instalaciones deberán cumplir integralmente con las especificaciones técnicas eléctricas colombianas vigentes, incluyendo el RETIE, RETILAP, normas NTC aplicables y demás reglamentaciones que regulen las instalaciones eléctricas en Colombia. La ubicación de las luminarias a instalar dentro de la oficina, se pueden ver en el plano adjunto: E-03.		
7	Supply and Installation of 60x60 cm LED Luminaires Including Conduits, Wiring, and Switches Supply and installation of 60x60 cm LED panel luminaires for indoor office use, high-efficiency type with a minimum efficacy of 100 lm/W, a minimum service life of 50,000 hours (L70), a color temperature of 4000 K (neutral white light), and a color rendering index (CRI) ≥ 80. The luminaires shall comply with the illuminance levels, glare control, uniformity, and energy efficiency established by the current Technical Regulation of Lighting and Public Lighting (RETILAP). The scope includes the supply and installation of all elements required for proper operation, such as mounting or recessed systems for suspended ceilings, drivers, connection wiring, phase, neutral, and grounding conductors, conduit systems (EMT, IMC, or PVC depending on site conditions), switches, accessories, connectors, and all components required from the distribution board to the final luminaire connection point. These systems shall be designed and calculated by the Contractor in accordance with the installed load and electrical safety criteria. A continuous grounding conductor connected to the main grounding system shall be provided, along with proper circuit identification, splices within junction boxes using certified connectors, and full compliance with safety standards and conduit fill requirements. Electrical circuit distribution (conduits and wiring) shall be installed using PVC SCH 40 conduit above the	5	EA - each

U.S. DEPARTMENT *of* STATE



Embajada de los Estados Unidos de América
Carrera 45 # 24B- 27 - (+57601) 275.2000 - Bogotá D.C. – Colombia
co.usembassy.gov

SBU - CONTRACTING AND ACQUISITIONS



Item	Description	Qty	UoM
	suspended ceiling and metallic raceways for vertical runs and wall distributions. The Contractor shall verify on site (field visit) the actual conditions for execution of the required installations. The Contractor shall be responsible for detailed engineering, including conduit design, conductor sizing, protection devices, switches, as well as load distribution and balancing. Upon completion of the work, the Contractor shall submit as-built drawings identifying the final circuit configuration. After installation of the luminaires, the Contractor shall repair, patch, and reinstate the drywall system (metal framing, boards, joint tape, joint compound, sanding, and final finish ready for painting), ensuring aesthetic uniformity and mechanical stability. Electrical and construction waste shall be managed in accordance with current environmental regulations and applicable PGIRS guidelines, ensuring proper disposal of luminaires and electronic components. The work area shall be delivered clean, safe, and in optimal operating condition, ensuring that electrical systems are properly insulated, protected, and certified for operation. The Contractor shall submit the technical datasheet of the LED luminaires to be supplied for review and approval by the Client. All activities, materials, designs, and installations shall fully comply with current Colombian electrical technical specifications, including RETIE, RETILAP, applicable NTC standards, and all other regulations governing electrical installations in Colombia. The location of the luminaires to be installed within the office is indicated in drawing E-03.		

U.S. DEPARTMENT *of* STATE



Embajada de los Estados Unidos de América
Carrera 45 # 24B- 27 - (+57601) 275.2000 - Bogotá D.C. – Colombia
co.usembassy.gov

SBU - CONTRACTING AND ACQUISITIONS



Item	Description	Qty	UoM
8	Electrical Outlet Point Including Device Supply and installation of electrical outlet points, including 2P+T type receptacles, 20 A, 125 V, with isolated or shared grounding pole as required by the circuit. All devices shall comply with NTC 1650, NTC 2050 (Colombian Electrical Code), and the current RETIE regulations, including product certification. They shall be installed in metal or flame-retardant PVC boxes with high-impact thermoplastic cover plates. Final installation height and layout shall be defined jointly by the Client and Contractor according to the detailed design prepared by the Contractor, ensuring correct polarity, continuity of the protective conductor, and compliance with RETIE-required safety distances. Each outlet point consists of an electrical outlet in a 2x4" box (or as specified in the design), a RETIE-certified 2P+T receptacle rated 20 A, 125 V, phase, neutral, and grounding conductors, conduit (EMT, IMC, or PVC), accessories, and all necessary fastening elements from the distribution board to the final device. Conductors shall be copper with THHN/THWN-2 insulation (or LSZH where applicable), rated 600 V, 90°C, RETIE-certified, minimum #12 AWG for 20 A circuits or sized according to electrical calculations, complying with voltage drop limits and ampacity per NTC 2050. The installation shall ensure correct polarity, continuity of the protective conductor, separation of regulated circuits where applicable, and coordination with the corresponding thermal-magnetic protection in the distribution board. Electrical circuit distribution (conduit and wiring) shall be installed using PVC SCH40 conduit above the suspended ceiling and metallic raceways for vertical runs and wall distributions. The Contractor shall verify on-site conditions (field visit) for execution of the required installations. The Contractor shall perform detailed engineering based on the architectural AutoCAD plans provided by the Client, which indicate only the location of electrical outlet points. Contractor responsibilities include quantity and material take-off, conduit design (EMT, PVC), conductor sizing and protection devices, load distribution and balancing, preparation of single-line diagrams and load schedules, ensuring full compliance with applicable RETIE standards, and delivery of calculation reports, record drawings, and compliance certifications. The Contractor shall submit the technical datasheet of the receptacle to be supplied for review and approval by the	26	EA - each

U.S. DEPARTMENT *of* STATE



Embajada de los Estados Unidos de América

Carrera 45 # 24B- 27 - (+57601) 275.2000 - Bogotá D.C. – Colombia

co.usembassy.gov

SBU - CONTRACTING AND ACQUISITIONS



Item	Description	Qty	UoM
	Client. The location of the new electrical outlet points is indicated in drawing E-05.//// Punto eléctrico para tomacorriente incluye aparato Suministro e instalación de puntos eléctricos, incluye tomacorriente tipo 2P+T, 20 A según diseño, 125 V, con polo a tierra aislado o común según requerimiento del circuito. Deberán cumplir con NTC 1650, NTC 2050 (Código Eléctrico Colombiano) y RETIE vigente, incluyendo certificación de producto. Se instalarán en cajas metálicas o PVC retardante a la llama, con placa termoplástica de alta resistencia al impacto. La altura de instalación y distribución final será definida entre el contratante e el contratista conforme al diseño detallado realizado por el contratista, garantizando correcta polaridad, continuidad del conductor de protección y cumplimiento de distancias de seguridad exigidas por RETIE. Este punto está conformado por una salida eléctrica en la caja 2x4" o la que aplique según diseño, tomacorriente 2P+T de 20 A a 125 V certificado RETIE, conductores fase, neutro y tierra, canalización (EMT, IMC o PVC), accesorios y elementos de fijación necesarios desde el tablero hasta el dispositivo final. Los conductores deberán ser en cobre con aislamiento THHN/THWN-2 (o LSZH, si es instalado en), 600 V, 90°C, certificados RETIE, con calibre mínimo #12 AWG para circuitos de 20 A o según cálculo eléctrico, cumpliendo límites de caída de tensión y capacidad de conducción conforme NTC 2050. El punto deberá garantizar correcta polaridad, continuidad del conductor de protección, separación de circuitos regulados cuando aplique, y coordinación con las protecciones termomagnéticas correspondientes en el tablero. La distribución de los circuitos eléctricos (tubería y cableado) se hará en tubería PVC SCH40 a través del cielo falso y en canaleta metálica para bajantes y distribuciones en pared; el contratista validará en sitio (visita de campo) las condiciones para la ejecución de las instalaciones requeridas. El contratista deberá realizar la ingeniería de detalle a partir del plano arquitectónico en AutoCAD suministrado por el contratante, el cual indica únicamente la ubicación de las salidas eléctricas para tomacorriente. Será responsabilidad del contratista: realizar el levantamiento de cantidades de obra y materiales, diseñar la canalización (tubería EMT, PVC, dimensionar conductores y		

U.S. DEPARTMENT *of* STATE



Embajada de los Estados Unidos de América
Carrera 45 # 24B- 27 - (+57601) 275.2000 - Bogotá D.C. – Colombia
co.usembassy.gov

SBU - CONTRACTING AND ACQUISITIONS



Item	Description	Qty	UoM
	protecciones, diseñar distribución y balanceo de cargas, elaborar el diagrama unifilar y el cuadro de carga, garantizar cumplimiento integral de las normas RETIE aplicables, entregar memorias de cálculo, planos récord y certificaciones de conformidad. El contratista debe adjuntar la ficha técnica del tomacorriente que va a suministrar, la cual será revisada y aprobada por el contratante. La ubicación de los nuevos puntos eléctricos, se pueden ver en el plano adjunto: E-05.		
9	Regulated Electrical Outlet Point Including Device Supply and installation of electrical outlet points, including regulated receptacles, which shall be identified with a distinctive color (orange or red) and connected to a regulated circuit supplied from a UPS system. The receptacles shall be 2P+T, 20 A, 125 V, RETIE-certified and compliant with NTC 2050. The neutral conductor shall remain independent from the general grounding system if required by the design, avoiding return loops and complying with the TN-S grounding scheme or any other scheme defined by the electrical study. The Contractor shall design the distribution of these circuits, dedicated protection devices, and load balancing in accordance with RETIE requirements. Each outlet point consists of an electrical outlet installed in a 2x4" box (or as required by design), a 2P+T 20 A, 125 V RETIE-certified receptacle, phase, neutral, and grounding conductors, conduit (EMT, IMC, or PVC), accessories, and all necessary fastening elements from the distribution board to the final device. Conductors shall be copper with THHN/THWN-2 insulation, 600 V, 90°C, RETIE-certified, minimum #12 AWG for 20 A circuits or as determined by electrical calculations, complying with voltage drop limits and current-carrying capacity per NTC 2050. The outlet point shall ensure correct polarity, continuity of the protective grounding conductor, separation of regulated circuits where applicable, and coordination	27	EA - each

U.S. DEPARTMENT *of* STATE



Embajada de los Estados Unidos de América
Carrera 45 # 24B- 27 - (+57601) 275.2000 - Bogotá D.C. – Colombia
co.usembassy.gov

SBU - CONTRACTING AND ACQUISITIONS



Item	Description	Qty	UoM
	with the corresponding thermal-magnetic protection devices in the distribution board. Electrical circuit distribution (conduit and wiring) shall be installed using PVC SCH40 conduit above the suspended ceiling and metallic raceways for vertical drops and wall distribution. The Contractor shall verify on-site conditions (field visit) for execution of the required installations. The Contractor shall perform detailed engineering based on the architectural AutoCAD drawings provided by the Client, which indicate only the location of electrical outlet points. The Contractor's responsibilities include quantity take-off of works and materials, conduit design (EMT, PVC), conductor sizing and protection devices, load distribution and balancing, preparation of single-line diagrams and load schedules, full compliance with applicable RETIE standards, and delivery of calculation reports, as-built drawings, and conformity certifications. The Contractor shall submit the technical datasheet of the regulated receptacle to be supplied for review and approval by the Client. The location of the new electrical outlet points is indicated in drawing E-05.//// Punto eléctrico para tomacorriente regulado incluye aparato Suministro e instalación de puntos eléctricos, incluye tomacorriente regulado los cuales estarán identificados con color distintivo (naranja o rojo), conectados a circuito regulado proveniente de UPS. Serán 2P+T, 20 A, 125 V, con certificación RETIE y cumplimiento de NTC 2050. El conductor neutro deberá mantenerse independiente de la tierra general si el diseño lo requiere, evitando lazos de retorno y cumpliendo esquema de puesta a tierra TN-S o el que aplique según estudio eléctrico. El contratista deberá diseñar la distribución de estos circuitos, protecciones dedicadas y balanceo de cargas conforme a RETIE. Este punto está conformado por una salida eléctrica en la caja 2x4" o la que aplique según diseño, tomacorriente 2P+T de 20 A a 125 V certificado RETIE, conductores fase, neutro y tierra, canalización (EMT, IMC o PVC), accesorios y elementos de fijación necesarios desde el tablero hasta el dispositivo final. Los conductores deberán ser en cobre con aislamiento THHN/THWN-2, 600 V, 90°C, certificados RETIE, con calibre mínimo #12 AWG para circuitos de 20 A o según cálculo eléctrico, cumpliendo límites de caída de tensión y capacidad de conducción conforme NTC 2050. El punto deberá garantizar correcta polaridad,		

U.S. DEPARTMENT *of* STATE



Embajada de los Estados Unidos de América
Carrera 45 # 24B- 27 - (+57601) 275.2000 - Bogotá D.C. – Colombia
co.usembassy.gov

SBU - CONTRACTING AND ACQUISITIONS



Item	Description	Qty	UoM
	continuidad del conductor de protección, separación de circuitos regulados cuando aplique, y coordinación con las protecciones termomagnéticas correspondientes en el tablero. La distribución de los circuitos eléctricos (tubería y cableado) se hará en tubería PVC SCH40 a través del cielo falso y en canaleta metálica para bajantes y distribuciones en pared; el contratista validará en sitio (visita de campo) las condiciones para la ejecución de las instalaciones requeridas. El contratista deberá realizar la ingeniería de detalle a partir del plano arquitectónico en AutoCAD suministrado por el contratante, el cual indica únicamente la ubicación de las salidas eléctricas para tomacorriente. Será responsabilidad del contratista: realizar el levantamiento de cantidades de obra y materiales, diseñar la canalización (tubería EMT, PVC), dimensionar conductores y protecciones, diseñar distribución y balanceo de cargas, elaborar el diagrama unifilar y el cuadro de carga, garantizar cumplimiento integral de las normas RETIE aplicables, entregar memorias de cálculo, planos récord y certificaciones de conformidad. El contratista debe adjuntar la ficha técnica del tomacorriente regulado que va a suministrar, la cual será revisada y aprobada por el contratante. La ubicación de los nuevos puntos eléctricos, se pueden ver en el plano adjunto: E-05.		
10	Data Outlet Points Including Faceplate and RJ45 Supply and installation of structured cabling outlet points, including faceplates and RJ45 jacks for the data system, which shall comply with the latest applicable ANSI/TIA standards, including TIA-568, TIA-569 (pathways and spaces), TIA-606 (administration), and TIA-607 (grounding and bonding).Category 6A UTP cable (minimum) shall be installed, 100-ohm impedance, with manufacturer performance certification. Patch panels, faceplates, and keystone jacks shall be of the same certified category to ensure system performance compliance. The network topology shall be star-shaped, originating from the main telecommunications rack or cabinet. The Contractor shall perform certification testing of all data points using calibrated test equipment (Fluke or equivalent), providing complete digital test reports. Cable pathways shall be kept independent from electrical power networks, maintaining minimum separation distances as required by TIA standards and RETIE regulations. Structured cable	9	EA - each

U.S. DEPARTMENT *of* STATE



Embajada de los Estados Unidos de América
Carrera 45 # 24B- 27 - (+57601) 275.2000 - Bogotá D.C. – Colombia
co.usembassy.gov

SBU - CONTRACTING AND ACQUISITIONS



Item	Description	Qty	UoM
	distribution (conduits and wiring) shall be installed using PVC SCH40 conduit above the suspended ceiling and metallic raceways for vertical drops and wall distribution. The Contractor shall verify site conditions (field visit) prior to execution of the required installations. The Contractor shall perform detailed engineering based on the architectural AutoCAD drawings provided by the Client, which indicate only the location of data outlet points. Contractor responsibilities include quantity take-off of materials and works, conduit design (EMT, PVC), system layout, and full compliance with applicable TIA standards. The Contractor shall also deliver calculation reports, as-built drawings, and compliance certifications. The Contractor shall submit the technical datasheets of the faceplates and RJ45 jacks to be supplied for review and approval by the Client. The location of the data points is indicated in drawing E-05. Puntos para salida del sistema de datos incluye Faceplate y RJ45. Suministro e instalación de puntos para salida del cableado estructurado, incluyendo Faceplate y RJ45 para el sistema de Datos, los cuales deben cumplir con la norma ANSI/TIA-568 vigente, TIA-569 (canalizaciones), TIA-606 (administración) y TIA-607 (puesta a tierra y bonding). Se instalará cable UTP mínimo categoría 6A, 100 ohmios, con certificación de desempeño del fabricante, Patch Panels, Faceplates y Jacks certificados de la misma categoría. La topología será en estrella desde el rack o gabinete principal de telecomunicaciones. El contratista deberá realizar pruebas de certificación de puntos con equipo calibrado (Fluke o equivalente) entregando reporte digital. Las canalizaciones deberán mantenerse independientes de redes eléctricas conforme distancias mínimas exigidas por TIA y RETIE. La distribución de la tubería y el cableado estructurado se hará en tubería PVC SCH40 a través del cielo falso y en canaleta metálica para bajantes y distribuciones en pared; el contratista validará en sitio (visita de campo) las condiciones para la ejecución de las instalaciones requeridas. El contratista deberá realizar la ingeniería de detalle a partir del plano arquitectónico en AutoCAD suministrado por el contratante, el cual indica únicamente la ubicación de las salidas del sistema de datos. Será responsabilidad del contratista: realizar el levantamiento de cantidades de obra y materiales, diseñar la canalización (tubería		

U.S. DEPARTMENT *of* STATE



Embajada de los Estados Unidos de América
Carrera 45 # 24B- 27 - (+57601) 275.2000 - Bogotá D.C. – Colombia
co.usembassy.gov

SBU - CONTRACTING AND ACQUISITIONS



Item	Description	Qty	UoM
	EMT, PVC), dimensionar conductores y garantizar cumplimiento integral de las normas TIA aplicables, entregar memorias de cálculo, planos récord y certificaciones de conformidad. El contratista debe adjuntar la ficha técnica del Faceplates y RJ45 que va a suministrar, la cual será revisada y aprobada por el contratante. La ubicación de los puntos de Datos, se pueden ver en el plano adjunto: E-05.		
11	HDMI Outlet Point Installation Including HDMI Faceplate Supply and installation of HDMI connection outlet points, where the device (plate, connector, or HDMI module) shall be supplied by the Client. The Contractor shall be responsible for installation, termination, testing, and commissioning of the outlet point. The Contractor shall supply and install high-speed certified HDMI cable or higher category as required by the installation distance, considering signal attenuation and supported resolution specifications. The scope also includes conduit systems (EMT, PVC, or certified cable raceways depending on site conditions), boxes, faceplates, connectors, adapters, fastening elements, cable management accessories, and all additional materials required to ensure a safe, aesthetic, and fully functional installation. Cable routes, distances, and connection points shall be defined based on the AutoCAD drawings provided by the Client, from which final cable lengths, conduit types, and technical requirements shall be determined to ensure signal integrity. Where required by cable length, signal extenders or repeaters shall be included. For the connection between the meeting table and the wall where the TV is located, a surface-mounted floor raceway shall be provided. The installation shall be executed in accordance with manufacturer recommendations for the devices and shall fully comply with the Colombian Technical Regulation for Electrical Installations (RETIE), as well as applicable Colombian technical standards for structured cabling and telecommunications where applicable, in addition to current Occupational Health and Safety regulations. The system shall ensure proper signal transmission, electrical safety, and	2	EA - each

U.S. DEPARTMENT *of* STATE



Embajada de los Estados Unidos de América
Carrera 45 # 24B- 27 - (+57601) 275.2000 - Bogotá D.C. – Colombia
co.usembassy.gov

SBU - CONTRACTING AND ACQUISITIONS



Item	Description	Qty	UoM
	service quality. The Contractor shall submit the technical datasheet of the HDMI faceplate to be supplied for review and approval by the Client. The location of the HDMI outlet points to be installed within the office is indicated in drawing E-05.//// Instalación puntos para salida HDMI incluye Faceplate para HDMI Suministro e instalación de puntos de conexión HDMI, cuyo dispositivo (placa, conector o módulo HDMI) será suministrado por el Contratante, e incluye el montaje, conexión, pruebas y puesta en funcionamiento del punto. El Contratista será responsable del suministro e instalación del cable HDMI certificado de alta velocidad o categoría superior según la distancia requerida (considerando atenuación y soporte de resolución especificada), canalización en tubería EMT, PVC o canaleta certificada según el entorno, cajas, faceplates, conectores, adaptadores, elementos de fijación, accesorios de sujeción y organización, así como todos los materiales complementarios necesarios para garantizar una instalación segura, estética y funcional. Las distancias, rutas y puntos de conexión se determinarán con base en los planos suministrados por el Contratante en formato AutoCAD, a partir de los cuales se definirán longitudes de cable, tipo de canalización y requerimientos técnicos para asegurar la integridad de la señal (incluyendo uso de extensores o repetidores si la longitud lo exige). Para la conexión entre la mesa de juntas y la pared donde está el TV se debe incluir una canaleta de piso sobrepuesta. La instalación deberá ejecutarse conforme a las recomendaciones del fabricante de los dispositivos, cumpliendo estrictamente con el Reglamento Técnico de Instalaciones Eléctricas (RETIE) y las normas técnicas colombianas aplicables a cableado estructurado y telecomunicaciones cuando corresponda, así como las disposiciones vigentes de seguridad y salud en el trabajo, garantizando correcta transmisión de señal, seguridad eléctrica y calidad del servicio. El contratista debe adjuntar la ficha técnica del Faceplates para HDMI que va a suministrar, la cual será revisada y aprobada por el contratante. La ubicación de los puntos HDMI a instalar dentro de la oficina, se pueden ver en el plano adjunto: E-05.		

U.S. DEPARTMENT *of* STATE



Embajada de los Estados Unidos de América
Carrera 45 # 24B- 27 - (+57601) 275.2000 - Bogotá D.C. – Colombia
co.usembassy.gov

SBU - CONTRACTING AND ACQUISITIONS



Item	Description	Qty	UoM
12	Closed-Circuit Television (CCTV) System – Conduit and Cabling Infrastructure: Supply, installation, testing, and commissioning of the complete conduit and cabling infrastructure for a Closed-Circuit Television (CCTV) system consisting of seven (7) cameras located in different areas of the office, connected to a DVR/NVR installed in the telecommunications rack room. Cameras shall be supplied by the Employer. The scope includes all materials, accessories, and components required to ensure a fully operational system, including Category 6 UTP cabling or higher as per system design, or coaxial cable where applicable, as well as power cabling if required, connectors, patch cords, and termination installed in accordance with the architecture defined by the Contractor. Conduits shall be installed concealed above the drywall suspended ceiling, using PVC SCH40, EMT, or equivalent certified systems depending on site conditions, including junction boxes, supports, bends, and all necessary accessories to ensure mechanical protection, proper routing, and regulatory compliance. The Contractor shall be responsible for the design-build engineering, including sizing of conductors, conduits, and routing paths, based on reference drawings provided by the Employer in AutoCAD format, which shall be used for quantity take-offs and preliminary layout; a mandatory site visit shall be conducted to verify actual field conditions prior to execution. Installation shall comply with applicable Colombian Technical Standards for telecommunications and low-voltage systems, RETIE requirements where applicable, relevant TIA/EIA standards for structured cabling and CCTV systems, and current Occupational Health and Safety regulations, ensuring signal integrity, proper separation from electrical systems, correct identification and labeling of cables and conduits, and full compatibility with the recording and monitoring system. The scope shall include testing, commissioning, and delivery of as-built drawings. The location of the cameras is shown on drawing P-08.//// Sistema de Circuito Cerrado de Televisión (CCTV) – Infraestructura de Canalización y Cableado Suministro, instalación, pruebas y puesta en funcionamiento de la infraestructura completa de canalización y cableado para un sistema de Circuito Cerrado de Televisión (CCTV) conformado por siete (7) cámaras ubicadas en diferentes áreas de la oficina,	1	PG- package

U.S. DEPARTMENT *of* STATE



Embajada de los Estados Unidos de América
Carrera 45 # 24B- 27 - (+57601) 275.2000 - Bogotá D.C. – Colombia
co.usembassy.gov

SBU - CONTRACTING AND ACQUISITIONS



Item	Description	Qty	UoM
	conectadas a un DVR/NVR instalado en el cuarto del rack de telecomunicaciones. Las cámaras serán suministradas por el Contratante. El alcance incluye todos los materiales, accesorios y elementos necesarios para garantizar un sistema completamente operativo, incluyendo cableado UTP categoría 6 o superior según el diseño del sistema, o cable coaxial cuando aplique, así como cableado de alimentación si se requiere, conectores, patch cords y elementos de terminación, instalados conforme a la arquitectura definida por el contratista. La canalización deberá instalarse de manera oculta sobre el cielo falso en drywall, utilizando tubería PVC SCH40, EMT o sistemas equivalentes certificados según las condiciones del sitio, incluyendo cajas de paso, soportes, curvas y accesorios necesarios para garantizar protección mecánica, orden y cumplimiento normativo. El contratista será responsable del diseño para la construcción, incluyendo el dimensionamiento de conductores, tuberías y rutas de canalización, a partir de los planos de referencia suministrados por el contratante en formato AutoCAD, los cuales servirán para estimación de cantidades y trazado preliminar, debiendo realizar además visita de campo obligatoria para la validación de condiciones reales del sitio antes de la ejecución. La instalación deberá cumplir con las Normas Técnicas Colombianas aplicables a sistemas de telecomunicaciones y baja tensión, los lineamientos del RETIE cuando corresponda, las normas TIA/EIA aplicables a infraestructura de cableado estructurado y CCTV, y las disposiciones vigentes de Seguridad y Salud en el Trabajo, garantizando adecuada integridad de señal, separación de redes eléctricas, correcta identificación y rotulación de cableado y canalizaciones, y compatibilidad total con el sistema de grabación y monitoreo, incluyendo pruebas de funcionamiento, puesta en marcha y entrega de planos récord (as-built). La ubicación de las cámaras se puede ver en el plano adjunto P-08.		

U.S. DEPARTMENT *of* STATE



Embajada de los Estados Unidos de América
Carrera 45 # 24B- 27 - (+57601) 275.2000 - Bogotá D.C. – Colombia
co.usembassy.gov

SBU - CONTRACTING AND ACQUISITIONS



Item	Description	Qty	UoM
13	Regulated Electrical Panel Supply and installation of a regulated electrical panel for twelve (12) lighting and receptacle circuits, including metal enclosure, phase, neutral, and grounding busbars, properly sized thermal-magnetic and/or residual current circuit breakers according to the installed load, and all internal components required for proper operation. The Contractor shall be responsible for the supply of the panel, circuit breakers, EMT, IMC, or PVC conduits depending on the installation environment, copper electrical conductors with LSZH insulation or equivalent, conduit accessories, connectors, terminals, identification labels, grounding system, fastening, and all materials necessary for a complete and safe installation. Capacities, conductor sizes, protection devices, and conduit diameters shall be determined based on the AutoCAD drawings and the number of lighting points and receptacles provided by the Employer, including the corresponding load calculations, phase balancing, and panel schedules. Installation shall be carried out in accordance with the approved design and in strict compliance with the RETIE (Colombian Electrical Installation Technical Regulation), NTC 2050 (Colombian Electrical Code), applicable Colombian technical standards, and Occupational Health and Safety requirements, ensuring selectivity, protection against overloads and short circuits, proper coordination of protection devices, and continuity of the grounding system. The Contractor shall submit technical datasheets for the electrical panel and circuit breakers to be supplied, along with the corresponding RETIE product certificates, for review and approval by the Employer. The location of the electrical panel within the office is shown on the attached drawing: E-05.//// Tablero eléctrico regulado Suministro e instalación de un tablero eléctrico regulado para doce (12) circuitos de iluminación y tomacorrientes, incluyendo gabinete metálico, barrajes de fase, neutro y puesta a tierra, breakers termomagnéticos y/o diferenciales debidamente dimensionados según la carga instalada, y todos los elementos internos requeridos para su correcta operación. El Contratista será responsable del suministro del tablero, interruptores automáticos, tubería EMT, IMC o PVC según el ambiente de instalación, conductores eléctricos de cobre con aislamiento LSZH, o equivalente, accesorios de canalización,	1	EA - each

U.S. DEPARTMENT *of* STATE



Embajada de los Estados Unidos de América
Carrera 45 # 24B- 27 - (+57601) 275.2000 - Bogotá D.C. – Colombia
co.usembassy.gov

SBU - CONTRACTING AND ACQUISITIONS



Item	Description	Qty	UoM
	conectores, terminales, marquillas de identificación, sistema de puesta a tierra, elementos de fijación y demás materiales necesarios para una instalación completa y segura. Las capacidades, calibres de conductores, protecciones y diámetros de tubería se determinarán con base en los planos en AutoCAD y en la cantidad de puntos de iluminación y tomacorrientes suministrados por el Contratante, realizando el respectivo cálculo de carga, balanceo de fases y cuadros de cargas. La instalación deberá ejecutarse conforme al diseño aprobado y cumpliendo estrictamente con el Reglamento Técnico de Instalaciones Eléctricas (RETIE), NTC 2050 (Código Eléctrico Colombiano), las normas técnicas colombianas vigentes aplicables, así como los lineamientos de seguridad y salud en el trabajo, garantizando selectividad, protección contra sobrecargas y cortocircuitos, correcta coordinación de protecciones y adecuada continuidad del sistema de puesta a tierra. El contratista debe adjuntar la ficha técnica del tablero eléctrico y los Breakers que va a suministrar, así como los certificados RETIE de producto correspondientes, información que será revisada y aprobada por el contratante. La ubicación del tablero eléctrico a instalar dentro de la oficina se puede ver en el plano adjunto: E-05.		
14	Relocation of Existing Air Conditioning System Service for the relocation of an existing Mini-Split air conditioning system, including displacement of the indoor evaporator unit approximately two (2) meters from its current location within an office located on the fifth floor, while maintaining the outdoor condenser unit installed on the external balcony. The Contractor shall perform technical dismantling, relocation, reinstallation, leak tightness testing, deep vacuum (minimum 500 microns), refrigerant recharge in accordance with manufacturer specifications, and certified commissioning. In addition, the scope includes the supply and installation of a maintenance isolator switch (service disconnect switch) of adequate capacity, which shall be installed in a visible location near the outdoor unit. The intervention shall fully comply with RETIE, NTC 2050 (Colombian Electrical Code), ICONTEC standards, and all applicable current Colombian technical regulations, including certified conduit systems, copper conductors with LSZH insulation sized according to	2	EA - each

U.S. DEPARTMENT *of* STATE



Embajada de los Estados Unidos de América
Carrera 45 # 24B- 27 - (+57601) 275.2000 - Bogotá D.C. – Colombia
co.usembassy.gov

SBU - CONTRACTING AND ACQUISITIONS



Item	Description	Qty	UoM
	equipment load, dedicated and properly labeled thermal-magnetic circuit breaker, continuous grounding system with verification, residual current protection where applicable, and compliance with required clearances, mechanical protection on the balcony, and safe mounting for working-at-height conditions. Proper condensate drainage slope, thermal insulation on suction lines, certified anti-vibration supports, sealing against water infiltration, and appropriate structural anchoring shall be ensured. Electrical circuit distribution (conduit and wiring) shall be installed using PVC SCH40 conduit above the suspended ceiling and metallic raceways for vertical drops and wall distributions. The Contractor shall verify site conditions (field visit) for execution of the required installations. The Contractor shall perform quantity take-off, material estimation, and verification of all mechanical and electrical modifications based on the AutoCAD drawings provided by the Client, including technical reports and certification of regulatory compliance for final handover. The location of the air conditioning relocation within the office is indicated in drawings E-06 and E-07.//// Reubicación de Aire Acondicionado existente Servicio de reubicación de un sistema de aire acondicionado tipo Mini-Split existente, desplazando la unidad evaporadora a una distancia aproximada de dos (2) metros respecto a su ubicación actual, en oficina ubicada en quinto piso, manteniendo la unidad condensadora instalada en balcón exterior. El contratista deberá realizar desmontaje técnico, traslado, reinstalación, pruebas de hermeticidad, vacío profundo (mínimo 500 micrones), recarga de refrigerante según especificación del fabricante, y puesta en marcha certificada. Adicional a lo anterior, se deberá incluir el suministro e instalación de un interruptor-aislador para mantenimiento (pin de corte) de capacidad adecuada, el cual deberá ser instalado a la vista de la unidad exterior. La intervención deberá cumplir estrictamente con el RETIE, la NTC 2050 (Código Eléctrico Colombiano), el ICONTEC, y demás normas técnicas colombianas vigentes aplicables, incluyendo canalizaciones en tubería certificada, conductores de cobre con aislamiento LSZH, calibre acorde a la carga del equipo, breaker termomagnético independiente debidamente rotulado, sistema de puesta a tierra continuo y verificado, protección diferencial si		

U.S. DEPARTMENT of STATE



Embajada de los Estados Unidos de América
Carrera 45 # 24B- 27 - (+57601) 275.2000 - Bogotá D.C. – Colombia
co.usembassy.gov

SBU - CONTRACTING AND ACQUISITIONS



Item	Description	Qty	UoM
	aplica, y cumplimiento de distancias reglamentarias y protección mecánica en balcón. Se deberá garantizar correcta pendiente en tubería de drenaje, aislamiento térmico en línea de succión, soportería antivibratoria certificada, sellado contra filtraciones y anclajes estructurales adecuados para trabajo en altura. La distribución de los circuitos eléctricos (tubería y cableado) se hará en tubería PVC SCH40 a través del cielo falso y en canaleta metálica para bajantes y distribuciones en pared; el contratista validará en sitio (visita de campo) las condiciones para la ejecución de las instalaciones requeridas. El contratista deberá realizar el cálculo y verificación de cantidades de obra, materiales y adecuaciones eléctricas y mecánicas con base en los planos suministrados en formato AutoCAD, incluyendo memorias técnicas y certificación de cumplimiento normativo para entrega final. La reubicación del aire acondicionado a instalar dentro de la oficina, se pueden ver en los planos adjuntos: E-06 y E-07.		
15	Installation of One (1) 18,000 BTU Air Conditioning Unit Service for the installation of one (1) 18,000 BTU/h mini-split air conditioning unit, supplied by the Client, including mounting of the indoor evaporator unit and outdoor condenser unit, refrigeration interconnection, electrical and control wiring, commissioning, and operational testing. The Contractor shall be responsible for supplying and installing all required components, including power and control electrical cabling, properly insulated ACR copper refrigerant piping, PVC condensate drainage piping, conduit systems, supports, anti-vibration mounts, electrical protection devices, fastening elements, additional refrigerant if required, system vacuuming using a high-capacity vacuum pump, nitrogen pressure leak testing, and all other accessories necessary to ensure a safe and fully operational installation. In addition, the scope includes the supply and installation of a maintenance isolator switch (service disconnect switch) of adequate capacity, which shall be installed in a visible location near the outdoor unit. Distances and routing shall be determined based on the AutoCAD drawings provided by the Client, from which pipe lengths, conductor sizes, and corresponding electrical protection devices shall be calculated. The installation shall be executed in accordance with the manufacturer's recommendations and shall fully comply with the Colombian Technical Regulation for Electrical Installations	1	EA - each

U.S. DEPARTMENT *of* STATE



Embajada de los Estados Unidos de América
Carrera 45 # 24B- 27 - (+57601) 275.2000 - Bogotá D.C. – Colombia
co.usembassy.gov

SBU - CONTRACTING AND ACQUISITIONS



Item	Description	Qty	UoM
	(RETIE), the Colombian Electrical Code (NTC 2050), the Technical Regulation for Gas Installations where applicable, current environmental regulations for refrigerant handling, Occupational Health and Safety regulations, and all applicable Colombian technical standards, ensuring proper operation, energy efficiency, and system safety. The location of the air conditioning unit to be installed within the office is indicated in drawings E-06 and E-07.//// Instalación de un (1) Aire Acondicionado de 18.000 BTU Servicio de instalación de un equipo de aire acondicionado tipo mini split de 18.000 BTU/h, suministrado por el Contratante, incluyendo montaje de unidad evaporadora y condensadora, interconexión frigorífica, eléctrica y de control, puesta en marcha y pruebas de funcionamiento. El Contratista será responsable del suministro e instalación de todo el cableado eléctrico de potencia y control, tubería de cobre tipo ACR debidamente aislada, tubería de desagüe en PVC, canalizaciones, soportes, bases antivibratorias, protecciones eléctricas, elementos de fijación, refrigerante adicional si se requiere, vacío del sistema con bomba de alto vacío, pruebas de hermeticidad con nitrógeno y demás accesorios necesarios para garantizar una instalación segura y operativa. Adicional a lo anterior, se deberá incluir el suministro e instalación de un interruptor-aislador para mantenimiento (pin de corte) de capacidad adecuada, el cual deberá ser instalado a la vista de la unidad exterior. Las distancias y recorridos se determinarán con base en los planos suministrados por el Contratante en formato AutoCAD, a partir de los cuales se calcularán longitudes de tubería, calibres de conductores y protecciones eléctricas correspondientes. La instalación deberá ejecutarse conforme a las recomendaciones del fabricante del equipo y cumpliendo estrictamente con el Reglamento Técnico de Instalaciones Eléctricas (RETIE), la Norma Técnica Colombiana NTC 2050 (Código Eléctrico Colombiano), el Reglamento Técnico de Instalaciones de Gas cuando aplique, las disposiciones ambientales vigentes para manejo de refrigerantes, normas de seguridad y salud en el trabajo, y demás normas técnicas colombianas aplicables, garantizando correcta operación, eficiencia energética y seguridad del sistema. La ubicación del		

U.S. DEPARTMENT *of* STATE



Embajada de los Estados Unidos de América
Carrera 45 # 24B- 27 - (+57601) 275.2000 - Bogotá D.C. – Colombia
co.usembassy.gov

SBU - CONTRACTING AND ACQUISITIONS



Item	Description	Qty	UoM
	aire acondicionado a instalar dentro de la oficina, se pueden ver en los planos adjuntos: E-06 y E-07.		
16	Preventive and Corrective Maintenance of Existing 18,000 BTU/h Mini-Split Air Conditioning Systems Preventive and corrective maintenance service for two (2) existing 18,000 BTU/h mini-split air conditioning units, aimed at ensuring optimal operation, energy efficiency, and extended service life. The scope includes comprehensive inspection of the equipment (indoor evaporator and outdoor condenser units), verification of electrical and refrigeration parameters, deep cleaning of coils, blower wheels, filters, and condensate trays, disinfection using specialized products, inspection and correction of drainage systems, refrigerant level verification, leak detection and repair where necessary, tightening of electrical and mechanical connections, and inspection of supports and anti-vibration systems, as well as operational testing under load conditions. Additionally, the Contractor shall perform measurement of operating pressures, supply and return air temperatures, electrical consumption, superheat and subcooling values, ensuring that equipment operates within manufacturer-specified ranges. Where required, the Contractor shall include refrigerant recharge according to the manufacturer's specified type, as well as replacement of minor components such as thermal insulation, gaskets, electrical connectors, or deteriorated supports. All activities shall be performed in accordance with manufacturer recommendations, applicable technical standards, and current Occupational Health and Safety regulations. The Contractor shall be responsible for conducting a mandatory site visit to assess the actual condition of the equipment, installation conditions, and potential additional interventions required for proper operation. Based on this inspection, the final scope of maintenance and required materials shall be defined to ensure proper execution of the service.////	2	EA - each

U.S. DEPARTMENT *of* STATE



Embajada de los Estados Unidos de América
Carrera 45 # 24B- 27 - (+57601) 275.2000 - Bogotá D.C. – Colombia
co.usembassy.gov

SBU - CONTRACTING AND ACQUISITIONS



Item	Description	Qty	UoM
	Mantenimiento Preventivo y Correctivo de Sistemas de Aire Acondicionado Tipo Mini-Split de 18,000 BTU Servicio de mantenimiento preventivo y correctivo para dos (2) unidades de aire acondicionado tipo mini-split de 18,000 BTU/h existentes, con el fin de garantizar su óptimo funcionamiento, eficiencia energética y prolongación de su vida útil. El alcance incluye la inspección integral de los equipos (unidad evaporadora y condensadora), verificación de parámetros eléctricos y frigoríficos, limpieza profunda de serpentines, turbinas, filtros y bandejas de condensados, desinfección con productos especializados, revisión de drenajes y corrección de obstrucciones, verificación de niveles de refrigerante, detección y reparación de fugas en caso de ser necesario, ajuste de conexiones eléctricas y mecánicas, verificación de soportes y antivibración, y pruebas de operación bajo carga. Adicionalmente, se deberá realizar medición de presiones de trabajo, temperaturas de suministro y retorno, consumo eléctrico, subenfriamiento y sobrecalentamiento, garantizando que los equipos operen dentro de los rangos establecidos por el fabricante. El contratista deberá incluir, en caso de ser requerido, recarga de refrigerante del tipo especificado por el fabricante, así como reposición de elementos menores como aislantes térmicos, empaques, conectores eléctricos o soportes deteriorados. Todas las actividades deberán ejecutarse conforme a las recomendaciones del fabricante, a las normas técnicas aplicables, y a las disposiciones de seguridad y salud en el trabajo vigentes. El contratista será responsable de la verificación en sitio mediante visita de campo obligatoria, donde se evaluará el estado real de los equipos, sus condiciones de instalación y posibles intervenciones adicionales necesarias para su correcto funcionamiento, definiendo a partir de dicha inspección el alcance final del mantenimiento requerido y los insumos necesarios para la correcta ejecución del servicio.		

U.S. DEPARTMENT *of* STATE



Embajada de los Estados Unidos de América
Carrera 45 # 24B- 27 - (+57601) 275.2000 - Bogotá D.C. – Colombia
co.usembassy.gov

SBU - CONTRACTING AND ACQUISITIONS



Item	Description	Qty	UoM
17	Supply and installation of smoke detectors for residential and/or light commercial use, of the photoelectric type (preferred) or dual-sensor, certified under UL 217 and compliant with the requirements of the NSR-10 Colombian Seismic-Resistant Building Code (Title J), the RETIE (Colombian Electrical Installation Technical Regulation), and NFPA 72 National Fire Alarm and Signaling Code; devices shall provide a minimum sound level of 85 dB at 3 m, include LED status indicators, test button, and hush/silence function. Units shall be powered by 120V AC with internal battery backup or, alternatively, fully autonomous units with sealed long-life batteries (minimum 10 years), as defined in project drawings or bill of quantities, allowing interconnection in the case of hardwired systems. Installation shall be carried out in accordance with spacing and placement criteria established by NFPA 72. Acceptable manufacturers include Kidde or equivalent, duly certified and available in the Colombian market, including supply, installation, testing, commissioning, and delivery of all required certifications and warranties.//// Suministro e instalación de detectores de humo para uso residencial y/o comercial liviano, del tipo fotoeléctrico (preferiblemente) o dual, certificados bajo norma UL 217 y conformes a los lineamientos de la NSR-10 Reglamento Colombiano de Construcción Sismo Resistente (Título J), RETIE Reglamento Técnico de Instalaciones Eléctricas Colombia y la NFPA 72 National Fire Alarm and Signaling Code, con nivel sonoro mínimo de 85 dB a 3 m, indicadores LED de operación, botón de prueba y función de silencio; los equipos deberán ser alimentados a 120V AC con respaldo mediante batería interna o, en su defecto, totalmente autónomos con batería sellada de larga duración (mínimo 10 años), según se defina en planos o cantidades de obra, permitiendo interconexión en caso de sistemas cableados; la instalación deberá realizarse conforme a distancias y criterios técnicos establecidos por NFPA 72; marca Kidde o similar debidamente certificados y disponibles en el mercado colombiano, incluyendo suministro, montaje, pruebas de funcionamiento y entrega de certificaciones y garantías correspondientes.	8	Each

U.S. DEPARTMENT *of* STATE



Embajada de los Estados Unidos de América
Carrera 45 # 24B- 27 - (+57601) 275.2000 - Bogotá D.C. – Colombia
co.usembassy.gov

SBU - CONTRACTING AND ACQUISITIONS



Item	Description	Qty	UoM
18	Supply and installation of architectural solar control film (polarized film) for glass, such as 3M™ Ceramic Architectural Series or approved equivalent, intended to reduce heat gain, control solar radiation, and provide UV protection in interior spaces. The film shall provide, at minimum, up to 55% solar heat rejection, up to 61% infrared (IR) radiation rejection, and up to 99% ultraviolet (UV) protection, contributing to HVAC energy efficiency and protection of interior furnishings and finishes. The scope includes surface preparation, material supply, cutting, professional wet installation, bubble removal, and proper adhesion without visual defects, ensuring compatibility with existing glass (tempered or laminated) without affecting structural integrity. Installation shall be performed in accordance with manufacturer recommendations and industry best practices, ensuring a uniform finish, high durability, resistance to aging, and optimal thermal comfort and building energy performance.//// Suministro e instalación de película de control solar tipo arquitectónica (película polarizada) para vidrios, tipo 3M™ Ceramic Architectural Series o equivalente aprobado, destinada a la reducción de ganancia térmica, control de radiación solar y protección UV en áreas interiores. La película deberá ofrecer, como mínimo, rechazo de hasta 55% del calor solar, hasta 61% de radiación infrarroja (IR) y hasta 99% de radiación ultravioleta (UV), contribuyendo a la eficiencia energética del sistema de climatización y a la protección de mobiliario y acabados interiores. El alcance incluye la preparación de superficies, suministro del material, corte, instalación profesional mediante técnica húmeda, eliminación de burbujas y aseguramiento de una correcta adherencia sin defectos visuales, garantizando compatibilidad con vidrios existentes (templados o laminados) sin afectar su integridad. La instalación deberá ejecutarse conforme a las recomendaciones del fabricante y buenas prácticas del sector, asegurando un acabado uniforme, alta durabilidad, resistencia al envejecimiento y desempeño óptimo en confort térmico y eficiencia energética del edificio.	33	SM - square meter

U.S. DEPARTMENT *of* STATE



Embajada de los Estados Unidos de América
Carrera 45 # 24B- 27 - (+57601) 275.2000 - Bogotá D.C. – Colombia
co.usembassy.gov

SBU - CONTRACTING AND ACQUISITIONS



Item	Description	Qty	UoM
19	Supply, fabrication, and installation of an architectural aluminum railing with a height of 1.10 m and a length of 12.00 m, composed of a primary structural system in tubular aluminum profiles of alloy 6063-T5 or equivalent, with a minimum thickness (gauge) of 2.0 mm to 2.5 mm for 2"x2" structural members, ensuring rigidity, stability, and resistance to horizontal loads in accordance with applicable regulations for non-structural elements. Intermediate elements shall be 1"x1" aluminum tubes with a minimum thickness of 1.5 mm, spaced at a maximum of 15 cm, ensuring fall protection and opening control according to safety requirements. The system shall include mechanical anchors to slab and wall using aluminum or AISI 304 stainless steel plates, with expansion bolts or certified chemical anchors depending on substrate conditions, ensuring proper load transfer and secure fastening. Joints may be welded using TIG welding or assembled using stainless steel fasteners, ensuring structural continuity, corrosion resistance, and architectural finish quality. The aluminum finish shall be natural anodized or industrial satin finish, free of defects, with rounded edges and no burrs or sharp edges. Installation shall be executed ensuring plumb, level, alignment, structural rigidity, and compliance with applicable standards for architectural safety elements, including all materials, accessories, labor, tools, fixings, and finishing elements required, as well as final cleaning and delivery to the satisfaction of the Client. The railing design is shown in the attached drawing: P-11.//// Suministro, fabricación e instalación de baranda en aluminio arquitectónico de 1,10 m de altura y 12,00 m de longitud, conformada por estructura principal en perfiles tubulares de aluminio aleación 6063-T5 o equivalente, con espesor mínimo (calibre) de 2,0 mm a 2,5 mm para elementos estructurales de 2"x2", garantizando rigidez, estabilidad y resistencia a cargas horizontales conforme a normativa vigente para elementos no estructurales. Los elementos intermedios serán en tubo de aluminio de 1"x1" con espesor mínimo de 1,5 mm, dispuestos a una separación máxima de 15 cm, asegurando protección contra caídas y control de apertura según requisitos de seguridad. El sistema deberá incluir anclajes mecánicos a losa y muro mediante platinas de aluminio o acero inoxidable AISI 304, con pernos de expansión o anclajes químicos certificados según el tipo de	12	MR - meter

U.S. DEPARTMENT of STATE



Embajada de los Estados Unidos de América
Carrera 45 # 24B- 27 - (+57601) 275.2000 - Bogotá D.C. – Colombia
co.usembassy.gov

SBU - CONTRACTING AND ACQUISITIONS



Item	Description	Qty	UoM
	sustrato, garantizando transmisión adecuada de cargas y fijación segura. Las uniones podrán ser soldadas mediante proceso TIG o sistema mecánico con tornillería inoxidable, asegurando continuidad estructural, resistencia a la corrosión y acabado estético. El acabado del aluminio será natural anodizado o satinado industrial, libre de imperfecciones, con bordes redondeados, sin rebabas ni aristas cortantes. La instalación deberá ejecutarse garantizando plomo, nivel, alineación, rigidez estructural y cumplimiento de normas aplicables de seguridad para elementos arquitectónicos, incluyendo todos los materiales, accesorios, mano de obra, herramientas, fijaciones y elementos de terminación necesarios, así como limpieza final y entrega a satisfacción del contratante. El diseño de la baranda se puede ver en el plano adjunto: P-11.		
20	Supply and installation of a glass door (P2) measuring 0.82 x 2.68 m, fabricated in safety glass—tempered or laminated tempered—with a minimum thickness of 10 mm, in compliance with the requirements of NSR-10 (Title K), NTC 1578 (safety glazing), and other applicable Colombian technical standards, ensuring impact resistance and compliance with allowable areas and thicknesses for glazed elements in buildings. The system shall be a swing-type door with complete hardware in stainless steel or high-strength aluminum, including pivot or hydraulic hinges as per design, lockset, pull handles, door stop, and all required fixing accessories. The door shall be structurally anchored to the floor and to the upper floor slab by means of certified metal anchoring elements; due to the presence of a drywall suspended ceiling, no loads shall be transferred to it, and the upper anchorage must pass through the ceiling and be fixed directly to the structural slab. Installation shall ensure proper alignment, leveling, smooth operation, and overall safety of the assembly, including seals and damping elements, in accordance with NSR-10 installation tolerances and Colombian technical standards for glazing, which require the use of safety glass in doors located in human impact zones. The location of door (P2) can be seen on drawing P-05.//////// Suministro e instalación de puerta en vidrio (P2) de dimensiones 0,82 x 2,68 m, fabricada en vidrio de seguridad templado o laminado templado con espesor mínimo de 10 mm, conforme a los requisitos establecidos en la NSR-10 (Título K), NTC 1578	1	Each

U.S. DEPARTMENT of STATE



Embajada de los Estados Unidos de América
Carrera 45 # 24B- 27 - (+57601) 275.2000 - Bogotá D.C. – Colombia
co.usembassy.gov

SBU - CONTRACTING AND ACQUISITIONS



Item	Description	Qty	UoM
	(vidrios de seguridad) y normas técnicas complementarias aplicables, garantizando resistencia al impacto humano y cumplimiento de áreas y espesores permitidos para elementos vidriados en edificaciones; el sistema deberá ser tipo abatible con herrajes completos en acero inoxidable o aluminio de alta resistencia, incluyendo bisagras tipo pivot o hidráulicas según diseño, cerradura, manijas tipo tirador, tope de puerta y accesorios de fijación; la puerta deberá anclarse estructuralmente a piso y a losa de entrepiso superior mediante elementos metálicos certificados, considerando la existencia de cielo falso en drywall, el cual no podrá recibir cargas, por lo que el anclaje superior deberá traspasar dicho cielo y fijarse directamente a la losa estructural; la instalación deberá garantizar aplome, nivelación, correcto funcionamiento y seguridad del conjunto, incluyendo sellos y elementos de amortiguación, cumpliendo con tolerancias y recomendaciones de instalación de la NSR-10 y normas técnicas colombianas para vidrios, las cuales exigen el uso de vidrio de seguridad en puertas por tratarse de zonas de impacto humano. La ubicación de la puerta (P2) se puede ver en el plano P-05.		
21	Supply and installation door (P3) measuring 0.85 x 2.68 meters of a 4 cm thick hollow-core (flush) wooden door for interior use, constructed with a solid wood perimeter frame and honeycomb or similar core, faced with high-quality MDF or plywood sheets, including a white special door paint finish (enamel or polyurethane type) applied to both the door leaf and the frame over properly prepared, sealed, and sanded surfaces to ensure uniformity, adhesion, and durability. The scope includes a wooden frame, properly treated and seasoned, installed and anchored to the masonry using appropriate fixing elements. The door shall include four (4) heavy-duty metal hinges, a bedroom-type lockset with latch, and handle for opening and closing, as well as all necessary accessories for proper operation. Installation shall ensure proper alignment, leveling, adjustment, and smooth operation, including stops, seals, and final finishes. The system shall comply with the requirements of the NSR-10 Colombian Seismic-Resistant Building Code, as applicable to non-structural elements, as well as current Colombian Technical Standards for wood products, ensuring	1	Each

U.S. DEPARTMENT *of* STATE



Embajada de los Estados Unidos de América
Carrera 45 # 24B- 27 - (+57601) 275.2000 - Bogotá D.C. – Colombia
co.usembassy.gov

SBU - CONTRACTING AND ACQUISITIONS



Item	Description	Qty	UoM
	quality, durability, dimensional stability, and resistance for interior use. The scope shall include full supply and installation with a minimum warranty covering materials and workmanship. The location of door (P3) can be seen on drawing P-05. //// Suministro e instalación de puerta en madera (P3) tipo entamborada de 4 cm de espesor, de dimensiones 0,85 x 2,68 m, para uso interior, fabricada con estructura perimetral en madera maciza y alma interna tipo panal o similar, recubierta con láminas de MDF o triplex de alta calidad, incluyendo acabado en pintura especial para puertas color blanco (tipo esmalte o poliuretano) aplicado tanto a la hoja como al marco, sobre superficies debidamente preparadas, selladas y lijadas para garantizar uniformidad, adherencia y durabilidad; incluye marco en madera debidamente inmunizada y secada, instalado y anclado a la mampostería mediante elementos de fijación adecuados; la puerta deberá incluir cuatro (4) bisagras metálicas de alta resistencia, cerradura tipo alcoba con su respectivo pestillo y manija para apertura y cierre, así como todos los accesorios necesarios para su correcto funcionamiento; la instalación deberá garantizar aplome, nivelación, ajuste y operación suave, incluyendo topes, sellos y acabados finales; el sistema deberá cumplir con las disposiciones de la NSR-10 Reglamento Colombiano de Construcción Sismo Resistente en lo aplicable a elementos no estructurales, así como con las Normas Técnicas Colombianas vigentes para productos de madera, asegurando calidad, durabilidad, estabilidad dimensional y resistencia al uso en ambientes interiores; se deberá incluir el suministro, aplicación e instalación completa con garantía mínima sobre materiales y mano de obra. La ubicación de la puerta (P3) se puede ver en el plano P-05.		
22	General Interior Wall Painting for the Entire Office: The work consists of the interior painting of an office located on the fifth floor of a building in Montería, including the supply of materials, equipment, labor, and protection of adjacent areas, in accordance with applicable Colombian technical standards. The scope includes surface preparation, consisting of scraping loose paint, patching cracks and pores with acrylic filler, sanding, and cleaning to ensure proper adhesion. This will be followed by the application of one (1) coat of acrylic interior sealer (vinyl-type) and a minimum of two (2)	248	SM-square meter

U.S. DEPARTMENT of STATE



Embajada de los Estados Unidos de América
Carrera 45 # 24B- 27 - (+57601) 275.2000 - Bogotá D.C. – Colombia
co.usembassy.gov

SBU - CONTRACTING AND ACQUISITIONS



Item	Description	Qty	UoM
	coats of high-quality washable acrylic vinyl paint, with a matte or satin finish, in a color to be defined by the end user, applied according to the manufacturer's technical data sheet regarding coverage rates and drying times. For ceilings, bathrooms, and kitchen areas, a white anti-mold vinyl paint shall be applied, and wall surfaces shall achieve a uniform color previously approved by the Client. The Contractor shall consider the local climatic conditions of Montería (high temperature and relative humidity), ensuring proper ventilation, control of surface moisture, and compliance with the recommended coating thickness. The work shall include protection of floors, carpentry elements, and existing furniture, the use of certified scaffolding or ladders for work at height in accordance with current safety regulations, final cleaning, and delivery of the area in perfect finishing and presentation conditions. // Pintura general de las paredes toda la oficina: El trabajo consiste en la pintura interior de oficina ubicada en el quinto piso de edificio en Montería, incluyendo suministro de materiales, equipos, mano de obra y protección de áreas adyacentes, conforme a la norma técnica colombiana aplicable. El alcance comprende preparación de superficies (raspado de zonas sueltas, resane de fisuras y poros con masilla acrílica, lijado y limpieza para garantizar adecuada adherencia), aplicación de una (1) mano de sellador acrílico tipo vinilo para interiores y mínimo dos (2) manos de pintura vinilo acrílica lavable de primera calidad, acabado mate o satinado color por definir con el usuario final, con rendimiento y tiempos de secado conforme ficha técnica del fabricante. En cielos rasos , baños y cocina, se aplicará pintura tipo vinilo blanco antimoho, y en muros se garantizará color uniforme previamente aprobado por el contratante. El contratista deberá considerar condiciones climáticas propias de Montería (alta temperatura y humedad relativa), asegurando ventilación adecuada, control de humedad superficial y cumplimiento de espesores recomendados; incluirá protección de pisos, carpinterías y mobiliario existente, uso de andamios o escaleras certificados para trabajo en altura según normativa vigente, limpieza final y entrega del área en perfectas condiciones de acabado y presentación.		

U.S. DEPARTMENT *of* STATE



Embajada de los Estados Unidos de América
Carrera 45 # 24B- 27 - (+57601) 275.2000 - Bogotá D.C. – Colombia
co.usembassy.gov

SBU - CONTRACTING AND ACQUISITIONS



Item	Description	Qty	UoM
23	General Painting of Suspended Ceiling for the Entire Office: The work consists of the painting of the suspended ceiling throughout the office located on the fifth floor of a building in Monteria, including the supply of materials, equipment, labor, protection of existing furniture and finishes, and the final disposal of generated waste. The scope includes surface preparation, consisting of inspection of fastening elements, replacement or tightening of exposed screws and/or nails, patching of joints and cracks with acrylic filler, fine sanding, and cleaning to remove dust, grease, or loose material. This will be followed by the application of one (1) coat of acrylic sealer or primer compatible with the substrate (drywall or gypsum board) and a minimum of two (2) coats of interior acrylic vinyl paint, matte white finish, with anti-mold properties and high light reflectance, applied using rollers or airless spray equipment in accordance with the manufacturer's recommendations, respecting specified coverage rates and drying times. The Contractor shall consider the local climatic conditions of Montería (high temperature and relative humidity), ensuring adequate ventilation and control of surface moisture prior to painting, as well as the use of certified equipment for work at height in accordance with current safety regulations. The final finish shall present uniform color without stains, overlaps, or roller marks, complying with the quality tolerances required by the project supervision. The final coat of paint (finish coat) shall be applied once all civil works and electrical works within the office have been completed, with the schedule to be coordinated with the Contracting Party's representative. // Pintura general de cielo falso toda la oficina: El trabajo consiste en la pintura del cielo falso de la oficina ubicada en el quinto piso del edificio en Montería, incluyendo suministro de materiales, equipos, mano de obra, protección de mobiliario y acabados existentes, y disposición final de residuos. El alcance comprende la preparación de la superficie (revisión de fijaciones, reposición de tornillos y/o puntillas expuestos, resane de juntas y fisuras con masilla acrílica, lijado fino y limpieza para eliminar polvo, grasas o material suelto), aplicación de una (1) mano de sellador acrílico o imprimante compatible con el sustrato (drywall o placa de yeso), y mínimo dos (2) manos de pintura vinilo acrílica para interiores, acabado mate color blanco, con propiedades antimoho y alta	147	SM-square meter

U.S. DEPARTMENT *of* STATE



Embajada de los Estados Unidos de América
Carrera 45 # 24B- 27 - (+57601) 275.2000 - Bogotá D.C. – Colombia
co.usembassy.gov

SBU - CONTRACTING AND ACQUISITIONS



Item	Description	Qty	UoM
	reflectancia lumínica, aplicada con rodillo o equipo airless según recomendación del fabricante, respetando rendimientos y tiempos de secado. El contratista deberá considerar las condiciones climáticas de Montería (alta temperatura y humedad relativa), garantizando adecuada ventilación y control de humedad superficial antes de pintar, así como el uso de equipos certificados para trabajo en altura conforme normativa vigente; el acabado final deberá presentar color uniforme, sin manchas, traslajos ni marcas de rodillo, cumpliendo tolerancias de calidad exigidas por la interventoría y entregando el área completamente limpia y en óptimas condiciones. La ultima mano de pintura (acabado final) el contratista la dará cuando se hayan terminado todos los trabajos de obra civil y electricos en la oficina, esta fecha se coordinará con el representante del contratante.		
24	Removal and Disposal of Debris and Surplus Materials to an Authorized Landfill in Monteria: Service consisting of the collection, loading, transportation, and final disposal of construction debris and surplus materials generated during the execution of the works, to an authorized disposal site (official landfill) in Monteria. The Contractor shall provide all necessary labor, equipment, tools, containers, and transportation required for proper handling and removal of waste from the work site. Materials shall be classified, handled, and transported in accordance with current environmental regulations and applicable Construction and Demolition Waste (RCD) management requirements, ensuring safe handling and prevention of dust dispersion or environmental contamination during transport. The Contractor shall also ensure that the work areas remain clean and free of debris, and shall provide the corresponding disposal certificates issued by the authorized landfill, confirming the proper final disposal of the materials. // Retiro y Disposición de escombros y materiales sobrantes a un botadero oficial en Montería: Servicio que comprende la recolección, cargue, transporte y disposición final de escombros y materiales sobrantes de construcción generados durante la ejecución de los trabajos, hacia un sitio de disposición autorizado (botadero oficial) en Montería. El Contratista deberá suministrar toda la mano de obra, equipos, herramientas, contenedores y	1	SV - service

U.S. DEPARTMENT of STATE



Embajada de los Estados Unidos de América
Carrera 45 # 24B- 27 - (+57601) 275.2000 - Bogotá D.C. – Colombia
co.usembassy.gov

SBU - CONTRACTING AND ACQUISITIONS



Item	Description	Qty	UoM
	transporte necesarios para el manejo y retiro adecuado de los residuos desde el área de trabajo. Los materiales deberán ser clasificados, manipulados y transportados de acuerdo con la normativa ambiental vigente y los requisitos aplicables para la gestión de Residuos de Construcción y Demolición (RCD), asegurando la manipulación segura y la prevención de dispersión de polvo o contaminación ambiental durante el transporte. El Contratista también deberá garantizar que las áreas de trabajo permanezcan limpias y libres de escombros, y entregar los certificados de disposición final emitidos por el botadero autorizado, que confirmen la correcta disposición de los materiales.		
25	DBA /// WORKERS' COMPENSATION INSURANCE (DEFENSE BASE ACT) NOTE: THE OFFEROR SHALL INCLUDE DBA INSURANCE PREMIUM COSTS COVERING EMPLOYEES. THE OFFEROR MAY OBTAIN DBA INSURANCE DIRECTLY FROM ANY DEPARTMENT OF LABOR APPROVED PROVIDERS AT THE DOL WEBSITE AT: HTTP://WWW.DOL.GOV/OWCP/DLHW/LSCARRIER.HTM DBA INSURANCE WILL BE NEGOTIATED AND PRICED PRIOR TO ISSUANCE OF TASK ORDERS REQUIRING DBA INSURANCE.	1	EA - each

3 DELIVERY (SHIPPING AND HANDLING INSTRUCTIONS)

- ❖ The vendor must supply and install all items in Monteria, Colombia. The address will be notified to the contractor when the purchase order has been awarded.
- ❖ Suggested delivery date: 10 days after receipt of purchase order.

4 WARRANTY

The equipment and all delivered parts **must be new** and installed and must have a warranty of at least (1) year against manufacturing defects and its entire component parts.

A warranty from the date of final acceptance by the US Government. The vendor shall confirm compliance with minimum requested warranty periods.

The product warranty must include representation in Colombia, ensuring that any requests for support, repair, or replacement can be managed promptly and efficiently within the country.

U.S. DEPARTMENT of STATE



Embajada de los Estados Unidos de América
Carrera 45 # 24B- 27 - (+57601) 275.2000 - Bogotá D.C. – Colombia
co.usembassy.gov



Warranty shall be effective in Colombia. Re-exporting procedures during the warranty period, if requested, shall be covered by the contractor during the term of the same.

Warranty, maintenance and support must be provided in country (Colombia).

If claim for any product(s), it will be sent to the vendor's location to perform an evaluation, with no charge to U. S. Government, to verify the status of the claim and the product. If the warranty department of the vendor determines that the product has a defect covered under the warranty, vendor shall replace it. U. S. Government will not be responsible for any transportation charges related to warranty.

- ❖ The vendor must have certifications that accredit it as an official distributor of the brand offered, to guarantee warranty support. **Vendor must be able to provide documentation, upon request, demonstrating their ability to supply items through manufacturer-approved distribution channels**

5 OCCUPATIONAL HEALTH AND INDUSTRIAL SAFETY

- ❖ The contractor will be responsible for the industrial safety of its personnel. Staff must present affiliations to Colombian the health system and professional risks.
- ❖ Each person who works for the contractor must be a Colombian citizen. Foreigner citizens will not be allowed.
- ❖ Each person who works for the contractor must have a card with their photo, full name, company name, ID, EPS, ARL, to be able to enter the facilities of the building.
- ❖ The contractor must send the information of the personnel who will enter the building three days before. (Full name, ID number, telephone number, vehicle license plates).
- ❖ If the contractor is required to work at height, he must present the certifications of safe work at height and complete the respective work at height in accordance with Resolution 4272 of 202

6 CUSTOMS CLEARANCE AND TAX EXEMPTIONS

- ❖ The prices set forth in this contract are excluded of IVA under this contract. The U. S. Government is exempt by virtue of agreement between the U. S. Government and the Government of Colombia. And the U.S. Government will send officio to the Contractor who will award the purchase order to support this exemption.

7. INSPECTION AND ACCEPTANCE

The final inspection/acceptance of the service will be upon receiving the items at the office and building (listed above) by a POC representative. The payment to the contractor shall be made following satisfactory inspection and acceptance by the COR. The contractor will be responsible for any damage that may result from the performance of activities carried out by its personnel.

U.S. DEPARTMENT *of* STATE



Embajada de los Estados Unidos de América
Carrera 45 # 24B- 27 - (+57601) 275.2000 - Bogotá D.C. – Colombia
co.usembassy.gov



8 PERIOD OF PERFORMANCE (POP) or ESTIMATED DELIVERY DATE

- ❖ 10 days after purchase order received.

9 MEMBERS FOR THE TECHNICAL EVALUATION PANEL

- ❖ Reserved

10. EVALUATION FACTORS

Evaluation shall be made based on the extent to which an offer meets the technical specifications within each unique line item of the requirement. Award will be made based on a Lowest Price Technically Acceptable (LPTA) methodology.

Acquisition Method: The Government is conducting this acquisition using the simplified acquisition procedures in Part 12 of the Federal Acquisition Regulation (FAR)

- The Government reserves the right to reject quotations that are incomplete, non-compliant with the terms of this solicitation, or that are unreasonably high or low in price.
- For evaluation purposes, the price will be determined by multiplying the offered prices times the quantities stated in the schedule, and arriving at a grand total, including all options, if any.
- The Government will determine quoter responsibility by analyzing whether the apparent successful quoter complies with the standards of FAR 9.104.
- Unless an exception in FAR 4.1102 applies, a quoter must be registered in SAM (www.SAM.gov) to be eligible for award. If the quoter does not become registered in the SAM database in the time prescribed by the Contracting Officer, the Contracting Officer will proceed to award the next otherwise successful registered quoter.
- Compliance with all the specifications listed in this document.
- The Government shall pay the contractor as full compensation for all work or services required, performed, and accepted 30 days after receiving the invoice. No advance payments are allowed.
- The Government will evaluate the proposed delivery time frame and the technical specifications.
- The Government will only consider for award those companies that the Government determines have a high likelihood of satisfactorily completing the required items based on the proposal.
- The contract must include a detailed description of the product specifications to ensure that the equipment and systems meet all required standards and functions effectively.
- The contract must outline the delivery times to ensure that the equipment is delivered and installed in a timely manner, minimizing disruption to office operations.

U.S. DEPARTMENT *of* STATE



Embajada de los Estados Unidos de América
Carrera 45 # 24B- 27 - (+57601) 275.2000 - Bogotá D.C. – Colombia
co.usembassy.gov

SBU - CONTRACTING AND ACQUISITIONS