

AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT			1. CONTRACT ID CODE		PAGE 1 OF 49 PAGES		
2. AMENDMENT/MODIFICATION NUMBER 6		3. EFFECTIVE DATE 10/23/2023		4. REQUISITION/PURCHASE REQUISITION NUMBER		5. PROJECT NUMBER (If applicable)	
6. ISSUED BY GSA PBS 7PQA ACQUISITION MANAGEMENT DIVISION - PROGRAM SUPPORT BRANCH 819 TAYLOR ST RM 12B01 FORT WORTH, TX 76102		CODE 7PQA		7. ADMINISTERED BY (If other than Item 6)		CODE	
8. NAME AND ADDRESS OF CONTRACTOR (Number, street, county, State and ZIP Code)				☒ (X)		9A. AMENDMENT OF SOLICITATION NUMBER 47PH0823R0003	
				☒		9.B DATED (SEE ITEM 11) 06/20/2023	
				☐		10A. MODIFICATION OF CONTRACT/ORDER NUMBER	
						10B. DATED (SEE ITEM 13)	
CODE		FACILITY CODE					

11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS

☒ The above numbered solicitation is amended as set forth in Item 14. The hour and date specified for receipt of Offers ☐ is extended. ☒ is not extended.

Offers must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended, by one of the following methods:

(a) By completing items 8 and 15, and returning 0 copies of the amendment; (b) By acknowledging receipt of this amendment on each copy of the offer submitted; or (c) By separate letter or electronic communication which includes a reference to the solicitation and amendment numbers. FAILURE OF YOUR ACKNOWLEDGMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER. If by virtue of this amendment you desire to change an offer already submitted, such change may be made by letter or electronic communication, provided each letter or electronic communication makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified.

12. ACCOUNTING AND APPROPRIATION DATA (If required)

13. THIS ITEM APPLIES ONLY TO MODIFICATIONS OF CONTRACTS/ORDERS. IT MODIFIES THE CONTRACT/ORDER NUMBER AS DESCRIBED IN ITEM 14.

CHECK ONE	A. THIS CHANGE ORDER IS ISSUED PURSUANT TO: (Specify authority) THE CHANGES SET FORTH IN ITEM 14 ARE MADE IN THE CONTRACT ORDER NUMBER IN ITEM 10A.
☐	
☐	B. THE ABOVE NUMBERED CONTRACT/ORDER IS MODIFIED TO REFLECT THE ADMINISTRATIVE CHANGES (such as changes in paying office, appropriation data, etc.) SET FORTH IN ITEM 14, PURSUANT TO THE AUTHORITY OF FAR 43.103(b).
☐	C. THIS SUPPLEMENTAL AGREEMENT IS ENTERED INTO PURSUANT TO AUTHORITY OF:
☐	D. OTHER (Specify type of modification and authority)

E. IMPORTANT: Contractor ☒ is not ☐ is required to sign this document and return _____ copies to the issuing office.

14. DESCRIPTION OF AMENDMENT/MODIFICATION (Organized by UCF section headings, including solicitation/contract subject matter where feasible.)

See Description of Amendment Continuation Page

Except as provided herein, all terms and conditions of the document referenced in Item 9A or 10A, as heretofore changed, remains unchanged and in full force and effect.

15A. NAME AND TITLE OF SIGNER (Type or print)		16A. NAME AND TITLE OF CONTRACTING OFFICER (Type or print) Matthew Deptuch	
15B. CONTRACTOR/OFFEROR	15C. DATE SIGNED	16B. UNITED STATES OF AMERICA	16C. DATE SIGNED
(Signature of person authorized to sign)		(Signature of Contracting Officer)	

Previous edition unusable

Description of Amendment Continuation Page

...

Amendment 6 incorporates an updated Questions & Answers document, and the Pre-Proposal Conference Agenda, Slide Deck, and Attendance List as attachments to the Solicitation. These documents are available in this attached "SF30 Amendment 6 2023 10 23" file, located on pages 3 through 49.

PRE-PROPOSAL CONFERENCE AGENDA

Multiple Award Indefinite-Delivery Indefinite-Quantity (IDIQ) Task Order Contract for Construction, Repair, and Alteration, with Design-Build and Incidental Abatement for GSA/PBS Region 7

Arkansas, North New Mexico, and West Texas Zones

Solicitation 47PH0823R0003

Thursday – October 19, 2023, 10:00 A.M. CDT

1. Greetings and Introductions

○ Sign In

- All attendees must email their contact information (name, organization, phone number, and email) to gcidiq@gsa.gov
- Please limit one email per offeror
- Please mute your phones except when asking questions
- This solicitation is a Total Small Business Set-Aside
- No oral statements made shall change the solicitation
- All changes will be documented in a written amendment posted to sam.gov
- Minutes and Questions and Answers will be issued in an amendment to the solicitation in sam.gov
- Submit all questions in writing for the:
 - **ARKANSAS ZONE** via email to r7idiq.ark@gsa.gov
 - **NORTH NEW MEXICO ZONE** via email to r7idiq.nnm@gsa.gov
 - **WEST TEXAS ZONE** via email to r7idiq.wtx@gsa.gov

○ Introductions

- Matthew Deptuch - IDIQ Section Chief, 7PQA
- Tamara Trotter - IDIQ Contract Specialist, 7PQA
- Ray Marshall - IDIQ Contract Specialist, 7PQA
- Bradon Garbers - PDD Program Manager, 7PAA
- Michael Skeels - Program Manager/Credentialing Officer, DBAB - for HSPD-12 West/Zone D
- Jordan Leiter - Regional Sustainability Program Specialist, 7PMD

2. Security

- Most all **contractors require a fitness determination (FD) (background investigation) prior to working on GSA projects in federal space. Delays in completing the process will delay working on GSA projects.** There are no shortcuts; each applicant must follow the requirements to complete the process.
- **Successful contractors assign responsible personnel to manage the FD process** and follow-up to ensure all personnel, including subs, complete the process timely. Personnel assigned this task should be monitoring their emails continuously and take appropriate actions. Applicants have 30 days to complete the process, or their investigation will be canceled and they must start over.
- **Most delays in the FD process are related to the applicants not following instructions and completing the process timely. Office of Personnel Management (OPM) turn-around times are typically within a few days** after applicants have completed all requirements.
- Depending on the length of the task assigned and/or building security requirements, **contractors may or may not receive a GSA credential Personal Identity Verification (PIV card) after FD is complete.** Credentials are GSA property and must be returned when an individual is no longer actively working on a GSA project.
- **Contractors will need to be cleared through the Fitness Determination process with OPM/DCSA** prior to beginning contractual obligations with GSA in federal space.
 - Requesting Officials need to determine the credentialing requirements which is the type of investigation needed and the access card requirement for each contractor on the project.
- **For Escort access (Escort)** - Does not exceed 15 days per contract. Individuals to be escorted will be escorted by either a Tier 1 approved/PIV Card holder GSA contractor, FPS contractor or Federal Employee. No background investigation will be requested for an Escort Request so they must be supervised with line of sight at all times while on onsite.
- **SAC:** Short-term investigation for contractors with routine access more than 15 days but less than 6 months
 - SACs expire at 180 days (6 months) from the date of the SAC Determination Notification.
 - No PIV credentials are issued for SACs; Contractors will coordinate with their Requesting Official for any facility access requirements.
- **Tier 1 or above:** long-term Investigation for contractors with routine access greater than 6 months
 - Contractor may be issued a PIV credential - which will be the ROs decision - or may need to coordinate with their RO for alternative facility access
- Contract Company Expectations

- **Identify a Company Point of Contact (POC) that will manage the Fitness Determination process** for your company employees and subcontractors working on this contract. Identified as the “Vendor POC”.
 - The Vendor POC identified is responsible for assisting applicants through the identified fitness determination process, to include Vendor Prime subcontract personnel.
 - Vendor POC will receive correspondence from GSA to include rejection notifications, determination notices, etc.
 - Applicants will coordinate questions related to the fitness determination process through the Vendor POC.
- Attend a “Vendor Training” session for instruction and forms to complete the GSA fitness determination processes.
- **Complete the Requesting Official’s Contractor Approval List (ROCAL) and submit to the GSA Requesting Official** for approval. Must be updated throughout the contract.
- **Complete CIW template, section 1 for each contractor** applicant and submit to the Zone D help desk email address: zoneD-hspd12@gsa.gov.
- All fitness determinations are managed through the zonal Help Desk, where applicants and vendor POCs can request assistance with the process:
- It is greatly recommended to take advantage of the Requesting Official training; please email Zone D for information on the course.
- **Zone D: Security Help Desk**
 - E-Mail: zoneD-hspd12@gsa.gov
 - Phone: (415) 844-9759

3. Energy and Sustainability

- There are a number of Energy and Sustainability requirements
- P-100
 - Low Embodied Carbon Requirements (Decarbonization Pg 38, 158-160)
 - EPA Watersense certified fixtures and fittings (Plumbing Pg 184)
 - Buy Clean Products (1.9.2.10 GSA Buy Clean Product Standards, Pg 39-49)
 - Lighting Requirements (CCT, etc. Chapter 6, Pages 191-192)
 - HVAC/Refrigerant (Section 5.3.2.1 Page 173)
 - Energy Star ratings (lamps, HVAC, appliances etc.) (6.3.2.3 page 202, & 5.1 Mechanical performance table pg 168, 315)
- Procurement Requirements (In Contract)
 - Biobased Products (FAR 52.223-2 Page 25 of Contract)
 - Percentage of Recovered Materials Content (FAR 52.223-9 Page 26 of Contract)
 - Buy American Requirements (Including light bulbs in LED Retrofit kits)(FAR 52.225-9 pg 29 of Contract).
- (1) Additional Clauses (In Contract)

- Global Warming Potentials (hydrofluorocarbons) (FAR 52.223-21, Pg 40)
- Waste Reduction Program (FAR 52.223-10)
- Energy Efficiency in Energy-Consuming Products (FAR 52.223-15)
- Affirmative Procurement of EPA designated items in service and construction contracts (FAR 52.223-17).

4. Contract Elements and Terms

- Description of services to be provided (IDIQ Statement of Work (SOW), Section 1.)
 - This contract is to provide repair, alteration, and design-build construction services. In addition, design and/or abatement incidental to construction are included.
 - This procurement is set aside for small businesses.
- Option Periods (Agreement III.R.)
 - The term of the base IDIQ Contract shall include one (1) one base period and four (4) one-year option periods.
- Minimum Guarantee (IDIQ Statement of Work, Section 4.)
 - The guaranteed minimum for the base period only is \$2,000 per IDIQ contract.
- Task Order Value Ranges (Agreement Section III.S. and IDIQ SOW Section 5.)
 - **Small Projects Pool:** the group of contracts within a zone which are primarily intended to support projects initially estimated to be valued at or below the Simplified Acquisition (SAT), but contractors can compete for and potentially be awarded a Task Order of any value up to \$2,000,000.
 - The MOL for the Small Projects Pool is \$2,000,000 per contract year.
 - **Large Projects Pool:** Large Projects Pool: the group of contracts within a zone which are primarily intended to support projects initially estimated to be valued from the Simplified Acquisition Threshold (SAT) to \$5,000,000, but contractors can compete for and potentially be awarded a Task Order of any value as low as \$2,000.
 - The MOL for the Large Projects Pool is \$6,000,000 per contract year.
- On-Ramping (Solicitation V.E.(1))
 - During the life of these multiple-award contracts, the solicitation may be re-opened for any zone when GSA determines that additional IDIQ contracts are needed.
 - The Government reserves the right, if needed, to re-open the solicitation to request proposals for additional IDIQ contracts in any zone.
- Insurance Requirements (Agreement III.L.)

- The Contractor shall obtain and maintain for the entire life of the contract, in addition to any insurance required by law, the minimum kinds and amounts detailed in the Agreement.

5. Pricing

- (IDIQ Statement of Work, Section 8., Solicitation, VI.C. and D, and Agreement II.A.(1))
- Instructions for submitting the OH rate.
- The proposed prices will be evaluated for reasonableness.
- Offers must include balanced prices.
- Unbalanced pricing exists when, despite an acceptable total evaluated price, the price of one or more contract line items is significantly over or understated as indicated by the application of price analysis techniques.
- An offer may be rejected if the Contracting Officer determines that the lack of balance poses an unacceptable risk to the Government.

6. Zonal Map

7. Contract Execution

- Primary Performance Area (Agreement III.S.)
 - All counties included in the Arkansas Zone.
 - All counties included in the North New Mexico Zone.
 - All counties included in the West Texas Zone.
- Secondary Performance Area (Agreement III.S.)
 - All counties and parishes in the five-state region, not included in the primary performance area.
- Active Task Order RFP Participation (IDIQ Statement of Work, Section 6 & 22.)
 - "Active RFP participation" is defined as submitting a timely, good-faith competitive proposal for at least seventy-five percent (75%) of the number of TO RFPs issued per year for the required counties or parishes, for which a firm has sufficient bonding at the time the TO RFP is issued, if there is sufficient MOL remaining in the current performance period for the IDIQ contract.
- Task Order Solicitation Procedures (Agreement III.S.(2))
 - Task Order proposals shall be submitted in the format required in the TO RFP, and use the MasterFormat 2020 Specification Groups.
 - Proposal Summary Template
- The Project Narrative
 - Provide a short narrative detailing work schedule and workflow. The

Offeror's narrative should not simply rephrase or restate the Government's requirements, but rather provide a convincing, factually based explanation on how the Offeror intends to meet the project requirements.

- Demonstrates an understanding of the GSA Scope of Work
 - Narrative is project specific and demonstrates the contractor possesses a clear and logical understanding of the GSA Scope of Work.
 - All components of the GSA Scope of Work are present.
- Demonstrates the offeror's knowledge as it pertains to work performance.
 - Narrative demonstrates identified work methodology that is consistent with the GSA Scope of Work.

8. Proposal Contents

- Proposal Due Date/Time: **November 13, 2023 9:00 A.M. CDT** (Solicitation, I.H.)
- Proposal Contents (Solicitation, II): Offerors responding to the solicitation notice shall submit proposals in three (3) separate electronic folders/documents named as stated below, via email only:
 - **Volume 1:**
 - Pricing Proposal Form
 - **Volume 2:**
 - Technical Proposal (Hypothetical project(s): proposal(s)/submittals, using project proposal formats as required in the Solicitation).
 - If proposing on the Small Projects Pool, submit a proposal for Hypothetical Projects A & B.
 - If proposing on the Large Projects Pool, submit a proposal for Hypothetical A.
 - **Volume 3:**
 - Signed Solicitation Response Form.
 - Contractor's Qualification and Financial Information (using GSA Form 527).
 - Offeror Representations and Certifications (using GSA Form C301).
 - Solicitation Offer and Award (using Standard Form 1442).
 - Signed bonding letter.

- Signed consent from all major subcontractors regarding past performance (using template).
- Joint Venture documentation, if applicable.
- Other Documents as Required.

9. Tips for Preparing your Proposal

- Read the entire Solicitation, Agreement & Attachments.
- Deadlines for questions: **October 24, 2023, 5:00 P.M. CDT** (Solicitation, III.B., I.H.).
- Ensure your proposal contains all items requested in the solicitation, and fully addresses the submittal requirements (use the checklist at the end of the Solicitation Response Form).
- Please do not submit resumes, capability statements, introductory letters, CPARs, etc.
- Deadline to submit a proposal: **November 13, 2023, 9:00 A.M. CDT**. This is also the deadline for Past Performance Questionnaires to be submitted.
- Submit your proposal early enough to be received by the Government before the deadline and confirm receipt before the deadline. A proposal is timely if received **on or before the date and time established for receipt of offers, as recorded by the Government computer system's** documentation of the exact official time of receipt, **not by the time it was sent by the Offeror**.
- NOTE: The maximum file size is **25 MB**. GSA has occasionally experienced delays in delivery of emails from the GSA server to an email account. Therefore contractors/offerors need to plan accordingly.
- WARNING: Consistent with GAO case law on the issue of "late-is-late rule" related to electronically submitted proposals, GSA will strictly comply with and enforce FAR 52.215-1(c)(3)(ii)(A). Pursuant to GAO's application of FAR 52.215-1(c)(3)(ii)(A), an electronically submitted proposal that is received late will not be considered unless:
 - (1) it is received before award is made,
 - (2) the Contracting Officer determines that accepting the late offer would not unduly delay the acquisition and
 - (3) it was received at the initial point of entry to the Government infrastructure no later than 5:00 P.M. one working day prior to the date specified for receipt of proposals.

10. Q&A



U.S. GENERAL SERVICES ADMINISTRATION

ARKANSAS, NORTH NEW MEXICO & WEST TEXAS ZONES PRE-PROPOSAL CONFERENCE

**Multiple Award Indefinite-Delivery Indefinite-Quantity (IDIQ) Task Order
Contract for Construction, Repair, and Alteration, with Design-Build and
Incidental Abatement for GSA/PBS Region 7**

SOLICITATION: 47PH0823R0003

PUBLIC BUILDINGS SERVICE (PBS)

ACQUISITION MANAGEMENT DIVISION (7PQA)

THURSDAY – OCTOBER 19, 2023, 10:00 AM CDT

AGENDA

01 INTRODUCTIONS

02 SECURITY

03 ENERGY AND SUSTAINABILITY

04 CONTRACT ELEMENTS AND TERMS

05 CONTRACT PRICING

06 ZONAL MAP

07 CONTRACT EXECUTION

08 PROPOSAL CONTENTS

09 TIPS FOR PREPARING YOUR PROPOSAL

10 QUESTIONS AND ANSWERS

INTRODUCTIONS

- Sign in
 - All attendees must email their contact information (name, organization, phone number, and email) to **gcidiq@gsa.gov**
 - Please limit **one email** per offeror
- Please mute your phones except when asking questions
- No oral statements made shall change the solicitation
 - All changes will be documented in a written amendment posted to sam.gov
- Minutes and Questions and Answers will be issued in an amendment to the solicitation in sam.gov
- Submit all questions in writing for the:
 - **ARKANSAS ZONE** via email to **r7idiq.ark@gsa.gov**
 - **NORTH NEW MEXICO ZONE** via email to **r7idiq.nnm@gsa.gov**
 - **WEST TEXAS ZONE** via email to **r7idiq.wtx@gsa.gov**

SECURITY

- Most all **contractors require a fitness determination (FD) (background investigation) prior to working on GSA projects** in federal space. Delays in completing the process will delay working on GSA projects. There are no shortcuts; each applicant must follow the requirements to complete the process.
- **Successful contractors assign responsible personnel to manage the FD process** and follow-up to ensure all personnel, including subs, complete the process timely. Personnel assigned this task should be monitoring their emails continuously and take appropriate actions. Applicants have 30 days to complete the process, or their investigation will be canceled and they must start over.
- **Most delays in the FD process are related to the applicants not following instructions and completing the process timely. Office of Personnel Management (OPM) turn-around times are typically within a few business days** after applicants have completed all requirements.
- Depending on the length of the task assigned and/or building security requirements, **contractors may or may not receive a GSA credential Personal Identity Verification (PIV card) after FD is complete.** Credentials are GSA property and must be returned when individual is no longer actively working on GSA project.

SECURITY CONT.

- **Contractors will need to be investigated through the Fitness Determination process with OPM/DCSA** prior to beginning contractual obligations with GSA in federal space. (Defense Counterintelligence and Security Agency)
 - Requesting Officials need to determine the credentialing requirements which is the type of investigation needed and the access card requirement for each contractor on the project. They will take into account routine access, short-term or long-term work for the investigation. Also Facility Access and GSA Network Access Requirements when determining the PIV credential requirement for each contractor. For temporary work less than 15 days - escorting should be used for those personnel.
- **For Escort access (Escort)** - Does not exceed 15 days per contract. Individuals to be escorted will be escorted by either a Tier 1 approved/PIV Card holder GSA contractor, FPS contractor or Federal Employee. No background investigation will be requested for an Escort Request so they must be supervised with line of sight at all times while on onsite.
- **SAC:** Short-term investigation for contractors with routine access more than 15 days but less than 6 months
 - SACs expire at 180 days (6 months) from the date of the SAC Determination Notification.
 - No PIV credentials are issued for SACs; Contractors will coordinate with their Requesting Official for any facility access requirements.
- **Tier 1 or above:** long-term Investigation for contractors with routine access greater than 6 months
 - Contractor may be issued a PIV credential - which will be the ROs decision - or may need to coordinate with their RO for alternative facility access

SECURITY CONT.

Contract Company Expectations

- **Identify a Company Point of Contact (POC) that will manage the Fitness Determination process** for your company employees and subcontractors working on this contract. Identified as the “Vendor POC”.
 - The Vendor POC identified is responsible for assisting applicants through the identified fitness determination process, to include Vendor Prime subcontract personnel.
 - Vendor POC will receive correspondence from GSA to include rejection notifications, determination notices, etc.
 - Applicants will coordinate questions related to fitness determination process through the Vendor POC.
- Attend a “Vendor Training” session for instruction and forms to complete the GSA fitness determination processes.
- **Complete the Requesting Official’s Contractor Approval List (ROCAL) and submit to the GSA Requesting Official** for approval. Must be updated throughout contract.
- **Complete CIW template, section 1 for each contractor** applicant and submit to the Zone D help desk email address: zoneD-hspd12@gsa.gov.

SECURITY CONT.

All fitness determinations are managed through the Zonal Help Desk, where applicants and vendor POCs can request assistance with the process:

It is greatly recommended to take advantage of the Requesting Official training; please email Zone D for information on the course

HSPD-12 West

Zone D: Security Help Desk

E-Mail: zoneD-hspd12@gsa.gov

Phone: (415) 844-9759

ENERGY & SUSTAINABILITY

- **P-100 Requirements:**
 - Low embodied carbon concrete and steel (Decarbonization, Pages 38, 158-160)
 - EPA Watersense certified fixtures and fittings (Plumbing, Page 184)
 - Buy Clean Products (1.9.2.10 GSA Buy Clean Product Standards, Page 39-40)
 - Lighting Requirements (CCT, etc. Chapter 6, Pages 191-192)
 - HVAC/Refrigerant (Section 5.3.2.1 Page 173)
 - Energy Star ratings (lamps, HVAC, appliances etc.) (6.3.2.3 page 202, & 5.1 Mechanical performance table, Pages 168, 315)
- **Procurement Requirements**
 - Biobased Products (FAR 52.223-2, Page 25 of Contract)
 - Percentage of recovered materials content (FAR 52.223-9 Page 26 of Contract)
 - Buy American Requirements (FAR 52.225-9 Page 29 of Contract)
- **Additional Clauses**
 - Global Warming Potentials (Hydrofluorocarbons) (FAR 52.223-21, Page 40 of Contract)
 - Waste Reduction Program (FAR 52.223-10)
 - Energy Efficiency in Energy-Consuming Products (FAR 52.223-15)
 - Affirmative Procurement of EPA designated items in Service and Construction Contracts (FAR 52.223-17)

CONTRACT ELEMENTS AND TERMS

- **Description of Services to be Provided (IDIQ Statement of Work (SOW), Section 1.)**
 - This contract is to provide repair, alteration, and design-build construction services. In addition, design and/or abatement incidental to construction are included.
- **This procurement is set aside for small businesses**
- **Option Periods (Agreement III.R.)**
 - The term of the base IDIQ Contract shall include one (1) one base period and four (4) one-year option periods.
- **Minimum Guarantee (IDIQ Statement of Work, Section 4.)**
 - The guaranteed minimum for the base period only is \$2,000 per IDIQ contract.

CONTRACT ELEMENTS AND TERMS CONT.

- Task Order Value Ranges (Agreement Section III.S. and IDIQ SOW Section 5.)
 - Small Projects Pool: the group of contracts within a zone which are primarily intended to support projects initially estimated to be valued at or below the Simplified Acquisition (SAT), but contractors can compete for and potentially be awarded a Task Order of any value up to \$2,000,000.
 - **The MOL for the Small Projects Pool is \$2,000,000 per contract year.**
 - Large Projects Pool: the group of contracts within a zone which are primarily intended to support projects initially estimated to be valued from the Simplified Acquisition Threshold (SAT) to \$5,000,000, but contractors can compete for and potentially be awarded a Task Order of any value as low as \$2,000.
 - **The MOL for the Large Projects Pool is \$6,000,000 per contract year.**

CONTRACT ELEMENTS AND TERMS CONT.

- **On-Ramping (Solicitation V.E.(1))**
 - During the life of these multiple-award contracts, the solicitation may be re-opened for any zone when GSA determines that additional IDIQ contracts are needed.
 - The Government reserves the right, if needed, to re-open the solicitation to request proposals for additional IDIQ contracts in any zone.
- **Insurance Requirements (Agreement III.L.)**
 - The Contractor shall obtain and maintain for the entire life of the contract, in addition to any insurance required by law, the minimum kinds and amounts detailed in the Agreement.

CONTRACT PRICING

Pricing Proposal Form Solicitation Number 47PH0823R0003

Zone:

Offeror Information

Firm Name:	Point of Contact:
DBA:	Point of Contact Phone:
UEI:	Point of Contact Email:

Price Range	Base Year	Option I	Option II	Option III	Option IV
\$0 - \$25,000.00					
\$25,000.01 - \$250,000.00					
\$250,000.01 - \$1,000,000.00					
\$1,000,000.01 - \$5,000,000.00					

CONTRACT PRICING CONT.

- Pricing (IDIQ Statement of Work, Section 8., Solicitation, VI.C. and D, and Agreement II.A.(1))
 - Rates will be inclusive of the following:

The offeror's Rates must be **ALL INCLUSIVE** and shall include all indirect costs to include, but not limited to:

1. Subcontractor mark-ups						
2. General / Prime Contractor Overhead						
3. Social security contributions						
4. General insurances & Workmen's compensations insurance						
5. State & Federal unemployment insurance						
6. Mobilization and demobilization costs						
7. Quality control						
8. Adjustment factors to account for small jobs						
9. Incidental tools and equipment						
10. Submittals						
11. Task Order preparation costs						
12. GSA Project Management Information System engagement						


NOTE:

- Travel and travel-related costs will be paid only for travel outside the identified radius in roadway miles from the place of performance of the metropolitan area identified in the base contract. This includes subcontractors and suppliers.
- Profit is not included in this cost.
- Direct Project costs for: Project Manager, Superintendant and Bonds are not included in this cost.

CONTRACT PRICING CONT.

- Pricing (IDIQ Statement of Work, Section 8., Solicitation, VI.C. and D, and Agreement II.A.(1))
 - The proposed prices will be evaluated for reasonableness.
 - Offers must include balanced prices.
 - Unbalanced pricing exists when, despite an acceptable total evaluated price, the price of one or more contract line items is significantly over or understated as indicated by the application of price analysis techniques.
 - An offer may be rejected if the Contracting Officer determines that the lack of balance poses an unacceptable risk to the Government.

GSA PBS Region 7 General Construction IDIQ Zones



CONTRACT EXECUTION

- **Primary Performance Area (Agreement III.S.)**
 - All counties included in the Arkansas Zone.
 - All counties included in the North New Mexico Zone.
 - All counties included in the West Texas Zone.
- **Secondary Performance Area (Agreement III.S.)**
 - All counties and parishes in the five-state region not included in the primary performance area.
- **Active RFP Participation (IDIQ Statement of Work, Section 6 & 22.)**
 - “Active RFP participation” is defined as submitting a timely, good-faith competitive proposal for at least seventy-five percent (75%) of the number of TO RFPs issued per year for the required counties or parishes, for which a firm has sufficient bonding at the time the TO RFP is issued, if there is sufficient MOL remaining in the current performance period for the IDIQ contract.

CONTRACT EXECUTION CONT.

- Task Order Solicitation Procedures (Agreement III.S.(2))
 - Task Order proposals shall be submitted in the format required in the TO RFP, and use the MasterFormat 2020 Specification Groups.
 - [Proposal Summary Template](#)

CONTRACT EXECUTION CONT.

- The Project Narrative:

- Provide a short narrative detailing work schedule and workflow. The Offeror's narrative should not simply rephrase or restate the Government's requirements, but rather provide a convincing, factually based explanation on how the Offeror intends to meet the project requirements.

- Demonstrates an understanding of the GSA Scope of Work

- Narrative is project specific and demonstrates the contractor possesses a clear and logical understanding of the GSA Scope of Work.

- All components of the GSA Scope of Work are present.

- Demonstrates the offeror's knowledge as it pertains to work performance

- Narrative demonstrates identified work methodology that is consistent with the GSA Scope of Work.

PROPOSAL CONTENTS

- Proposal Due Date/Time November 13, 2023 9:00 A.M. CDT (Solicitation, I.H.)
- **Proposal Contents (Solicitation, II):** Offerors responding to the solicitation notice shall submit proposals in three (3) separate electronic folders/documents named as stated below, via email only:
 - **Volume 1:**
 - Pricing Proposal Form
 - **Volume 2:**
 - Technical Proposal (Hypothetical project(s): proposal(s)/submittals, using project proposal formats as required in the Solicitation)
 - If proposing on the Small Projects Pool, submit a proposal for Hypothetical Projects A & B
 - If proposing on the Large Projects Pool, submit a proposal for Hypothetical A

PROPOSAL CONTENTS CONT.

- Volume 3:
 - Signed Solicitation Response Form
 - Contractor's Qualification and Financial Information (using GSA Form 527)
 - Offeror Representations and Certifications (using GSA Form C301)
 - Solicitation Offer and Award (using Standard Form 1442)
 - Signed bonding letter
 - Signed consent from all major subcontractors regarding past performance (using template)
 - Joint Venture documentation, if applicable
 - Other Documents as Required

TIPS FOR PREPARING YOUR PROPOSAL

- Read the entire Solicitation, Agreement & Attachments.
- **Deadlines for questions is October 24, 2023, 5:00 P.M. CDT (Solicitation, III.B., I.H.).**
- Ensure your proposal contains all items requested in the solicitation, and fully addresses the submittal requirements (use the checklist at the end of the Solicitation Response Form)
- Please do not submit resumes, capability statements, introductory letters, CPARs, etc.
- **Deadline to submit a proposal: November 13, 2023, 9:00 A.M. CDT. This is also the deadline for Past Performance Questionnaires to be submitted.**
- Submit your proposal early enough to be received by the Government before the deadline and confirm receipt before the deadline. A proposal is timely if received **on or before the date and time established for receipt of offers**, as **recorded by the Government computer system's** documentation of the exact official time of receipt, **not by the time it was sent by the Offeror.**

TIPS FOR PREPARING YOUR PROPOSAL CONT.

- **NOTE:** The maximum file size is **25 MB**. GSA has occasionally experienced delays in delivery of emails from the GSA server to an email account. Therefore contractors/offerors need to plan accordingly.
- **WARNING:** Consistent with GAO case law on the issue of “late-is-late rule” related to electronically submitted proposals, GSA will strictly comply with and enforce FAR 52.215-1(c)(3)(ii)(A). Pursuant to GAO’s application of FAR 52.215-1(c)(3)(ii)(A), an electronically submitted proposal that is received late will not be considered unless
 - (1) it is received before award is made,
 - (2) the Contracting Officer determines that accepting the late offer would not unduly delay the acquisition and
 - (3) it was received at the initial point of entry to the Government infrastructure no later than 5:00 P.M. one working day prior to the date specified for receipt of proposals.



U.S. General Services Administration

QUESTIONS?

SOLICITATION: 47PH0823R0003

PUBLIC BUILDINGS SERVICE (PBS)

ACQUISITION MANAGEMENT DIVISION (7PQA)

NAME	ORGANIZATION & TITLE	PHONE NUMBER	EMAIL
Bradon Garbers	<u>General Services Administration</u> <i>Lead Program Manager</i>	Mobile: (214) 767-6254	brad.garbers@gsa.gov
Jordan Leiter	<u>General Services Administration</u> <i>Regional Sustainability Program Specialist</i>	Mobile: (817) 247-6771	jordan.leiter@gsa.gov
Matt Deptuch	<u>General Services Administration</u> <i>IDIQ Section Chief</i>	Mobile: (817) 201-3972	matthew.deptuch@gsa.gov
Michael Skeels	<u>General Services Administration</u> <i>Program Manager/Credentialing Officer</i>	Help Desk: (415) 844-9759 Work Cell: (206) 249-5094	michael.skeels@gsa.gov
Amanda Ford	<u>SDV Construction</u> <i>Director of Preconstruction and Estimating</i>	Cell: (720) 601-0483	amanda@sdvconstruction.com
Arthur Borunda	Alpha Development Inc.	(575) 650-1618	arthur@alphadevinc.com
Brittany Otero	<u>LMC Corporation</u> <i>Sales & Marketing</i>	-	-
Charles Brooks	AmerInd	-	cbrooks@amerindcontracting.com
Chris McMahan	<u>Weil Construction, Inc.</u> <i>Director, Business Development & Marketing</i>	Office: (505) 899-3535 Cell: (505) 899-3535	c.mcmahan@weilconstruction.com
Dale Hutton	-	-	-
Daniela Gonzalez	<u>Veliz Construction</u> <i>Administrative Assistant</i>	(915) 219-4000	dgonzalez@velizconstruction.com
David Alexander	De La Fuente Construction, Inc.	(505) 270-9156	DAlexander@DLFCI.com
Derek France	<u>Cross Timbers Consulting Group</u> <i>Managing Principal</i>	Cell: (682) 252-0740	Derek.France@CrossTimbersConsultingGroup.com
Eric Peterson	Prime Builders LLC	(505) 924-0455	epeterson@primebuildersnm.com
Jackie Wengerd	-	-	-
Jackson Rewis	Veliz Construction	(915) 219-4000	jrewis@velizconstruction.com
Jason Hopkins	AmerInd	(501) 539-0849	jhopkins@amerindcontracting.com
Jeff Zellner	Hartman & Majewski Design Group, Inc.	-	-
Jenna France	<u>Cross Timbers Consulting Group</u> <i>HR Generalist</i>	-	-
Jesus Olivas	De La Fuente Construction, Inc.	(505) 239-2508	JOlivas@DLFCI.com
John Wilson	-	-	-
Justin Gregory	-	-	-
Justin McClellan	Generations Estates LLC	-	justin.mcclellan@generations-estates.com
Kodi McCarthy	<u>Pluma Construction Systems</u> <i>Executive Administrator</i>	(505) 328-5314	Kodi.Plucys@gmail.com
Kory Jensen	-	-	-
Laura Cano	Veliz Construction	(512) 366-5312	lcano@velizconstruction.com
Lee Powers	-	-	-
Lisa Hunt	De La Fuente Construction, Inc.	(505) 465-7800	LHunt@DLFCI.com
Michael Hernandez	-	-	-
Nichole Contente	<u>MGS Construction Services, Inc.</u> <i>Sr. Executive Contract Administrator</i>	Desk: (918) 602-1387 Cell: (559) 904-1680	Nichole@mgsconstruction.net
Omid Haghighi	Skyler Design Build LLC	(979) 709-8465	bids@skylerdesignbuild.com
Raylynn Sutton	-	-	-
Rosanna Ford	<u>RCOM, Inc.</u> <i>Marketing Director</i>	(505) 865-7401	rosanna@orcominc.com
Scott Graves	Weil Construction, Inc.	-	-
Shari Simpson	MGS Construction Services, Inc.	-	shari@mgsconstruction.net
Stephanie Peterson	Prime Builders LLC	(505) 924-0455	speterson@primebuildersnm.com
Taylor Peterson	Prime Builders LLC	(505) 924-0455	tpeterson@primebuildersnm.com
Tiffany	Oran Construction	-	-
Tim Chavez	-	-	-
Tim Rogers	R&L Global, Inc.	Cell: (713) 201-6675	tim@rlglobalinc.com

NAME	ORGANIZATION & TITLE	PHONE NUMBER	EMAIL
Travis Hiatt	-	-	-
Tyler Horning	-	-	-
Ujjval Gite	Veliz Construction	(512) 366-5312	ugite@velizconstruction.com
Vanessa Whitehorse	-	-	-
William Vidaud	HED Architects/Engineers	Cell: (214) 695-0694	wvidaud@hed.design
Zring Kareem	<u>LMC Corporation</u> <i>Vice President</i>	-	-

QUESTIONS AND ANSWERS FOR SOLICITATION: **47PH0823R0003**

Multiple Award Indefinite-Delivery Indefinite-Quantity (IDIQ) Task Order Contract for Construction, Repair, and Alteration, with Design-Build and incidental Abatement for GSA/PBS Region 7

#	QUESTIONS	ANSWERS
1	Attachments have been provided for the Dallas and Oklahoma zones. Is this solicitation for all of the zones listed in the solicitation including Austin and Border San Antonio or have those zones already bid?	As stipulated in the Solicitation Section I.D.: "The zones currently open for proposals are the Dallas and Oklahoma Zones." Future amendments to request proposals for the other ten (10) zones will be made and published under Solicitation: 47PH0823R0003. For a list of all zones to be competed under this Solicitation, please refer to the <u>Solicitation Section I.E.</u>
2	The current solicitation that was released on June 20th is for Dallas and Oklahoma Zones ONLY, correct?	Please refer to the response provided for question one (1).
3	Additional solicitations will be released in the future for additional zones, correct?	Please refer to the response provided for question one (1).
4	I wanted to inquire when an IDIQ for region 7,9, or 10 may become open?	This procurement applies to Region 7 only. We are not in communication with any other GSA regions regarding their procurements.
5	If a completed sample project has an associated final CPAR, is a Questionnaire required to be completed by the client?	As outlined in the Solicitation Section II.D.(1)(a): "A sample project submitted on a Questionnaire cannot already have a completed final Contractor Performance Assessment Report (CPAR) documenting that project's performance."
6	If a recent sample project has an associated interim CPAR, is a Questionnaire required to be completed by the client?	In the case of a recent sample project possessing an interim CPAR status, a questionnaire is not mandatorily required. However, it is noteworthy that Past Performance Questionnaires (PPQs) associated with projects having an interim CPAR status are permissible for submission, evaluation, and scoring, provided they meet the stipulated outlines in <u>Section II.D.(1)(a) of the Solicitation</u> .
7	Is this solicitation only allowed for contractors that are designated as Small Business? Currently, I am seeking opportunities specifically in regions 7, 9, as well as 10.	In compliance with FAR 52.219-6, it should be noted that this procurement is designated as a Total Small Business set-aside.
8	My question is how many jobs are available on this solicitation? I see that it covers several states.	Project projections are not available at this time. Nevertheless, potential project information can be accessed by visiting (https://hallways.cap.gsa.gov/app/#/), navigating to the Acquisition Gateway, selecting "Tools", then clicking on "Forecast of Contracting Opportunities". This database is updated continually with potential project opportunities.
9	What are the details of the construction jobs and any other of the jobs that need to be completed?	As specified in the <u>IDIQ Statement of Work</u>, under the <u>General Description of Scope of Services</u> "This contract provide repair, alteration, and design-build construction services. In addition, design and/or abatement incidental to construction are included." For a comprehensive overview of contract services, please refer to the <u>IDIQ Statement of Work - Section 1, Contract Services</u>.
10	What do you feel the likelihood of making an award this year is?	The Government's intent is to award five (5) to seven (7) IDIQ contracts per zone; however, the Government reserves the right to award more or fewer contracts per zone as determined as necessary. The goal is to award both the Dallas and Oklahoma zones before the end of this calendar year.

QUESTIONS AND ANSWERS FOR SOLICITATION: **47PH0823R0003**

Multiple Award Indefinite-Delivery Indefinite-Quantity (IDIQ) Task Order Contract for Construction, Repair, and Alteration, with Design-Build and incidental Abatement for GSA/PBS Region 7

#	QUESTIONS	ANSWERS
11	Will the Pre-Proposal conference be recorded and available for viewing afterwards?	The Pre-Proposal conference will not be recorded. However, please note that the Pre-Proposal agenda will be subsequently published on sam.gov as an amendment following the conference.
12	<u>IDIQ SOW Section 8, Pricing</u> – Contractor rates are to be inclusive of “a. Subcontractor markups”. In this context is the government referring to our (The GC's) markups on the subcontractor or the subcontractor's internal markups on their base costs?	The rate applies to the prime contractor's markup.
13	<u>IDIQ SOW Section 8, Pricing</u> – Contractor rates are to be inclusive of “h. shipping of all materials to jobsite”. Is it the government's intent that our rates would be inclusive of things such as the shipping of flooring from the manufacturer, or HVAC or electrical equipment from the factory? The costs for some of these things vary wildly are functionally impossible to anticipate in current market conditions.	The stipulation for offerer rates to encompass "Shipping of all materials to the jobsite" has been eliminated from the Solicitation, Agreement, IDIQ Statement of Work, and Bid Schedule Template. As such, it is no longer necessary to be included.
14	<u>Solicitation Response Form, Major Subcontractors</u> – Previous IDIQ contract solicitations used DUNS number to identify subcontractors but this solicitation is asking for a UEI number. As most sub-contractors don't get work issued to them directly from the government they aren't registered in SAM and so don't have a UEI number. As part of this contract are we being required to only use subcontractors that are registered in SAM?	Since CPARS has transitioned from DUNS numbers to Unique Entity ID (UEI) numbers, the ability to obtain entities' Assessment Reports through DUNS numbers is no longer available. To address your query, no it is not a requirement to only use subcontractors that are registered in sam.gov.
15	<u>Solicitation II.D Volume 2: Technical Proposal</u> – “A sample project submitted on a Questionnaire cannot already have a completed final Contractor Performance Assessment Report (CPAR) documenting that project's performance as defined in section 1.b. below.” This section reads as if we cannot submit PPQ's for projects that already have a completed CPAR. For offers who are primarily federal contractors this could potentially prevent the vast majority of our projects from being submitted. Is our interpretation of this section in line with the government's intent?	Past Performance Questionnaires (PPQs) accompanying projects with a finalized CPAR assessment will not be subjected to scoring. We encourage submissions of PPQs associated with projects without a final CPAR assessment. It is important to note that the scoring standards for CPARs and PPQs are detailed in <u>Section II.D. of the Solicitation</u> . The absence of past performance on recent, relevant sample projects or the lack of recent, relevant, eligible CPARs will be regarded as neutral, thus receiving no rating.
16	<u>Solicitation II.D Volume 2: Technical Proposal</u> – Could you possibly provide further clarification as to how CPARs will be used in regard to this solicitation evaluation? The entire subsection (b) under Past Performance is very difficult to parse and determine when the government will or won't consult and apply CPARs in plain terms.	The role of CPARs in this solicitation evaluation process is to assess the historical performance of the Offeror's team, particularly with regards to quality of work, adherence to schedule, management effectiveness, and overall satisfaction of clients. The aim is to evaluate the overall performance quality. However, please be aware that in situations where recent, relevant, and eligible CPARs are not available, such instances will be considered neutral and will not be assigned a rating.

QUESTIONS AND ANSWERS FOR SOLICITATION: **47PH0823R0003**

Multiple Award Indefinite-Delivery Indefinite-Quantity (IDIQ) Task Order Contract for Construction, Repair, and Alteration, with Design-Build and incidental Abatement for GSA/PBS Region 7

#	QUESTIONS	ANSWERS
17	<u>Solicitation II.D Volume 2: Technical Proposal Hypothetical Projects</u> – In a number of places the items in this section are referred to as “non-price factors”, we interpret this to mean that the hypothetical projects will be used to determine the offerors technical expertise in assembling an appropriate estimate for the government but not used in comparison to determine the “best price” between offerors. Is our understanding of this correct?	Correct. As outlined in <u>Section VI.F(2)(a) of the Solicitation</u> , “Proposals submitted for the hypothetical projects will be evaluated as an indicator of the Offeror’s understanding of and capacity to perform representative projects which could fall under a contract contemplated by this solicitation.” However, an examination of the prices submitted for the hypothetical projects will help in determining if the Offeror understood the hypothetical project(s) in accordance with <u>Section VI.E. of the Solicitation</u> .
18	Will everyone’s contact info (who attended this meeting today) be emailed out or attached to the solicitation. As a subconsultant I would like to connect with potential prime contractors.	The attendance list will be added to sam.gov as an attachment to this amendment (number 0001).
19	Will this slide deck be available after this presentation on sam.gov?	Please refer to the response provided for question eleven (11).
20	Does GSA accept products from WTO and NAFTA?	GSA follows the P100 and FAR 25.402(b) and requires BAA compliance. There are trade agreement exceptions for some products.
21	How many proposals do you expect 75% to be?	Please refer to the response provided for question eight (8).
22	If a Contractor wins enough task orders that the Contractor hits their bond limit and can’t bid any more task orders, will that go against their 75%?	Should a situation arise where a contractor reaches their bond limit and cannot bid on any more task orders, it would not count against their 75% participation requirement. However, we would need confirmation from both the offeror and their bonding agency. Moreover, if the Maximum Ordering Limitation (MOL) is met, the 75% participation requirement will not be held against the contractor in accordance with <u>Contract Agreement Section III.S.(2)(c)</u> .
23	Can you clarify if the Fitness Determination Process has to be completed prior to submitting a proposal, or would this process happen after the IDIQ has been awarded?	The Fitness Determination Process is to be undertaken post-award of the IDIQ.
24	If a project estimate exceeds the value provided by GSA, are we to use the OH rate listed for the category provided based on the GSA estimate or our final estimate amount?	Offeror’s are to use the appropriate associated rate for the value of the estimate they submit.
25	Can parts of the narrative be boilerplate and the main scope narrative be acceptable.?	When submitting a Task Order (TO) level requirement for a Short Project Narrative, the narrative should offer supplementary insights into your comprehension of the Task Order Scope of Work (SOW). It serves as a useful reference for the GSA Contracting Officer’s Representative (COR) during the required Technical Analysis (TA). Provided that the information is specific to the project and offers further understanding into your project approach, it is appropriate to incorporate it within the Short Project Narrative.
26	Can subcontractor consent forms include all zones including future zones that will go out to bid?	Consent forms submitted by subcontractors should only pertain to the specific zone(s) for which proposals are being requested at that time. This is currently the Dallas and Oklahoma Zones
27	Can a PPQ be used for different zones if they are noted at the top of the PPQ and emailed to the correct Zone Email?	Yes, Past Performance Questionnaires (PPQs) may be used across different zones, provided the specified zone is clearly indicated at the top of the document, and the guidelines outlined in <u>Section II.D.(1)(a) of the Solicitation</u> are adhered to.
28	what is the standard amount of time it takes GSA to complete a CPARS evaluation after completion of a task order	The duration required for GSA to complete a CPARS evaluation can vary, as it is subject to the unique circumstances surrounding each project.

QUESTIONS AND ANSWERS FOR SOLICITATION: **47PH0823R0003**

Multiple Award Indefinite-Delivery Indefinite-Quantity (IDIQ) Task Order Contract for Construction, Repair, and Alteration, with Design-Build and incidental Abatement for GSA/PBS Region 7

#	QUESTIONS	ANSWERS
29	Are the sample projects required to be in a building or facility that is in the National Register for Historical Places registry? Page 13 of SOL bottom of the page.	The criteria for Past Performance Questionnaires (PPQs) is stipulated in <u>Section II.D.(1)(a) of the Solicitation</u> . To qualify for inclusion in the Questionnaire score, a sample project must be recent, relevant, similar, complete, and verified by the client for whom the project was performance or by the reference who submitted the Questionnaire. The status of a project as 'historical' is not a requirement.
30	Does the PPQ have to come from the client/agency? Or, can we include it in our proposal (Volume 2)?	Past Performance Questionnaires (PPQs) should originate from the client/agency. As detailed in <u>Section II.A. of the Solicitation</u> , "Proposals should not include Contract Performance Assessment Reports (CPARs) or Past Performance Questionnaires. All Questionnaires must be submitted by the Client directly to the appropriate GSA email address."
31	It appears the GSA is requiring proof of performance on up to 5 past projects. Are these projects submitted in the form of the PPQ? What if all of our projects have Final CPARs, how are these projects evaluated? Do you want us to submit project descriptions as part of our submittal?	Correct, Past Performance Questionnaires must pertain to recent projects, defined as those completed within the last five years as of the date of the solicitation issuance (or the amendment requesting proposals for a particular zone under this solicitation that an Offeror wants to submit an offer for), per <u>Section II.D.(1)(a) of the Solicitation</u>. If all projects have a Final CPARs, these will be scored in lieu of the Past Performance Questionnaire. For CPARs evaluation criteria, please refer to <u>Section II.D.(1)(b) of the Solicitation</u>. The Offeror should not submit any information regarding Past Performance Questionnaires, as per <u>Section II.A. of the Solicitation</u>.
32	Can Offerors submit projects for the Small Pool that have project values that exceed the small pool value (i.e., >\$250K)?	Yes, an offeror that is awarded a small projects pool contract has the capacity to submit bids that exceed the small projects pool value, provided they do not exceed their Maximum Ordering Limitation (MOL).
33	If a small business' bonding capacity on an aggregate level is \$1M, will that Offeror be evaluated as acceptable? According to the project ranges for the small pool, which are \$2,000 up to \$250,000, and an average of \$65,000, having a \$1M aggregate limit seems sufficient. However, according to the Solicitation Response Form, under paragraph C, the Bonding Capacity indicates a per project capacity of \$250,000 and \$2,000,000 aggregate as the minimum. If this is correct, would the GSA please consider lowering the aggregate limit to \$1M to allow more competition? The likelihood of winning four \$250,000 task orders seems highly unlikely. However, even if that occurs, projects valued at \$250K or under typically have shorter durations. This means that even if an Offeror were to win four (4) task orders valued at \$250K each at the beginning of an annual year, that Offeror could complete those projects and work off that backlog bonding to free up more capacity to support the MOL annual limit of \$2M.	No, we will be abiding by the bonding capabilities stated in the Solicitation Response Form, Section C.
34	Can you please confirm all items that need to be included in the submitted package. Several of the attachments seem to be for reference only.	Please refer to <u>Section II.A. Proposal Contents. of the Solicitation</u> .

QUESTIONS AND ANSWERS FOR SOLICITATION: **47PH0823R0003**

Multiple Award Indefinite-Delivery Indefinite-Quantity (IDIQ) Task Order Contract for Construction, Repair, and Alteration, with Design-Build and incidental Abatement for GSA/PBS Region 7

#	QUESTIONS	ANSWERS
35	The Solicitation Response form requires 5 sample projects. The form only has a place for 4. Should the contractor insert another area in the form for the required information?	A revised Solicitation Response Form with five (5) sections to insert sample projects will be uploaded as an attachment to this amendment (number 0002).
36	Workers Compensation rate is per 100 dollars of payroll, and the rate per labor category varies widely. Rate for a roofer versus a painter can be significant based on the size of the project. Recommend that workers comp, Fica, Futa, Suda be included as a direct cost on each task order proposal, rather than overhead.	General Insurance & Workmen's Compensation Insurance will continue to be incorporated into the Overhead Coefficient, and will not be shifted to direct cost on each task order proposal.
37	Shipping of materials, this can range widely. Recommend this to be a direct cost to the project, and not included in overhead. There is no way to even quantify this number.	Please refer to the response provided for question thirteen (13).
38	Regarding Major Subcontractors, please verify that we are providing the names of potential subs in the blanks provided, and that Subs indicated in this area will have no impact on past performance or source selection evaluation. Also if that is accurate, will subs listed in that area be required to provide a consent form. Also can Duns number be used instead of UEI.	Correct, offerors should provide the names of potential subcontractors in the provided spaces on the Solicitation Response Form. These named subcontractors will indeed contribute to the evaluation of past performance as described in <u>Section II.D.(1)(b) of the Solicitation</u> . "Reports from CPARS will also be pulled for all of the Offeror's proposed major subcontractors, and their eligible past performance will be included in the Offeror's score." Regarding the consent form, all named subcontractors must provide a completed form. Regarding the DUNS number, the Contractor Performance Assessment Reporting System (CPARS) has transitioned from using DUNS numbers to Unique Entity ID (UEI) numbers. Consequently, all entities are required to provide their UEI numbers, if they have one.
39	Please verify that if GC is not using past performance of subcontractors as part of the sample projects, a Subcontractor consent form is not necessary.	Please refer to the response provided for question thirty-eight (38).
40	Due to the fact that 100% of our recent (as defined by the SOL) past performance is Government contracts, and the Government has been really good lately at providing CPARS, we only have a few projects that do not have completed CPARS. We request that the requirement for this to be reviewed/amended. If GSA is looking for recent, relevant, similar, and complete.. a completed CPARS would seem to be logical choice. Maybe the requirement could be changed to in lieu of PPQs, a completed CPARS could be submitted for the sample projects, GSA could weight CPARS or the PPQ the same, and the GSA would still have the ability to review other completed CPARS that were not submitted as sample projects. The way the SOL is currently written regarding PPQs and CPARS it is putting successful GSA contractors at a disadvantage.	The criteria for Past Performance Questionnaires and Contractor Performance Assessment Reports (CPARs) will remain as outlined in the Solicitation. The requirements are designed to provide a comprehensive evaluation of an Offeror's performance and ability to deliver successful results on upcoming contracts. If a Past Performance Questionnaire (PPQ) is submitted for a project that has a completed CPAR then the CPAR will be evaluated and not the PPQ. If no eligible PPQs are received for an offeror, the entire weight of the offeror's past performance score will be based on CPARS.
41	Instruction for Volume 1, should be Named Volume 1 pricing proposal, document is required to be in excel. We normally provide a PDF cover for a volume. Should we just name the excel file Volume 1 pricing proposal? Please clarify	Correct, please name Volume 1 as stated in <u>Section II.B. of the Solicitation</u> .

QUESTIONS AND ANSWERS FOR SOLICITATION: **47PH0823R0003**

Multiple Award Indefinite-Delivery Indefinite-Quantity (IDIQ) Task Order Contract for Construction, Repair, and Alteration, with Design-Build and incidental Abatement for GSA/PBS Region 7

#	QUESTIONS	ANSWERS
42	In regard to Amendment 1, Section 4 Contract Elements and Terms, Pricing, "Balanced Prices": Does this section exist to avoid the prospect of a bidder attempting to "game the system" and submitting a proposal with an Overhead rate that's impractically low (1% for example) with the intention of making up the difference with an inflated profit percentage or another area?	The design of the Solicitation seeks to ensure a fair and balanced evaluation of all proposals, fostering competition, and promoting the receipt of comprehensive, well-rounded bids. By expecting realistic overhead rates, we aim to ensure the financial health and stability of contractors, which is crucial for the successful execution of task orders. The Solicitation encourages bidders to submit rates that accurately reflect their business operations, financial strategies, and their ability to carry out the project requirements effectively and efficiently. If the Contracting Officer considers a submitted rate to be unreasonably low that may subsequently lead to unreasonably high prices submitted on task order RFPs, the IDIQ proposal may be rejected entirely. While your example of "1%" will not be confirmed to be either impractically low or high, your interpretation of the essence of this clause appears to be sound.
43	Will future task orders issued under this base IDIQ contract be tax exempt?	Only task orders for projects located in the state of New Mexico are subject to the New Mexico Gross Receipts Tax. On all projects, purchases made by the contractor and subcontractors are not considered tax exempt.
44	During the pre-proposal conference, it was mentioned that between 5-7 contractors will be awarded the base IDIQ contract per zone. Will this 5-7 contractors per zone also be per project pool (i.e., 5-7 contractors per small project pool and another 5-7 contractors for the large project pool)?	The number of contractors specified (5-7) applies to the overall number of IDIQ contracts per zone, not per pool. This means that the total number of contracts awarded for each zone (regardless of whether they are for small or large project pools) is intended to be between 5 and 7. However, this number is not a hard limit and the government reserves the right to award more or fewer contracts per zone as necessary based on the evaluation of proposals and the needs of the Government.
45	Page 6 of 50 of the 10 Dallas and Oklahoma Zone Solicitation, paragraph I.F(a) FAR 52.228-1 Bid Guarantee, states, "Failure to furnish a bid guarantee in the proper form and amount, by the time set for opening of bids, may be cause for rejection of the bid." Please confirm that the Base IDIQ proposal, including Volume II Hypothetical Projects, does not require a bid bond as the project is hypothetical and not awardable. And, the reference in this paragraph to a bid guarantee or bid bond is only for future task orders issued to awarded contractors under the Base IDIQ.	Yes, your understanding is correct. The requirement for a bid guarantee or bid bond is applicable for future task orders that will be issued under the Base IDIQ. The Base IDIQ proposal, including Volume II Hypothetical Projects, does not require a bid guarantee as the projects are hypothetical and not awardable.

QUESTIONS AND ANSWERS FOR SOLICITATION: **47PH0823R0003**

Multiple Award Indefinite-Delivery Indefinite-Quantity (IDIQ) Task Order Contract for Construction, Repair, and Alteration, with Design-Build and incidental Abatement for GSA/PBS Region 7

#	QUESTIONS	ANSWERS
46	Are site visits for future task orders issued under this Base IDIQ considered "mandatory"? Meaning, if a Contractor can not make the scheduled site visit due to unforeseen circumstances, that Contractor is precluded from bidding on the task order and therefore that no-bid task order goes against the 75% minimum participation requirement on this IDIQ.	Per Section I.G. of the solicitation, "Offerors are urged and expected to inspect the site where the work will be performed." The objective of a site visit is to give the offeror a better understanding of the project requirements, helping them to develop a more accurate proposal. However, if an offeror is unable to attend a site visit due to unforeseen circumstances, this would not necessarily preclude them from submitting a bid, unless it is specifically stipulated as mandatory in the individual Task Order RFP. Contractors are expected to submit a timely, good-faith competitive proposal for at least seventy-five percent (75%) of the number of TO RFPs issued per year for the required counties or parishes, for which a firm has sufficient bonding at the time the RFP is issued, if there is sufficient MOL remaining in the current performance period for the IDIQ contract accordance with <u>Section 6 of the IDIQ Contract SOW</u> regardless of whether they attended the site visit or not. However, attendance at the site-visit will likely aid the contractor in putting together a competitive proposal and is therefore highly encouraged.
47	Proposal submission is to be in exactly three volumes. Typically, each Volume would include a cover page, cover letter, table of contents, and tabs as applicable. When submitting Volume 1, for which the Pricing Proposal Form is to be submitted, are Offerors to submit a complete Volume 1, with cover page, cover letter, table and contents only, and include in the email submission the native (excel) file for the Pricing Proposal Form? Therefore, there would be four total attachments in the submission email – Volume 1: Price Proposal; Volume 1 Pricing Proposal Form in excel; Volume 2: Technical Proposal; and Volume 3: Other Documents.	In accordance with section the <u>Solicitation Section II.A.</u>, Volume 1 of your proposal should consist solely of the 'Pricing Proposal Form'. Per <u>Solicitation Section II.B.</u>, Offerors responding to the solicitation notice shall submit proposals in three (3) separate electronic folders/documents named: Volume 1 (Pricing Proposal Form in excel), Volume 2 (Technical Proposal), and Volume 3 (Other Documents). Additional elements such as a cover page, cover letter, or table of contents are not necessary for Volume 1 and will not be reviewed. Please ensure your submission complies with the specified format.
48	Please confirm that the only file or form that can not be converted or printed to PDF is the Pricing Proposal Form provided with, but in a separate individual file, Volume 1.	Correct. Per the instructions in <u>Section II.A. of the Solicitation</u> , the Pricing Proposal Form associated with Volume 1 must be submitted in its original Excel format. All other documents for your proposal (those in Volumes 2 and 3) can be converted to PDF format for submission.
49	Please confirm that the Bid Schedule Template (excel Pricing Summary file) can be PDF'd and included in the single PDF file for Volume 2?	Correct, offerors can convert the Bid Schedule Template into a PDF format and include it in the single PDF file for Volume 2 of your proposal. Ensure that all the information is clearly visible and legible after converting to PDF.
50	We can not locate and paper size or font size requirements for the proposal. Please confirm that Calibri Font size 10 on 8.5"x11" is acceptable.	Calibri Font size 10 on 8.5"x11" is acceptable for your proposal. For proposal submission requirements, make sure to adhere to the guidelines and instructions provided in <u>Section I.H. of the Solicitation</u> .

QUESTIONS AND ANSWERS FOR SOLICITATION: 47PH0823R0003

Multiple Award Indefinite-Delivery Indefinite-Quantity (IDIQ) Task Order Contract for Construction, Repair, and Alteration, with Design-Build and incidental Abatement for GSA/PBS Region 7

#	QUESTIONS	ANSWERS
51	The Solicitation Response Form asks Offerors to list major subcontractors anticipated to be used for this contract. The categories include mechanical, electrical, plumbing, finishes, millwork, as well as other subcontractors for design and abatement. Identifying the most qualified subcontractor for any of these categories will be highly dependent on the location of work, type of work, dollar value of work, etc. Each task order will identify the scope of work and contract requirements, and it is the Offeror's responsibility to identify and solicit qualified subcontractors for these categories, based again on location, scope, size, etc. It is very difficult to anticipate who may or may not perform these scopes of work on this contract during the base IDIQ proposal phase, especially to include the potential for five years. Is it acceptable for Offerors to list "To Be Determined" in the boxes for these categories? With no binding subcontract, or at a minimum executed teaming agreement, listing subcontractor names in these boxes provides no value and does not indicate with any confidence that the firm listed will in fact support the Offeror.	The past performance of major subcontractors will be evaluated in accordance with <u>Sections II.D(1)(a) - (PPQs) and Sections II.D(1)(b) - (CPARS) of the Solicitation</u> . Both of these sections contain the definition of "Major Subcontractor." On the Solicitation Response Form it is expected that offerors will provide a list of potential major subcontractors they <u>anticipate</u> to use for the contract.
52	Please confirm that the contents of Volume 1, outside of the cover page, cover letter and table of contents, is the excel Pricing Proposal Form.	Correct. As per the requirements of <u>Section II.A. of the Solicitation</u> , Volume 1 should only include the Pricing Proposal Form. The cover page, cover letter, and table of contents are not required components of Volume 1 and will not be reviewed.
53	Please confirm that the Volume 2 Technical Proposal should include the following items: 1) PPQs (provided from our clients directly to GSA via the email provided; 2) CPARS (no submission requirements, the GSA will review final CPARS in the system; 3) Hypothetical Project proposal (project schedule, partial waste diversion plan using attachment 2, draft green purchasing submittal via attachment 1, and hypothetical project price proposal using bid schedule template/proposal summary excel sheet. During the pre-proposal conference, the GOV mentioned a project narrative, but we can not locate the requirement for a project narrative.	Yes, your understanding of the contents of <u>Volume 2: Technical Proposal</u> is correct. As you have correctly mentioned, Offerors should not include Contract Performance Assessment Reports (CPARs) or Past Performance Questionnaires in their proposals as outlined in <u>Section II.A. of the Solicitation</u> . As for the Project Narrative, this requirement is located in <u>Section III.S.(2)(3) of the Contract Agreement</u> and will be used when proposing on Task Order RFPs.
54	Regarding the Hypothetical Project A Statement of Work: Can GSA provide a standardized form to use for Attachment 1: Green Purchasing agreement as it is required as part of the submittal package in Volume 2.	14.4.1: The word Attachment is now changed to Appendix. GSA does not have a standardized form for this required submittal. Offerors are to provide a list of the items from Appendix 1 that will be involved in this hypothetical project.
55	Regarding the Hypothetical Project A Statement of Work and Drawing, the drawing shows rooms 1127 and 1140 to be abated. This differs from the SOW that states rooms 1141,1140,1127,1126 will undergo abatement. Please confirm the abatement scope and who is responsible for abatement.	18.8.1.1 Removed 18.29.3.1 Removed Rooms 1127 and 1140 are to be abated by Offeror with GSA third party air monitoring. See requirements under Attachment 10: Abatement Requirements
56	Regarding the Hypothetical Project A Statement of Work section 18.47.2, please provide "Reference attachment 4: DPA - 11.04 Infrastructure, dated 06/12/2018. [9 pages]". The only attachment 4 in the SOW is the Project Layout [1 page]	Removed:Reference Attachment 4: DPA-11.04 Infrastructure, dated 06/12/2018.[9 Pages] Added:Reference attachment 5 Camera Infrastructure [3 pages].

QUESTIONS AND ANSWERS FOR SOLICITATION: 47PH0823R0003

Multiple Award Indefinite-Delivery Indefinite-Quantity (IDIQ) Task Order Contract for Construction, Repair, and Alteration, with Design-Build and incidental Abatement for GSA/PBS Region 7

#	QUESTIONS	ANSWERS
57	Regarding the Hypothetical Project A Statement of Work section 9.1, can the government provide us with counts on the furniture whips and communications cabling, as well as their locations on the walls for access?	In Room: 1128,1129,1130, assume 6 whips from the window wall. Communications cabling associated with systems furniture in this area is: Data 25 Voice:18 Room: 1127, assume 3 whips, 1 from the window wall. Communications cabling associated with systems furniture in this area is: Data 11 Room: 1116, assume 2 whips from the window wall. Communications cabling associated with systems furniture in this area is: Data 12 Voice:8 All other locations are wall outlets.
58	Regarding the Hypothetical Project A Statement of Work section 9.1.7, can the government supply a drawing showing all electrical devices needed, new circuitry, and the electrical closet?	New electrical circuit under 18.25 - installation of undercarpet flat cabling solution. Additional drawing provided. Attachment 11: Under Carpet Installation location. New communication cabling will be routed from Room 1132. Assume required space on patch panel in the server room is available.
59	Regarding the Hypothetical Project A Statement of Work section 9.1.1, please confirm that systems furniture will be moved and replaced by someone other than the contractor?	Systems furniture will be removed and installed by others.
60	Regarding the Hypothetical Project A Statement of Work section 9.1.6.1, states "All painting performed on this project will consist of wall prep to a level 3 finish". In section 9.2.7.5 it says "wall pret to level 4 finish". Please confirm which wall finish contractor needs to provide."	9.2.7.5 corrected to Level 3 finish.
61	Regarding the Hypothetical Project A Statement of Work section 9.1.3 please clarify if the camera infrastructure is conduit and back boxes.	Please refer to Attachment 5: Camera Infrastructure
62	Regarding the Hypothetical Project A Statement of Work section 9.1.5.1, can you elaborate on who is performing the select abatement and who is responsible for coordinating it?	Abatement is to be performed by the Offeror. Offeror will coordinate with GSA to ensure the requirements of Attachment 10: Abatement Requirements are met.
63	Regarding the Hypothetical Project A Statement of Work section 9.1.5.2, please provide a copy of the asbestos report or contact information to the asbestos program manager.	For this hypothetical project and IDIQ proposal, assume the material is identified as Floor tile and associate black mastic, 1-8% Chrysotile.
64	The Hypothetical Project A Statement of Work section 9.1.6.4, states "paint that meet low VOC no VOC requirements" Please clarify if you want Low VOC - or - No VOC. There is a difference in cost between these materials.	Low VOC is required.
65	Regarding the Hypothetical Project A Statement of Work section 9.1.7.1 How much linear feet of 3/4" EMT should we quote? The drawing we have only references 2" and 1" EMT.	Please refer to Attachment 5: Camera Infrastructure and associated drawing.
66	Regarding the Hypothetical Project A Statement of Work section 9.1.10. Communications Cabling 9.1.1.1. Existing Cabling: Can the government supply a drawing showing all locations of existing voice and data for testing and for pricing?	In Room: 1128,1129,1130, assume communications cabling associated with systems furniture in this area is: Data 25 Voice:18 Room: 1127, assume communications cabling associated with systems furniture in this area is: Data 11 Room: 1116, assume communications cabling associated with systems furniture in this area is: Data 12 Voice:8 All other locations are wall outlets.

QUESTIONS AND ANSWERS FOR SOLICITATION: **47PH0823R0003**

Multiple Award Indefinite-Delivery Indefinite-Quantity (IDIQ) Task Order Contract for Construction, Repair, and Alteration, with Design-Build and incidental Abatement for GSA/PBS Region 7

#	QUESTIONS	ANSWERS
67	Regarding the Hypothetical Project A Statement of Work section 9.1.10.1, is there an as built of existing cabling?	No as built is available.
68	Regarding the Hypothetical Project A Statement of Work section 9.1.10.1.1. Please confirm the GC is responsible for testing voice and data circuits and not the agency's IT department?	Offeror is responsible for all testing, Pre-testing and Post testing. Pre-testing report results to be provided prior to performance of removal of existing cabling.
69	Regarding the Hypothetical Project A Statement of Work section 9.1.10.2. Do we need certain color ports for our terminations to match the wire color?	RJ45 outlets will match cable color.
70	Regarding the Hypothetical Project A Statement of Work section 9.1.10.2. New Cabling: Can the government supply a drawing showing locations of new data jack locations?	Reference 18.25.6 and Attachment 11: Under Carpet Installation location.
71	Regarding the Hypothetical Project A Statement of Work section 9.1.10.2.4.6. What is the existing cable support structure that is in place? Cable tray, J hooks, etc.	Existing support structure is a combination of cable tray and J hooks.
72	Regarding the Hypothetical Project A Statement of Work section 9.2.6.1, is the existing wall base cover base or wood base?	For this hypothetical project and IDIQ proposal, assume all base is 4" cover base.
73	Regarding the Hypothetical Project A Statement of Work section 9.2.6.2, please provide a system furniture layout so we can determine how many locations we need to disconnect electrical and data circuits.	In Rooms: 1128,1129,1130, assume 6 whips from the window wall. Communications cabling associated with systems furniture in this area is: Data 25 Voice:18 Room: 1127, assume 3 whips, 1 from the window wall. Communications cabling associated with systems furniture in this area is: Data 11 Room: 1116, assume 2 whips from the window wall. Communications cabling associated with systems furniture in this area is: Data 12 Voice:8 All other locations are wall outlets.
74	Regarding the Hypothetical Project A Statement of Work section 9.2.6.2, please provide a system furniture layout so we can determine how many locations we need to disconnect electrical and data circuits.	Please see answer to Question 73
75	Regarding the Hypothetical Project A Statement of Work section 9.2.6.4. Remove cabinetry, upper and lower. We believe this to refer to the cabinetry in Rm 1140. Could you please indicate its location on the drawing or provide a total linear footage of cabinets to be replaced?	9.2.6.4 refers to Room 1140. Cabinetry is on the shared wall between Room 1140 and Room 1130. For this hypothetical project and IDIQ proposal reference Attachment 8: Pantry Cabinetry Intent for cabinetry dimensions.
76	Regarding the Hypothetical Project A Statement of Work section 9.2.6.5. Remove sink. Are we correct in assuming that this refers to the break room sink in 1140?	Yes, this refers to the sink in Room 1140

QUESTIONS AND ANSWERS FOR SOLICITATION: **47PH0823R0003**

Multiple Award Indefinite-Delivery Indefinite-Quantity (IDIQ) Task Order Contract for Construction, Repair, and Alteration, with Design-Build and incidental Abatement for GSA/PBS Region 7

#	QUESTIONS	ANSWERS
77	Regarding the Hypothetical Project A Statement of Work section 9.2.7.5. Wall prep to level 4 finish, 9. Description of Work: 9.1. Project Overview: 9.1.6. Repairing and repainting walls – 9.1.6.1 All painting performed on this project will consist of wall prep to a level 3 Finish. Could you please clarify what grade of drywall finish is required for this project?	9.2.7.5 corrected to Level 3 finish.
78	Regarding the Hypothetical Project A Statement of Work section 9.2.8 Division 11: Equipment 9.2.8.1 Move safe – In order for the Contractor to provide accurate pricing, please provide a description of the safe, size, and weight.	For this hypothetical project and IDIQ proposal assume safes have exterior dimensions of 27"Hx23"Wx25.5D" Weight: 920 lbs.
79	Regarding the Hypothetical Project A Statement of Work section 9.2.8.2, please provide a brief scope of furniture items that will need to be moved. 9.2.1 says agency will move furniture.	For this hypothetical project and IDIQ proposal reference Attachment 6: Breakout by physical area. Offeror is anticipated to move a small quantity of free standing desks and empty filing cabinets.
80	Regarding the Hypothetical Project A Statement of Work section 9.2.9.4, what profile will the chair rail be? Options may be limited on your options since this is a solid surface material.	For this hypothetical project and IDIQ proposal Chair rail to be 3" square edge. Baseboard to be 6"H , square edge top, with 1/2" x 3/4" shoe.
81	Regarding the Hypothetical Project A Statement of Work section 9.2.9.4. Solid surface Chair rail: Could you possibly provide a specification for this product?	Please reference Section 19.2.5.2
82	Regarding the Hypothetical Project A Statement of Work section 9.2.10.1 Sink: Could you possibly provide a specification or allowance for this product?	20 gauge Stainless Steel Drop-In, 20" x 20" x 10.125
83	Regarding the Hypothetical Project A Statement of Work section 9.2.10.2. Faucet: Could you possibly provide a specification or allowance for this product?	Two handle kitchen faucet with high arc spout for exposed mounting on 2 hole sinks with 8" centers. Chrome Finish.
84	Regarding the Hypothetical Project A Statement of Work section 9.2.11. Division 26: Electrical 9.2.11.1. Electrical circuits for the training room: Could you please provide additional details on the training room electrical installation? How many circuits are needed? Where in the room will they be located? Etc.	Reference 18.25.6 and Attachment 11: Under Carpet Installation location. 1 Circuit, two outlets and communications outlets.
85	Regarding the Hypothetical Project A Statement of Work section 9.2.11.1, Does electrical circuit for training room need to be dedicated?	Yes

QUESTIONS AND ANSWERS FOR SOLICITATION: **47PH0823R0003**

Multiple Award Indefinite-Delivery Indefinite-Quantity (IDIQ) Task Order Contract for Construction, Repair, and Alteration, with Design-Build and incidental Abatement for GSA/PBS Region 7

#	QUESTIONS	ANSWERS
86	Regarding the Hypothetical Project A Statement of Work section 9.2.11.10, can you provide a Furniture layout so we know how many locations we need to disconnect and reconnect for voice, data, power?	In Rooms: 1128,1129,1130, assume 6 whips from the window wall. Communications cabling associated with systems furniture in this area is: Data 25 Voice:18 Room: 1127, assume 3 whips, 1 from the window wall. Communications cabling associated with systems furniture in this area is: Data 11 Room: 1116, assume 2 whips from the window wall. Communications cabling associated with systems furniture in this area is: Data 12 Voice:8 All other locations are wall outlets.
87	Regarding the Hypothetical Project A Statement of Work section 9.2.13. Division 28: Electronic Safety and Security 9.2.13.1 – Conduit and pull string Is this section intended to support the camera infrastructure or are there other security devices to be installed?	This is in reference to the work identified under Attachment 5: Camera Infrastructure and associated drawing.
88	Regarding the Hypothetical Project A Statement of Work section 9.2.13.1 Is complete conduit system required or just conduit drops.	Please refer to Attachment 5: Camera Infrastructure and associated drawing.
89	Regarding the Hypothetical Project A Statement of Work section 9.2.13.1, please provide drawings showing locations for electronic safety and security.	Please refer to Attachment 5: Camera Infrastructure and associated drawing.
90	Regarding the Hypothetical Project A Statement of Work section 18.3.5 / Corridor 1150, what base selection do you want for this room? It does not designate a number 1 or 2.	Base 1
91	Regarding the Hypothetical Project A Statement of Work section 18.9, will any new appliances need to be purchased by the contractor other than sink and faucet?	No
92	Regarding the Hypothetical Project A Statement of Work section 18.17.8.2, do the electrical circuit requirements for the new furniture match the existing circuits? Same number of plugs?	Per 18.17.8.2. New circuit requirements are planned to match existing.
93	Regarding the Hypothetical Project A Statement of Work section 18.21.2 states, "where carpeting is present remove existing carpet". What do you want us to put back in place of the carpet? No direction is given on what goes back in that area once carpet is removed.	Carpet 1
94	Regarding the Hypothetical Project A Statement of Work section 18.41, what is the plan for the flooring in room 1114? There is no material specified.	Carpet 1

QUESTIONS AND ANSWERS FOR SOLICITATION: **47PH0823R0003**

Multiple Award Indefinite-Delivery Indefinite-Quantity (IDIQ) Task Order Contract for Construction, Repair, and Alteration, with Design-Build and incidental Abatement for GSA/PBS Region 7

#	QUESTIONS	ANSWERS
95	Regarding the Hypothetical Project A Statement of Work section 18.25.1 / Room 1156 states, "no carpet and wall base replacement in this room". 18.25.3 states "Remove and reinstall selected carpet". Please clarify if we are to remove existing carpet, install under carpet cable system, then reinstall the original carpet. If the answer is Yes, is there attic stock available if carpet gets damaged during the removal? If No, what is the flooring scope for this area?	Yes, remove existing carpet, install under carpet cable system, then reinstall the original carpet. All carpet being removed on the project matches the existing carpet in this area.
96	Regarding the Hypothetical Project A Statement of Work section 18.25.3, please provide the path of the flat cable so we know the distance we are running it.	Please reference Attachment 11: Under Carpet Installation location.
97	Regarding the Hypothetical Project A Statement of Work section 18.25.5, will shop drawings need architectural or engineering stamps?	No.
98	Regarding the Hypothetical Project A Statement of Work section 18.25.6 states, "Install power voice and data to training room table" Will power to this area need to be dedicated?	Yes.
99	Regarding the Hypothetical Project A Statement of Work section 18.39.2.1, Base 2 is a solid surface material. Is the intent for the waiting room to create a sort of wainscott or protecting the lower portion of the wall from chair damage etc?	18.39.2.1 refers to the wall base. For this hypothetical project and IDIQ proposal Chair rail to be 3" square edge. Baseboard to be 6"H , square edge top, with 1/2" x 3/4" shoe.
100	Regarding the Hypothetical Project A Statement of Work section Attachment 5: Camera Infrastructure, it appears the only "Key Notes" required for this project are 2, 3 and 6. Is this correct?	Applicable Key notes are identified on the drawing included in Attachment 5: Camera Infrastructure
101	Regarding the Hypothetical Project A Statement of Work section 18.47, how long can the camera system be down while we are performing the work?	Project team will coordinate with Customer Agency to arrange for physical security by Others during system downtime.
102	As a general question, will the new furniture have the same amount of voice and data circuits as existing or will there be more? Example: If existing system furniture has 2 circuits will the new one also have 2 circuits?	New circuit requirements are planned to match existing.
103	As a general question, please provide as built for electrical, data, and furniture layout?	No as built available.
104	As a general question, can more than one phase be worked on at a time?	No
105	As a general question, are the connection points for the systems furniture wall mount or do they come from the ceiling with power poles?	All connections are through the walls.
106	Regarding the Hypothetical Project B Statement of Work section 9.1.1 The SOW states "Walls will extend true floor to true ceiling and all construction must be performed in a manner as to provide visual evidence of unauthorized penetration." Please provide the true ceiling height.	13 ft.

QUESTIONS AND ANSWERS FOR SOLICITATION: **47PH0823R0003**

Multiple Award Indefinite-Delivery Indefinite-Quantity (IDIQ) Task Order Contract for Construction, Repair, and Alteration, with Design-Build and incidental Abatement for GSA/PBS Region 7

#	QUESTIONS	ANSWERS
107	Regarding the Hypothetical Project B Statement of Work section 9.7.5: Please provide the pattern installation method for the carpet tile.	9.7.5 refers to Door Frame paint. Assuming this is in reference to 9.7.7 Carpet, assume quarter turn.
108	Regarding the Hypothetical Project B Statement of Work section 9.11: Can you indicate on the drawing which walls currently have wooden case and which have vinyl base?	Wood base is present in Rooms 226A, 226B and 226C.
109	Regarding the Hypothetical Project B Statement of Work section 9.11 Division 9: - Finishes - Install new threshold: What type of threshold is required for this door?	Please refer to 9.2
110	Regarding the Hypothetical Project B Statement of Work section 9.11.13 No wood surfaces to be painted: Can you please provide the height of the courtroom wood paneling so that we can establish the difference between the panel height and the ceiling height that will need to be painted.	Room 226B has paneling to 3 ft on the side walls. The wall behind the Bench is fully paneled. No other rooms have wood paneling.
111	Regarding the Hypothetical Project B Statement of Work section 9.7 Materials: Could you please provide a specification or allowance for the VCT to be installed in 226D?	NextFloor- Stonecast Expanse 527- Color: 527 711 or equal
112	Regarding the Hypothetical Project B Statement of Work section 9.11.16 Install new wooden base: The contractor will need the base height and species of wood.	4" Red oak
113	Regarding the Hypothetical Project B Statement of Work section 9.16 Division 26: - 9.16.1 and 9.16.2: The contractor needs these two (2) outlets identified on the drawing and will also need the distance to the electrical closet and if there are any spare breakers in the panel.	The electrical outlets are both in the New STC 45 rated wall assembly. The Electrical room is identified on the project drawings. Assume the panel has open breaker positions.
114	Regarding the Hypothetical Project B Statement of Work section Division 27: - 9.17.1 and 9.17.2 Install 1 new voice and data: The contractor will need the distance to the data closet.	Install 1 Voice and 1 Data on each side of the New STC 45 rated wall. All communications cabling will terminate to room 226G.
115	In response to Question 35, a revised Solicitation Response Form was provided with five sections to insert sample projects. However, the RFP instructions indicate, "For Offerors interested in being primary in both pools, that means no more than five (5) acceptable Questionnaires for projects with final values under \$250,000 and no more than five (5) acceptable Questionnaires for projects with final values between \$250,000 and \$5M." Are offerors pursuing both pools allowed to insert additional project sections within the Solicitation Response Form to provide information for a total of 10 projects to comply with these instructions?	Correct, per the <u>Solicitation Response Form</u> , Offerors are allowed to "provide additional sample projects on a separate page."

QUESTIONS AND ANSWERS FOR SOLICITATION: **47PH0823R0003**

Multiple Award Indefinite-Delivery Indefinite-Quantity (IDIQ) Task Order Contract for Construction, Repair, and Alteration, with Design-Build and incidental Abatement for GSA/PBS Region 7

#	QUESTIONS	ANSWERS
116	Our subcontractor is attempting to submit a CPAR, but he is having trouble logging in. Is this the correct link address for our subcontractors to submit a CPAR? https://cpars.gov/ .	Per Section II.B. of the Solicitation, "Proposals should not include Contract Performance Assessment Reports (CPARs) or Past Performance Questionnaires." It is important to note that it is the responsibility of the Government to retrieve and review the CPARs for each proposal.
117	In the first round of IDIQ bids for Dallas/Oklahoma zone specific SOW's for the hypothetical projects were provided with sample addresses/zip codes to be used for pricing consistency. As zone specific SOW's were not provided for this round of zones, is there a new city or zip code for each region that the government would like us to use for pricing purposes?	Applicable cities and zip codes for the Arkansas, North New Mexico, and West Texas Zones have been delineated at the beginning of the Scope of Work for Hypothetical Projects A & B, specifically under Section 2, titled "Project Location." These details are accessible in the attachments provided within the sam.gov posting corresponding to this Solicitation.
118	Are we still tying pricing proposals back into RS Means numbers	The utilization of RSMeans data is no longer a prerequisite. Proposals should be submitted using the Proposal Summary Format.
119	Are DBA construction wages required?	The obligation to adhere to DBA construction wages remains in effect for Task Orders (TOs). The wage determinations have been published in conjunction with the solicitation for reference purposes. Contracting Officers will maintain the enforcement of certified payroll for TOs.
120	Social Security Contributions are usually part of our labor burden/labor rates which would be our actual rate. We don't want to double dip and capture that twice in labor rate and in this required indirect cost rate.	In an effort to expedite the awarding of Task Orders, this pricing component will be retained. Bidders are advised to comprehensively account for these costs, and provisions for necessary deductions can be made at the document's conclusion if deemed essential.
121	Will this presentation be available for us to download?	Yes, the content of the presentation is scheduled for upload to sam.gov as part of Amendment 6.
122	Where can we view Questions/Answers from previous zones?	This document contains all questions and answers for the past and current zones being procured (Dallas, Oklahoma, West Texas, North New Mexico & Arkansas).
123	If all past sample projects are Federal and have final CPARs associated with them, it appears that Section E of the Solicitation Response Form should be left blank. Is this correct? How will the Government determine which past sample project CPARs to evaluate? Will the evaluation consider only the five most recent CPARs that fit the size pool criteria?	Should all submitted past sample projects have corresponding Final CPARs and fail to meet every acceptability criterion detailed in the <u>Solicitation, Section II.D. Volume 2: Technical Proposal</u> , it is appropriate to leave Section E: Sample Projects without entries. The evaluation process conducted by GSA will encompass all CPARs conforming to the stipulations detailed in the <u>Solicitation, Section II.D.(2)(b) - Contractor Performance Assessment Reports</u> , without a restriction to quantity. Every CPAR fulfilling the specified requirements will undergo evaluation.