

OFFEROR INSTRUCTIONS

Faxed quotes will not be accepted. Quotes shall be e-mailed to abigail.green@noaa.gov
E-mailed quotes must be received by the due date and time to be considered within the deadline.

Quoters must submit all questions concerning this solicitation by email within 5 days of the issuance of this solicitation.

This is a firm fixed price purchase order. The government intends to make an award to the responsive responsible quoter(s) providing the best value to the government, price and non-price factors considered.

Award will be made on the basis of the lowest evaluated price of proposals meeting or exceeding the acceptability standards for non-cost factors. "Best Value" means the expected outcome of an acquisition that, in the Government's estimation, provides the greatest overall benefit in response to the requirement.

The government reserves the right to make a comparative evaluation of quotes in determining best value in accordance with FAR 12.203(c)(2).

Contractors must be registered in the System for Award Management (SAM) at the time the quote is submitted. You may register at www.sam.gov. There is no charge for registering in SAM.

THE FOLLOWING INFORMATION IS TO BE RETURNED:

- 1) Page 1 (complete blocks 17a, 30a, 30b, and 30c).
- 2) Page 3 (fill in your quote/prices).
- 3) Your Unique Entity Identification (UEI) number. A UEI number is available at no charge through www.sam.gov.
- 4) Contractor representations and certifications shall be completed in the system for award management (www.sam.gov). Contractors shall provide a statement that they either are or are not registered and active in SAM.
- 5) Vendors shall provide a statement of whether they are or are not small business under NAICS 326199 code.
- 6) Your response to 1352.209-74(c), Organizational Conflict of Interest. Contractors shall provide a statement that they either do or do not have a conflict of interest.
- 7) As requested in 52.212-2, provide your response to the factors used to evaluate quotes to include the requested documentation to support each criterion.
- 8) Confirmation the buoy hulls will be manufactured in the United States.
- 9) An e-mail address and telephone number where you can be reached for future correspondence.

Contractors who do not respond to items 1 through 9 on this page may be considered non-compliant with the requirements of the solicitation and will not be given further consideration for award.

SOLICITATION/CONTRACT/ORDER FOR COMMERCIAL PRODUCTS AND COMMERCIAL SERVICES

NOTE: OFFEROR TO COMPLETE BLOCKS 12, 17, 23, 24, AND 30.

1. REQUISITION NUMBER 142082-26-0212		PAGE 1 OF 16
2. CONTRACT NUMBER	3. AWARD/EFFECTIVE DATE	4. ORDER NUMBER
5. SOLICITATION NUMBER 1305M226Q0104		6. SOLICITATION ISSUE DATE 04/22/2026
7. FOR SOLICITATION INFORMATION CALL: a. NAME ABIGAIL GREEN		b. TELEPHONE NUMBER (No collect calls)
		8. OFFER DUE DATE/ LOCAL TIME 05/08/2026 1200 ED

9. ISSUED BY CODE EAD-SAP EAD-SAP FED BLDG 200 GRANBY ST SUITE 815 NORFOLK VA 23510		10. THIS ACQUISITION IS ☐ UNRESTRICTED OR ☒ SET ASIDE: 100.00% FOR: ☒ SMALL BUSINESS ☐ WOMEN-OWNED SMALL BUSINESS (WOSB) NORTH AMERICAN INDUSTRY CLASSIFICATION STANDARD (NAICS): ☐ HUBZONE SMALL BUSINESS ECONOMICALLY DISADVANTAGED 326199 ☐ SERVICE-DISABLED VETERAN-OWNED WOMEN-OWNED SMALL BUSINESS (EDWOSB) 750 ☐ SMALL BUSINESS (SDVOSB) ☐ 8(A)	
---	--	---	--

11. DELIVERY FOR FREE ON BOARD (FOB) DESTINATION UNLESS BLOCK IS MARKED ☐ SEE SCHEDULE	12. DISCOUNT TERMS	13a. THIS CONTRACT IS A ☐ RATED ORDER UNDER THE DEFENSE PRIORITIES AND ALLOCATIONS SYSTEM - DPAS (15 CFR 700)	13b. RATING	14. METHOD OF SOLICITATION REQUEST ☒ FOR QUOTE (RFQ) ☐ INVITATION FOR BID (IFB) ☐ FOR PROPOSAL (RFP)
--	--------------------	--	-------------	--

15. DELIVER TO CODE NWWG2500 NATIONAL DATA BUOY CENTER BLDG 3200 STENNIS SPACE CENTER MS 39529	16. ADMINISTERED BY CODE EAD-SAP EAD-SAP FED BLDG 200 GRANBY ST SUITE 815 NORFOLK VA 23510
--	--

17a. CONTRACTOR/ OFFEROR CODE	FACILITY CODE	18a. PAYMENT WILL BE MADE BY CODE
TELEPHONE NUMBER		

☐ 17b. CHECK IF REMITTANCE IS DIFFERENT AND PUT SUCH ADDRESS IN OFFER	18b. SUBMIT INVOICES TO ADDRESS SHOWN IN BLOCK 18a UNLESS BLOCK BELOW IS CHECKED ☐ SEE ADDENDUM
--	--

19. ITEM NO.	20. SCHEDULE OF SUPPLIES/SERVICES	21. QUANTITY	22. UNIT	23. UNIT PRICE	24. AMOUNT
0001	DART HULL REPLACEMENTS IN ACCORDANCE WITH ATTACHED SPECIFICATIONS AND DRAWINGS, QTY 4 AMOUNT FOR ONE (1) FIRST ARTICLE INCLUDING Continued... <i>(Use Reverse and/or Attach Additional Sheets as Necessary)</i>				

25. ACCOUNTING AND APPROPRIATION DATA	26. TOTAL AWARD AMOUNT (For Government Use Only)
---------------------------------------	--

☒ 27a. SOLICITATION INCORPORATES BY REFERENCE (FEDERAL ACQUISITION REGULATION) FAR 52.212-1, 52.212-4. ADDENDA FAR 52.212-3 AND 52.212-5 ARE ATTACHED.	☒ ARE ☐ ARE NOT ATTACHED
☐ 27b. CONTRACT/PURCHASE ORDER INCORPORATES BY REFERENCE FAR 52.212-4. FAR 52.212-5 IS ATTACHED. ADDENDA	☐ ARE ☐ ARE NOT ATTACHED

☒ 28. CONTRACTOR IS REQUIRED TO SIGN THIS DOCUMENT AND RETURN <u>1</u> COPIES TO ISSUING OFFICE. CONTRACTOR AGREES TO FURNISH AND DELIVER ALL ITEMS SET FORTH OR OTHERWISE IDENTIFIED ABOVE AND ON ANY ADDITIONAL SHEETS SUBJECT TO THE TERMS AND CONDITIONS SPECIFIED	☐ 29. AWARD OF CONTRACT: REFERENCE _____ OFFER DATED: _____. YOUR OFFER ON SOLICITATION (BLOCK 5), INCLUDING ANY ADDITIONS OR CHANGES WHICH ARE SET FORTH HEREIN, IS ACCEPTED AS TO ITEMS:
--	---

30a. SIGNATURE OF OFFEROR/CONTRACTOR		31a. UNITED STATES OF AMERICA (SIGNATURE OF CONTRACTING OFFICER)	
30b. NAME AND TITLE OF SIGNER (Type or print)	30c. DATE SIGNED	31b. NAME OF CONTRACTING OFFICER (Type or print) ABIGAIL GREEN	31c. DATE SIGNED

19. ITEM NO.	20. SCHEDULE OF SUPPLIES/SERVICES	21. QUANTITY	22. UNIT	23. UNIT PRICE	24. AMOUNT
	SHIPPING (FIRST ARTICLE SHALL BE DELIVERED WITHIN 120 DAYS FROM DATE OF AWARD): _____ AMOUNT FOR REMAINING SUPPLY (3) INCLUDING SHIPPING (REMAINING SUPPLY SHALL BE DELIVERED WITHIN 120 DAYS OF FIRST ARTICLE GOVERNMENT APPROVAL): _____ SHIPPING ADDRESS: BUILDING 3200 STENNIS SPACE CENTER, MS 39525 FIRST ARTICLE TESTING SHALL BE CONDUCTED BY THE NATIONAL DATA BUOY CENTER (NDBC). THE NDBC RETAINS THE RIGHT TO WAIVE FIRST ARTICLE TESTING IF THE CONTRACTOR HAS A PROVEN HISTORY OF SUCCESSFULLY PROVIDING THE BUOY HULL REPLACEMENTS.				

32a. QUANTITY IN COLUMN 21 HAS BEEN

☐ RECEIVED☐ INSPECTED☐ ACCEPTED, AND CONFORMS TO THE CONTRACT, EXCEPT AS NOTED: _____

32b. SIGNATURE OF AUTHORIZED GOVERNMENT REPRESENTATIVE

32c. DATE

32d. PRINTED NAME AND TITLE OF AUTHORIZED GOVERNMENT REPRESENTATIVE

32e. MAILING ADDRESS OF AUTHORIZED GOVERNMENT REPRESENTATIVE

32f. TELEPHONE NUMBER OF AUTHORIZED GOVERNMENT REPRESENTATIVE

32g. EMAIL OF AUTHORIZED GOVERNMENT REPRESENTATIVE

33. SHIP NUMBER

34. VOUCHER NUMBER

35. AMOUNT VERIFIED
CORRECT FOR

36. PAYMENT

37. CHECK NUMBER

☐ PARTIAL ☐ FINAL☐ COMPLETE ☐ PARTIAL ☐ FINAL

STOCK RECORD (S/R)

40. PAID BY

38. S/R ACCOUNT NUMBER

39. S/R VOUCHER NUMBER

41a. I CERTIFY THIS ACCOUNT IS CORRECT AND PROPER FOR PAYMENT

41b. SIGNATURE AND TITLE OF CERTIFYING OFFICER

41c. DATE

42a. RECEIVED BY (Print)

42b. RECEIVED AT (Location)

42c. DATE RECEIVED (MM/DD/YYYY)

42d. TOTAL CONTAINERS

Section 3 - Line Items and Attachments5

Section 4 - Contract Terms and Conditions6

Section 5 - Other Contract Terms and Conditions14

Section 3 - Line Items and Attachments**List of Attachments**

Attachment Number	Title
1	DART II Hull Specification rev A
2	DART II Hull Drawings

Section 4 - Contract Terms and Conditions

FAR 52.203-17 Contractor Employee Whistleblower Rights. (NOV 2023)

FAR 52.203-19 Prohibition on Requiring Certain Internal Confidentiality Agreements or Statements. (JAN 2017)

FAR 52.222-3 Convict Labor. (JUN 2003)

FAR 52.222-19 Child Labor - Cooperation with Authorities and Remedies. (JAN 2025)

FAR 52.226-8 Encouraging Contractor Policies To Ban Text Messaging While Driving. (MAY 2024)

FAR 52.232-33 Payment by Electronic Funds Transfer - System for Award Management. (OCT 2018)

FAR 52.232-39 Unenforceability of Unauthorized Obligations. (JUN 2013)

FAR 52.232-40 Providing Accelerated Payments to Small Business Subcontractors. (MAR 2023)

CAR 1352.201-70 Contracting Officer's Authority. (MAR 2010)

CAR 1352.209-73 Compliance with the laws. (APR 2010)

CAR 1352.209-74 Organizational conflict of interest. (APR 2010)

RFO 52.204-13 SYSTEM FOR AWARD MANAGEMENT-MAINTENANCE. (OCT 2018) (Deviation JAN 2026)

RFO 52.204-19 Incorporation by Reference of Representations and Certifications. (DEC 2014)

RFO 52.209-4 FIRST ARTICLE APPROVAL-GOVERNMENT TESTING. (SEP 1989) (Deviation JAN 2026)

[Contracting Officer inserts details]

(a) The Contractor shall deliver ONE unit(s) of Lot/Item DART HULL REPLACEMENT within 120 calendar days from the date of this contract to the Government at Building 3200, Stennis Space Center, MS 39525 for first article tests. The shipping documentation shall contain this contract number and the Lot/Item identification. This contract elsewhere specifies the characteristics that the first article must meet and the testing requirements.

(b) Within 5 calendar days after the Government receives the first article, the Contracting Officer will notify the Contractor, in writing, of the conditional approval, approval, or disapproval of the first article. The notice of conditional approval or approval shall not relieve the Contractor from complying with all requirements of the specifications and all other terms and conditions of this contract. A notice of conditional approval will state any further action required of the Contractor. A notice of disapproval will cite reasons for the disapproval.

(c) If the Government disapproves the first article, the Contractor, upon Government request, shall submit an additional first article for testing. After each request, the Contractor shall make any necessary changes, modifications, or repairs to the first article or select another first article for testing. All costs related to these tests are to be borne by the Contractor, including any and

all costs for additional tests following a disapproval. The Contractor shall furnish any additional first article to the Government under the terms and conditions and within the time the Government specifies. The Government will act on this first article within the time limit specified in paragraph (b) above. The Government reserves the right to require an equitable adjustment of the contract price for any extension of the delivery schedule or for any additional costs to the Government related to these tests.

(d) If the Contractor fails to deliver any first article on time, or the Contracting Officer disapproves any first article, the Contractor will have failed to make delivery within the meaning of the Default clause of this contract.

(e) Unless otherwise provided in the contract, the Contractor-

(1) May deliver the approved first article as a part of the contract quantity, provided it meets all contract requirements for acceptance and was not consumed or destroyed in testing; and

(2) Shall remove and dispose of any first article from the Government test facility at the Contractor's expense.

(f) If the Government does not act within the time specified in paragraph (b) or (c) above, the Contracting Officer will, upon timely written request from the Contractor, equitably adjust under the Changes clause of this contract the delivery or performance dates, the contract price, or both, and any other contractual term affected by the delay.

(g) The Contractor is responsible for providing operating and maintenance instructions, spare parts support, and repair of the first article during any first article test.

(h) Before first article approval, the acquisition of materials or components for, or the commencement of production of, the balance of the contract quantity is at the sole risk of the Contractor. Before first article approval, the costs thereof shall not be allocable to this contract for (1) progress payments, or (2) termination settlements if the contract is terminated for the convenience of the Government.

(i) The Government may waive the requirement for first article approval test where supplies identical or similar to those called for in the schedule have been previously furnished by the Offeror/Contractor and have been accepted by the Government. The Offeror/Contractor may request a waiver.

(End of clause)

RFO 52.209-6 PROTECTING THE GOVERNMENT'S INTEREST WHEN SUBCONTRACTING WITH CONTRACTORS DEBARRED, SUSPENDED, PROPOSED FOR DEBARMENT, OR VOLUNTARILY EXCLUDED. (JAN 2025) (Deviation JAN 2026)

RFO 52.212-4 TERMS AND CONDITIONS-COMMERCIAL PRODUCTS AND COMMERCIAL SERVICES. (NOV 2023) (Deviation JAN 2026)

RFO 52.219-6 NOTICE OF TOTAL SMALL BUSINESS SET-ASIDE. (NOV 2020) (Deviation JAN 2026)

RFO 52.219-28 POSTAWARD SMALL BUSINESS PROGRAM REREPRESENTATION. (JAN 2025) (Deviation JAN 2026)

(a) *Definitions.* As used in this clause-

Long-term contract means a contract of more than five years in duration, including options. However, the term does not include contracts that exceed five years in duration because the period of performance has been extended for a cumulative period not to exceed six months under the clause at 52.217-8, Option to Extend Services, or other appropriate authority.

Small business concern-

(1) Means a concern, including its affiliates, that is independently owned and operated, not dominant in its field of operation, and qualified as a small business under the criteria in 13 CFR part 121 and the size standard in paragraph (c) of this clause.

(2) Affiliates, as used in this definition, means business concerns, one of whom directly or indirectly controls or has the power to control the others, or a third party or parties control or have the power to control the others. In determining whether affiliation exists, consideration is given to all appropriate factors including common ownership, common management, and contractual relationships. SBA determines affiliation based on the factors set forth at 13 CFR 121.103.

(b) If the Contractor represented that it was a small business concern, a small disadvantaged business concern, or a joint venture that was any of the small business concerns identified in 19.000(a)(3) prior to award of this contract, the Contractor shall rerepresent its size and socioeconomic status according to paragraph (e) of this clause or, if applicable, paragraph (g) of this clause, upon occurrence of any of the following:

(1) Within 30 days after execution of a novation agreement or within 30 days after modification of the contract to include this clause, if the novation agreement was executed prior to inclusion of this clause in the contract.

(2) Within 30 days after a merger or acquisition that does not require a novation or within 30 days after modification of the contract to include this clause, if the merger or acquisition occurred prior to inclusion of this clause in the contract.

(3) For long-term contracts-

(i) Within 60 to 120 days prior to the end of the fifth year of the contract; and

(ii) Within 60 to 120 days prior to the date specified in the contract for exercising any option thereafter.

(c) The Contractor shall rerepresent its size status in accordance with the size standard in effect at the time of this rerepresentation that corresponds to the North American Industry Classification System (NAICS) code(s) assigned to this contract. The small business size standard corresponding to this NAICS code(s) can be found at <https://www.sba.gov/document/support--table-size-standards>.

(d) The small business size standard for a Contractor providing an end item that it does not manufacture, process, or produce itself, for a contract other than a construction or service contract, is 500 employees, or 150 employees for information technology value-added resellers under NAICS code 541519, if the acquisition-

(1) Was set aside for small business and has a value above the simplified acquisition threshold;

(2) Used the HUBZone price evaluation preference regardless of dollar value, unless the Contractor waived the price evaluation preference; or

(3) Was an 8(a), HUBZone, service-disabled veteran-owned, economically disadvantaged women-owned, or women-owned small business set-aside or sole-source award regardless of dollar value.

(e) Except as provided in paragraph (g) of this clause, the Contractor shall make the representation(s) required by paragraph (b) of this clause by validating or updating all its representations in the Representations and Certifications section of the System for Award Management (SAM) and its other data in SAM, as necessary, to ensure that they reflect the Contractor's current status. The Contractor shall notify the contracting officer in writing within the timeframes specified in paragraph (b) of this clause, that the data have been validated or updated, and provide the date of the validation or update.

(f) If the Contractor represented that it was other than a small business concern prior to award of this contract, the Contractor may, but is not required to, take the actions required by paragraphs (e) or (g) of this clause.

(g) If the Contractor does not have representations and certifications in SAM, or does not have a representation in SAM for the NAICS code applicable to this contract, the Contractor is required to complete the following rerepresentation and submit it to the contracting office, along with the contract number and the date on which the rerepresentation was completed:

(1) The Contractor represents that it ☐ is, ☐ is not a small business concern under NAICS Code ☐ assigned to contract number ☐.

(2) *[Complete only if the Contractor represented itself as a small business concern in paragraph (g)(1) of this clause.]* The Contractor represents that it ☐ is, ☐ is not, a small disadvantaged business concern as defined in 13 CFR 124.1001.

(3) Women-owned small business (WOSB) joint venture eligible under the WOSB Program. The Contractor represents that it ☐ is, ☐ is not a joint venture that complies with the requirements of 13 CFR 127.506(a) through (c). [The Contractor shall enter the name and unique entity identifier of each party to the joint venture: ____.]

(4) Economically disadvantaged women-owned small business (EDWOSB) joint venture. The Contractor represents that it ☐ is, ☐ is not a joint venture that complies with the requirements of 13 CFR 127.506(a) through (c). [The Contractor shall enter the name and unique entity identifier of each party to the joint venture: ____.]

(5) *Service-disabled veteran-owned small business (SDVOSB) joint venture eligible under the SDVOSB Program.* The Contractor represents that it [] is, [] is not an SDVOSB joint venture eligible under the SDVOSB Program that complies with the requirements of 13 CFR 128.402. [The Contractor shall enter the name and unique entity identifier of each party to the joint venture: ____.]

(6) *HUBZone joint venture eligible under the HUBZone Program.* [Complete only if the offeror is a HUBZone small business concern.] The offeror represents, as part of its offer, that It [] is, [] is not a HUBZone joint venture that complies with the requirements of 13 CFR 126.616(a) through (c). [The Contractor shall enter the name and unique entity identifier of each party to the joint venture: ____.] Each HUBZone small business concern participating in the HUBZone joint venture must be certified as a HUBZone concern. [Contractor to sign and date and insert authorized signer's name and title. _____]

(End of clause)

RFO 52.222-35 EQUAL OPPORTUNITY FOR VETERANS. (JUN 2020) (Deviation JAN 2026)

RFO 52.222-36 EQUAL OPPORTUNITY FOR WORKERS WITH DISABILITIES. (JUN 2020) (Deviation JAN 2026)

RFO 52.222-37 EMPLOYMENT REPORTS ON VETERANS. (JUN 2020) (Deviation JAN 2026)

RFO 52.222-50 COMBATING TRAFFICKING IN PERSONS. (OCT 2025) (Deviation JAN 2026)

RFO 52.223-23 SUSTAINABLE PRODUCTS AND SERVICES. (MAY 2024) (Deviation JAN 2026)

RFO 52.225-3 BUY AMERICAN - FREE TRADE AGREEMENTS - ISRAELI TRADE ACT. (NOV 2023) (Deviation JAN 2026)

RFO 52.233-3 PROTEST AFTER AWARD. (AUG 1996) (Deviation JAN 2026)

RFO 52.233-4 APPLICABLE LAW FOR BREACH OF CONTRACT CLAIM. (OCT 2004) (Deviation JAN 2026)

RFO 52.240-91 SECURITY PROHIBITIONS AND EXCLUSIONS. (Deviation JAN 2026)

FAR 52.252-2 Clauses Incorporated by Reference. (FEB 1998)

This contract incorporates one or more clauses by reference, with the same force and effect as if they were given in full text. Upon request, the Contracting Officer will make their full text available. Also, the full text of a clause may be accessed electronically at this/these address(es):

<https://www.acquisition.gov/browse/index/far>

(End of clause)

FAR 52.252-6 Authorized Deviations in Clauses. (NOV 2020)

(a) The use in this solicitation or contract of any Federal Acquisition Regulation (48 CFR Chapter 1) clause with an authorized deviation is indicated by the addition of (DEVIATION) after the date of the clause.

(b) The use in this solicitation or contract of any [insert regulation name] (48 CFR []) clause with an authorized deviation is indicated by the addition of (DEVIATION) after the name of the regulation.

(End of clause)

NOAA Acquisition Manual 1330-52.232-71 ELECTRONIC SUBMISSION OF PAYMENT REQUESTS (FEB 2023)

The Contractor must submit payment requests electronically through the U.S. Department of the Treasury's Invoice Processing Platform System (IPP). The Contractor must use the IPP website to register, access, and submit payment requests. The IPP website address is <https://www.ipp.gov>.

"Payment request" means any request for contract financing payment or invoice payment to the Contractor. To be considered proper, invoices must be prepared in accordance with, and contain all elements specified in, the contract payment clause (e.g., FAR 52.212-4(g), FAR 52.232-25(a)(3), FAR 52.232-26(a)(2), FAR 52.232-27(a)(2)).

The Contractor must include the following documents as attachments to payment requests submitted through the IPP: Copy of invoice.

If the Contractor is unable to comply with the requirement to submit payment requests through the IPP due to a threat to national security; a matter of unusual or compelling urgency; or because the political, financial, or communications infrastructure of a foreign country does not support access to the IPP, the Contractor must request an exception in writing. Contact the Contracting Officer for more information about requesting an exception.

(End of solicitation and contract language)

NOAA Acquisition Manual 1330-52.237-70 CONTRACTOR COMMUNICATIONS

(a) A contractor employee shall be identified both by the individual's name and the contractor's name when:

- Included in NOAA's locator, and
- When submitting any type of electronic correspondence to any NOAA employee or stakeholder.

(b) Any written correspondence from a contractor or any contractor employee shall be printed on company/organization letterhead or otherwise clearly identify the sender as an employee of the company or organization and shall identify the contract number.

(c) Contractors and/or contractor employees shall clearly identify themselves as such in any verbal communications, whether in informal discussion or a formal meeting.

(End of solicitation and contract language)

NOAA Acquisition Manual 1330-52.237-72 CONTRACTOR ACCESS TO NOAA FACILITIES (SEPT 2017)

(a)

1. The performance of this contract requires employees of the prime contractor or its subcontractors, affiliates, consultants, or team members ("contractor employees") to have access to and to the extent authorized, mobility within, a NOAA facility.

2. NOAA may close and or otherwise deny contractor employees access to a NOAA facility for a portion of a business day or longer for various reasons including, but not limited to, the following events:

i. Federal public holidays for Federal employees in accordance with 5 U.S.C. 6103;

ii. Fires, floods, earthquakes, and unusually severe weather, including but not limited to snow storms, tornadoes, and hurricanes;

iii. Occupational safety or health hazards;

iv. Lapse in Appropriations; or

v. Federal Statute, Executive Order, Presidential Proclamation, or any other unforeseen reason.

3. In such events, the contractor employees may be denied access to a NOAA facility that is ordinarily available for the contractor to perform work or make delivery, as required by the contract.

(b) In all instances where contractors are denied access or required to vacate a NOAA facility, in part or in whole, the contractor shall be responsible to ensure contractor personnel working under the contract comply. If the circumstances permit, the contracting officer will provide direction to the contractor, either directly or through the COR, which could include continuing on-site performance during the NOAA facility closure period; however, if Government oversight is required and is not available, on-site performance shall not be allowed. In the absence of such direction, the contractor shall exercise sound judgment to minimize unnecessary contract costs and performance impacts, for example, performing required work off- site if possible or reassigning personnel to other activities if appropriate.

(c) The contractor shall be responsible for monitoring the Office of Personnel Management at opm.gov, the local radio, television stations, NOAA web sites, and other communication channels. Once the facility is accessible, the contractor shall resume contract performance as required by the contract.

(d) For the period that NOAA facilities were not accessible to contractors who required access in order to perform the services, the contracting officer may—

1. Adjust the contract performance or delivery schedule for a period equivalent to the period the NOAA facility was not accessible;

2. Forego the work; or

3. Reschedule the work by mutual agreement of the parties.

(e) Notification procedures of a NOAA facility closure, including contractor denial of access, are as follows:

1. The contractor shall be responsible for notification of its employees of the NOAA facility closure to include denial of access to the NOAA facility. The dismissal of NOAA employees in accordance with statute and regulations providing for such dismissals shall not, in itself, equate to a NOAA facility closure in which contractors are denied access. Moreover, the leave status of NOAA employees shall not be conveyed or imputed to contractor personnel. Accordingly, unless a NOAA facility is closed and the contractor is denied access to the facility, the contractor shall continue performance in accordance with the contract.

2. Access to Government facilities and resources, including equipment and systems, will be limited and personnel necessary to administer contract performance may not be available. Generally, supply and service contracts that are funded beyond the date of the lapse in appropriation and do not require access to Government facilities, active administration by Government personnel or the use of Government resources in a manner that would cause the Government to incur additional obligations during the lapse in appropriation may continue. If a delivery date for a contract falls during the period of a lapse in appropriations, Government personnel may not be available to receive delivery. Contractors are directed to consult with a contracting officer before attempting to make a delivery. Contracting officers will be available throughout the lapse in appropriation period to provide guidance.

Once OMB guidance is given, CORs, in consultation with the contracting officer, will notify those contractors that are deemed by the Program Office to be performing excepted work and identify the contractor personnel requiring access to NOAA facilities. CORs will also coordinate directly with facility management or physical security personnel at respective locations to ensure that the names of contractor personnel requiring access to Government facilities during the lapse in appropriations are provided to physical security personnel.

Contractors who are not designated as performing excepted work are not allowed access to Government facilities or to utilize Government resources in a manner that would incur any additional obligation of funding on behalf of the Government during the lapse in appropriation.

3. Unless otherwise specified within the contract award, contractors requiring access to NOAA facilities outside normal business hours or outside the normal workweek shall submit a written request in writing through the COR to the contracting officer. The written request shall provide justification supporting the required access and be submitted [] hours/days (contracting officer insert number of days. If blank, 72 hours applies) before access to the NOAA facility is needed.

(End of solicitation and contract language)

Section 5 - Other Contract Terms and Conditions

CAR 1352.233-71 GAO and Court of Federal Claims protests. (APR 2010)

RFO 52.204-7 SYSTEM FOR AWARD MANAGEMENT-REGISTRATION. (NOV 2024) (Deviation JAN 2026)

RFO 52.212-1 INSTRUCTIONS TO OFFERORS-COMMERCIAL PRODUCTS AND COMMERCIAL SERVICES. (SEP 2023) (Deviation JAN 2026)

RFO 52.225-4 BUY AMERICAN-FREE TRADE AGREEMENTS-ISRAELI TRADE ACT CERTIFICATE. (NOV 2023) (Deviation JAN 2026)

RFO 52.240-90 SECURITY PROHIBITIONS AND EXCLUSIONS REPRESENTATIONS AND CERTIFICATIONS. (Deviation JAN 2026)

RFO 52.244-6 SUBCONTRACTS FOR COMMERCIAL PRODUCTS AND COMMERCIAL SERVICES. (OCT 2025) (Deviation JAN 2026)

FAR 52.252-1 Solicitation Provisions Incorporated by Reference. (FEB 1998)

This solicitation incorporates one or more solicitation provisions by reference, with the same force and effect as if they were given in full text. Upon request, the Contracting Officer will make their full text available. The offeror is cautioned that the listed provisions may include blocks that must be completed by the offeror and submitted with its quotation or offer. In lieu of submitting the full text of those provisions, the offeror may identify the provision by paragraph identifier and provide the appropriate information with its quotation or offer. Also, the full text of a solicitation provision may be accessed electronically at this/these address(es): <https://www.acquisition.gov/browse/index/far>

(End of provision)

FAR 52.252-5 Authorized Deviations in Provisions. (NOV 2020)

(a) The use in this solicitation of any Federal Acquisition Regulation (48 CFR chapter 1) provision with an authorized deviation is indicated by the addition of (DEVIATION) after the date of the provision.

(b) The use in this solicitation of any [insert regulation name] (48 CFR chapter []) provision with an authorized deviation is indicated by the addition of (DEVIATION) after the name of the regulation.

(End of provision)

CAR 1352.215-72 Inquiries. (APR 2010)

Offerors must submit all questions concerning this solicitation in writing to abigail.green@noaa.gov. Questions should be received no later than five (5) calendar days after the issuance date of this solicitation. Any responses to questions will be made in writing, without identification of the questioner, and will be included in an amendment to the solicitation. Even if provided in other form, only the

question responses included in the amendment to the solicitation will govern performance of the contract.

(End of clause)

CAR 1352.233-70 Agency protests. (APR 2010)

(a) An agency protest may be filed with either: (1) The contracting officer, or (2) at a level above the contracting officer, with the appropriate agency Protest Decision Authority. See 64 FR 16,651 (April 6, 1999).

(b) Agency protests filed with the Contracting Officer shall be sent to the following address: STEVEN.M.PRADO@NOAA.GOV

(c) Agency protests filed with the agency Protest Decision Authority shall be sent to the following address: U.S. Department of Commerce, Office of General Counsel, Contract Law Division Room 5893
Herbert C. Hoover Bldg,
14th St and Constitution Ave NW, Washington, DC 20230

(d) A complete copy of all agency protests, including all attachments, shall be served upon the Contract Law Division of the Office of the General Counsel within one day of filing a protest with either the Contracting Officer or the Protest Decision Authority.

(e) Service upon the Contract Law Division shall be made as follows: U.S. Department of Commerce, Office of the General Counsel, Chief, Contract Law Division, Room 5893, Herbert C. Hoover Building, 14th Street and Constitution Avenue, NW., Washington, DC 20230. FAX: (202) 482-5858.

(End of clause)

**RFO 52.212-2 EVALUATION-COMMERCIAL PRODUCTS AND COMMERCIAL SERVICES. (NOV 2021)
(Deviation JAN 2026)**

(a) Evaluation factors. The Government will award a contract resulting from this solicitation to the responsible Offeror whose offer conforming to the solicitation will be most advantageous to the Government, price and other factors considered. The following factors will be used to evaluate offers:

The Government will issue an order on the basis of the best value of proposals meeting or exceeding the acceptability standards for non-cost factors in accordance with FAR 12.203(c)(2).

The following factors will be used to evaluate quotations:

- 1. Price. The Government will evaluate offers or quotations for award purposes by adding the total price for the basic requirement. Line item 0001 will be used to evaluate low price.**
- 2. Past Performance. The offeror's past performance on related contracts will be evaluated**

to determine, as appropriate, successful performance of contract requirements, quality and timeliness of delivery of goods and services, cost management, communications between contracting parties, proactive management and customer satisfaction.

a. The offeror shall provide a list of at least two, but no more than three, past performances. Past performances shall include the following information: Company name or Government agency, name of project, address, contract person's name, phone number, and email address.

(End of clause)

(b) *Options (if applicable)*. The Government will evaluate offers for award purposes by adding the total price for all options to the total price for the basic requirement. The Government may determine that an offer is unacceptable if the option prices are significantly unbalanced. The evaluation of options does not obligate the Government to exercise the option(s).

(c) *Notice of award*. A written notice of award or acceptance of an offer furnished to the successful Offeror within the time for acceptance specified in the offer, shall result in a binding contract without further action by either party. Before the offer's specified expiration time, the Government may accept an offer (or part of an offer), whether or not there are negotiations after its receipt, unless a written notice of withdrawal is received before award.

(End of provision)

NDBC STANDARD SPECIFICATION FOR FABRICATION OF BUOY HULLS USED IN THE DEEP-OCEAN ASSESSMENT AND REPORTING OF TSUNAMIS (DART) ARRAY

1.0 SCOPE

1.1 General. This specification describes the requirements for the fabrication of buoy hulls used in the Deep-ocean Assessment and Reporting of Tsunamis (DART) array. This requirement also includes the buoy well, lid, cable pass-thru, and bumper mounts. The contractor shall provide all the necessary labor, material, equipment, facilities and services to fabricate and deliver the hulls to the National Data Buoy Center (NDBC). For the purposes of this specification the terms "payload compartment" and "well" are identical.

1.2 Precedence. Any ambiguity or conflict between this specification and other applicable documents shall be resolved by the following order of precedence:

- a) The issued contract with any amendments or modifications
- b) This specification
- c) The drawings listed in paragraph 2.4
- d) Other applicable documents listed in paragraph 2.0

2.0 APPLICABLE DOCUMENTS

2.1 General. The documents listed in this section are referenced in sections 3 and 4 of this specification. This section does not include documents cited in other sections of this specification, which are recommended for additional information or used as examples. While every effort has been made to ensure the completeness of this list, document users are cautioned that they must meet all specified requirements cited in sections 3 and 4 of this specification, whether or not the referenced documents are listed here.

2.2 Government Documents. The following documents form a part of this specification to the extent referenced herein. Suffixes denoting the specific issue of each document are omitted from future references to the documents in this specification.

<u>STANDARD</u>	<u>DATE</u>	<u>TITLE</u>
MIL-P-21929B	15 Jan 1991	Plastic Material, Cellular, Polyurethane, Rigid, Foam-in-Place, Low Density (2 pounds per cubic foot)
FED-STD-595B	7 Jan 1994	Federal Standard Colors
NDBC-8117	12 Feb 2009	NDBC Standard Test Procedure for DART II Hull Pressure Test

2.3 Industry Publications. The following documents of the issues specified form a part of this specification to the extent referenced herein. Suffixes denoting the specific issue of each document will be omitted from future references to the document in this specification.

<u>STANDARD</u>	<u>DATE</u>	<u>TITLE</u>
ASTM A666-03	1 Oct 2003	Standard Specification for Annealed or Cold-Worked Austenitic Stainless Steel Sheet, Strip, Plate, and Flat Bar
AWS D1.6/D1.6M	10 Mar 1999	Structural Welding Code - Stainless Steel

2.4 Drawings. The following NDBC drawings form a part of this specification to the extent referenced herein and shall be referred to as "the drawings" throughout this specification:

<u>Drawing</u>	<u>Rev</u>	<u>Title</u>
D020011	C	DART II Buoy Payload Compartment Assembly
D020012	C	DART II Buoy Hull Assembly
D030043	B	DART II Internal Buoy Structure
D030047	B	DART II Fiberglass Hull Shell
D030048	B	DART II Fiberglass Hull Deck
D030050	B	DART II Buoy Well Flange
D030052	B	DART II Lower Hex Well
D030053	B	DART II Cable Pipe Deck Flange
D030060	C	DART II Mounting Block
D030061	B	DART II Buoy Well Threaded Socket Weldment
D030062	B	DART II Rubber Handle Mounting Tab
D030063	B	DART II Buoy Well Cable Pass Thru
D030083	B	DART II Rubber Bumper Attachment Nut
D030095	B	DART II Buoy Well Lid

3.0 REQUIREMENTS

3.1 General. The buoy shall be fiberglass over foam with Type 316 stainless steel framework and four attachment points on both the top and bottom.

3.2 Materials

3.2.1 Fiberglass. The fiberglass lay-up shall be layered with a combination of bulk fiberglass, applied by chopper gun, and 24 oz. roving. Equal bi-directional plus, minus, 45-degree strand material may be substituted for 24 oz. roving. Resin to glass ratio shall be 65 to 35. A smooth surface inside mold shall be used to form the fiberglass skin within which the bulk of the fiberglass shall be laid up. This shall be the required technique with the objective of producing buoys of consistent size and shape. Buoys with a surface finish consisting of dips or waves of greater than 1/4 inch may be rejected. All transitions must be fully feathered. Proper fiber glassing techniques shall be followed to prevent delamination.

3.2.2 Stainless Steel. All stainless steel components shall be ASTM A666 Type 316.

3.2.3 Floatation Foam. The floatation foam injected into the hull shall meet the requirement of MIL-P-21929B.

3.3 Construction

3.3.1 Fiberglass. The fiberglass shall have the following nominal thickness:

<u>Hull Location</u>	<u>Thickness (inches)</u>
Bottom	1/4
Sides to vertical flat	3/8
Vertical flat on up including top	1/2

Hull shall be constructed using alternate layers of chopped reinforcement, bi-directional and 24 oz. woven roving.

3.3.2 Procedure. Set the proper height of the frames to the inside of the shell. (the critical measurements here is the distance the lower pad eyes protrude out of the bottom of the buoy, i.e., 3.7 inches minimum). Apply a 3/8-inch alternating layer of mat and roving extending a minimum of 6 inches on each side of the internal framework's bottom plates to secure the frame to the inside of the buoy bottom. An additional 1/8-inch thickness of reinforcement must be applied to the inner and outer seams. Each 1/8 inch thickness band shall be approximately 14 inches wide consisting of chop, two layers of 1-1/2 oz. mat and two layers of unidirectional roving. This additional thickness must be feathered into the adjacent areas not in excess of 3 inches on top and bottom to provide a smooth transition. All voids shall be filled with Duraglass and covered with a gel coat with surface agent then sanded to fair and re-gel coated as required.

The entire finished surface of the buoy is to be coated with gel coat with an air inhibited polyester surface. Apply an 18-inch wide strip of 40-mesh sand with gel coat to give a nonskid texture to the top of the buoy.

Drill thirteen 7/8 inch holes through the buoy side wall. Fiberglass the stainless steel rubber bumper mounts to the inside wall of the buoy at approximately 29 inch intervals. They shall be centered vertically on the rubber bumper groove and layered with 3/8 inch fiberglass and three layers of 24 oz. roving. These must be watertight. Note: the 29 inch interval will mean that the first and last bumper mounts will not be near 29 inches but closer to 12 inches apart.

Apply a smooth bead of 3M 5200 Marine adhesive/sealant to where the stainless steel framework and fiberglass meet.

The vertical sides up to and including the top, well and lid gelcoat shall be colored with three coats of safety yellow with surface agent added to the last coat. Other surfaces remain white.

3.3.3 Welding. All stainless steel welding shall be in accordance with AWS D1.6.

3.3.4 Flotation Foam Injection. The contractor shall have a procedure for injection and curing of the flotation foam that is in accordance with MIL-P-21929B and manufacturer's instructions.

4.0 QUALITY ASSURANCE

4.1 Welding Procedures and Qualifications. The contractor shall submit welding procedures and welder qualifications that conform with AWS D 1.6 prior to fabrication of the framework.

4.2 Flotation Foam Filling Procedure. The contractor shall submit the selected flotation foam that meets MIL-P-21929B and the procedure for filling the hull prior to beginning the hull fabrication.

4.3 Hull Pressure Test. The contractor shall perform a hull pressure test in accordance with NDBC-8117. Any leaks will require repair and a retest until the test is passed. At least two weeks prior to performing this test the contractor shall notify the government so they can witness the test.

4.4 Structural Integrity Test. The contractor shall conduct a proof test of the buoy framework. This test shall be completed prior to encasing the buoy framework within the fiberglass hull. This shall involve securing the lower part of the framework and pulling on each corner of the upper part of the framework until a load of 9,000 lbs is indicated on the load cell. This load shall be held for a period of 5 minutes. Following the test all welds and materials shall be inspected for deformation and cracking. Any signs of cracking or deformation will require repair and a retest until the test is passed. At least two weeks prior to performing this test the contractor shall notify the government so they can witness the test. The contractor will submit a signed and dated certificate to indicate the date in which this test was successfully completed.


4.5 Material Certifications. The contractor shall provide vendor supplied material certifications for all materials used in the construction of the buoy framework.

4.6 First Article. The contractor shall produce and deliver a first article of the buoy assembly for inspection prior to commencing fabrication of the remainder of the articles. This requirement may be waived at the contracting officer's discretion if the contractor has successfully completed a DART buoy hull contract in the past

5.0 DELIVERABLES

All deliverables shall be shipped to the following address:

National Data Buoy Center
Attn: Property Officer
Building 3203
Stennis Space Center, MS 39529



D

C

B

A


D

C

B

A

REVISION HISTORY				
ZONE	REV	DESCRIPTION	DATE	APPROVED
GEN	C	REPLACES WITH CHANGE D020011.DWG REV B, PER ECP P14-0019. FOR PREVIOUS REVISIONS SEE HISTORY. REDRAWN FROM AUTOCAD TO INVENTOR. UPDATED PARTS LIST, APPLICATION BLOCK, NOTES, AND FIELD OF DRAWING. REMOVED PART 7. M.DUNCAN 10/21/14 J.GALTERIO 10/19/15 L.RABALAIS 5/26/16		



1	NDBC		DART II LOWER HEX WELL			D030052	3A7	9
			REMOVED PER REV A.					8
			REMOVED PER REV C.					7
1	NDBC		DART II BUOY WELL CABLE PASS THRU			D030063	3C6	6
4	NDBC		DART II RUBBER HANDLE MOUNTING TAB			D030062	2C6	5
4	NDBC		DART II MOUNTING BLOCK			D030060	2B6	4
1	NDBC		DART II BUOY WELL FLANGE			D030050	3C7	3
1	NDBC		DART II UPPER CYLINDRICAL WELL			D030051	3B7	2
1	NDBC		DART II BUOY WELL THREADED SOCKET WELDMENT			D030061	3A6	1
QTY.	VENDOR	NOTES	DESCRIPTION	NDBC CONT. NO.	PART/SPEC. NO.	ZONE	ITEM	
PARTS LIST								
-	-	-	-	UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN INCHES		CONTRACT NO. QA1330-05-CQ-1035		
-	-	-	-	TOLERANCES		APPROVALS		
-	-	-	-	DECIMALS .XX +/- .05	ANGULAR +/- .5	DRAWN D.BROWN/I.CRAFT	DATE 7/8/2008	
-	-	-	-	XXX +/- .010		CHECKED V.ROBINSON	DATE 2/4/2010	
-	-	-	-	DO NOT SCALE DRAWING		NTSC ENGINEER V.ROBINSON	DATE 2/4/2010	
-	-	-	-	CHANGE ORDER # P08-0027		NDBC PROJ. ENGINEER B.HANSEN	DATE 2/2/2010	
-NO.	HULL NO.	NEXT ASSY.	USED ON	APPROVED B.HANSEN		DATE 2/2/2010	SCALE	
APPLICATION				SHEET 1 OF 3		DRAWING STATE:		

C

C

C

**NATIONAL DATA BUOY CENTER**
John C. Stennis Space Center
Stennis Space Center, Mississippi 39529




DART II BUOY PAYLOAD COMPARTMENT ASSEMBLY


SIZE D

DWG NO D020011


REV C



VIEW A-A
NTS




SECTION B-B
NTS




TOP VIEW
SCALE 1 : 4

MOUNTING BLOCK & RUBBER HANDLE TAB PLACEMENT




SIZE	D	DWG NO	D020011	REV	C
SCALE		SHEET 2	OF 3		


DRAWING STATE:



TOP VIEW
NTS



FRONT VIEW
NTS



SECTION C-C
NTS


BUOY PAYLOAD COMPARTMENT ASSEMBLY

2
1 3

SIZE	D	DWG NO	D020011	REV	C
SCALE		SHEET 3	OF 3		



VERTICAL DIMENSIONS DO NOT INCLUDE FIBERGLASS AND GEL COAT LAYERS INDICATED.

REVISION HISTORY				
ZONE	REV	DESCRIPTION	DATE	APPROVED
GEN	C	REPLACES WITH CHANGE D020012.DWG REV B, PER ECP 14-0019. FOR PREVIOUS REVISIONS SEE HISTORY. REDRAWN FROM AUTOCAD TO INVENTOR. UPDATED PARTS LIST, APPLICATION BLOCK, AND TITLE BLOCK. ADDED SHEETS/VIEWS. REVISED FIELD OF DRAWING. M.DUNCAN 10/21/14 J.GALTERIO 10/22/15 L.RABALAIS 6/27/16		




ISOMETRIC VIEW
NTS

C	44.00"		PIPE, PLASTIC, 3.00", SCH. 40, PVC					4A2	15	
	1	NDBC	DART II BUOY WELL LID					D030095	1D6	14
			REMOVED PER REV C.							13
			REMOVED PER REV C.							12
			REMOVED PER REV C.							11
			REMOVED PER REV C.							10
			REMOVED PER REV C.							9
	12	NDBC	DART II RUBBER BUMPER ATTACHMENT NUT					D030083	1B5	8
			REMOVED PER REV C.							7
			REMOVED PER REV C.							6
1	NDBC	DART II INTERNAL BUOY STRUCTURE					D030043	1D5	5	
1	NDBC	DART II FIBERGLASS HULL DECK					D030048	1C5,3D5	4	
1	NDBC	DART II FIBERGLASS HULL SHELL					D030047	1C5,3D3	3	
1	NDBC	DART II CABLE PIPE DECK FLANGE					D030053	1C8,4C8	2	
1	NDBC	DART II BUOY PAYLOAD COMPARTMENT ASSEMBLY					D020011	2D5	1	
QTY.	VENDOR	NOTES	DESCRIPTION			NDBC CONT. NO.	PART/SPEC. NO.	ZONE	ITEM	
PARTS LIST										
-	-	-	-	UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN INCHES TOLERANCES DECIMALS ANGULAR .XX +/- .05 +/- .5 .XXX +/- .010 DO NOT SCALE DRAWING CHAIR, ENGINEERING REVIEW BOARD	CONTRACT NO. QC133005CQ1035		 NATIONAL DATA BUOY CENTER John C. Stennis Space Center Stennis Space Center, Mississippi 39529 			
-	-	-	-		APPROVALS			DATE		
-	-	-	-		DRAWN F.LOSSETT/I.CRAFT			5/5/2008		
-	-	-	-		CHECKED V.ROBINSON			2/4/2010		
-	-	-	-		RTSC ENGINEER V.ROBINSON			2/4/2010		
-	-	-	-		NDBC PROJ. ENGINEER B.HANSEN			2/1/2010		
-NO.	HULL NO.	NEXT ASSY.	USED ON	CHANGE ORDER # P08-0027	APPROVED B.HANSEN	2/2/2010	SIZE D	DWG NO D020012	REV C	
APPLICATION							SCALE	SHEET 1 OF 4		



SIZE	DWG NO	REV
D	D020012	C
SCALE	SHEET 2 OF 4	




TOP VIEW
NTS


FRONT VIEW
SCALE 1 : 8

SIZE	D	DWG NO	D020012	REV	C
SCALE		SHEET	3	OF	4


DRAWING STATE:



BOTTOM VIEW
NTS



BREAK OUT VIEW
NTS




SIDE VIEW
NTS

PVC PIPE DETAIL

SIZE	D	DWG NO	D020012	REV	C
SCALE				SHEET 4 OF 4	

DRAWING STATE:




- NOTES:
- ALL WELDING TO BE IAW AWS D1.6 STRUCTURAL WELDING CODE - STAINLESS STEEL.
 - ITEMS 1 THRU 4 COME AS PART OF INTERNAL BUOY HULL ASSEMBLY.

REVISION HISTORY				
ZONE	REV	DESCRIPTION	DATE	APPROVED
GEN	B	REPLACES WITH CHANGE D030043.DWG REV A PER ECP P14-0019. FOR PREVIOUS REVISIONS SEE HISTORY. REDRAWN FROM AUTOCAD TO INVENTOR. UPDATED PARTS LIST, APPLICATION BLOCK, AND FIELD OF DRAWING. M.DUNCAN 5/27/15 L.RABALAIS 4/5/16		


B				REMOVED PER REV B.					5
	87.300 in			BAR, METAL, FLAT, .375" x 4.00", 316 SST				2B6,2C7	4
	218.000 in			PIPE, METAL, 1.00", SCH 10, 316 SST				2A2,2B2	3
	195.200 in			ANGLE, .1875" x 2.00" x 2.00" x 84.00", 316 SST				2C2	2
	4			BAR, METAL, FLAT, .50" x 6.00", 316 SST				2D4	1
	QTY.	VENDOR	NOTES	DESCRIPTION		NDBC CONT. NO.	PART/SPEC. NO.	ZONE	ITEM
PARTS LIST									
-	-	-	-	UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN INCHES TOLERANCES DECIMALS .XX +/- .05 ANGULAR +/- .5 XXX +/- .010 DO NOT SCALE DRAWING CHAIR, ENGINEERING REVIEW BOARD	CONTRACT NO. QC133005CQ1035		 NATIONAL DATA BUOY CENTER John C. Stennis Space Center Stennis Space Center, Mississippi 39529		
-	-	-	-		APPROVALS	DATE			
-	-	-	-		DRAWN D.BROWN/I.CRAFT	5/1/2008			
-	-	-	-		CHECKED V.ROBINSON	2/4/2010			
-	-	-	-		NTSC ENGINEER V.ROBINSON	2/4/2010			
-	-	-	-	CHANGE ORDER # P08-0027	NDBC PROJ. ENGINEER B.HANSEN	2/2/2010	SIZE D	DWG NO D030043	REV B
APPLICATION					APPROVED B.HANSEN	2/2/2010	SCALE	SHEET 1 OF 2	

B									




NOTES:
1 MATERIALS COME AS PART OF INTERNAL BUOY HULL ASSEMBLY.


REVISION HISTORY				
ZONE	REV	DESCRIPTION	DATE	APPROVED
GEN	B	REPLACES WITH CHANGE D030047.DWG REV A PER P14-0019. FOR PREVIOUS REVISIONS SEE HISTORY. REDRAWN FROM AUTOCAD TO INVENTOR. UPDATED PARTS LIST AND APPLICATION BLOCK. REVISED FIELD OF DRAWING. A.FINEOUT 5/4/16 L.RABALAIS 6/28/16		




FRONT VIEW
SCALE 1 : 10




ISOMETRIC VIEW
NTS



ISOMETRIC VIEW
NTS



TOP VIEW
SCALE 1 : 10






SIDE VIEW
SCALE 1 : 10


SHELL 1

2	SHELL, 41.75" H, FIBERGLASS					1D6	1
QTY.	VENDOR	NOTES	DESCRIPTION	NDBC CONT. NO.	PART/SPEC. NO.	ZONE	ITEM
-	-	-	-	PARTS LIST			
-	-	-	-	CONTRACT NO. QC133005CQ1035		NATIONAL DATA BUOY CENTER John C. Stennis Space Center Stennis Space Center, Mississippi 39529	
-	-	-	-	APPROVALS	DATE	TITLE	
-	-	-	-	DRAWN D.BROWN/I.CRAFT	4/21/2008	DART II FIBERGLASS HULL SHELL	
-	-	-	-	CHECKED V.ROBINSON	2/4/2010		
-	-	-	-	NTSC ENGINEER V.ROBINSON	2/4/2010		
-	-	-	-	NDBC PROJ. ENGINEER B.HANSEN	2/2/2010		
-	-	-	-	APPROVED B.HANSEN	2/2/2010	SIZE D	REV B
-NO.	HULL NO.	NEXT ASSY.	USED ON	CHANGE ORDER # P08-0027	DWG NO. D030047	SCALE	SHEET 1 OF 1
APPLICATION							

REVISION HISTORY				
ZONE	REV	DESCRIPTION	DATE	APPROVED
GEN	B	REPLACES WITH CHANGE D030052.DWG REV A PER ECP P14-0019. FOR PREVIOUS REVISIONS SEE HISTORY. REDRAWN FROM AUTOCAD TO INVENTOR. UPDATED PARTS LIST AND REVISED FIELD OF DRAWING. REMOVED SHEET 2. J.GALTERIO 1/14/16 M.DUNCAN 3/3/16 L.RABALAIS 7/6/16		




B	AR			FIBERGLASS					ID5	1	
	QTY.	VENDOR	NOTES	DESCRIPTION			NDBC CONT. NO.	PART/SPEC. NO.	ZONE	ITEM	
	PARTS LIST										
-	-	-	-	UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN INCHES TOLERANCES		CONTRACT NO. QA1330-05-CQ-1035		 NATIONAL DATA BUOY CENTER John C. Stennis Space Center Stennis Space Center, Mississippi 39529 			
-	-	-	-			APPROVALS					DATE
-	-	-	-	DECIMALS .XX +/- .05 ANGULAR .XXX +/- .010		DRAWN I.CRAFT					8/9/2010
-	-	-	-	DO NOT SCALE DRAWING CHAIR, ENGINEERING REVIEW BOARD		CHECKED V.ROBINSON					1/6/2011
-	-	-	-			NTSC ENGINEER V.ROBINSON		1/6/2011	DART II LOWER HEX WELL		
-	-	D020011	DART II	CHANGE ORDER # P10-0062		NDBC PROJ. ENGINEER C.KOHLER		1/19/2011			
-NO.	HULL NO.	NEXT ASSY.	USED ON			APPROVED C.KOHLER		1/19/2011			
APPLICATION						SCALE		SHEET 1 OF 1			




- NOTES:
1. ROUGHEN SURFACE FOR GLUE JOINT.
 2. BREAK ALL SHARP EDGES AND DEBURR EXPOSED WORK.
 3. ITEM COMES WITH BUOY HULL.

REVISION HISTORY				
ZONE	REV	DESCRIPTION	DATE	APPROVED
GEN	B	REPLACES WITH CHANGE D030053.DWG REV A PER P14-0019. FOR PREVIOUS REVISIONS SEE HISTORY. REDRAWN FROM AUTOCAD TO INVENTOR. UPDATED PARTS LIST AND APPLICATION BLOCK. REVISED FIELD OF DRAWING. L.RABALAIS 3/17/16		



ISOMETRIC VIEW
SCALE 1 : 1


B	42.250 in^2				PLATE, PLASTIC, 1.00" THK., PVC, GRAY						1C8	1		
	QTY.	VENDOR	NOTES	DESCRIPTION						NDBC CONT. NO.		PART/SPEC. NO.		ZONE
PARTS LIST														
-	-	-	-	UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN INCHES TOLERANCES DECIMALS .XX +/- .05 ANGULAR .XXX +/- .010 DO NOT SCALE DRAWING CHAIR, ENGINEERING REVIEW BOARD	CONTRACT NO. QC133005CQ1035		 NATIONAL DATA BUOY CENTER John C. Stennis Space Center Stennis Space Center, Mississippi 39529							
-	-	-	-		APPROVALS				DATE					
-	-	-	-		DRAWN D.BROWN/I.CRAFT				4/18/2008					
-	-	-	-		CHECKED V.ROBINSON				2/4/2010					
-	-	-	-		NTSC ENGINEER V.ROBINSON				2/4/2010					
-	-	D020012	DART II	CHANGE ORDER # P08-0027	NDBC PROJ. ENGINEER B.HANSEN		2/2/2010	SIZE D		DWG NO D030053		REV B		
APPLICATION					APPROVED B.HANSEN		2/2/2010	SCALE				SHEET 1 OF 1		



REVISION HISTORY				
ZONE	REV	DESCRIPTION	DATE	APPROVED
GEN	C	REPLACES WITH CHANGE D030060.DWG REV B PER P14-0019. FOR PREVIOUS REVISIONS SEE HISTORY. REDRAWN FROM AUTOCAD TO INVENTOR. UPDATED PARTS LIST, TITLE BLOCK, AND FIELD OF DRAWING. REMOVED NOTE 4. J.GALTERIO 1/14/16 M.DUNCAN 3/2/16 L.RABALAIS 3/18/16		


- NOTES:
1. BREAK ALL SHARP EDGES AND DEBURR EXPOSED WORK.
 2. WIPE OFF EXCESS BEFORE ADHESIVE HARDENS.
 3. ROUGHEN FOR GLUE JOINT.
 4. REMOVED PER REV C.


C	AR			ADHESIVE, EPOXY DURABOND, LOCTITE	7469	E-05CL	1D2	3	
	2	McMASTER-CARR		ANCHOR, ADHESIVE GRIP, .25"-20 UNC, 316 SST		93980A530	1D2	2	
	1			BAR, GAROLITE, G10/FRV4			1C7	1	
	QTY.	VENDOR	NOTES	DESCRIPTION	NDBC CONT. NO.	PART/SPEC. NO.	ZONE	ITEM	
PARTS LIST									
-	-	-	-	UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN INCHES TOLERANCES DECIMALS .XX +/- .05 ANGULAR .XXX +/- .010 DO NOT SCALE DRAWING CHAIR, ENGINEERING REVIEW BOARD C	CONTRACT NO. QC133005CQ1035		 NATIONAL DATA BUOY CENTER John C. Stennis Space Center Stennis Space Center, Mississippi 39529 		
-	-	-	-		APPROVALS	DATE			
-	-	-	-		DRAWN D.BROWN/I.CRAFT	4/9/2008			
-	-	-	-		CHECKED V.ROBINSON	2/4/2010			
-	-	-	-		NTSC ENGINEER V.ROBINSON	2/4/2010			
-	-	D020011	DART II	CHANGE ORDER # P08-0027 C	NDBC PROJ. ENGINEER B.HANSEN	2/2/2010	SIZE D	DWG NO D030060	REV C
-NO.	HULL NO.	NEXT ASSY.	USED ON	APPLICATION	APPROVED B.HANSEN	2/2/2010	SCALE	SHEET 1 OF 1	
4		3			2		1		




REVISION HISTORY				
ZONE	REV	DESCRIPTION	DATE	APPROVED
GEN	B	REPLACES WITH CHANGE D030062.DWG REV A PER P14-0019. FOR PREVIOUS REVISIONS SEE HISTORY. REDRAWN FROM AUTOCAD TO INVENTOR. UPDATED PARTS LIST AND TITLE BLOCK. REMOVED NOTE 3. REVISED FIELD OF DRAWING. J.GALTERIO 1/14/16 M.DUNCAN 3/2/16 L.RABALAIS 5/24/16		

2			INSERT, SELF LOCKING, #10-32 UNF, 18-8 SST	13350	1C3	2
	5.250 in^2		PLATE, .375", PVC, GRAY		1C6	1
QTY.	VENDOR	NOTES	DESCRIPTION	NDBC CONT. NO.	PART/SPEC. NO.	ZONE ITEM
PARTS LIST						
-	-	-	-	UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN INCHES TOLERANCES DECIMALS .XX +/- .05 ANGULAR +/- .5 XXX +/- .010		
-	-	-	-	CONTRACT NO. EA133W-12-CN0050		
-	-	-	-	APPROVALS		
-	-	-	-	DATE		
-	-	-	-	DRAWN D.BROWN/I.CRAFT		
-	-	-	-	4/10/2008		
-	-	-	-	CHECKED V.ROBINSON		
-	-	-	-	2/4/2010		
-	-	-	-	NTSC ENGINEER		
-	-	-	-	V.ROBINSON		
-	-	-	-	2/4/2010		
-	-	-	-	NDBC PROJ. ENGINEER		
-	-	-	-	B.HANSEN		
-	-	-	-	2/2/2010		
-	-	-	-	APPROVED		
-	-	-	-	B.HANSEN		
-	-	-	-	2/2/2010		
-	-	-	-	SCALE		
-	-	-	-	SHEET 1 OF 1		
-	-	-	-	REV B		
-	-	-	-	TITLE		
-	-	-	-	DART II RUBBER HANDLE MOUNTING TAB		
-	-	-	-	NATIONAL DATA BUOY CENTER		
-	-	-	-	John C. Stennis Space Center		
-	-	-	-	Stennis Space Center, Mississippi 39529		
-	-	-	-	DWG NO D030062		
-	-	-	-	SIZE D		
-	-	-	-	SCALE		
-	-	-	-	APPLICATION		
-	-	-	-	CHANGE ORDER #		
-	-	-	-	P08-0027		
-	-	-	-	HULL NO.		
-	-	-	-	NEXT ASSY.		
-	-	-	-	USED ON		
-	-	-	-	APPLICATION		






TOP VIEW
SCALE 1 : 1




FRONT VIEW
SCALE 1 : 1

PLATE

1
1 2




SECTION B-B
SCALE 1 : 1



TOP VIEW
SCALE 2 : 1

SIDE VIEW
SCALE 2 : 1




SIDE VIEW
SCALE 2 : 1

HANDLE

2
1 2


SIZE	D	DWG NO	D030063	REV	B
SCALE		SHEET 2 OF 2			

DRAWING STATE:




REVISION HISTORY				
ZONE	REV	DESCRIPTION	DATE	APPROVED
GEN	B	REPLACES WITH CHANGE D030083.DWG REV A PER P14-0019. FOR PREVIOUS REVISIONS SEE HISTORY. REDRAWN FROM AUTOCAD TO INVENTOR. UPDATED PARTS LIST, APPLICATION BLOCK, TITLE BLOCK, AND FIELD OF DRAWING. L.RABALAIS 3/25/16 A.FINEOUT 4/4/16		


- NOTES:
1. BREAK ALL SHARP EDGES AND DEBURR EXPOSED WORK.
 2. BEND PLATE TO A 47° RADIUS AFTER FABRICATION.
 3. MATERIALS COME AS PART OF INTERNAL BUOY HULL ASSEMBLY.





TOP VIEW
SCALE 2 : 1




FRONT VIEW
SCALE 2 : 1




ISOMETRIC VIEW
SCALE 2 : 1




ISOMETRIC VIEW
SCALE 2 : 1




FLAT PATTERN
SCALE 2 : 1




ISOMETRIC VIEW
SCALE 1 : 1



FRONT VIEW
SCALE 2 : 1



0.800 in				BAR, METAL, ROUND, 1.00", 316 SST	8319		1C7		2	
7.499 in^2				SHEET, METAL, .125" x 48.00" x 96.00", 316 SST	7349		1A6		1	
QTY.	VENDOR	NOTES	DESCRIPTION			NDBC CONT. NO.	PART/SPEC. NO.		ZONE	ITEM
PARTS LIST										
-	-	-	-	UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN INCHES TOLERANCES DECIMALS ANGULAR .XX +/- .05 +/- .5 .XXX +/- .010 . DO NOT SCALE DRAWING CHAIR, ENGINEERING REVIEW BOARD	CONTRACT NO. QC133005CQ1035		 NATIONAL DATA BUOY CENTER John C. Stennis Space Center Stennis Space Center, Mississippi 39529 			
-	-	-	-		APPROVALS					
-	-	-	-		DRAWN D.BROWN/I.CRAFT		4/30/2008	TITLE DART II RUBBER BUMPER ATTACHMENT NUT		
-	-	-	-		CHECKED V.ROBINSON		2/4/2010			
-	-	-	-		NTSC ENGINEER V.ROBINSON		2/4/2010			
-	-	D020012	DART II	CHANGE ORDER # P08-0027	NDBC PROJ. ENGINEER B.HANSEN	2/2/2010	SIZE D	DWG NO D030083		REV B
APPLICATION					APPROVED B.HANSEN	2/2/2010	SCALE		SHEET	1 OF 1



REVISION HISTORY				
ZONE	REV	DESCRIPTION	DATE	APPROVED
GEN	B	REPLACES WITH CHANGE D030095.DWG REV A, PER ECP P14-0019. FOR PREVIOUS REVISIONS SEE HISTORY. REDRAWN FROM AUTOCAD TO INVENTOR. UPDATED PARTS LIST, APPLICATION BLOCK, FIELD OF DRAWING, AND NOTE 6. CORRECTED TITLE BLOCK. M.DUNCAN 10/20/14 J.GALTERIO 10/20/15 L.RABALAIS 6/27/16		

B	AR			FIBERGLASS, .125" THK, WITH PUTTY FILL				1C3	2
	QTY.	VENDOR	NOTES	REMOVED PER REV B.					1
B					DESCRIPTION	NDBC CONT. NO.	PART/SPEC. NO.	ZONE	ITEM
					PARTS LIST				
B	-	-	-	-	UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN INCHES TOLERANCES DECIMALS .XX +/- .05 ANGULAR +/- .5	CONTRACT NO. QC133005CQ1035	 NATIONAL DATA BUOY CENTER John C. Stennis Space Center Stennis Space Center, Mississippi 39529	TITLE	
	-	-	-	-	DO NOT SCALE DRAWING	DRAWN F.LOSSETT/I.CRAFT			
B	-	-	-	-	CHAIR, ENGINEERING REVIEW BOARD	CHECKED V.ROBINSON	DATE 5/5/2008	DART II BUOY WELL LID	
	-	-	-	-		NTSC ENGINEER V.ROBINSON	4/1/2010		
B	-	-	D020012	DART II	CHANGE ORDER # P08-0027	NDBC PROJ. ENGINEER B.HANSEN	4/1/2010	SIZE D	
	-NO.	HULL NO.	NEXT ASSY.	USED ON		APPROVED B.HANSEN	4/2/2010		
APPLICATION								DWG NO D030095	REV B
								SCALE	SHEET 1 OF 1